

BIBLIOGRAPHY

- Abramowitz, M. and Stegun, I. A. (1965). *Handbook of Mathematical Functions*. Dover Publications, New York.
- Aitchison, J. (2004). *The Statistical Analysis of Compositional Data*. Blackburn Press, Caldwell, New Jersey.
- Atkinson, A. C. (1982). Optimum biased coin designs for sequential clinical trials with prognostic factors. *Biometrika*, **69**, 61–67.
- Atkinson, A. C. (1985). *Plots, Transformations, and Regression*. Oxford University Press, Oxford.
- Atkinson, A. C. (1988). Recent developments in the methods of optimum and related experimental designs. *International Statistical Review*, **56**, 99–115.
- Atkinson, A. C. (1992). A segmented algorithm for simulated annealing. *Statistics and Computing*, **2**, 221–230.
- Atkinson, A. C. (1999). Bayesian and other biased-coin designs for sequential clinical trials. *Tatra Mountains Mathematical Publications*, **17**, 133–139.
- Atkinson, A. C. (2002). The comparison of designs for sequential clinical trials with covariate information. *Journal of the Royal Statistical Society, Series A*, **165**, 349–373.
- Atkinson, A. C. (2003a). The distribution of loss in two-treatment biased-coin designs. *Biostatistics*, **4**, 179–193.
- Atkinson, A. C. (2003b). Horwitz's rule, transforming both sides and the design of experiments for mechanistic models. *Applied Statistics*, **52**, 261–278.
- Atkinson, A. C. (2005). Robust optimum designs for transformation of the response in a multivariate chemical kinetic model. *Technometrics*, **47**, 478–487.
- Atkinson, A. C. and Bailey, R. A. (2001). One hundred years of the design of experiments on and off the pages of *Biometrika*. *Biometrika*, **88**, 53–97.
- Atkinson, A. C. and Biswas, A. (2005a). Bayesian adaptive biased-coin designs for clinical trials with normal responses. *Biometrics*, **61**, 118–125.
- Atkinson, A. C. and Biswas, A. (2005b). Optimum design theory and adaptive-biased coin designs for skewing the allocation proportion in clinical trials. *Statistics in Medicine*, **24**, 2477–2492.

- Atkinson, A. C. and Biswas, A. (2006). Adaptive designs for clinical trials that maximize utility. Technical report, London School of Economics.
- Atkinson, A. C. and Bogacka, B. (1997). Compound, D- and D_s -optimum designs for determining the order of a chemical reaction. *Technometrics*, **39**, 347–356.
- Atkinson, A. C., Bogacka, B., and Zhigljavsky, A. (eds) (2001). *Optimal Design 2000*, Kluwer, Dordrecht.
- Atkinson, A. C., Bogacka, B., and Zocchi, S. S. (2000). Equivalence theory for design augmentation and parsimonious model checking: response surfaces and yield density models. *Listy Biometryczne—Biometrical Letters*, **37**, 67–95.
- Atkinson, A. C., Chaloner, K., Herzberg, A. M., and Juritz, J. (1993). Optimum experimental designs for properties of a compartmental model. *Biometrics*, **49**, 325–337.
- Atkinson, A. C. and Cook, R. D. (1995). D-optimum designs for heteroscedastic linear models. *Journal of the American Statistical Association*, **90**, 204–212.
- Atkinson, A. C. and Cook, R. D. (1997). Designing for a response transformation parameter. *Journal of the Royal Statistical Society, Series B*, **59**, 111–124.
- Atkinson, A. C. and Cox, D. R. (1974). Planning experiments for discriminating between models (with discussion). *Journal of the Royal Statistical Society, Series B*, **36**, 321–348.
- Atkinson, A. C., Demetrio, C. G. B., and Zocchi, S. S. (1995). Optimum dose levels when males and females differ in response. *Applied Statistics*, **44**, 213–226.
- Atkinson, A. C. and Donev, A. N. (1989). The construction of exact D-optimum experimental designs with application to blocking response surface designs. *Biometrika*, **76**, 515–526.
- Atkinson, A. C. and Donev, A. N. (1992). *Optimum Experimental Designs*. Oxford University Press, Oxford.
- Atkinson, A. C. and Donev, A. N. (1996). Experimental designs optimally balanced for trend. *Technometrics*, **38**, 333–341.
- Atkinson, A. C. and Fedorov, V. V. (1975a). The design of experiments for discriminating between two rival models. *Biometrika*, **62**, 57–70.
- Atkinson, A. C. and Fedorov, V. V. (1975b). Optimal design: experiments for discriminating between several models. *Biometrika*, **62**, 289–303.
- Atkinson, A. C., Hackl, P., and Müller, W. G. (eds) (2001). *MODA 6—Advances in Model-Oriented Design and Analysis*. Physica-Verlag, Heidelberg.
- Atkinson, A. C., Pronzato, L., and Wynn, H. P. (eds) (1998). *MODA 5—Advances in Model-Oriented Data Analysis and Experimental Design*. Physica-Verlag, Heidelberg.

- Atkinson, A. C. and Riani, M. (2000). *Robust Diagnostic Regression Analysis*. Springer-Verlag, New York.
- Atkinson, A. C., Riani, M., and Cerioli, A. (2004). *Exploring Multivariate Data with the Forward Search*. Springer-Verlag, New York.
- Atkinson, A. C. and Zocchi, S. S. (1998). Parsimonious designs for detecting departures from nonlinear and generalized linear models. Technical report, London School of Economics.
- Azzalini, A. and Giovagnoli, A. (1987). Some optimal designs for repeated measurements with autoregressive errors. *Biometrika*, **74**, 725–734.
- Bailey, R. A. (1991). Strata for randomized experiments (with discussion). *Journal of the Royal Statistical Society, Series B*, **53**, 27–78.
- Bailey, R. A. (2004). *Association Schemes: Designed Experiments, Algebra and Combinatorics*. Cambridge University Press, Cambridge.
- Bailey, R. A. (2006). *Design of Comparative Experiments*. <http://www.maths.qmul.ac.uk/~rab/DOEbook/>.
- Bailey, R. A. and Kunert, J. (2006). On optimal crossover designs when carryover effects are proportional to direct effects. *Biometrika*, **93**, 613–625.
- Ball, F. G., Smith, A. F. M., and Verdinelli, I. (1993). Biased coin designs with a Bayesian bias. *Journal of Statistical Planning and Inference*, **34**, 403–421.
- Bandemer, H., Bellmann, A., Jung, W., and Richter, K. (1973). *Optimale Versuchsplanung*. Akademie Verlag, Berlin.
- Bandemer, H., Bellmann, A., Jung, W., Son, L. A., Nagel, S., Näther, W., Pilz, J., and Richter, K. (1977). *Theorie und Anwendung der optimalen Versuchsplanung: I Handbuch zur Theorie*. Akademie Verlag, Berlin.
- Bandemer, H. and Näther, W. (1980). *Theorie und Anwendung der optimalen Versuchsplanung: II Handbuch zur Anwendung*. Akademie Verlag, Berlin.
- Barnard, G. A., Box, G. E. P., Cox, D. R., Seheult, A. H., and Silverman, B. W. (eds) (1989). *Industrial Quality and Reliability*. Royal Society, London.
- Bates, D. M. and Watts, D. G. (1980). Relative curvature measures of nonlinearity (with discussion). *Journal of the Royal Statistical Society, Series B*, **42**, 1–25.
- Bates, D. M. and Watts, D. G. (1988). *Nonlinear Regression Analysis and Its Applications*. Wiley, New York.
- Bates, R. A., Buck, R. J., Riccomagno, E., and Wynn, H. P. (1996). Experimental design and observation for large systems (with discussion). *Journal of the Royal Statistical Society, Series B*, **58**, 77–94.
- Battiti, R. and Tecchiolli, G. (1992). The reactive tabu search. *ORSA Journal on Computing*, **6**, 126–140.

- Bauer, I., Bock, H. G., Körkel, S., and Schlöder, J. P. (2000). Numerical methods for optimum experimental design in DAE systems. *Journal of Computational and Applied Mathematics*, **120**, 1–25.
- Baumert, L., Golomb, S. W., and Hall, M. (1962). Discovery of an Hadamard matrix of order 92. *American Mathematical Society Bulletin*, **68**, 237–238.
- Beale, E. M. L. (1960). Confidence regions in nonlinear estimation (with discussion). *Journal of the Royal Statistical Society, Series B*, **22**, 41–88.
- Becker, N. G. (1968). Models for the response of a mixture. *Journal of the Royal Statistical Society, Series B*, **30**, 349–358.
- Becker, N. G. (1969). Regression problems when the predictor variables are proportions. *Journal of the Royal Statistical Society, Series B*, **31**, 107–112.
- Becker, N. G. (1970). Mixture designs for a model linear in the proportions. *Biometrika*, **57**, 329–338.
- Bendell, A., Disney, J., and Pridmore, W. A. (eds) (1989). *Taguchi Methods: Applications in World Industry*. IFS Publications, Bedford, UK.
- Berger, M. and Wong, W.K. (eds) (2005). *Applied Optimal Designs*, Wiley, New York.
- Biedermann, S., Dette, H., and Pepelyshev, A. (2004). Maximin optimal designs for a compartmental model. In *MODA 7—Advances in Model-Oriented Design and Analysis* (eds A. Di Bucchianico, H. Läuter, and H. P. Wynn), pp. 41–49. Physica-Verlag, Heidelberg.
- Biedermann, S., Dette, H., and Zhu, W. (2005). Compound optimal designs for percentile estimation in dose–response models with restricted design intervals. In *Proceedings of the 5th St Petersburg Workshop on Simulation* (eds S. Ermakov, V. Melas, and A. Pepelyshev), pp. 143–148. NII Chemistry University Publishers, St Petersburg.
- Bingham, D. R. and Sitter, R. R. (2001). Design issues in fractional factorial split-plot experiments. *Journal of Quality Technology*, **33**, 2–15.
- Bliss, C. I. (1935). The calculation of the dosage-mortality curve. *Annals of Applied Biology*, **22**, 134–167.
- Bogacka, B., Johnson, P., Jones, B., and Volkov, O. (2007). D-efficient window experimental designs. *Journal of Statistical Planning and Inference*. (In press).
- Bohachevsky, I. O., Johnson, M. E., and Stein, M. L. (1986). Generalized simulated annealing for function optimization. *Technometrics*, **28**, 209–217.
- Box, G., Bisgaard, S., and Fung, C. (1989). An explanation and critique of Taguchi's contribution to quality engineering. In *Taguchi Methods: Applications in World Industry* (eds A. Bendel, J. Disney, and W. A. Pridmore), pp. 359–383. IFS Publications, Bedford, UK.

- Box, G. E. P. (1952). Multi-factor designs of first order. *Biometrika*, **39**, 49–57.
- Box, G. E. P. (1993). Quality improvement—the new industrial revolution. *International Statistical Review*, **61**, 1–19.
- Box, G. E. P. (2006). *Improving Almost Anything, 2nd Edition*. Wiley, New York.
- Box, G. E. P. and Behnken, D. W. (1960). Some new 3 level designs for the study of quantitative variables. *Technometrics*, **2**, 455–475.
- Box, G. E. P. and Cox, D. R. (1964). An analysis of transformations (with discussion). *Journal of the Royal Statistical Society, Series B*, **26**, 211–246.
- Box, G. E. P. and Draper, N. R. (1959). A basis for the selection of a response surface design. *Journal of the American Statistical Association*, **54**, 622–654.
- Box, G. E. P. and Draper, N. R. (1963). The choice of a second order rotatable design. *Biometrika*, **50**, 335–352.
- Box, G. E. P. and Draper, N. R. (1975). Robust designs. *Biometrika*, **62**, 347–352.
- Box, G. E. P. and Draper, N. R. (1987). *Empirical Model-Building and Response Surfaces*. Wiley, New York.
- Box, G. E. P. and Hunter, J. S. (1961a). The 2^{k-p} fractional factorial designs Part I. *Technometrics*, **3**, 311–351.
- Box, G. E. P. and Hunter, J. S. (1961b). The 2^{k-p} fractional factorial designs Part II. *Technometrics*, **3**, 449–458.
- Box, G. E. P. and Hunter, W. G. (1965). Sequential design of experiments for nonlinear models. In *Proceedings IBM Scientific Computing Symposium: Statistics*, pp. 113–137. IBM, New York.
- Box, G. E. P., Hunter, W. G., and Hunter, J. S. (2005). *Statistics for Experimenters: Design, Innovation, and Discovery, 2nd Edition*. Wiley, New York.
- Box, G. E. P. and Lucas, H. L. (1959). Design of experiments in nonlinear situations. *Biometrika*, **46**, 77–90.
- Box, G. E. P. and Meyer, D. R. (1986). An analysis for unreplicated fractional factorials. *Technometrics*, **28**, 11–18.
- Box, G. E. P. and Wilson, K. B. (1952). On the experimental attainment of optimum conditions (with discussion). *Journal of the Royal Statistical Society, Series B*, **13**, 1–45.
- Box, M. J. and Draper, N. R. (1971). Factorial designs, the $|F^T F|$ criterion and some related matters. *Technometrics*, **13**, 731–742: Correction, **14**, 511 (1972); **15**, 430 (1973).
- Brenneman, W. A. and Nair, V. J. (2001). Methods for identifying dispersion effects in unreplicated factorial experiments: a critical analysis and proposed strategies. *Technometrics*, **43**, 388–405.

- Brimkulov, U. N., Krug, G. K., and Savanov, V. L. (1980). Numerical construction of exact experimental designs when the measurements are correlated. *Zavodskaya Laboratoria (Industrial Laboratory)*, **36**, 435–442. (In Russian).
- Brimkulov, U. N., Krug, G. K., and Savanov, V. L. (1986). *Design of Experiments in Investigating Random Fields and Processes*. Nauka, Moscow. (In Russian).
- Brownlee, K. A. (1965). *Statistical Theory and Methodology in Science and Engineering, 2nd Edition*, Wiley, New York.
- Burman, C.-F. (1996). *On Sequential Treatment Allocations in Clinical Trials*. Department of Mathematics, Göteborg.
- Burrige, J. and Sebastiani, P. (1994). D-optimal designs for generalised linear models with variance proportional to the square of the mean. *Biometrika*, **81**, 295–304.
- Calinski, T. and Kageyama, S. (2000). *Block Designs: A Randomization Approach. Volume I: Analysis*. Lecture Notes in Statistics 150. Springer-Verlag, New York.
- Calinski, T. and Kageyama, S. (2003). *Block Designs: A Randomization Approach. Volume II: Design*. Lecture Notes in Statistics 170. Springer-Verlag, New York.
- Carroll, R. J. and Ruppert, D. (1988). *Transformation and Weighting in Regression*. Chapman and Hall, London.
- Chaloner, K. (1988). An approach to experimental design for generalized linear models. In *Model-oriented Data Analysis* (eds V. V. Fedorov and H. Läuter). Springer, Berlin.
- Chaloner, K. (1993). A note on optimal Bayesian design for nonlinear problems. *Journal of Statistical Planning and Inference*, **37**, 229–235.
- Chaloner, K. and Larntz, K. (1989). Optimal Bayesian design applied to logistic regression experiments. *Journal of Statistical Planning and Inference*, **21**, 191–208.
- Chaloner, K. and Verdinelli, I. (1995). Bayesian experimental design: a review. *Statistical Science*, **10**, 273–304.
- Cheng, C. S. and Tang, B. (2005). A general theory of minimum aberration and its applications. *Annals of Statistics*, **33**, 944–958.
- Chernoff, H. (1953). Locally optimal designs for estimating parameters. *Annals of Mathematical Statistics*, **24**, 586–602.
- Claringbold, P. J. (1955). Use of the simplex design in the study of joint action of related hormones. *Biometrics*, **11**, 174–185.
- Cobb, G. W. (1998). *Introduction to the Design and Analysis of Experiments*. Springer-Verlag, New York.
- Cochran, W. G. and Cox, G. M. (1957). *Experimental Designs, 2nd Edition*. Wiley, New York.

- Cohn, D. A. (1996). Neural network exploration using optimum experimental designs. *Neural Networks*, **9**, 1071–1083.
- Cook, R. D. and Fedorov, V. V. (1995). Constrained optimization of experimental designs. *Statistics*, **26**, 129–178.
- Cook, R. D. and Nachtsheim, C. J. (1980). A comparison of algorithms for constructing exact D-optimal designs. *Technometrics*, **22**, 315–324.
- Cook, R. D. and Nachtsheim, C. J. (1982). Model robust, linear-optimal designs. *Technometrics*, **24**, 49–54.
- Cook, R. D. and Weisberg, S. (1990). Confidence curves in nonlinear regression. *Journal of the American Statistical Association*, **85**, 544–551.
- Cook, R. D. and Weisberg, S. (1999). *Applied Regression Including Computing and Graphics*. Wiley, New York.
- Cook, R. D. and Wong, W. K. (1994). On the equivalence between constrained and compound optimal designs. *Journal of the American Statistical Association*, **89**, 687–692.
- Coombes, N. E., Payne, R. W., and Lisboa, P. (2002). Comparison of nested simulated annealing and reactive tabu search for efficient experimental designs with correlated data. In *COMPSTAT 2002 Proceedings in Computational Statistics* (eds W. W. Härdle and B. Rönz), pp. 249–254. Physica-Verlag, Heidelberg.
- Cornell, J. A. (1988). Analyzing data from mixture experiments containing process variables: A split-plot approach. *Journal of Quality Technology*, **20**, 2–23.
- Cornell, J. A. (2002). *Experiments with Mixtures: Designs, Models, and the Analysis of Mixture Data, 3rd Edition*. Wiley, New York.
- Cox, D. R. (1958). *Planning of Experiments*. Wiley, New York.
- Cox, D. R. (1971). A note on polynomial response functions for mixtures. *Biometrika*, **58**, 155–159.
- Cox, D. R. (1988). A note on design when response has an exponential family distribution. *Biometrika*, **75**, 161–164.
- Cox, D. R. and Reid, R. (2000). *The Theory of the Design of Experiments*. Chapman and Hall/CRC Press, Boca Raton.
- Crosier, R. B. (1984). Mixture experiments: geometry and pseudocomponents. *Technometrics*, **26**, 209–216.
- Davidian, M. and Giltinan, D. M. (1995). *Nonlinear Models for Repeated Measurement Data*. Chapman and Hall/CRC Press, Boca Raton.
- Davidian, M. and Giltinan, D. M. (2003). Nonlinear models for repeated measurements: an overview and update. *Journal of Agricultural, Biological, and Environmental Statistics*, **8**, 387–419.
- Dean, A. M. and Lewis, S. M. (Eds) (2006). *Screening Methods for Experimentation in Industry, Drug Discovery, and Genetics*. Springer-Verlag, New York.

- Dean, A. M. and Voss, D. (2003). *Design and Analysis of Experiments*. Springer-Verlag, New York.
- Dehnad, K. (ed.) (1989). *Quality Control, Robust Design, and the Taguchi Method*. Wadsworth & Brooks/Cole, Pacific Grove, CA.
- Deppe, C., Carpenter, R., and Jones, B. (2001). Nested incomplete block designs in sensory testing: construction strategies. *Food Quality and Preference*, **12**, 281–290.
- Derringer, G. C. (1974). An empirical model for viscosity of filled and plasticized elastomer compounds. *Journal of Applied Polymer Science*, **18**, 1083–1101.
- Dette, H. (1996). A note on Bayesian c- and D-optimal designs in nonlinear regression models. *Annals of Statistics*, **24**, 1225–1234.
- Dette, H. and Biedermann, S. (2003). Robust and efficient designs for the Michaelis–Menten model. *Journal of the American Statistical Association*, **98**, 679–686.
- Dette, H. and Haines, L. M. (1994). E-optimal designs for linear and nonlinear models with two parameters. *Biometrika*, **81**, 739–754.
- Dette, H., Kunert, J., and Pepelyshev, A. (2007). Exact optimal designs for weighted least squares analysis with correlated errors. *Statistica Sinica*, **17**. (To appear).
- Dette, H. and Kwiecien, R. (2004). A comparison of sequential and non-sequential designs for discrimination between nested regression models. *Biometrika*, **91**, 165–176.
- Dette, H. and Kwiecien, R. (2005). Finite sample performance of sequential designs for model identification. *Journal of Statistical Computing and Simulation*, **75**, 477–495.
- Dette, H., Melas, V. B., and Pepelyshev, A. (2003). Standardized maximin E-optimal designs for the Michaelis–Menten model. *Statistica Sinica*, **4**, 1147–1163.
- Dette, H., Melas, V. B., and Pepelyshev, A. (2004). Optimal designs for a class of nonlinear regression models. *Annals of Statistics*, **32**, 2142–2167.
- Dette, H., Melas, V. B., and Wong, W. K. (2005). Optimal design for goodness-of-fit of the Michaelis–Menten enzyme kinetic function. *Journal of the American Statistical Association*, **100**, 1370–1381.
- Dette, H. and Neugebauer, H. M. (1997). Bayesian D-optimal designs for exponential regression models. *Biometrika*, **60**, 331–349.
- Dette, H. and O'Brien, T. E. (1999). Optimality criteria for regression models based on predicted variance. *Biometrika*, **86**, 93–106.
- Dette, H. and Sahm, M. (1998). Minimax optimal designs in nonlinear regression models. *Statistica Sinica*, **8**, 1249–1264.

- Di Bucchianico, A., Läuter, H., and Wynn, H. P. (eds) (2004). *MODA 7—Advances in Model-Oriented Design and Analysis*, Physica-Verlag, Heidelberg.
- Dobson, A. (2001). *An Introduction to Generalized Linear Models, 2nd Edition*. Chapman and Hall, London.
- Donev, A. N. (1988). *The Construction of D-optimum Experimental Designs*. PhD Thesis, University of London.
- Donev, A. N. (1989). Design of experiments with both mixture and qualitative factors. *Journal of the Royal Statistical Society, Series B*, **51**, 297–302.
- Donev, A. N. (1997). Algorithm AS 313: an algorithm for the construction of crossover trials. *Applied Statistics*, **46**, 288–295.
- Donev, A. N. (1998). Crossover designs with correlated observations. *Journal of Biopharmaceutical Statistics*, **8**, 249–262.
- Donev, A. N. (2004). Design of experiments in the presence of errors in factor level. *Journal of Statistical Planning and Inference*, **126**, 569–585.
- Donev, A. N. and Atkinson, A. C. (1988). An adjustment algorithm for the construction of exact D-optimum experimental designs. *Technometrics*, **30**, 429–433.
- Donev, A. N. and Jones, B. (1995). Construction of A-optimum cross-over designs. In *MODA 4—Advances in Model-Oriented Data Analysis* (eds C. P. Kitsos and W. G. Müller), pp. 165–171. Physica-Verlag, Heidelberg.
- Downing, D., Fedorov, V. V., and Leonov, S. (2001). Extracting information from the variance function: optimal design. In *MODA 6—Advances in Model-Oriented Design and Analysis* (eds A. C. Atkinson, P. Hackl, and W. G. Müller), pp. 45–52. Physica-Verlag, Heidelberg.
- Draper, N. R. and Hunter, W. G. (1966). Design of experiments for parameter estimation in multiresponse situations. *Biometrika*, **53**, 596–599.
- Draper, N. R. and St. John, R. C. (1977). A mixtures model with inverse terms. *Technometrics*, **19**, 37–46.
- Draper, N. R. and Lin, D. K. J. (1990). Small response surface designs. *Technometrics*, **32**, 187–194.
- Draper, N. R., Prescott, P., Lewis, S. M., Dean, A. M., John, P. W. M., and Tuck, M. G. (1993). Mixture designs for four components in orthogonal blocks. *Technometrics*, **35**, 268–276. Correction (1994). *Technometrics* **36**, 234.
- Draper, N. R. and Smith, H. (1998). *Applied Regression Analysis, 3rd Edition*. Wiley, New York.
- Dubov, E. L. (1971). D-optimal designs for nonlinear models under the Bayesian approach (in Russian). In *Regression Experiments* (ed. V. V. Fedorov). Moscow University Press, Moscow.

- DuMouchel, W. and Jones, B. (1994). A simple Bayesian modification of D-optimal designs to reduce dependence on an assumed model. *Technometrics*, **36**, 37–47.
- Dykstra, O. (1971a). The augmentation of experimental data to maximize $|X^T X|$. *Technometrics*, **13**, 682–688.
- Dykstra, O. (1971b). Addendum to 'The augmentation of experimental data to maximize $|X^T X|$ '. *Technometrics*, **13**, 927.
- Elfving, G. (1952). Optimum allocation in linear regression theory. *Annals of Mathematical Statistics*, **23**, 255–262.
- Entholzner, M., Benda, M., Schmelter, T., and Schwabe, R. (2005). A note on designs for estimating population parameters. *Listy Biometryczne-Biometrical Letters*, **42**, 25–41.
- Ermakov, S. M. (ed.) (1983). *The Mathematical Theory of Planning Experiments*. Moscow, Nauka. (In Russian).
- Ermakov, S. M. and Zhigljavsky, A. A. (1987). *The Mathematical Theory of Optimum Experiments*. Nauka, Moscow. (In Russian).
- Evans, J. W. (1979). The computer augmentation of experimental designs to maximize $|X^T X|$. *Technometrics*, **21**, 321–330.
- Fang, Z. and Wiens, D. P. (2000). Integer-valued, minimax robust designs for estimation and extrapolation in heteroscedastic, approximately linear models. *Journal of the American Statistical Association*, **95**, 807–818.
- Farrell, R. H., Kiefer, J., and Walbran, A. (1968). Optimum multivariate designs. In *Proceedings of the 5th Berkeley Symposium*, Volume 1, pp. 113–138. University of California Press, Berkeley, CA.
- Fedorov, V. V. (1972). *Theory of Optimal Experiments*. Academic Press, New York.
- Fedorov, V. V. (1981). Active regression experiments. In *Mathematical Methods of Experimental Design* (ed. V. B. Penenko). Nauka, Novosibirsk. (In Russian).
- Fedorov, V. V. and Atkinson, A. C. (1988). The optimum design of experiments in the presence of uncontrolled variability and prior information. In *Optimal Design and Analysis of Experiments* (eds Y. Dodge, V. V. Fedorov, and H. P. Wynn), pp. 327–344. North-Holland, Amsterdam.
- Fedorov, V. V., Gagnon, R. C., and Leonov, S. L. (2002). Design of experiments with unknown parameters in the variance. *Applied Stochastic Models in Business and Industry*, **18**, 207–218.
- Fedorov, V. V. and Hackl, P. (1997). *Model-Oriented Design of Experiments*. Lecture Notes in Statistics 125. Springer-Verlag, New York.
- Fedorov, V. V. and Leonov, S. L. (2005). Response-driven designs in drug development. In *Applied Optimal Designs* (eds M. Berger and W.-K. Wong), Chapter 5, pp. 103–136. Wiley, New York.

- Finney, D. J. (1945). The fractional replication of factorial arrangements. *Annals of Eugenics*, **12**, 291–301.
- Firth, D. and Hinde, J. P. (1997). On Bayesian D-optimum design criteria and the equivalence theorem in non-linear models. *Journal of the Royal Statistical Society, Series B*, **59**, 793–797.
- Fisher, R. A. (1960). *The Design of Experiments, 7th Edition*. Oliver and Boyd, Edinburgh.
- Flury, B. (1997). *A First Course in Multivariate Statistics*. Springer-Verlag, New York.
- Ford, I., Titterington, D. M., and Kitsos, C. P. (1989). Recent advances in nonlinear experimental design. *Technometrics*, **31**, 49–60.
- Ford, I., Torsney, B., and Wu, C. F. J. (1992). The use of a canonical form in the construction of locally optimal designs for non-linear problems. *Journal of the Royal Statistical Society, Series B*, **54**, 569–583.
- Franklin, M. F. and Bailey, R. A. (1985). Selecting defining contrasts and confounded effects in p^{n-m} factorial experiments. *Technometrics*, **27**, 165–172.
- Fresen, J. (1984). Aspects of bioavailability studies. M.Sc. Dissertation, Department of Mathematical Statistics, University of Capetown.
- Galil, Z. and Kiefer, J. (1980). Time-and space-saving computer methods, related to Mitchell's DETMAX, for finding D-optimum designs. *Technometrics*, **21**, 301–313.
- Garvanska, P., Lekova, V., Donev, A. N., and Dencheva, R. (1992). Mikrowellenabsorbierende, elektrisch zeitende Polymerpigmente für Textilmaterialien: Teil I. Optimierung der Herstellung von mikrowellenabsorbierenden Polymerpigmenten. Technical report, University of Chemical Technology, Sofia, Bulgaria.
- Giovagnoli, A. and Wynn, H. P. (1985). Group invariant orderings with applications to matrix orderings. *Linear Algebra and its Applications*, **67**, 111–135.
- Giovagnoli, A. and Wynn, H. P. (1996). Cyclic majorization and smoothing operators. *Linear Algebra and its Applications*, **239**, 215–225.
- Goos, P. (2002). *The Optimal Design of Blocked and Split-plot Experiments*. New York: Springer.
- Goos, P. and Donev, A. N. (2006a). Blocking response surface designs. *Journal of Computational Statistics and Data Analysis*, **15**, 1075–1088.
- Goos, P. and Donev, A. N. (2006b). The D-optimal design of blocked experiments with mixture components. *Journal of Quality Technology*, **38**, 319–332.
- Goos, P. and Donev, A. N. (2007a). D-optimal minimum support mixture designs in blocks. *Metrika*, **65**, 53–68.

- Goos, P. and Donev, A. N. (2007*b*). Tailor-made split-plot designs for mixture and process variables. *Journal of Quality Technology* (In press).
- Goos, P. and Vandebroek, M. (2001*a*). D-optimal response surface designs in the presence of random block effects. *Computational Statistics and Data Analysis*, **37**, 433–453.
- Goos, P. and Vandebroek, M. (2001*b*). Optimal split-plot designs. *Journal of Quality Technology*, **33**, 436–450.
- Goos, P. and Vandebroek, M. (2003). D-optimal split-plot designs with given numbers and sizes of whole plots. *Technometrics*, **45**, 235–245.
- Guest, P. (1958). The spacing of observations in polynomial regression. *Annals of the Mathematical Statistics*, **29**, 294–299.
- Haines, L. (1993). Optimal design for nonlinear regression models. *Communications in Statistics—Theory and Methods*, **22**, 1613–1627.
- Haines, L. M. (1987). The application of the annealing algorithm to the construction of exact optimal designs for linear-regression models. *Technometrics*, **29**, 439–447.
- Haines, L. M. (1998). Optimal designs for neural networks. In *New Developments and Applications in Experimental Design* (eds N. Flournoy, W. F. Rosenberger, and W. K. Wong), Volume 34, pp. 123–124. IMS Lecture Notes-Monograph Series, IMS, Hayward, CA.
- Hald, A. (1998). *A History of Mathematical Statistics from 1750 to 1930*. Wiley, New York.
- Hamilton, D. C. and Watts, D. G. (1985). A quadratic design criterion for precise estimation in nonlinear regression models. *Technometrics*, **27**, 241–250.
- Han, C. and Chaloner, K. (2003). D- and c-optimal designs for exponential regression models used in viral dynamics and other applications. *Journal of Statistical Planning and Inference*, **115**, 585–601.
- Han, C. and Chaloner, K. (2004). Bayesian experimental design for nonlinear mixed-effects models with application to HIV dynamics. *Biometrics*, **60**, 25–33.
- Hardin, R. H. and Sloane, N. J. A. (1993). A new approach to the construction of optimal designs. *Journal of Statistical Planning and Inference*, **37**, 339–369.
- Hartley, H. O. (1959). Smallest composite designs for quadratic response surfaces. *Biometrics*, **15**, 611–624.
- Harville, D. (1974). Nearly optimal allocation of experimental units using observed covariate values. *Technometrics*, **16**, 589–599.
- Harville, D. (1975). Computing optimum designs for covariate models. In *A Survey of Statistical Design and Linear Models* (ed. J. N. Srivastava), pp. 209–228. North-Holland, Amsterdam.

- Hedayat, A. S., Stufken, J., and Yang, M. (2006). Optimal and efficient crossover designs when subject effects are random. *Journal of the American Statistical Association*, **101**, 1031–1038.
- Hedayat, A. S., Zhong, J., and Nie, L. (2003). Optimal and efficient designs for 2-parameter nonlinear models. *Journal of Statistical Planning and Inference*, **124**, 205–217.
- Heiberger, R. M., Bhaumik, D. K., and Holland, B. (1993). Optimal data augmentation strategies for additive models. *Journal of the American Statistical Association*, **88**, 926–938.
- Hill, A. V. (1913). The combinations of haemoglobin with oxygen and with carbon monoxide. *Biochemical Journal*, **7**, 471–480.
- Hoel, P. G. (1958). Efficiency problems in polynomial estimation. *Annals of Mathematical Statistics*, **29**, 1134–1145.
- Hotelling, H. (1944). On some improvements in weighing and other experimental techniques. *Annals of Mathematical Statistics*, **15**, 297–306.
- Hu, F. and Rosenberger, W. F. (2006). *The Theory of Response-Adaptive Randomization in Clinical Trials*. Wiley, New York.
- Huang, P., Chen, D., and Voelkel, J. O. (1998). Minimum-aberration two-level split-plot designs. *Technometrics*, **40**, 314–326.
- John, J. A., Russell, K. G., and Whitaker, D. (2004). Crossover: an algorithm for the construction of efficient cross-over designs. *Statistics in Medicine*, **23**, 2645–2658.
- John, P. W. M. (1984). Experiments with mixtures involving process variables. Technical Report 8, Center for Statistical Sciences, University of Texas, Austin, Texas.
- Johnson, M. E. and Nachtsheim, C. J. (1983). Some guidelines for constructing exact D-optimal designs on convex design spaces. *Technometrics*, **25**, 271–277.
- Jones, B. (1976). An algorithm for deriving optimal block designs. *Technometrics*, **18**, 451–458.
- Jones, B. and Donev, A. N. (1996). Modelling and design of cross-over trials. *Statistics in Medicine*, **15**, 1435–1446.
- Jones, B. and Eccleston, J. A. (1980). Exchange and interchange procedures to search for optimal designs. *Journal of the Royal Statistical Society, Series, B*, **42**, 238–243.
- Jones, B. and Kenward, M. G. (2003). *Design and Analysis of Cross-Over Trials, 2nd Edition*. Chapman and Hall/CRC Press, Florida.
- Jones, B. and Wang, J. (1999). The analysis of repeated measurements in sensory and consumer studies. *Food Quality and Preference*, **11**, 35–41.
- Kenworthy, O. O. (1963). Fractional experiments with mixtures using ratios. *Industrial Quality Control*, **19**, 24–26.

- Khuri, A. I. (1984). A note on D-optimal designs for partially nonlinear regression models. *Technometrics*, **26**, 59–61.
- Khuri, A. I. (ed.) (2006). *Response Surface Methodology and Related Topics*. World Scientific, Singapore.
- Khuri, A. I. and Cornell, J. A. (1996). *Response Surfaces, 2nd Edition*. Marcel Dekker, New York.
- Khuri, A. I. and Mukhopadhyay, S. (2006). GLM designs: the dependence on unknown parameters dilemma. In *Response Surface Methodology and Related Topics* (ed. A. I. Khuri), pp. 203–223. World Scientific, Singapore.
- Kiefer, J. (1959). Optimum experimental designs (with discussion). *Journal of the Royal Statistical Society, Series B*, **21**, 272–319.
- Kiefer, J. (1961). Optimum designs in regression problems II. *Annals of Mathematical Statistics*, **32**, 298–325.
- Kiefer, J. (1975). Optimal design: Variation in structure and performance under change of criterion. *Biometrika*, **62**, 277–288.
- Kiefer, J. (1985). *Jack Carl Kiefer Collected Papers III*. Springer, New York.
- Kiefer, J. and Wolfowitz, J. (1959). Optimum designs in regression problems. *Annals of Mathematical Statistics*, **30**, 271–294.
- Kiefer, J. and Wolfowitz, J. (1960). The equivalence of two extremum problems. *Canadian Journal of Mathematics*, **12**, 363–366.
- Kiefer, J. and Wynn, H. P. (1984). Optimum and minimax exact treatment designs for one-dimensional autoregressive error processes. *Annals of Statistics*, **12**, 414–450.
- King, J. and Wong, W. K. (2000). Minimax D-optimal designs for the logistic model. *Biometrics*, **56**, 1263–1267.
- Kitsos, C. P., Titterington, D. M., and Torsney, B. (1988). An optimum design problem in rhythmometry. *Biometrics*, **44**, 657–671.
- Kôno, K. (1962). Optimum designs for quadratic regression on k -cube. *Memoirs of the Faculty of Science, Kyushu University, Series A*, **16**, 114–122.
- Kowalski, S., Cornell, J. A., and Vining, G. G. (2000). A new model and class of designs for mixture experiments with process variables. *Communications in Statistics: Theory and Methods*, **29**, 2255–2280.
- Kowalski, S. M., Cornell, J. A., and Vining, G. G. (2002). Split-plot designs and estimation methods for mixture experiments with process variables. *Technometrics*, **44**, 72–79.
- Kuhfeld, W. F. and Tobias, R. D. (2005). Large factorial designs for product engineering and marketing research applications. *Technometrics*, **47**, 132–141.
- Kurotschka, V. G. (1981). A general approach to optimum design of experiments with qualitative and quantitative factors. In *Proceedings of the Indian Statistical Institute Golden Jubilee International Conference* pp. 209–228. North-Holland, Amsterdam.

- on *Statistics: Applications and New Directions* (eds J. Ghosh and J. Roy), pp. 353–368. Indian Statistical Institute, Calcutta.
- Kuroturi, I. S. (1966). Experiments with mixtures of components having lower bounds. *Industrial Quality Control*, **22**, 592–596.
- Läuter, E. (1974). Experimental design in a class of models. *Mathematische Operationsforschung und Statistik, Serie Statistik*, **5**, 379–398.
- Läuter, E. (1976). Optimum multiresponse designs for regression models. *Mathematische Operationsforschung und Statistik, Serie Statistik*, **7**, 51–68.
- Lee, Y. and Nelder, J. A. (1999). Generalized linear models for the analysis of quality-improvement experiments. *Quality Control and Applied Statistics*, **44**, 323–326.
- Lenth, R. V. (1989). Quick and easy analysis of unreplicated factorials. *Technometrics*, **31**, 469–473.
- Lewis, S. M., Dean, A., Draper, N. R., and Prescott, P. (1994). Mixture designs for q components in orthogonal blocks. *Journal of the Royal Statistical Society, Series B*, **56**, 457–467.
- Lim, Y. B., Studden, W. J., and Wynn, H. P. (1988). A general approach to optimum design of experiments with qualitative and quantitative factors. In *Statistical Decision Theory and Related Topics IV* (eds J. O. Berger and S. S. Gupta), Volume 2, pp. 353–368. Springer, New York.
- Lin, C. S. and Morse, P. M. (1975). A compact design for spacing experiments. *Biometrics*, **31**, 661–671.
- Lindsey, J. K. (1999). *Models for Repeated Measurements, 2nd Edition*. Oxford University Press, Oxford.
- Lischer, P. (1999). Good statistical practice in analytical chemistry. In *Probability Theory and Mathematical Statistics* (ed. B. Grigelionis), pp. 1–12. VSP, Dordrecht.
- Littell, R., Stroup, W., and Freund, R. (2002). *SAS for Linear Models, 4th Edition*. SAS Press, Cary, NC.
- Logothetis, N. and Wynn, H. P. (1989). *Quality Through Design*. Clarendon Press, Oxford.
- López-Fidalgo, J., Dette, H., and Zhu, W. (2005). Optimal designs for discriminating between heteroscedastic models. In *Proceedings of the 5th St Petersburg Workshop on Simulation* (eds S. Ermakov, V. Melas, and A. Pepelyshev), pp. 429–436. NII Chemistry University Publishers, St Petersburg.
- MacKay, D. A. (1992). Information-based objective functions for active data selection. *Neural Computation*, **4**, 590–604.
- Martin, R. J., Bursnall, M. C., and Stillman, E. C. (2001). Further results on optimal and efficient designs for constrained mixture

- experiments. In *Optimal Design 2000* (eds A. C. Atkinson, B. Bogacka, and A. Zhigljavsky), pp. 225–239. Kluwer, Dordrecht.
- Matthews, J. N. S. (1987). Optimal crossover designs for the comparison of two treatments in the presence of carry over effects and autocorrelated errors. *Biometrika*, **74**, 311–320.
- Matthews, J. N. S. (2000). *An Introduction to Randomized Controlled Clinical Trials*. Edward Arnold, London.
- Matthews, J. N. S. (2006). *An Introduction to Randomized Controlled Clinical Trials, 2nd Edition*. Edward Arnold, London.
- McCullagh, P. and Nelder, J. A. (1989). *Generalized Linear Models, 2nd Edition*. Chapman and Hall, London.
- McGrath, R. M. and Lin, D. K. J. (2001). Testing multiple dispersion effects in unreplicated fractional factorial designs. *Technometrics*, **43**, 406–414.
- McLachlan, G., Do, K.-A., and Ambrose, C. (2004). *Analyzing Microarray Gene Expression Data*. Wiley, New York.
- McLean, R. A. and Anderson, V. L. (1966). Extreme vertices design of mixture experiments. *Technometrics*, **8**, 447–454.
- Melas, V. (2006). *Functional Approach to Optimal Experimental Design*. Lecture Notes in Statistics 184. Springer-Verlag, New York.
- Melas, V. B. (2005). On the functional approach to optimal designs for nonlinear models. *Journal of Statistical Planning and Inference*, **132**, 93–116.
- Mentré, F., Mallet, A., and Baccar, D. (1997). Optimal design in random-effects regression models. *Biometrika*, **84**, 429–442.
- Meyer, R. K. and Nachtsheim, C. J. (1995). The coordinate exchange algorithm for constructing exact optimal experimental designs. *Technometrics*, **37**, 60–69.
- Michaelis, L. and Menten, M. L. (1913). Die Kinetik der Invertinwirkung. *Biochemische Zeitschrift*, **49**, 333–369.
- Miller, A. J. (2002). *Subset Selection in Regression, 2nd Edition*. Chapman and Hall/CRC Press, Boca Raton.
- Miller, A. J. and Nguyen, N.-K. (1994). Algorithm AS 295. A Fedorov exchange algorithm for D-optimal design. *Applied Statistics*, **43**, 669–677.
- Mitchell, T. J. (1974). An algorithm for the construction of ‘D-optimum’ experimental designs. *Technometrics*, **16**, 203–210.
- Mitchell, T. J. and Miller, F. L. (1970). Use of “design repair” to construct designs for special linear models. In *Report ORNL-4661*, pp. 130–131. Oak Ridge National Laboratory, Oak Ridge, TN.
- Montgomery, D. C. (2000). *Design and Analysis of Experiments, 5th Edition*. Wiley, New York.

- Mood, A. M. (1946). On Hotelling's weighing problem. *Annals of Mathematical Statistics*, **17**, 432–446.
- Mukerjee, R. and Wu, C. F. J. (2006). *A Modern Theory of Factorial Design*. Springer-Verlag, New York.
- Mukhopadhyay, S. and Haines, L. M. (1995). Bayesian D-optimal designs for the exponential growth model. *Journal of Statistical Planning and Inference*, **44**, 385–397.
- Müller, W. G. (2007). *Collecting Spatial Data, 3rd Edition*. Springer-Verlag, Berlin.
- Müller, W. G. and Pázman, A. (2003). Measures for designs in experiments with correlated errors. *Biometrika*, **90**, 423–434.
- Myers, R. H. and Montgomery, D. C. (2002). *Response Surface Methodology, 2nd Edition*. Wiley, New York.
- Myers, R. H., Montgomery, D. C., and Vining, G. G. (2001). *Generalized Linear Models: with Applications in Engineering and the Sciences*. Wiley, New York.
- Myers, R. H., Montgomery, D. C., Vining, G. G., Borror, C. M., and Kowalski, S. M. (2004). Response surface methodology: A retrospective and literature survey. *Journal of Quality Technology*, **36**, 53–77.
- Nachtsheim, C. J. (1989). On the design of experiments in the presence of fixed covariates. *Journal of Statistical Planning and Inference*, **22**, 203–212.
- Nelder, J. A. and Lee, Y. (1991). Generalized linear models for the analysis of Taguchi-type experiments. *Applied Stochastic Models and Data Analysis*, **7**, 107–120.
- Nelson, W. (1981). The analysis of performance-degradation data. *IEEE Transactions on Reliability*, **R-30**, 149–155.
- Nigam, A. K. (1976). Corrections to blocking conditions for mixture experiments. *Annals of Statistics*, **47**, 1294–1295.
- O'Brien, T. E. (1992). A note on quadratic designs for nonlinear regression models. *Biometrika*, **79**, 847–849.
- O'Brien, T. E. and Rawlings, J. O. (1996). A nonsequential design procedure for parameter estimation and model discrimination in nonlinear regression models. *Journal of Statistical Planning and Inference*, **55**, 77–93.
- Parzen, E. (1961). An approach to time series analysis. *Annals of Mathematical Statistics*, **32**, 951–989.
- Patan, M. and Bogacka, B. (2007). Optimum designs for dynamic systems in the presence of correlated errors. (Submitted).
- Patterson, H. D. and Thompson, R. (1971). Recovery of interblock information when block sizes are unequal. *Biometrika*, **58**, 545–554.

- Payne, R. W., Coombes, N. E., and Lisboa, P. (2001). Algorithms, generators and improved optimization methods for design of experiments. In *A Estatística em Movimento: Actas do VIII Congresso Anual da Sociedade Portuguesa de Estatística* (eds M. M. Neves, J. Cadima, M. J. Martins, and F. Rosado), pp. 95–103. Sociedade Portuguesa de Estatística, Lisbon.
- Pázman, A. (1986). *Foundations of Optimum Experimental Design*. Reidel, Dordrecht.
- Pázman, A. (1993). *Nonlinear Statistical Models*. Reidel, Dordrecht.
- Pázman, A. and Pronzato, L. (1992). Nonlinear experimental design based on the distribution of estimators. *Journal of Statistical Planning and Inference*, **33**, 385–402.
- Pepelyshev, A. (2007). Optimal design for the exponential model with correlated observations. In *MODA 8—Advances in Model-Oriented Design and Analysis* (eds J. Lopez-Fidalgo, J. M. Rodriguez-Diaz, and B. Torsney). Physica-Verlag, Heidelberg. (To appear).
- Petkova, E., Shkodrova, V., Vassilev, H., and Donev, A. N. (1987). Optimization of the purification of nickel sulphate solution in the joint presence of iron (II), copper (II) and zinc (II). *Metallurgia*, **6**, 12–17. (In Bulgarian).
- Piantadosi, S. (2005). *Clinical Trials, 2nd Edition*. Wiley, New York.
- Piepel, G. F. (2006). 50 years of mixture experiment research: 1955–2004. In *Response Surface Methodology and Related Topics* (ed. A. I. Khuri), pp. 283–327. World Scientific, Singapore.
- Piepel, G. F. and Cornell, J. A. (1983). Models for mixture experiments when the response depends on the total amount. *Technometrics*, **27**, 219–227.
- Pilz, J. (1983). *Bayesian Estimation and Experimental Design in Linear Regression Models*. Teubner, Leipzig.
- Pilz, J. (1991). *Bayesian Estimation and Experimental Design in Linear Regression Models*. Wiley, New York.
- Pinheiro, J. C. and Bates, D. M. (2000). *Mixed-Effects Models in S and S-Plus*. Springer-Verlag, New York.
- Plackett, R. L. and Burman, J.P. (1946). The design of optimum multifactorial experiments. *Biometrika*, **33**, 305–325.
- Ponce de Leon, A. M. and Atkinson, A. C. (1992). The design of experiments to discriminate between two rival generalized linear models. In *Advances in GLIM and Statistical Modelling: Proceedings of the GLIM92 Conference, Munich* (eds L. Fahrmeir, B. Francis, R. Gilchrist, and G. Tutz), pp. 159–164. Springer, New York.
- Prescott, P. (2000). Projection designs for mixture experiments in orthogonal blocks. *Communications in Statistics: Theory and Methods*, **29**, 2229–2253.

- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (1992). *Numerical Recipes in Fortran, 2nd Edition*. Cambridge University Press, Cambridge, England.
- Pronzato, L. and Pázman, A. (2001). Using densities of estimators to compare pharmacokinetic experiments. *Computers in Biology and Medicine*, **31**, 179–195.
- Pronzato, L. and Walter, E. (1985). Robust experimental design via stochastic approximations. *Mathematical Biosciences*, **75**, 103–120.
- Pukelsheim, F. (1993). *Optimal Design of Experiments*. Wiley, New York.
- Pukelsheim, F. and Rieder, S. (1992). Efficient rounding of approximate designs. *Biometrika*, **79**, 763–770.
- Rafałłowicz, E. (2005). *Optymalizacja Eksperymentu z Zastosowaniami w Monitorowaniu Jakości Produkcji*. Oficyna Wydawnicza Politechniki Wrocławskiej, Wrocław.
- Rao, C. R. (1973). *Linear Statistical Inference and its Applications, 2nd Edition*. Wiley, New York.
- Rasch, D. and Herrendörfer, G. (1982). *Statistische Versuchsplanung*. Deutscher Verlag der Wissenschaften, Berlin.
- Ratkowsky, D. A. (1989). *Nonlinear Regression Modeling*. Marcel Dekker, New York.
- Ratkowsky, D. A. (1990). *Handbook of Nonlinear Regression Models*. Marcel Dekker, New York.
- Rocke, D. M. and Lorenzato, S. (1995). A two-component model for measurement error in analytical chemistry. *Technometrics*, **37**, 176–184.
- Roquemore, K. G. (1976). Hybrid designs for quadratic response surfaces. *Technometrics*, **18**, 419–423.
- Rosenberger, W. F. and Lachin, J. L. (2002). *Randomization in Clinical Trials: Theory and Practice*. Wiley, New York.
- Ryan, T. P. (1997). *Modern Regression Methods*. Wiley, New York.
- Sacks, J., Welch, W. J., Mitchell, T. J., and Wynn, H. P. (1989). Design and analysis of computer experiments. *Statistical Science*, **4**, 409–435.
- Sacks, J. and Ylvisaker, D. (1966). Designs for regression problems with correlated errors. *Annals of Mathematical Statistics*, **37**, 66–89.
- Sacks, J. and Ylvisaker, D. (1968). Designs for regression problems with correlated errors: Many parameters. *Annals of Mathematical Statistics*, **39**, 49–69.
- Sacks, J. and Ylvisaker, D. (1970). Designs for regression problems with correlated errors III. *Annals of Mathematical Statistics*, **41**, 2057–2074.
- Sams, D. A. and Shadman, F. (1986). Mechanism of potassium-catalysed carbon/CO₂ reaction. *AIChE Journal*, **32**, 1132–1137.

- Santner, T. J., Williams, B. J., and Notz, W. (2003). *The Design and Analysis of Computer Experiments*. Springer-Verlag, New York.
- SAS Institute Inc. (2007a). *SAS/ETS User's Guide, Version 9.2*. SAS Institute Inc., Cary, NC.
- SAS Institute Inc. (2007b). *SAS/IML User's Guide, Version 9.2*. SAS Institute Inc., Cary, NC.
- SAS Institute Inc. (2007c). *SAS/QC User's Guide, Version 9.2*. SAS Institute Inc., Cary, NC.
- SAS Institute Inc. (2007d). *SAS/STAT User's Guide, Version 9.2*. SAS Institute Inc., Cary, NC.
- Savova, I., Donev, T. N., Tepavicharova, I., and Alexandrova, T. (1989). Comparative studies on the storage of freeze-dried yeast strains of the genus *saccharomyces*. In *Proceedings of the 4th International School on Cryobiology and Freeze-drying, 29 July 6 August 1989, Borovets, Bulgaria*, pp. 32–33. Bulgarian Academy of Sciences Press, Sofia.
- Saxena, S. K. and Nigam, A. K. (1973). Symmetric-simplex block designs for mixtures. *Journal of the Royal Statistical Society, Series B*, **35**, 466–472.
- Scheffé, H. (1958). Experiments with mixtures. *Journal of the Royal Statistical Society, Series B*, **20**, 344–360.
- Schmelter, T. (2005). On the optimality of single-group designs in linear mixed models. Preprint 02/2005, Otto von Guericke Universität, Fakultät für Mathematik, Magdeburg.
- Schwabe, R. (1996). *Optimum Designs for Multi-Factor Models*. Lecture Notes in Statistics 113. Springer-Verlag, Heidelberg.
- Seber, G. A. F. (1977). *Linear Regression Analysis*. Wiley, New York.
- Seber, G. A. F. and Wild, C. J. (1989). *Nonlinear Regression*. Wiley, New York.
- Senn, S. J. (1993). *Cross-over Trials in Clinical Research*. Wiley, Chichester.
- Shah, K. R. and Sinha, B. K. (1980). *Theory of Optimal Design*. Lecture Notes in Statistics 54. Springer-Verlag, Berlin.
- Shinozaki, K. and Kira, T. (1956). Intraspecific competition among higher plants. VII. Logistic theory of the C–D effect. *Journal of the Institute of Polytechnics, Osaka City University*, **D7**, 35–72.
- Sibson, R. (1974). D_A -optimality and duality. In *Progress in Statistics, Vol.2 – Proceedings of the 9th European Meeting of Statisticians, Budapest* (eds J. Gani, K. Sarkadi, and I. Vincze). North-Holland, Amsterdam.
- Silvey, S. D. (1980). *Optimum Design*. Chapman and Hall, London.
- Silvey, S. D. and Titterington, D. M. (1973). A geometric approach to optimal design theory. *Biometrika*, **60**, 15–19.

- Silvey, S. D., Titterington, D. M., and Torsney, B. (1978). An algorithm for optimal designs on a finite design space. *Communications in Statistics A – Theory and Methods*, **14**, 1379–1389.
- Sinha, S. and Wiens, D. P. (2002). Robust sequential designs for nonlinear regression. *Canadian Journal of Statistics*, **30**, 601–618.
- Sitter, R. R. (1992). Robust designs for binary data. *Biometrics*, **48**, 1145–1155.
- Sitter, R. R. and Torsney, B. (1995a). Optimal designs for binary response experiments with two variables. *Statistica Sinica*, **5**, 405–419.
- Sitter, R. S. and Torsney, B. (1995b). D-optimal designs for generalized linear models. In *MODA 4—Advances in Model-Oriented Data Analysis* (eds C. P. Kitsos and W. G. Müller), pp. 87–102. Physica-Verlag, Heidelberg.
- Smith, A. F. M. (1973). A general Bayesian linear model. *Journal of the Royal Statistical Society, Series B*, **35**, 67–75.
- Smith, K. (1916). On the ‘best’ values of the constants in frequency distributions. *Biometrika*, **11**, 262–276.
- Smith, K. (1918). On the standard deviations of adjusted and interpolated values of an observed polynomial function and its constants and the guidance they give towards a proper choice of the distribution of observations. *Biometrika*, **12**, 1–85.
- Snee, R. D. and Marquardt, D. W. (1974). Extreme vertices designs for linear mixture models. *Technometrics*, **16**, 391–408.
- Stehlík, M. (2005). Covariance related properties of D-optimal correlated designs. In *Proceedings of the 5th St Petersburg Workshop on Simulation* (eds S. Ermakov, V. Melas, and A. Pepelyshev), pp. 645–652. NII Chemistry University Publishers, St Petersburg.
- Steinberg, D. M. and Lin, D. K. J. (2006). A construction method for orthogonal Latin hypercube designs. *Biometrika*, **93**, 279–288.
- Street, A. P. and Street, D. J. (1987). *Combinatorics of Experimental Design*. Oxford University Press, Oxford.
- Stromberg, A. (1993). Computation of high breakdown nonlinear regression parameters. *Journal of the American Statistical Association*, **88**, 237–244.
- Stroud, J. R., Müller, P., and Rosner, G. L. (2001). Optimal sampling times in population pharmacokinetic studies. *Applied Statistics*, **50**, 345–359.
- Studden, W. J. (1977). Optimal designs for integrated variance in polynomial regression. In *Statistical Decision Theory and Related Topics II* (eds S. S. Gupta and D. S. Moore), pp. 411–420. Academic Press, New York.
- Tack, L. and Vandebroek, M. (2004). Budget constrained run orders in optimum design. *Journal of Statistical Planning and Inference*, **124**, 231–249.

- Taguchi, G. (1987). *Systems of Experimental Designs (Vols 1 and 2, 1976 and 1977, with 1987 translation)*. UNIPUB, Langham, MD.
- Titterton, D. M. (1975). Optimal design: Some geometrical aspects of D-optimality. *Biometrika*, **62**, 313–320.
- Titterton, D. M. (2000). Optimal design in flexible models, including feed-forward networks and nonparametric regression (with discussion). In *Optimum Design 2000* (eds A. C. Atkinson, B. Bogacka, and A. Zhigljavsky), pp. 261–273. Kluwer, Dordrecht.
- Torsney, B. and Gunduz, N. (2001). On optimal designs for high dimensional binary regression models. In *Optimal Design 2000* (eds A. C. Atkinson, B. Bogacka, and A. Zhigljavsky), pp. 275–285. Kluwer, Dordrecht.
- Torsney, B. and Mandal, S. (2004). Multiplicative algorithms for constructing optimizing distributions : Further developments. In *MODA 7—Advances in Model-Oriented Design and Analysis* (eds A. Di Bucchianico, H. Läuter, and H. P. Wynn), pp. 163–171. Physica-Verlag, Heidelberg.
- Trinca, L. A. and Gilmour, S. G. (2000). An algorithm for arranging response surface designs in small blocks. *Computational Statistics and Data Analysis*, **33**, 25–43.
- Trinca, L. A. and Gilmour, S. G. (2001). Multi-stratum response surface designs. *Technometrics*, **43**, 25–33.
- Tsai, P.-W., Gilmour, S. G., and Mead, R. (2000). Projective three-level main effects designs robust to model uncertainty. *Biometrika*, **87**, 467–475.
- Uciński, D. (1999). *Measurement Optimization for Parameter Estimation in Distributed Systems*. Technical University Press, Zielona Góra.
- Uciński, D. (2005). *Optimal Measurement Methods for Distributed Parameter System Identification*. CRC Press, Boca Raton.
- Uciński, D. and Atkinson, A. C. (2004). Experimental design for processes over time. *Studies in Nonlinear Dynamics and Econometrics*, **8**(2). (Article 13). <http://www.bepress.com/snede/vol8/iss2/art13>.
- Uciński, D. and Bogacka, B. (2004). T-optimum designs for multiresponse dynamic heteroscedastic models. In *MODA 7—Advances in Model-Oriented Design and Analysis* (eds A. Di Bucchianico, H. Läuter, and H. P. Wynn), pp. 191–199. Physica-Verlag, Heidelberg.
- Uciński, D. and Bogacka, B. (2005). T-optimum designs for discrimination between two multiresponse dynamic models. *Journal of the Royal Statistical Society, Series B*, **67**, 3–18.
- Valko, P. and Vajda, S. (1984). An extended ODE solver for sensitivity calculations. *Computers and Chemistry*, **8**, 255–271.
- Van Schalkwyk, D. J. (1971). *On the Design of Mixture Experiments*. PhD Thesis, University of London.

- Verbeke, G. and Molenberghs, G. (2000). *Linear Mixed Models for Longitudinal Data*. Springer-Verlag, New York.
- Vuchkov, I. N. (1977). A ridge-type procedure for design of experiments. *Biometrika*, **64**, 147–150.
- Vuchkov, I. N. (1982). Sequentially generated designs. *Biometrical Journal*, **24**, 751–763.
- Vuchkov, I. N. and Boyadjieva, L. N. (2001). *Quality Improvement with Design of Experiments: A Response Surface Approach*. Kluwer, Dordrecht.
- Vuchkov, I. N., Damgaliev, D. L., and Yontchev, C. A. (1981). Sequentially generated second order quasi D-optimal designs for experiments with mixture and process variables. *Technometrics*, **23**, 233–238.
- Wahba, G. (1971). On the regression design problem of Sacks and Ylvisaker. *Annals of Mathematical Statistics*, **42**, 1035–1053.
- Wald, A. (1943). On the efficient design of statistical investigations. *Annals of Mathematical Statistics*, **14**, 134–140.
- Walter, E. and Pronzato, L. (1997). *Identification of Parametric Models from Experimental Data*. Springer-Verlag, New York.
- Waterhouse, T. H., Woods, D. C., Eccleston, J. A., and Lewis, S. M. (2007). Design selection criteria for discrimination between nested models for binomial data. *Journal of Statistical Planning and Inference*. (In press).
- Weisberg, S. (2005). *Applied Linear Regression, 3rd Edition*. Wiley, New York.
- Welch, W. J. (1982). Branch and bound search for experimental designs based on D-optimality and other criteria. *Technometrics*, **24**, 41–48.
- Welch, W. J. (1984). Computer-aided design of experiments for response estimation. *Technometrics*, **26**, 217–224.
- Whitehead, J. (1997). *The Design and Analysis of Sequential Clinical Trials, 2nd Edition*. Wiley, Chichester.
- Whittle, P. (1973). Some general points in the theory of optimal experimental design. *Journal of the Royal Statistical Society, Series B*, **35**, 123–130.
- Wiens, D. P. (1998). Minimax robust designs and weights for approximately specified regression models with heteroscedastic errors. *Journal of the American Statistical Association*, **93**, 1440–1450.
- Wierich, W. (1986). On optimal designs and complete class theorems for experiments with continuous and discrete factors of influence. *Journal of Statistical Planning and Inference*, **15**, 19–27.
- Williams, R. M. (1952). Experimental designs for serially correlated observations. *Biometrika*, **39**, 151–167.

- Woods, D. C., Lewis, S. M., Eccleston, J. A., and Russell, K. G. (2006). Designs for generalized linear models with several variables and model uncertainty. *Technometrics*, **48**, 284–292.
- Wu, C.-F. and Wynn, H. P. (1978). General step-length algorithms for optimal design criteria. *Annals of Statistics*, **6**, 1273–1285.
- Wu, C. F. J. and Hamada, M. (2000). *Experiments: Planning, Analysis, and Parameter Design Optimization*. Wiley, New York.
- Wynn, H. P. (1970). The sequential generation of D -optimal experimental designs. *Annals of Mathematical Statistics*, **41**, 1055–1064.
- Wynn, H. P. (1972). Results in the theory and construction of D -optimum experimental designs. *Journal of the Royal Statistical Society, Series B*, **34**, 133–147.
- Wynn, H. P. (1985). Jack Kiefer's contributions to experimental design. In *Jack Carl Kiefer Collected Papers III* (eds L. D. Brown, I. Olkin, J. Sacks, and H. P. Wynn), pp. xvii–xxiv. Wiley, New York.
- Zellner, A. (1962). An efficient method of estimating seemingly unrelated regressions and tests of aggregation bias. *Journal of the American Statistical Association*, **57**, 348–368.