

## 8 Literatúra

- Aguilar JG, Montes CB, Perez JJ, et al. Incontinence after lateral internal sphincterotomy: anatomical and functional evaluation. *Dis Colon Rectum.* 1998;41:423-428.
- Allen ML, Orr WC, Robinson MG. Anorectal functioning in fecal incontinence. *Dig Dis Sci.* 1988;33:36-40.
- Arnaud A, Sarles JC, Stelezneff J, et al. Sphincter repair without overlapping for fecal incontinence. *Dis Colon Rectum.* 1991;34:744-747.
- Baeten CG, Bailea HR, Bakka A, et al. Safety and efficacy of dynamic graciloplasty for fecal incontinence: report of a prospective, multi-center trial. Dynamic graciloplasty therapy study group. *Dis Colon Rectum.* 2000;43:743-751.
- Battaglia E, Serra AM, Buonafede G. Long term study on the effects of visual biofeedback and muscle training as a therapeutic modality in pelvic floor dyssinergia and slow-transit constipation. *Dis Colon Rectum.* 2004;47:90-95.
- Barone JE, Yee J, Nealon TF. Management of foreign bodies and trauma of the rectum. *Surg Gynecol Obstet.* 1983;156:453-457.
- Bartolo DC, Jarrett JA, Read NW. The use of conventional electromyography to assess external sphincter neuropathy in man. *J Neurol Neurosurg Psychiatry.* 1983;46:1115-1118.
- Bartram CI, Frudinger A. Handbook of anal endosonography. Petersfield (UK): Wrightson Biomedical Publishing LTD, 1997: p. 21-72.
- Blaisdell PC. Repair of the incontinent sphincter ani. *Surg Gynecol Obstet.* 1940;70:692-697.
- Boccasanta P, Capretti PG, Venturi M, et al. Randomised controlled trial between stapled circumferential mucosectomy and conventional circular hemorrhoidectomy in advanced hemorrhoids with external mucosal prolapse. *Am J Surg.* 2001;182:64-68.
- Bostick PJ, Johnson DA, Heard JF, et al. Management of extraperitoneal rectal injuries. *J Natl Med Assoc.* 1993;85:460.
- Brill SA, Margolin DA. Anal sphincter trauma. *Semin Colon Rectal Surg.* 2004;15:90-94.
- Browning GG, Motson RW. Anal sphincter injury management and results of Parks sphincter repair. *Ann Surg.* 1984;199:351-357.
- Burch J M, Feliciano DV, Mattox K L. Colostomy and drainage for civilian rectal injuries: is that all? *Ann Surg.* 1989;209:600-611.
- Burnet SJD, Bartrams CI. Endosonography variation in the normal internal anal sphincter. *Int J Colorectal Dis.* 1991;6:2-4.

- Burnett SJ, Speakman CT, Kamm MA, Bartram CI. Confirmation of endosonographic detection of external anal sphincter defects by simultaneous electromyographic mapping. Br J Surg. 1991;78:448-450.
- Carapeti EA, Kamm A, Philips RK. Randomized controlled trial of topical phenylephrine in the treatment of fecal incontinence. Br J Surg. 2008;7:38-42.
- Cheong DM, Vaccaro CA, Salanga VD, et al. Electrodiagnostic evaluation of fecal incontinence. Muscle Nerve. 1995;18:612-619.
- Christiansen J, Lorentzen M. Implantation of artificial sphincter for anal continence. Lancet. 1987;2:244-245.
- Critchlow JF, Houlihan MJ, Landolt CC, et al. Primary sphincter repair in anorectal trauma. Dis Colon Rectum. 1985;28:945-947.
- Cohen JS, Sackier JM. Management of colorectal foreign bodies. J R Coll Surg Edinb. 1996;41:312-315.
- Colquhoun PH, Efron J, Wexner SD. Attainment of continence with J-pouch and artificial bowel sphincter for concomitant imperforate anus and familial adenomatous polyposis: report of a case. Dis Colon Rectum. 2004;46:538-541.
- Corman ML. Colon and rectal surgery (third edition). Philadelphia: J. B. Lippincott Company, 1993: p. 133-188.
- Corman ML. Colon and rectal surgery (third edition). Philadelphia: J. B. Lippincott Company, 1993: p. 293-337.
- Corman ML. Colon and rectal surgery (third edition). Philadelphia: J. B. Lippincott Company, 1993: p. 696 -703.
- Cuesta MA, Meijer S, Derkisen EJ, et al. Anal sphincter imaging in fecal incontinence using endosonography. Dis Colon Rectum. 1992;35:59-63.
- Demetriades D, Vandenbossche P, Ritz M, et al. Nontherapeutic operations for penetrating trauma:early morbidity and mortality. Br J Surg. 1993;80:860-861.
- De Stigter KK, Lefebvre SD. Imaging colorectal trauma. Semin Colon Rectal Surg. 2004;15:80-89.
- Efron JE, Corman ML, Fleshman J, et al. Safety and effectiveness of temperature-controlled radio-frequency energy delivery to the anal canal (Secca procedure) for the treatment of fecal incontinence. Dis Colon Rectum. 2003;46:1606-1618.
- Enck P, Bielefeldt K, Rthamann W, Purmann J, et al. Epidemiology of faecal incontinence in selected patients groups. Int J Colorectal Dis. 1991;6:143-146.
- Enck P, Giesen HJ, Schaffer A, et al. Comparison of anal sonography with conventional needle electromyography in the evaluation of anal sphincter defects. Am J Gastroenterol. 1996;91:2539-2543.

- Engel AK, Kamm MA, Sultan AH, et al. Anterior anal sphincter repair in patient with obstetric trauma. *Br J Surg.* 1994;81:1231-1234.
- Falk PM, Blatchford CJ, Cali RL, et al. Transanal ultrasound and manometry in the evaluation of fecal incontinence. *Dis Colon Rectum.* 1994;37:468-472.
- Felt-Bersma RJ, Klinkenberg-Knol EC, Meuwissen SG. Anorectal function investigations in incontinent and continent patients: differences and discriminatory value. *Dis Colon Rectum.* 1990;33:479-486.
- Ferrara A, DeJesus S, Gallagher JT, et al. Time related decay of the benefits of biofeedback therapy. *Tech Coloproctol.* 2001;5:131-135.
- Fleshman JW, Peters WR, Shemesh EI, et al. Anal sphincter reconstruction anterior overlapping muscle repair. *Dis Colon Rectum.* 1991;34:739-743.
- Fornell EU, Mathiesen L, Sjodahl R, Berg G. Obstetric anal sphincter injury ten years after, subjective and objective long term effects. *Br J Obstet Gyneacol.* 2005;112:213-316.
- Freys SM, Fuchs KH, Fein M, et al. Inter and intraindividual reproducibility of anorectal manometry. *Langenbecks Arch Surg.* 1998;383:325-329.
- Ganio MD, Luc AR, Clerico G, Trompetto M. Sacral nerve stimulation for treatment of fecal incontinence a novel approach for intractable fecal incontinence. *Dis Colon Rectum.* 2001;44:6199-6631.
- Ganio E, Altomare F, Gabrielli F, et al. Prospective randomized multicentre trial comparing stapled with open haemorrhoidectomy. *Br J Surg.* 2001;88:669-674.
- Gantke B, Schafer A, Enck P. Sonographic, manometric, and myographic evaluation of the anal sphincters morphology and function. *Dis Colon Rectum.* 1993;36:1037-1041.
- Giebel GD, Lefering R, Troidl H, Blochl H. Prevalence of fecal incontinence: what can be expected? *Int J Colorect Dis.* 1998;13:73-77.
- Gilliland R, Altomare DF, Moreira H, jr., et al. Pudendal neuropathy is predictive of failure following anterior overlapping sphincteroplasty. *Dis Colon Rectum.* 1998;41:1516-1522.
- Goligher JC, Hughes ES. Sensibility of the rectum and colon: its role in the mechanism of anal incontinence. *Lancet.* 1951;1:543-548.
- Gonzalez RP, Falimirski ME, Holevar MR. The role of presacral drainage in the management of penetrating rectal injuries. *J Trauma.* 1998;45:656-660.
- Gonzalez RP, Turk, B. Surgical options in colorectal injuries. *Scand J Surg.* 2002;91:87-91.
- Gregorczyk SG. The current status of the Acticon neosphincter. *Clin Colon Rectal Surg.* 2005;18:32-37.

- Guillemot F, Bouche B, Gowe-Rousseau C. Biofeedback for the treatment of fecal incontinence: long-term clinical results. *Dis Colon Rectum.* 1995;38:393-397.
- Halverson AL, Hull TL. Long-term outcome of overlapping anal sphincter repair. *Dis Colon Rectum.* 2002;45:345-348.
- Hicks TC, Opelka FG. The hazards of anal sexual eroticism. *Perspectives Colon Rectal Surg.* 1994;7:37-57.
- Ho YH, Cheong WK, Tsang C, et al. Stapled hemorrhoidectomy—cost and effectiveness. Randomized, controlled trial including incontinence score, anorectal manometry, and endoanal ultrasound assessments at up to three months. *Dis Colon Rectum.* 2000;43:1666-1675.
- Horák L, Skříčka T, Šlauf P, Orhalmi J. *Praktická proktologie.* Praha: Grada publishing a.s., 2013: 217 s.
- Huber A, Hochstetter AHC, Allgöwer M. *Transsphincteric surgery of the rectum.* Berlin, Heidelberg, New York, Tokyo: Springer-Verlag, 1984: 78 p.
- Cheetham MJ, Kenefick NJ, Kamm MA. Non-surgical treatment of faecal incontinence. *Hosp Med.* 2001;62:538-541.
- Christiansen J, Pedersen IK. Traumatic anal incontinence: results of surgical repair. *Dis Colon Rectum.* 1987;30:189-191.
- Christiansen J, Lorentzen M. Implantation of artificial sphincter for anal incontinence. *Lancet.* 1987;2:244-245.
- Christiansen J, Roed-Petersen K. Clinical assessment of the anal continence plug. *Dis Colon Rectum.* 1993;36:740-742.
- Ivatury RR, Licata J, Gunduz Y, et al. Management options in penetrating rectal injuries. *Am Surg.* 1991;57:50-55.
- Jarret MED, Mowatt G, Glazener CMA, et al. Systematic review of sacral nerve stimulation for faecal incontinence and constipation. *Br J Surg.* 2004;91:1559-1569.
- Johanson JF, Lafferty J. Epidemiology of fecal incontinence the silent affliction. *Am J Gastroenterol.* 1996;91:33-36.
- Jorge JM, Wexner SD, Marchetti F, et al. How reliable are currently available methods of measuring the anorectal angle? *Dis Colon Rectum.* 1992;35:332-338.
- Kamerer-Doak DN, Dominguez C, Harner K, Dorin MH. Surgical repair of fecal incontinence. Correlation of sonographic anal sphincter integrity with subjective cure. *J Reprod Med.* 1998;43:576-580.
- Karulf RE, Coller JA, Bartolo DC. Anorectal physiology testing: a survey of availability and use. *Dis Colon Rectum.* 1991;34:464-468.
- Keighley MR, Bick D, MacArthur C. Prevalence and obstetric factors in childbirth-related fecal incontinence. *Dis Colon Rectum (meeting abstract).* 1995;38:P. 14.

- Keighley MR, Fielding JW. Management of faecal incontinence and results of surgical treatment. *Br J Surg.* 1983; 70:463-468.
- Kenefick NJ, Vaizey CJ, Malouf AJ, et al. Injectable silicone biomaterial for faecal incontinence due to internal anal sphincter dysfunction. *Gut.* 2002; 51:225-228.
- Kenefick NJ, Emmanuel A, Nicholls RJ, Kamm MA. Effect of sacral nerve stimulation on autonomic nerve function. *Br J Surg.* 2003; 90:1256-1260.
- Kennedy ML, Nguyen H, Lulbowski DZ, King DW. Stimulated gracilis neosphincter, a new procedure for anal incontinence. *Aust NZ J Surg.* 1996;66:353-357.
- Khullar W, Damiano R, Tooze-Hobson P, Cardozo L. Prevalence of fecal incontinence among women with urinary incontinence. *Br J Obstetr Gynaecol.* 1998; 105:1211-1213.
- Kiff ES, Swash M. Slowed conduction in the pudendal nerves idiopathic (neurogenic) faecal incontinence. *Br J Surg.* 1984;71:614-616.
- Korček J. Efektívny a dostupný systém ultrakrátkej antimikrobiálnej profilaxie v kolorektálnej chirurgii. *Rozhl Chir.* 1990;11:774-779.
- Korček J, Bakoš E, Klobušický P. Stating PNTML and its utilization in the diagnostics and in surgical therapy of the anal incontinence. Proceedings of the 8th Biennial Congress of the European Council of Coloproctology. Bologna : Monduzzi Editore S.p.A., 2001: p. 391-396.
- Korček J, Farkaš A, Bakoš E, Klobušický P. Stating PNTML and its utilization in the diagnostics and in surgical therapy of the anal incontinence. *Proktologia suppl.* 2001;1:27.
- Korček J, Bakoš E, Klobušický P. Combined parasacral and perineal approach in the surgical therapy of the faecal incontinence. *Proktologia.* 2002;2:127-132.
- Korček J, Bakoš E, Klobušický P. Stating PNTML and its utilization in the diagnostics and in surgical therapy of the anal incontinence. *Proktologia.* 2002;2:209.
- Korček, J. Endoanálna transrekálna ultrasonografia v predoperačnej diagnostike a v pooperačnom sledovaní pacientov s chirurgickými ochoreniami rekta a análneho kanála. *Endoskopie,* 2003;12:26-30.
- Korček J, Bakoš E, Klobušický P. Combined parasacral and perineal approach in the surgical therapy of the fecal incontinence. Abstraktá 8th Central European Congress of Coloproctology and Viscerosynthesis. 27.-29. apríl 2003, Piešťany, č. 3, s.16.
- Korček J, Klobušický P, Bakoš E. Combined perineal and parasacral approach in the surgical treatment of the anal incontinence. *Slovenský chirurg,* 2004;8:36.

- Korček J, Bakoš E. Parasacral and perineal sphincteroplasty. Abstraktá 5th International Pelvic Floor Dysfunction Society Congress, 8th-11th November 2005, Buenos Aires, Argentina, Abstrakt č. 9.
- Korček J. Transrectal ultrasound in the evaluation of periproctal abscesses, fistulas and anal sphincters defects (Preoperative diagnostics and post-operative follow up). Dis Colon Rectum. 2004;47:1033-1033.
- Korček J, Bakoš E. Parasacral and perineal sphincteroplasty. Int J Proct Per Dis. 2005;1:12.
- Korček J, Bakoš E, Klobušický P. Parasacral and perineal sphincteroplasty. Tech Coloproctol. 2005;9:250-251.
- Korček J. EUS in the evaluation of benign diseases. Proktologia. 2006;Supplement 1:21.
- Korček J, Bakoš E, Farkaš A. Combined parasacral vaginal and endorectal approach in surgical treatment of giant rectocele (case report). Acta Chir Iug. 2006;2:43-49.
- Korček J. Diagnostika a terapia analnej inkontinencie. Nitra: Vydavateľstvo Environment, 2008: 168 s.
- Korček J. Abdominálne katastrofy – skúsenosti z chirurgickej praxe. In Hoch J, Antoš F, et al. Koloproktologie – vybrané kapitoly. Praha: Mladá Fronta a.s., 2016, s. 39-53.
- Korček J. Parasacral and perineal sphincteroplasty. Acta chirurgica Iugoslavica. 2010;57:89-92.
- Korček J. A slight modification of stapled transanal rectal resection. Colorectal Disease. 2010;3:50-51.
- Korček J. PPH stapled mucosectomy and haemorrhoidopexy: myths and facts. Tech Coloproctol. 2010;14:76.
- Korček J. Abdominal catastrophe – the experience of surgical practice. Postgraduální gastroenterologie a hepatologie. 2017;01:55-64.
- Kreis ME, Jehle EC, Starlinger MJ, et al. The Favre anorectal manometry: comparison with other manometry systems in vitro and in healthy volunteers. Scand J Gastroenterol. 1997;32:888-893.
- Kuijpers J. Fecal incontinence and anorectal angle. Neth J Surg. 1971;36:20-23.
- Kumar D, Waldron DJ, Williams NS. Clinical Measurement in coloproctology. London: Springer-Verlag, 1991: s. 19-212.
- Lavenson GS, Cohen A. Management of rectal injuries. Am J Surg. 1971;122:226-230.
- Lauerberg S, Swash M, Henry MM. Delayed external sphincter repair for obstetric tear. Br J Surg. 1988;75:786-788.
- Law PJ, Kamm MA, Bartram CI. A comparison between electromyography and anal endosonography in mapping external anal sphincter defects. Dis Colon Rectum. 1990;33:370-373.

- Law PJ, Kamm MA, Bartram CI. Anal endosonography in the investigation of faecal incontinence. *Br J Surg.* 1991;78:312-314.
- Lawson J. Motor nerve supply of pelvic floor. *Lancet.* 1981;1:999-1001.
- Lehur PA, Letessier E. Adult fecal incontinence due to anal sphincter lesions: which preparations? Which surgical solutions? *J Chir.* 1998;135:83-89.
- Lehur PA, Gravié JF, Meurette G. Circular stapled anopexy for haemorrhoidal disease: results. *Colorectal Disease.* 2001;3:374-379.
- Levine JH, Longo WE, Pruitt C, et al. Management of selected rectal injuries by primary repair. *Am J Surg.* 1996;172:575-579.
- Lightner DJ. Review of the available urethral bulking agents. *Curr Opin Urol.* 2002;12:333-338.
- Longo A. Treatment of haemorrhoids disease by reduction of mucosa and hemorrhoidal prolapse with circular suturing device: a new procedure. Rome: 6th World Congress of Endoscopic Surgery, 1998: 777-784.
- MacArthur C, Bick DE, Keighley MR. Faecal incontinence after childbirth. *Br J Obstet Gynaecol.* 1997;104:46-50.
- MacLeod JH. Management of anal incontinence by biofeedback. *Gastroenterology.* 1987;93:291-294.
- Madoff RD, Baeten CGMI, Christiansen J, et al. Standard for anal sphincter replacement. *Dis Colon Rectum.* 2000;43:135-141.
- Malouf AJ, Norton CS, Engel AF, et al. Long-term results of overlapping anterior anal sphincter repair for obstetric trauma. *Lancet.* 2000;355:260-265.
- Mann CHV, Glass R. Surgical treatment of anal incontinence. London: Springer-Verlag, 1997:1-158.
- Mason AY. Surgical access to the rectum - a transsphincteric exposure. *Proc R Soc Med.* 1970;63:91-94.
- Mason AY. Trans-sphincteric exposure of the rectum. *Ann R Coll Surg Engl.* 1972;51:320-331.
- Mason AY. Trans-sphincteric surgery of the rectum. *Prog Surg.* 1974;13:66-97.
- Mathieu P, Pringot J, Bodart P. Defecography: description of a new procedure and results in normal patients. *Gastrointest Radiol.* 1984;9:247-251.
- Matsuoka H, Mavrantonis C, Wexner SD, et al. Postanal repair for fecal incontinence - is it worthwhile? *Dis Colon Rectum.* 2000;45:1561-1567.
- Matzel KE, Schmidt RA, Tanagho EA. Neuroanatomy of the striated muscular anal continence mechanism: implication for the use of neurostimulation. *Dis Colon Rectum.* 1990;33:666-673.
- Matzel KE, Kamm MA, Stosser M, et al. Sacral spinal nerve stimulation for faecal incontinence: multicentre study. *Lancet.* 2004;363:1270-1276.

- Mehringan BJ, Monson J R, Hartley JE. Stapling procedure for haemorrhoids versus Milligan-Morgan haemorrhoidectomy: randomised controlled trial. Lancet. 2000;355:782-785.
- Meissner K, Jirikowski B, Szecsi T. Der paracoccygeale transsphinctere Zugang zum Rectum nach Mason: Gute Ergebnisse nur bei hochselektiver Indikationsstellung? Chirurg. 1996;67:145-149.
- Melenhorst J, Koch SM, Uludag O, et al. Sacral neuromodulation in patients with faecal incontinence: results of the first 100 permanent implantations. Colorectal Disease. 2007;9:725-730.
- Miller BJ, Schache DJ. Colorectal injury: where do we stand with repair? ANZ J Surg. 1996;66:348-352.
- Mortensen N. Rectal and anal endosonography. Gut. 1992;33:148-149.
- Nelson R, Norton N, Gautley E, Fumer S. Community based prevalence of anal incontinence. JAMA. 1995;274:559-561.
- Nielsen M, Dammgaard L, Pedersen JF. Endosonographic assessment of the anal sphincter surgical reconstruction. Dis Colon Rectum. 1994;37:434-438.
- Nicholas JM, Rix EP, Easley KA, et al. Changing patterns in the management of penetrating trauma: the more things change, the more they stay the same. J Trauma. 2003;55:1095-1110.
- Nikiteas N, Korgsen S, Kumar D, Keighley MR. Audit of sphincter repair: factors associated with poor outcome. Dis Colon Rectum. 1996;39:1164-1170.
- Nogueras JJ. Endorectal ultrasonography: technique, image interpretation, and expanding indications. Semin Colon Rectal Surg. 1995;6:70-77.
- Norton C, Kamm MA. Outcome of biofeedback for fecal incontinence. Br J Surg. 1999;81:1159-1163.
- Oberwalder M, Commor J, Wexner SD. Meta-analysis in determine the incidence of obstetric anal sphincter damage. Br J Surg. 2003;90:1333-1337.
- Oberwalder M, Dinnewitzer A, Baig K, et al. The association between late-onset fecal incontinence and obstetric anal sphincter defects. Arch Surg. 2004;139:429-432.
- Orrom WJ, Miller R, Cornes H, et al. Comparison of anterior sphincteroplasty and post anal repair in the treatment of idiopathic fecal incontinence. Dis Colon Rectum. 1991;34:305-310.
- Osterberg A, Graf W, Holmberg A, et al. Long-term results of anterior levator plasty for fecal incontinence a retrospective study. Dis Colon Rectum. 1996;39:671-675.
- Parisien CJ, Corman M L. The Secca procedure for the treatment of fecal incontinence: definitive therapy or short term solution. In Corman ML. Colon and rectal surgery (fifth edition). Philadelphia: J. B. Lippincot Company, 2005: p. 371-374.

- Parker SC, Spencer MP, Madoff RD, et al. Artificial bowel sphincter: long term experience at a single institution. *Dis Colon Rectum.* 2003;46:722-729.
- Parks AG. Anorectal incontinence. *Proc R Soc Med.* 1975;68:681-690.
- Parks AG, Swash MM, Urich H. Sphincter denervation in ano-rectal incontinence and rectal prolapse. *Gut.* 1977;18:656-665.
- Parks AG, McPartlin JF. Later repair of injuries of the anal sphincter. *J R Soc Med.* 1971;64:1187-1190.
- Pavlidis T, Papaziogas B, Souparis A, et al. Modern stapled Longo procedure vs. conventional Milligan-Morgan hemorrhoidectomy: a randomized controlled trial. *Int J Colorectal Dis.* 2002;17:50-53.
- Papillon M, Arnaud JP, Descottes B, et al. Le traitement de la maladie hémorroïdaire par la technique de Longo. Résultats préliminaires d'une étude prospective portant sur 94 cas. *Chirurgie.* 1999;124:666-669.
- Pearl RK, Prasad ML, Nelson RL, et al. Bilateral gluteus maximus transposition for anal incontinence. *Dis Colon Rectum.* 1991;34:478-481.
- Percy JP, Neill ME, Swash M, Parks AG. Electrophysiological study of motor nerve supply of pelvic floor. *Lancet.* 1980;1:16-17.
- Perry RE, Blatchford CJ, Christensen MA, et al. Manometric diagnosis of anal sphincter injury. *Am J Surg.* 1990;159:112-117.
- Perry S, Shaw C, McGrother C, et al. Prevalence of faecal incontinence in adults aged 40 years or more living in the community. *Gut.* 2002;50:480-484.
- Pettit PD, Thompson JR, Chen AH. Sacral neuromodulation new applications in the treatment of female pelvic floor dysfunctions. *Curr Opin Obstet Gynecol.* 2002;14:521-525.
- Pezim ME, Spencer RJ, Stanhope CR, et al. Sphincter repair for fecal incontinence after obstetrical or iatrogenic injury. *Dis Colon Rectum.* 1987;30:521-525.
- Pickrell KL, Broadbent IR, Masters FW, Metzger JT. Construction of a rectal sphincter and restoration of anal continence by transplanting the gracilis muscle. *Ann Surg.* 1952;135:853-862.
- Pinho M, Hosie K, Bielecki K, Keighley MR. Assessment of noninvasive intra-anal electromyography to evaluate sphincter function. *Dis Colon Rectum.* 1991;34:69-71.
- Pla-Martí V, Moro-Valdezate D, Alos-Company R, et al. The effect of surgery on quality of life in patients with faecal incontinence of obstetric origin. *Colorectal Disease.* 2007;9:90-95.
- Rasmussen OO, Ronholt C, Alstrup N, Christiansen J. Anorectal pressure and rectal compliance in fecal incontinence. *Int J Colorect Dis.* 1998;13:157-159.

- Read M, Read NW, Barber DC, Duthie HL. Effects of loperamide on anal sphincter function in patients complaining of chronic diarrhoea with fecal incontinence and urgency. *Dig Dis Sci.* 1982;27:807-814.
- Rieger NA, Sarre RG, Saccone GT, et al. Correlation of pudendal nerve terminal motor latency with the results of anal manometry. *Int J Colorectal Dis.* 1997;12:303-307.
- Rieger N, Schloithe A, Saccone G, Watchow D. The effect of a normal vaginal delivery on anal function. *Acta Obstet Gynecol Scand.* 1997;76:769-772.
- Rieger N, Schloithe A, Saccone G, Watchow D. A prospective study of anal sphincter injury due to childbirth. *Scand J Gastroenterol.* 1998;33:950-955.
- Roberts PL, Coller JA, Schoetz DJ, Veidenheimer MC. Manometric assessment of patients with obstetric injuries and fecal incontinence. *Dis Colon Rectum.* 1990;33:16-20.
- Roig JV, Villoslada C, Lledó S, et al. Prevalence of pudendal neuropathy in fecal incontinence results of a prospective study. *Dis Colon Rectum.* 1995;38:952-958.
- Romano G, LaTorre F, Cutini G, et al. Total anorectal reconstruction with artificial bowel sphincter: report of eight cases. A quality of life assessment. *Dis Colon Rectum.* 2003;46:730-734.
- Romano G, Lehur PA, Weiss F, Cuomo R. Diagnosis and treatment of fecal incontinence. Naples: Idelson Gnocchi L.t.d. Publishers, 2000, p. 1-345.
- Rothbart J, Bemelman WA, Meijerink WJ, et al. What is the impact of fecal incontinence on quality of life? *Dis Colon Rectum.* 2001;44:67-71.
- Rowse M, Bello M, Hemingway DM. Circumferential mucosectomy (stapled haemorrhoidectomy) versus conventional haemorrhoidectomy: randomised controlled trial. *Lancet.* 2000;355:779-781.
- Ruiz del Castillo J, Selles Dechent R, Millan Scheiding M. Colorectal trauma caused by foreign bodies introduced during sexual activity: diagnosis and management. *Rev Esp Enfim Dig.* 2001;93:635-638.
- Salzano A, De Rossa A, Amodio F, et al. Integrated study of fecal incontinence with defecography, anal ultrasonography, perineography and manometry. *Radiol Med (Torino).* 1998;96:574-578.
- Sangwan YP, Coller JA, Schoetz DJ, et al. Relationship between manometric anal waves and fecal incontinence. *Dis Colon Rectum.* 1995;38:370-374.
- Sangwan YP, Coller JA, Barret RC. Unilateral pudendal neuropathy: impact on outcome of anal sphincter repair. *Dis Colon Rectum.* 1996;39:686-689.
- Sentovich SM, Blatchford GJ, Rivela LJ, et al. Diagnosing anal sphincter injury with ultrasound and manometry. *Dis Colon Rectum.* 1997;40:1430-1434.

- Shafik A. A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. I. The external anal sphincter: a triple loop system. *Invest Urol.* 1975; 12:412-418.
- Shafik A. A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. II. Anatomy of the levator ani muscle with special reference to puborectalis. *Invest Urol.* 1975; 13:175-182.
- Shafik A. Polytetrafluoroethylene injection for the treatment of partial fecal incontinence. *In Surg.* 1993; 78:159-161.
- Shafik A. Perianal injection of autologous fat for treatment of sphincteric incontinence. *Dis Colon Rectum.* 1995; 38:583-587.
- Shalaby R, Desoky A. Randomized clinical trial of stapled versus Milligan-Morgan haemorrhoidectomy. *Br J Surg.* 2001; 88:1049-1053.
- Schmitt SL, Wexner SD. Interior and posterior sphincter repair. *Semin Colon Rectal Surg.* 1992; 3:92-97.
- Signorello LB, Halow BL, Chekos AK, Repke JT. Midline episiotomy and anal incontinence retrospective cohort study. *BMJ.* 2000; 320:86-90.
- Sun WM, Read NW, Miner PB, et al. The role of transient internal sphincter relaxation in faecal incontinence? *Int J Colorectal Dis.* 1990; 5:31-36.
- Swash M, Snooks SJ, Henry MM. Unifying concept of pelvic floor disorders and incontinence. *J R Soc Med.* 1985; 78:906-911.
- Takahashi T, Garcia-Osogobio S, Valdovinos MD, et al. Extended Two-years results of radiofrequency energy delivery for the treatment of fecal incontinence (the SECCA procedure). *Dis Colon Rectum.* 2003; 46:711-715.
- Ternent CA, Shashidharan M, Blatchford GJ, et al. Transanal ultrasound and anorectal physiology findings affecting continence after sphincteroplasty. *Dis Colon Rectum.* 1997; 40:462-467.
- Tetzschner T, Sorensen M, Jonsson L, et al. Delivery and pudendal nerve function. *Acta Obstet Gynecol Scand.* 1997; 76:324-331.
- Tetzschner T, Sorensen M, Lose G, Christiansen J. Pudendal nerve function during pregnancy and after delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1997; 8:66-68.
- Tetzschner T, Sorensen M, Lose G, Christiansen J. Pudendal nerve recovery after non-instrumented vaginal delivery. *Int Urogynecol J Pelvic Floor Dysfunct.* 1996; 7:102-104.
- Tetzschner T, Sorensen M, Rasmussen OO, et al. Reliability of pudendal nerve terminal motor latency. *Int J Colorectal Dis.* 1997; 12:280-284.
- Thomas TM, Egan M, Walgrave A, Meade TW. The prevalence of fecal and double incontinence. *Community Med.* 1984; 65:216-220.
- Thomas D, Levison M, Dykstra B, et al. Management of rectal injuries - dogma versus practice. *Am Surg.* 1990; 56:507-510.

## Iatrogénne poranenia rekta a svalov panvového dna

- Tjandra JJ, Milson JW, Stolfi VM, et al. Endoluminal ultrasound defines anatomy of the anal canal and pelvic floor. *Dis Colon Rectum.* 1992;35:465-470.
- Tjandra JJ, Lim JF, Matzel K. Sacral nerve stimulation: an emerging treatment for fecal incontinence. *ANZ J Surg.* 2004;74:2222-2230.
- Toozs Hobson P, Athanasiou S, Khullar V, et al. Why do women develop incontinence after childbirth? *Neurorol Urodyn.* 1997;16:384-385.
- Uludag O, Dejong HC. Sacral neuromodulation for faecal incontinence. *Dis Colon Rectum.* 2002;45:34-36.
- Vaizey CJ, Kamm MA. Injectable bulking agents for treating faecal incontinence. *Br J Surg.* 2005;92:521-527.
- Vaizey CJ, Norton C, Thomson MJ, et al. Long-term results of repeat anterior anal sphincter repair. *Dis Colon Rectum.* 2004;47:858-863.
- Vitale GC, Richardson JD, Flint LM. Successful management of injuries to the extraperitoneal rectum. *Am Surg.* 1983;49:159-162.
- Wald A. Biofeedback for neurogenic fecal incontinence: rectal sensation is a determinant of outcome. *J Pediatr Gastroenterol Nutr.* 1983;2:302-306.
- Wernava AM, Longo WE, Gail LD. Pudendal neuropathy and the importance of EMG evaluation of fecal incontinence. *Dis Colon Rectum.* 1993;36:23-27.
- Wexner SD, Marchetti F, Salanga VD, et al. Neurophysiologic assessment of the anal sphincters. *Dis Colon Rectum.* 1991;34:606-612.
- Wexner SD, Marchetti F, Jagelman DG. The role of sphincteroplasty for fecal incontinence reevaluated: a prospective physiologic and functional review. *Dis Colon Rectum.* 1991;34:22-30.
- Williams NS. Surgery of anorectal incontinence. *Lancet.* 1999;353:31-32.
- Wilson MS, Pope V, Doran HE, et al. Objective comparison of stapled anopexy and open hemorrhoidectomy: a randomised, controlled trial. *Dis Colon Rectum.* 2002;45:1437-1444.
- Womack NR, Morrison JF, Williams NS. The role of pelvic floor denervation in the etiology of idiopathic faecal incontinence. *Br J Surg.* 1986;73:404-407.
- Wong WD, Congliosi SM, Spencer MP, et al. The safety and efficacy of the artificial bowel sphincter for fecal incontinence: results from a multi-centre cohort study. *Dis Colon Rectum.* 2002;45:1139-1153.
- Zetterström J, Mellgren A, Jensen LL, Wong WD. Effect of delivery on anal sphincter morphology and function. *Dis Colon Rectum.* 1999;42:1253-1260.
- Sentovich SM. Ultrasound evaluation of the anal sphincter after perineal injury with ultrasound and manometry. *Dis Colon Rectum.* 1997;40:1430-1434.