

Bibliography

Citations made in text are marked with an asterisk; other important overview papers not cited are not marked as such.

- *Bagatshanova, A. K. (1990) Fauna i ekologiya mukh-zhurchalok (Diptera, Syrphidae) Yakutii. *Yakutsk Nauchnye Tsentri*, 1–164.
- Ball, S. & Morris, R. (2013) *Britain's Hoverflies: An Introduction to the Hoverflies of Britain*. Princeton, NJ: Princeton University Press. 296 pp.
- Barkalov, A. V. S. & Ståhls, G. (1997) Revision of the Palearctic bare-eyed and black-legged species of the genus *Cheilosia* Meigen (Diptera, Syrphidae). *Acta Zoologica Fennica*, 208, 1–74.
- *Barkalov, A. V. & Mutin, V. A. (1991) Revision of hover-flies of the genus *Blera* Billberg, 1820 (Diptera, Syrphidae). 1. *Entomologicheskoe Obozrenie*, 70, 204–213.
- Bartsch, H., Binkiewicz, K., Klintbjer, A., Råden, A. & Nasibov, K. (2009) *Nationalnyckeln till Sveriges flora och fauna. Tvåvingar: Blomflugor: Eristalinae & Microdontinae. Diptera: Syrphidae: Eristalinae & Microdontinae*. Uppsala: ArtDatabanken, SLU. 478 pp.
- Bartsch, H., Binkiewicz, E., Råden, A. & Nasibov, E. (2009) *Nationalnyckeln till Sveriges flora och fauna. Tvåvingar: Blomflugor: Syrphinae. Diptera: Syrphidae: Syrphinae*. Uppsala: ArtDatabanken, SLU. 406 pp.
- *Belliere, B. & Michaud, J. P. (2001) Biology and behavior of *Pseudodorus clavatus* (Diptera: Syrphidae), an important predator of citrus aphids. *Annals of the Entomological Society of America*, 94, 91–96.
- *Böcher, J., Láska, P., Mazánek, L. & Nielsen, T. R. (2015) 17.16. Syrphidae (Hoverflies). In: J. Böcher, N. P. Kristensen, T. Pape & L. Vilhelmsen (Eds), *The Greenland Entomofauna*. Brill, Leiden, pp. 589–599.
- Brown, B. V. (1993) A further chemical alternative to critical-point-drying for preparing small (or large) flies. *Fly Times*, 11, 10.
- Chandler, A. E. (1968) A preliminary key to eggs of some of the commoner aphidophagous Syrphidae (Diptera) occurring in Britain. *Transactions of the Royal Entomological Society of London*, 85, 131–139.
- *Coovert, G. A. (1996) A revision of the genus *Pipiza* Fallén (Diptera, Syrphidae) of America North of Mexico with notes on the placement of the tribe Pipizini. *Ohio Biological Survey*, 11, 1–68.
- *Coovert, G. A. & Thompson, F. C. (1977) The *Sphagina* species of eastern North America (Diptera: Syrphidae). *Proceedings of the Biological Society of Washington*, 90, 536–552.
- *Cumming, J. M. & Wood, D. M. (2017) Adult morphology and terminology. In: *Manual of Afrotropical Diptera*. South African National Biodiversity Institute, Pretoria, pp. 89–133.
- *Curran, C. H. (1921) Revision of the *Pipiza* group of the family Syrphidae (flower-flies) from north of Mexico. *Proceedings of the California Academy of Sciences*, 11, 345–393.
- *Curran, C. H. (1922) The syrphid genera *Hammerschmidtia* and *Brachyopa* in Canada. *Annals of the Entomological Society of America*, 15, 239–255.
- *Curran, C. H. (1924) Synopsis of the genus *Chrysotoxum* with notes and descriptions of new species (Syrphidae, Diptera). *The Canadian Entomologist*, 56, 34–40.
- *Curran, C. H. (1925a) Contribution to a monograph of the American Syrphidae from north of Mexico. *Bulletin of the University of Kansas – Science Bulletin*, 15, 1–283.
- *Curran, C. H. (1925b) Revision of the genus *Neoascia* Williston (Diptera: Syrphidae). *Proceedings of the Entomological Society of Washington*, 27, 51–62.
- *Curran, C. H. (1930) Synopsis of the American species of *Volucella* (Syrphidae; Diptera). *American Museum Novitates*, 1027, 1–7.
- *Curran, C. H. (1932) New American Syrphidae (Diptera), with notes. *American Museum Novitates*, 519, 1–9.
- Curran, C. H. (1939) The species of *Temnostoma* related to *Bombylans* Linné (Syrphidae, Diptera). *American Museum Novitates*, 1040, 1–3.

- *Curran, C. H. (1940) Some new Neotropical Syrphidae (Diptera). *American Museum Novitates*, 1086, 1–14.
- *Curran, C. H. (1941) New American Syrphidae. *Bulletin of the American Museum of Natural History*, 78, 243–304.
- *Curran, C. H. (1953) Notes and descriptions of some Mydidae and Syrphidae (Diptera). *American Museum Novitates*, 1645, 1–15.
- *Curran, C. H. & Fluke, C. L. (1926) Revision of the Nearctic species of *Helophilus* and allied genera. *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters*, 22, 207–281.
- Dixon, T. J. (1960) Key to and descriptions of the third instar larvae of some species of Syrphidae (Dipt.) occurring in Britain. *Transactions of the Royal Entomological Society of London*, 112, 345–379.
- *Fluke, C. L. & Hull, F. M. (1945) The *Cartosyrphus* flies of North America (Syrphidae). *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters*, 37, 221–263.
- *Fluke, C. L. & Hull, F. M. (1946) Syrphid flies of the genus *Cheilosia*, subgenus *Chilomyia* in North America (Part II). *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters*, 36, 327–347.
- *Fluke, C. L. & Weems, H. V. J. (1956) The Myoleptini of the Americas (Diptera, Syrphidae). *American Museum Novitates*, 1758, 1–23.
- Gilbert, F. (2005a) The evolution of imperfect mimicry in hoverflies. In: M. D. E. Fellowes, G. J. Holloway & J. Rolff (Eds), *Insect Evolutionary Ecology*. Wallingford, United Kingdom, CABI, pp. 231–288.
- Gilbert, F. (2005b) Syrphid aphidophagous predators in a food-web context. *European Journal of Entomology*, 102, 325–333.
- Gittings, T., O'Halloran, J., Kelly, T. & Giller, P. S. (2006) The contribution of open spaces to the maintenance of hoverfly (Diptera, Syrphidae) biodiversity in Irish plantation forests. *Forest Ecology and Management*, 237, 290–300.
- *Greene, C. T. (1923) The larva and pupa of *Microdon megalogaster* Snow (Diptera). *Proceedings of the Entomological Society of Washington*, 25, 140–141.
- *Haarto, A. & Ståhls, G. (2014) When mtDNA COI is misleading: Congruent signal of ITS2 molecular marker and morphology for North European *Melanostoma Schiner*, 1860 (Diptera, Syrphidae). *ZooKeys*, 431, 93–134.
- *Hartley, J. C. (1961) A taxonomic account of the larvae of some British Syrphidae. *Proceedings of the Zoological Society of London (Reprinted)*, 136, 505–573.
- Heiss, E. M. (1938) *A Classification of the Larvae and Puparia of the Syrphidae of Illinois Exclusive of Aquatic Forms* (Vol. 187). Urbana: University of Illinois Press. 142 pp.
- *Hippa, H. (1978) Classification of Xylotini (Diptera, Syrphidae). *Acta Zoologica Fennica*, 156, 1–153.
- *Hull, F. M. (1942a) The flies of the genus *Meromacrus* (Syrphidae). *American Museum Novitates*, 1200, 1–11.
- *Hull, F. M. (1942b) The genus *Ferdinandea* Rondani. *Journal of the Washington Academy of Sciences*, 32, 239–241.
- *Hull, F. M. (1943) The Genus *Mesogramma*. *Entomologica Americana. A Journal of Entomology*, 23 (New Series), 1–99.
- Hull, F. M. (1945) A revisional study of the fossil Syrphidae. *Bulletin of the Museum of Comparative Zoology at Harvard College*, 95, 251–355.
- Hull, F. M. (1949) The morphology and inter-relationship of the genera of syrphid flies, recent and fossil. *Transactions of the Zoological Society of London*, 26, 257–409.
- *Hull, F. M. (1954) The genus *Mixogaster* (Diptera, Syrphidae). *American Museum Novitates*, 1652, 1–28.
- *Hull, F. M. & Fluke Jr., C. L. (1950) The genus *Cheilosia* Meigen (Diptera, Syrphidae). The subgenera *Cheilosia* and *Hiatomyia*. *Bulletin of the American Museum of Natural History*, 94, 301–401.
- *Jones, C. R. (1922) A contribution to our knowledge of the Syrphidae of Colorado. *Colorado Agricultural Experiment Station Bulletin*, 269, 72.

- Kearns, C. A. (1992) Anthophilous fly distribution across an elevation gradient. *American Midland Naturalist*, 127, 172–182.
- Kearns, C. A. (2001) North American dipteran pollinators: Assessing their value and conservation status. *Conservation Ecology*, 5, 5.
- *Kerr, P. H., Fisher, E. M. & Buffington, M. (2008) Dome lighting for insect imaging under a microscope. *American Entomologist*, Winter, 198–200.
- Kevan, P. (2002) Flowers, pollination, and the associated diversity of flies. *Biodiversity and Conservation*, 3, 16–18.
- *Knutson, L. V. (1973) Taxonomic revision of the aphid-killing flies of the genus *Sphaerophoria* in the Western Hemisphere (Syrphidae). *Miscellaneous Publications of the Entomological Society of America*, 9, 2–50.
- Krivosheina, N. P. (2004) The morphology of flies of the *Temnostoma apiforme* and *T. vespiforme* groups (Diptera, Syrphidae): Communication II. *Entomological Review*, 84, 100–117.
- Kuznetsov, S. Y. (1988) Morphology of the eggs of hover-flies (Diptera, Syrphidae). *Entomologicheskoe Obozrenie*, 67, 741–753.
- Larson, B. M., Kevan, P. G. & Inouye, D. W. (2001) Flies and flowers: Taxonomic diversity of anthophiles and pollinators. *The Canadian Entomologist*, 133, 439–466.
- *Latta, R. & Cole, F. R. (1933) A comparative study of the species of *Eumerus* known as the lesser bulb flies. *Monthly Bulletin of the California Department of Agriculture*, 22, 142–152.
- *Locke, M. M. & Skevington, J. H. (2013) Revision of Nearctic *Dasysyrphus* Enderlein (Diptera: Syrphidae). *Zootaxa*, 3660, 1–80.
- *Lyneborg, L. & Barkemeyer, W. (2005) *The Genus Syrirta. A World Revision of the Genus Syrirta Le Peletier & Serville, 1828 (Diptera: Syrphidae)* (Vol. 15). Stenstrup: Apollo Books. 224 pp.
- *MacGowan, I. (1994) Creating breeding sites for *Callicera rufa* Schummel (Dipt., Syrphidae) and a further host tree. *Dipterists Digest*, 1, 6–8.
- *Maibach, A. & Detiefenau, P. G. (1994) Generic limits and taxonomic features of some genera belonging to the tribe of Chrysogasterini (Diptera, Syrphidae). 3. Description of immature stages of some West Palearctic species. *Revue Suisse de Zoologie*, 101, 369–411.
- *Maibach, A. & Goeldlin de Tiefenau, P. (1993) Description et clé de détermination des stades immatures de plusieurs espèces du genre *Neoascia* Williston de la région paléarctique occidentale (Diptera, Syrphidae). *Bulletin de la Société Entomologique Suisse*, 66, 337–257.
- Maier, C. T. & Waldbauer, G. P. (1979) Dual mate-seeking strategies in male syrphid flies (Diptera: Syrphidae). *Annals of the Entomological Society of America*, 52, 54–61.
- *Martin, J. E. H. (1977) *Collecting, Preparing and Preserving Insects, Mites, and Spiders* (Vol. 1). Hull, Québec: Supply and Services Canada.
- *Mengual, X., Kazerani, F., Talebi, A. A. & Gilasian, E. (2015) A revision of the genus *Pelecocera* Meigen with the description of the male of *Pelecocera persiana* Kuznetsov from Iran (Diptera: Syrphidae). *Zootaxa*, 3947, 99–108.
- Mengual, X., Ruiz, C., Rojo, S., Ståhls, G. & Thompson, F. C. (2009) A conspectus of the flower fly genus *Allograpta* (Diptera: Syrphidae) with description of a new subgenus and species. *Zootaxa*, 2214, 1–28.
- Mengual, X., Ståhls, G. & Rojo, S. (2008) First phylogeny of predatory flower flies (Diptera, Syrphidae, Syrphinae) using mitochondrial COI and nuclear 28S rRNA genes: Conflict and congruence with the concurrent tribal classification. *Cladistics*, 24, 543–562.
- Mengual, X., Ståhls, G. & Rojo, S. (2008) Molecular phylogeny of *Allograpta* (Diptera, Syrphidae) reveals diversity of lineages and non-monophyly of phytophagous taxa. *Molecular Phylogenetics and Evolution*, 49, 715–727.
- Mengual, X., Ståhls, G. & Rojo, S. (2012) Is the mega-diverse genus *Ocyptamus* (Diptera, Syrphidae) monophyletic? Evidence from molecular characters including the secondary structure of 28S rRNA. *Molecular Phylogenetics and Evolution*, 62, 191–205.
- Mengual, X., Ståhls, G. & Rojo, S. (2015) Phylogenetic relationships and taxonomic ranking of pipizine flower flies (Diptera: Syrphidae) with implications for the evolution of aphidophagy. *Cladistics*, 31(5), 491–508.

- Mengual, X. & Thompson, F. C. (2011) Carmine cochineal killers: The flower fly genus *Eosalpingogaster* Hull (Diptera: Syrphidae) revised. *Systematic Entomology*, 36, 713–731.
- *Michaud, J. P. & Belliure, B. (2001) Impact of syrphid predation on production of migrants in colonies of the brown citrus aphid, *Toxoptera citricida* (Homoptera: Aphididae). *Biological Control*, 21, 91–95.
- *Miranda, G. F. G. (2011) An overview of the genus *Ocyptamus* Macquart, 1834, with a revision of the *Ocyptamus tristis* species group. PhD thesis. Department of Environmental Biology, University of Guelph, Guelph, 617 pp.
- *Miranda, G. F. G. (2017a) Identification key for the genera of Syrphidae (Diptera) from the Brazilian Amazon and new taxon records. *Acta Amazonica*, 47, 53–62.
- *Miranda, G. F. G. (2017b) Revision of the *Hybobathus arx* and *Pelecinobaccha summa* species groups (Diptera: Syrphidae). *Zootaxa*, 4338, 1–43.
- *Miranda, G. F. G., Marshall, S. A. & Skevington, J. H. (2014) Revision of the genus *Pelecinobaccha* Shannon, description of *Relictanum* gen. nov., and redescription of *Atylobaccha flukiella* (Curran, 1941) (Diptera: Syrphidae). *Zootaxa*, 3819, 1–154.
- *Miranda, G. F. G., Skevington, J. H., Marshall, S. A. & Kelso, S. (2016) The genus *Ocyptamus* Macquart (Diptera: Syrphidae): A molecular phylogenetic analysis. *Arthropod Systematics and Phylogeny*, 74, 161–176.
- *Miranda, G. F. G., Young, A. D., Locke, M. M., Marshall, S. A., Skevington, J. H. & Thompson, F. C. (2013) Key to the genera of Nearctic Syrphidae. *Canadian Journal of Arthropod Identification*, 23, 1–351.
- Nielsen, T. R. & Svendsen, S. (2014) Hoverflies (Diptera, Syrphidae) in North Norway. *Norwegian Journal of Entomology*, 61, 119–134.
- Pape, T. & Thompson, F. C. (2013) Systema Dipterorum. The Biosystematic Database of World Diptera. Version 1.5. <http://www.diptera.org/>.
- Penney, H. D., Hassall, C., Skevington, J. H., Abbott, K. R. & Sherratt, T. N. (2012) A comparative analysis of the evolution of imperfect mimicry. *Nature*, 483, 461–466.
- Penney, H. D., Hassall, C., Skevington, J. H., Lamborn, B. & Sherratt, T. N. (2014) The relationship between morphological and behavioral mimicry in hover flies (Diptera: Syrphidae). *The American Naturalist*, 183, 281–289.
- Rader, R., Bartomeus, I., Garibaldi, L. A., Garratt, M. P. D., Howlett, B. G., Winfree, R., et al. (2016) Non-bee insects are important contributors to global crop pollination. *Proceedings of the National Academy of Sciences*, 113, 146–151.
- *Reemer, M. & Ståhls, G. (2013a) Generic revision and species classification of the Microdontinae (Diptera, Syrphidae). *ZooKeys*, 288, 1–213.
- Reemer, M. & Ståhls, G. (2013b) Phylogenetic relationships of Microdontinae (Diptera: Syrphidae) based on molecular and morphological characters. *Systematic Entomology*, 38, 661–688.
- Roberts, M. J. (1970) The structure of the mouthparts of syrphid larvae (Diptera) in relation to feeding habits. *Acta Zoologica*, 51, 43–65.
- *Rojo, S., Gilbert, F. S., Marcos-García, M. A., Nieto, J. M. & Mier, M. P. (2003) *A World Review of Predatory Hoverflies (Diptera, Syrphidae: Syrphinae) and Their Prey*. Alicante, Spain: CIBIO Ediciones. 319 pp.
- Rotheray, G. & Gilbert, F. (1999) Phylogeny of Palearctic Syrphidae (Diptera): Evidence from larval stages. *Zoological Journal of the Linnean Society*, 127, 1–112.
- *Rotheray, G. & Gilbert, F. (2011) *The Natural History of Hoverflies*. Cardigan, UK: Forrest Text. 334 pp.
- Rotheray, G. E. (1989) *Aphid Predators*. Exeter, UK: Pelagic Publishing.
- Rotheray, G. E. (1993) *Color Guide to Hoverfly Larvae (Diptera, Syrphidae)* (Vol. 9). Sheffield, England: Derek Whiteley. 156 pp.
- Rotheray, G. E. & Gilbert, F. S. (1989) The phylogeny and systematics of European predaceous Syrphidae (Diptera) based on larval and puparial stages. *Zoological Journal of the Linnean Society*, 95, 29–70.
- *Saigusa, T. (2006) *Homology of Wing Venation of Diptera*. Fukuoka, Japan: Privately published. 26 pp.

- *Sedman, Y. S. (1964) The *Chrysogaster* (*Orthonevra*) *bellula* group in North America. *Proceedings of the Entomological Society of Washington*, 66, 169–176.
- *Sedman, Y. S. (1966) The *Chrysogaster* (*Orthonevra*) *pictipennis* group in North America. *Proceedings of the Entomological Society of Washington*, 68, 185–194.
- *Shannon, R. C. (1916) Notes on some genera of Syrphidae with descriptions of new species. *Proceedings of the Entomological Society of Washington*, 18, 101–113.
- *Shannon, R. C. (1926a) The Chrysotoxine Syrphid-flies. *Proceedings of the United States National Museum*, 69, 1–20.
- *Shannon, R. C. (1926b) Review of the American Xylotine Syrphid-flies. *Proceedings of the United States National Museum*, 69, 1–52.
- Shannon, R.C. (1939) *Temnostoma bombylans* and related species (Syrphidae. Diptera) *Proceedings of the Entomological Society of Washington*, 41, 215–224.
- *Skevington, J. H. & Thompson, F. C. (2012) Review of New World *Sericomyia* (Diptera, Syrphidae), including description of a new species. *The Canadian Entomologist*, 144, 216–247.
- Skevington, J. H. & Yeates, D. K. (2000) Phylogeny of the Syrphoidea (Diptera) inferred from mtDNA sequences and morphology with particular reference to classification of the Pipunculidae (Diptera). *Molecular Phylogenetics and Evolution*, 16, 212–224.
- Sommaggio, D. (1999) Syrphidae: Can they be used as environmental bioindicators? *Agriculture, Ecosystems and Environment*, 74, 343–356.
- *Speight, M. C. D. (2016) *Species Accounts of European Syrphidae (Diptera)*, 2016 (Vol. 93). Dublin: Syrph the Net Publications. 289 pp.
- *Speight, M. C. D., Hauser, M. & Withers, P. (2013) *Eumerus narcissi* Smith (Diptera, Syrphidae), presence in Europe confirmed, with a redescription of the species. *Dipterists Digest*, 20, 17–32.
- Ssymank, A., Kearns, C. A., Pape, T. & Thompson, F. C. (2008) Pollinating flies (Diptera): A major contribution to plant diversity and agricultural production. *Biodiversity*, 9, 86–89.
- Ståhls, G., Hippa, H., Rotheray, G., Muona, J. & Gilbert, F. (2003) Phylogeny of Syrphidae (Diptera) inferred from combined analysis of molecular and morphological characters. *Systematic Entomology*, 28, 433–450.
- Ståhls, G. & Nyblom, K. (2000) Phylogenetic analysis of the genus *Cheilosia* (Diptera, Syrphidae) using mitochondrial COI sequence data. *Molecular Phylogenetics and Evolution*, 15, 235–241.
- Ståhls, G., Stuke, J.-H., Vujic, A., Doczkal, D. & Muona, J. (2004) Phylogenetic relationships of the genus *Cheilosia* and the tribe Rhingiini (Diptera, Syrphidae) based on morphological and molecular characters. *Cladistics*, 20, 105–122.
- Ståhls, G., Vujić, A. & Milankov, V. (2008) *Cheilosia vernalis* (Diptera, Syrphidae) complex: Molecular and morphological variability. *Annales Zoologici Fennici*, 45, 149–159.
- Stubbs, A. E. & Falk, S. (2002) *British Hoverflies: an Illustrated Identification Guide*. 2nd. British Entomological and Natural History Society. 469 pp.
- *Telford, H. S. (1970) *Eristalis* (Diptera: Syrphidae) from America north of Mexico. *Annals of the Entomological Society of America*, 63, 1201–1210.
- *Thompson, F. C. (1974) The genus *Pterallastes* Loew (Diptera: Syrphidae). *Journal of the New York Entomological Society*, 82, 15–29.
- Thompson, F. C. (1975) Notes on the status and relationships of some genera in the tribe Milesiini (Diptera: Syrphidae). *Proceedings of the Entomological Society of Washington*, 77, 291–305.
- *Thompson, F. C. (1980) The North American species of *Callicera* Panzer (Diptera: Syrphidae). *Proceedings of the Entomological Society of Washington*, 82, 195–211.
- *Thompson, F. C. (1981) Revisionary notes on Nearctic *Microdon* flies (Diptera: Syrphidae). *Proceedings of the Entomological Society of Washington*, 83, 725–758.
- *Thompson, F. C. (1997) *Spilomyia* flower flies of the New World (Diptera: Syrphidae). *Memoirs of the Entomological Society of Washington*, 18, 261–272.

- *Thompson, F. C. (1999) A key to the genera of the flower flies (Diptera: Syrphidae) of the Neotropical region including descriptions of new genera and species and a glossary of taxonomic terms. *Contributions on Entomology, International*, 3, 319–378.
- *Thompson, F. C. (2012) Fabulous flower flies for famous fly fanatics (Diptera: Syrphidae). A tribute to the dipterists of the Canadian National Collection. *The Canadian Entomologist*, 144, 1–16.
- Thompson, F. C., Fee, F. D. & Berzark, L. G. (1990) Two immigrant synanthropic flower flies (Diptera: Syrphidae) new to North America. *Entomological News*, 101, 69–74.
- Thompson, F. C., Rotheray, G. E. & Zumbado, M. A. (2010) Syrphidae (Flower Flies). In: B. V. Brown, A. Borkent, J. M. Cumming, D. M. Wood, N. E. Woodley & M. A. Zumbado (Eds), *Manual of Central American Diptera*. NRC Research Press, Ottawa, pp. 763–792.
- van Veen, M. P. (2004) *Hoverflies of Northwest Europe: Identification Keys to the Syrphidae*. Utrecht, Netherlands: KNNV Publishing. 254 pp.
- Vockeroth, J. R. (1969) A revision of the genera of the Syrphini (Diptera: Syrphidae). *Memoirs of the Entomological Society of Canada*, 62, 1–176.
- Vockeroth, J. R. (1980) A review of the Nearctic species of *Melangyna* (*Meligramma*) Frey (Diptera: Syrphidae). *The Canadian Entomologist*, 112, 775–778.
- Vockeroth, J. R. (1983) Nomenclatural notes on Nearctic Syrphinae, with descriptions of new species of *Syrphus* and keys to Nearctic species of *Didea*, *Epistrophe* s. str., and *Syrphus* (Diptera: Syrphidae). *The Canadian Entomologist*, 115, 175–182.
- *Vockeroth, J. R. (1986a) Nomenclatural notes on Nearctic *Eupeodes* (including *Metasyrphus*) and *Dasysyrphus* (Diptera: Syrphidae). *The Canadian Entomologist*, 118, 199–204.
- *Vockeroth, J. R. (1986b) Revision of the New World species of *Paragus* Latreille (Diptera: Syrphidae). *The Canadian Entomologist*, 118, 183–198.
- *Vockeroth, J. R. (1992) *The Flower Flies of the Subfamily Syrphinae of Canada, Alaska and Greenland* (Vol. 18). Ottawa: Canada Communications Group – Publishing. 456 pp.
- Vockeroth, J. R. & Thompson, F. C. (1987) Syrphidae. In: J. F. McAlpine, B. V. Peterson, G. E. Shewell, H. J. Teskey, J. R. Vockeroth & D. M. Wood (Eds), *Manual of Nearctic Diptera*. Canadian Government Publishing Center, Ottawa, pp. 713–743.
- *Vujić, A., Ståhls, G., Ačanski, J., Bartsch, H., Bygebjerg, R. & Stefanović, A. (2013) Systematics of Pipizini and taxonomy of European *Pipiza* Fallén: molecular and morphological evidence (Diptera, Syrphidae). *Zoologica Scripta*, 42, 288–305.
- Vujić, A., Ståhls, G., Rojo, S., Radenković, S. & Šimić, S. (2008) Systematics and phylogeny of the tribe Paragini (Diptera: Syrphidae) based on Molecular and morphological characters. *Zoological Journal of the Linnean Society*, 152, 507–536.
- Webb, D. W. L. & Lisowski, E.A. (1985) The immature stages of *Orthonevra flukei* (Diptera: Syrphidae). *The Southwestern Naturalist*, 30, 312–315.
- Weems Jr., H. V. (1953) Notes on collecting syrphid flies (Diptera: Syrphidae). *Florida Entomologist*, 36, 91–98.
- Williston, S. W. (1887) Synopsis of the North American Syrphidae. *Bulletin of the United States National Museum*, 31, 1–335.
- Williston, S. W. (1891) *Family Syrphidae* (Vol. 3). London. 63 pp.
- Wirth, W. W., Sedman, Y. S. & Weems, H. V. J. (1965) Family Syrphidae. In: A. Stone, C. W. Sabrosky, W. W. Wirth, R. H. Foote & J. R. Coulson (Eds), *A Catalog of the Diptera of America North of Mexico*. United States Department of Agriculture, Washington, pp. 557–625.
- *Wootton, R. J. & Ennos, A. R. (1989) The implications of function on the origin and homologies of the dipterous wing. *Systematic Entomology*, 14, 507–520.
- Young, A. D., Lemmon, A. R., Skevington, J. H., Mengual, X., Ståhls, G., Reemer, M., et al. (2016) Anchored enrichment dataset for true flies (order Diptera) reveals insights into the phylogeny of flower flies (family Syrphidae). *BMC Evolutionary Biology*, 16, 1–13.
- *Young, A. D., Marshall, S. A. & Skevington, J. H. (2016) Revision of Nearctic *Platycheirus* Lepeletier and Serville (Diptera: Syrphidae). *Zootaxa*, 4082, 1–317.