

Literatura

- Abbott, L. C., Winzer-Serhan, U. H. (2012). Smoking during pregnancy: Lessons learned from epidemiological studies and experimental studies using animal models. *Crit Rev Toxicol*, 42(4), 279–303. DOI: 10.3109/10408444.2012.658506.
- Abikoff, H., McCough, J., Vitiello, B. et al. (2005). Sequential pharmacotherapy for children with comorbid attention-deficit/hyperactivity and anxiety disorders. *J Am Acad Child Adolescent Psychiatry*, 44, 418–427.
- Able, S. L., Johnston, J. A., Adler, L. A. et al. (2007). Functional and psychosocial impairment in adults with undiagnosed ADHD. *Psychol Med*, 37, 97–107.
- Adameček, D., Radimecký, J. (2015). Terapeutická komunita v adiktologii. In Kalina, K. et al. (Eds.), *Klinická adiktologie*. Praha: Grada Publishing.
- Adameček, D., Richterová-Těmínová, M., Kalina, K. (2003). Rezidenční léčba v terapeutických komunitách. In Kalina, K. et al. *Drogy a drogové závislosti 2: Mezioborový přístup*. Praha: Úřad vlády ČR, 201–207.
- Adler, L. A., Spencer, T. J., Stein, M. A., Newcorn, J. H. (2008). Best practices in adult ADHD: Epidemiology, impairments, and differential diagnosis. *Primary Psychiatry*, 15(8 Suppl.), 1.
- Agay, N., Yechiam, E., Carmel, Z. et al. (2010). Non-specific effects of methylphenidate (Ritalin) on cognitive ability and decision-making of ADHD and healthy adults. *Psychopharmacology*, 210(4), 511–519. DOI: 10.1007/s00213-010-1853-4.
- American Psychiatric Association (2000). Diagnostic and statistical manual of mental disorders. 4th ed., text rev. Washington, DC: American Psychiatric Association.
- American Psychologist Association (2013). *Diagnostic and Statistical Manual of Mental Disorders*. Fifth Edition. Arlington, VA: American Psychiatric Association.
- Annis, H. M., Graham, J. M., Davis, C. S. (1982a). *IDS-100: Seznam situací při pití alkoholu*.
- Annis, H. M., Graham, J. M., Davis, C. S. (1982b). *ITS-100: Seznam situací při užívání drog*.
- Antonovsky, A. (1993). The structure and properties of the sense of coherence scale. *Social science & medicine*, 36(6), 725–733.
- Arevalo, S., Prado, G., Amaro, H. (2008). Spirituality, sense of coherence, and coping responses in women receiving treatment for alcohol and drug addiction. *Evaluation & Program Planning*, 31(1), 113–213. UI: 17825910.
- Arias, A. J., Gelernter, J., Grace, H., Roger, D. W., Brady, K. T., Farrer, L., Kvanzler, H. R. (2008). Correlates of co-occurring ADHD in drug-dependent subjects: Prevalence and features of substance dependence and psychiatric disorders. *Chest*, 123, 1730–1739.

- Arias, A. J., Gelernter, J., Chan, G., Weiss, R. D., Brady, K. T., Farrer, L., Kranzler, H. R. (2008). Correlates of co-occurring ADHD in drug-dependent subjects: Prevalence and features of substance dependence and psychiatric disorders. *Addict Behav*, 33(9), 1199–1207. DOI: 10.1016/j.addbeh.2008.05.003.
- Arns, M., Strehl, U. (2013). Evidence for efficacy of neurofeedback in ADHD? *American Journal of Psychiatry*, 170(7), 799–800.
- Asherson, P., Bushe, C., Saylor, K., Tanaka, Y., Deberdt, W., Upadhyaya, H. (2014). Efficacy of atomoxetine in adults with attention deficit hyperactivity disorder: An integrated analysis of the complete database of multicenter placebo-controlled trials. *J Psychopharmacol*, 28, 837–846.
- Asherson, P., Young, S., Adamou, M., Bolea, B., Coghill, D., Gudjonsson, G., Kustow, J., Müller, U., Pitts, M., Thome, J. (2013). *Handbook for attention deficit hyperactivity disorder in adults*. London: Springer Healthcare.
- Aviram, R. B., Rhum, M., Levin, F. R. (2011). Psychotherapy of Adults with Comorbid Attention-Deficit / Hyperactivity Disorder and Psychoactive Substance Use Disorder. *J Psychother Pract Res*, 20(3), 179–186.
- Babor, T. F., Higgins-Biddle, J. C., Saunders, J. B., Monteiro, M. G. (2001). *AUDIT: The Alcohol Use Disorders Identification Test. Guidelines for Use in Primary Care*. 2nd ed. Geneva: World Health Organization.
- Bácskai, E., Czobor, P., Gerevich, J. (2012). Trait aggression, depression and suicidal behavior in drug dependent patients with and without ADHD symptoms [online]. *Psychiatry Research* [cit. 2015-12-05], 200(2/3), 719–723. DOI: 10.1016/j.psychres.2012.06.005. ISSN 01651781.
- Bale, R. N., Van Stone, W. W., Kuldau, J. M., Engelsing, T. M., Elashoff, R. M., Zarcone, V. P. (1980). Therapeutic communities vs methadone maintenance: A prospective controlled study of narcotic addiction treatment: Design and one-year follow-up. *Archives of general psychiatry*, 37(2), 179–193.
- Banaschewski, T., Jennen-Steinmetz, C., Brandeis, D., Buitelaar, J. K., Kuntsi, J., Poustka, L., Asherson, P. (2012). Neuropsychological correlates of emotional lability in children with ADHD. *Journal of Child Psychology and Psychiatry*, 53(11), 1139–1148.
- Bandiera, F. C., Richardson, A. K., Lee, D. J., He, J. P., Merikangas, K. R. (2011). Second-hand Smoke Exposure and Mental Health Among Children and Adolescents. *Archives of pediatrics & adolescent medicine*, 165(4), 332–338. DOI: 10.1001/archpediatrics.2011.30.
- Barkley, R. A., Fischer, M. (2010). The unique contribution of emotional impulsiveness to impairment in major life activities in hyperactive children as adults. *Journal of the American Academy of Child and Adolescent Psychiatry*, 49, 503–513.
- Barkley, R. A., Gordon, M. (2002). Research on comorbidity, adaptive functioning, and cognitive impairments in adults with ADHD: Implications for a clinical practice. In Goldstein, S. E. (Ed.), *Clinician's guide to adult ADHD: Assessment and intervention*. San Diego, CA: Academic Press.

- Barkley, R. A. (1997). Behavioral inhibition, sustained attention, and executive functions: Constructing a unifying theory of ADHD. *Psychological Bulletin*, 121(1), 65–94.
- Barkley, R. A. (2005). *Attention-deficit hyperactivity disorder: A handbook for diagnosis and treatment*. 3rd ed. New York: Guilford Press.
- Barkley, R. A. (2011). *Barkley Adult ADHD Rating Scale-IV. (BAARS-IV)*. New York: Guilford Press, 150.
- Barkley, R. A. et al. (2003). Does the treatment of attention-deficit/hyperactivity disorder with stimulants contribute to drug use/abuse? A 13-year prospective study. *Pediatrics*, 111(1), 97–109. UI: 1250956.
- Barkley, R. A., Fischer, M., Smallish, L., Fletcher, K. (2002). The persistence of attention deficit/hyperactivity disorder into young adulthood as a function of reporting source and definition of disorder. *J Abnorm Psychol*, 111(2), 279–289.
- Barr, L. H. (1986). Outcome of Drug Abuse Treatment in Two Modalities. In De Leon, G., Ziegenfuss, J. T. (Eds.), *Therapeutic Communities for Addictions*. Springfield: Charles C. Thomas Publishers.
- Bauermeister, J. J., Canino, G., Polanczyk, G., Rohde, L. A. (2010). ADHD across cultures: Is there evidence for a bidimensional organization of symptoms? *J Clin Child Adolesc Psychol*, 39(3), 362–372. DOI: 10.1080/15374411003691743.
- Beck, A. T., Steer, R. A., Brown, G. K. (1996). *Manual for the Beck Depression Inventory II*. San Antonio, TX: Psychological Corporation.
- Benegal, V., Viswanath, B., Narayanaswamy, J. C., Jose, S. P., Chakraborty, V., Sankar, D. et al. (2013). The efficacy of atomoxetine as adjunctive treatment for co-morbid substance use disorders and externalizing symptoms. *Asian J Psychiatr*, 6, 544–547.
- Benowitz, N. L. (2009). Pharmacology of Nicotine: Addiction, Smoking-Induced Disease, and Therapeutics. *Annual review of pharmacology and toxicology*, 49, 57–71. DOI: 10.1146/annurev.pharmtox.48.113006.094742.
- Berger, I., Dor, T., Nevo, Y., Goldzweig, G. (2008). Attitudes toward attention-deficit hyperactivity disorder (ADHD) treatment: Parents' and children's perspectives. *J Child Neurol*, 23(9), 1036–1042. DOI: 10.1177/0883073808317726.
- Biederman, J., Faraone, S. V. (2004). The Massachusetts General Hospital studies of gender influences on attention-deficit/hyperactivity disorder in youth and relatives. *Psychiatr Clin North Am*, 27(2), 225–232. DOI: 10.1016/j.psc.2003.12.004.
- Biederman, J. (2005). Attention-deficit/hyperactivity disorder: A selective overview. *Biol Psychiatry*, 57, 1215–1220.
- Biederman, J., Ball, S. W., Monuteaux, M. C., Mick, E., Spencer, T. J., McCreary, M., Cote, M., Faraone, S. V. (2008). New insights into the comorbidity between ADHD and major depression in adolescent and young adult females. *Journal of the American Academy of Child and Adolescent Psychiatry*, 4, 426–434.
- Biederman, J., Mick, E., Faraone, S. V. (2000). Age dependent decline of symptoms of attention deficit hyperactivity disorder: Impact of remission definition and symptom type. *American Journal of Psychiatry*, 157(5), 816–818.

- Biederman, J., Mick, E., Faraone, S. V., Braaten, E., Doyle, A., Spencer, T., Wilens, T. E., Frazier, E., Johnson, M. A. (2002). Influence of gender on attention deficit hyperactivity disorder in children referred to a psychiatric clinic. *Am J Psychiatry*, 159(1), 36–42. DOI: 10.1176/appi.ajp.159.1.36.
- Biederman, J., Petty, C. R., Evans, M., Small, J., Faraone, S. V. (2010). How persistent is ADHD? A controlled 10-year follow-up study of boys with ADHD. *Psychiatry Research*, 177(3), 299–304. DOI: 10.1016/j.psychres.2009.12.010.
- Biederman, J., Wilens, T. E., Mick, E., Faraone, S. V., Spencer, T. (1998). Does attention deficit hyperactivity disorder impact the developmental course of drug and alcohol abuse and dependence? *Biol Psychiatry*, 44(4), 269–273.
- Biederman, J., Wilens, T., Mick, E., Milberger, S., Spencer, T. J., Faraone, S. V. (1995). Psychoactive substance use disorders in adults with attention deficit hyperactivity disorder (ADHD): Effects of ADHD and psychiatric comorbidity. *Am J Psychiatry*, 152, 1652–1658.
- Bloch, M. H., Qawasmi, A. (2011). Omega-3 fatty acid supplementation for the treatment of children with attention-deficit/hyperactivity disorder symptomatology: Systematic review and meta-analysis. *J Am Acad Child Adolesc Psychiatry*, 50(10), 991–1000. DOI: 10.1016/j.jaac.2011.06.008.
- Bolea-Alamañac, B., Nutt, D. J., Adamou, M., Asherson, P., Bazire, S., Coghill, D. et al. (2014). Evidence-based guidelines for the pharmacological management of attention deficit hyperactivity disorder: Update on recommendations from the British Association for Psychopharmacology. *J Psychopharmacol*, 28, 179–203.
- Bonet-Pagan, Y., Gonzalez-Alonso, R., Castaing-Lespier, P. (2015). Are Young Adults with ADHD Undertreated? *Boletin – Asociacion Medica de Puerto Rico*, 107(2), 97–9.
- Brassett-Grundy, A., Butler, N. (2004). Prevalence and adult outcomes of attention deficit/hyperactivity disorder: Evidence from a 30-year prospective longitudinal study. *Bedford group for lifecourse and statistical studies occasional paper*, No. 2. London: Institute of Education, University of London, 24.
- Braun, J. M., Kahn, R. S., Froehlich, T., Auinger, P., Lanphear, B. P. (2006). Exposures to Environmental Toxicants and Attention Deficit Hyperactivity Disorder in U.S. Children. *Environmental Health Perspectives*, 114(12), 1904–1909. DOI: 10.1289/ehp.9478.
- Breyer, J., Botzet, A., Winters, K., Stinchfield, R., August, G., Realmuto, G. (2009). Young Adult Gambling Behaviors and their Relationship with the Persistence of ADHD. *Journal Of Gambling Studies*, 25(2), 227–238. DOI: 10.1007/s10899-009-9126-z.
- Brickenkamp, R., Zillmer, E. (2000). *Test pozornosti D2*. Praha: Testcentrum.
- Broekaert, E. (2006). What future for the therapeutic community in the field of addiction? A view from Europe. *Addiction*, 101(12), 1677–1678.
- Broekaert, E., Kooyman, M., Ottenberg, D. J. (1998). The “new” drug-free therapeutic community: Challenging encounter of classic and open therapeutic communities. *Journal of Substance Abuse Treatment*, 15(6), 595–597.

- Broekaert, E., Raes, V., Kaplan, C. D., Coletti, M. (1999). The design and effectiveness of therapeutic community research in Europe: An overview. *European Addiction Research*, 5(1), 21–35.
- Broekaert, E., Vanderplasschen, W., Temmerman, I., Ottenberg, D. J., Kaplan, C. (2000). Retrospective study of similarities and relations between American drug-free and European therapeutic communities for children and adults. *Journal of Psychoactive Drugs*, 32(4), 407–417.
- Broekaert, E., Vandevelde, S., Soyez, V., Yates, R., Slater, A. (2006). The Third Generation of Therapeutic Communities: The Early Development of the TC for Addictions in Europe. *European Addiction Research*, 12(1), 1–11.
- Brown, M., Allen, J., Dowling, N., Allen, J. S., Dowling, N. A. (2015). The Application of an Etiological Model of Personality Disorders to Problem Gambling. *Journal Of Gambling Studies*, 31(4), 1179–1199. DOI: 10.1007/s10899-014-9504-z.
- Brown, T. (1996a). *Brown attention-deficit disorder scales: Manual*. San Antonio, TX: Harcourt Brace and Co.
- Brown, T. (1996b). *Brown ADD scales*. San Antonio: The Psychological Corporation.
- Brown, T. (2009). ADD/ADHD and Impaired Executive Function in Clinical Practice. *Current Psychiatry Reports*, 10, 407–411.
- Brown, T. (2014). *Smart but stuck: Emotions in teens and adults with ADHD* [online]. 1 online resource (290 pages). California, San Francisco: Jossey-Bass.
- Brown, T. E. (Ed.) (2008). Attention-Deficit Disorders and Comorbidities in Children, Adolescents, and Adults. 2nd ed. [online]. Arlington, VA: American Psychiatric Publishing. Dostupné online: <http://www.ebrary.com>.
- Brunerová, L., Anděl, M. (2014). Regulace příjmu potravy. II. část [online]. *Vnitřní lékařství*, 60(1), 38–50. Dostupné online: <http://www.prolekare.cz/vnitrni-lekarstvi/clanek/regulace-prijmu-potravy-ii-cast-47766>.
- Buckley, P. F. (2007). Dual Diagnosis of Substance Abuse and Severe Mental Illness: The Scope of the Problem. *Journal of Dual Diagnosis*, 3(2), 59–62.
- Bukstein, O. G. (2010). Clinical practice guidelines for attention-deficit/hyperactivity disorder: A review. [Review] *Postgraduate Medicine*, 122(5), 69–77.
- Bunt, G. C., Muehlbach, B., Moed, C. O. (2008). The therapeutic community: An international perspective. *Substance Abuse*, 29(3), 81–87.
- Bushe, C., Day, K., Reed, V., Karlsdotter, K., Berggren, L., Pitcher, A. et al. (2016). A network meta-analysis of atomoxetine and osmotic release oral system methylphenidate in the treatment of attention-deficit/hyperactivity disorder in adult patients. *J Psychopharmacol*, 30, 444–458.
- Butcher, J. N., Graham, J. R., Ben-Porath, Y. S., Graham, J. R., Tellegen, A., Dahlstrom, W. G., Kaemmer, B. (2001). *The Minnesota Multiphasic Personality Inventory-2 (MMPI 2)*. Minnesota: University of Minnesota Press.

- Cahová, P., Pejčochová, J., Ošlejšková, H. (2010). Hyperkinetická porucha/ADHD v do-spívání a dospělosti: Diagnostika, klinický obraz a komorbidity. *Neurologie pro praxi*, 11(6), 373–377.
- Carpentier, P. J., Levin, F. R. (2017). Pharmacological Treatment of ADHD in Addicted Patients: What Does the Literature Tell Us? *Harv Rev Psychiatry*, 25, 50–64.
- Carpentier, P. J., De Jong, C. A., Dijkstra, B. A., Verbrugge, C. A., Krabbe, P. F. (2005). A controlled trial of methylphenidate in adults with attention deficit/hyperactivity disorder and substance use disorders. *Addiction*, 100, 1868–1874.
- Carroll, K. M., Rounsaville, B. J. (1993). History and significance of childhood attention deficit disorder in treatment-seeking cocaine abusers. *Compr Psychiatry*, 34(2), 75–82.
- Carroll, K. M., Kosten, T. R., Rounsaville, B. J. (2004). Choosing a behavioral therapy platform for pharmacotherapy of substance users. *Drug and Alcohol Dependence*, 75, 123–134.
- Carter, Ch. R. (2014). *Dítě s ADHD a ADD doma i ve škole*. Praha: Portál.
- Casriel, D., Amen, G. (1971). *Daytop. Three Addicts and Their Cure*. New York: Hill and Wang.
- Commonwealth Department of Health and Aging. (2003). *Current practice in the management of clients with comorbid mental health and substance use disorders in tertiary care settings. National drug strategy and national mental health strategy. National comorbidity project*. Canberra: Commonwealth Department of Health and Aging [cit. 2014-04-10]. Dostupné online: www.health.gov.au/pubhlth.
- Conners, C. K. (1985). Teacher Questionnaire. *Psychopharm. Bull.*, 21(4), 823–831.
- Conners, C. K., Erhardt, D., Sparrow, E. P. (1999). *Connors' adult ADHD rating scales: Technical manual*. North Tonawanda, NY: Multihealth Systems.
- Conway, F. (2012). Psychodynamic psychotherapy of ADHD: A review of the literature. [Review] *Psychotherapy: Theory, Research, Practice, Training*, 49(3), 404–417.
- Cota, D., Tschop, M. H., Horvath, T. L., Levine, A. S. (2006). Cannabinoids, opioids and eating behavior: The molecular face of hedonism? *Brain Res Rev*, 51(1), 85–107. DOI: 10.1016/j.brainresrev.2005.10.004.
- Covey, L. S., Manubay, J., Jiang, H., Nortick, M., Palumbo, D. (2008). Smoking cessation and inattention or hyperactivity/impulsivity: A post hoc analysis. *Nicotine Tob Res*, 10(12), 1717–1725. DOI: 10.1080/14622200802443536.
- Cumyn, L., French, L., Hechtman, L. (2009). Comorbidity in adults with Attention Deficit/Hyperactivity Disorder. *Canadian Journal of Psychiatry*, 54 (10), 673–683.
- Cunill, R., Castells, X., Tobias, A., Capellà, D. (2015). Pharmacological treatment of attention deficit hyperactivity disorder with co-morbid drug dependence. *J Psychopharmacol*, 29, 15–23.
- Cunill, R., Castells, X., Tobias, A., Capellà, D. (2016). Efficacy, safety and variability in pharmacotherapy for adults with attention deficit hyperactivity disorder: A meta analysis and meta-regression in over 9000 patients. *Psychopharmacology*, 233, 187–197.

- Čablová, L., Miovský, M., Kalina, K., Šťastná, L. (2015a). Význam diferenciální diagnostiky poruch osobnosti u pacientů s ADHD v léčbě závislostí. *Čs. psychiatrie*, 111(2), 233–243.
- Čablová, L., Miovský, M., Šťastná, L., Kalina, K. (2015b). *ADHD in the context of clients initiating treatment in therapeutic communities in the Czech Republic*. 5th World Congress on ADHD. Glasgow, 28.–31. května 2015.
- Čablová, L., Šťastná, L., Miovský, M., Kalina, K. (2015c). *Coping with stress and personality hardiness of clients with and without ADHD in therapeutic communities in the Czech Republic*. First European conference on addictive behaviours and dependencies, Lisbon, 23.–25. září 2015.
- Čermáková, M., Papežová, H., Uhlíková, P. (2013). *Poruchy pozornosti a hyperaktivita (ADHD/ADD): Příručka pro dospělé*. Praha: Psychiatrická klinika 1. LF UK a VFN v Praze.
- D'Onofrio, B. M., Van Hulle, C. A., Waldman, I. D., Rodgers, J. L., Harden, K. P., Rathouz, P. J., Lahey, B. B. (2008). Smoking during pregnancy and offspring externalizing problems: An exploration of genetic and environmental confounds. *Dev Psychopathol*, 20(1), 139–164. DOI: 10.1017/s0954579408000072.
- Daigre, C., Roncero, C., Grau-López, L. et al. (2013). Attention Deficit Hyperactivity Disorder in cocaine dependent adults: A psychiatric comorbidity analysis. *The American Journal on Addictions*, 22, 466–473.
- Dannon, P. N., Lowengrub, K., Shalgi, B., Sasson, M., Tuson, L., Saphir, Y., Kotler, M. (2006). Dual Psychiatric Diagnosis and Substance Abuse in Pathological Gamblers: A Preliminary Gender Comparison Study. *Journal of Addictive Diseases*, 25(3), 49–54. DOI: 10.1300/J069v25n0307.
- Davids, E., Gastpar, M. (2003). Attention-deficit/hyperactivity disorder and substance abuse. *Psychiatr Prax*, 30(4), 182–186.
- Davis, C., Curtis, C., Levitan, R. D., Carter, J. C., Kaplan, A. S., Kennedy, J. L. (2011). Evidence that „food addiction“ is a valid phenotype of obesity. *Appetite*, 57(3), 711–717. DOI: 10.1016/j.appet.2011.08.017.
- Dawson, P., Guare, R. (2004). *Executive skills in children and adolescents*. New York: The Guilford Press.
- De Graaf, R., Kessler, R. C., Fayyad, J., Ten Have, M., Alonso, J., Angermeyer, M., Borges, G., Demyttenaere, K., Gasquet, I. et al. (2008). The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: Results from the WHO World Mental Health Survey Initiative. *Occupational and Environmental Medicine*, 65, 835–42.
- De Leon, G., Jainchill, N. (1981). Male and female drug abusers: Social and psychological status 2 years after treatment in a therapeutic community. *The American Journal of Drug and Alcohol Abuse*, 8(4), 465–497.
- De Leon, G., Melnick, G. (1993). *Therapeutic Community: Survey of Essential Elements Questionnaire (SEEQ)*. New York: Community Studies Institute.

- De Leon, G. (1993). *Circumstances, motivation, and readiness (CMR) Scales for Substance Abuse Treatment*. New York City: Center for Therapeutic Community Research at NDRI.
- De Leon, G. (2000). *The Therapeutic Community: Theory, Model, and Method*. New York: Springer Publishing Company.
- De Leon, G. (2004). The Research Context for Therapeutic Communities in the USA. In Lees, J., Manning, N., Menzies, D., Morant, N. (Eds.), *A Culture of Enquiry. Research Evidence and the Therapeutic Community*. London: Jessica Kingsley Publishers.
- De Leon, G. (2010). Is the therapeutic community an evidence-based treatment? What the evidence says. *Therapeutic Communities*, 31(2), 104–128.
- De Leon, G., Sacks, S., Staines, G., McKendrick, K. (2000). Modified therapeutic community for homeless mentally ill chemical abusers: Treatment outcomes. *The American Journal of Drug and Alcohol Abuse*, 26(3), 461–480.
- De Leon, G., Wexler, H. K., Jainchill, N. (1982). The therapeutic community: Success and improvement rates 5 years after treatment. *International Journal of the Addictions*, 17(4), 703–747.
- Dekkers, T. J., Popma, A., Agelink van Rentergem, J. A., Bexkens, A., Huizenga, H. M. (2016). Risky decision making in Attention-Deficit/Hyperactivity Disorder: A meta regression analysis. *Clinical Psychology Review*, 45, 1–16. DOI: 10.1016/j.cpr.2016.03.001.
- Di Pierro, R., Preti, E., Vurro, N., Madeddu, F. (2014). Dimensions of personality structure among patients with substance use disorders and co-occurring personality disorders: A comparison with psychiatric outpatients and healthy controls. *Compr Psychiatry*, 55(6), 1398–1404. DOI: 10.1016/j.comppsych.2014.04.005.
- Dodge, R., Sinfelar, J., Sinha, R. (2005). The role of depression symptoms in predicting drug abstinence in outpatient substance abuse treatment. *J Subst Abuse Treatment*, 28(2), 189–196.
- Dowling, N. A., Cowlishaw, S., Jackson, A. C., Merkouris, S. S., Francis, K. L., Christensen, D. R. (2015). Prevalence of psychiatric co-morbidity in treatment-seeking problem gamblers: A systematic review and meta-analysis. *Australian & New Zealand Journal of Psychiatry*, 49(6), 519–539. DOI: 10.1177/0004867415575774.
- Drtílková, I. (2007). Hyperkinetická porucha (ADHD) v adolescenci a dospělosti. In Drtílková, I., Šerý, O. et al. *Hyperkinetická porucha/ADHD*. Praha: Galén.
- Drtílková, I., Šerý, O., Balaštíková, B., Theiner, P., Uhrová, A., Žáčková, M. (2007). *Hyperkinetická porucha/ADHD*. Praha: Galén.
- Duarte, N. A., Woods, S. P., Rooney, A., Atkinson, J. H., Grant, I. (2012). Working memory deficits affect risky decision-making in methamphetamine users with attention-deficit/hyperactivity disorder. *Journal of Psychiatric Research*, 46(4), 492–499. DOI: 10.1016/j.jpsychires.2012.01.006.
- DuPaul, G. J., Power, T. J., Anastopoulos, A. D., Reid, R. (1998). *ADHD rating scale-IV: Checklist, norms, and clinical interpretation*. New York: Guilford Publication.

- Duševní poruchy a poruchy chování: Popisy klinických příznaků a diagnostická vodítka: Mezinárodní klasifikace nemocí – 10. revize (2006). 3. vyd. Praha: Psychiatrické centrum.
- Dvořáček, J. (2008). Neurobiologie závislosti. In Kalina, K. (2008a), *Základy klinické adiktologie*. Praha: Grada Publishing.
- Dye, M. H., Roman, P. M., Knudsen, H. K., Johnson, J. A. (2012). The availability of integrated care in a national sample of therapeutic communities. *The journal of behavioral health services & research*, 39(1), 17–27.
- Eiraldi, R. B., Mautone, J. A., Power, T. J. (2012). Strategies for implementing evidence based psychosocial interventions for children with attention-deficit/hyperactivity disorder. *Child & Adolescent Psychiatric Clinics of North America*, 21(1), 145–159.
- EMCDDA (2004). Co-morbidity. Selected issue in Annual report on the state of the drugs problem in the European Union and Norway. *Drugs in Focus*, 14. Lisbon: EMCDDA.
- EMCDDA (2006). *A gender perspective on drug use and responding to drug problems. Annual report on the state of the drugs problem in Europe 2006*. Luxembourg: Office for Official Publications of the European Communities.
- EMCDDA (2007a). *Annual report 2006 the state of the drugs problem in Europe*. Lisbon: EMCDDA.
- EMCDDA (2007b). Guidelines for the evaluation of treatment in the field of problem drug use. A manual for researchers and professionals. *EMCDDA Manuals No. 3*. Lisbon: EMCDDA.
- EMCDDA (2014). Exploring methamphetamine trends in Europe. *EMCDDA Papers*. Luxembourg: Publications Office of the European Union.
- Epstein, J. N., Kollins, S. H. (2006). Psychometric properties of an adult ADHD diagnostic interview. *J Atten Disord*, 9, 504–514.
- Epstein, J. N., Johnson, D., Conners, C. K. (2001). *Conners' adult ADHD diagnostic interview for DSM IV*. North Tonawand, NY: Multi-Health Systems.
- Epstein, J. N., Kelleher, K. J., Baum, R. Brinkman, W. B., Peugh, J., Gardner, W. (2014). Variability in ADHD care in community-based pediatrics. *Pediatrics*, 134(6), 1136–1143.
- Epstein, T., Patsopoulos, N. A., Weiser, M. (2014). Immediate-release methylphenidate for attention deficit hyperactivity disorder (ADHD) in adults. *Cochrane Database Syst Rev*, 9.
- Ernst, M., Kimes, A. S., London, E. D., Matochik, J. A., Eldreth, D., Tata, S., Contoreggi, C., Leff, M., Bolla, K. (2003). Neural Substrates of Decision Making in Adults With Attention Deficit Hyperactivity Disorder. *American Journal Of Psychiatry*, 160(6), 1061–1070.
- Evans, S. W., Schultz, B. K., Demars, C. E., Davis, H. (2011). Effectiveness of the Challenging Horizons After-School Program for young adolescents with ADHD. *Behavior Therapy*, 42(3), 462–474.

- Fabiano, G. A., Schatz, N. K., Aloe, A. M., Chacko, A., Chronis-Tuscano, A. (2015). A systematic review of meta-analyses of psychosocial treatment for attention deficit/hyperactivity disorder. [Review] *Clinical Child & Family Psychology Review*, 18, 77–97.
- Fallgatter, A. J., Jacob, C. P. (2009). Comorbidity of substance use disorders and attention deficit hyperactivity disorders: Pathogenesis and therapy. *Nervenarzt*, 80(9), 1015–1021.
- Faraone, S. V., Glatt, S. J. (2010). A comparison of the efficacy of medications for adult attention-deficit/hyperactivity disorder using meta-analysis of effect sizes. *J Clin Psychiatry*, 71, 754–763.
- Faraone, S. V., Upadhyaya, H. P. (2007). The effect of stimulant treatment for ADHD on later substance abuse and the potential for medication misuse, abuse, and diversion. *J Clin Psychiatry*, 68(11), e28.
- Faraone, S. V., Wilens, T. E. (2007). Effect of stimulant medications for attention deficit/hyperactivity disorder on later substance use and the potential for stimulant misuse, abuse, and diversion. *J Clin Psychiatry*, 68(11), 15–22.
- Faraone, S. V., Biederman, J., Mick, E. (2006). The age-dependent decline of attention deficit hyperactivity disorder: A meta-analysis of follow-up studies. *Psychol Med*, 36(2), 159–165. DOI: 10.1017/s003329170500471x.
- Faregh, N., Derevensky, J. (2011). Gambling behavior among adolescents with attention deficit/hyperactivity disorder. *Journal of Gambling Studies*, 27, 243–256.
- Farren, C. K., Snee, L., McElroy, S. (2011). Gender differences in Outcome at 2-Year Follow-Up of Treated Bipolar and Depressed Alcoholics. *Journal of Studies on Alcohol and Drugs*, 72(5), 872–880.
- Fayyad, J., De Graaf, R., Kessler, R., Alonso, J., Angermeyer, M., Demyttenaere, K. et al. (2007). Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. *Br J Psychiatry*, 190, 402–409. DOI: 10.1192/bjp.bp.106.034389.
- Fernández-Hermida, J. R., Secades-Villa, R., Fernández-Ludeña, J. J., Marina-González, P. A. (2002). Effectiveness of a Therapeutic Community Treatment in Spain: A Long Term Follow-Up Study. *European Addiction Research*, 8(1), 22–29.
- Ferrer, M., Andion, O., Matali, J. et al. (2010). Comorbid attention-deficit/hyperactivity disorder in borderline patients defines an impulsive subtype of borderline personality disorder. *J Pers Disord*, 24(6), 812–822.
- First, M. B., Spitzer, R. L., Gibbon, M., Williams, J. (2002). *Structured clinical interview for DSM-IV-TR axis I disorders, research version, patient edition (SCID-I/P)*. New York: New York State Psychiatric Institute, Biometrics Research.
- Flory, K., Molina, B. S., Pelham, W. E. Jr., Gnagy, E., Smith, B. (2006). Childhood ADHD predicts risky sexual behavior in young adulthood. *J Clin Child Adolesc Psychol*, 35(4), 571–577. DOI: 10.1207/s15374424jccp3504_8.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230.

- Fontana, M. (2013). *Sladká droga: Co hrozí při nadměrné konzumaci cukru*. Praha: Portál.
- Fox, L., Drake, R. E., Mueser, K. T., Brunette, M. F., Becker, D. R., McGovern, M. R. et al. (2010). *Integrated Dual Disorders Treatment*. Center City, Minnesota: Dartmouth PRC-Hazelden.
- Česky: Fox, L. et al. (2011). *Integrovaná léčba duálních poruch*. Praha: Centrum pro rozvoj péče o duševní zdraví.
- Fredriksen, M., Halmøy, A., Faraone, S. V., Haavik, J. (2013). Long-term efficacy and safety of treatment with stimulants and atomoxetine in adult ADHD: A review of controlled and naturalistic studies. *Eur Neuropsychopharmacol*, 23, 508–527.
- Froehlich, T. E., Lanphear, B. P., Auinger, P., Hornung, R., Epstein, J. N., Braun, J., Kahn, R. S. (2009). Association of Tobacco and Lead Exposures With Attention Deficit/Hyperactivity Disorder. *Pediatrics*, 124(6), e1054–e1063. DOI: 10.1542/peds.2009-0738.
- Galanter, C. A. (2013). Limited support for the efficacy of nonpharmacological treatments for the core symptoms of ADHD. *American Journal of Psychiatry*, 170(3), 241–244.
- Galéra, C., Bouvard, M. P., Messiah, A., Fombonne, E. (2008). Hyperactivity-inattention symptoms in childhood and substance use in adolescence: The youth gazel cohort. *Drug and Alcohol Dependence*, 94, 30–37.
- Gatzke-Kopp, L. M., Beauchaine, T. P. (2007). Direct and Passive Prenatal Nicotine Exposure and the Development of Externalizing Psychopathology. *Child psychiatry and human development*, 38(4), 255–269. DOI: 10.1007/s10578-007-0059-4.
- Gearhardt, A. N., Corbin, W. R., Brownell, K. D. (2009). Preliminary validation of the Yale Food Addiction Scale. *Appetite*, 52(2), 430–436. DOI: 10.1016/j.appet.2008.12.003.
- Gearhardt, A. N., Roberto, C. A., Seamans, M. J., Corbin, W. R., Brownell, K. D. (2013). Preliminary validation of the Yale Food Addiction Scale for children. *Eating Behaviors*, 14(4), 508–512. DOI: 10.1016/j.eatbeh.2013.07.002.
- Gerdner, A., Nordlander, T., Pedersen, T. (2002). Personality factors and drug of choice in female addicts with psychiatric comorbidity. *Substance use and misuse*, 37(1), 1–18.
- Gibbons, W., Anderson D., Garm, A. (2002). *The therapeutic community treatment model: Overview and analysis of the key issues*. City of Vancouver: John Volken Society.
- Goethals, I., Soyez, V., Melnick, G., Leon, G. D., Broekaert, E. (2011). Essential elements of treatment: A comparative study between European and American therapeutic communities for addiction. *Substance use & misuse*, 46(8), 1023–1031.
- Goetz, M., Uhlíková, P. (2013). *ADHD – porucha pozornosti s hyperaktivitou*. Praha: Galén.
- Goetze, M. (2006). ADHD u dospělých. *Postgraduální medicína*, 3.
- Gonzalez, C. (2014). Screening for personality disorder in drug and alcohol dependence. *Psychiatry Research*, 217(1–2), 121–123.
- Goodman, D. W., Thase, M. E. (2009). Recognizing ADHD in adults with comorbid mood disorders: Implications for identification and management. *Postgrad Med*, 121(5), 20–30. DOI: 10.3810/pgm.2009.09.2049.

- Goossensen, M. A. et al. (2006). An intervention program for ADHD in patients with substance use disorders: Preliminary results of a field trial. *Journal of Substance Abuse Treatment*, 30(3), 253–259.
- Gossop, M. (2004). *Drug Addiction and its Treatment*. Reprinted ed. New York: Oxford University Press.
- Gossop, M. (2009). *Léčba problémů spojených se zneužíváním drog*. Praha: NMS/Úřad vlády ČR.
- Gossop, M., Darke, S., Griffiths, P., Hando, J., Powis, B., Hall, W., Strang, J. (1995). The Severity of Dependence Scale (SDS): Psychometric properties of the SDS in English and Australian samples of heroin, cocaine and amphetamine users. *Addiction*, 90(5), 607–614.
- Gossop, M., Marsden, J., Stewart, D., Kidd, T. (2003). The National Treatment Outcome Research Study (NTORS): 4–5 year follow-up results. *Addiction*, 98(3), 291.
- Gossop, M., Marsden, J., Stewart, D., Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57(2), 89–98.
- Grall-Bronnec, M., Wainstein, L., Augy, J., Bouju, G., Feuillet, F., Vénisse, J., Sébille Rivain, V. (2011). Attention Deficit Hyperactivity Disorder among Pathological and At-Risk Gamblers Seeking Treatment: A Hidden Disorder. *European Addiction Research*, 17(5), 231–240. DOI: 10.1159/000328628.
- Grant, B. F., Stinson, F. S., Dawson, D. A. et al. (2004). Co-occurrence of 12-month alcohol and drug use disorders and personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Arch Gen Psychiatry*, 61(4), 361–368.
- Gray, K. M., Upadhyaya, H. P. (2009). Tobacco Smoking in Individuals with Attention Deficit/Hyperactivity Disorder: Epidemiology and Pharmacological Approaches to Cessation. *CNS drugs*, 23(8), 661–668. DOI: 10.2165/00023210-200923080-00003.
- Groen, Y., Gaastra, G. F., Lewis-Evans, B., Tucha, O. (2013). Risky Behavior in Gambling Tasks in Individuals with ADHD – A Systematic Literature Review. *Plos ONE*, 8(9), 1–16. DOI: 10.1371/journal.pone.0074909.
- Groenman, A. P., Oosterlaan, J., Rommelse, N. N., Franke, B., Greven, C. U., Hoekstra, P. J. et al. (2013). Stimulant treatment for attention-deficit hyperactivity disorder and risk of developing substance use disorder. *Br J Psychiatry*, 203, 112–119.
- Gudjonsson, G. H., Sigurdsson, J. F., Sigfusdottir, I. D., Young, S. (2012). An epidemiological study of ADHD symptoms among young persons and the relationship with cigarette smoking, alcohol consumption and illicit drug use. *Journal of Child Psychology and Psychiatry*, 53, 304–312.
- Guydish, J., Sorensen, J. L., Chan, M., Werdegar, D., Bostrom, A., Acampora, A. (1999). A randomized trial comparing day and residential drug abuse treatment: 18-month outcomes. *Journal of Consulting and Clinical Psychology*, 67, 428.

- Haderstorfer, B., Künzel-Böhmer, J. (1992). The Münich Multicenter Treatment Evaluation Study: Results of the First Follow-up. In Bühringer, G., Platt, J. J. (Eds.), *Drug Addiction Treatment Research. German and American Perspectives*. Malabar: Krieger Publishing Company.
- Haller, J. (2005). 13 Vitamins and Brain Function. *Nutritional Neuroscience*, 207.
- Hanel, E. (1992). Client Characteristics and the Therapeutic Process in Residential Treatment Centers for Drug Addicts. In Bühringer, G., Platt, J. J. (Eds.), *Drug Addiction Treatment Research. German and American Perspectives*. Malabar: Krieger Publishing Company.
- Hanwella, R., Senanayake, M., De Silva, V. (2011). Comparative efficacy and acceptability of methylphenidate and atomoxetine in treatment of attention deficit hyperactivity disorder in children and adolescents: A meta-analysis. *BMC Psychiatry*, 11, 176.
- Heishman, S. J., Kleykamp, B. A., Singleton, E. G. (2010). Meta-analysis of the acute effects of nicotine and smoking on human performance. *Psychopharmacology (Berl)*, 210(4), 453–469. DOI: 10.1007/s00213-010-1848-1.
- Herbst, K. (1992). Prediction of Dropout and Relapse. In Bühringer, G., Platt, J. J. (Eds.), *Drug Addiction Treatment Research. German and American Perspectives*. Malabar: Krieger Publishing Company.
- Herman, A. I., DeVito, E. E., Jensen, K. P., Sofuoglu, M. (2014). Pharmacogenetics of nicotine addiction: Role of dopamine. *Pharmacogenomics*, 15(2), 221–234. DOI: 10.2217/pgs.13.246.
- Hong, J., Novick, D., Treuer, T., Montgomery, W., Haynes, V. S. et al. (2014). Patient characteristics associated with treatment initiation among paediatric patients with Attention-Deficit/Hyperactivity Disorder symptoms in a naturalistic setting in Central Europe and East Asia. *BMC Psychiatry*, 14, 304.
- Horner, B. R., Scheibe, K. E. (1997). Prevalence and implications of attention deficit/hyperactivity disorder among adolescents in treatment for substance abuse. *Journal of the American Academy of Child and Adolescent Psychiatry*, 36(1), 30–36.
- Hosák, L., Maixnerová, R., Valešová, D. (2009). Psychotické příznaky u závislých na metamfetaminu. *Psychiatrie pro praxi*, 10(2), 85–88.
- Höschl, C. (1996). Syndrom narušené závislosti na odměně. *Vesmír*, 75, 485–488.
- Höschl, C., Libiger, J., Švestka, J. (Eds.) (2004). *Psychiatrie*. 2. vyd. Praha: TIGIS.
- Hubbard, R. L., Craddock, S. G., Anderson, J. (2003). Overview of 5-year followup outcomes in the drug abuse treatment outcome studies (DATOS). *Journal of substance abuse treatment*, 25(3), 125–134.
- Hubbard, R. L., Marsden, M. E., Rachal, J. V., Harwood, H. J., Cavanaugh, E. R., Ginzburg, H. M. (1989). *Drug Abuse Treatment. A National Study of Effectiveness*. Chapel Hill: The University of North Carolina Press.
- Hutchison, S. L., Ghuman, J. K., Ghuman, H. S., Karpov, I., Schuster, J. M. (2016). Efficacy of atomoxetine in the treatment of attention-deficit hyperactivity disorder in patients

- with common comorbidities in children, adolescents and adults: A review. *Ther Adv Psychopharmacol*, 6, 317–334.
- Chacko, A., Kofler, M., Jarrett, M. (2014). Improving outcomes for youth with ADHD: A conceptual framework for combined neurocognitive and skill-based treatment approaches. [Review] *Clinical Child, Family Psychology Review*, 17(4), 368–384.
- Chambers, W. J., Puig-Antich, J., Hirsch, M., Paez, P., Ambrosini, P. J., Tabrizi, M. A., Davies, M. (1995). The assessment of affective disorders in children and adolescents by semi-structured interview: Test-retest reliability of the schedule for affective disorders and schizophrenia for school-age children, present episode version. *Arch Gen Psychiatry*, 42, 696–702.
- Chan, E., Fogler, J. M., Hammerness, P. G. (2016). Treatment of Attention Deficit/Hyperactivity Disorder in Adolescents: A Systematic Review. [Review] *JAMA*, 315, 1997–2008.
- Chandler, M. L. (2013). Psychotherapy for adult attention deficit/hyperactivity disorder: A comparison with cognitive behaviour therapy. [Review] *Journal of Psychiatric & Mental Health Nursing*, 20(9), 814–820.
- Chang, Z., Lichtenstein, P., D'Onofrio, B. M., Sjölander, A., Larsson, H. (2014a). Serious transport accidents in adults with attention-deficit/hyperactivity disorder and the effect of medication: A population-based study. *JAMA Psychiatry*, 71, 319–325.
- Chang, Z., Lichtenstein, P., Halldner, L., D'Onofrio, B., Serlachius, E. et al. (2014b). Stimulant ADHD medication and risk for substance abuse. *J Child Psychol Psychiatry*, 55, 878–885.
- Charach, A., Yeung, E., Climans, T., Lillie, E. (2011). Childhood attention – deficit/ hyperactivity disorder and future substance use disorders: Comparative meta-analyses. *Journal of the American Academy of Child & Adolescent Psychiatry*, 50, 9–21.
- Charney, D. (2005). The psychobiology of human resilience to stress neuropsychopharmacology, 30, 60–61.
- Chen, Q., Sjölander, A., Runeson, B., D'Onofrio, B. M., Lichtenstein, P., Larsson, H. (2014). Drug treatment for attention-deficit/hyperactivity disorder and suicidal behaviour: Register based study. *BMJ*, 348, 37–69.
- Chládková, N., Miovský, M. (2016). Adolescentní pacientka užívající návykové látky komorbidní s mentální bulimií: Klinická kazuistická studie. *Adiktologie*, 16(4).
- Chládková, N., Miovský, M. (2017). Pilotní studie komorbidity poruch příjmu potravy s užíváním návykových látek a možnosti jejího psychoterapeutického ovlivnění. *Adiktologie*, 17(1), 22–32.
- Chládková, N. (2014). *Vztahová vazba u osob s poruchami vyvolanými užíváním opiatů*. [Attachment in people with disorders caused by opioid]. Bakalářská práce. Univerzita Karlova v Praze, 1. lékařská fakulta, Klinika adiktologie. Vedoucí práce M. Nevoralová.
- Chrpová, D. (2010). *S výživou zdravě po celý rok*. Praha: Grada Publishing.

- Ifland, J. R., Preuss, H. G., Marcus, M. T., Rourk, K. M., Taylor, W. C., Burau, K. et al. (2009). Refined food addiction: A classic substance use disorder. *Medical Hypotheses*, 72, 518–526. DOI: 10.1016/j.mehy.2008.11.035.
- Inciardi, J. A., Martin, S. S., Butzin, C. A., Hooper, R. M., Harrison, L. D. (1997). An Effective Model of Prison-Based Treatment for Drug-Involved Offenders. *Journal of Drug Issues*, 27(2), 261–278.
- Jainchill, N., Hawke, J., De Leon, G., Yagelka, J. (2000). Adolescents in Therapeutic Communities: One-Year Posttreatment Outcomes. *Journal of Psychoactive Drugs*, 32(1), 81–94.
- Jainchill, N., Yagelka, J., Hawke, J., De Leon, G. (1999). Adolescent admissions to residential drug treatment: HIV risk behaviors pre- and posttreatment. *Psychology of Addictive Behaviors*, 13(3), 163–173.
- Jenkins, R., Lewis, G., Bebbington, P. et al. (1997). The National Psychiatric Morbidity Survey – strategy and methods. *Psychological Medicine*, 27, 765–774.
- Jerome, L., Segal, A., Habinski, L. (2006). What We Know About ADHD and Driving Risk: A Literature Review, Meta-Analysis and Critique. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 15(3), 105–125.
- Jeřábek, P. (2015). Psychopatologie závislostí. In Kalina, K. et al. *Klinická adiktologie*. Praha: Grada Publishing.
- Jirák, R., Zeman, M. (2007). Vliv omega-3 a omega-6 nenasycených mastných kyselin na psychické poruchy. *Omega*, 2(4), 6.
- Jones, M. (1986). Democratic Therapeutic Communities (D.T.C.s) or Programmatic Therapeutic Communities (P.T.C.s) or Both? In De Leon, G., Ziegenfuss, J. T. (Eds.), *Therapeutic Communities for Addictions*. Springfield: Charles C. Thomas Publisher.
- Jucovičová, D. (2007). Máte neklidné a nesoustředěné dítě? Praha: D + H.
- Kabir, Z., Connolly, G. N., Alpert, H. R. (2011). Secondhand Smoke Exposure and Neurobehavioral Disorders Among Children in the United States. *Pediatrics*, 128(2), 263–270. DOI: 10.1542/peds.2011-0023.
- Kalábová, H. (2016). Ontologie a onticita závislostí. In *Paideia: Philosophical e-journal of Charles University*, IV/2016, Praha: PedF UK.
- Kalbag, A. S., Levin, F. R. (2005). Adult ADHD and Substance Abuse: Diagnostic and Treatment Issues. *Substance Use & Misuse*, 40(13–14), 1955–1981.
- Kalina, K., Vácha, P. (2013). Dual Diagnoses in Therapeutic Communities for Addicts – Possibilities and Limits of Integrated Treatment. [Duální diagnózy v terapeutických komunitách pro závislé – možnosti a meze integrované léčby]. *Adiktologie*, 13(2), 144–164.
- Kalina, K. (2000). *Kvalita a účinnost v prevenci a léčbě drogových závislostí*. Praha: Inverze/Sananim.
- Kalina, K. (2006). *Duální diagnózy – komplikace v léčbě a po léčbě*. Referát na X. celostátní konferenci Společnosti pro návykové nemoci. 21.–25. květen 2006; Měřín. Abstrakt: Adiktologie (6 Suppl.), 262.

- Kalina, K. (2006). Therapeutic Communities for Addicts in the Czech Republic – Roots, Recent Development and Current Profiles. *International Journal of Therapeutic Communities* (UK), 27 (1), 31–44.
- Kalina, K. (2008). *Terapeutická komunita: Obecný model a jeho aplikace v léčbě závislostí*. Praha: Grada Publishing.
- Kalina, K. (2013). *Psychoterapeutické systémy a jejich uplatnění v adiktologii*. Praha: Grada Publishing.
- Kalina, K. et al. (2003). *Drogy a drogové závislosti 2: Mezioborový přístup*. Praha: Úřad vlády ČR.
- Kalina, K. et al. (2015). *Klinická adiktologie*. Praha: Grada Publishing.
- Kalina, K., Minařík, J. (2015). Duální diagnózy a psychopatologické komplikace. In Kalina, K. et al. *Klinická adiktologie*. Kapitola 9. Praha: Grada Publishing.
- Kalina, K., Rubášová, E., Miovský, M., Čablová, L., Šťastná, L. (2014). The Effects of ADHD on the Process and Outcome of Drug Treatment in Therapeutic Communities in the Czech Republic – a Pilot Study [Vliv ADHD na proces a výstupy léčby u klientů terapeutických komunit pro drogově závislé v České republice – pilotní studie]. *Adiktologie*, 14(3), 228–246.
- Kalina, K., Rubášová, E., Miovský, M., Čablová, L., Šťastná, L. (2015). *The effects of ADHD on the process and outcome of treatment in Therapeutic Communities in the Czech Republic – A pilot study*. 15th International EFTC Conference, 11.–14. března 2015; Malaga.
- Katona, L. (2014). Problematika komorbidity u závislých. *Psychiatrie pro praxi*, 14(3), 142–144.
- Kebza, V., Šolcová, I. (1998). *Koncept osobní pohody a jeho psychologické a interdisciplinární souvislosti*. Brno: MSD.
- Kennard, D. (1998). *Introduction to Therapeutic Communities*. London: Jessica Kingsley Publishers.
- Kernberg, O. F., Yeomans, F. E. (2013). Borderline personality disorder, bipolar disorder, depression, attention deficit/hyperactivity disorder, and narcissistic personality disorder: Practical differential diagnosis. *Bulletin of the Menninger Clinic*, 77(1), 1–22.
- Kessler, R. C., Adler, L. A., Gruber, M. J., Sarawate, C. A., Spencer, T., Van Brunt, D. L. (2007a). Validity of the World Health Organization Adult ADHD Self-Report Scale (ASRS) Screener in a representative sample of health plan members. *Int J Methods Psychiatr Res*, 16(2), 52–65.
- Kessler, R. C., Adler, L., Ames, M., Demler, O., Faraone, S., Hiripi, E., Howes, M. J., Jin, R., Secnik, K., Spencer, T., Ustun, T. B., Walters, E. E. (2005). The World Health Organization Adult ADHD Self Report Scale (ASRS): A short screening scale for use in the general population. *Psychol Med*, 35(2), 245–256.
- Kessler, R. C., Adler, L., Barkley, R., Biederman, J., Conners, C. K., Demler, O., Faraone, S. V., Greenhill, L. L., Howes, M. J., Secnik, K., Spencer, T., Ustun, T. B., Walters, E. E., Zaslavsky, A. M. (2006). The prevalence and correlates of adult ADHD in the United

- States: Results from the National Comorbidity Survey Replication. *Am J Psychiatry*, 163(4), 716–723.
- Kessler, R. C., Lane, M., Stang, P. et al. (2009). The prevalence and workplace costs of adult attention deficit hyperactivity in a large manufacturing firm. *Psychol Med*, 39(1), 137– 147.
- Kessler, R. C., Nelson, C. B., McGonagle, K. A. et al. (1996). Comorbidity of DSM-III-R major depressive disorder in the general population: Results from the US National Comorbidity Survey. *Br J Psychiatry*, 168(30), 17–30.
- Keyes, K. M., Smith, G. D., Susser, E. (2014). Associations of prenatal maternal smoking with offspring hyperactivity: Causal or confounded? *Psychological medicine*, 44(4), 857–867. DOI: 10.1017/S0033291713000986.
- Khantzian, E. J., Podes, L., Brehm, N. M. (2005). Psychodynamics. In Lowinson, J. H. et al., *Substance Abuse – A Comprehensive Textbook*. Chapter 6. 4th ed. Philadelphia, USA: Lippincot – Williams & Wilkins.
- Kienast, T., Stoffers, J., Bermpohl, F., Lieb, K. (2014). Borderline personality disorder and comorbid addiction: Epidemiology and treatment. *Dtsch Arztebl Int*, 111(16), 280–286.
- Kim, Y., Chang, H. (2011). Correlation between attention deficit hyperactivity disorder and sugar consumption, quality of diet, and dietary behavior in school children. *Nutr Res Pract*, 5(3), 236–245. DOI: 10.4162/nrp.2011.5.3.236.
- Kirby, K., Floriani, V., Bernstein, H. (2001). Diagnosis and management of attention deficit/hyperactivity disorder in children. *Curr Opin Pediatr*, 13(2), 190–199.
- Knop, J., Penick, E. C., Nickel, E. J., Mortensen, E. L., Sullivan, M. A., Murtaza, S. et al. (2009). Childhood ADHD and Conduct Disorder as Independent Predictors of Male Alcohol Dependence at Age 40. *Journal of Studies on Alcohol and Drugs*, 70(2), 169–177.
- Kocourková, J., Koutek, J., Lebl, J. (1997). *Mentální anorexie a mentální bulimie v dětství a dospívání*. Praha: Galén.
- Kohn, C. S., Mertens, J. R., Weisner, C. M. (2002). Coping among individuals seeking private chemical dependence treatment: Gender differences and impact on length of stay in treatment. *Alcoholism: Clinical & Experimental Research*, 26(8), 1228–1233. UI: 12198398.
- Kolibáš, E., Novotný, V. (2007). *Alkohol, drogy, závislosti. Psychické poruchy spojené s užíváním návykových látok*. Bratislava: Univerzita Komenského.
- Kollins, S. H., English, J. S., Itchon-Ramos, N., Chrisman, A. K., Dew, R., O'Brien, B., McClernon, F. J. (2014). A pilot study of lis-dexamfetamine dimesylate (LDX/SPD489) to facilitate smoking cessation in nicotine-dependent adults with ADHD. *J Atten Disord*, 18, 158–168.
- Kollins, S. H., McClernon, F. J., Fuemmeler, B. F. (2005). Association between smoking and attention-deficit/hyperactivity disorder symptoms in a population-based

- sample of young adults. *Arch Gen Psychiatry*, 62(10), 1142–1147. DOI: 10.1001/archpsyc.62.10.1142.
- Konigs, A., Kiliaan, A. J. (2016). Critical appraisal of omega-3 fatty acids in attention deficit/hyperactivity disorder treatment. *Neuropsychiatr Dis Treat*, 12, 1869–1882. DOI: 10.2147/NDT.S68652.
- Konstenius, M., Jayaram-Lindstrom, N., Beck, O., Franck, J. (2010). Sustained release methylphenidate for the treatment of ADHD in amphetamine abusers: A pilot study. *Drug Alcohol Depend*, 108, 130–133.
- Konstenius, M., Jayaram-Lindstrom, N., Guterstam, J., Beck, O., Philips, B., Franck, J. (2014). Methylphenidate for attention deficit hyperactivity disorder and drug relapse in criminal offenders with substance dependence: A 24-week randomized placebo controlled trial. *Addiction*, 109, 440–449.
- Kooij, J. J. S., Francken, M. H. (2010). *Diagnostisch Interview voor ADHD (DIVA) bij volwassenen 2.0*. Den Haag: DIVA Foundation, PsyQ, 19.
- Kooij, J. J. S., Francken, M. H. (2010). *DIVA – Diagnostic Interview for ADHD in adults (DIVA)*. DIVA Foundation, The Netherlands.
- Kooij, J. J. S., Francken, M. H. (2012). Diagnostic interview for adhd adults (divascale) [online]. *Diva foundation website 2012* [cit. 2012-08-25]. Dostupné online: www.ukaan.org/clinicians_resource.htm.
- Kooij, J. J. S. (2012). *Adult ADHD. Diagnostic Assessment and Treatment*. 3rd ed. London: Springer Verlag.
- Kooij, J. J. S. (2013). *Adult ADHD. Diagnostic Assessment and Treatment*. 3rd ed. London: Springer Verlag.
- Kooij, J. J. S., Bejerot, S., Blackwell, A., Caci, H., Casas-Brugue, M., Carpentier, P. J. (2010). European consensus statement on diagnosis and treatment of adult ADHD: The European Network Adult ADHD. [Review] *BMC Psychiatry*, 10, 67.
- Kooyman, M. (2001). The history of therapeutic communities: A view from Europe. In Rawlings, B., Yates, R. (Eds.), *Therapeutic Communities for the Treatment of Drug Users*. London: Jessica Kingsley Publishers.
- Kressel, D., De Leon, G., Palij, M., Rubin, G. (2000). Measuring client clinical progress in therapeutic community treatment: The therapeutic community client assessment inventory, client assessment summary, and staff assessment summary. *Journal of Substance Abuse Treatment*, 19(3), 267–272.
- Kubička, L., Csémy, L. (s. a.). *Evropský index závažnosti návykového chování. EuropASI – česká verze*. Praha: Psychiatrické centrum Praha.
- Kuhl, J., Kazén, M. (2009). *Persönlichkeit-Stil-und-Störungs-Inventar (PSSI). Manual*. 2. Auflage. Göttingen: Hogrefe.
- Kuklová, M. (2016). *Kognitivně-begaviorální terapie v léčbě závislostí*. Praha: Portál.
- Lackschewitz, H., Hüther, G., Kröner-Herwig, B. (2008). Physiological and psychological stress responses in adults with attention-deficit/hyperactivity disorder (ADHD). *Psychoneuroendocrinology*, 33, 612–624.

- Langley, K., Heron, J., Smith, G. D., Thapar, A. (2012). Maternal and paternal smoking during pregnancy and risk of ADHD symptoms in offspring: Testing for intrauterine effects. *Am J Epidemiol*, 176(3), 261–268. DOI: 10.1093/aje/kwr510.
- Lara, C., Fayyad, J., De Graaf, R., Kessler, R. C., Aguilar-Gaxiola, S., Angermeyer, M. et al. (2009). Childhood predictors of adult attention-deficit/hyperactivity disorder: Results from the World Health Organization World Mental Health Survey Initiative. *Biol Psychiatry*, 65(1), 46–54. DOI: 10.1016/j.biopsych.2008.10.005.
- Lee, S. S., Humphreys, K. L., Flory, K., Liu, R., Glass, K. (2011). Prospective association of childhood attention-deficit/hyperactivity disorder (ADHD) and substance use and abuse/dependence: A meta-analytic review. *Clinical Psychology Review*, 31(3), 328–341. DOI: <http://dx.doi.org/10.1016/j.cpr.2011.01.006>.
- Lees, J., Manning, N., Rawlings, B. (2004). Therapeutic Community Research: An Overview and Meta-Analysis. In Lees, J., Manning, N., Menzies, D., Morant, N. (Eds.), *A Culture of Enquiry. Research Evidence and Therapeutic Community*. London: Jessica Kingsley Publishers.
- Lepping, P., Huber, M. (2010). Role of zinc in the pathogenesis of attention-deficit hyperactivity disorder: Implications for research and treatment. *Cns Drugs*, 24(9), 721–728. DOI: 10.2165/11537610-00000000-00000.
- Lerman, C., Audrain, J., Tercyak, K., Hawk, L. W., Jr., Bush, A., Crystal-Mansour, S. et al. (2001). Attention-Deficit Hyperactivity Disorder (ADHD) symptoms and smoking patterns among participants in a smoking-cessation program. *Nicotine Tob Res*, 3(4), 353–359. DOI: 10.1080/14622200110072156.
- Levin, E. D., Conners, C. K., Sparrow, E., Hinton, S. C., Erhardt, D., Meck, W. H. et al. (1996). Nicotine effects on adults with attention-deficit/hyperactivity disorder. *Psychopharmacology (Berl)*, 123(1), 55–63. DOI: 10.1007/bf02246281.
- Levin, F. R., Evans, S. M., Brooks, D. J., Garawi, F. (2007). Treatment of cocaine dependent treatment seekers with adult ADHD: Double-blind comparison of methylphenidate and placebo. *Drug Alcohol Depend*, 87, 20–29.
- Levin, F. R., Evans, S. M., Brooks, D. J., Kalbag, A. S., Garawi, F., Nunes, E. V. (2006). Treatment of methadone-maintained patients with adult ADHD: Double-blind comparison of methylphenidate, bupropion and placebo. *Drug Alcohol Depend*, 81, 137–148.
- Levin, F. R., Mariani, J. J., Specker, S., Mooney, M., Mahony, A., Brooks, D. J. et al. (2015). Extended-release mixed amphetamine salts vs placebo for comorbid adult attention-deficit/hyperactivity disorder and cocaine use disorder: A randomized clinical trial. *JAMA Psychiatry*, 72, 593–602.
- Libra, J. et al. (2012). *Standardy odborné způsobilosti pro zařízení a programy poskytující adiktologické odborné služby* [online]. Společnost pro návykové nemoci ČLS JEP. [cit. 2012-11-12]. Dostupné online: <http://snncls.cz/category/standardy/>.
- Libra, J., Adameček, D., Herzog, A., Krutilová, D., Randák, D., Sklenář, V., Šedivá, D. (2015). *Standardy odborné způsobilosti pro zařízení a programy poskytující adiktolo-*

- gické odborné služby (Standardy služeb pro uživatele drog, závislé a patologické hráče). Praha: Rada vlády pro koordinaci protidrogové politiky.
- Lien, L., Lien, N., Heyerdahl, S., Thoresen, M., Bjertness, E. (2006). Consumption of Soft Drinks and Hyperactivity, Mental Distress, and Conduct Problems Among Adolescents in Oslo, Norway. *American Journal of Public Health*, 96(10), 1815–1820. DOI: 10.2105/AJPH.2004.059477.
- Lichtenstein, P., Halldner, L., Zetterqvist, J., Sjölander, A., Serlachius, E., Fazel, S. et al. (2012). Medication for attention deficit-hyperactivity disorder and criminality. *N Engl J Med*, 367, 2006–2014.
- Linnet, K. M., Dalsgaard, S., Obel, C., Wisborg, K., Henriksen, T. B., Rodriguez, A. et al. (2003). Maternal lifestyle factors in pregnancy risk of attention deficit hyperactivity disorder and associated behaviors: Review of the current evidence. *Am J Psychiatry*, 160(6), 1028–1040. DOI: 10.1176/appi.ajp.160.6.1028.
- Linnet, K. M., Wisborg, K., Obel, C., Secher, N. J., Thomsen, P. H., Agerbo, E., Henriksen, T. B. (2005). Smoking During Pregnancy and the Risk for Hyperkinetic Disorder in Offspring. *Pediatrics*, 116(2), 462–467. DOI: 10.1542/peds.2004-2054.
- Luman, M., Oosterlaan, J., Sergeant, J. A. (2005). The impact of reinforcement contingencies on AD/HD: A review and theoretical appraisal. *Clin Psychol Rev*, 25, 183–213.
- Lustig, R. (2015). *Cukr – nás zabiják*. Brno: CPress.
- Lynskey, M. T., Hall, W. (2001). Attention deficit hyperactivity disorder and substance use disorders: Is there a causal link? *Addiction*, 96, 815–822.
- Malá, E. (2006). Jsou hyperkinetické poruchy mýtem? *Česká a slovenská psychiatrie*, 102(3), 142–148.
- Malá, E. (2012). Farmakoterapie ADHD. *Postgraduální medicína*, 14, 24–33.
- Malivert, M., Fatséas, M., Denis, C., Langlois, E., Auriacombe, M. (2012). Effectiveness of Therapeutic Communities: A Systematic Review. *European Addiction Research*, 18(1), 1–11.
- Malloy-Diniz, L. F., Leite, W. B., Paiva de Moraes, P. H., Correa, H., Bechara, A., Fuentes, D. (2008). Brazilian Portuguese version of the Iowa Gambling Task: Transcultural adaptation and discriminant validity. *Revista Brasileira De Psiquiatria*, 30(2), 144–148.
- Malloy-Diniz, L., Fuentes, D., Leite, W. B., Correa, H., Bechara, A. (2007). Impulsive behavior in adults with attention deficit hyperactivity disorder: Characterization of attentional, motor and cognitive impulsiveness. *Journal Of The International Neuropsychological Society*, 13(4), 693–698.
- Mannuzza, S., Klein, R. G., Truong, N. L., Moulton, J. L. III, Roizen, E. R., Howell, K. H. et al. (2008). Age of methylphenidate treatment initiation in children with ADHD and later substance abuse: Prospective follow-up into adulthood. *Am J Psychiatry*, 165, 604–609.
- Manos, M. J. (2013). Psychosocial therapy in the treatment of adults with attention deficit/hyperactivity disorder. [Review] *Postgraduate Medicine*, 125(2), 51–64.

- Mäntylä, T., Still, J., Gullberg, S. (2010). Decision making in adults with ADHD. *Journal of Attention Disorders*, 16(2), 164–173.
- Marsden, J., Gossop, G., Stewart, D., Best, D., Farrell, M., Lehmann, P., Edwards, C., Strang, J. (1998). The Maudsley Addiction Profile (MAP): A brief instrument for assessing treatment outcome. *Addiction*, 93(12), 1857–1867.
- Martin, S. S., Butzin, C. A., Saum, C. A., Inciardi, J. A. (1999). Three-year outcomes of therapeutic community treatment for drug-involved offenders in Delaware: From prison to work release to aftercare. *The Prison Journal*, 79(3), 294–320.
- Martykánová, L. (2010). Endokanabinoidní systém [online]. Časopis lékařů českých, 149(8), 368–371. Dostupné online: <http://www.prolekare.cz/casopis-lekaru-ceskych-archiv-cisel?id=3316>.
- Matias, I., Di Marzo, V. (2007). Endocannabinoids and the control of energy balance. *Trends Endocrinol Metab*, 18(1), 27–37. DOI: 10.1016/j.tem.2006.11.006.
- Matthies, S., Holzner, S., Feige, B., Scheel, C., Perlov, E., Ebert, D. et al. (2013). ADHD as a serious risk factor for early smoking and nicotine dependence in adulthood. *J Atten Disord*, 17(3), 176–186. DOI: 10.1177/1087054711428739.
- Matthies, S., Philipsen, A., Svaldi, J. (2012). Risky decision making in adults with ADHD. *J Behav Ther Exp Psychiatry*, 43, 938–946.
- Max, W., Sung, H. Y., Yanling, S. (2013). Attention deficit hyperactivity disorder among children exposed to secondhand smoke: A logistic regression analysis of secondary data. *International Journal of Nursing Studies*, 50(6), 797–856. DOI: 10.1016/j.ijnurstu.2012.10.002.
- McClernon, F. J., Kollins, S. H. (2008). ADHD and Smoking: From Genes to Brain to Behavior. *Annals of the New York Academy of Sciences*, 1141, 131–147. DOI: 10.1196/annals.1441.016.
- McCusker, J., Bigelow, C., Frost, R., Garfield, F., Hindin, R., Vickers-Lahti, M., Lewis, B. (1997). The effects of planned duration of residential drug abuse treatment on recovery and HIV risk behavior. *American Journal of Public Health*, 87(10), 1637–1644.
- McRae-Clark, A. L., Carter, R. E., Killeen, T. K., Carpenter, M. J., White, K. G., Brady, K. T. (2010). A placebo-controlled trial of atomoxetine in marijuana-dependent individuals with attention deficit hyperactivity disorder. *Am J Addict*, 19, 481–489.
- McWhirter, P., Nelson, J., Waldo, M. (2014). Positive Psychology and Curative Community Groups: Life Satisfaction, Depression, and Group Therapeutic Factors. *The Journal for Specialists in Group Work*, 39(4), 366–380. DOI: 10.1080/01933922.2014.955384.
- Medřická, H., Kunčíková, M., Novák, V. (2007). ADHD. *Neurologie pro praxi*, 8(4), 219–221.
- Merrill, R. M., Lyon, J. L., Baker, R. K., Gren, L. H. (2009). Attention deficit hyperactivity disorder and increased risk of injury. *Adv Med Sci*, 54(1), 20–26. DOI: 10.2478/v10039-009-0022-7.

Mezinárodní statistická klasifikace nemocí a přidružených zdravotních problémů: MKN-10: Desátá revize: Aktualizovaná druhá verze k 1. 1. 2009. 2., aktualizované vyd. (2009). Praha: Bomton Agency.

- Milberger, S., Biederman, J., Faraone, S. V., Chen, L., Jones, J. (1997). ADHD is associated with early initiation of cigarette smoking in children and adolescents. *J Am Acad Child Adolesc Psychiatry*, 36(1), 37–44. DOI: 10.1097/00004583-199701000-00015.
- Miller, C. J., Flory, J. D., Miller, S. R. et al. (2008). Childhood attention-deficit/hyperactivity disorder and the emergence of personality disorders in adolescence: A prospective follow-up study. *J Clin Psychiatry*, 69(9), 1477–1484.
- Minařík, J., Gabrhelík, R., Malcolm, R., Pavlovská, A., Miller, P. (2016). Methylphenidate substitution for methamphetamine addiction and implications for future randomized clinical trials: A unique case series. *Journal of Substance Use*, 21(4), 435–438. DOI: 10.3109/14659891.2015.1045047.
- Miovská, L., Miovský, M., Kalina, K. (2008). Psychiatrická komorbidita. In Kalina, K. et al. *Základy klinické adiktologie*. Kapitola 5. Praha: Grada Publishing, 75–83.
- Miovská, L., Miovský, M., Mravčík, V. (2006). Psychiatrická komorbidita pacientů léčených v souvislosti s užíváním drog [Psychiatric Comorbidity in Patients Treated for Drug-Related Problems]. *Psychiatrie*, 10(3), 150–156.
- Miovský, M. (2006). Kognitivní deficit způsobené užíváním návykových látek. In Preiss, M. et al. *Neuropsychologie v psychiatrii*. Praha: Grada Publishing.
- Miovský, M. (2006). *Kvalitativní přístup a metody v psychologickém výzkumu* [A Qualitative Approach and Methods in Psychological Research]. Praha: Grada Publishing.
- Miovský, M., Čablová, L., Kalina, K. (2013). The Effects of ADHD on Particular Psychological Functions and Life Skills among Clients Undergoing Addiction Treatment in Therapeutic Communities. [Vliv ADHD na vybrané psychické funkce a na životní dovednosti u klientů léčících se ze závislosti v terapeutických komunitách]. *Adiktologie*, 13(2), 130–144.
- Miovský, M., Čablová, L., Kalina, K., Šťastná, L. (2014). The Effects of ADHD on the Course and Outcome of Addiction Treatment in Clients of Therapeutic Communities: Research design. *Adiktologie*, 14(4), 392–400.
- Mitchell, J., Robertson, C., Anastopolous, A., Nelson-Gray, R., Kollins, S. (2012). Emotion Dysregulation and Emotional Impulsivity among Adults with Attention Deficit/Hyperactivity Disorder: Results of a Preliminary Study. *Journal Of Psychopathology & Behavioral Assessment*, 34(4), 510–519. DOI: 10.1007/s10862-012-9297-2.
- Modesto-Lowe, V., Meyer, A., Soovajian, V. (2012). A clinician's guide to adult attention deficit hyperactivity disorder. [Review] *Connecticut Medicine*, 76(9), 517–523.
- Moeller, F. G., Dougherty, D. M., Barratt, E. S. et al. (2002). Increased impulsivity in cocaine dependent subjects independent of antisocial personality disorder and aggression. *Drug Alcohol Depend*, 68, 105–111.
- Moffitt, T. E., Houts, R., Asherson, P., Belsky, D. W., Corcoran, D. L., Hammerle, M. et al. (2015). Is Adult ADHD a Childhood-Onset Neurodevelopmental Disorder? Evidence

- From a Four-Decade Longitudinal Cohort Study. *Am J Psychiatry*, 172(10), 967–977. DOI: 10.1176/appi.ajp.2015.14101266.
- Mohr, P. (Ed.) (2017). *Klinická psychofarmakologie*. Praha: Maxdorf Jessenius.
- Mohr, P., Anders, M., Přikryl, R., Masopust, J., Praško, J., Höschl, C. (2013). Konsensus ČNPS o diagnostice a léčbě ADHD v dospělosti. *Psychiatrie*, 17, 189–202.
- Molina, B. S., Pelham, W. E. Jr. (2003). Childhood predictors of adolescent substance use in a longitudinal study of children with ADHD. *J Abnorm Psychol*, 112(3), 497–507.
- Moriyama, T. S., Polanczyk, G. V., Terzi, F. S., Faria, K. M., Rohde, L. A. (2013). Psycho-pharmacology and psychotherapy for the treatment of adults with ADHD – a systematic review of available meta-analyses. [Review] *CNS Spectrums*, 18(6), 296–306.
- Mourek, J. (2012). *Fyziologie. Učebnice pro studenty zdravotnických oborů*. 2. vyd. Praha: Grada Publishing.
- Mravčík, V. et al. (2012). *Výroční zpráva o stavu ve věcech drog v České republice v roce 2011* [The 2011 Drug Situation in the Czech Republic – Annual Report]. Praha: Úřad vlády České republiky.
- Mravčík, V., Chomynová, P., Grohmannová, K., Janíková, B., Tion Leštinová, Z. et al. (2016). Výroční zpráva o stavu ve věcech drog v České republice v roce 2015 [Annual Report on Drug Situation 2015 – Czech Republic]. In Mravčík, V. (Ed.). Praha: Úřad vlády České republiky.
- Nazar, B. P., Pinna, C. M., Coutinho, G., Segenreich, D., Duchesne, M., Mattos, P. et al. (2008). Review of literature of attention-deficit/hyperactivity disorder with comorbid eating disorders. *Revista Brasileira Psiquiatry*, 30(4), 384–389.
- NCD Risk Factor Collaboration. (2016). Trends in adult body-mass index in 200 countries from 1975 to 2014: A pooled analysis of 1698 population-based measurement studies with 19,2 million participants [online]. *The Lancet*, 387(10026), 1377–1396. Dostupné online: [http://dx.doi.org/10.1016/S0140-6736\(16\)30054-X](http://dx.doi.org/10.1016/S0140-6736(16)30054-X).
- Nemes, S., Wish, E. D., Messina, N. (1999). Comparing the impact of standard and abbreviated treatment in a therapeutic community: Findings from the District of Columbia treatment initiative experiment. *Journal of Substance Abuse Treatment*, 17(4), 339–347.
- Nevšímal, P. (2004). *Původ a vývoj terapeutické komunity pro drogově závislé. Terapeutická komunita pro drogově závislé I. Vznik a vývoj*, 155–208.
- Nevšímal, P. (2007). Duální diagnózy. In Nevšímal, P. (Ed.), *Terapeutická komunita pro drogově závislé II. Česká praxe*. Praha: Středočeský kraj.
- Newcorn, J. H., Halperin, J. M., Jensen, P. S., Abikoff, H. B., Arnold, L. E., Cantwell, D. P. et al. (2001). Symptom profiles in children with ADHD: Effects of comorbidity and gender. *J Am Acad Child Adolesc Psychiatry*, 40(2), 137–146. DOI: 10.1097/00004583-200102000-00008.
- NIDA (2010). Comorbidity: Addiction and other mental illnesses. *NIDA Research Report Series* [online]. National Institutes of Health: National Institute on Drug Abuse [cit. 2013-05-01]. Dostupné online: <http://www.drugabuse.gov/publications/research-reports/comorbidityaddiction-other-mental-illnesses>.

NIDA (2015). *Therapeutic Communities. Research Report Series*. National Institute on Drug Abuse.

Niemczyk, J., Equit, M., Braun-Bither, K., Klein, A. M., Von Gontard, A. (2015). Prevalence of incontinence, attention deficit/hyperactivity disorder and oppositional defiant disorder in preschool children. *Eur Child Adolesc Psychiatry*, 24(7), 837–843. DOI: 10.1007/s00787-014-0628-6.

Novik, T. S., Hervas, A., Ralston, S. J., Dalsgaard, S., Rodrigues Pereira, R., Lorenzo, M. J. (2006). Influence of gender on attention-deficit/hyperactivity disorder in Europe ADORE. *Eur Child Adolesc Psychiatry*, 15(Suppl. 1), 15–24. DOI: 10.1007/s00787-006-1003-z.

Ohlmeier, M. D., Peters, K., Kordon, A., Seifert, J., Wildt, B. T., Wiese, B. et al. (2007). Nicotine and alcohol dependence in patients with comorbid attention deficit/hyperactivity disorder (ADHD). *Alcohol Alcohol*, 42(6), 539–543. DOI: 10.1093/alc/alc069.

Orlando, M., Wenzel, S. L., Ebener, P., Edwards, M. C., Mandell, W., Becker, K. (2006). The dimensions of change in therapeutic community treatment instrument. *Psychological assessment*, 18(1), 118.

Paclt, I., Šebek, M. (2007). Škála Connersové: Dotazník pro učitele. In Paclt, I. et al., *Hyperkinetická porucha a poruchy chování*. Praha: Grada Publishing, 196–199.

Paclt, I. (2001). Hyperkinetický syndrom v dospělosti. *Remedia*, 6, 401–411.

Paclt, I. (2002). Diagnostika hyperkinetického syndromu v dospělosti. *Psychiatrie pro praxi*, 3, 115–117.

Paclt, I. (2007a). Hyperkinetický syndrom v dospělosti. In Paclt, I. et al., *Hyperkinetická porucha a poruchy chování*. Kapitola 11. Praha: Grada Publishing.

Paclt, I. (2007b). Psychoterapeutická a psychosociální intervence u ADHD/hyperkinetické poruchy. In Paclt, I. et al. (2007), *Hyperkinetická porucha a poruchy chování*. Kapitola 9. Praha: Grada Publishing.

Paclt, I., Koudelová, J., Křepelová, A. et al.. *Hyperkinetická porucha a poruchy chování*. Praha: Grada Publishing.

Paddock, S. M., Edelen, M. O., Wenzel, S. L., Ebener, P., Mandell, W., Dahl, J. (2007). Measuring changes in client-level treatment process in the therapeutic community (TC) with the Dimensions of Change Instrument (DCI). *The American Journal of Drug and Alcohol Abuse*, 33(4), 537–546.

Papežová, H. (2010). *Spektrum poruch příjmu potravy: Interdisciplinární přístup*. Praha: Grada Publishing.

Parrott, A. C., Hatton, N. P., Rowe, K. L., Watts, L. A., Donev, R., Kissling, C., Thome, J. (2012). Adult attention deficit hyperactivity disorder and other psychiatric symptoms in recreational polydrug users. *Human Psychopharmacology – Clinical and Experimental*, 27, 209–216.

- Pérez de los Cobos, J., Siñol, N., Pérez, V., Trujols, J. (2014). Pharmacological and clinical dilemmas of prescribing in co-morbid adult attention-deficit/hyperactivity disorder and addiction. *Br J Clin Pharmacol*, 77, 337–356.
- Philipsen, A. (2006). Differential diagnosis and comorbidity of attention-deficit/hyperactivity disorder (ADHD) and borderline personality disorder (BPD) in adults. *Eur Arch Psychiatry Clin Neurosci*, 256 (Suppl. 1), i42–46.
- Philipsen, A. (2012). Psychotherapy in adult attention deficit hyperactivity disorder: implications for treatment and research. [Review] *Expert Review of Neurotherapeutics*, 12(10), 1217–1225.
- Pokorná, V. (2010). *Teorie a náprava vývojových poruch učení a chování*. Praha: Portál.
- Polanczyk, G. V., Willcutt, E. G., Salum, G. A., Kieling, C., Rohde, L. A. (2014). ADHD prevalence estimates across three decades: An updated systematic review and meta regression analysis. *Int J Epidemiol*, 43(2), 434–442. DOI: 10.1093/ije/dyt261.
- Polanczyk, G., De Lima, M. S., Horta, B. L., Biederman, J., Rohde, L. A. (2007). The worldwide prevalence of ADHD: A systematic review and metaregression analysis. *American Journal of Psychiatry*, 164(6), 942–948. DOI: 10.1176/appi.ajp.164.6.942.
- Pomerleau, C. S., Downey, K. K., Snedecor, S. M., Mehringer, A. M., Marks, J. L., Pomerleau, O. F. (2003). Smoking patterns and abstinence effects in smokers with no ADHD, childhood ADHD, and adult ADHD symptomatology. *Addict Behav*, 28(6), 1149–1157.
- Pomerleau, O. F., Downey, K. K., Stelson, F. W., Pomerleau, C. S. (1995). Cigarette smoking in adult patients diagnosed with attention deficit hyperactivity disorder. *J Subst Abuse*, 7(3), 373–378.
- Pompi, K. F. (1994). *Adolescents in Therapeutic Communities: Retention and Posttreatment Outcome* (NIDA Research Monograph No. 144). Rockville: National Institute on Drug Abuse.
- Potter, A. S., Newhouse, P. A. (2004). Effects of acute nicotine administration on behavioral inhibition in adolescents with attention-deficit/hyperactivity disorder. *Psychopharmacology (Berl)*, 176(2), 182–194. DOI: 10.1007/s00213-004-1874-y.
- Praško, J. et al. (2003). *Poruchy osobnosti*. Praha: Portál.
- Praško, J., Možný, P., Šlepecký, M. et al. (2007). *Kognitivně behaviorální terapie psychických poruch*. Kapitola 8.10. Praha/Kroměříž: Triton.
- Pratt, T. C., Cullen, F. T., Blevins, K. R., Daigle, L., Unnever, J. D. (2002). The Relationship of Attention Deficit Hyperactivity Disorder to Crime and Delinquency: A Meta Analysis. *International Journal of Police Science, Management*, 4(4), 344–360 DOI: 10.1350/ijps.4.4.344.10873.
- Preiss, M., Klose, J. (2001). Diagnostika poruch osobnosti pomocí teorie C. R. Cloningera. *Psychiatrie*, 5, 226–231.
- Preiss, M., Bartoš, A., Čermáková, R. (2013). *Neuropsychologická baterie Psychiatrického centra Praha*. Praha: Psychiatrické centrum.

- Preiss, M., Nováková, S., Bareš, M., Klose, J., Krámská, L. (2004). Diagnostika poruch osobnosti – využití strukturovaného rozhovoru IPDE. *Čes. a slov. Psychiat*, 100, 158–162.
- Přikryl, R. (2008). *Deprese z různých úhlů pohledu III*. Praha: Galén.
- Příručky vydané k jednotlivým nástrojům společnosti Hogrefe [online] (2014). Praha: Testcentrum [cit. 2014-10-25]. Dostupné online: www.testcentrum.com.
- Ptáček, R. (2007). Psychodiagnostika hyperkinetického syndromu (ADHD) u dětí. In Paclt, I. et al., *Hyperkinetická porucha a poruchy chování*. Praha: Grada Publishing.
- Pursey, K. M., Stanwell, P., Gearhardt, A. N., Collins, C. E., Burrows, T. L. (2014). The prevalence of food addiction as assessed by the Yale Food Addiction Scale: A systematic review. *Nutrients*, 6(10), 4552–4590. DOI: 10.3390/nu6104552.
- Rabipour, S., Raz, A. (2012). Training the brain: Fact and fad in cognitive and behavioral remediation. *Brain & Cognition*, 79(2), 159–179.
- Radimecký, J. (2006). *Terapeutické komunity pro uživatele drog* [online] [cit. 2011-11-30]. Dostupné online: <http://www.adiktologie.cz/cz/articles/detail/72/173/>.
- Raimo, E., Schuckit, M. (1998). Alcohol dependence and mood disorders. *Addict Behav*, 23(6), 933–946.
- Raimo, S. (2001). Democratic and concept-based therapeutic communities and the development of community therapy. In Rawlings, B., Yates, R. (Eds.), *Therapeutic Communities for the Treatment of Drug Users*. London: Jessica Kingsley Publishers.
- Ramos-Quiroga, J. A., Montoya, A., Kutzelnigg, A., Deberdt, W., Sobanski, E. (2013). Attention deficit hyperactivity disorder in the European adult population: Prevalence, disease awareness, and treatment guidelines. *Current Medical Research & Opinion*, 29(9), 1093–1104. DOI: 10.1185/03007995.2013.812961.
- Ramtekkar, U. P., Reiersen, A. M., Todorov, A. A., Todd, R. D. (2010). Sex and age differences in Attention-Deficit/Hyperactivity Disorder symptoms and diagnoses: Implications for DSM-V and ICD-11. *Journal of the American Academy of Child and Adolescent Psychiatry*, 49(3), 217–228.
- Rawlings, B., Yates, R. (Eds.) (2001). *Therapeutic Communities for the Treatment of Drug Users*. London: Jessica Kingsley Publishers.
- Remschmidt, H., Mattejat, F. (2010). The quality of life of children and adolescents with ADHD undergoing outpatient psychiatric treatment: Simple disorders of activity and attention and hyperkinetic conduct disorders in comparison with each other and with other diagnostic groups. *Attention Deficit and Hyperactivity Disorders*, 2(4), 161–170.
- Riggs, P. D., Hall, S. K., Mikulich-Gilbertson, S. K., Lohman, M., Kayser, A. (2004). A randomized controlled trial of pemoline for attention-deficit/hyperactivity disorder in substance-abusing adolescents. *J Am Acad Child Adolesc Psychiatry*, 43, 420–429.
- Riggs, P. D., Mikulich, S. K., Whitmore, E. A., Crowley, T. J. (1999). Relationship of ADHD, depression, and non-tobacco substance use disorders to nicotine dependence in substance-dependent delinquents. *Drug Alcohol Depend*, 54(3), 195–205.

- Riggs, P. D., Winhusen, T., Davies, R. D., Leimberger, J. D., Mikulich-Gilbertson, S., Klein, C. et al. (2011). Randomized controlled trial of osmotic-release methylphenidate with cognitive-behavioral therapy in adolescents with attention-deficit/hyperactivity disorder and substance use disorders. *J Am Acad Child Adolesc Psychiatry*, 50, 903–914.
- Rohde, L. A., Szobot, C., Polanczyk, G., Schmitz, M., Martins, S., Tramontina, S. (2005). Attention-deficit/hyperactivity disorder in a diverse culture: Do research and clinical findings support the notion of a cultural construct for the disorder? *Biol Psychiatry*, 57(11), 1436–1441. DOI: 10.1016/j.biopsych.2005.01.042.
- Rohde, P., Kahler, C. W., Lewinsohn, P. M., Brown, R. A. (2004). Psychiatric disorders, familial factors, and cigarette smoking III. Associations with cessation by young adulthood among daily smokers. *Nicotine Tob Res*, 6(3), 509–522. DOI: 10.1080/14622200410001723663.
- Roncero, C., Barral, C., Rodríguez-Cintas, L., Pérez-Pazos, J., Martínez-Luna, N., Casas, M. et al. (2016). Psychiatric comorbidities in opioid-dependent patients undergoing a replacement therapy programme in Spain: The PROTEUS study. *Psychiatry research*, 243, 174–181.
- Rosler, M., Retz, W., Thome, J., Schneider, M., Stieglitz, R. D., Falkai, P. (2006). Psychopathological rating scale for diagnostic use in adults with attention deficit/hyperactivity disorder. *Eur Arch Psychiatr Clin Neurosci*, 256(Suppl. 1), i3–i11.
- Rotter, J. B. (1982). *Social learning theory. Expectations and actions: Expectancy-value models in psychology*, 241–260.
- Rounsaville, B. J. (2004). Treatment of cocaine dependence and depression. *Biol. Psychiatry*, 56, 803–809.
- Rubášová, E. (2014). *ADHD u klientů terapeutických komunit pro drogově závislé – prevalence, vliv na osobnost a na průběh a výsledek léčby*. Diplomová práce, vedoucí K. Kalina. Praha: Univerzita Karlova, 1. lékařská fakulta, Klinika adiktologie.
- Rubášová, E., Kalina, K., Miovský, M., Čablová, L., Šťastná, L. (2015). Výskyt ADHD u osob závislých na ilegálních návykových látkách léčených v terapeutických komunitách v České republice – pilotní studie. *Česká a slovenská Psychiatrie*, 111(5), 228–235.
- Rucklidge, J. J. (2010). Gender differences in attention-deficit/hyperactivity disorder. *Psychiatr Clin North Am*, 33(2), 357–373. DOI: 10.1016/j.psc.2010.01.006.
- Sacco, K. A., Bannon, K. L., George, T. P. (2004). Nicotinic receptor mechanisms and cognition in normal states and neuropsychiatric disorders. *Journal of Psychopharmacology (Oxford, England)*, 18(4), 457–474. DOI: 10.1177/0269881104047273.
- Sacks, S., Banks, S., McKendrick, K., Sacks, J. Y. (2008). Modified therapeutic community for co-occurring disorders: A summary of four studies. *Journal of Substance Abuse Treatment*, 34(1), 112–122.
- Sacks, S., Sacks, J. Y., McKendrick, K., Banks, S., Stommel, J. (2004). Modified TC for MICA offenders: Crime outcomes. *Behavioral Sciences & the Law*, 22(4), 477–501.

- Salin-Pascual, R. J., Alcocer-Castillejos, N. V., Alejo-Galarza, G. (2003). Nicotine dependence and psychiatric disorders. *Rev Invest Clin*, 55(6), 677–693.
- Savill, N. C., Buitelaar, J. K., Anand, E., Day, K. A., Treuer, T., Upadhyaya, H. P. et al. (2015). The efficacy of atomoxetine for the treatment of children and adolescents with attention-deficit/hyperactivity disorder: A comprehensive review of over a decade of clinical research. *CNS Drugs*, 29, 131–151.
- Seidman, L. J. (2014). Neuropsychologically informed strategic psychotherapy in teenagers and adults with ADHD. *Child & Adolescent Psychiatric Clinics of North America*, 23(4), 843–852.
- Seligman, M. E. (1972). Learned helplessness. *Annual review of medicine*, 23(1), 407–412.
- Senka, J. et al. (1993). *Eysenckovy osobnostní dotazníky pro dospělé*. Bratislava: Psycho-diagnostika.
- Serrano-Troncoso, E., Guidi, M., Alda-Diez, J. A. (2013). Is psychological treatment efficacious for attention deficit hyperactivity disorder (ADHD)? Review of non pharmacological treatments in children and adolescents with ADHD. [Review] *Actas Espanolas de Psiquiatria*, 41(1), 44–51.
- Shah, D., Paget, S. (2006). *Service Standards for Addiction Therapeutic Communities*. London: Royal College of Psychiatrists.
- Shytle, R. D., Silver, A. A., Wilkinson, B. J., Sanberg, P. R. (2002). A pilot controlled trial of transdermal nicotine in the treatment of attention deficit hyperactivity disorder. *World J Biol Psychiatry*, 3(3), 150–155.
- Schlack, R., Hoelling, H., Kurth, B. M., Huss, M. (2007). The prevalence of attention deficit/hyperactivity disorder (ADHD) among children and adolescents in Germany. Initial results from the German Health Interview and Examination Survey for Children and Adolescents (KiGGS). *Bundesgesundheitsblatt-Gesundheitsforschung Gesundheitsschutz*, 50(5–6), 827–835. DOI: 10.1007/s00103-007-0246-2.
- Schubiner, H., Saules, K. K., Arfken, C. L., Johanson, C. E., Schuster, C. R., Lockhart, N. et al. (2002). Double-blind placebo-controlled trial of methylphenidate in the treatment of adult ADHD patients with comorbid cocaine dependence. *Exp Clin Psychopharmacol*, 10, 286–294.
- Schubiner, H., Tzelepis, A., Milberger, S., Lockhart, N., Kruger, M., Schoener, E. P. (2000). Prevalence of Attention-Deficit/Hyperactivity Disorder and Conduct Disorder Among Substance Abusers. *Journal of Clinical Psychiatry*, 61(4), 244–251.
- Schulte, E. M., Avena, N. M., Gearhardt, A. N. (2015). Which foods may be addictive? The roles of processing, fat content, and glycemic load. *Plos One*, 10(2), e0117959. DOI: 10.1371/journal.pone.0117959.
- Simon, V., Czobor, P., Balint, S., Meszaros, A., Bitter, I. (2009). Prevalence and correlates of adult attention-deficit hyperactivity disorder: Meta-analysis. *Br J Psychiatry*, 194(3), 204–211. DOI: 10.1192/bjp.bp.107.048827.
- Simpson, D. D., Sells, S. B. (1982). Effectiveness of treatment for drug abuse: An overview of the DARP research program. *Advances in Alcohol & Substance Abuse*, 2(1), 7–29.

- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., Anglin, M. D. (1999). A national evaluation of treatment outcomes for cocaine dependence. *Archives of General Psychiatry*, 56(6), 507–514.
- Sizoo, B., Van den Brink, W., Koeter, M., Van Eenige, M., Van Wijngaarden-Cremers, P., Van der Gaag, R. J. (2010). Treatment seeking adults with autism or ADHD and co-morbid substance use disorder: Prevalence, risk factors and functional disability. *Drug Alcohol Dependence*, 107, 44–50.
- Skirrow, C., McLoughlin, G., Kuntsi, J., Asherson, P. (2009). Behavioral, neurocognitive and treatment overlap between attention-deficit/hyperactivity disorder and mood instability. *Expert Review of Neurotherapeutics*, 9, 489–503.
- Skounti, M., Philalithis, A., Galanakis, E. (2007). Variations in prevalence of attention deficit hyperactivity disorder worldwide. *Eur J Pediatr*, 166(2), 117–123. DOI: 10.1007/s00431-006-0299-5.
- Smith, L. A., Gates, S., Foxcroft, D. (2006). Therapeutic communities for substance related disorder. *Cochrane Database Syst Rev*, (1).
- Sobanski, E., Bruggemann, D., Alm, B., Kern, S., Deschner, M., Schubert, T. et al. (2007). Psychiatric comorbidity and functional impairment in a clinically referred sample of adults with attention-deficit/hyperactivity disorder (ADHD). *Eur Arch Psychiatry Clin Neurosci*, 257(7), 371–377. DOI: 10.1007/s00406-007-0712-8.
- Solanto, M. V., Marks, D. J., Wasserstein, J., Mitchell, K., Abikoff, H. et al. (2010). Efficacy of meta-cognitive therapy for adult ADHD. *American Journal of Psychiatry*, 167(8), 958–968.
- Sonuga-Barke, E. J., Brandeis, D., Cortese, S., Daley D., Ferrin, M., Holtmann, M., European ADHD Guidelines Group (2013). Nonpharmacological interventions for ADHD: Systematic review and meta-analyses of randomized controlled trials of dietary and psychological treatments. [Review] *American Journal of Psychiatry*, 170(3), 275–289.
- Soukup, J. (2014). *Motivační rozhovory v praxi*. Praha: Portál.
- Speck, B. (2009). *Vaříme malým neposedům: Zdravá a zklidňující strava pro hyperaktivní a neklidné děti*. Brno: Computer Press.
- Spencer, T. J., Adler L. (2004). Diagnostic approaches to adult attention deficit/hyperactivity disorder. *Primary Psychiatry*, 11(7), 49–53.
- Spencer, T. J., Biederman, J., Mick, E. (2007). Attention-deficit/hyperactivity disorder: Diagnosis, lifespan, comorbidities, and neurobiology. *Ambulatory Pediatrics*, 7(Suppl. 1), 73–81.
- Spencer, T. J., Faraone, S. V., Surman, C. B., Petty, C., Clarke, A., Batchelder, H. et al. (2011). Toward defining deficient emotional self-regulation in children with attention deficit/hyperactivity disorder using the child behavior checklist: A controlled study. *Postgraduate Medicine*, 123, 50–59.
- Spencer, T., Wilens, T., Biederman, J., Faraone, S. V., Ablon, S., Lapey, K. (1995). A double-blind, crossovercomparison of methylphenidate and placebo in adults with attention-deficit hyperactivity disorder. *Archives of General Psychiatry*, 52, 434–443.

- Stark, R., Bauer, E., Merz, C. J., Zimmermann, M., Reuter, M., Plichta, M. M. et al. (2011). ADHD related behaviors are associated with brain activation in the reward system. *Neuropsychologia*, 49(3), 426–434. DOI: 10.1016/j.neuropsychologia.2010.12.012.
- Steinhausen, H. C., Bisgaard, C. (2014). Substance use disorders in association with attention-deficit/hyperactivity disorder, co-morbid mental disorders, and medication in a nationwide sample. *Eur Neuropsychopharmacol*, 24, 232–241.
- Stojek, M. K., Fischer, S., MacKillop, J. (2015). Stress, cues, and eating behavior. Using drug addiction paradigms to understand motivation for food. *Appetite*, 92, 252–260. DOI: 10.1016/j.appet.2015.05.027.
- Storebø, O. J., Ramstad, E., Krogh, H. B., Nilausen, T. D., Skoog, M., Holmskov, M. et al. (2015). Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD). *Cochrane Database Syst Rev*, 11.
- Stratton, J. (1998). A New Approach to Substance Abuse Treatment: Adolescents and Adults With ADHD. *Journal of Substance Abuse Treatment*, 15(2), 89–94. Dostupné online: [http://dx.doi.org/10.1016/S0740-5472\(97\)00026-3](http://dx.doi.org/10.1016/S0740-5472(97)00026-3).
- Stratton, J., Gailfus, D. A new approach to substance abuse treatment. Adolescents and adults with ADHD. *J Subst Abuse Treatment*, 1998, 15, 89–94.
- Stringaris, A., Cohen, P., Pine, D. S., Leibenluft, E. (2009). Adult outcomes of youth irritability: A 20-year prospective community-based study. *American Journal of Psychiatry*, 166, 1048–1054.
- Sugarman, B. (1974). *Daytop Village: A Therapeutic Community*. New York: Holt, Rinehart and Winston.
- Sullivan, M. A., Rudnik-Levin, F. (2001). Attention deficit/hyperactivity disorder and substance abuse. Diagnostic and therapeutic considerations. *Annals of the New York Academy of Sciences*, 931, 251–270.
- Světová zdravotnická organizace (2009). *Mezinárodní klasifikace nemocí a přidružených zdravotních problémů (10. revize)*. WHO: Ženeva.
- Svoboda, M., Humpolíček, P., Šnorek, V. (2013). *Psychodiagnostika dospělých*. Praha: Portál, 488.
- Szatmari, P., Offord, D. R., Boyle, M. H. (1989). Ontario child health study: Prevalence of attention deficit disorder with hyperactivity. *Journal of Child Psychology and Psychiatry*, 30, 219–230.
- Šefránek, M., Miovský, M. (2017). Treatment Outcome Evaluation in Therapeutic Communities in the Czech Republic: Changes in Methamphetamine Use and Related Problems One Year After Discharge. *Journal of Groups in Addiction & Recovery*, 12(2–3), 68–85.
- Šefránek, M., Miovský, M. (2018). Treatment Outcome Evaluation in Therapeutic Communities in the Czech Republic: Alcohol Consumption and other Results one Year after Discharge. *Alcoholism Treatment Quarterly*, 36(1), 54–71. DOI: 10.1080/07347324.2017.1387036.

- Šefránek, M. (2008). Evaluace výsledků léčby v pěti terapeutických komunitách pro drogově závislé: Analýza vybraných vstupních dat z roku 2007. *Adiktologie*, (8)4, 320–335.
- Šefránek, M. (2014). *Evaluace výsledků léčby v terapeutických komunitách pro léčbu závislostí. Změny v užívání návykových látek, kriminálním chování a v dalších oblastech jeden rok po ukončení léčby*. Praha: Úřad vlády České republiky.
- Šmerhovský, Z., Göpfertová, D., Feberová, J. (2007). *Medicína založená na důkazech z pohledu klinické epidemiologie*. Praha: Karolinum.
- Šťastná, L., Miovský, M., Čablová, L., Kalina, K. (2015). Diagnostika ADHD a její specifika u dospělých uživatelů návykových látek. *Psychiatrie*, 19(2), 81–89.
- Štěpánková, T., Papežová, H., Uhlíková, P., Ptáček, R. (2013). Hyperkinetická porucha a porucha pozornosti u komorbidních poruch příjmu potravy. *Česká a slovenská psychiatrie*, 109 (3), 128–135.
- Taanila, A. M., Hurtig, T. M., Miettunen, J., Ebeling, H. E., Moilonen, I. K. (2009). Association between ADHD symptoms and adolescents' psychosocial well-being: A study of the Northern Finland Birth Cohort 1986. *International Journal of Circumpolar Health*, 68(2), 133–144.
- Těmínová, M. (1997). Terapeutická komunita v Němčicích. *Konfrontace, časopis pro psychoterapii*, 28(2), 13–19.
- Thapar, A., Fowler, T., Rice, F., Scourfield, J., Van den Bree, M., Thomas, H. et al. (2003). Maternal smoking during pregnancy and attention deficit hyperactivity disorder symptoms in offspring. *Am J Psychiatry*, 160(11), 1985–1989. DOI: 10.1176/appi.ajp.160.11.1985.
- Theiner, P. (2012). ADHD od dětství do dospělosti. *Neurologie pro praxi*, 148–151.
- Thomas, R., Sanders, S., Doust, J., Beller, E., Glasziou, P. (2015). Prevalence of attention deficit/hyperactivity disorder: A systematic review and meta-analysis. *Pediatrics*, 135(4), e994–e1001. DOI: 10.1542/peds.2014-3482.
- Thompson, R., Miller, N. (2013). *ADHD: Cognitive symptoms, genetics and treatment outcomes*. New York: Nova Biomedical.
- Thurstone, C., Riggs, P. D., Salomonsen-Sautel, S., Mikulich-Gilbertson, S. K. (2010). Randomized, controlled trial of atomoxetine for attention-deficit/hyperactivity disorder in adolescents with substance use disorder. *J Am Acad Child Adolesc Psychiatry*, 49, 573–582.
- Tiesler, C. M. T., Heinrich, J. (2014). Prenatal nicotine exposure and child behavioural problems. *Eur Child Adolesc Psychiatry*, 23(10), 913–929. DOI: 10.1007/s00787-014-0615-y.
- Torgersen, S., Kringlen, E., Cramer, V. (2001). The prevalence of personality disorders in a community sample. *Archives of General Psychiatry*, 58, 590–596.
- Torok, M., Darke, S., Kaye, S. (2012). Attention Deficit Hyperactivity Disorder and severity of substance use: The role of comorbid psychopathology. *Psychology of Addictive Behaviors*, 26(4), 974–979.

- Turkoglu, S., Bilgic, A., Akca, O. F. (2015). ADHD symptoms, breast-feeding and obesity in children and adolescents. *Pediatrics International*, 57(4), 546–551. DOI: 10.1111/ped.12593.
- Tzang, R. F., Chang, Y. C., Chen, C. C. (2014). Barriers to seeking help among children with attention deficit hyperactivity disorder in Taiwan. *Asia-Pacific psychiatry: Official Journal of the Pacific Rim College of Psychiatrists*, 6(4), 373–378.
- Upadhyaya, H. P., Carpenter, M. J. (2008). Is attention deficit hyperactivity disorder (ADHD) symptom severity associated with tobacco use? *Am J Addict*, 17(3), 195–198. DOI: 10.1080/10550490802021937.
- Van Emmerik-van Oortmerssen, K. et al. (2015). Integrated cognitive behavioral therapy for patients with Substance Use Disorder and Comorbid ADHD: Two case presentations. *Addictive Behaviors*, 45, 214–217. Dostupné online: <http://dx.doi.org/10.1016/j.addbeh.2015.01.040>.
- Van Emmerik-van Oortmerssen, K., Van de Glind, G., Koeter, M. W. J. (2013). Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: Results of the IASP study. *Addiction*, 109, 262–272.
- Van Emmerik-van Oortmerssen, K., Van de Glind, G., Van den Brink, W., Smit, F., Crunelle, C. L., Swets, M., Schoevers, R. A. (2012). Prevalence of attention-deficit hyperactivity disorder in substance use disorder patients: A meta-analysis and meta regression analysis. *Drug and Alcohol Dependence*, 122(1–2), 11–19. DOI: <http://dx.doi.org/10.1016/j.drugalcdep.2011.12.007>.
- Vanderplasschen, W., Colpaert, K., Autrique, M., Rapp, R. C., Pearce, S., Broekaert, E., Vandervelde, S. (2013). Therapeutic communities for addictions: A review of their effectiveness from a recovery-oriented perspective. *The Scientific World Journal*. DOI: 10.1155/2013/427817.
- Vanderplasschen, W., Vandervelde, S., Broekaert, E. (2014). *Therapeutic communities for treating addictions in Europe. Evidence, current practices and future challenges*. Lisbon: European Monitoring Centre for Drugs and Drugs Addiction.
- Vanderplasschen, W., Yates, R., Miovský, M. (2017). Bridging the Gap Between Research and Practice in Therapeutic Communities (TCs) for Addictions. *Journal of Groups in Addiction & Recovery*, 12(2–3), 63–67.
- Verheul, R. (2001). Co-morbidity of personality disorders in individuals with substance use disorders. *European Psychiatry*, 16, 274–282.
- Villagomez, A., Ramtekkar, U. (2014). Iron, Magnesium, Vitamin D, and Zinc Deficiencies in Children Presenting with Symptoms of Attention-Deficit/Hyperactivity Disorder. *Children (Basel)*, 1(3), 261–279. DOI: 10.3390/children1030261.
- Vitola, E. S., Bau, C. H., Salum, G. A., Horta, B. L., Quevedo, L., Barros, F. C. et al. (2016). Exploring DSM-5 ADHD criteria beyond young adulthood: Phenomenology, psychometric properties and prevalence in a large three-decade birth cohort. *Psychol Med*, 1–11. DOI: 10.1017/S0033291716002853.

- Volkow, N. D., Swanson, J. M. (2003). Variables that affect the clinical use and abuse of methylphenidate in the treatment of ADHD. *Am J Psychiatry*, 160, 1909–1918.
- Volkow, N. D., Wang, G. J., Newcorn, J., Telang, F., Solanto, M. V., Fowler, J. S. et al. (2007). Depressed dopamine activity in caudate and preliminary evidence of limbic involvement in adults with attention-deficit/hyperactivity disorder. *Arch Gen Psychiatry*, 64(8), 932–940. DOI: 10.1001/archpsyc.64.8.932.
- Volkow, N. D., Wang, G. J., Telang, F., Fowler, J. S., Logan, J., Childress, A. R. et al. (2008). Dopamine increases in striatum do not elicit craving in cocaine abusers unless they are coupled with cocaine cues. *Neuroimage*, 39, 1266–1273.
- Von Sydow, K., Retzlaff, R., Beher, S., Haun, M. W., Schweitzer, J. (2013). The efficacy of systemic therapy for childhood and adolescent externalizing disorders: A systematic review of 47 RCT. [Review] *Family Process*, 52(4), 576–618.
- Výrost, J., Slaměník, I. (2001). *Aplikovaná sociální psychologie II*. Praha: Grada Publishing.
- Vyskočilová, L. (2016). *Specifika klientů s duální diagnózou v procesu léčby v terapeutických komunitách pro drogově závislé: Fenomén sebemedikace a pozdní abstinenční psychopatologie*. Diplomová práce, vedoucí K. Kalina. Praha: Univerzita Karlova, 1. lékařská fakulta, Klinika adiktologie.
- Waluk, O., Youssef, G., Dowling, N., Waluk, O. R., Youssef, G. J., Dowling, N. A. (2016). The Relationship between Problem Gambling and Attention Deficit Hyperactivity Disorder. *Journal of Gambling Studies*, 32(2), 591–604. DOI: 10.1007/s10899-015-9564-8.
- Ward, M. F., Wender, P. H., Reimherr, F. W. (1993). The Wender Utah Rating Scale: An aid in the retrospective diagnosis of childhood attention deficit hyperactivity disorder. *Am J Psychiatry*, 150, 885–890.
- Waska, R. (2014). Attention deficit disorder or object detachment disorder: A brief psychoanalytic case study. *Psychoanalytic review*, 101(3), 367–383.
- Weafer, J., Milich, R., Fillmore, M. T. (2010). Behavioral components of impulsivity predict alcohol consumption in adults with ADHD and healthy controls. *Drug and Alcohol Dependence*, 113, 139–146.
- Weaver, T., Charles, V., Madden, P., Renton, A. (2002). Co-morbidity of Substance Misuse and Mental Illness Collaborative Study (COSMIC). A study of the Prevalence and Management of Co-Morbidity amongst Adult Substance Misuse & Mental Health Treatment Populations. London: Imperial College of Science.
- Weaver, T., Charles, V., Madden, P. et al. (2005). Co-morbidity of Substance Misuse and Mental Illness Collaborative Study (COSMIC): A study of the prevalence and management of comorbidity among adult substance misuse and mental health treatment populations. *Drugs-Education Prevention and Policy*, 12, 124–133.
- Weaver, T., Madden, P., Charles, V. et al. (2003). Comorbidity of substance misuse and mental illness in community mental health and substance misuse services. *British Journal of Psychiatry*, 183, 304–313.

- Webb, J. R., Valasek, M. A., North, C. S. (2013). Prevalence of stimulant use in a sample of US medical students. *Annals of Clinical Psychiatry*, 25(1), 27–32.
- Wechsler, D. (2002). *Wechsler Memory Scale – Third Edition Abbreviated*. San Antonio, TX: Psychological Corporation.
- Weiss, M., Murray, C. (2003). Assessment and management of attention-deficit hyperactivity disorder in adults. *CMAJ*, 168(6), 715–722.
- Weiss, M., Murray, C., Wasdell, M., Greenfield, B., Giles, L., Hechtman, L. (2012). A randomized controlled trial of CBT therapy for adults with ADHD with and without medication. *BMC Psychiatry*, 12(1) (no pagination, Article Number 30).
- Wender, P. H. (1998). *Attention-Deficit Hyperactivity Disorder in Adults*. New York: Oxford University Press, 308.
- Werdell, P. R. (2010). “Normal” Eater, Emotional Eater, Food Addict [online]. In Food Addiction Institute. Sarasota. Dostupné online: <http://foodaddictioninstitute.org/wpcontent/uploads/Final-Saturday-Normal-Eater.pdf>.
- Wexler, H. K., Prendergast, M. L. (2010). Therapeutic communities in United States' prisons: Effectiveness and challenges. *Therapeutic communities*, 31(2), 157.
- Wexler, H. K., Melnick, G., Lowe, L., Peters, J. (1999). Three-year reincarceration outcomes for Amity in-prison therapeutic community and aftercare in California. *The Prison Journal*, 79(3), 321–336.
- Weyandt, L. L., Oster, D. R., Marraccini, M. E., Gudmundsdottir, B. G., Munro, B. A., Rathkey, E. S. et al. (2016). Prescription stimulant medication misuse: Where are we and where do we go from here? *Exp Clin Psychopharmacol*, 24, 400–414.
- WHO & Workgroup on Adult ADHD (2003). *The Adult ADHD Self-Report Scale (ASRS v1.1) Symptom Checklist*. Geneva: World Health Organization.
- WHO (1989). AUDIT: Dotazník na problémové pití alkoholu.
- WHO (2004). *Neuroscience of Psychoactive Substance Use and Dependence*. Geneva: World Health Organization.
- Wichstrom, L., Berg-Nielsen, T. S., Angold, A., Egger, H. L., Solheim, E., Sveen, T. H. (2012). Prevalence of psychiatric disorders in preschoolers. *J Child Psychol Psychiatry*, 53(6), 695–705. DOI: 10.1111/j.1469-7610.2011.02514.x.
- Wilbertz, G., Van Elst, L., T., Delgado, M., R., Maier, S., Feige, B. et al. (2012). Orbito-frontal reward sensitivity and impulsivity in adult attention deficit/hyperactivity disorder. *Neuroimage*, 60, 353–361.
- Wilens, T. E., Biederman J. (2006). Alcohol, drugs, and attention-deficit/hyperactivity disorder: A model for the study of addictions in youth. *Journal of Psychopharmacology*, 20(4), 580–588.
- Wilens, T. E., Dodson, W. A (2004). A Clinical Perspective of Attention Deficit/Hyperactivity Disorder Into Adulthood. *J Clin Psychiatry*, 65(10), 1301–1313.
- Wilens, T. E., Spencer, T. J. (2010). Understanding attention-deficit/hyperactivity disorder from childhood to adulthood. [Review] *Postgraduate Medicine*, 122(5), 97–109.

- Wilens, T. E. (2004). Attention-deficit/hyperactivity disorder and the substance use disorders: The nature of the relationship, subtypes at risk, and treatment issues. *Psychiatr Clin North Am*, 27(2), 283–301. DOI: 10.1016/s0193-953x(03)00113-8.
- Wilens, T. E. (2006). Attention Deficit Hyperactivity Disorder and Substance Use Disorders. *Am J Psychiatry*, 163(12), 2059–2063.
- Wilens, T. E., Adler, L. A., Weiss, M. D., Michelson, D., Ramsey, J. L., Moore, R. J. et al. (2008). Atomoxetine treatment of adults with ADHD and comorbid alcohol use disorders. *Drug Alcohol Depend*, 96, 145–154.
- Wilens, T. E., Biederman, J., Mick, E. (1998). Does ADHD Affect the course of substance abuse? Findings from a sample of adults with and without ADHD. *American Journal on Addictions*, 7, 156–163.
- Wilens, T. E., Biederman, J., Faraone, S. V., Martelon, M., Westerberg, D., Spencer, T. J. (2009). Presenting ADHD Symptoms, Subtypes, and Comorbid Disorders in Clinically Referred Adults with ADHD. *J Clin Psychiatry*, 70(11), 1557–1562. DOI: 10.4088/JCP.08m04785pur.
- Wilens, T. E., Biederman, J., Mick, E., Faraone, S. V., Spencer, T. (1997). Attention deficit hyperactivity disorder (ADHD) is associated with early onset substance use disorders. *Journal of Nervous and Mental Disease*, 185(8), 475–482.
- Wilens, T. E., Faraone, S. V., Biederman, J., Gunawardene, S. (2003). Does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? A meta analytic review of the literature. *Pediatrics*, 111, 179–185.
- Wilens, T. E., Martelon, M., Joshi, G., Bateman, C., Fried, R., Petty, C., Biederman, J. (2011). Does ADHD Predict Substance Use Disorders? A 10-year Follow-up Study of Young Adults with ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(6), 543–553. DOI: 10.1016/j.jaac.2011.01.021.
- Wilens, T. E., Vitulano, M., Upadhyaya, H., Adamson, J., Sawtelle, R., Utzinger, L., Biederman, J. (2008). Cigarette smoking associated with attention deficit hyperactivity disorder. *J Pediatr*, 153(3), 414–419.
- Willcutt, E. G. (2012). The prevalence of DSM-IV attention-deficit/hyperactivity disorder: A meta-analytic review. *Neurotherapeutics*, 9(3), 490–499. DOI: 10.1007/s13311-012-0135-8.
- Williams, R., Cohen, J. (2000). Substance use and misuse in psychiatric wards. *Psychiatric Bulletin*, 24, 43–46.
- Wilson, J. J., Levin, F. R. (2001). Attention deficit hyperactivity disorder (ADHD) and substance use disorders. *Curr Psychiatry Rep*, 3(6), 497–506.
- Winhusen, T. M., Somoza, E. C., Brigham, G. S., Liu, D. S., Green, C. A., Covey, L. S. et al. (2010). Impact of attention-deficit/hyperactivity disorder (ADHD) treatment on smoking cessation intervention in ADHD smokers: A randomized, double-blind, placebo-controlled trial. *J Clin Psychiatry*, 71, 1680–1688.
- Wise, B. K., Cuffe, S. P., Fischer, T. (2001). Dual diagnosis and successful participation of adolescents in substance abuse treatment. *J Subst Abuse Treat*, 21(3), 161–165.

- Yablonsky, L. (1965). *The Tunnel Back. Synanon*. New York: The Macmillan Company.
- Yates, R., Wilson, J. (2001). The modern therapeutic community: Dual diagnosis and the process of change. In Rawlings, B., Yates, R. (Eds.), *Therapeutic Community for the Treatment of Drug Users*. Chapter 10. London: Jessica Kingsley Publ.
- Yates, R. (2005). Bad mouthing, bad habits & bad, bad boys: An exploration of the relationship between dyslexia and drug dependence. Stirling: University of Stirling.
- Yates, R., De Leon, G., Mullen, R., Arbiter, N. (2010). Straw men: Exploring the evidence base and the mythology of the therapeutic community. *Therapeutic Communities*, 31(2), 95–99.
- Young, S. (2005). Coping strategies used by adults with ADHD [online]. *Personality*, 38(4), 809–816 [cit. 2015-12-05]. DOI: 10.1016/j.paid.2004.06.005.
- Young, S., Wells, J., Gudjonsson, G. H. (2011). Predictors of offending among prisoners: The role of attention-deficit hyperactivity disorder and substance use. *Journal of Psychopharmacology*, 25(11), 1524–1532.
- Zalsman, G., Shilton, T. (2016). Adult ADHD: A new disease? *International Journal of Psychiatry in Clinical Practice*, 20(2), 70–76. DOI: 10.3109/13651501.2016.1149197.
- Zlatko, M., Dalibor, P. (2012). *Praktická dětská obezitologie*. Praha: Grada Publishing.
- Zulauf, C. A., Sprich, S. E., Safren, S. A., Wilens, T. E. (2014). The complicated relationship between attention deficit/hyperactivity disorder and substance use disorders. [Review] *Current Psychiatry Reports*, 16(3), 436.
- Žampachová, Z. et al. (2015). *Katalog podpůrných opatření: Pro žáky s potřebou podpory ve vzdělávání z důvodu poruchy autistického spektra nebo vybraných psychických onemocnění* [online]. Univerzita Palackého v Olomouci. Dostupné online: <https://www.citacepro.com/dok/aCcv7MUqv0vJsXGU>.