

References

Core references	385
Core and additional references	385
Illustrative examples	394
Other dictionaries of medical statistics, epidemiology and research methodology	398
Further reading	398
Links and websites	399

Core references

- Altman DG (1991). *Practical Statistics for Medical Research*. Chapman & Hall/CRC Press.
- Bland M (2015). *An Introduction to Medical Statistics, 4th edition*. Oxford University Press.
- Borenstein M, Hedges LV, Higgins JPT, Rothstein HR (2009). *Introduction to Meta-Analysis*. Wiley.
- Egger M, Davey Smith G, Altman DG (eds., 2001). *Systematic Reviews in Health Care: Meta-analysis in Context, 2nd edition*. BMJ Books.
- Hamilton LC (1992). *Regression with Graphics. A Second Course in Applied Statistics*. Duxbury Press.
- Haynes RB, Sackett DL, Guyatt GH, Tugwell P (eds., 2006). *Clinical Epidemiology: How to do Clinical Practice Research, 3rd edition*. Lippincott Williams & Wilkins.
- Hennekens CH, Buring JE, Mayrent SL (eds., 1987). *Epidemiology in Medicine*. Lippincott Williams & Wilkins.
- Kirkwood BR, Sterne JA (2003). *Essential Medical Statistics, 2nd edition*. Blackwell.
- Pocock SJ (1983). *Clinical Trials: A Practical Approach*. Wiley.
- Rothman KJ (2012). *Epidemiology: An Introduction, 2nd edition*. Oxford University Press.
- Wald NJ (2004). *The Epidemiological Approach: An Introduction to Epidemiology in Medicine, 4th edition*. Wolfson Institute of Preventive Medicine & The Royal Society of Medicine Press.

Core and additional references

- Afifi A, May S, Clark VA (2011). *Practical Multivariate Analysis, 5th edition*. Chapman & Hall/CRC Press.
- Agresti A (2007). *An Introduction to Categorical Data Analysis, 2nd edition*. Wiley.
- Agresti A (2013). *Categorical Data Analysis, 3rd edition*. Wiley.
- Ajetunmobi O (2002). *Making Sense of Critical Appraisal*. Hodder Arnold.
- Alexander N (2012). Review: analysis of parasite and other skewed counts. *Trop Med Int Health* **17**: 684–693.
- Altman DG (1991). *Practical Statistics for Medical Research*. Chapman & Hall/CRC Press.

- Altman DG (1993). Construction of age-related reference centiles using absolute residuals. *Stat Med* **12**: 917–924.
- Altman DG, Deeks JJ (2002). Meta-analysis, Simpson's paradox, and the number needed to treat. *BMC Med Res Methodol* **2**: 3.
- Altman DG, Machin D, Bryant TN, Gardner MJ (eds., 2000). *Statistics with Confidence, 2nd edition*. BMJ Books.
- Altman DG, Royston P (2000). What do we mean by validating a prognostic model? *Stat Med* **19**: 453–473.
- Altman DG, Schulz KF (2001). Concealing treatment allocation in randomised trials. *Br Med J* **323**: 446–447.
- Altman DG, Vergouwe Y, Royston P, Moons KGM (2009). Prognosis and prognostic research: validating a prognostic model. *Br Med J* **338**: b605.
- Andersen B (1990). *Methodological Errors in Medical Research*. Blackwell Scientific Publications.
- Armitage P, Berry G, Mathews JNS (2002). *Statistical Methods in Medical Research, 4th edition*. Blackwell.
- Barnett AG, van der Pols JC, Dobson AJ (2005). Regression to the mean: what it is and how to deal with it. *Int J Epidemiol* **34**: 215–220. (Correction in *Int J Epidemiol* 2015 **44**: 1748.)
- Begg CB, Cho M, Eastwood S, et al. (1996). Improving the quality of reporting of randomized controlled trials. The CONSORT statement. *JAMA* **276**: 637–639.
- Begg CB, Mazumdar M (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics* **50**: 1088–1101.
- Bennett DA, Emberson JR (2009). Stratification for exploring heterogeneity in systematic reviews. *Evid Based Med* **14**: 162–164.
- Bland JM. MSc Course Materials. University of York, Department of Health Sciences (accessed August 2016).
- Bland JM, Altman DG (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* **327**: 307–310. (See end of <http://www-users.york.ac.uk/~mb55/meas/ba.htm> for corrections.)
- Bland JM, Altman DG (1994a). Regression towards the mean. *Br Med J* **308**: 1499.
- Bland JM, Altman DG (1994b). Some examples of regression towards the mean. *Br Med J* **309**: 780.
- Bland JM, Altman DG (1996a). Transformations, means, and confidence intervals. *Br Med J* **312**: 1079.
- Bland JM, Altman DG (1996b). The use of transformations when comparing two means. *Br Med J* **312**: 1153.
- Bland JM, Altman DG (1996c). Measurements error proportional to the mean. *Br Med J* **313**: 106.
- Bland JM, Altman DG (1999). Measuring agreement in method comparison studies. *Stat Methods Med Res* **8**: 135–160.
- Bland JM, Altman DG (2011). Comparisons against baseline within randomised groups are often used and can be highly misleading. *Trials* **12**: 264.
- Bland M (2015). *An Introduction to Medical Statistics, 4th edition*. Oxford University Press.
- Blomqvist N (1977). On the relation between change and initial value. *J Am Stat Assoc* **72**: 746–749.
- Blomqvist N (1987). On the bias caused by regression toward the mean in studying the relation between change and initial value. *J Clin Periodontol* **14**: 34–37.
- Borenstein M, Hedges LV, Higgins JPT, Rothstein HR (2009). *Introduction to Meta-Analysis*. Wiley.

- Bossuyt PM, Reitsma JB, Bruns DE, *et al.*, for the STARD Group (2003). Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. *Br Med J* **326**: 41–44.
- Bossuyt PM, Reitsma JB, Bruns DE, *et al.*, for the STARD Group (2015). STARD 2015: an updated list of essential items for reporting diagnostic accuracy studies. *Br Med J* **351**: h5527.
- Box GEP, Cox DR (1964). An analysis of transformations (with discussion). *J Royal Stat Soc B* **26**: 211–252.
- Bradburn MJ, Deeks JJ, Berlin JA, Localio AR (2007). Much ado about nothing: a comparison of the performance of meta-analytical methods with rare events. *Stat Med* **26**: 53–77.
- Breslow NE, Day NE (1980). *Statistical Methods in Cancer Research: Vol I – The Design and Analysis of Case–Control Studies*. Lyon: International Agency for Research on Cancer.
- Breslow NE, Day NE (1987). *Statistical Methods in Cancer Research: Vol II – The Analysis of Cohort Studies*. Lyon: International Agency for Research on Cancer.
- Brindle P, Emberson J, Lampe F, *et al.* (2003). Predictive accuracy of the Framingham coronary risk score in British men: prospective cohort study. *Br Med J* **327**: 1267.
- Campbell MJ, Machin D, Walters SJ (2007). *Medical Statistics: A Textbook for the Health Sciences, 4th edition*. Wiley.
- Case LD, Morgan TM (2003). Design of Phase II cancer trials evaluating survival probabilities. *BMC Med Res Methodol* **3**: 6.
- Cates CJ (2002). Simpson’s paradox and calculation of number needed to treat from meta-analysis. *BMC Med Res Methodol* **2**: 1.
- Chalmers I (1985). Proposal to outlaw the term ‘negative’ trial. *Br Med J* **290**: 1002.
- Chalmers I, Altman DG (eds., 1995). *Systematic Reviews*. BMJ Publishing Group.
- Chan A-W, Tetzlaff JM, Altman DG, *et al.* (2013). SPIRIT 2013 Statement: Defining standard protocol items for clinical trials. *Ann Intern Med* **158**: 200–207.
- Chatfield C (2003). *The Analysis of Time Series: An Introduction, 6th edition*. Chapman & Hall/CRC Press.
- Chiolero A, Paradis G, Rich B, Hanley JA (2013). Assessing the relationship between the baseline value of a continuous variable and subsequent change over time. *Front Public Health* **1**: 29.
- Chow SC, Chang M (2008). Adaptive design methods in clinical trials – a review. *Orphanet J Rare Dis* **3**: 11.
- Chow SC, Chang M (2011). *Adaptive Design Methods in Clinical Trials, 2nd edition*. Chapman & Hall/CRC Press.
- Clayton D, Hills M (1993). *Statistical Models in Epidemiology*. Oxford University Press.
- Cleveland WS (1979). Robust locally weighted regression and smoothing scatterplots. *J Am Stat Assoc* **74**: 829–836.
- Cleveland WS (1993). *Visualizing Data*. Hobart Press.
- Cleveland WS (1994). *The Elements of Graphing Data, 2nd edition*. Hobart Press.
- Cleveland WS, Devlin SJ (1988). Locally weighted regression: an approach to regression analysis by local fitting. *J Am Stat Assoc* **83**: 596–610.
- Cleves M, Gould WW, Marchenko YV (2016). *An Introduction to Survival Analysis Using Stata, revised 3rd edition*. Stata Press.
- Cochran WG (1957). Analysis of covariance: its nature and uses. *Biometrics* **13**: 261–281.
- Cochran WG (1977). *Sampling Techniques, 3rd edition*. John Wiley & Sons.
- Cole TJ (2012). The development of growth references and growth charts. *Ann Hum Biol* **39**: 382–394.

- Coleman JJ, Ferner RE, Evans SJW (2006). Monitoring for adverse drug reactions. *Br J Clin Pharmacol* **61**: 371–378.
- Collins GS, Reitsma JB, Altman DG, Moons KGM (2015). Transparent reporting of a multivariable prediction model for individual prognosis or diagnosis (TRIPOD): the TRIPOD Statement. *BMC Medicine* **13**: 1.
- Cook JA, Hislop J, Adewuyi TE, *et al.* (2014). Assessing methods to specify the target difference for a randomised controlled trial: DELTA (Difference ELicitation in TriAls) review. *Health Technol Assess* **18**: 1–175.
- Cook RJ, Sackett DL (1995). The number needed to treat: a clinically useful measure of treatment effect. *Br Med J* **310**: 452–454. (Erratum in *Br Med J* **310**: 1056.)
- Cox DR (1972). Regression models and life tables. *J Royal Stat Soc B* **34**: 187–220.
- Cox DR (1984). Interaction (with discussion). *International Statistical Review* **52**: 1–31.
- Dawson B, Trapp RG (2004). *Basic & Clinical Biostatistics, 4th edition*. Lange Medical Books/McGraw-Hill.
- de Brún C, Pearce-Smith N (2014). Heneghan C, Pereira R, Badenoch D (eds.). *Searching Skills Toolkit: Finding the Evidence, 2nd edition*. BMJ Books.
- DerSimonian R, Laird N (1986). Meta-analysis in clinical trials. *Controlled Clinical Trials* **7**: 177–188.
- Diggle PJ, Heagerty P, Liang KY, Zeger SL (2002). *Analysis of Longitudinal Data, 2nd edition*. Oxford University Press.
- Drummond M (1994). *Economic Analysis alongside Controlled Trials. An Introduction for Clinical Researchers*. Department of Health (UK).
- Drummond MF, Sculpher MJ, Claxton K, Stoddart GL, Torrance GW (2015). *Methods for the Economic Evaluation of Health Care Programmes, 4th edition*. Oxford University Press.
- Dunn G, Everitt B (1995). *Clinical Biostatistics: An Introduction to Evidence-Based Medicine*. Hodder Education Publishers.
- Dwivedi AK, Dwivedi SN, Deo S, Shukla R, Koprass E (2010). Statistical models for predicting number of involved nodes in breast cancer patients. *Health (Irvine Calif.)* **2**: 641–651.
- Egger M, Davey Smith G, Altman DG (eds., 2001). *Systematic Reviews in Health Care: Meta-analysis in Context, 2nd edition*. BMJ Books.
- Egger M, Davey Smith G, Schneider M, Minder C (1997). Bias in meta-analysis detected by a simple, graphical test. *Br Med J* **315**: 629–634.
- Eldridge S, Kerry S (2012). *A Practical Guide to Cluster Randomised Trials in Health Services Research*. Wiley.
- Elliott P, Wartenberg D (2004). Spatial epidemiology: current approaches and future challenges. *Environ Health Perspect* **112**: 998–1006.
- Ellis PD (2010). *The Essential Guide to Effect Sizes: Statistical Power, Meta-analysis, and the Interpretation of Research Results*. Cambridge University Press.
- Everitt BS (2006). *Medical Statistics from A to Z: A Guide for Clinicians and Medical Students, 2nd edition*. Cambridge University Press.
- Everitt BS (2009). *Multivariable Modeling and Multivariate Analysis for the Behavioral Sciences*. Chapman & Hall/CRC Press.
- Everitt BS, Palmer CR (eds., 2011). *Encyclopaedic Companion to Medical Statistics, 2nd edition*. Wiley.
- Everitt BS, Skrondal A (2010). *The Cambridge Dictionary of Statistics, 4th edition*. Cambridge University Press.
- Evidence-Based Medicine Working Group (1992). Evidence-based medicine: a new approach to teaching the practice of medicine. *JAMA* **268**: 2420–2425.

- Fairfield Smith H (1957). Interpretation of adjusted treatment means and regressions in analysis of covariance. *Biometrics* **13**: 282–308.
- Feinstein AR, Walter SD, Horwitz RI (1986). An analysis of Berkson's bias in case-control studies. *J Chronic Dis* **39**: 495–504.
- Flanders WD, Boyle CA, Boring JR (1989). Bias associated with differential hospitalization rates in incident case-control studies. *J Clin Epidemiol* **42**: 395–401.
- Fleiss JL (1999). *Design and Analysis of Clinical Experiments*. Wiley.
- Freedman B (1987). Equipoise and the ethics of clinical research. *N Engl J Med* **317**: 141–145.
- Frost C, Thompson SG (2000). Correcting for regression dilution bias: comparison of methods for a single predictor variable. *J Royal Stat Soc A* **163**: 173–189.
- Galbraith RF (1988). A note on graphical presentation of estimated odds ratios from several clinical trials. *Stat Med* **7**: 889–849.
- Gardner W, Mulvey EP, Shaw EC (1995). Regression analyses of counts and rates: Poisson, overdispersed Poisson, and negative binomial models. *Psych Bull* **118**: 392–404.
- Ghosh M, Reid N, Fraser DAS (2010). Ancillary statistics: a review. *Statistica Sinica* **20**: 1309–1332.
- Goldstein H (2010). *Multilevel Statistical Models, 4th edition*. Wiley.
- Goodman S (2008). A dirty dozen: twelve p-value misconceptions. *Semin Hematol* **45**: 135–140. (Erratum in *Semin Hematol* 2011 **48**: 302.)
- Goodman SN (1993). P values, hypothesis tests, and likelihood: implications for epidemiology of a neglected historical debate. *Am J Epidemiol* **137**: 485–496; 497–501.
- Greenhalgh T (1997). How to read a paper: getting your bearings (deciding what the paper is about). *Br Med J* **315**: 243–246.
- Greenhalgh T (2014). *How to Read a Paper: The Basics of Evidence-based Medicine, 5th edition*. BMJ Books.
- Greenland S (2008). Bayesian interpretation and analysis of research results. *Semin Hematol* **45**: 141–149.
- Greenland S, Senn SJ, Rothman KJ, *et al.* (2016). Statistical tests, P values, confidence intervals, and power: a guide to misinterpretations. *Int J Epidemiol* **31**: 337–350.
- Grimes DA, Schulz KF (2002). Bias and causal associations in observational research. *Lancet* **359**: 248–252.
- Guyatt G, Rennie D, Meade MO, Cook DJ (2014). *User's Guides to the Medical Literature: A Manual for Evidence-based Clinical Practice, 3rd edition*. JAMA & Archives Journals, McGraw-Hill.
- Guyatt GH, Oxman AD, Vist GE, *et al.*, for the GRADE Working Group (2008). GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *Br Med J* **336**: 924–926.
- Guyatt GH, Sackett DL, Sinclair JC, Hayward R, Cook DJ, Cook RJ, for the Evidence-based Medicine Working Group (1995). Users' guides to the medical literature. IX. A method for grading health care recommendations. *JAMA* **274**: 1800–1804.
- Halligan S, Altman DG, Mallett S (2015). Disadvantages of using the area under the receiver operating characteristic curve to assess imaging tests: A discussion and proposal for an alternative approach. *Eur Radiol* **25**: 932–939.
- Hamilton LC (1990). *Modern Data Analysis. A First Course in Applied Statistics*. Brooks/Cole Publishing Company.
- Hamilton LC (1992). *Regression with Graphics. A Second Course in Applied Statistics*. Duxbury Press.
- Hamilton LC (2012). *Statistics with STATA version 12, 8th edition*. Brooks/Cole, Cengage Learning.

- Hanley JA, McNeil BJ (1982). The meaning and use of the area under a receiver operating characteristic (ROC) curve. *Radiology* **143**: 29–36.
- Hayes RJ (1988). Methods for assessing whether change depends on initial value. *Stat Med* **7**: 915–927.
- Haynes RB, Sackett DL, Guyatt GH, Tugwell P (eds., 2006). *Clinical Epidemiology: How to do Clinical Practice Research, 3rd edition*. Lippincott Williams & Wilkins.
- Heneghan C, Badenoch D (2006). *Evidence-based Medicine Toolkit, 2nd edition*. BMJ Books.
- Hennekens CH, Buring JE, Mayrent SL (eds., 1987). *Epidemiology in Medicine*. Lippincott Williams & Wilkins.
- Hernán MA, Clayton D, Keiding N (2011). The Simpson's paradox unravelled. *Int J Epidemiol* **40**: 780–785.
- Higgins JPT, Altman DG, Gøtzsche PC, et al., Cochrane Bias Methods Group, Cochrane Statistical Methods Group (2011). The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. *Br Med J* **343**: d5928.
- Higgins JPT, Green S (eds., 2008). *Cochrane Handbook for Systematic Reviews of Interventions*. Wiley.
- Higgins JPT, Thompson SG, Deeks JJ, Altman DG (2003). Measuring inconsistency in meta-analyses. *Br Med J* **327**: 557–560.
- Higgins JPT, Thompson SG, Spiegelhalter DJ (2009). A re-evaluation of random-effects meta-analysis. *J Royal Stat Soc A* **172**: 137–159.
- Hills M (1974). *Statistics for Comparative Studies*. Chapman & Hall.
- Hosmer DW, Lemeshow S, May S (2008). *Applied Survival Analysis: Regression Modelling of Time to Event Data, 2nd edition*. Wiley.
- Hosmer DW, Lemeshow S, May S (2008). *Applied Survival Analysis: Regression Modelling of Time-to-Event Data, 2nd edition*. Wiley.
- Hosmer DW, Lemeshow S, Sturdivant RX (2013). *Applied Logistic Regression, 3rd edition*. Wiley.
- Huitema BE (2011). *The Analysis of Covariance and Alternatives: Statistical Methods for Experiments, Quasi-experiments, and Single-case Studies, 2nd edition*. Wiley.
- Hutton JL (2000). Number needed to treat: properties and problems. *J Royal Stat Soc A* **163**: 403–419.
- Jüni P, Altman DG, Egger M (2001). Assessing the quality of controlled clinical trials. *Br Med J* **323**: 42–46.
- Kirkwood BR, Sterne JA (2003). *Essential Medical Statistics, 2nd edition*. Blackwell.
- Knaus WA, Draper EA, Wagner DP, Zimmerman JE (1985). APACHE II: a severity of disease classification system. *Crit Care Med* **13**: 818–829.
- Knaus WA, Wagner DP, Draper EA, et al. (1991). The APACHE III prognostic system. Risk prediction of hospital mortality for critically ill hospitalized adults. *Chest* **100**: 1619–1636.
- L'Abbé KA, Detsky AS, O'Rourke K (1987). Meta-analysis in clinical research. *Ann Intern Med* **107**: 224–233.
- Last JM (ed., 2001). *A Dictionary of Epidemiology, 4th edition*. Oxford University Press.
- Lau J, Ioannidis JPA, Terrin N, Schmid CH, Olkin I (2006). The case of the misleading funnel plot. *Br Med J* **333**: 597–600.
- Levy PS, Lemeshow S (2009). *Sampling of Populations: Methods and Applications, 4th edition*. Wiley.
- Liang KY, Zeger SL (1986). Longitudinal data analysis using generalized linear models. *Biometrika* **72**: 13–22.
- Liberati A, Altman DG, Tetzlaff J, et al. (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS Med* **6**: e1000100.

- Machin D, Campbell MJ (2005). *Design of Studies for Medical Research*. Wiley.
- Machin D, Campbell MJ, Tan SB, Tan SH (2009). *Sample Size Tables for Clinical Studies, 3rd edition*. Wiley-Blackwell.
- Mallett S, Halligan S, Thompson M, Collins GS, Altman DG (2012). Interpreting diagnostic accuracy studies for patient care. *Br Med J* **345**: e3999.
- Matthews JN, Altman DG, Campbell MJ, Royston P (1990). Analysis of serial measurements in medical research. *Br Med J* **300**: 230–235.
- Michels KB, Rothman KJ (2003). Update on unethical use of placebos in randomized trials. *Bioethics* **17**: 188–204.
- Miettinen O (1976). Estimability and estimation in case-referent studies. *Am J Epidemiol* **103**: 226–235.
- Mitchell MN (2012a). *A Visual Guide to Stata Graphics, 3rd edition*. Stata Press.
- Mitchell MN (2012b). *Interpreting and Visualizing Regression Models using Stata*. Stata Press.
- Moher D, Cook DJ, Eastwood S, Olkin I, Rennie D, Stroup DF (1999). Improving the quality of reports of meta-analyses of randomised controlled trials: the QUOROM statement. Quality of Reporting of Meta-analyses. *Lancet* **354**: 1896–1900.
- Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med* **6**: e1000097.
- Moher D, Schulz KF, Altman D (2001). The CONSORT statement: revised recommendations for improving the quality of reports of parallel-group randomized trials. *JAMA* **285**: 1987–1991.
- Moons KGM, Royston P, Vergouwe Y, Grobbee DE, Altman DG (2009). Prognosis and prognostic research: what, why, and how? *Br Med J* **338**: b375.
- Mosteller F, Tukey JW (1977). *Data Analysis and Regression: A Second Course in Statistics*. Addison-Wesley.
- Moyé LA, Tita ATN (2002). Defending the rationale for the two-tailed test in clinical research. *Circulation* **105**: 3062–3065.
- Muscattello DJ, Searles A, Macdonald R, Jorm L (2006). Communicating population health statistics through graphs: a randomised controlled trial of graph design interventions. *BMC Medicine* **4**: 33.
- Naggara O, Raymond J, Guilbert F, Roy D, Weill A, Altman DG (2011). Analysis by categorizing or dichotomizing continuous variables is inadvisable: an example from the natural history of unruptured aneurysms. *AJNR Am J Neuroradiol* **32**: 437–440.
- Oldham PD (1962). A note on the analysis of repeated measurements of the same subjects. *J Chronic Dis* **15**: 969–977.
- Olejnik S, Algina J (2003). Generalized eta and omega squared statistics: measures of effect size for some common research designs. *Psych methods* **8**: 434–447.
- Peto R, Pike MC, Armitage P, et al. (1976). Design and analysis of randomized clinical trials requiring prolonged observation of each patient. Part I: Introduction and design. *Br J Cancer* **34**: 585–612.
- Peto R, Pike MC, Armitage P, et al. (1977). Design and analysis of randomized clinical trials requiring prolonged observation of each patient. Part II: Analysis and examples. *Br J Cancer* **35**: 1–39.
- Piaggio G, Elbourne DR, Altman DG, Pocock SJ, Evans SJW (2006). Reporting of noninferiority and equivalence randomized trials: an extension of the CONSORT statement. *JAMA* **295**: 1152–1160.
- Pocock SJ (1983). *Clinical Trials: A Practical Approach*. Wiley.

- Pocock SJ (2006). The simplest statistical test: how to check for a difference between treatments. *Br Med J* **332**: 1256–1258.
- Pocock SJ, Assmann SE, Enos LE, Kasten LE (2002). Subgroup analysis, covariate adjustment and baseline comparisons in clinical trial reporting: current practice and problems. *Stat Med* **21**: 2917–2930.
- Porta M (ed., 2014), Greenland S, Hernán M, dos Santos Silva I, Last JM (associate eds.), Burón A (assistant ed.). *A Dictionary of Epidemiology, 6th edition*. Oxford University Press.
- Rabe-Hesketh S, Skrondal A (2012). *Multilevel and Longitudinal Modeling using Stata, volumes I and II, 3rd edition*. Stata Press.
- Riley RD, Higgins JPT, Deeks JJ (2011). Interpretation of random effects meta-analyses. *Br Med J* **342**: d549.
- Rothman KJ (1974). Synergy and antagonism in cause–effect relationships. *Am J Epidemiol* **99**: 385–388.
- Rothman KJ (1986). *Modern Epidemiology*. Little, Brown & Co.
- Rothman KJ (2012). *Epidemiology: An Introduction, 2nd edition*. Oxford University Press.
- Rothman KJ, Greenland S (eds., 1998). *Modern Epidemiology, 2nd edition*. Lippincott Williams & Wilkins.
- Rothman KJ, Greenland S, Lash TL (eds., 2012). *Modern Epidemiology, revised 3rd edition*. Lippincott Williams & Wilkins.
- Rothman KJ, Michels KB (1994). The continuing unethical use of placebo controls. *N Engl J Med* **331**: 394–398.
- Royston P, Altman DG (1994). Regression using fractional polynomials of continuous covariates: parsimonious parametric modelling. *Appl Stat* **43**: 429–467.
- Royston P, Altman DG, Sauerbrei W (2005). Dichotomizing continuous predictors in multiple regression: a bad idea. *Stat Med* **25**: 127–141.
- Royston P, Ambler G, Sauerbrei W (1999). The use of fractional polynomials to model continuous risk factors in epidemiology. *Int J Epidemiol* **28**: 964–974.
- Royston P, Moons KGM, Altman DG, Vergouwe Y (2009). Prognosis and prognostic research: developing a prognostic model. *Br Med J* **338**: b604.
- Sackett D (1979). Bias in analytical research. *J Chron Dis* **32**: 51–63.
- Schlesselman JJ (1982). *Case–control Studies: Design, Conduct, Analysis*. Oxford University Press.
- Schulz KF (2000). Assessing allocation concealment and blinding in randomized controlled trials: why bother? *ACP J Club* **132**: A11–A13.
- Schulz KF, Grimes DA (2002a). Generation of allocation sequences in randomised trials: chance, not choice. *Lancet* **359**: 515–519.
- Schulz KF, Grimes DA (2002b). Allocation concealment in randomised trials: defending against deciphering. *Lancet* **359**: 614–618.
- Sedgwick P (2013). What is the number needed to treat? *Br Med J* **347**: f4605.
- Senn S (2011). Francis Galton and regression to the mean. *Significance* **8**: 124–126.
- Senn SJ (1995). In defence of analysis of covariance: a reply to Chambless and Roebuck (letter; comment). *Stat Med* **14**: 2283–2285.
- Senn SJ (2002). *Cross-over Trials in Clinical Research, 2nd edition*. Wiley.
- Senn SJ (2006). Change from baseline and analysis of covariance revisited. *Stat Med* **25**: 4334–4344.
- Senn SJ (2008). *Statistical Issues in Drug Development, 2nd edition*. Wiley.
- Siler W (1979). A competing-risk model for animal mortality. *Ecology* **60**: 750–757.

- Simera I, Moher D, Hoey J, Schulz KF, Altman DG (2010). A catalogue of reporting guidelines for health research. *Eur J Clin Invest* **40**: 35–53.
- Singer JD, Willett JB (2003). *Applied Longitudinal Data Analysis: Modelling Change and Event Occurrence*. Oxford University Press.
- Skrondal A, Rabe-Hesketh S (2004). *Generalized Latent Variable Modelling: Multilevel, Longitudinal, and Structural Equation Models*. Chapman & Hall/CRC Press.
- Smith PG, Morrow RH (eds., 1991). *Methods for Field Trials of Interventions against Tropical Diseases: a Toolbox*. Oxford University Press.
- Snoep JD, Morabia A, Hernández-Díaz S, Hernán MA, Vandembroucke JP (2014). A structural approach to Berkson's fallacy and a guide to a history of opinions about it. *Int J Epidemiol* **43**: 515–521.
- Spiegelhalter DJ, Abrams KR, Myles JP (2004). *Bayesian Approaches to Clinical Trials and Health-Care Evaluation*. Wiley.
- Stata Online Manual @ www.stata.com. StataCorp.
- Sterne JAC, Sutton AJ, Ioannidis JPA, *et al.* (2011). Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised control trials. *Br Med J* **343**: d4002.
- Straus SE, Richardson WS, Glasziou P, Haynes RB (2010). *Evidence-based Medicine: How to Practice and Teach It, 4th edition*. Churchill Livingstone.
- Teasdale G, Jennett B (1974). Assessment of coma and impaired consciousness. A practical scale. *Lancet* **2**: 81–84.
- Thompson SG (1994). Systematic reviews: why sources of heterogeneity should be investigated. *Br Med J* **309**: 1351–1355.
- Thompson SG, Barber JA (2000). How should cost data in pragmatic randomised trials be analysed? *Br Med J* **320**: 1197–1200.
- Thompson SG, Higgins JPT (2002). How should meta-regression analyses be undertaken and interpreted? *Stat Med* **21**: 1559–1574.
- Thompson SG, Smith TC, Sharp SJ (1997). Investigating underlying risk as a source of heterogeneity in meta-analysis. *Stat Med* **16**: 2741–2758.
- Tukey JW (1977). *Exploratory Data Analysis*. Addison-Wesley.
- Turner L, Boutron I, Hróbjartsson A, Altman DG, Moher D (2013). The evolution of assessing bias in Cochrane systematic reviews of interventions: celebrating methodological contributions of the Cochrane Collaboration. *Systematic Reviews* **2**: 79.
- Vandembroucke JP, von Elm E, Altman DG, *et al.*; STROBE Initiative (2007). Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): explanation and elaboration. *PLoS Med* **4**: e297.
- Vickers AJ (2001). The use of percentage change from baseline as an outcome in a controlled trial is statistically inefficient: a simulation study. *BMC Med Res Methodol* **1**: 1–6.
- Vickers AJ, Altman DG (2001). Analysing controlled trials with baseline and follow up measurements. *Br Med J* **323**: 1123–1124.
- Vincent JL, Moreno R (2010). Clinical review: Scoring systems in the critically ill. *Critical Care* **14**: 207.
- von Elm E, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandembroucke JP; STROBE Initiative (2007). The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies. *PLoS Med* **4**: e296.

- Wald NJ (2004). *The Epidemiological Approach: An Introduction to Epidemiology in Medicine, 4th edition*. Wolfson Institute of Preventive Medicine & The Royal Society of Medicine Press.
- Wald NJ, Hackshaw AK, Frost CD (1999). When can a risk factor be used as a worthwhile screening test? *Br Med J* **319**: 1562–1565.
- Waller PC, Evans SJW (2003). A model for the future conduct of pharmacovigilance. *Pharmacoepidemiol Drug Saf* **12**: 17–19.
- Wilson PW, D'Agostino RB, Levy D, Belanger AM, Silbershatz H, Kannel WB (1998). Prediction of coronary heart disease using risk factor categories. *Circulation* **97**: 1837–1847.
- Zelen M (1979). A new design for randomized clinical trials. *N Engl J Med* **300**: 1242–1245.

Illustrative examples

- (2005) Affluence and the worldwide distribution of cardiovascular disease risks. *PLoS Med* **2**: e148.
- Adam I, Ahmed S, Mahmoud MH, Yassin MI (2002). Comparison of HemoCue® hemoglobin-meter and automated hematology analyser in measurement of hemoglobin levels in pregnant women at Khartoum hospital, Sudan. *Diagn Pathol* **7**: 30.
- Almohmeed Y, Avenell A, Aucott L, Vickers MA (2013). Systematic review and meta-analysis of the sero-epidemiological association between Epstein Barr virus and multiple sclerosis. *PLoS One* **8**: e61110.
- Argos M, Rathouz PJ, Pierce BL, *et al.* (2010). Dietary B vitamin intakes and urinary total arsenic concentration in the Health Effects of Arsenic Longitudinal Study (HEALS) cohort, Bangladesh. *Eur J Nutr* **49**: 473–481.
- Bax L, Ikeda N, Fukui N, Yaju Y, Tsuruta H, Moons KG (2009). More than numbers: the power of graphs in meta-analysis. *Am J Epidemiol* **169**: 249–255.
- Binnian W, Blount BC, Xia B, Wang L (2016). Assessing exposure to tobacco-specific carcinogenic NNK using its urinary metabolite NNAL measured in US population: 2011–2012. *J Expo Sci Environ Epidemiol* **26**: 249–256.
- Brenner DR, McLaughlin JR, Hung RJ (2011). Previous lung diseases and lung cancer risk: A systematic review and meta-analysis. *PLoS One* **6**: e17479.
- Caraguel CGB, Vanderstichel R (2013). The two-step Fagan's nomogram: *ad hoc* interpretation of a diagnostic test result without calculation. *Evid Based Med* **18**: 125–128.
- Cesaroni G, Forastiere F, Stafoggia M, *et al.* (2014). Long term exposure to ambient air pollution and incidence of acute coronary events: prospective cohort study and meta-analysis in 11 European cohorts from the ESCAPE Project. *Br Med J* **348**: f7412.
- Chan WK, Redelmeier DA (2012). Simpson's paradox and the association between vitamin D deficiency and increased heart disease. *Am J Cardiol* **110**: 143–144.
- Chatellier G, Zapletal E, Lemaitre D, Menard J, Degoulet P (1996). The number needed to treat: a clinically useful nomogram in its proper context. *Br Med J* **312**: 426–429, 563.
- Chaturvedi N, Jarrett J, Morrish N, Keen H, Fuller JH (1996). Differences in mortality and morbidity in African Caribbean and European people with non-insulin dependent diabetes mellitus: results of a 20 year follow up of a London cohort of a multinational study. *Br Med J* **313**: 848–852.
- Cox SE, Makani J, Newton CR, Prentice AM, Kirkham FJ (eds. Lavelle D, Lawrie CH, Liang D-C, 2013). Hematological and genetic predictors of daytime hemoglobin saturation in Tanzanian children with and without sickle cell anemia. *ISRN Hematol* **2013**: 472909.

- Das M, Ghose M, Borah NC, Choudhury N (2010). A community based study of the relationship between homocysteine and some of the life style factors. *Indian J Clin Biochem* **25**: 295–301.
- Davey Smith G, Song F, Sheldon TA (1993). Cholesterol lowering and mortality: the importance of considering initial level of risk. *Br Med J* **306**: 1367–1373.
- di Castelnuovo A, Costanzo S, Bagnardi V, Donati MB, Iacoviello L, de Gaetano G (2006). Alcohol dosing and total mortality in men and women. An updated meta-analysis of 34 prospective studies. *Arch Intern Med* **166**: 2437–2445.
- Doll R, Peto R, Wheatley K, Gray R, Sutherland I (1994). Mortality in relation to smoking: 40 years' observations on male British doctors. *Br Med J* **309**: 901–911.
- Drummond GB, Vowler SL (2011). Show the data, don't conceal them. *Br J Pharmacol* **163**: 208–210.
- Engelman M, Caswell H, Agree EM (2014). Why do lifespan variability trends for the young and old diverge? A perturbation analysis. *Demogr Res* **30**: 1367–1396.
- Ermers MJJ, Rovers MM, van Woensel JB, Kimpen JL, Bont LJ; on behalf of the RSV Corticosteroid Study Group (2009). The effect of high dose inhaled corticosteroids on wheeze in infants after respiratory syncytial virus infection: randomised double blind placebo controlled trial. *Br Med J* **338**: b897.
- Fagan TJ (1975). Nomogram from Bayes' theorem. *N Engl J Med* **293**: 257.
- Findley I, Chamberlain G (1999). ABC of labour care: Relief of pain. *Br Med J* **318**: 927.
- Gore S, Altman D (eds., 1982). *Statistics in Practice*. BMJ Publishing.
- Hackshaw AK, Law MR, Wald NJ (1997). The accumulated evidence on lung cancer and environmental tobacco smoke. *Br Med J* **315**: 980.
- Hemming K, Haines TP, Chilton PJ, Girling AJ, Lilford RJ (2015). The stepped wedge cluster randomized trial: rationale, design, analysis, and reporting. *Br Med J* **350**: h391.
- Huang F, Zhou S, Zhang S, Wang H, Tang L (2011). Temporal correlation analysis between malaria and meteorological factors in Motuo County, Tibet. *Malar J* **10**: 54.
- Ishinaga M, Ueda A, Mochizuki T, Sugiyama S, Kobayashi T (2005). Cholesterol intake is associated with lecithin intake in Japanese people. *J Nutr* **135**: 1451–1455.
- ISIS Collaborative Group (1988). Randomized trial of streptokinase, oral aspirin, both, or neither among 17,187 cases of suspected acute myocardial infarction: ISIS-2. *Lancet* **332**: 349–360.
- Joseph DV, Jackson JA, Westaway J, Taub NA, Petersen SA, Wailoo MP (2007). Effect of parental smoking on cotinine levels in newborns. *Arch Dis Child Fetal Neonatal Ed* **92**: F484–F488.
- Julious SA, Mullee MA (1994). Confounding and Simpson's paradox. *Br Med J* **309**: 1480–1481.
- Kahigwa E, Schellenberg D, Sanz S, *et al.* (2002). Risk factors for presentation to hospital with severe anaemia in Tanzanian children: a case-control study. *Trop Med Int Health* **7**: 823–830.
- Lawn JE, Cousens S, Zupan J (2005). Neonatal Survival 1: 4 million neonatal deaths: When? Where? Why? *Lancet* **365**: 891–900.
- Leclercq PD, Murray LS, Smith C, Graham DI, Nicoll JAR, Gentleman SM (2005). Cerebral amyloid angiopathy in traumatic brain injury: association with apolipoprotein E genotype. *J Neurol Neurosurg Psychiatry* **76**: 229–233.
- Lowe AJ, Carlin JB, Bennett CM, *et al.* (2010). Paracetamol use in early life and asthma: prospective birth cohort study. *Br Med J* **341**: c4616.

- Lucas A, Morley R, Cole TJ (1998). Randomised trial of early diet in preterm babies and later intelligence quotient. *Br Med J* **317**: 1481–1487.
- Maclean H, Dhillon B (1993). Pupil cycle time and human immunodeficiency virus (HIV) infection. *Eye* **7**: 785–786.
- Maeda SS, Saraiva GL, Hayashi LF, *et al.* (2013). Seasonal variation in the serum 25-hydroxyvitamin D levels of young and elderly active and inactive adults in São Paulo, Brazil – The São Paulo Vitamin D Evaluation Study (SPADES). *Dermatoendocrinol* **5**: 211–217.
- Martens E, Sinner MF, Siebermair J, *et al.* (2014). Incidence of sudden cardiac death in Germany: results from an emergency medical service registry in Lower Saxony. *Europace* **16**: 1752–1758.
- Midlöv P, Calling S, Memon AA, Sundquist J, Sundquist K, Johansson S-E (2016). Women's health in the Lund area (WHILA) – Alcohol consumption and all-cause mortality among women – a 17-year follow-up study. *BMC Public Health* **16**: 22.
- Mitchell P, Jakubowski J (1999). Risk analysis of treatment of unruptured aneurysms. *J Neurol Neurosurg Psychiatry* **68**: 577–580.
- Morioka TY, Lee AJ, Bertisch S, Buettner C (2015). Vitamin D status modifies the association between statin use and musculoskeletal pain: A population based study. *Atherosclerosis* **238**: 77–82.
- Mould RF, Hearnden T, Palmer M, White GC (1976). Distribution of survival times of 12,000 head and neck cancer patients who died with their disease. *Br J Cancer* **34**: 180–190.
- National Center for Health Statistics. Health, United States, 2008 With Chartbook. Hyattsville, MD: 2009.
- Nijman RG, Thompson M, van Veen M, Perera R, Moll HA, Oostenbrink R (2012). Derivation and validation of age and temperature specific reference values and centile charts to predict lower respiratory tract infection in children with fever: prospective observational study. *Br Med J* **345**: e4224.
- Ostovar A, Haghdoost AA, Rahimiforoushani A, Raeisi A, Majdzadeh R (2016). Time series analysis of meteorological factors influencing malaria in south eastern Iran. *J Arthropod Borne Dis* **10**: 222–236.
- Owen CG, Whincup PH, Cook DG (2005). Are early life factors responsible for international differences in adult blood pressure? An ecological study. *Int J Epidemiol* **34**: 649–654.
- Patel KV (2008). Epidemiology of anemia in older adults. *Semin hematol* **45**: 210–217.
- Pérez Gutthann S, Garcia Rodriguez LA, Castellsague J, Duque Oliart A (1997). Hormone replacement therapy and risk of venous thromboembolism: population based case-control study. *Br Med J* **314**: 796–800.
- Perucchini D, Fischer U, Spinass GA, Huch R, Huch A, Lehmann R (1999). Using fasting plasma glucose concentrations to screen for gestational diabetes mellitus: prospective population based study. *Br Med J* **319**: 812–815.
- Pukrittayakamee S, Prakongpan S, Wanwimolruk S, Clemens R, Looareesuwan S, White NJ (2003). Adverse effect of rifampin on quinine efficacy in uncomplicated falciparum malaria. *Antimicrob Agents Chemother* **47**: 1509–1513.
- Radwan G, Hecht SS, Carmella SG, Loffredo CA (2013). Tobacco-specific nitrosamine exposure in smokers and nonsmokers exposed to cigarette or waterpipe tobacco smoke. *Nicotine Tob Res* **15**: 130–138.
- Roberts M, Alexander F, Anderson T, *et al.* (1984). The Edinburgh randomised trial of screening for breast cancer: description of method. *Br J Cancer* **50**: 1–6.

- Royston P, Ambler G, Sauerbrei W (1999). The use of fractional polynomials to model continuous risk factors in epidemiology. *Int J Epidemiol* **28**: 964–974.
- Scherpbier-de Haan N, van der Wel M, Schoenmakers G, *et al.* (2011). Thirty-minute compared to standardized office blood pressure measurement in general practice. *Br J Gen Pract* **61**: e590–e597.
- Sempos CT, Durazo-Arvizu RA, Dawson-Hughes B, *et al.* (2013). Is there a reverse J-shaped association between 25-hydroxyvitamin D and all-cause mortality? Results from the U.S. nationally representative NHANES. *J Clin Endocrinol Metab* **98**: 3001–3009.
- Shah RC, Buchman AS, Wilson RS, Leurgans SE, Bennett DA (2011). Hemoglobin level in older persons and incident Alzheimer disease. *Neurology* **77**: 219–226.
- Sheikh A, Saeed Z, Jafri SAD, Yazdani I, Hussain SA (ed. Burdmann EA, 2012). Vitamin D levels in asymptomatic adults – a population survey in Karachi, Pakistan. *PLoS One* **7**: e33452.
- Shroff R, Egerton M, Bridel M, *et al.* (2008). A bimodal association of vitamin D levels and vascular disease in children on dialysis. *J Am Soc Nephrol* **19**: 1239–1246.
- Sodemann M, Nielsen J, Veirum J, Jakobsen MS, Biai S, Aaby P (2008). Hypothermia of newborns is associated with excess mortality in the first 2 months of life in Guinea-Bissau, West Africa. *Trop Med Int Health* **13**: 980–986.
- Stanner SA, Bulmer K, Andrès C, *et al.* (1997). Does malnutrition in utero determine diabetes and coronary heart disease in adulthood? Results from the Leningrad siege study, a cross-sectional study. *Br Med J* **315**: 1342.
- Straus SE, Richardson WS, Glasziou P, Haynes RB (2010). *Evidence-based Medicine: How to Practice and Teach It*, 4th edition. Churchill Livingstone.
- Sumner DJ, Meredith PA, Howie CA, Elliot HL (1988). Initial blood pressure as a predictor of the response to antihypertensive therapy. *Br J Clin Pharmacol* **26**: 715–720.
- Sureda X, Martínez-Sánchez JM, Fu M, *et al.* (ed. Behrens T, 2014). Impact of the Spanish smoke-free legislation on adult, non-smoker exposure to secondhand smoke: cross-sectional surveys before (2004) and after (2012) legislation. *PLoS One* **9**: e89430.
- Tait R, Voepel-Lewis T, Brennan-Martinez C, McGonegal M, Levine R (2012). Using animated computer-generated text and graphics to depict the risks and benefits of medical treatments. *Am J Med* **125**: 1103–1110.
- Taylor G, McNeill A, Girling A, Farley A, Lindson-Hawley N, Aveyard P (2014). Change in mental health after smoking cessation: systematic review and meta-analysis. *Br Med J* **348**: g1151.
- The Gambia Hepatitis Study Group (1987). The Gambia Hepatitis Intervention Study. *Cancer Res* **47**: 5782–5787.
- van Crevel H, Habbema J, Braakman R (1986). Decision analysis of the management of incidental intracranial saccular aneurysms. *Neurology* **36**: 1335–1339.
- van der Mei J, Volmer M, Boersma ER (2000). Growth and survival of low birthweight infants from 0 to 9 years in a rural area of Ghana. Comparison of moderately low (1501–2000g) and very low birthweight (1000–1500g) infants and a local reference population. *Trop Med Int Health* **5**: 571–577.
- Vespa J, Watson F (1995). Who is nutritionally vulnerable in Bosnia-Herzegovina? *Br Med J* **311**: 652–654.
- Vickers AJ, Altman DG (2001). Analysing controlled trials with baseline and follow up measurements. *Br Med J* **323**: 1123–1124.

- Vincze B, Kapuvári B, Udvarhelyi N, *et al.* (2015). Serum estrone concentration, estrone sulphate/estrone ratio and BMI are associated with human epidermal growth factor receptor 2 and progesterone receptor status in primary postmenopausal breast cancer patients suffering invasive ductal carcinoma. *SpringerPlus* **4**: 387–397.
- Wald NJ (2004). *The Epidemiological Approach: An Introduction to Epidemiology in Medicine, 4th edition*. Wolfson Institute of Preventive Medicine & The Royal Society of Medicine Press.
- Weinshenker B, Penman M, Bass B, Ebers G, Rice G (1992). A double-blind, randomized crossover trial of pemoline in fatigue associated with multiple sclerosis. *Neurology* **42**: 1468–1471.
- Wilson IB, Landon BE, Marsden PV, *et al.* (2007). Correlations among measures of quality in HIV care in the United States: cross sectional study. *Br J Med* **335**: 1085–1091.
- Wu SH, Ho SC, Lam TP, Woo J, Yuen PY, Qin L, Ku S (2013). Development and validation of a lifetime exposure questionnaire for use among Chinese populations. *Sci Rep* **3**: 2793.

Other dictionaries of medical statistics, epidemiology and research methodology

- Armitage P, Colton T (eds., 2005). *Encyclopedia of Biostatistics, 2nd edition*. Wiley.
- Bégaud B (2000). *Dictionary of Pharmacoepidemiology*. Wiley.
- Day S (2007). *Dictionary for Clinical Trials, 2nd edition*. Wiley.
- Dodge Y (ed., 2003). *The Oxford Dictionary of Statistical Terms, 6th edition*. Oxford University Press.
- Everitt BS (2006). *Medical Statistics from A to Z: A Guide for Clinicians and Medical Students, 2nd edition*. Cambridge University Press.
- Everitt BS, Palmer CR (eds., 2011). *Encyclopaedic Companion to Medical Statistics, 2nd edition*. Wiley.
- Everitt BS, Skrondal A (2010). *The Cambridge Dictionary of Statistics, 4th edition*. Cambridge University Press.
- Gail MH, Benichou J (eds.), Armitage P, Colton T (series eds.) (2000). *Encyclopedia of Epidemiologic Methods*. Wiley.
- Indrayan A, Holt MP (2016). *Concise Encyclopedia of Biostatistics for Medical Professionals*. Chapman & Hall/CRC Press.
- Li Wan Po A (1998). *Dictionary of Evidence-based Medicine*. Radcliffe Medical Press.
- Marriott FHC (1990). *Dictionary of Statistical Terms, 5th revised edition*. Longman Scientific.
- Meinert CL (2012). *Clinical Trials Dictionary: Terminology and Usage Recommendations, 2nd edition*. Wiley.
- Porta M (ed., 2014), Greenland S, Hernán M, dos Santos Silva I, Last JM (associate eds.), Burón A (assistant ed.). *A Dictionary of Epidemiology, 6th edition*. Oxford University Press.
- Upton G, Cook I (2014). *A Dictionary of Statistics, 3rd edition*. Oxford University Press.
- Vogt WP, Johnson RB (2015). *The Sage Dictionary of Statistics & Methodology: A Nontechnical Guide for the Social Sciences, 5th edition*. Sage Publications.

Further reading

- BMJ Statistical Notes series. *Br Med J*. (<http://www-users.york.ac.uk/~mb55/pubs/pbstnote.htm>)
- Perera R, Heneghan C, Badenoch D (2008). *Statistics Toolkit*. BMJ Books.



Links and websites

- Cochrane Handbook for Systematic Reviews of Interventions:
http://handbook.cochrane.org/front_page.htm
- Confidence Interval Analysis software (Statistics with Confidence):
<http://www.som.soton.ac.uk/research/sites/cia/>
- CONSORT statement:
<http://www.consort-statement.org/>
- Critical Appraisal Skills Programme (CASP):
<http://www.casp-uk.net/>
- EQUATOR Network:
<http://www.equator-network.org/>
- GLLAMM (Generalized Linear Latent and Mixed Models) Stata programs and other resources:
<http://www.gllamm.org/>
- GRADE approach (to grading evidence for clinical guidelines):
<http://www.gradeworkinggroup.org/>
- MedCalc Statistical Software:
<https://www.medcalc.org/> (MedCalc version 16.8.4)
- Missing data website at the London School of Hygiene and Tropical Medicine:
<http://www.missingdata.org.uk/>
- PRISMA statement:
<http://www.prisma-statement.org/>
- STARD statement:
<http://www.stard-statement.org/>
- Stata Online Manual:
<http://www.stata.com/features/documentation/>
- STROBE statement:
<http://www.strobe-statement.org/>
- TRIPOD statement:
<http://www.tripod-statement.org/>
- The WHO Multicentre Growth Reference Study (MGRS):
<http://www.who.int/childgrowth/mgrs/en/>