

## 1. Předoperační vyšetření

Doporučený postup ČSARIM „Předoperační vyšetření“ [online]. Dostupný na: <http://www.csarim.cz/Text/metodicke-pokyny-a-stanoviska-csarim-1?MenuItemId=38>.

## 2. Premedikace

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005. 2 vols., p. 3376.

## 3. Perioperační chronická medikace

AITKENHEAD AR, MOPPETT I, THOMPSON JP. *Textbook of anaesthesia*. 6<sup>th</sup> ed. (expert online). Edinburgh: Churchill Livingstone, 2013, p. 928.

CORIAT P. Management of cardiovascular drugs before, during and after non-cardiac surgery. *WCA 2004 abstract CD*, Paris 2004.

HOLLEVOET I, HERREGODS S, VEREECKE H, VANDERMEULEN E, HERREGODS L. Medication in the perioperative period: stop or continue? A review. *Acta Anaesthesiologica Belgica*, 2011; 62: p. 193–201.

MICHÁLEK P, STERN M, ŠTÁDLER P. *Anestezie a pooperační péče v cévní chirurgii*. Praha: Galén, 2012, 443 s.

POLDERMANS D. Statins and noncardiac surgery: current evidence and practical considerations. *Cleve Clin J Med*, 2009; 76: S79–S83.

ROSENMAN DJ, MCDONALD FS, EBBERT JO et al. Clinical consequences of withholding versus administering renin-angiotensin-aldosterone system antagonists in the preoperative period. *J Hosp Med*, 2008; 3: p. 319–325.

## 4. Perioperační příjem potravy a tekutin

HAUSEL J, NYGREN J, LAGERKRANSER M, HELSTROM PM, HAMMARQUIST F, ALMSTROM C et al. A carbohydrate-rich drink reduces preoperative discomfort in elective surgery patients. *Anaesth Analg*, 2001; 93: p. 1344–1350.

LJUNGQUIST O, SORIEDE E. Preoperative fasting. *Br J Surg*, 2003; Apr; 90(4): p. 400–406.

WEIMANN A, BRAGA M, HARSANYI L, LAVIANO A, LJUNGQUIST O, SOETERS P et al. ESPEN guidelines on enteral nutrition: surgery including organ transplantation. *Clin Nutr*, 2006; 25: p. 224–244.

## 5. Prevence infekční endokarditidy

WILSON W, TAUBERT KA, GEWITZ M, LOCKHART PB, BADDOUR LM, LEVISON M, BOLGER A, CABELL CH, TAKAHASHI M, BALTIMORE RS, NEWBURGER JW, STROM BL, TANI LY, GERBER M, BONOW RO, PALLASCH T, SHULMAN ST, ROWLEY AH, BURNS JC, FERRIERI P, GARDNER T, GOFF D, DURACK DT; AMERICAN HEART ASSOCIATION. Prevention of infective endocarditis: guidelines

from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *J Am Dent Assoc.*, 2008 Jan; 139 Suppl: 3S–24S.

HABIB G, HOEN B, TORNOS P, THUNY F, PRENDERGAST B, VILACOSTA I, MOREILLON P, ANTUNES M, THILEN U, LEKAKIS J, LENGYEL M, MULLER L, NABER CHK, NIHOYANNOPOULOS P, MORITZ A, ZAMORANO JL. Guidelines on the prevention, diagnosis, and treatment of infective endocarditis (new version 2009). The Task Force on the Prevention, Diagnosis, and Treatment of Infective Endocarditis of the European Society of Cardiology (ESC) Endorsed by the European Society of Clinical Microbiology and Infectious Diseases (ESCMID) and by the International Society of Chemotherapy (ISC) for Infection and Cancer. *Eur Heart J*, 2009; 30: p. 2369–2413.

## 6. Antiagregační a antikoagulační terapie v průběhu chirurgického výkonu

FLEISHER LA et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery. *JACC*, 2007; 50(17): p. 159–242.

NEWSOME LT, KUTCHER MA, ROYSTER RL. Coronary artery stents: Part I. Evolution of percutaneous coronary intervention. *Anesth Analg*, 2008; 107: p. 552–562.

NEWSOME LT, WELLER RS, GERANCHER JC, KUTCHER MA, ROYSTER RL. Coronary artery stents: II. Perioperative consideration and management. *Anesth Analg*, 2008; 107: p. 570–590.

## 7. Antikoagulační a antiagregační terapie a regionální anestezie

DOUKETIS JD, BERGER PB, DUNN AS, JAFFER AK, SPYROPOULOS AC, BECKER RC, ANSELL J. The perioperative management of antithrombotic therapy: American college of Chest physicians evidence-based clinical practice guidelines. *Chest*, 2008; 133: p. 299–339.

GOGARTEN W, VANDERMEULEN E, VAN AKEN H, KOZEK S, LLAU JV, SAMAMA CM. European Society of Anaesthesiology. Regional anaesthesia and antithrombotic agents: recommendations of the European Society of Anaesthesiology. *Eur J Anaesthesiol.*, 2010 Dec; 27(12): p. 999–1015.

HORLOCKER TT, WEDEL DJ, BENZON H, BROWN DL et al. Regional anesthesia in the anticoagulated patient: defining the risk (The second ASRA consensus conference on neuroaxial anesthesia and anticoagulation). *Reg Anesth Pain Med*, 2003 May–Jun; 28(3): p. 163–166.

HORLOCKER TT. Regional anaesthesia in the patient receiving antithrombotic and antiplatelet therapy. *Br J Anaesth.*, 2011 Dec; 107(Suppl 1): p. i96–106.

VANDERMEULEN et al. Anticoagulants and Spinal-Epidural Anesthesia. *Anesth Analg.*, 1994; 79: p. 1165–1177.

WORKING PARTY: ASSOCIATION OF ANAESTHETISTS OF GREAT BRITAIN & IRELAND; OBSTETRIC ANAESTHETISTS' ASSOCIATION; REGIONAL ANAESTHESIA UK. Regional anaesthesia and patients with abnormalities of coagulation: the

Association of Anaesthetists of Great Britain & Ireland The Obstetric Anaesthetists' Association Regional Anaesthesia UK. *Anaesthesia*, 2013 Sep; 68(9): p. 966–972.

## 8. Praktický postup při vedení low-flow a minimal-flow anestezie

BAUM J, BERGHOFF M, STANKE HG, PETERMEYER M, KALFF G. Low-flow anesthesia with desflurane. *Anaesthesist.*, 1997 Apr; 46(4): p. 287–293.

BAUM J, SIEVERT B, STANKE HG, BRAUER K, SACHS G. Nitrous oxide free low-flow anesthesia. *Anaesthesiol Reanim.*, 2000; 25(3): p. 60–67.

BAXTER AD. Low and minimal flow inhalational anaesthesia. *Can J Anaesth.*, 1997 Jun; 44(6): p. 643–652.

BUCHINGER H, KREUER S, PAXIAN M, LARSEN R, WILHELM W. Desflurane and isoflurane in minimal-flow anesthesia. Consumption and costs with forced fresh gas reduction. *Anaesthesist.*, 2006 Aug; 55(8): p. 854–860.

JOHANSSON A, LUNDBERG D, LUTTROP H. Low-flow anaesthesia with desflurane: kinetics during clinical procedures. *Eur J Anaesthesiol.*, 2001 Aug; 18(8): p. 499–504.

ODIN I, FEISS P. Low flow and economics of inhalational anaesthesia. *Best Pract Res Clin Anaesthesiol.*, 2005 Sep; 19(3): p. 399–413.

STRUM EM, SZENOHRADSZKI J, KAUFMAN WA, ANTHONE GJ, MANZ IL, LUMB PD. Emergence and recovery characteristics of desflurane versus sevoflurane in morbidly obese adult surgical patients: a prospective, randomized study. *Anesth Analg.*, 2004 Dec; 99(6): p. 1848–1853.

WHITE PG, TANG J, WENDER RH, YUMUL R, STOKES OJ, SLONINSKY A, NARUSE R, KARIGER R, NOREL E, MANDEL S, WEBB T, ZAENTZ A. Desflurane versus sevoflurane for maintenance of outpatient anesthesia: the effect on early versus late recovery and perioperative coughing. *Anesth Analg.*, 2009 Aug; 109(2): p. 387–393.

## 9. Obtížná intubace

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005. 2 vols., p. 3376.

HILLMAN DR, PLATT PR, EASTWODD PR. The upper airway during anaesthesia. *Br J Anaesth*, 2003; 91: p. 31–39.

JOO HS, KAPOOR S, ROSE K, NAIK VN. The intubating laryngeal mask airway after induction of general anesthesia versus awake fiberoptic intubation in patients with difficult airways. *Anesth Analg*, 2001; 92: p. 1342–1346.

KIM JIC AC, JOEONG JIN LEE. Preoperative prediction of difficult intubation in patients with obstructive sleep apnea syndrome. *Can J Anesth*, 2006; 53(4): p. 393–397.

Practice guidelines for the difficult airway: A report by the American Society of Anesthesiologists Task Force on management of the difficult airway. *Anesthesiology*, 1993; 78: p. 597–602.

Difficult airway society. *Default strategy for intubation including failed direct laryngoscopy* [online]. Dostupné na: <http://www.das.uk.com/guidelines/downloads.html>.

### 10. Úvod do anestezie u pacienta s plným žaludkem

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005. 2 vols., p. 3376.

CHIJIMATSU Y, HASUMI K, INATOMI K, TAMURA M, HOMMA H. Airway obstruction in achalasia. *Chest*, 1980; 78: p. 348–350.

MEMIS D, TURAN A, KARAMANLIOGLU B et al. The effect of intravenous pantoprazole and ranitidine for improving preoperative gastric fluid properties in adults undergoing elective surgery. *Anesth Analg*, 2003; 97: p. 1360–1363.

TERAMOTO S, YAMAMOTO H, YAMAGUCHI Y et al. Diffuse aspiration bronchiolitis due to achalasia. *Chest*, 2004; 125: p. 349–350.

### 11. Neuroaxiální blokády

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

BROWN LD. *Atlas of regional anesthesia*. 2<sup>nd</sup> ed. Philadelphia: Saunders 1999, p. 376.

Handbook of regional anaesthesia. ESRA 2007 [online]. Dostupné na [www.esra-learning.com](http://www.esra-learning.com).

### 12. Blokády nervových plexů a periferních nervů

BROWN LD. *Atlas of regional anesthesia*. 2<sup>nd</sup> ed. Philadelphia: Saunders 1999, p. 376.

NALOS D, MACH D et al. *Periferní nervové blokády pro klinickou praxi včetně ultrazvukového navádění*. Praha: Grada Publishing, 2010, 192 s.

### 13. Fast-track anestezie

GOUVAS N, TAN E, WINDSOR A et al. Fast-track vs standard care in colorectal surgery: a meta-analysis update. *Int J Colorectal Dis*, 2009; 24: p. 1119–1131.

FEARON KC, LJUNGQUIST O, VON MEYENFELDT M, VON REVHAUG A, DEJING CH, LASEEN K et al. Enhanced recovery after surgery: a consensus review of clinical care for patient undergoing colonic resection. *Clin Nutr*, 2005; 24: p. 466–477.

WIND J, POLLE SW, FUNG KON JIN PH et al. Systematic review of enhanced recovery programmes in colonic surgery. *Br J Surg*, 2006 Jul; 93(7): p. 800–809.

### 14. Anestezie u pacientů s diabetes mellitus

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

WOHL P et al. Předoperační a pooperační péče u nemocných s diabetes mellitus. *Intenzivní perioperační péče*. Sborník 2000, s. 59–66.

COURSIN DB, CONNERY LE, KETZLER JT. Perioperative diabetic and hyperglycemic management issues. *Crit Care Med*, 2004 Apr; 32(4 Suppl): p. 116–125.

ROBERTSHAW HJ et al. Strategies for managing the diabetic patient. *Best Pract Res Clin Anaesthesiol.*, 2004 Dec; 18(4): p. 631–643.

### 15. Anestezie u pacientů s renálním selháním

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

HÖHNE C, DONAUBAUER B, KAISERS U. Opioids during anesthesia in liver and renal failure. *Anaesthesist*, 2004 Mar; 53(3): p. 291–303.

JONES DR, LEE HT. Perioperative renal protection. *Best Pract Res Clin Anaesthesiol*, 2008 Mar; 22(1): p. 193–208.

BRIENZA N, GIGLIO MT, MARUCCI M, FIORE T. Does perioperative hemodynamic optimization protect renal function in surgical patients? A meta-analytic study. *Crit Care Med*, 2009 Jun; 37(6): p. 2079–2090.

VENKATARAMAN R. Can we prevent acute kidney injury? *Crit Care Med*, 2008 Apr; 36(4Suppl): p. 166–171.

### 16. Anestezie u pacientů s jaterním onemocněním

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

CHEUNG RC, MCAULEY RJ, POLLARD JB. High mortality rate in patients with advanced liver disease independent of exposure to general anesthesia. *J Clin Anesth*, 2005 May; 17(3): p. 172–176.

HÖHNE C, DONAUBAUER B, KAISERS U. Opioids during anesthesia in liver and renal failure. *Anaesthesist*, 2004 Mar; 53(3): p. 291–303.

### 17. Anestezie u pacientů s myasthenia gravis

ALLMAN GA, WILSON IH. *Oxford Handbook of Anaesthesia*. 2<sup>nd</sup> ed. Oxford, New York: Oxford University Press, 2009, p. 1203.

FLEISHER LA, URBAN MK. *Anesthesia in uncommon disease*. 5<sup>th</sup> ed. Chapter 9, Muscle disease. Philadelphia: Saunders 2006, p. 672.

UNTERBUCHNER C. The use of sugammadex in patient with myasthenia gravis. *Anesthesia*, 2010; 65: p. 302–305.

### 18. Anestezie u pacientů s poruchou rytmu, KS/ICD

COLLARD CHD, BODY SD. Anesthetic management for patients with permanent pacemakers. *Semin Cardiothorac Vasc Anest*, 2000; 4: p. 144–151.

PAGE MH, SCHOENFELD MJ et al. ACC/AHA/HRS 2008 Guidelines for Device-Based Therapy of Cardiac Rhythm Abnormalities: A Report of the American College of Cardiology/American Heart.

American Association Task Force on Practice Guidelines (Writing Committee to Revise the ACC/AHA/NASPE 2002 Guideline Update for Implantation of Cardiac Pacemakers and Antiarrhythmia Devices): Developed in Collaboration With the Association for Thoracic Surgery and Society of Thoracic Surgeons. *Circulation*, 2008; 117: p. 350–408.

RASTOGI S, GOEL S, TEMPE DK, VIRMANI S. Anaesthetic management of patients with cardiac pacemakers and defibrillator for noncardiac surgery. *Ann Card Anaesth*, 2005; 8: p. 21–32.

SALUKE TV, DOB D, SUTTON R. Pacemakers and defibrilators: anaesthetic implications. *Br J Anaesth*, 2004; 93: p. 95–104.

### 19. Anestezie pacientů s ischemickou chorobou srdeční podstupujících nekardiochirurgickou operaci

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

KAPLAN JA, REICH DL, LAKE CL, SAUNDERS SNK. *Kaplan's Cardiac Anesthesia*. 5<sup>th</sup> ed. Philadelphia: Saunders, 2006, p. 1300.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

VANĚK I et al. *Kardiovaskulární chirurgie*. Praha: Karolinum, 2003.

WAGNER R. *Kardioanestezie a perioperační péče v kardiochirurgii*. Praha: Grada Publishing, 2009.

FLEISHER LA et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery. *JACC*, 2007; 50(17): p. 159–242.

THE TASK FORCE FOR PREOPERATIVE CARDIAC RISK ASSESSMENT AND PERIOPERATIVE CARDIAC MANAGEMENT IN NON-CARDIAC SURGERY OF THE EUROPEAN SOCIETY OF CARDIOLOGY (ESC) AND ENDORSED BY THE EUROPEAN SOCIETY OF ANAESTHESIOLOGY (ESA). Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. *EJA*, 2010, 27: p. 92–137..

### 20. Anestezie u pacientů s významnou chlopenní vadou podstupujících kardiochirurgickou operaci

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

KAPLAN JA, REICH DL, LAKE CL, SAUNDERS SNK. *Kaplan's Cardiac Anesthesia*. 5<sup>th</sup> ed. Saunders, 2006, p. 1300.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

VANĚK I et al. *Kardiovaskulární chirurgie*. Praha: Karolinum, 2003.

WAGNER R. *Kardioanestezie a perioperační péče v kardiochirurgii*. Praha: Grada Publishing, 2009.

FLEISHER LA et al. ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery. *JACC*, 2007; 50(17): p. 159–242.

### 21. Anestezie u morbidně obézních

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

SCHUMANN R, JONES SB, ORTIZ VE, CONNOR C, PULAI I, OZAWA AT, HARVEY AM, CARR DB. Best practice recommendations for anesthetic perioperative care and pain management in weight loss surgery. *Obes Res.*, 2005; 13: p. 254–266.

## 22. Anestezie u osob s anamnézou drogové závislosti

CARPENTIER M. Pain, anesthesia and drug addiction. *Rev Stomatol Chir Maxillofac.*, 1997 Aug; 98(2): p. 120–122.

CARROL IR, ANGST MS, CLARK JD. Management of perioperative pain in patients chronically consuming opioids. *Reg Anesth Pain Med.*, 2004 Nov–Dec; 29(6): p. 576–591.

HAYASE T, YAMAMOTO Y, YAMAMOTO K. Behavioral effects of ketamine and toxic interactions with psychostimulants. *BMC Neurosci.*, 2006 Mar 16; 7(1): p. 25.

JAGE J, HEID F. Anesthesia and analgesia in addicts: basis for establishing a standard operating procedure *Anesthesist.*, 2006 Jun; 55(6): p. 611–628.

O'TOOLE et al. Outpatient treatment entry and health care utilization after a combined medical/substance abuse intervention for hospitalized medical patient. *J Gen Intern Med*, 2002; 17: p. 334–340.

PASSIK SD, KIRSH KL. Opioid therapy in patients with a history of substance abuse. *CNS drugs*, 2004; 18(1): p. 13–25.

PENG PW, TUMBER PS, GOURLAY D. Review article: perioperative pain management of patients on methadone therapy. *Can J Anaesth.*, 2005 May; 52(5): p. 513–523.

VAVŘIKOVÁ B, BINDER T. Návykové látky v těhotenství: Specifika péče o uživatelky drog a jejich novorozence. *Zaostřeno na drogy*, 4/2007 (ročník pátý).

## 23. Anestezie u pacientů s léčenou chronickou bolestí

DOLEŽAL T, HAKL M, KOZÁK J, KRŠIAK J, LEJČKO J, SKÁLA B, SLÁMA O, ŠEVČÍK P, VORLÍČEK J. Metodické pokyny pro farmakoterapii akutní a chronické nenádorové bolesti SSLB update 2009.

KRŠIAK M, LEJČKO J. Opioidní analgetika. In ROKYTA R, KRŠIAK M, KOZÁK J. *Bolest*. Praha: Tigis, 2012, s. 129–144.

ŠEVČÍK P, MÁLEK J, BEJŠOVEC D, GABRHELÍK T, KŘIKAVA I, LEJČKO J, MACH D, MIXA V, VOJTÍŠKOVÁ M, FRICOVÁ J. Léčba akutní pooperační bolesti. Doporučený postup ČSARIM 2008. Dostupné online na: [http://www.csarim.cz/Public/csarim/doc/postupy/Guid\\_CSARIM\\_defin080609.pdf](http://www.csarim.cz/Public/csarim/doc/postupy/Guid_CSARIM_defin080609.pdf)

## 24. Anestezie geriatrických pacientů

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

DOODS CH, KUMAR CHM, SERVIN F. *Anaesthesia for the elderly patient*. Oxford: Oxford University Press 2007, p. 140.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

## 25. Anestezie v těhotenství

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

MNUIREACHTAIGH RN et al. Anesthesia in pregnant patients for nonobstetric Surgery. *Journal of Clinical Anesthesia*, 2006; 18: p. 60–66.

SCHAEFER CH et al. *Drugs During Pregnancy and Lactation*. Oxford: Elsevier, 2007.

SUCHOPÁR J. *Léky v těhotenství*. Praha: PANAX, 2000.

## 26. Analgezie v těhotenství

Doporučený postup ČSARIM – „Léčba akutní pooperační bolesti“ [online]. Dostupné na <http://www.csarim.cz>.

SCHAEFER CH et al. *Drugs During Pregnancy and Lactation*. Oxford: Elsevier, 2007.

SUCHOPÁR J. *Léky v těhotenství*. Praha: PANAX, 2000.

## 27. Anestezie v období laktace

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

BOUTONNET et al. Mallampati class changes during pregnancy, labour and after delivery: can these be predicted? *Br J Anaesth*, 2010; 104: p. 67–70.

HARTSILVER et al. Gastric pressure during emergency cesarean section under general anesthesia. *Br J Anaesth*, 1999; 82: p. 752–754.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

## 28. Analgezie v období laktace

SCHAEFER CH et al. *Drugs During Pregnancy and Lactation*. Oxford: Elsevier, 2007.

SUCHOPÁR J. *Léky v těhotenství*. Praha: PANAX, 2000.

Doporučený postup ČSARIM – „Léčba akutní pooperační bolesti“ [online]. Dostupné na <http://www.csarim.cz>.

National Institute for Health and Clinical Excellence (NICE) guidelines; 2004 [online]. Dostupné na <http://www.nice.org.uk>.

SUCHOPÁR J. *Léky při kojení* [online]. Dostupné na <http://www.pace.cz>.

## 29. Anesteziologická příprava v porodnictví

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

BATES SM et al. Venous thromboembolism, thrombophilia, antithrombotic therapy, and pregnancy: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8<sup>th</sup> ed.). *Chest*, 2008, 133(6 Suppl): p. 844S–886S.

BLÁHA J et al. Současné postupy v porodnické anestezii I. – pooperační péče u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(2): s. 91–101.

BLÁHA J et al. Trombopropylaxe u císařského řezu. *Prakt Gyn*, 2012; 16(2–4): s. 81–88.



LANDAU, R. What's new in obstetric anesthesia. *Int J Obstet Anesth*, 2009; 18: p. 368–372.

SHARP LM et al. Rapid sequence induction in obstetrics revisited. *Curr Opin Anaesthesiol*, 2009; 22: p. 357–361.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

RCOG: Thrombosis and Embolism during Pregnancy and the Puerperium, Reducing the Risk (Green-top 37a). 2009.

### 30. Porodnická analgezie

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

LANDAU R. What's new in obstetric anesthesia. *Int J Obstet Anesth*, 2009; 18: p. 368–372.

CAMORCIA M. Testing the epidural catheter. *Curr Opin Anaesthesiol*, 2009; 22: p. 336–340.

HAWKINS JL. Epidural Analgesia for Labor and Delivery. *N Engl J Med*, 2010; 362: p. 1503–1510.

### 31. Anestezie pro plánovaný císařský řez

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

AFOLABI BB et al. Regional versus general anesthesia for caesarean section. *Cochrane Database Syst Rev* 2010.

BLÁHA J et al. Současné postupy v porodnické anestezii I. – peroperační péče u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(2): s. 91–101.

BLÁHA J et al. Současné postupy v porodnické anestezii II. – celková anestezie u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(3): s. 186–192.

BLÁHA J et al. Současné postupy v porodnické anestezii III. – regionální anestezie u císařského řezu. *Anest. intenziv. Med.*, 2014; 25(1): s. 29–39.

HAWKINS JL. Epidural Analgesia for Labor and Delivery. *N Engl J Med*, 2010; 362: p. 1503–1510.

LANDAU R. What's new in obstetric anesthesia. *Int J Obstet Anesth*, 2009; 18: p. 368–372.

NG KW et al. Spinal versus epidural anaesthesia for caesarean section. *Cochrane Database Syst Rev* 2009.

ROBINS K. Intraoperative Awareness During General Anesthesia for Cesarean Delivery. *Anesth Analg*, 2009; 109: p. 886–890.

SHARP LM et al. Rapid sequence induction in obstetrics revisited. *Curr Opin Anaesthesiol*, 2009; 22: p. 357–361.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 32. Anestezie pro akutní císařský řez

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

AFOLABI BB et al. Regional versus general anesthesia for caesarean section. *Cochrane Database Syst Rev* 2010.

BLÁHA J et al. Současné postupy v porodnické anestezii I. – peroperační péče u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(2): s. 91–101.

BLÁHA J et al. Současné postupy v porodnické anestezii II. – celková anestezie u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(3): s. 186–192.

BLÁHA J et al. Současné postupy v porodnické anestezii III. – regionální anestezie u císařského řezu. *Anest. intenziv. Med.*, 2014; 25(1): s. 29–39.

LANDAU R. What's new in obstetric anesthesia. *Int J Obstet Anesth*, 2009; 18: p. 368–372.

NG KW et al. Spinal versus epidural anaesthesia for caesarean section. *Cochrane Database Syst Rev* 2009.

NGAN KEE WD. Preventive of maternal hypotension after regional anaesthesia for cesarean section. *Curr Opin Anaesthesiol*, 2010; 23: p. 304–309.

ROBINS K. Intraoperative Awareness During General Anesthesia for Cesarean Delivery. *Anesth Analg*, 2009; 109: p. 886–890.

SHARP LM et al. Rapid sequence induction in obstetrics revisited. *Curr Opin Anaesthesiol*, 2009; 22: p. 357–361.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 33. Hypotenze na porodním sále

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

BLÁHA J et al. Současné postupy v porodnické anestezii I. – peroperační péče u císařského řezu. *Anest. intenziv. Med.*, 2013; 24(2): s. 91–101.

LANDAU R. What's new in obstetric anesthesia. *Int J Obstet Anesth*, 2009; 18: p. 368–372.

NGAN KEE WD. Preventive of maternal hypotension after regional anaesthesia for cesarean section. *Curr Opin Anaesthesiol*, 2010; 23: p. 304–309.

ROUT CC et al. A reevaluation of the role of crystalloid preload in the prevention of hypotension associated with spinal anesthesia for elective cesarean section. *Anesthesiology*, 1993; 79(2): p. 262–269.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 34. Anestezie časně po porodu

BOUTONNET et al. Mallampati class changes during pregnancy, labour and after delivery: can these be predicted? *Br J Anaesth*, 2010; 104: p. 67–70.

HARTSILVER et al. Gastric pressure during emergency cesarean section under general anesthesia. *Br J Anaesth*, 1999; 82: p. 752–754.

EZRI et al. Etiology and incidence of endotracheal intubation following spinal anesthesia for cesarean section. *Anaesthesia*, 2000; 55: p. 421–426.

LIN CJ. Prophylaxis against acid aspiration in regional anesthesia for elective cesarean section: a comparison between oral single-dose ranitidine and omeprazol assessed with fiberoptic gastric aspiration. *Acta Anaesthesiol Sin.*, 1996 Dec; 34(4): p. 179–184.

KJAER K et al. Oral sodium citrate increases nausea amongst elective cesarean delivery patients. *Can J Anesth*, 2006; 53(8): p. 776–780.

ZIELESKIEWICZ L et al. Airway management for anaesthesia performed at the end of labour: survey of practice. *Ann Fr Anesth Reanim.*, 2009; 28: p. 119–123.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 35. Preeklampsie, eklampsie, HELLP

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

DADELSZEN P et al. Evidence-based management for preeclampsia. *Frontiers in Bioscience*, 2007; 12(5): p. 2876–2889.

GOGARTEN W. Preeclampsia and anaesthesia. *Curr Opin Anaesthesiol.*, 2009 Jun; 22(3): p. 347–351.

O´HARA PM. HELLP sy, recognition and perinatal management. *AAFP*, 1999; 60(3): p. 829–839.

NOSKOVÁ P et al. Preeklampsie, eklampsie, HELLP syndrom z pohledu anesteziologa. *Anest. intenziv. Med.*, 2013; 24(5): s. 350–356.

BINDER T. HELLP sy [online]. Dostupné na <http://lekari.porodnice.cz/hellp-syndrom-0>.

### 36. Anesteziologický postup při placenta praevia centralis

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 37. Peripartální život ohrožující krvácení (PŽOK)

LEWIS G. The Confidential Enquiry into Maternal and Child Health (CEMACH). Saving Mothers' Lives: reviewing maternal deaths to make motherhood safer – 2003–2005. The Seventh Report on Confidential Enquiries into Maternal Deaths in the United Kingdom. London: CEMACH.

BAUDO F et al. Critical bleeding in pregnancy: a novel therapeutic approach to bleeding. *Minerva Anesthesiol.*, 2006 Jun; 72(6): p. 389–393.

BOUWMEESTER FW et al. Pharmacological and Surgical Therapy for Primary Postpartum Hemorrhage. *Curr Pharm Des.*, 2005; 11(6): p. 759–773.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American So-

ciety of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

BALÍK M, BINDER T, BLATNÝ J, BLÁHA J, CVACHOVEC K, ČERNÝ V, DULÍČEK P, FEYEREISL J, HÁJEK Z, JANKŮ P, KVASNIČKA J, MALÝ J, MĚCHUROVÁ A, PAŘÍZEK A, PENKA M, PROCHÁZKA M, ROZTOČIL A, ŘEHÁČEK V, SEIDLOVÁ D, ŠEVČÍK P, VALENTA J, VENTRUBA P. Peripartální život ohrožující krvácení. *Čes. Gynek.*, 2013, 78, Suppl, s. 38–40.

Doporučený postup ČSARIM – „Diagnostika a léčba akutního peripartálního život ohrožujícího krvácení“ [online]. Dostupný na <http://www.csarim.cz>.

### 38. Kardiopulmonální resuscitace těhotných

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

COHEN SE, ANDES LC, CARVALHO B. Assessment of knowledge regarding cardiopulmonary resuscitation of pregnant women. *Int J Obstet Anesth*, 2008, 17(1): p. 20–25.

LYONS G. Saving mothers' lives: confidential enquiry into maternal and child health 2003–2005. *Int J Obstet Anesth*, 2008, 17(2): p. 103–105.

NOLAN JP, SOAR J, ZIDEMAN DA, BIARENT D, BOSSAERT LL, DEAKIN C, KOSTER RW, WYLLIE J, BOTTIGER B. European Resuscitation Council Guidelines for Resuscitation 2010: Section 1. Executive summary. *Resuscitation*, 2010 Oct; 81(10): p. 1219–1276.

### 39. Intrauterinní resuscitace plodu

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

CHANDRAHARAN E, ARULKUMARAN S. Acute tocolysis. *Curr Opin Obstet Gynecol*, 2005; 17: p. 151–156.

SIMPSON KR. Intrauterine resuscitation during labor: should maternal oxygen administration be a first-line measure? *Semin Fetal Neonatal Med.*, 2008 Dec; 13(6): p. 362–367.

### 40. Postpunkční cefalea

CHESTNUT DH. *Obstetric Anesthesia: Principles and Practice*. 5<sup>th</sup> ed. Philadelphia: Mosby 2014, p. 1304.

NOSKOVÁ P et al. Postpunkční cefalea v porodnictví. *Anest. intenziv. Med.*, 2014; 25(3): s. 194–202.

Practice Guidelines for Obstetric Anesthesia: an updated report by the American Society of Anesthesiologists Task Force on Obstetric Anesthesia. *Anesthesiology*, 2007; 106: p. 843–863.

### 41. Anestezie pro velké resekcční výkony v oblasti maxilofaciální

BRIMACOMBE, JR. *Laryngeal Mask Anesthesia: Principles and Practice*. 2<sup>nd</sup> ed. Philadelphia: Saunders, 2005, p. 699.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

**42. Anesteziologický postup u pacientů s otokem oblasti mandibuly a krku**

BRIMACOMBE, JR. *Laryngeal Mask Anesthesia: Principles and Practice*. 2<sup>nd</sup> ed. Philadelphia: Saunders, 2005, p. 699.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

**43. Anestezie pro výkon na plicích, dvoudutinový výkon**

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

DELLA ROCCA G, COCCIA C. Ventilatory management of one-lung ventilation. *Minerva Anesthesiol.*, 2011 May; 77(5): p. 534–536.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

ROSÉ H, LAFARGUE M, OUATTARA A. Case scenario: Management of Intraoperative Hypoxemia during One-Lung Ventilation. *Anesthesiology*, 2011; 114: p. 167–174.

**44. Anestezie k rozsáhlému nitrobřišnímu výkonu**

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

CHENG-CHUNG WU, WAI-MENG HO et al. Perioperative parenteral tranexamic acid in liver tumor resection: A prospective randomized trial toward „blood transfusion“-free hepatectomy. *Ann Surg*, 2006; 243: p. 173–180.

REDAI I, EMOND J, BRENTJENS T. Anesthetic considerations during liver surgery. *Surg Clin N Am*, 2004; 84: p. 401–411.

EMOND JC, KELLEY SD, HEFFRON TG, NAGAKAWA T, ROBERTS JP, LIM RC. Surgical and anesthetic management of patients undergoing major hepatectomy using total vascular exclusion. *Liver transplantation and surgery*, 1996 March; 2(2): p. 91–98.

**45. Anestezie k resekcčním výkonům na GIT**

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

GOUVAS N, TAN E, WINDSOR A et al. Fast-track vs standard care in colorectal surgery: a meta-analysis update. *Int J Colorectal Dis*, 2009; 24: p. 1119–1131.

WEIMANN A, BRAGA M, HARSANYI L, LAVIANO A, LJUNGQUIST O, SOETERS P et al. ESPEN guidelines on enteral nutrition: surgery including organ transplantation. *Clin Nutr*, 2006; 25: p. 224–244.

Procedure specific postoperative pain management: colonic resection [online]. Dostupné na <http://www.postoppain.org>.

**46. Anestezie k adrenalektomii**

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

SPRUNG J, O'HARA JF et al. Anesthetic aspect of laparoscopic and open adrenalectomy for pheochromocytoma. *Urology*, 2000; 55(3): p. 339–343.

WEINGARTEN TN, CATA JP, O'HARA JF et al. Comparison of two preoperative medical management strategies for laparoscopic resection of pheochromocytoma. *Urology*, 2010; 76(2): p. 508–511.

**47. Anestezie k endourologickým výkonům**

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

COUSINS J, HOWARD J, BORRA P. Principles of anaesthesia in urological surgery. *BJU Int.*, 2005 Aug; 96(2): p. 223–229.

DI CIANNI D et al. Spinal anesthesia: an evergreen technique. *Acta Biomed*, 2008; 79: p. 9–17.

ERHAN E, UGUR G, ANADOLU O, SAKLAYAN M, OZYAR B. General anaesthesia or spinal anaesthesia for outpatient urological surgery. *Eur J Anaesthesiol.*, 2003 Aug; 20(8): p. 647–652.

SERGI SABATÉ et al. Anesthesia for urological surgery in a European region with 6.7 million inhabitants (Catalonia, Spain). *Journal of Clinical Anesthesia*, 2009; 21: p. 30–37.

ZOHAR E, NOGA Y, RISLICK U, LEBOVITCH I, FREDMAN B. Intrathecal anesthesia for elderly patients undergoing short transurethral procedures: a dose-finding study. *Anesth Analg.*, 2007 Mar; 104(3): p. 552–554.

**48. Anestezie k rozsáhlým urologickým výkonům**

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

COUSINS J, HOWARD J, BORRA P. Principles of anaesthesia in urological surgery. *BJU Int.*, 2005 Aug; 96(2): p. 223–229.

SERGI SABATÉ et al. Anesthesia for urological surgery in a European region with 6.7 million inhabitants (Catalonia, Spain). *Journal of Clinical Anesthesia*, 2009; 21: p. 30–37.

**49. Anestezie k výkonům na krčních tepnách**

ABURAHMA AF. Processes of care for carotid endarterectomy: surgical and anesthesia considerations. *Journal of Vascular Surgery*, 2009; 50: p. 921–933.

DE BORST GJ, MOLL FL. Evidence overview for shunting, patching, type of endarterectomy and anesthesia during carotid surgery. *Journal of Cardiovascular Surgery*, 2014; 55: p. 1–9.

HAKL M, MICHALEK P, SEVCIK P, PAVLIKOVA J, STERN M. Regional anaesthesia for carotid endarterectomy: an audit over 10 years. *British Journal of Anaesthesia*, 2007; 99: p. 415–420.

MICHÁLEK P, STERN M, ŠTÁDLER P. *Anestezie a pooperační péče v cévní chirurgii*. Praha: Galén, 2012, 443 s.

VANIYAPONG T, CHONGRUKSUT W, RERKASEM K. Local versus general anaesthesia for carotid endarterectomy. *Cochrane Database of Systematic Reviews*, 2013; 12: CD000126.

GALA trial collaborative group. General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. *Lancet*, 2008; 372: p. 2132–2142.

## **50. Anestezie u výkonů na velkých cévách v oblasti retroperitonea**

### **51. Anestezie v kardiochirurgii – obecné principy**

### **52. Anestezie pro revaskularizaci myokardu**

### **53. Anestezie pro výkony na srdečních chlopních**

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

VANĚK I et al. *Kardiovaskulární chirurgie*. Praha: Karolinum, 2003, 236 s.

WAGNER R. *Kardioanestezie a perioperační péče v kardiochirurgii*. Praha: Grada Publishing, 2009, 336 s.

## **54. Perioperační management u pacientů s fibrilací síní**

BRADLEY D et al. American College of Chest Physicians Guidelines for the Prevention and Management of Postoperative Atrial Fibrillation After Cardiac Surgery. *Chest*, 2005; 128: p. 39–47.

BURGESS DC et al. Interventions for prevention of post-operative atrial fibrillation and its complications after cardiac surgery: a meta-analysis. *Eur Heart J*, 2006 Dec 1; 27(23): p. 2846–2857.

DUNNING J et al. EACTS Guidelines on the prevention and management of de novo atrial fibrillation after cardiac and thoracic surgery. *Eur J Cardiothorac Surg*, 2006 Dec 1; 30(6): p. 852–872.

EAGLE KA et al. ACC/AHA Guidelines for Coronary Artery Bypass Graft Surgery: Executive Summary and Recommendations. *Circulation*, 1999; 100: p. 1464–1480.

ECHAHIDI et al. Mechanisms, Prevention, and Treatment of Atrial Fibrillation After Cardiac Surgery. *Am Coll Cardiol*, 2008; 51: p. 793–801.

OMMEN SR et al. Atrial arrhythmias after cardiothoracic surgery. *N Engl J Med*, 1997; 336: p. 1429–1434.

## **55. Management syndromu nízkého tepového výdeje**

CUFFE MS et al. Short-term intravenous milrinone for acute exacerbation of chronic heart failure: a controlled randomized clinical trial. Outcomes of a prospective trial of intravenous milrinone for exacerbations of chronic heart failure (OPTIME-CHF) investigators. *JAMA*, 2002; 287: p. 1578–1580.

DE HERT SG et al. Effects of levosimendan in cardiac surgery patients with poor left ventricular function. *Anesth Analg*, 2007; 104: p. 766–773.

FOLLATH F et al. Efficacy and safety of intravenous levosimendan compared to dobutamine in severe low-output heart failure (the LIDO study): a randomised double-blind trial. *Lancet*, 2002; 360: p. 196–202.

GARCIA-GONZALEZ MJ et al. Cardiogenic shock after percutaneous coronary intervention: effects of levosimendan compared with dobutamine on haemodynamics. *Eur J Heart Fail*, 2006; 8: p. 723–728.

NIEMINEN MS et al. Executive summary of the guidelines on the diagnosis and treatment of acute heart. The Task Force on acute heart failure of the European Society of Cardiology. *Eur Heart J*, 2005; 26: p. 384–416.

SIIRILA-WARIS K et al. Levosimendan in cardiac surgery. *J Cardiothorac Vasc Anesth*, 2005; 19: p. 345–349.

## 56. Anestezie a analgosedace k ambulantním zákrokům

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

## 57. Anestezie v očním lékařství

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

## 58. Základy neuroanestezie

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

GUPTA AK, SUMMORS A. *Notes in neuroanaesthesia and critical care*. London: Greenwich Medical Media, 2001, p. 318.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

LARSEN R. *Anestezie*. Praha: Grada Publishing, 2004, 1392 s.

## 59. Praktický postup při anafylaxi

LIEBERMAN P et al. The diagnosis and management of anaphylaxis: A practice parameter. 2010 Update. *J Allergy Clin Immunol*, 2010; 126: p. 477–480.

Resuscitation Council (UK). *Emergency treatment of anaphylactic reaction* [on line]. Dostupné na: <http://www.resus.org.uk/pages/reaction.pdf>.

## 60. Antagonizace nervosvalové blokády

CARRON M, VERONESE S, FOLETTI M, ORI C. Sugammadex allows fast-track bariatric surgery. *Obes Surg*, 2013 Oct; 23(10): p. 1558–1563.

FLOCKTON EA, MASTRONARDI P, HUNTER JM, GOMAR C, MIRAKHUR RK, AGUILERA L, GIUNTA FG, MEISTELMAN C, PRINS ME. Reversal of rocuronium-



-induced neuromuscular block with sugammadex is faster than reversal of cisatracurium-induced block with neostigmine. *Br J Anaesth.*, 2008 May; 100(5): p. 622–630.

GASZYNSKI T, SZEWCZYK T, GASZYNSKI W. Randomized comparison of sugammadex and neostigmine for reversal of rocuronium-induced muscle relaxation in morbidly obese undergoing general anaesthesia. *Br J Anaesth.*, 2012 Feb; 108(2): p. 236–239.

KOPMAN AF. Neostigmine versus sugammadex: which, when, and how much? *Anesthesiology*, 2010 Nov; 113(5): p. 1010–1011.

LIEN CA. Neostigmine: how much is necessary for patients who receive a nondepolarizing neuromuscular blocking agent? *Anesthesiology*, 2010 Jan; 112(1): p. 16–18.

### 61. Léčba toxické reakce na lokální anestetikum

[online] Dostupné na [www.Lipidrescue.com](http://www.Lipidrescue.com).

[online] Dostupné na [www.esra.com](http://www.esra.com).

[online] Dostupné na [www.asra.com](http://www.asra.com).

### 62. Pooperační nauzea a zvracení

APFEL CH, KORTILLA K, ABDALLA M et al. A factorial trial of six interventions for the prevention of postoperative nausea and vomiting. *N Engl J Med*, 2004; 350: p. 2441–2451.

APFEL CH, ROEWER N. Postoperative ubelkiet und erbrechen. *Anesthesist*, 2004; 53: p. 377–391.

GAN TJ, MEYER T, APFEL CH et al. Consensus guidelines for managing postoperative nausea and vomiting. *Anest analg*, 2003; 97: p. 62–71.

GAN TJ, MEYER T, APFEL CH et al. Society for ambulatory anesthesia guidelines for the management of postoperative nausea and vomiting. *Anest Analg*, 2007; 105: p. 1615–1628.

GAN TJ, DIEMUNSCH P, HABIB AS et al. Society for Ambulatory Anesthesia. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg.*, 2014 Jan; 118(1): p. 85–113.

PIERRE S, CORNO G, BENAIS H, APFEL CH. A risk score-dependent antiemetic approach effectively reduces postoperative nausea and vomiting – a continuous quality improvement initiative. *Can J Anesth*, 2004; 51: p. 320–325.

### 63. Praktický postup akutní normovolemické hemodiluce

SEGAL JB, BLASCO-COLMENARES E. Preoperative acute normovolemic hemodilution: a meta analysis. *Transfusion*, 2004; 44: p. 632–644.

MONK TG. Acute normovolemic hemodilution. *Anesthesiol Clin.*, 2005; 23: p. 271–281.

JONES SB, WHITTEN CHW, MONK TG. Influence of crystalloid and colloid replacement solutions on hemodynamic variables during acute normovolemic hemodilution. *J. Clin. Anesth.*, 2004; 16: p. 11–17.

JAMNICKI M, KOCIAN R, LINDEN P et al. Acute normovolemic hemodilution: Physiology. Limitations and clinical use. *J Cardiothorac Vasc Anesth.*, 2003; 17: p. 747–754.

### 64. Maligní hypertermie

BARASH PG et al. *Klinická anesteziologie*. Překlad 6. vydání. Praha: Grada Publishing, 2015, 816 s.

MILLER RD (ed.). *Anesthesia*. 6<sup>th</sup> ed. Philadelphia: Elsevier/Churchill Livingstone, 2005, 2 vols., p. 3376.

[online] Dostupné na: [www.mhinfo.cz](http://www.mhinfo.cz).

### 65. Zajištění intravaskulárního přístupu

HIND D, CALVERT N, MCWILLIAMS R, DAVIDSON A, PAISLEY S, BEVERLEY C, THOMAS S. Ultrasonic locating devices for central venous cannulation: meta-analysis. *BMJ Journal*, 2003; 327: p. 361.

MITCHELL JD, WELSBY IJ. Techniques of arterial access. *Surgery*, 2004; 22: p. 3–4.

NEUHAUS D. Intraosseous infusion in elective and emergency pediatric anesthesia: when should we use it? *Current Opinion in Anaesthesiology*, 2014; 27: p. 282–287.

RUESCH S, WALDER B, TRAMER MR. Complications of central venous catheters. Internal jugular versus subclavian access: a systematic review. *Crit Care Med*, 2002; 30: p. 454–460.

SANDRUCCI S, MUSSA B. *Peripherally inserted central venous catheters*. Milan: Springer, 2014, p. 200.

SCHEER B, PEREL A, PFEIFFER UJ. Clinical review: complications and risk factors of peripheral arterial catheters used for haemodynamic monitoring in anaesthesia and intensive care medicine. *Crit Care*, 2002; 6: p. 199–204.

VEZZANI A, MANCA T, VERCELLI A, BRAGHIERI A, MAGNACAVALLA A. Ultrasonography as a guide during vascular access procedures and in the diagnosis of complications. *Journal of Ultrasound*, 2013; 16: p. 161–170.

Postoperative pain management in children and infants: an update. *Paediatric Drugs*, 2014; 16: p. 129–140.

WILSON SE. *Vascular access: principles and practice*. Philadelphia: Lippincott, Williams and Wilkins: 2009, p. 328.

### 66. Základy anestezie v pediatrii

ALLMANN KG, MCINDOE AK, WILSON IN. *Emergencies in anaesthesia*. Oxford: Oxford University Press, 2005, p. 242.

BRASHER C, GAFSOUS B, DUGUE S, THIOLLIER A, KINDERF J, NIVOCHÉ Y, GRACE R, DAHMANI S. Postoperative pain management in children and infants: an update. *Paediatric Drugs*, 2014; 16: p. 129–140.

DOYLE ED (ed.). *Paediatric anaesthesia*. Oxford: Oxford University Press, 2007, p. 616.

HOUCK P, HACHE M. *Handbook of pediatric anesthesia*. Boston: Lange Medical Books, 2014, p. 400.

SHAH RD, SURESH S. Applications of regional anaesthesia in paediatrics. *British Journal of Anaesthesia*, 2013; 111 (S1): p. 114–124.

### 67. Ředění vybraných léků a směsí ke kontinuálnímu podání

Automatizovaný informační systém léčivých přípravků [online]. Dostupné na [www.aislp.cz/cs/](http://www.aislp.cz/cs/).