

- Rozen JG Jr. 1973. Life history and immature stages of the bee *Neofidelia* (Hymenoptera, Fidelidae). *Am. Mus. Novit.* 2519:1–14.
- Rozen JG Jr. 1977a. The ethology and systematic relationships of fideliine bees, including a description of the mature larva of *Parafidelia* (Hymenoptera, Apoidea). *Am. Mus. Novit.* 2637:1–15.
- Rozen JG Jr. 1977b. Immature stages of and ethological observations on the cleptoparasitic tribe Nomadini (Apoidea, Anthophoridae). *Am. Mus. Novit.* 2638:1–16.
- Rozen JG Jr. 1977c. Biology and immature stages of the bee genus *Meganomia* (Hymenoptera, Melittidae). *Am. Mus. Novit.* 2630:1–14.
- Rozen JG Jr. 1978. The relationships of the bee subfamily Ctenoplectrinae as revealed by its biology and mature larva (Apoidea: Melittidae). *J. Kans. Entomol. Soc.* 51(4):637–652.
- Rozen JG Jr. 1984a. Comparative nesting biology of the bee tribe Exomalopsini (Apoidea, Anthophoridae). *Am. Mus. Novit.* 2798:1–37.
- Rozen JG Jr. 1984b. Nesting biology of diploglossine bees (Hymenoptera, Colletidae). *Am. Mus. Novit.* 2786:1–33.
- Rozen JG Jr. 1987a. Nesting biology and immature stages of a new species in the bee genus *Hesperapis* (Hymenoptera, Apoidea, Melittidae, Dasypodinae). *Am. Mus. Novit.* 2887:1–13.
- Rozen JG Jr. 1987b. Nesting biology of the bee *Ashmeadiella boltii* and its cleptoparasite, a new species of *Stelis* (Apoidea: Megachilidae). *Am. Mus. Novit.* 2900:1–10.
- Rozen JG Jr. 1989a. Morphology and systematic significance of first instars of the cleptoparasitic bee tribe Epeolini (Anthophoridae, Nomadinae). *Am. Mus. Novit.* 2957:1–19.
- Rozen JG Jr. 1989b. Life history studies of the “primitive” panurgine bees (Hymenoptera, Andrenidae, Panurginae). *Am. Mus. Novit.* 2962:1–27.
- Rozen JG Jr. 1990. Pupa of the bee *Pararhophites orobinus* (Hymenoptera: Apoidea: Megachilidae). *J. N. Y. Entomol. Soc.* 98(3):379–382.
- Rozen JG Jr. 1991. Evolution of cleptoparasitism in anthophorid bees as revealed by their mode of parasitism and first instars (Hymenoptera, Apoidea). *Am. Mus. Novit.* 3029:1–36.
- Rozen JG Jr. 1993. Nesting biologies and immature stages of the rophitine bees (Halictidae) with notes on the cleptoparasite *Biastes* (Anthophoridae) (Hymenoptera; Apoidea). *Am. Mus. Novit.* 3066:1–28.
- Rozen JG Jr. 1994. Biologies of the bee genera *Ancylandrena* (Andrenidae: Andreninae) and *Hexepeolus* (Apidae: Nomadinae), and phylogenetic relationships of *Ancylandrena* based on its mature larva (Hymenoptera: Apoidea). *Am. Mus. Novit.* 3108:1–19.
- Rozen JG Jr. 1996. A new species of the bee *Heterosarus* from Dominican amber (Hymenoptera: Andrenidae; Panurginae). *J. Kans. Entomol. Soc.* 69(4):346–352.
- Rozen JG Jr. 1997. South American rophitine bees (Hymenoptera: Halictidae: Rophitinae). *Am. Mus. Novit.* 3206:1–27.
- Rozen JG Jr. 2000. Systematic and geographic distributions of Neotropical cleptoparasitic bees, with notes on their modes of parasitism. In *An. IV Encontro Sobre Abelhas*, Bitondi MMG, Hartfelder K et al., eds., pp. 204–210. Ribeirão Preto, Brazil.
- Rozen JG Jr. 2003a. Eggs, ovariole numbers, and modes of parasitism of cleptoparasitic bees, with emphasis on neotropical species (Hymenoptera: Apoidea). *Am. Mus. Novit.* 3413:1–36.
- Rozen JG Jr. 2003b. A new tribe, genus, and species of South American panurgine bee (Andrenidae, Panurginae), oligolectic on *Nolana* (Nolanaceae). In *Apoidea Neotropica: Homenagem aos 90 anos de Jesus Santiago Moure*, Melo GAR, Alves-dos-Santos I, eds., pp. 93–106. Criciúma, Editora UNESC.
- Rozen, JG Jr. 2007. Investigations on the biologies and immature stages of the cleptoparasitic bee genera *Radoszkowskiana* and *Coelioxys* and their *Megachile* hosts (Hymenoptera: Megachilini). *Am. Mus. Novit.* 3573:1–43.
- Rozen JG Jr. 2008a. Biology and immature stages of the bee *Nomioides patruelis* (Halictidae: Halictinae: Nomioidini) and of its cleptoparasite, *Chiasmognathus pashupati* (Apidae: Nomadinae: Ammobatini), with a preliminary phylogeny of the Halictidae based on mature larvae (Apoidea). *Am. Mus. Novit.* 3604:1–23.
- Rozen JG Jr. 2008b. The solitary bee *Calliopsis zebrata*: biological and distributional notes and description of its larva (Hymenoptera: Andrenidae: Panurginae). *Am. Mus. Novit.* 3632:1–12.
- Rozen JG Jr. 2010. Immatures of the Old World oil-collecting bee *Ctenoplectra cornuta* (Apoidea: Apidae: Apinae: Ctenoplectrini). *Am. Mus. Novit.* 3699:1–14.

- Rozen JG Jr. 2011. Immatures of exomalopsine bees with notes on nesting biology and a tribal key to mature larvae of noncorbiculate, nonparasitic Apinae (Hymenoptera: Apidae). *Am. Mus. Novit.* 3726:1–52.
- Rozen JG Jr. 2013. Mature larvae of calliopsine bees: *Spinoliella*, *Callonychium*, and *Arhysosage* including biological notes, and a larval key to calliopsine genera (Hymenoptera: Apoidea: Andrenidae: Panurginae). *Am. Mus. Novit.* 3782:1–27.
- Rozen JG Jr. 2016a. *Hesperapis rhodocera*: behavioral biology, egg, and larval instars, including behavioral and larval comparisons with *H. larreae* (Hymenoptera: Melittidae: Dasypodinae). *Am. Mus. Novit.* 3856:1–19.
- Rozen JG Jr. 2016b. Mature larvae of euglossine bees, a comparative study (Apoidea: Apidae: Euglossini). *Am. Mus. Novit.* 3861:1–16.
- Rozen JG Jr. 2018. Nesting biologies and mature larvae of oxaeine bees (Apoidea: Andrenidae). *Am. Mus. Novit.* 3893:1–32.
- Rozen JG Jr, Buchmann SL. 1990. Nesting biology and immature stages of the bees *Centris caesalpiniae*, *C. pallida*, and the cleptoparasite *Ericrocis lata* (Hymenoptera: Apoidea: Anthophoridae). *Am. Mus. Novit.* 2985:1–30.
- Rozen JG Jr, Eickwort KR, Eickwort GC. 1978. The bionomics and immature stages of the cleptoparasitic bee genus *Protepeolus* (Anthophoridae, Nomadinae). *Am. Mus. Novit.* 2640:1–24.
- Rozen JG Jr, Favreau MS. 1967. Biological notes on *Dioxys pomonae pomonae* and on its host, *Osmia nigrobarbata* (Hymenoptera: Megachilidae). *J. N. Y. Entomol. Soc.* 75(4):197–203.
- Rozen JG Jr, Favreau MS. 1968. Biological notes on *Colletes compactus compactus* and its cuckoo bee, *Epeolus pusillus* (Hymenoptera: Colletidae and Anthophoridae). *J. N. Y. Entomol. Soc.* 76(2):106–111.
- Rozen JG Jr, Hall HG. 2011. Nesting and developmental biology of the cleptoparasitic bee *Stelis ater* (Anthidiini) and its host, *Osmia chalybea* (Osmiini) (Hymenoptera: Megachilidae). *Am. Mus. Novit.* 3707:1–38.
- Rozen JG Jr, Hall HG. 2012. Nesting biology and immatures of the oligolectic bee *Trachusa larreae* (Apoidea: Megachilidae: Anthidiini). *Am. Mus. Novit.* 3765:1–24.
- Rozen JG Jr, Hall HG. 2014. Nest site selection and nesting behavior of the bee *Lithurgopsis apicalis* (Megachilidae: Lithurginae). *Am. Mus. Novit.* 3796:1–24.
- Rozen JG Jr, Jacobson R. 1980. Biology and immature stages of *Macropis nuda*, including comparisons to related bees (Apoidea, Melittidae). *Am. Mus. Novit.* 2702:1–11.
- Rozen JG Jr, Kamel SM. 2009. Last larval instar and mature oocytes of the Old World cleptoparasitic bee *Stelis murina*, including a review of *Stelis* biology (Apoidea: Megachilidae: Megachilinae: Anthidiini). *Am. Mus. Novit.* 3666:1–19.
- Rozen JG Jr, Macneill CD. 1957. Biological observations on *Exomalopsis (Anthophorula) chionura* Cockerell, including a comparison of the biology of *Exomalopsis* with that of other anthophorid groups (Hymenoptera: Apoidea). *Ann. Entomol. Soc. Am.* 50(5):522–529.
- Rozen JG Jr, McGinley RJ. 1976. Biology of the bee genus *Conanthalictus* (Halictidae, Dufoureainae). *Am. Mus. Novit.* 2602:1–6.
- Rozen JG Jr, McGinley RJ. 1991. Biology and larvae of the cleptoparasitic bee *Townsendiella pulchra* and nesting biology of its host *Hesperapis larreae* (Hymenoptera, Apoidea). *Am. Mus. Novit.* 3005:1–12.
- Rozen JG Jr, Melo GAR, Aguiar AJC, Alves-dos-Santos I. 2006. Nesting biologies and immature stages of the Tapinotaspidine bee genera *Monoeca* and *Lanthanomelissa* and of their osirine cleptoparasites *Protosiris* and *Parepeolus* (Hymenoptera: Apidae: Apinae). *Am. Mus. Novit.* 3501:1–60.
- Rozen JG Jr, Michener CD. 1968. The biology of *Scrapter* and its cuckoo bee, *Pseudodichroa* (Hymenoptera, Colletidae and Anthophoridae). *Am. Mus. Novit.* 2335:1–13.
- Rozen JG Jr, Özbek H. 2005. Egg deposition of the cleptoparasitic bee *Dioxys cincta* (Hymenoptera: Apoidea: Megachilidae). *J. Kans. Entomol. Soc.* 78(3):221–226.
- Rozen JG Jr, Özbek H. 2008. Immatures of rophitine bees, with notes on their nesting biology (Hymenoptera: Apoidea: Halictidae). *Am. Mus. Novit.* 3609:1–36.
- Rozen JG Jr, Özbek H, Ascher JS, Sedivy C, Praz C et al. 2010a. Nests, petal usage, floral preferences, and immatures of *Osmia (Ozbekosmia) avosetta* (Megachilidae: Megachilinae: Osmini), including biological comparisons with other Osminiine bees. *Am. Mus. Novit.* 3680:1–22.

- Rozen JG Jr, Roig-Alsina A, Alexander BA. 1997. The cleptoparasitic bee genus *Rhopalolemma*: with reference to other Nomadinae (Apidae), and biology of its host *Protodufourea* (Halictidae, Rophitinae). *Am. Mus. Novit.* 3194:1–28.
- Rozen JG Jr, Rozen JR, Hall HG. 2011a. Gas diffusion rates through cocoon walls of two bee species (Hymenoptera: Megachilidae). *Ann. Entomol. Soc. Am.* 104(6):1349–1354.
- Rozen JG Jr, Ruz L. 1995. South American panurgine bees (Andrenidae: Panurginae), Part II. Adults, immature stages, and biology of *Neffapis longilingua*, a new genus and species with an elongate glossa. *Am. Mus. Novit.* 3136:1–15.
- Rozen JG Jr, Smith CS, Cane JH. 2017. Survey of hatching spines of bee larvae including those of *Apis mellifera* (Hymenoptera: Apoidea). *J. Insect Sci.* 17(4):1–10.
- Rozen JG Jr, Snelling RR. 1986. Ethology of the bee *Exomalopsis nitens* and its cleptoparasite (Hymenoptera: Anthophoridae). *J. N. Y. Entomol. Soc.* 94(4):480–488.
- Rozen JG Jr, Vinson SB, Coville R, Frankie G. 2010b. Biology and morphology of the immature stages of the cleptoparasitic bee *Coelioxys chichimeca* (Hymenoptera: Apoidea: Megachilidae). *Am. Mus. Novit.* 3679:1–26.
- Rozen JG Jr, Vinson SB, Coville R, Frankie G. 2011b. Biology of the cleptoparasitic bee *Mesoplia sapphirina* (Ericrocidini) and its host *Centris flavofasciata* (Centridini) (Apidae: Apinae). *Am. Mus. Novit.* 3723:1–36.
- Rozen JG Jr, Wyman ES. 2014. Early nesting biology of the wood-nesting adventive bee, *Lithurgus chrysurus* Fonscolombe (Apoidea: Megachilidae: Lithurginae). *Am. Mus. Novit.* 3804:1–12.
- Rozen JG Jr, Yanega D. 1999. Nesting biology and immature stages of the South American bee genus *Acamptopoeum* (Hymenoptera: Andrenidae: Panurginae). *Univ. Kans. Nat. Hist. Mus. Spec. Publ.* 24:59–67.
- Rundlöf M, Andersson GK, Bommarco R, Fries I, Hederström V et al. 2015. Seed coating with a neonicotinoid insecticide negatively affects wild bees. *Nature* 521(7550):77–80.
- Russell AL, Leonard AS, Gillette HD, Papaj DR. 2016. Concealed floral rewards and the role of experience in floral sonication by bees. *Anim. Behav.* 120:83–91.
- Russo L. 2016. Positive and negative impacts of non-native bee species around the world. *Insects* 7(4):69.
- Russo L, Park M, Gibbs J, Danforth BN. 2015. The challenge of accurately documenting bee species richness in agroecosystems: bee diversity in eastern apple orchards. *Ecol. Evol.* 5(17):3531–3540.
- Rust RW. 1980. The biology of *Ptilothrix bombiformis* (Hymenoptera: Anthophoridae). *J. Kans. Entomol. Soc.* 53(2):427–436.
- Rust RW. 1988. Biology of *Nomadopsis larreae* (Hymenoptera: Andrenidae), with an analysis of yearly appearance. *Ann. Entomol. Soc. Am.* 81(1):99–104.
- Rust RW. 2003. Horned Lark (*Eremophila alpestris* L.) predation on alkali bees, *Nomia melanderi* Cockerell. *West. North Am. Nat.* 63(2):224–228.
- Rust RW, Thorp RW. 1973. The biology of *Stelis chlorocyanea*, a parasite of *Osmia nigrifrons* (Hymenoptera: Megachilidae). *J. Kans. Entomol. Soc.* 46(4):548–548.
- Rutowski RL, Alcock J. 1980. Temporal variation in male copulatory behaviour in the solitary bee *Nomadopsis puellae* (Hymenoptera: Andrenidae). *Behaviour* 73(3):175–187.
- Ruz L, Melo GAR. 1999. Reassessment of the bee genus *Chaeturginus* (Apoidea: Andrenidae, Panurginae), with the description of a new species from southeastern Brazil. *Univ. Kans. Nat. Hist. Mus. Spec. Publ.* 24:231–236.
- Sabino WO, da Silva CI, Alves-dos-Santos I. 2017. Mating system and sleeping behaviour of the male and female *Centris (Paracentris) burgdorfi* Friese (Apidae, Centridini). *J. Insect Behav.* 30(1):103–118.
- Sakagami S, Michener CD. 1962. *Nest Architecture of the Sweat Bees (Halictinae)*. Lawrence: University of Kansas Press.
- Sakagami SF, Ebmer AW, Tadauchi O. 1996. The halictine bees of Sri Lanka and the vicinity III. *Sudila* (Hymenoptera, Halictidae) Part 1. *Esakia* 36:143–189.
- Sakagami SF, Laroca S. 1971. Observations on the bionomics of some neotropical xylocopine bees, with comparative and biofaunistic notes (Hymenoptera, Anthophoridae). *J. Fac. Sci. Hokkaido Univ. Ser. VI Zool.* 18(1):57–127.

- Sakagami SF, Maeta Y. 1987. Multifemale nests and rudimentary castes of an "almost" solitary bee *Ceratina flavipes*, with additional observations on multifemale nests of *Ceratina japonica* (Hymenoptera, Apoidea). *Entomol. Soc. Jpn.* 55(3):391–409.
- Sakagami SF, Moure JS. 1965. Cephalic polymorphism in some neotropical halictine bees (Hymenoptera-Apoidea). *An. Acad. Bras. Ciênc.* 37(2):303–313.
- Sakagami SF, Roubik DW, Zucchi R. 1993. Ethology of the robber stingless bee, *Lestrimelitta limao* (Hymenoptera: Apidae). *Sociobiology* 21:237–277.
- Sakagami SF, Zucchi R. 1978. Nests of *Hylaeus (Hylaeopsis) tricolor*: the first record of non-solitary life in colletid bees, with notes on communal and quasisocial colonies (Hymenoptera: Colletidae). *J. Kans. Entomol. Soc.* 51(4):597–614.
- Salt G. 1927. The effects of stylopization in aculeate Hymenoptera. *J. Exp. Zool.* 48(1):223–331
- Sampson BJ, Stringer SJ, Cane JH, Spiers JM. 2004. Greenhouse evaluations of a mason bee *Osmia ribifloris* (Hymenoptera: Megachilidae) as a pollinator for blueberries in the southeastern United States. *Small Fruits Rev.* 3(3–4):381–392.
- Sandrock C, Tanadini LG, Pettis JS, Biesmeijer JC, Potts SG, Neumann P. 2014. Sublethal neonicotinoid insecticide exposure reduces solitary bee reproductive success. *Agric. For. Entomol.* 16(2):119–128.
- Sann M, Niehuis O, Peters RS, Mayer C, Kozlov A et al. 2018. Phylogenomic analysis of Apoidea sheds new light on the sister group of bees. *BMC Evol. Biol.* 18:71.
- Sapir Y, Shmida A, Ne'eman G. 2006. Morning floral heat as a reward to the pollinators of *Oncocyclus irises*. *Oecologia* 147:53–69.
- Sarzetti L, Genise J, Sanchez MV. 2012. *Trichothurgus bolithophilus* sp. n. (Hymenoptera, Megachilidae) a bee nesting in horse manure pads in Patagonia, Argentina. *J. Hymenopt. Res.* 29(1):1–14.
- Sarzetti L, Genise J, Sanchez MV, Farina J, Molina A. 2013. Nesting behavior and ecological preferences of five Diphaglossinae species (Hymenoptera, Apoidea, Colletidae) from Argentina and Chile. *J. Hymenopt. Res.* 33(1):63–82.
- Saul-Gershenz LS, Millar JG. 2006. Phoretic nest parasites use sexual deception to obtain transport to their host's nest. *Proc. Natl. Acad. Sci. USA* 103(38):14039–14044.
- Saunders ME, Luck GW. 2013. Pan trap catches of pollinator insects vary with habitat. *Aust. J. Entomol.* 52(2):106–113.
- Saure C. 1996. Urban habitats for bees: the example of the city of Berlin. In *The Conservation of Bees*, Matheson A, Buchmann SL, O'Toole C, Westrich P, Williams IH, eds., pp. 47–53. New York: Academic Press.
- Scaven VL, Rafferty NE. 2013. Physiological effects of climate warming on flowering plants and insect pollinators and potential consequences for their interactions. *Curr. Zool.* 59(3): 418–426.
- Schaefer H, Renner SS. 2008. A phylogeny of the oil bee tribe Ctenoplectrini (Hymenoptera: Anthophila) based on mitochondrial and nuclear data: evidence for early Eocene divergence and repeated out-of-Africa dispersal. *Mol. Phylogenet. Evol.* 47(2):799–811.
- Schäffler I, Dötterl S. 2011. A day in the life of an oil bee: phenology, nesting, and foraging behavior. *Apidologie* 42(3):409–424.
- Schatz B, Wcislo WT. 1999. Ambush predation by the ponerine ant *Ectatomma ruidum* Roger (Formicidae) on a sweat bee *Lasioglossum umbripenne* (Halictidae), in Panama. *J. Insect Behav.* 12(5):641–663.
- Schemske DW, Lande R. 1984. Fragrance collection and territorial display by male orchid bees. *Anim. Behav.* 32(3):935–937.
- Scheuchl E, Willner W. 2016. *Taschenlexikon Der Wildbienen Mitteleuropas; Alle Arten Im Porträt*. Wiebelsheim: Verlag Quelle & Meyer.
- Schindwein C, Martins CF. 2000. Competition between the oligolectic bee *Ptilothrix plumata* (Anthophoridae) and the flower closing beetle *Pristimerus calcaratus* (Curculionidae) for floral resources of *Pavonia cancellata* (Malvaceae). *Plant Syst. Evol.* 224(3–4):183–194.
- Schindwein C, Pick RA, Martins CF. 2009. Evaluation of oligolecty in the Brazilian bee *Ptilothrix plumata* (Hymenoptera, Apidae, Emphorini). *Apidologie* 40(2):106–116.
- Schindwein C, Wittmann D. 1997. Stamen movements in flowers of *Opuntia* (Cactaceae) favour oligolectic pollinators. *Plant Syst. Evol.* 204(3–4):179–193.

- Schindwein C, Wittmann D, Martins CF, Hamm A, Siqueira JA et al. 2005. Pollination of *Campanula rapunculus* L. (Campanulaceae): how much pollen flows into pollination and into reproduction of oligolectic pollinators? *Plant Syst. Evol.* 250(3–4):147–156.
- Schmidt JO. 2016. *Sting of the Wild*. Baltimore: Johns Hopkins University Press.
- Schmidt K, Westrich P. 1993. *Colletes hederæ* n. sp., eine bisher unerkannte, auf Efeu (*Hedera*) spezialisierte Bienenart (Hymenoptera: Apoidea). *Entomol. Z.* 103(6):89–112.
- Schönitzer K, Schuberth J. 1993. Vorkommen und Morphologie der Fovea facialis und der darunterliegenden Drüsen bei Apoidea (Hymenoptera). *Mitteilungen Dtsch. Ges. Allg. Angew. Entomol.* 8(4/6):911–918.
- Schoonhoven LM, Van Loon JJA, Dicke M. 2005. *Insect-Plant Biology*. Oxford: Oxford University Press. 2nd ed.
- Schuberth J, Schönitzer K. 1993. Vergleichende Morphologie der Fovea facialis und der Stirnseitendrüse bei Apoidea und Specidae (Hymenoptera, Aculeata). *Linzer biologische Beiträge.* 25(1):205–277.
- Schulte P, Alegret L, Arenillas I, Arz JA, Barton PJ et al. 2010. The Chicxulub asteroid impact and mass extinction at the Cretaceous-Paleogene boundary. *Science* 327(5970):1214–1218.
- Schwarz HF. 1928. Bees of the subfamily Anthidiinae, including some new species and varieties, and some new locality records. *J. N. Y. Entomol. Soc.* 36(4):369–419.
- Schwarz HF. 1948. Stingless bees (Meliponidae) of the Western Hemisphere: *Lestrimelitta* and the following subgenera of *Trigona*: *Trigona*, *Paratrigona*, *Schwarziana*, *Parapartamona*, *Cephalotrigona*, *Oxytrigona*, *Scaura*, and *Mourella*. *Bull. Am. Mus. Nat. Hist.* 90:1–536.
- Schwarz MP, Richards MH, Danforth BN. 2007. Changing paradigms in insect social evolution: insights from halictine and allodapine bees. *Annu. Rev. Entomol.* 52(1):127–150.
- Schwarz MP, Tierney SM, Rehan SM, Chenoweth LB, Cooper SJ. 2011. The evolution of eusociality in allodapine bees: workers began by waiting. *Biol. Lett.* 7(2):277–280.
- Sedivy C, Dorn S, Müller A. 2013a. Evolution of nesting behaviour and kleptoparasitism in a selected group of osmiine bees (Hymenoptera: Megachilidae). *Biol. J. Linn. Soc.* 108(2):349–360.
- Sedivy C, Dorn S, Müller A. 2013b. Molecular phylogeny of the bee genus *Hoplitis* (Megachilidae: Osmiini)—how does nesting biology affect biogeography? *Zool. J. Linn. Soc.* 167(1):28–42.
- Sedivy C, Dorn S, Widmer A, Müller A. 2013c. Host range evolution in a selected group of osmiine bees (Hymenoptera: Megachilidae): the Boraginaceae-Fabaceae paradox. *Biol. J. Linn. Soc.* 108(1):35–54.
- Sedivy C, Müller A, Dorn S. 2011. Closely related pollen generalist bees differ in their ability to develop on the same pollen diet: evidence for physiological adaptations to digest pollen. *Funct. Ecol.* 25(3):718–725.
- Sedivy C, Praz CJ, Müller A, Widmer A, Dorn S. 2008. Patterns of host-plant choice in bees of the genus *Chelostoma*: the constraint hypothesis of host-range evolution in bees. *Evolution* 62(10):2487–2507.
- Seeley TD. 1995. *The Wisdom of the Hive*. Cambridge: Harvard University Press.
- Seeley TD. 2010. *Honeybee Democracy*. Princeton: Princeton University Press.
- Seidelmann K. 1999. The race for females: the mating system of the red mason bee, *Osmia rufa* (L.) (Hymenoptera: Megachilidae). *J. Insect Behav.* 12(1):13–25.
- Seidelmann K. 2006. Open-cell parasitism shapes maternal investment patterns in the red mason bee *Osmia rufa*. *Behav. Ecol.* 17(5):839–848.
- Seidelmann K. 2014. Optimal progeny body size in a solitary bee, *Osmia bicornis* (Apoidea: Megachilidae). *Ecol. Entomol.* 39(5):656–663.
- Seidelmann K, Ulbrich K, Mielenz N. 2010. Conditional sex allocation in the red mason bee, *Osmia rufa*. *Behav. Ecol. Sociobiol.* 64(3):337–347.
- Selander RB. 1960. Bionomics, systematics, and phylogeny of *Lytta*, a genus of blister beetles (Coleoptera, Meloidae). *Univ. Ill. Biol. Monogr.* 28:1–295.
- Sérsic AN. 2004. Pollination biology in the genus *Calceolaria* L. (Calceolariaceae). *Stappia* 82:1–121.
- Sérsic AN, Cocucci AA. 1999. An unusual kind of nectary in the oil flowers of *Monttea*: its structure and function. *Flora* 194(4):393–404.

- Severinghaus LL, Kurtak BH, Eickwort GC. 1981. The reproductive behavior of *Anthidium manicatum* (Hymenoptera: Megachilidae) and the significance of size for territorial males. *Behav. Ecol. Sociobiol.* 9(1):51–58.
- Sheffield CS, Dumesh S, Cheryomina M. 2011. *Hylaeus punctatus* (Hymenoptera: Colletidae), a bee species new to Canada, with notes on other non-native species. *J. Entomol. Soc. Ont.* 142:29–43.
- Sheffield CS, Heron J. 2018. A new western Canadian record of *Epeoloides pilosulus* (Cresson), with discussion of ecological associations, distribution and conservation status in Canada. *Biodiversity Data Journal* 6:e22837.
- Sheffield CS, Pindar A, Packer L, Kevan PG. 2013. The potential of cleptoparasitic bees as indicator taxa for assessing bee communities. *Apidologie* 44(5):501–510.
- Sheffield CS, Rigby SM, Smith RF, Kevan PG. 2004. The rare cleptoparasitic bee *Epeoloides pilosula* (Hymenoptera: Apoidea: Apidae) discovered in Nova Scotia, Canada, with distributional notes. *J. Kans. Entomol. Soc.* 77(3):161–164.
- Shelly TE, Villalobos EM, Buchmann SL, Cane JH. 1993. Temporal patterns of floral visitation for two bee species foraging on *Solanum*. *J. Kans. Entomol. Soc.* 66(3):319–327.
- Shimamoto K, Kasuya E, Yasumoto AA. 2006. Effects of body size on mating in solitary bee *Colletes perforator* (Hymenoptera: Colletidae). *Ann. Entomol. Soc. Am.* 99(4):714–717.
- Shimron O, Hefetz A, Tengö J. 1985. Structural and communicative functions of Dufour's gland secretion in *Eucera palestinae* (Hymenoptera; Anthophoridae). *Insect Biochem.* 15(5):635–638.
- Shinn AF. 1967. A revision of the bee genus *Calliopsis* and the biology and ecology of *C. andreniformis* (Hymenoptera, Andrenidae). *Univ. Kans. Sci. Bull.* 46(21):753–939.
- Shuler RE, Roulston TH, Farris GE. 2005. Farming practices influence wild pollinator populations on squash and pumpkin. *J. Econ. Entomol.* 98(3):790–795.
- Sick M, Ayasse M, Tengö J, Engels W, Lübke G, Francke W. 1994. Host-parasite relationships in six species of *Sphecodes* bees and their halictid hosts: nest intrusion, intranidal behavior, and Dufour's gland volatiles (Hymenoptera: Halictidae). *J. Insect Behav.* 7(1):101–117.
- Sihag RC. 1983. Life cycle pattern, seasonal mortality, problem of parasitization and sex ratio pattern in alfalfa pollinating megachilid bees. *Z. Für Angew. Entomol.* 96(1–5):368–379.
- Sihag RC. 1993. Behaviour and ecology of the subtropical carpenter bee, *Xylocopa fenestrata* F. 6. Foraging dynamics, crop hosts and pollination potential. *J. Apic. Res.* 32(2):94–101.
- Silva CA, Vieira MF. 2015. Flowering and pollinators of three distylous species of *Psychotria* (Rubiaceae) co-occurring in the Brazilian Atlantic Forest. *Rev. Árvore* 39(5):779–789.
- Simmons LW, Tomkins JL, Alcock J. 2000. Can minor males of Dawson's burrowing bee, *Ameigilla dawsoni* (Hymenoptera: Anthophorini) compensate for reduced access to virgin females through sperm competition? *Behav. Ecol.* 11(3):319–325.
- Simpson BB, Neff JL. 1981. Floral rewards: alternatives to pollen and nectar. *Ann. Mo. Bot. Gard.* 68(2):301–322.
- Simpson BB, Neff JL. 1983. Evolution and diversity of floral rewards. In *Handbook of Experimental Pollination Biology*, Jones CE, Little RJ, eds., pp. 142–159. New York: Van Nostrand Reinhold.
- Singer RB, Cocucci A. 1999. Pollination mechanisms in four sympatric southern Brazilian Epidendroideae orchids. *Lindleyana* 14(1):47–56.
- Singh R, Levitt AL, Rajotte EG, Holmes EC, Ostiguy N et al. 2010. RNA viruses in hymenopteran pollinators: evidence of inter-taxa virus transmission via pollen and potential impact on non-apic hymenopteran species. *PLoS One* 5(12):e14357.
- Sipes SD, Tepedino VJ. 2005. Pollen-host specificity and evolutionary patterns of host switching in a clade of specialist bees (Apoidea: *Diadasia*). *Biol. J. Linn. Soc.* 86(4):487–505.
- Sirohi MH, Jackson J, Edwards M, Ollerton. 2015. Diversity and abundance of solitary and primitively eusocial bees in an urban centre: a case study of Northampton (England). *J. Insect Conserv.* 19(3):487–500.
- Sitdikov AA. 1988. Nesting of the bee *Halictus quadricinctus* (F.) (Hymenoptera, Halictidae) in the Udmurt ASSR. *Entomol. Rev.* 67:66–77 [English translation of *Entomol. Obozr.* 3:529–539].
- Sjödin NE. 2007. Pollinator behavioural responses to grazing intensity. *Biodivers. Conserv.* 16(7):2103–2121.

- Sjödén NE, Bengtsson J, Ekblom B. 2008. The influence of grazing intensity and landscape composition on the diversity and abundance of flower-visiting insects. *J. Appl. Ecol.* 45(3):763–772.
- Skov C, Wiley J. 2005. Establishment of the neotropical orchid bee *Euglossa viridissima* (Hymenoptera: Apidae) in Florida. *Fla. Entomol.* 88:225–227.
- Slobodchikoff CN. 1967. Bionomics of *Grotea californica* Cresson, with a description of the larva and pupa. *Pan-Pac. Entomol.* 43(2):161–168.
- Smith BH, Carlson RG, Frazier J. 1985. Identification and bioassay of macrocyclic lactone sex pheromone of the halictine bee *Lasioglossum zephyrum*. *J. Chem. Ecol.* 11(10):1447–1456.
- Smith BH, Wenzel JW. 1988. Pheromonal covariation and kinship in social bee *Lasioglossum zephyrum* (Hymenoptera: Halictidae). *J. Chem. Ecol.* 14(1):87–94.
- Smith MD. 2011. An ecological perspective on extreme climatic events: a synthetic definition and framework to guide future research. *J. Ecol.* 99(3):656–663.
- Snelling RR. 1956. Bees of the genus *Centris* in California (Hymenoptera: Anthophoridae). *Pan-Pac. Entomol.* 32(1):1–8.
- Snelling RR. 1966. Studies on North American bees of the genus *Hylaeus*. 3. The Nearctic subgenera (Hymenoptera: Colletidae). *Bull. South. Calif. Acad. Sci.* 65(3):164–175.
- Snelling RR. 1982. The taxonomy of some neotropical *Hylaeus* and descriptions of new taxa (Hymenoptera: Colletidae). *Bull. South. Calif. Acad. Sci.* 81(1):1–25.
- Snelling RR. 1984. Studies on the taxonomy and distribution of American centridine bees (Hymenoptera: Anthophoridae). *Nat. Hist. Mus. Los Angel. Cty. Contrib. Sci.* 347:1–69.
- Snodgrass RE. 1985. *Anatomy of the Honey Bee*. Ithaca: Cornell University Press.
- Somanathan H, Borges RM. 2001. Nocturnal pollination by the carpenter bee *Xylocopa tenuiscapa* (Apidae) and the effect of floral display on fruit set of *Heterophragma quadriloculare* (Bignoniaceae) in India. *Biotropica* 33(1):78–89.
- Somanathan H, Borges RM, Warrant EJ, Kelber A. 2008. Nocturnal bees learn landmark colours in starlight. *Curr. Biol.* 18(21):R996–R997.
- Somanathan H, Kelber A, Borges RM, Wallén R, Warrant EJ. 2009. Visual ecology of Indian carpenter bees II: adaptations of eyes and ocelli to nocturnal and diurnal lifestyles. *J. Comp. Physiol. A.* 195(6):571–583.
- Somerville DC, Nicol HI. 2006. Crude protein and amino acid composition of honey bee-collected pollen pellets from south-east Australia and a note on laboratory disparity. *Aust. J. Exp. Agric.* 46(1):141–149.
- Sommeijer MJ, Neve J, Jacobusse C. 2012. The typical development cycle of the solitary bee *Colletes halophilus*. *Entomol. Ber.* 72(1–2):52–58.
- Souza RO, Del Lama MA, Cervini M, Mortari N, Eltz T et al. 2010. Conservation genetics of neotropical pollinators revisited: microsatellite analysis suggests that diploid males are rare in orchid bees. *Evolution* 64(11):3318–3326.
- Spear DM, Silverman S, Forrest JR, McPeck MA. 2016. Asteraceae pollen provisions protect *Osmia* mason bees (Hymenoptera: Megachilidae) from brood parasitism. *Am. Nat.* 187(6):797–803.
- Sprengel CK. 1793. *Das entdeckte Geheimniß der Natur im Bau und in der Befruchtung der Blumen*. Berlin: Vieweg.
- Stage GI. 1966. Biology and systematics of the American species of the genus *Hesperapis* Cockerell. PhD thesis. University of California.
- Stapp P, Antolin MF, Ball M. 2004. Patterns of extinction in prairie dog metapopulations: plague outbreaks follow El Niño events. *Front. Ecol. Environ.* 2:235–240.
- Stark RE, Hefetz A, Gerling D, Velthuis HHW. 1990. Reproductive competition involving oophagy in the socially nesting bee *Xylocopa sulcatipes*. *Naturwissenschaften* 77(1):38–40.
- Starks PT, Reeve HK. 1999. Condition-based alternative reproductive tactics in the wool-carder bee, *Anthidium manicatum*. *Ethol. Ecol. Evol.* 11(1):71–75.
- Steffan SA, Dharampal PS, Danforth BN, Gaines-Day HR, Takizawa Y, and Chikaraishi Y. 2019. Omnivory in bees: elevated trophic positions among all major bee families. *Am. Nat.* (in press).
- Steffan-Dewenter I, Leschke K. 2003. Effects of habitat management on vegetation and above-ground nesting bees and wasps of orchard meadows in Central Europe. *Biodivers. Conserv.* 12:1953–1968.
- Stehman JR, Semir J. 2001. Biologia reproductiva de *Calibrachoa elegans* (Miers) (Solanceae). *Rev. Bras. Bot.* 24(1):43–49.

- Steiner KE, Whitehead VB. 1990. Pollinator adaptation to oil-secreting flowers—*Rediviva* and *Diascia*. *Evolution* 44(6):1701–1707.
- Stephen WP. 1956. Notes on the biologies of *Megachile frigida* Smith and *M. inermis* Provancher (Hymenoptera: Megachilidae). *Pan-Pac. Entomol.* 32(3):95–101.
- Stephen WP. 1966. *Andrena* (*Cryptandrena*) *viburnella*. I. Bionomics. *J. Kans. Entomol. Soc.* 39(1):42–51.
- Stephen WP, Bohart GE, Torchio PF. 1969. *The Biology and External Morphology of Bees—with a Synopsis of the Genera of Northwestern America*. Corvallis: Agricultural Experiment Station, Oregon State University.
- Stevens OA. 1948. Native bees. *N. D. Agric. Exp. Stn. Bimon. Bull.* 10:187–194.
- Stockhammer KA. 1966. Nesting habits and life cycle of a sweat bee, *Augochlora pura* (Hymenoptera: Halictidae). *J. Kans. Entomol. Soc.* 39(2):157–192.
- Stone GN. 1993. Endothermy in the solitary bee *Anthophora plumipes*: independent measures of thermoregulatory ability, costs of warm-up and the role of body size. *J. Exp. Biol.* 174(1):299–320.
- Stone GN. 1994. Activity patterns of females of the solitary bee *Anthophora plumipes* in relation to temperature, nectar supplies and body size. *Ecol. Entomol.* 19(2):177–189.
- Stone GN. 1995. Female foraging responses to sexual harassment in the solitary bee *Anthophora plumipes*. *Anim. Behav.* 50(2):405–412.
- Stone GN, Gilbert F, Willmer P, Potts S, Semida F, Zalut S. 1999. Windows of opportunity and the temporal structuring of foraging activity in a desert solitary bee. *Ecol. Entomol.* 24(2):208–221.
- Stort AC, Cruz-Landim C. 1965. Glandulas dos apendices locomotores do genero *Centris* (Hymenoptera, Anthophoridae). *Bol. Inst. Invest. Cienet. Angola* 21(23):5–14.
- Stout JC, Morales CL. 2009. Ecological impacts of invasive alien species on bees. *Apidologie* 40(3):388–409.
- Stoutamire WP. 1983. Wasp-pollinated species of *Caladenia* (Orchidaceae) in south-western Australia. *Aust. J. Bot.* 31:383–394.
- Straka J, Bogusch P. 2007. Description of immature stages of cleptoparasitic bees *Epeoloides coecutiens* and *Leiopodus trochantericus* (Hymenoptera: Apidae: Osirini, Protepeolini) with remarks to their unusual biology. *Entomol. Fenn.* 18(4):242–254.
- Straka J, Černá K, Macháčková L, Zemenová M, Keil P. 2014. Life span in the wild: the role of activity and climate in natural populations of bees. *Funct. Ecol.* 28(5):1235–1244.
- Straka J, Rezkova K, Batelka J, Kratochvil L. 2011. Early nest emergence of females parasitised by Strepsiptera in protandrous bees (Hymenoptera Andrenidae). *Ethol. Ecol. Evol.* 23(2): 97–109.
- Straka J, Rozen JG Jr. 2012. First observations on nesting and immatures of the bee genus *Ancyla* (Apoidea: Apidae: Apinae: Ancyilini). *Am. Mus. Novit.* 3749:1–24.
- Strange JP, Koch JB, Gonzalez VH, Nemelka L, Griswold T. 2011. Global invasion by *Anthidium manicatum* (Linnaeus) (Hymenoptera: Megachilidae): assessing potential distribution in North America and beyond. *Biol. Invasions* 13(9):2115–2133.
- Streiner M, Kelber C, Pfabifan S, Kleineidam CJ, Spaethe J. 2015. Sexual dimorphism in the olfactory system of a solitary and a eusocial bee species. *J. Comp. Neurol.* 521:2742–2755.
- Strickler K. 1979. Specialization and foraging efficiency of solitary bees. *Ecology* 60(5):998–1009.
- Strickler K. 1982. Parental investment per offspring by a specialist bee: does it change seasonally? *Evolution* 36(5):1098–1100.
- Stubblefield JW, Seger J. 1994. Sexual dimorphism in the Hymenoptera. In *The Differences Between the Sexes*, Short RV, Balaban E, eds., pp. 71–103. Cambridge: Cambridge University Press.
- Stürzl W, Zeil J, Boeddeker N, Hemmi JM. 2016. How wasps acquire and use views for homing. *Curr. Biol.* 26(4):470–482.
- Sugiura N. 1991. Male territoriality and mating tactics in the wool-carder bee, *Anthidium septempinosum* Lepeletier (Hymenoptera: Megachilidae). *J. Ethol.* 9(2):95–103.
- Sugiura N. 1994. Parental investment and offspring sex ratio in a solitary bee, *Anthidium septempinosum* Lepeletier (Hymenoptera: Megachilidae). *J. Ethol.* 12(2):131–139.
- Sugiura N, Maeta Y. 1989. Parental investment and offspring sex ratio in a solitary mason bee, *Osmia cornifrons* (Radoszkowski) (Hymenoptera, Megachilidae). *Jpn. J. Entomol.* 57(4): 861–875.



- Sung I-H, Dubitzky A, Eardley C, Yamane S. 2009. Descriptions and biological notes of *Ctenoplectra* bees from southeast Asia and Taiwan (Hymenoptera: Apidae: Ctenoplectrini) with a new species from North Borneo. *Entomol. Sci.* 12(3):324–340.
- Suni SS, Brosi BJ. 2012. Population genetics of orchid bees in a fragmented tropical landscape. *Conserv. Genet.* 13(2):323–332.
- Switzer CM, Hogendoorn K, Ravi S, Combes SA. 2016. Shakers and head bangers: differences in sonication behavior between Australian *Amegilla murrayensis* (blue-banded bees) and North American *Bombus impatiens* (bumblebees). *Arthropod-Plant Interact.* 10(1):1–8.
- Takahashi NC, Peruquetti RC, Del Lama MA, de Oliveira Campos LA. 2001. A reanalysis of diploid male frequencies in euglossine bees (Hymenoptera: Apidae). *Evolution* 55: 1897–1899.
- Tautz J. 2008. *The Buzz about Bees: Biology of a Superorganism*. Berlin, Heidelberg: Springer Verlag.
- Taylor JS. 1962. Notes on *Heriades freygessneri* Schletterer (Hymenoptera: Megachilidae). *J. Entomol. Soc. South. Afr.* 25(1):133–139.
- Tchuenguem Fohouo F-N, Messi J, Pauly A. 2002. L'activité de butinage des Apoïdes sauvages (Hymenoptera Apoidea) sur les fleurs de maïs à Yaoundé (Cameroun) et réflexions sur la pollinisation des graminées tropicales. *Biotechnol. Agron. Société Environ.* 6(2):87–98.
- Tchuenguem Fohouo F-N, Pauly A, Messi J, Brückner D, Ngamo Tinkeu L, Basga E. 2004. Une abeille afrotropicale spécialisée dans la récolte du pollen de Graminées (Poaceae): *Lipotriches notabilis* (Schletterer 1891)(Hymenoptera Apoidea Halictidae). *Ann. Soc. Entomol. Fr.* 40:131–143.
- Teichroew JL, Xu J, Ahrends A, Huang ZY, Tan K, Xie Z. 2017. Is China's unparalleled and understudied bee diversity at risk? *Biol. Conserv.* 210:19–28.
- Tengö J, Bergström G. 1976. Comparative analyses of lemon-smelling secretions from heads of *Andrena* F. (Hymenoptera, Apoidea) bees. *Comp. Biochem. Physiol. Part B Comp. Biochem.* 55(2):179–188.
- Tengö J, Bergström G. 1977. Cleptoparasitism and odor mimetism in bees: do *Nomada* males imitate the odor of *Andrena* females? *Science* 196(4294):1117–1119.
- Tepedino VJ. 1981. The pollination efficiency of the squash bee (*Peponapis pruinosa*) and the honey bee (*Apis mellifera*) on summer squash (*Cucurbita pepo*). *J. Kans. Entomol. Soc.* 54(2):359–377.
- Tepedino VJ. 1988. Host discrimination in *Monodontomerus obsoletus* Fabricius (Hymenoptera: Torymidae), a parasite of the alfalfa leafcutting bee *Megachile rotundata* (Fabricius) (Hymenoptera: Megachilidae). *J. N. Y. Entomol. Soc.* 96(1):113–118.
- Tepedino VJ, Bradley BA, Griswold TL. 2009. Might flowers of invasive plants increase native bee carrying capacity? Intimations from Capitol Reef National Park, Utah. *Nat. Areas J.* 28(1):44–50.
- Tepedino VJ, Frohlich DR. 1984. Fratricide in a parsivoltine bee (*Osmia texana*). *Anim. Behav.* 32(4):1265–1266.
- Tepedino VJ, Parker FD. 1988. Alternation of sex ratio in a partially bivoltine bee, *Megachile rotundata* (Hymenoptera: Megachilidae). *Ann. Entomol. Soc. Am.* 81(3):467–476.
- Tepedino VJ, Torchio PF. 1982. Phenotypic variability in nesting success among *Osmia lignaria propinqua* females in a glasshouse environment (Hymenoptera: Megachilidae). *Ecol. Entomol.* 7(4):453–462.
- Tepedino VJ, Torchio PF. 1989. Influence of nest hole selection on sex ratio and progeny size in *Osmia lignaria propinqua* (Hymenoptera: Megachilidae). *Ann. Entomol. Soc. Am.* 82(3):355–360.
- Terry I. 2001. Thrips and weevils as dual, specialist pollinators of the Australian cycad *Macrozamia communis* (Zamiaceae). *Int. J. Plant Sci.* 162(6):1293–1305.
- Theobald JC, Coates MM, Wcislo WT, Warrant EJ. 2007. Flight performance in night-flying sweat bees suffers at low light levels. *J. Exp. Biol.* 210(22):4034–4042.
- Thibault KM, Brown JH. 2008. Impact of an extreme climatic event on community assembly. *Proc. Natl. Acad. Sci. USA* 105(9):3410–3415.
- Thompson K, Austin KC, Smith RM, Warren PH, Angold PG, Gaston KJ. 2003. Urban domestic gardens (I): putting small-scale plant diversity in context. *J. Veg. Sci.* 14(1):71–78.
- Thomson JD, Goodell K. 2001. Pollen removal and deposition by honeybee and bumblebee visitors to apple and almond flowers. *J. Appl. Ecol.* 38(5):1032–1044.

- Thomson JD, Thomson BA. 1992. Pollen presentation and viability schedules in animal-pollinated plants: consequences for reproductive success. In *Ecology and Evolution of Plant Reproduction: New Approaches*, Wyatt R, ed., pp. 1–24. New York, London: Chapman & Hall.
- Thorp R, Brooks RW. 1994. A revision of the New World *Trachusa*, subgenera *Ulanthidium* and *Trachusomimus* (Hymenoptera: Megachilidae). *Univ. Kans. Sci. Bull.* 55(8):271–297.
- Thorp RW. 1969a. Ecology and behavior of *Anthophora edwardsii* (Hymenoptera: Anthophoridae). *Am. Midl. Nat.* 82(2):321–337.
- Thorp RW. 1969b. Systematics and ecology of bees of the subgenus *Diandrena* (Hymenoptera: Andrenidae). *Univ. Calif. Publ. Entomol.* 52:1–146.
- Thorp RW. 1979. Structural, behavioral, and physiological adaptations of bees (Apoidea) for collecting pollen. *Ann. Mo. Bot. Gard.* 66(4):788–812.
- Thorp RW. 2000. The collection of pollen by bees. *Plant Syst. Evol.* 222:211–223.
- Thorp RW, Briggs DL. 1980. Bees collecting pollen from other bees (Hymenoptera: Apoidea). *J. Kans. Entomol. Soc.* 53(1):166–170.
- Threlfall CG, Walker K, Williams NSG, Hahs AK, Mata L et al. 2015. The conservation value of urban green space habitats for Australian native bee communities. *Biol. Conserv.* 187(2):240–248.
- Tierney SM, Gonzales-Ojeda T, Wcislo WT. 2008a. Nesting biology and social behavior of *Xenochlora* bees (Hymenoptera: Halictidae: Augochlorini) from Perú. *J. Kans. Entomol. Soc.* 81(1):61–72.
- Tierney SM, Smith JA, Chenoweth L, Schwarz MP. 2008b. Phylogenetics of allodapine bees: a review of social evolution, parasitism and biogeography. *Apidologie* 39(1):3–15.
- Timberlake PH. 1954. A revisional study of the bees of the genus *Perdita* F. Smith: with special reference to the fauna of the Pacific coast (Hymenoptera, Apoidea) Part I. *Univ. Calif. Publ. Entomol.* 9:345–432.
- Tinbergen N. 1932. Über die Orientierung des Bienenwolfes (*Philanthus triangulum* Fabr.). *J. Comp. Physiol. A Neuroethol. Sens. Neural. Behav. Physiol.* 16(2):305–334.
- Tinbergen N, Kruyt W. 1938. Über die Orientierung des Bienenwolfes (*Philanthus triangulum* Fabr.). III. Die Bevorzugung bestimmter Wegmarken. *Z. Für Vgl. Physiol.* 25(3):292–334.
- Tolasch T, Kehl S, Dötterl S. 2012. First sex pheromone of the order Strepsiptera: (3R,5R,9R)-3,5,9-Trimethyldodecanal in *Stylops melittae* Kirby, 1802. *J. Chem. Ecol.* 38(12):1493–1503.
- Tomlin AD, Miller JJ. 1989. Physical and behavioral factors governing the pattern and distribution of Rhipiphoridae (Coleoptera) attached to wings of Halictidae (Hymenoptera). *Ann. Entomol. Soc. Am.* 82(6):785–791.
- Tonietto R, Fant J, Ascher J, Ellis K, Larkin D. 2011. A comparison of bee communities of Chicago green roofs, parks and prairies. *Landsc. Urban Plan.* 103(1):102–108.
- Torchio PF. 1965. Observations on the biology of *Colletes ciliatoides* (Hymenoptera: Apoidea, Colletidae). *J. Kans. Entomol. Soc.* 38(2):182–187.
- Torchio PF. 1972. *Sapyga pumila* Cresson, a parasite of *Megachile rotundata* (F.) (Hymenoptera: Sapygidae; Megachilidae). *Melanderia* 10:1–22.
- Torchio PF. 1975. The biology of *Perdita nuda* and descriptions of its immature forms and those of its *Sphecodes* parasite (Hymenoptera: Apoidea). *J. Kans. Entomol. Soc.* 48(3):257–279.
- Torchio PF. 1984a. The nesting biology of *Hylaeus bisinuatus* Forster and development of its immature forms (Hymenoptera: Colletidae). *J. Kans. Entomol. Soc.* 57(2):276–297.
- Torchio PF. 1984b. Discovery of *Osmia tanneri* Sandhouse (Hymenoptera: Megachilidae) nesting in drilled wood trap nests. *J. Kans. Entomol. Soc.* 57(2):350–352.
- Torchio PF. 1989a. In-nest biologies and development of immature stages of three *Osmia* species (Hymenoptera: Megachilidae). *Ann. Entomol. Soc. Am.* 82(5):599–615.
- Torchio PF. 1989b. Biology, immature development, and adaptive behavior of *Stelis montana*, a cleptoparasite of *Osmia* (Hymenoptera: Megachilidae). *Ann. Entomol. Soc. Am.* 82(5):616–632.
- Torchio P.F. 1990. *Osmia ribifloris*, a native bee species developed as a commercially managed pollinator of highbush blueberry (Hymenoptera: Megachilidae). *J. Kans. Entomol. Soc.* 63(3):427–436.
- Torchio PF, Burdick DJ. 1988. Comparative notes on the biology and development of *Epeolus compactus* Cresson, a cleptoparasite of *Colletes kincaidii* Cockerell (Hymenoptera: Anthophoridae, Colletidae). *Ann. Entomol. Soc. Am.* 81(4):626–636.

- Torchio PF, Rozen JG Jr, Bohart G, Favreau M. 1967. Biology of *Dufourea* and of its cleptoparasite, *Neopasites* (Hymenoptera: Apoidea). *J. N. Y. Entomol. Soc.* 75(3):142–146.
- Torchio PF, Tepedino VJ. 1982. Parsivoltinism in three species of *Osmia* bees. *Psyche* 89(3–4): 221–238.
- Torchio PF, Trostle GE. 1986. Biological notes on *Anthophora urbana urbana* and its parasite, *Xeromelecta californica* (Hymenoptera: Anthophoridae), including descriptions of late embryogenesis and hatching. *Ann. Entomol. Soc. Am.* 79(3):434–447.
- Torchio PF, Trostle GE, Burdick DJ. 1988. The nesting biology of *Colletes kincaidii* Cockerell (Hymenoptera: Colletidae) and development of its immature forms. *Ann. Entomol. Soc. Am.* 81(4):605–625.
- Torchio PF, Youssef NN. 1968. The biology of *Anthophora* (*Micranthophora*) *flexipes* and its cleptoparasite, *Zacosmia maculata*, including a description of the immature stages of the parasite (Hymenoptera: Apoidea, Anthophoridae). *J. Kans. Entomol. Soc.* 41(3):289–302.
- Toro H. 1985. Ajuste mecánico para la copula de *Callonychium chilensis* (Hymenoptera: Andrenidae). *Rev. Chil. Entomol.* 12:153–158.
- Toro H, Riveros G. 1998. Comportamiento de copula de *Centris mixta* Tamarugalis (Hymenoptera: Anthophoridae). *Rev. Chil. Entomol.* 25:69–75.
- Toro H, Rodriguez S. 1997. Correspondencia estructural para la cópula en *Anthidium* (Hymenoptera: Megachilidae). *Rev. Chil. Entomol.* 24:61–80.
- Torres A, Brandt J, Lear K, Liu J. 2017. A looming tragedy of the sand commons. *Science* 357(6355):970–971.
- Torretta JP, Roig-Alsina A. 2016. First report of *Monoeca* in Argentina, with description of two new species (Hymenoptera: Apidae). *J. Melittology* 59:1–12.
- Triponez Y, Arrigo N, Espíndola A, Alvarez N. 2015. Decoupled post-glacial history in mutualistic plant–insect interactions: insights from the yellow loosestrife (*Lysimachia vulgaris*) and its associated oil-collecting bees (*Macropis europaea* and *M. fulvipes*). *J. Biogeogr.* 42(4):630–640.
- Trivers RL, Willard DE. 1973. Natural selection of parental ability to vary the sex ratio of offspring. *Science* 179(4068):90–92.
- Tropek R, Černá I, Straka J, Cizek O, Konvicka M. 2013. Is coal combustion the last chance for vanishing insects of inland drift sand dunes in Europe? *Biol. Conserv.* 162:60–64.
- Trostle G, Torchio PF. 1994. Comparative nesting behavior and immature development of *Megachile rotundata* (Fabricius) and *Megachile apicalis* Spinola (Hymenoptera: Megachilidae). *J. Kans. Entomol. Soc.* 67(1):53–72.
- Trunz V, Packer L, Vieu J, Arrigo N, Praz CJ. 2016. Comprehensive phylogeny, biogeography and new classification of the diverse bee tribe Megachilini: can we use DNA barcodes in phylogenies of large genera? *Mol. Phylogenet. Evol.* 103:245–259.
- Tuell JK, Ascher JS, Isaacs R. 2009. Wild bees (Hymenoptera: Apoidea: Anthophila) of the Michigan highbush blueberry agroecosystem. *Ann. Entomol. Soc. Am.* 102(2):275–287.
- Tuell JK, Isaacs R. 2010. Community and species-specific responses of wild bees to insect pest control programs applied to a pollinator-dependent crop. *J. Econ. Entomol.* 103(3):668–675.
- Turner RM. 1990. Long-term vegetation change at a fully protected Sonoran Desert site. *Ecology* 71(2):464–477.
- Turner RM, Bowers JE, Burgess TL. 2005. *Sonoran Desert Plants: An Ecological Atlas*. Tucson: University of Arizona Press.
- Ulrich W. 1956. Unsere Strepsipteren-Arbeiten. *Zool. Beitr. N. F.* 2:177–255.
- Urban D. 1970. As espécies do gênero *Florilegus* Robertson, 1900 (Hymenoptera, Apoidea). *Bol. Universidade Fed. Paraná.* 3:245–280.
- Urban D, Graf V. 2000. *Albinapis gracilis* gen. n. e sp. n. e *Hexanthes enneomera* sp. n. do sul do Brasil (Hymenoptera, Colletidae, Paracolletini). *Rev. Bras. Zool.* 17(3):595–601.
- van der Pijl L, Dodson CH. 1969. *Orchid Flowers: Their Pollination and Evolution*. Coral Gables: University of Miami Press.
- Vanderplanck M, Vereecken NJ, Grumiau L, Esposito F, Lognay G et al. 2017. The importance of pollen chemistry in evolutionary host shifts of bees. *Sci. Rep.* 7:43058.
- vanEngelsdorp D, Meixner MD. 2010. A historical review of managed honey bee populations in Europe and the United States and the factors that may affect them. *J. Invertebr. Pathol.* 103:S80–S95.

- Vasek FC. 1980. Creosote bush: long-lived clones in the Mojave Desert. *Am. J. Bot.* 67(2): 246–255.
- Vásquez A, Olofsson TC. 2009. The lactic acid bacteria involved in the production of bee pollen and bee bread. *J. Apic. Res.* 48(3):189–195.
- Vázquez DP, Morris WF, Jordano P. 2005. Interaction frequency as a surrogate for the total effect of animal mutualists on plants. *Ecol. Lett.* 8(10):1088–1094.
- Vereecken NJ. 2018. Wallace's Giant Bee for sale: implications for trade regulation and conservation. *J. Insect Conserv.* <https://doi.org/10.1007/s10841-018-0108-2>.
- Vereecken NJ, Dorchin A, Dafni A, Hötling S, Schulz S, Watts S. 2013. A pollinators' eye view of a shelter mimicry system. *Ann. Bot.* 111:1155–1165.
- Vereecken NJ, Mahé G. 2007. Larval aggregations of the blister beetle *Stenoria analis* (Schaum) (Coleoptera: Meloidae) sexually deceive patrolling males of their host, the solitary bee *Colletes hederæ* Schmidt and Westrich (Hymenoptera: Colletidae). *Ann. Soc. Entomol. Fr. (N. S.)* 43(4):493–496.
- Vereecken NJ, McNeil JN. 2010. Cheaters and liars: chemical mimicry at its finest. *Can. J. Zool.* 88(7):725–752.
- Vereecken NJ, Schiestl FP. 2008. The evolution of imperfect floral mimicry. *Proc. Natl. Acad. Sci. USA* 105(21):7484–7488.
- Vereecken NJ, Wilson CA, Hötling S, Schulz S, Banketov SA, Mardulyn P. 2012. Pre-adaptations and the evolution of pollination by sexual deception: Cope's rule of specialization revisited. *Proc. R. Soc. Lond. B, Biol. Sci.* 1748:4786–4794.
- Viana BF, Kleinert AMP. 2006. Structure of bee-flower system in the coastal sand dune of Abaeté, northeastern Brazil. *Rev. Bras. Entomol.* 50(1):53–63.
- Vicens N, Bosch J. 2000a. Pollinating efficacy of *Osmia cornuta* and *Apis mellifera* (Hymenoptera: Megachilidae, Apidae) on 'Red Delicious' apple. *Environ. Entomol.* 29(2):235–240.
- Vicens N, Bosch J. 2000b. Weather-dependent pollinator activity in an apple orchard, with special reference to *Osmia cornuta* and *Apis mellifera* (Hymenoptera: Megachilidae and Apidae). *Environ. Entomol.* 29(3):413–420.
- Vicidomini S. 1996. Biology of *Xylocopa violacea* (Hymenoptera): in-nest ethology. *Ital. J. Zool.* 63(3):237–242.
- Vinson SB, Frankie GW, Blum MS, Wheeler JW. 1978. Isolation, identification, and function of the Dufour gland secretion of *Xylocopa virginica texana* (Hymenoptera: Anthophoridae). *J. Chem. Ecol.* 4(3):315–323.
- Vinson SB, Frankie GW, Williams HJ. 1996. Chemical ecology of bees of the genus *Centris* (Hymenoptera: Apidae). *Fla. Entomol.* 79(2):109–129.
- Vinson SB, Frankie GW, Williams HJ. 2006. Nest liquid resources of several cavity nesting bees in the genus *Centris* and the identification of a preservative, levulinic acid. *J. Chem. Ecol.* 32(9):2013–2021.
- Visscher PK, Danforth BN. 1993. Biology of *Calliopsis pugionis* (Hymenoptera: Andrenidae): nesting, foraging, and investment sex ratio. *Ann. Entomol. Soc. Am.* 86(6):822–832.
- Visscher PK, Seeley TD. 1982. Foraging strategy of honeybee colonies in a temperate deciduous forest. *Ecology* 63(6):1790–1801.
- Visscher PK, Vetter RS, Orth R. 1994. Benthic bees? Emergence phenology of *Calliopsis pugionis* (Hymenoptera: Andrenidae) at a seasonally flooded site. *Ann. Entomol. Soc. Am.* 87(6): 941–945.
- Vit P, Pedro SRM, Roubik DW. 2013. *Pot-Honey: A Legacy of Stingless Bees*. New York: Springer.
- Vogel ME, Kukuk PF. 1994. Individual foraging effort in the facultatively social halictid bee, *Nomia (Austronomia) australica* (Smith). *J. Kans. Entomol. Soc.* 67(3):225–235.
- Vogel S. 1966. Parfümsammelnde Bienen als Bestäuber von und *Gloxinia*. *Österr. Bot. Z.* 113(3–4):302–361.
- Vogel S. 1974. Ölblumen und olsammelnde Bienen. *Trop. Subtrop. Pflwelt.* 7:1–267.
- Vogel S. 1978. Evolutionary shifts from reward to deception in pollen flowers. In *The Pollination of Flowers by Insects*, Vol. 6, pp. 89–96. London: Academic Press.
- Vogel S. 1981. Abdominal oil-mopping—a new type of foraging in bees. *Naturwissenschaften* 68(12):627–628.
- Vogel S. 1990. Ölblumen und olsammelnde Bienen dritte Folge. *Momordica, Thladiantha* und die Ctenoplectridae. *Trop. Subtrop. Pflwelt* 73:1–186.

- Vulliamy B, Potts SG, Willmer PG. 2006. The effects of cattle grazing on plant-pollinator communities in a fragmented Mediterranean landscape. *Oikos* 114(3):529–543.
- Wäckers FL, Romeis J, van Rijn P. 2007. Nectar and pollen feeding by insect herbivores and implications for multitrophic interactions. *Annu. Rev. Entomol.* 52:301–323.
- Walter DE, Beard JJ, Walker KL, Sparks K. 2002. Of mites and bees: a review of mite-bee associations in Australia and a revision of *Raymentia* Womersley (Acari: Mesostigmata: Laelapidae), with the description of two new species of mites from *Lasioglossum* (*Parasphcodes*) spp. (Hymenoptera: Halictidae). *Aust. J. Entomol.* 41(2):128–148.
- Ward JD. 1928. An unrecorded habit of the male of the bee *Anthidium manicatum* L. *Entomologist* 61(787):267–272.
- Ward R, Whyte A, James RR. 2010. A tale of two bees: looking at pollination fees for almonds and sweet cherries. *Am. Entomol.* 56(3):170–177.
- Warrant EJ. 2008. Seeing in the dark: vision and visual behaviour in nocturnal bees and wasps. *J. Exp. Biol.* 211(11):1737–1746.
- Warrant EJ, Kelber A, Gislén A, Greiner B, Ribí W, Wcislo WT. 2004. Nocturnal vision and landmark orientation in a tropical halictid bee. *Curr. Biol.* 14(15):1309–1318.
- Watmough RH. 1974. Biology and behaviour of carpenter bees in southern Africa. *J. Entomol. Soc. South Afr.* 37(2):261–281.
- Watmough RH. 1983. Mortality, sex ratio and fecundity in natural populations of large carpenter bees (*Xylocopa* spp.). *J. Anim. Ecol.* 52(1):111–125.
- Watson JC, Wolf AT, Ascher JS. 2011. Forested landscapes promote richness and abundance of native bees (Hymenoptera: Apoidea: Anthophila) in Wisconsin apple orchards. *Environ. Entomol.* 40(3):621–632.
- Wcislo D, Vargas G, Ihle K, Wcislo W. 2012. Nest construction behavior by the orchid bee *Euglossa hyacinthina*. *J. Hymenopt. Res.* 29(1):15–20.
- Wcislo WT. 1990. Parasitic and courtship behavior of *Phalacrotophora halictorum* (Diptera: Phoridae) at a nesting site of *Lasioglossum figueresi* (Hymenoptera: Halictidae). *Rev. Biol. Trop.* 38(2):205–209.
- Wcislo WT. 1993. Communal nesting in a North American pearly-banded bee, *Nomia tetrazonata*, with notes on nesting behavior of *Dieunomia heteropoda* (Hymenoptera: Halictidae: Nomiinae). *Ann. Entomol. Soc. Am.* 86(6):813–821.
- Wcislo WT. 1996. Parasitism rates in relation to nest site in bees and wasps (Hymenoptera: Apoidea). *J. Insect Behav.* 9(4):643–656.
- Wcislo WT. 1997. Invasion of nests of *Lasioglossum imitatum* by a social parasite, *Paralictus asteris* (Hymenoptera: Halictidae). *Ethology* 103(1):1–11.
- Wcislo WT, Arneson L, Roesch K, Gonzalez V, Smith A, Fernández H. 2004. The evolution of nocturnal behaviour in sweat bees, *Megalopta genalis* and *M. ecuadoria* (Hymenoptera: Halictidae): an escape from competitors and enemies? *Biol. J. Linn. Soc.* 83(3):377–387.
- Wcislo WT, Buchmann SL. 1995. Mating behaviour in the bees, *Dieunomia heteropoda* and *Nomia tetrazonata*, with a review of courtship in Nomiinae (Hymenoptera: Halictidae). *J. Nat. Hist.* 29(4):1015–1027.
- Wcislo WT, Cane JH. 1996. Floral resource utilization by solitary bees (Hymenoptera: Apoidea) and exploitation of their stored foods by natural enemies. *Annu. Rev. Entomol.* 41:257–286.
- Wcislo WT, Danforth BN. 1997. Secondarily solitary: the evolutionary loss of social behavior. *Trends Ecol. Evol.* 12(12):468–474.
- Wcislo WT, Engel MS. 1996. Social behavior and nest architecture of nomiine bees (Hymenoptera: Halictidae; Nomiinae). *J. Kans. Entomol. Soc.* 69(4):158–167.
- Wcislo WT, Minckley RL, Leschen RAB, Reyes SG. 1994. Rates of parasitism by natural enemies of a solitary bee, *Dieunomia triangulifera* (Hymenoptera, Coleoptera and Diptera) in relation to phenologies. *Sociobiology* 23(3):265–273.
- Wcislo WT, Minckley RL, Spangler HC. 1992. Pre-copulatory courtship behavior in a solitary bee, *Nomia triangulifera* Vachal (Hymenoptera: Halictidae). *Apidologie* 23(5):431–442.
- Wcislo WT, Schatz B. 2003. Predator recognition and evasive behavior by sweat bees, *Lasioglossum umbripenne* (Hymenoptera: Halictidae), in response to predation by ants, *Ectatomma ruidum* (Hymenoptera: Formicidae). *Behav. Ecol. Sociobiol.* 53(3):182–189.
- Wcislo WT, Tierney SM. 2009. Behavioural environments and niche construction: the evolution of dim-light foraging in bees. *Biol. Rev.* 84(1):19–37.

- Werner T, Jaenike J. 2017. *Drosophilids of the Midwest and Northeast*. Rochester: River Campus Libraries, University of Rochester.
- Westerkamp CH. 1996. Pollen in bee-flower relations some considerations on melittophily. *Bot. Acta* 109(4):325–332.
- Westerling AL, Hidalgo HG, Cayan DR, Swetnam TW. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. *Science* 313(5789):940–943.
- Westrich P. 1989. *Die Wildbienen Baden-Württembergs; Spezieller Teil*. Stuttgart: Eugene Ulmer.
- Westrich P, Knapp A, Berney I. 2015. *Megachile sculpturalis* Smith 1853 (Hymenoptera, Apidae), a new species for the bee fauna of Germany, now north of the Alps. *Eucera* 9:3–10.
- Whitten W, Young A, Williams N. 1989. Function of glandular secretions in fragrance collection by male euglossine bees (Apidae, Euglossini). *J. Chem. Ecol.* 15(4):1285–1296.
- Whitten WM, Young AM, Stern DL. 1993. Nonfloral sources of chemicals that attract male euglossine bees (Apidae: Euglossini). *J. Chem. Ecol.* 19(12):3017–3027.
- Wikelski M, Moxley J, Eaton-Mordas A, López-Urbe MM, Holland R et al. 2010. Large-range movements of neotropical orchid bees observed via radio telemetry. *PLoS One* (5):e10738.
- Williams HJ, Strand MR, Elzen GW, Vinson SB, Merritt SJ. 1986. Nesting behavior, nest architecture, and use of Dufour's gland lipids in nest provisioning by *Megachile integra* and *M. mendica mendica* (Hymenoptera: Megachilidae). *J. Kans. Entomol. Soc.* 59(4):588–597.
- Williams N, Whitten W. 1983. Orchid floral fragrances and male euglossine bees: methods and advances in the last sequidecade. *Biol. Bull.* 164:355–395.
- Williams NM. 2003. Use of novel pollen species by specialist and generalist solitary bees (Hymenoptera: Megachilidae). *Oecologia* 134(2):228–237.
- Williams NM, Crone EE, Roulston TH, Minckley RL, Packer L, Potts SG. 2010. Ecological and life-history traits predict bee species responses to environmental disturbances. *Biol. Conserv.* 143(10):2280–2291.
- Williams NM, Kremen C. 2007. Resource distributions among habitats determine solitary bee offspring production in a mosaic landscape. *Ecol. Appl.* 17(3):910–921.
- Willmer PG. 1988. The role of insect water balance in pollination ecology: *Xylocopa* and *Calotropis*. *Oecologia* 76(3):430–438.
- Willmer PG, Stone GN. 2004. Behavioral, ecological, and physiological determinants of the activity patterns of bees. *Adv. Study Behav.* 34:347–466.
- Wilson EO. 1971. *The Insect Societies*. Cambridge: Belknap Press of Harvard University Press.
- Wilson EO, Hölldobler B. 2005. Eusociality: origin and consequences. *Proc. Natl. Acad. Sci. USA* 102(38):13367–13371.
- Wilson JS, Pitts JP, von Dohlen C. 2009. Lack of variation in nuclear genes among isolated populations of the sand dune restricted bee *Colletes stephensii* (Hymenoptera: Colletidae). *J. Kans. Entomol. Soc.* 82(4):316–320.
- Winfree R, Aguilar R, Vázquez DP, LeBuhn G, Aizen MA. 2009. A meta-analysis of bees' responses to anthropogenic disturbance. *Ecology* 90(8):2068–2076.
- Winfree R, Griswold T, Kremen C. 2007a. Effect of human disturbance on bee communities in a forested ecosystem. *Conserv. Biol.* 21(1):213–223.
- Winfree R, Fox JW, Williams NM, Reilly JR, Cariveau DP. 2015. Abundance of common species, not species richness, drives delivery of a real-world ecosystem service. *Ecol. Lett.* 18(7):626–635.
- Winfree R, Williams NM, Dushoff J, Kremen C. 2007b. Native bees provide insurance against ongoing honey bee losses. *Ecol. Lett.* 10(11):1105–1113.
- Winfree R, Williams NM, Gaines H, Ascher JS, Kremen C. 2008. Wild bee pollinators provide the majority of crop visitation across land-use gradients in New Jersey and Pennsylvania, USA: crop visitation by wild pollinators. *J. Appl. Ecol.* 45(3):793–802.
- Winston ML. 1979. The proboscis of the long-tongued bees: a comparative study. *Univ. Kans. Sci. Bull.* 51(22):631–667.
- Winston ML. 1987. *The Biology of the Honey Bee*. Cambridge: Harvard University Press.
- Wirtz P, Szabados M, Pethig H, Plant J. 1988. An extreme case of interspecific territoriality: male *Anthidium manicatum* (Hymenoptera: Megachilidae) wound and kill intruders. *Ethology* 78(2):159–167.
- Wittmann D, Blochtein B. 1995. Why males of leafcutter bees hold their females antennae with their front legs during mating. *Apidologie* 26(3):181–195.

- Wood TJ, Holland JM, Goulson D. 2016. Diet characterisation of solitary bees on farmland: dietary specialisation predicts rarity. *Biodivers. Conserv.* 25(13):2655–2671.
- Wood TJ, Roberts SP. 2017. An assessment of historical and contemporary diet breadth in polylectic *Andrena* bee species. *Biol. Conserv.* 215:72–80.
- Wright GA, Baker DD, Palmer MJ, Stabler D, Mustard JA et al. 2013. Caffeine in floral nectar enhances a pollinator's memory of reward. *Science* 339(6124):1202–1204.
- Wuellner CT. 1999. Nest site preference and success in a gregarious, ground-nesting bee *Dieunomia triangulifera*. *Ecol. Entomol.* 24(4):471–479.
- Wynns AA, Jensen AB, Eilenberg J. 2013. *Ascospaera callicarpa*, a new species of bee-loving fungus, with a key to the genus for Europe. *PLoS One* 8(9):e73419.
- Yanega D. 1988. Social plasticity and early-diapausing females in a primitively social bee. *Proc. Natl. Acad. Sci. USA* 85(12):4374–4377.
- Yang J-W, Xu H-L, Hu H-Y. 2010. Nesting biology of *Dasygaster hirtipes* (Fabricius) (Hymenoptera: Melittidae). *Acta Entomol. Sin.* 53(4):442–448.
- Yeates DK, Greathead D. 1997. The evolutionary pattern of host use in the Bombyliidae (Diptera): a diverse family of parasitoid flies. *Biol. J. Linn. Soc.* 60(2):149–85.
- Yoshihara Y, Chimeddorj B, Buuveibaatar B, Lhagvasuren B, Takatsuki S. 2008. Effects of livestock grazing on pollination on a steppe in eastern Mongolia. *Biol. Conserv.* 141(9):2376–2386.
- Young AM. 1985. Notes on the nest structure and emergence of *Euglossa turbinifex* Dressler (Hymenoptera: Apidae: Bombinae: Euglossini) in Costa Rica. *J. Kans. Entomol. Soc.* 58(3):538–543.
- Zanella FCV, Ferreira AG. 2005. Record of *Austrostelis* Michener and Griswold host (Hymenoptera: Megachilidae) and of its occurrence in the semi-arid caatinga region. *Neotrop. Entomol.* 34(5):857–858.
- Zayed A, Constantin ŞA, Packer L. 2007. Successful biological invasion despite a severe genetic load. *PLoS One* 2(9):e868.
- Zayed A, Packer L. 2005. Complementary sex determination substantially increases extinction proneness of haplodiploid populations. *Proc. Natl. Acad. Sci. USA* 102(30):10742–10746.
- Zayed A, Packer L. 2007. The population genetics of a solitary oligolectic sweat bee, *Lasioglossum (Sphécodogastra) oenotherae* (Hymenoptera: Halictidae). *Heredity* 99(4):397–405.
- Zayed A, Packer L, Grixti JC, Ruz L, Owen RE, Toro H. 2005. Increased genetic differentiation in a specialist versus a generalist bee: implications for conservation. *Conserv. Genet.* 6(6):1017–1026.
- Zayed A, Roubik DW, Packer L. 2004. Use of diploid male frequency data as an indicator of pollinator decline. *Proc. R. Soc. Lond. B, Biol. Sci.* 271(Suppl 3):S9–S12.
- Zeil J. 1993. Orientation flights of solitary wasps (*Cerceris*; Sphecidae; Hymenoptera). II. Similarities between orientation and return flights and the use of motion parallax. *J. Comp. Physiol. A.* 172(2):207–222.
- Zeil J. 2012. Visual homing: an insect perspective. *Curr. Opin. Neurobiol.* 22(2):285–293.
- Zeil J, Kelber A. 1991. Orientation flights in ground nesting wasps and bees share a common organization. *Verh. Dtsch. Zool. Ges.* 84:371–372.
- Zeil J, Kelber A, Voss R. 1996. Structure and function of learning flights in ground-nesting bees and wasps. *J. Exp. Biol.* 199(1):245–252.
- Zhang J, Weirauch C, Zhang G, Forero D. 2016. Molecular phylogeny of Harpactorinae and Bactrodinae uncovers complex evolution of sticky trap predation in assassin bugs (Heteroptera: Reduviidae). *Cladistics* 32(5):538–554.
- Zhang W, Kramer EM, Davis CC. 2010. Floral symmetry genes and the origin and maintenance of zygomorphy in a plant-pollinator mutualism. *Proc. Natl. Acad. Sci. USA* 107(14):6388–6393.
- Zillikens A, Steiner J. 2004. Nest architecture, life cycle and cleptoparasite of the Neotropical leaf-cutting bee *Megachile (Chrysosarus) pseudanthidioides* Moure (Hymenoptera: Megachilidae). *J. Kans. Entomol. Soc.* 77(3):193–202.
- Ziska LH, Pettis JS, Edwards J, Hancock JE, Tomecek MB et al. 2016. Rising atmospheric CO<sub>2</sub> is reducing the protein concentration of a floral pollen source essential for North American bees. *Proc. R. Soc. Lond. B, Biol. Sci.* 283(1828):20160414.
- Zurbuchen A, Cheesman S, Klaiber J, Müller A, Hein S, Dorn S. 2010a. Long foraging distances impose high costs on offspring production in solitary bees. *J. Anim. Ecol.* 79(3):674–681.
- Zurbuchen A, Landert L, Klaiber J, Müller A, Hein S, Dorn S. 2010b. Maximum foraging ranges in solitary bees: only few individuals have the capability to cover long foraging distances. *Biol. Conserv.* 143(3):669–676.