

LITERATURA

- Al-Issa (1978). Sociocultural Factors in Hallucinations. *International Journal of Social Psychiatry*, 24 (3), s. 167–176.
- Andrade, C. (2008). Molecular mechanism underlying electroconvulsive therapy – induced amnestic deficits: A decade of research. *Indian Journal of Psychiatry*, 50 (4), s. 244–252.
- Andrade, C., Radhakrishnan, R. (2009). The prevention and treatment of cognitive decline in dementia: An overview of recent research on experimental treatments. *Indian Journal of Psychiatry*, 51 (1), s. 12–25.
- Andreasen, N. C. (1982). Negative symptoms in schizophrenia: definition and reliability. *Archives of General Psychiatry*, 39, s. 784–788.
- Andreasen, N. C., Nopoulos, P., Schultz, S. et al. (1994). Positive and Negative Symptoms of Schizophrenia: past, present and future. *Acta Psychiatrica Scandinavica*, 90, 384, s. 51–59.
- Ayuso-Mateos, J. L., Nuevo, R., Verdes, E. et al. (2010). From depressive symptoms to depressive disorders: the relevance of thresholds. *British Journal of Psychiatry*, 196, s. 365–371.
- Bair, M. J., Robinson, R. L., Katon, W., Kroenke, K. (2003). Depression and pain co-morbidity: A literature review. *Archives of Internal Medicine*, 163, s. 2433–2445.
- Banerjee, A., Sharma, L. N. (1995). Catatonia Incidence in Acute Psychiatric Admissions, *Indian Journal of Psychiatry*, 37 (1), s. 35–39.
- Bartoš, A., Hasalíková, M. (2010). *Poznejte demenci správně a včas – příručka pro klinickou praxi*. Mladá fronta: Praha.
- Beníčková, M. (2011). *Muzikoterapie a specifické poruchy učení*. Praha: Grada Publishing.
- Beran, J. (1992). *Psychoterapeutický přístup v klinické praxi*. Praha: H+H.
- Beran, J. (2000). *Základy psychoterapie pro lékaře*. Praha: Grada Publishing.
- Bleuler, E. (1911). *Dementia praecox oder Gruppe der Schizophrenien. Handbuch der Psychiatrie*. Liepzig–Wien: Deuticke.
- Boehm, J. K., Williams, D. R., Rimm, E. B. et al. (2013). Association Between Optimism and Serum Antioxidants in the Midlife in the United States Study. *Psychosomatic Medicine*, 75 (1), s. 2–10.

- Botros, M. M., Atalla, S. F., El-Islam, F. (2006). Schneiderian First Rank Symptoms in a Sample of Schizophrenic patients in Egypt. *International Journal of Social Psychiatry*, 52 (5), s. 424–431.
- Bracken, P., Thomas, P., Timini, S., Asen, E., Behr, G., Beuster, C., Bhunnoo, S., Browne, I., Chhina, N., Double, D., Downer, S., Evans, C., Fernando, S., Garland, M. R., Hopkins, W., Huws, R., Johnson, B., Martindale, B., Middleton, H., Moldavsky, D., Moncrieff, J., Mullins, S., Nelki, J., Pizzo, M., Rodger, J., Smyth, M., Summerfield, D., Wallace, J., Yeomans, D. (2012). Psychiatry beyond the current paradigm. *British Journal of Psychiatry*, 201, s. 430–434.
- Campbellová, J. (1998). *Techniky arteterapie ve výchově, sociální práci a klinické praxi*. Praha: Portál.
- Casemore, R. (2008). *Na osobu zaměřená psychoterapie*. Praha: Portál.
- Corruble, E., Guelfi, J. D. (2000). Pain complaints in depressed inpatients. *Psychopathology*, 33, s. 307–309.
- Crossley, N. A., Constante, M., McGuire, P., Power, P. (2010). Efficacy of atypical and typical antipsychotics in the treatment of early psychosis: meta-analysis. *British Journal of Psychiatry*, 196, s. 434–439.
- Češková, E. (2007). *Schizofrenie a její léčba*. Praha: Jessenius Maxdorf.
- Češková, E. (2007): Jak správně zvolit antidepresivum. *Psychiatrie pro praxi*, 8 (5), s. 229–231.
- Dickens, C., Cherrington, A., Adeyemi, I. et al. (2013). Characteristics of Psychological Interventions That Improve Depression in People With Coronary Heart Disease: A Systematic Review and Meta-Regression. *Psychosomatic Medicine*, 75 (2), s. 211–221.
- Dušek, K., Večeřová-Procházková, A. (2005). *První pomoc v psychiatrii*. Praha: Grada Publishing.
- Dušek, K., Večeřová-Procházková, A. (2010). *Diagnostika a terapie duševních poruch*. Grada Publishing, Praha.
- Dworkin, S. F., Von Korff, M., Le Resche, L. (1990). Multiple pains and psychiatric disturbance: An epidemiological investigation. *Archives of General Psychiatry*, 47, s. 239–244.
- Fagiolini, A., Goracci, A. (2007). The long term – maximising potential for rehabilitation in patients with schizophrenia. *European Neuropsychopharmacology*, 17, příl. 2, s. S123–S129.
- Fen Cheng, Y., Bang Leu, H., Chieh Su, C. et al. (2013). Association Between Panic Disorder and Risk of Atrial Fibrillation: A Nationwide Study. *Psychosomatic Medicine*, 75 (1), s. 30–35.

- Folstein, M. F., Folstein, S. E., McHugh, P. R. (1975). Mini-Mental State. A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12, s. 189–198.
- Frith, C., Johnstone, E. (2003). *Schizophrenia. A Very Short Introduction*. Oxford – New York: Oxford University Press.
- Gazzaniga, M. S. (2010). Neuroscience and the Law. *International Journal of Psychophysiology*, 77 (3), s. 185, předneseno na 15th World Congress of Psychophysiology, Budapest, 1.–4. 9. 2010.
- Gilmore, J. H. (2010). Understanding What Cases Schizophrenia: A Developmental Perspective, *American Journal of Psychiatry*, 167, s. 8–10.
- Gratacos, M., Gonzales, J. R., Mercader, J. M. et al. (2007). Brain-derived neurotrophic factor Val66Met and psychiatric disorders: meta-analysis of case-control studies confirm association to substance-related disorders, eating disorders, and schizophrenia. *Biological Psychiatry*, 61, s. 911–922.
- Grover, S., Kulhara, P. (2008). Deficit schizophrenia: Concept and validity. *Indian Journal of Psychiatry*, 50 (1), s. 61–66.
- Grover, S., Avasthi, A., Kalita K. et al. (2013). IPS multicentric study: Functional somatic symptoms in depression. *Indian Journal of Psychiatry*, 55 (1), s. 31–40.
- Gupta, S., Mosnik, D., Black, D. W. et al. (1999). Tardive dyskinesia: Review of treatment past, present and future. *Annals of Clinical Psychiatry*, 11 (4), s. 257–266.
- Gupta, S., Kulhara, P. (2010). What is schizophrenia: A neurodevelopmental or neurodegenerative disorder or a combination of both? A critical analysis. *Indian Journal of Psychiatry*, 52 (1), s. 21–27.
- Gureje, O., Cohen, A. (2011). Differential outcome of schizophrenia: where we are and where we would like to be. *British Journal of Psychiatry*, 199, s. 173–175.
- Hamer, M. (2012). Psychosocial Stress and Cardiovascular Disease Risk: The Role of Physical Activity. *Psychosomatic Medicine*, 74 (9), s. 896–903.
- Harrison, P. J., Baldwin, D. S., Barnes, T. R. E. et al. (2011). No psychiatry without psychopharmacology. *British Journal of Psychiatry*, 199, s. 263–265.
- Haug, T. T., Mykletun, A., Dahl, A. A. (2004). The association between anxiety, depression, and somatic symptoms in a large population. The HUNT-II study. *Psychosomatic Medicine*, 66, s. 845–851.
- Henn, F., Sartorius, N., Helmchen, H., Lauter, H. (eds.) (2001). Contemporary Psychiatry. Berlin–Heidelberg: Springer-Verlag.
- Herman, E., Praško, J., Seifertová, D. (eds.) (2007). *Konziliární psychiatrie*. Praha: Medical Tribune CZ.

- Hořejší, V., Bartůňková, J. (2009). *Základy imunologie*. 4. vyd. Praha: Triton.
- Höschl, C., Libiger, J., Švestka, J. (eds.) (2002). *Psychiatrie*. Praha: Tigis.
- Janík, A., Dušek, K. (1974). *Diagnostika duševních poruch*. Praha: Avicenum.
- Janík, A. a kol. (1983). *Psychiatrie*. Praha: Avicenum.
- Jarolímková, A. (2004). Evidence based medicine a její vliv na činnost lékařských knihoven a informačních středisek. *Knihovnická revue*, 15 (2), s. 75–81.
- Jha, B. K., Reddy, G. C. (1968). Periodic Catatonia – Review With Report Of A Case. *Indian Journal of Psychiatry*, 10 (1), s. 149–156.
- Johnson, J. A., Lavoie, K. L., Bacon, S. L. et al. (2012). The Effect of Trait Rumination od Adaptation to repeated Stress. *Psychosomatic Medicine*, 74 (3), s. 258–262.
- Kalina, K. (2002). *Terapeutická komunita*. Praha: Grada Publishing.
- Kalina, K. (2008). *Základy klinické adiktologie*. Praha: Grada Publishing.
- Kalvach, Z., Zadák, Z., Jirák, R., Zavázalová, H., Sucharda, P. a kol. (2004). *Geriatrie a geronotologie*. Praha: Grada Publishing.
- Kar, N. (2009). Behavioral and psychological symptoms of dementia and their management. *Indian Journal of Psychiatry*, 51 (5), s. 77–86.
- Kellner, C. H., Greenberg, R. M., Murrough, J. W. et al. (2012). ECT in Treatment-Resistant Depression. *American Journal of Psychiatry*, 169, s. 1238–1244.
- Kendal, T. (2011). The rise and fall of the atypical antipsychotics. *British Journal of Psychiatry*, 199, s. 266–268.
- Kendler, K. S., Gatz, M., Gardner, C. O., Pedersen, N. L. (2006). A Swedish national twin study of lifetime major depression. *American Journal of Psychiatry*, 163, 1, s. 109–114.
- Kennedy, S. H., Diacobbe, P., Rizvi, S. J. et al. (2011). Deep Brain Stimulation for Treatment-Resistant Depression: Follow-Up After 3 to 6 Years. *American Journal of Psychiatry*, 168, s. 502–510.
- Kiran, C., Chaudhury, S. (2009). Understanding delusions. *Industrial Psychiatry Journal*, 18 (1), s. 3–18.
- Klucká, J., Volfová, P. (2009). *Kognitivní trénink v praxi*. Praha: Grada Publishing.
- Kondáš, O., Török, I. (1965). *Psychológia v reabilitačnej starostlivosti*. Bratislava: Obzor.
- Koukolík, F. (2005). *Mozek a jeho duše*. Praha: Galén.
- Knight, W. D., Fox, N. C., Rossor, M. N., Warren, J. D. (2008). The cultural context of visual hallucinations. *Postgraduate Medical Journal*, 84, s. 103–105.

- Knobloch, F., Knoblochová, J. (1993). *Integrovaná psychoterapie*. Praha: Grada Publishing – Avicenum.
- Kopolowicz, A., Liberman, R. P., Wallace, C. J. (2003). Psychiatric Rehabilitation for Schizophrenia. *International Journal of Psychology and Psychological Therapy*, 3, 2, s. 283–298.
- Kratochvíl, S. (2001). *Klinická hypnóza*. Praha: Grada Publishing.
- Kratochvíl, S. (2006). *Jak žít s neurózou*. Praha: Triton.
- Kratochvíl, S. (2007). *Příběhy terapeutických skupin*. Praha: Triton.
- Kratochvíl, S. (2009). *Manželská a párová terapie*. Praha: Portál.
- Kratochvíl, S. (2009). *Skupinová psychoterapie v praxi*. 3. doplněné vyd. Praha: Galén.
- Kratochvíl, S.: *Experimentální hypnóza*. 3. vyd. Grada Publishing, Praha 2011.
- Kratochvíl, S. (2012). *Základy psychoterapie*. 6. aktualizované vyd. Praha: Portál.
- Kučerová, H. (1985). Rehabilitační léčba jako součást komplexní psychiatrické péče v podmínkách klinického pracoviště. *Československá psychiatrie*, 81 (3), s. 187–191.
- Kučerová, H. (1990). Acquired immune deficiency syndrome as a novel content in delusion symptomatology. *Acta Universitatis Palackianae Olomucensis. Olomouc, Facultas Medica*, 125, s. 261–267.
- Kučerová, H. (1999). Reakce pacientů psychiatrické ambulance na povodně v roce 1997. *Česká a slovenská psychiatrie*, 95 (7), s. 476–482.
- Kučerová, H. (2000). Vliv zatmění Slunce v roce 1999 na psychiku lidí. *Praktický lékař*, 80 (6), s. 345–347.
- Kučerová, H. (2001). Tardivní dyskinézy vymizelé po olanzapinu (kazuistika). *Česká a slovenská psychiatrie*, 97 (2), s. 76–79.
- Kučerová, H. (2002). Farmakoterapie a rehabilitace tvoří komplex. *Česká a slovenská psychiatrie*, 98 (6), s. 348–349.
- Kučerová, H. (2002). Resocializace pacientů schizofreniků v psychoterapeutických skupinách. Deset let zkušeností na psychiatrické ambulanci. *Praktický lékař*, 82 (1), s. 26–28.
- Kučerová, H. (2002). Olanzapine and improvement of tardive dyskinesia. *European Psychiatry*, 17, s. 421–424.
- Kučerová, H. (2006). *Demence v kazuistikách*. Praha: Grada Publishing.
- Kučerová, H. (2007). Deset let od povodní na Moravě. *Psychiatrie pro praxi*, 8 (5), s. 211–212.
- Kučerová, H. (2008). Zamyšlení nad možnostmi léčebného ovlivnění negativních příznaků schizofrenie. *Česká a slovenská psychiatrie*, 104 (5), s. 252–255.
- Kučerová, H. (2010). *Schizofrenie v kazuistikách*. Praha: Grada Publishing.

- Kučerová, H. (2013). Quo vadis, psychiatrie? Where do you go, Psychiatry? *Psychiatrie*. Příloha 2, s. 91–92.
- Kunigiri, G., Jayakumar, P. N., Janakiramaiah, N., Gangadhar, B. N. (2007). MRI T2 relaxometry of brain regions and cognitive dysfunction following electroconvulsive therapy. *Indian Journal of Psychiatry*, 49 (3), s. 195–199.
- Landa, A., Peterson, B., Fallon, B. (2012). Somatoform Pain: A Developmental Theory and Translational Research Review. *Psychosomatic Medicine*, 74 (7), s. 717–727.
- Liang, W., Chikritzhs, T. (2011). Affective disorders, anxiety disorders and the risk of alcohol dependence and misuse. *British Journal of Psychiatry*, 199, s. 219–224.
- Libiger, J. (1991). *Schizofrenie*. Praha: Psychiatrické centrum.
- Leucht, S., Davis, J. M. (2011). Are all antipsychotic drugs the same? *British Journal of Psychiatry*, 199, s. 269–271.
- Long, L. J., Benton, D. (2013). Effects of Vitamin and Mineral Supplementation on Stress, Mild Psychiatric Symptoms and Mood in Nonclinical Samples, A Meta-Analysis. *Psychosomatic Medicine*, 75 (2), s. 144–153.
- Maj, M. (2011). When does depression become a mental disorder? *British Journal of Psychiatry*, 199, s. 85–86.
- Malhotra, K., Schwartz, T., Hameed, U. (2004). Presence of suicidality as a prognostic indicator. *Journal of Postgraduate Medicine*, 50 (3), s. 185–188.
- Malik, S. B., Ahmed, M., Bashir, A., Choudhry, T. M. (1990). Schneider's first rank symptoms of schizophrenia: prevalence and diagnostic use. A study from Pakistan. *British Journal of Psychiatry*, 156, s. 109–111.
- Masaryk, T. G. (1930). *Sebevražda*. Praha: Čin.
- Mellor, C. S. (1970). First rank symptoms of schizophrenia. I: The frequency in schizophrenics on admission to hospital. II: Differences between individual first rank symptoms. *British Journal of Psychiatry*, 117, s. 12–23.
- Mezinárodní statistická klasifikace nemocí a přidružených zdravotních problémů, MKN-10. Desátá revize, ÚZIS, Praha 1993, a v dalších úpravách.
- Mitschell, P. B., Frankland, A., Hadzi-Pavlovic, D. et al. (2011). Comparison of depressive episodes in bipolar disorder and in major depressive disorder within bipolar disorder pedigrees. *British Journal of Psychiatry*, 199, s. 303–309.
- Müller, N., Riedel, M., Gruber, R. et al. (2000). The Immune System and Schizophrenia. In Conti, A., Maestroni, G. J. M., McCann, S. M. et al.: Neuroimmunomodulation, Perspectives at the New Millennium. *Annals of the New York Academy of Sciences*, 917. New York: The New York Academy of Sciences, s. 456–467.

- Mysliveček, Z. (1959). *Speciální psychiatrie*. Praha: Státní zdravotnické nakladatelství.
- Nalivaeva, N. N., Fisk, L., Kochkina, E. G. et al. (2004). Effect of Hypoxia/Ischemia and Hypoxic Precondition/Reperfusion on Expression of Some Amyloid-Degrading Enzymes. In Lahiri, D. K. (editor): Protective Strategies for Neurodegenerative Diseases. *Annals of the New York Academy of Sciences*, 1035, New York: The New York Academy of Sciences, s. 21–33.
- Narasimhan, M., Campbell, N. (2010). A tale of two comorbidities: Understanding the neurobiology of depression and pain. *Indian Journal of Psychiatry*, 52 (2), s. 127–130.
- Nešpor, K. (2011). *Návykové chování a závislost*. Praha: Portál.
- Nešpor, K. (2011). *Jak přežít počítač*. Praha: Computer Media.
- Nykl, L. (2012). *Carl Ransom Rogers a jeho teorie*. Praha: Grada Publishing.
- O'Donnell, M. L., Varker, T., Creamer, M. et al. (2013). Exploration of Delayed-Onset Posttraumatic Stress Disorder After Severe Injury. *Psychosomatic Medicine*, 75 (1), s. 68–75.
- Payee, H., Chandrasekaran, R., Raju, G. V. L. (1991). Catatonic Syndrome: Treatment Response to Lorazepam. *Indian Journal of Psychiatry*, 41 (1), s. 49–53.
- Pearce, J. M. S. (2004). Positive and negative cerebral symptoms: the roles of Russell Reynolds and Hughlings Jackson. *Journal of Neurology, Neurosurgery and Psychiatry*, 75, s. 1148–1153.
- Peithner, G. (1997). Wer war Alois Alzheimer? *Allgemeine Zeitschrift für Psychiatrie*, 51 (16), s. 734–737.
- Peralta, V., Cuesta, M. J. (1999). Diagnostic significance of Schneider's first rank symptoms in schizophrenia: comparative study between schizophrenic and non-schizophrenic psychotic disorders. *British Journal of Psychiatry*, 174, s. 243–248.
- Pereira, Y. D. S., Srivastava, A., Cuncoliencar, B. S., Nail, N. (2010). Resolution of symptoms in neuroleptic malignant syndrome. *Indian Journal of Psychiatry*, 52 (3), s. 264–266.
- Phutane, V. H., Thirthali, J., Kesavan, M. et al. (2011). Why do we prescribe ECT to schizophrenia patients? *Indian Journal of Psychiatry*, 53 (2), s. 149–151.
- Praško, J., Možný, P., Šlepecký, M. a kol. (2007). *Kognitivně behaviorální terapie psychických poruch*. Praha: Triton.
- Praško, J., Látalová, K., Ticháčková, A., Stárková, L. (eds.) (2011). *Klinická psychiatrie*. Praha: Tigis.

- Přibyl, R. (pořadatel) (1980). Rehabilitácia a ústavníctvo v psychiatrii. Bratislava: Obzor.
- Purcell, S. M., Wray, N. R., Stone, J. L. et al. (2009). Common polygenic variation contributes to risk schizophrenia and bipolar disorder. *Nature*, 460, s. 748–752.
- Raboch, J. (2003). Demence – výzva pro zdravotnictví a společnost. In Růžička, E. et al.: *Diferenciální diagnostika a léčba demencí. Příručka pro praxi*. Praha: Galén, s. 15.
- Raboch, J. (2005). Vliv sportu a tréninku na lidskou psychiku. *Xstream*, s. 72–73.
- Raboch, J., Jirák, R., Paclt, I. (2007). *Psychofarmakologie pro praxi*. Praha: Triton.
- Raboch, J., Zvolský, P. et al. (2001). *Psychiatrie*. Praha: Galén–Karolinum.
- Raboch, J., Anders, M., Hellerová, P., Uhlíková, P. (2010). *Psychiatrie. Doporučené postupy psychiatrické péče III*. Praha: Tribun EU.
- Rahn, E., Mahnkopf, A. (2000). *Psychiatrie, učebnice pro studium a praxi*. Praha: Grada Publishing.
- Reddy, M. S. (2011). Electro-convulsive therapy: A few lingering thoughts/doubts. *Indian Journal of Psychological Medicine*, 33, 2, s. 103–105.
- Rogers, C. R. (2000). *Klientom centrováná terapie*. Bratislava: Persona.
- Rubinová, J. A. (2008). *Přístupy v arteterapii*. Praha: Triton.
- Rybakowski, J. K., Suwalska, A., Skibinska, M. et al. (2005). Prophylactic lithium response and polymorphism of the brain-derived neurotrophic factor gene. *Pharmacopsychiatry*, 38, s. 166–170.
- Rybakowski, J. K., Borkowska, A., Skibinska, M. et al. (2006). Prefrontal cognition in schizophrenia and bipolar illness in relation to Val66Met polymorphism of the brain-derived neurotrophic factor gene. *Psychiatry and Clinical Neurosciences*, 60, s. 70–76.
- Rybakowski, J. K., Borkowska, A., Skibinska, M., Hauser, J. (2006). Illness-specific association of BDNF polymorphism Val66Met with performance on Wisconsin Card Sorting Test in bipolar mood disorder. *Molecular Psychiatry*, 11, s. 122–124.
- Rybakowski, J. K., Suwalska, A., Skibinska, M. et al. (2007). Response to lithium prophylaxis: interaction between serotonin transporter and BDNF genes. *American Journal of Medical Genetics*, 144B, s. 820–823.
- Rybakowski, J. K. et al. (2008). BDNF gene: functional Val66Met polymorphism in mood disorders and schizophrenia. *Pharmacogenomics*, 9, 11, s. 1589–1593.

- Rybakowski, J. K., Skibinska, M., Kapelski, P. et al. (2009). Functional polymorphism if the matrix metalloproteinase-9 (MMP-9) gene ins chizophrenia. *Schizophrenia Research*, 109, s. 90–93.
- Sacket, D. L., Rosenberg, W. M., Gray, J. A., Haynes, R. B., Richardson, W. S. (1996). Evidence based medicine: What it is and what it isn't, *British Medical Journal*, 312, s. 71–72.
- Sadler, W. S. (1945). *Modern Psychiatry*. St. Louis: The C. V. Mosby Company.
- Sarkar, P., Natarajan, C., Gode, N. (2001). Prevalence of neuroleptic malignant syndrome in 672 consecutive male in-patients. *Indian Journal of Psychiatry*, 51 (3), s. 202–205.
- Sass, L. A. (2003). Negative Symptoms, Schizophrenia, and Self. *International Journal of Psychology and Psychological Therapy*, 3 (2), s. 153–180.
- Seifertová, D., Praško, J., Horáček, J., Höschl, C. (eds.) (2008). *Postupy v léčbě psychických poruch*. Praha: Academia Medica Pragensis, Medical Tribune CZ.
- Selvan, C. P., Mayur, P. M., Gangadhar, B. N. et al. (1999). Comparison of Therapeutic Efficacy of Ect and Imipramine: A Randomized Controlled Trial. *Indian Journal of Psychiatry*, 41, 3, s. 228–235.
- Selvaraj, V., Veeravali, S., Ramaswamy, S., Balon, R., Yeragani, V. (2010). Depression, suicidality and antidepressants. A coincidince. *Indian Journal of Psychiatry*, 52 (1), s. 17–20.
- Selye, H. (1955). Stress and disease. *Science*, 122, s. 625–631.
- Selye, H. (1956). *The stress of life*. New York: McGraw-Hill.
- Selye, H. (1974). *Stress without distress*. Philadelphia: J. B. Lippincott.
- Shaji, S., Bose, S., Kuriakose, S. (2009). Behavioral and psychological symptoms of dementia: A study of symptomatology. *Indian Journal of Psychiatry*, 51 (1), s. 38–41.
- Shankar, A., Hamer, M., McMunn, A., Steptoe, A. (2013). Social Isolation and Loneliness: Relationship With Cognitive Function During 4 Years of Follow-up in the English Longitudinal Study od Ageing. *Psychosomatic Medicine*, 75 (2), s. 161–170.
- Singh, G., Bhaduri, A. S. (1988). Periodic catatonia: A case report. *Indian Journal of Psychiatry*, 30 (2), s. 197–200.
- Smith, D. J., Craddock, N. (2011). Unipolar and bipolar depression: different or the same? *British Journal of Psychiatry*, 199, s. 272–274.
- Skála, J. (1977). *Až na dno?* Praha: Avicenum.
- Skaličková, O. a kol. (1971). *Rehabilitace v psychiatrii*. Praha: Avicenum.
- St Clair, D. (2012). Structural and copy number variants in the human genome: implications for psychiatry. *British Journal of Psychiatry*, 201, s. 1–2.

- Stahl, S. M., Buckley, P. F. (2006). Negative symptoms of schizophrenia: a problem that will not go away. *Acta Psychiatrica Scandinavica*, 115, s. 4–11.
- Stam, C. J. (2010). Characterization od anatomical and functional connectivity in the brain: A complex networks perspective. *International Journal of Psychophysiology*, 77 (3), s. 186–194. Předneseno na 15th World Congress of Psychophysiology, Budapest, 1.–4. 9. 2010.
- Stefan, M., Travis, M., Murray, R. M. (2002). *An Atlas of Schizophrenia*. London – New York: The Parthenon Publishing Group.
- Straus, S. E., McAlister, F. A. (2000). Evidence-based medicine: a commentary on common criticism. *Canadian Medical Association Journal*, 163 (7), s. 837–841.
- Suhail, K., Cochrane, R. (2002). Effect of Culture and Environment on the Phenomenology of Delusions and Hallutinations. *International Journal of Social Psychiatry*, 48, s. 126–138.
- Suvarna, A. (2009). Vascular cognitive impairment. *Indian Journal of Psychiatry*, 51 (5), s. 61–64.
- Suvisaari, J., Partti, K., Perälä, J. et al. (2013). Mortality and Its Determinants in People With Psychotic Disorder. *Psychosomatic Medicine*, 75 (1), s. 60–67.
- Svačina, Š. (2004). *Metabolické účinky psychofarmak*. Praha: Triton.
- Šerý, O., Zvolský, P., Didden, W. (2006). Historický přehled vzniku molekulární psychiatrie. *Česká a slovenská psychiatrie*, 102 (5), s. 246–249.
- Šicková-Fabrici, J. (2002). *Základy arteterapie*. Praha: Portál.
- Šiffelová, D. (2010). *Rogersovská psychoterapie pro 21. století*. Praha: Grada Publishing.
- Šimanovský, Z. (2010). *Hry pro rozvoj zdravé osobnosti*. Praha: Portál.
- Šimanovský, Z. (2011). *Hry s hudbou a techniky muzikoterapie*. Praha: Portál.
- Škoda, C. (1963). *Psychotický proces a postpsychotický defekt*. Bratislava: Lekárske práce, Vydavatel'stvo Slovenskej akademie vied.
- Škoda, C., Škodová-Somogyová, R. (1959). *Liečba psychóz prostredím*. Bratislava: Obzor.
- Vencovský, E., Dobiáš, J. (1976): *Psychiatrie*. Praha: Avicenum.
- Vermeulen, P. (2006). *Autistické myšlení*. Praha: Grada Publishing.
- Viers, D. (2011). *Aktivity pro skupinovou psychoterapii*. Praha: Portál.
- Vinař, O. (1997). Povodně a duševní zdraví. *Praktický lékař*, 77 (9), s. 463–466, a (10), s. 516.
- Vinař, O. (2007). Drogy a depresivní porucha. Referátový výběr z psychiatrie, *Speciál Závislosti*, 6 (2), s. 59–64.
- Vogiatzoglou, A., Smith, A. D., Nurk, E. et al. (2013). Cognitive Function in an Elderly Population: Interaction Between Vitamin B12 Status, Depression,

- and Apolipoprotein Ee4: The Hordaland Homocysteine Study. *Psychosomatic Medicine*, 75 (1), s. 20–29.
- Vroege, E. M., Zuidersma, M., de Jonge, P. (2012). Vital Exhaustion and Somatic Depression: The Same Underlying Construct in Patients With Myocardial Infarction? *Psychosomatic Medicine*, 74 (5), s. 446–451.
- Vymětal, J. a kol. (2006). *Obecná psychoterapie*. 2., rozšířené a přepracované vyd. Praha: Grada Publishing.
- Vymětal, J. a kol. (2008). *Speciální psychoterapie*. 2., přepracované a doplněné vyd. Praha: Grada Publishing.
- Vymětal, J. a kol. (2008). *Průvodce úspěšnou komunikací*. Praha: Grada Publishing.
- Vymětal, J. a kol. (2010). *Úvod do psychoterapie*. 3., aktualizované a doplněné vyd. Praha: Grada Publishing.
- Woo, B. K. P., Rice, V. A., Legendre, S. A. et al. (2004). The Clock Drawing Test as a Measure of Executive Dysfunction in Elderly Depressed Patients. *Journal of Geriatric Psychiatry and Neurology*, 17 (4), s. 190–194.
- Wray, N. R., Pergadia, M. L., Blackwood, D. H. R. et al. (2012). Genome-wide association study of major depressive disorder: new results, meta-analysis, and lessons learned. *Molecular Psychiatry*, 17 (1), s. 36–48.
- Yalom, I. D. (2006). *Existenciální psychoterapie*. Praha: Portál.
- Yalom, I. D. (2007). *Teorie a praxe skupinové psychoterapie*. Praha: Portál.
- Yalom, I. D. (2012). *Chvála psychoterapie*. Praha: Portál.
- Yontef, G. M. (2009). *Gestaltterapie. Uvědomování, dialog a proces. Historie a současnost*. Praha: Triton.
- Young, A. H., MacPherson, H. (2011). Detection of bipolar disorder. *British Journal of Psychiatry*, 199, s. 3–4.
- Zeleiová, J. (2007). *Muzikoterapie*. Praha: Portál.
- Zvolský, P. (1977). *Genetika v psychiatrii*. Praha: Avicenum.
- Zvolský, P. (2005). *Obecná psychiatrie*. Praha: Karolinum.
- Zvolský, P. (2005). *Speciální psychiatrie*. Praha: Karolinum.

