

References

1. Aarnio M, Salovaara R, Aaltonen LA, et al. Features of gastric cancer in hereditary non-polyposis colorectal cancer syndrome. *Int J Cancer.* 1997 Oct;21(4):551–5. PMID:9355980
2. Abate F, Ambrosio MR, Mundo L, et al. Dissecting viral and mutational spectrum of endemic Burkitt lymphoma. *PLoS Pathog.* 2015 Oct;11(10):e1005158. PMID:26468873
3. Abdallah M, Gérénéreau T, Donadiue J, et al. Langerhans' cell histiocytosis of the liver in adults. *Clin Res Hepatol Gastroenterol.* 2011 Jun;35(6–7):475–81. PMID:21550330
4. Abe H, Hino R, Fukayama M. Platelet-derived growth factor-A and vascular endothelial growth factor-C contribute to the development of pulmonary tumor thrombotic microangiopathy in gastric cancer. *Virchows Arch.* 2013 May;462(5):523–31. PMID:23536282
5. Abe H, Saito R, Ichimura T, et al. CD47 expression in Epstein-Barr virus-associated gastric carcinoma: coexistence with tumor immunity lowering the ratio of CD8+/Foxp3+ T cells. *Virchows Arch.* 2018 Apr;472(4):643–51. PMID:29536167
6. Abe K, Suda K, Arakawa A, et al. Different patterns of p16INK4A and p53 protein expressions in intraductal papillary-mucinous neoplasms and pancreatic intraepithelial neoplasia. *Pancreas.* 2007 Jan;34(1):85–91. PMID:17198188
7. Abel ME, Chiu YS, Russell TR, et al. Adenocarcinoma of the anal glands. Results of a survey. *Dis Colon Rectum.* 1993 Apr;36(4):383–7. PMID:8458266
8. Abnet CC, Arnold M, Wei WQ. Epidemiology of esophageal squamous cell carcinoma. *Gastroenterology.* 2018 Jan;154(2):360–73. PMID:28823862
9. Abraham SC, Carney JA, Ooi A, et al. Achlorhydria, parietal cell hyperplasia, and multiple gastric carcinoids: a new disorder. *Am J Surg Pathol.* 2005 Jul;29(7):969–75. PMID:15958864
10. Abraham SC, Klimstra DS, Wilentz RE, et al. Solid-pseudopapillary tumors of the pancreas are genetically distinct from pancreatic ductal adenocarcinomas and almost always harbor beta-catenin mutations. *Am J Pathol.* 2002 Apr;160(4):1361–9. PMID:11943721
11. Abraham SC, Krasinskas AM, Hofstetter WL, et al. "Seedling" mesenchymal tumors (gastrointestinal stromal tumors and leiomyomas) are common incidental tumors of the esophagogastric junction. *Am J Surg Pathol.* 2007 Nov;31(11):1629–35. PMID:18059218
12. Abraham SC, Lee JH, Boitnott JK, et al. Microsatellite instability in intraductal papillary neoplasms of the biliary tract. *Mod Pathol.* 2002 Dec;15(12):1309–17. PMID:12481012
13. Abraham SC, Montgomery EA, Singh VK, et al. Gastric adenomas: intestinal-type and gastric-type adenomas differ in the risk of adenocarcinoma and presence of background mucosal pathology. *Am J Surg Pathol.* 2002 Oct;26(10):1276–85. PMID:12360042
14. Abraham SC, Nobukawa B, Giardiello FM, et al. Fundic gland polyps in familial adenomatous polyposis: neoplasms with frequent somatic adenomatous polyposis coli gene alterations. *Am J Pathol.* 2000 Sep;157(3):747–54. PMID:10980114
15. Abraham SC, Nobukawa B, Giardiello FM, et al. Sporadic fundic gland polyps: common gastric polyps arising through activating mutations in the beta-catenin gene. *Am J Pathol.* 2001 Mar;158(3):1005–10. PMID:11238048
16. Abraham SC, Park SJ, Cruz-Correia M, et al. Frequent CpG island methylation in sporadic and syndromic gastric fundic gland polyps. *Am J Clin Pathol.* 2004 Nov;122(5):740–6. PMID:15491970
17. Abraham SC, Park SJ, Lee JH, et al. Genetic alterations in gastric adenomas of intestinal and foveolar phenotypes. *Mod Pathol.* 2003 Aug;16(8):786–95. PMID:12920223
18. Abraham SC, Park SJ, Mugartegui L, et al. Sporadic fundic gland polyps with epithelial dysplasia: evidence for preferential targeting for mutations in the adenomatous polyposis coli gene. *Am J Pathol.* 2002 Nov;161(5):1735–42. PMID:12414520
19. Abraham SC, Wu TT, Klimstra DS, et al. Distinctive molecular genetic alterations in sporadic and familial adenomatous polyposis-associated pancreaticoblastomas: frequent alterations in the APC/beta-catenin pathway and chromosome 11p. *Am J Pathol.* 2001 Nov;159(5):1619–27. PMID:11696422
20. Abrahams NA, Halverson A, Fazio VW, et al. Adenocarcinoma of the small bowel: a study of 37 cases with emphasis on histologic prognostic factors. *Dis Colon Rectum.* 2002 Nov;45(11):1496–502. PMID:12432298
21. Achatz MI, Porter CC, Brugieres L, et al. Cancer screening recommendations and clinical management of inherited gastrointestinal cancer syndromes in childhood. *Clin Cancer Res.* 2017 Jul 1;23(13):e107–14. PMID:28674119
22. Adachi Y, Mori M, Kido A, et al. Multiple colorectal neoplasms in a young adult with hypogammaglobulinemia. Report of a case. *Dis Colon Rectum.* 1992 Feb;35(2):197–200. PMID:1735325
23. Adachi Y, Yasuda K, Inomata M, et al. Pathology and prognosis of gastric carcinoma: well versus poorly differentiated type. *Cancer.* 2000 Oct 1;89(7):1418–24. PMID:11013353
24. Adam R, Spier I, Zhao B, et al. Exome sequencing identifies biallelic MSH3 germline mutations as a recessive subtype of colorectal adenomatous polyposis. *Am J Hum Genet.* 2016 Aug 4;99(2):337–51. PMID:27476653
25. Adamson AR, Grahame-Smith DG, Bogomoletz V, et al. Malignant argentaffinoma with carcinoid syndrome and hypoglycemia. *Br Med J.* 1971 Jul 10;3(5766):93–4. PMID:5314568
26. Adam F, Crijns MB, Zandstra WSE, et al. Cumulative risk of skin tumors in patients with Lynch syndrome. *Br J Dermatol.* 2018 Aug;179(2):522–3. PMID:29542113
27. Adesina AM, Lopez-Terrada D, Wong KK, et al. Gene expression profiling reveals signatures characterizing histologic subtypes of hepatoblastoma and global deregulation in cell growth and survival pathways. *Hum Pathol.* 2009 Jun;40(6):843–53. PMID:19200578
28. Adsay NV, Adair CF, Heffess CS, et al. Intraductal oncocytic papillary neoplasms of the pancreas. *Am J Surg Pathol.* 1996 Aug;20(8):980–94. PMID:8712298
29. Adsay NV, Andea A, Basturk O, et al. Secondary tumors of the pancreas: an analysis of a surgical and autopsy database and review of the literature. *Virchows Arch.* 2004 Jun;444(6):527–35. PMID:15057558
30. Adsay NV, Bagci P, Tajiri T, et al. Pathologic staging of pancreatic, ampullary, biliary, and gallbladder cancers: pitfalls and practical limitations of the current AJCC/UICC TNM staging system and opportunities for improvement. *Semin Diagn Pathol.* 2012 Aug;29(3):127–41. PMID:23062420
31. Adsay NV, Basturk O, Bonnett M, et al. A proposal for a new and more practical grading scheme for pancreatic ductal adenocarcinoma. *Am J Surg Pathol.* 2005 Jun;29(6):724–33. PMID:15897739
32. Adsay NV, Basturk O, Saka B, et al. Whipple made simple for surgical pathologists: orientation, dissection, and sampling of pancreaticoduodenectomy specimens for a more practical and accurate evaluation of pancreatic, distal common bile duct, and ampullary tumors. *Am J Surg Pathol.* 2014 Apr;38(4):480–93. PMID:24451278
33. Adsay NV, Conlon KC, Zee SY, et al. Intraductal papillary-mucinous neoplasms of the pancreas: an analysis of in situ and invasive carcinomas in 28 patients. *Cancer.* 2002 Jan 1;94(1):62–77. PMID:11815961
34. Adsay NV, Klimstra DS. Cystic forms of typically solid pancreatic tumors. *Semin Diagn Pathol.* 2000 Feb;17(1):81–8. PMID:10721809
35. Adsay NV, Longnecker DS, Klimstra DS. Pancreatic tumors with cystic dilatation of the ducts: intraductal papillary mucinous neoplasms and intraductal oncocytic papillary neoplasms. *Semin Diagn Pathol.* 2000 Feb;17(1):16–30. PMID:10721804
36. Adsay NV, Merati K, Andea A, et al. The dichotomy in the preinvasive neoplasia to invasive carcinoma sequence in the pancreas: differential expression of MUC1 and MUC2 supports the existence of two separate pathways of carcinogenesis. *Mod Pathol.* 2002 Oct;15(10):1087–95. PMID:12379756
37. Adsay NV, Merati K, Basturk O, et al. Pathologically and biologically distinct types of epithelium in intraductal papillary mucinous neoplasms: delineation of an "intestinal" pathway of carcinogenesis in the pancreas. *Am J Surg Pathol.* 2004 Jul;28(7):839–48. PMID:15223952
38. Adsay NV, Merati K, Nassar H, et al. Pathogenesis of colloid (pure mucinous) carcinoma of exocrine organs: coupling of gel-forming mucin (MUC2) production with altered cell polarity and abnormal cell-stroma interaction may be the key factor in the morphogenesis and indolent behavior of colloid carcinoma in the breast and pancreas. *Am J Surg Pathol.* 2003 May;27(5):571–8. PMID:12717243
39. Adsay NV, Pierson C, Sarkar F, et al. Colloid (mucinous noncystic) carcinoma of the pancreas. *Am J Surg Pathol.* 2001 Jan;25(1):26–42. PMID:11145249
40. Adsay V, Jang KT, Roa JC, et al. Intraductal papillary-tubular neoplasms (ICPN) of the gallbladder (neoplastic polyps, adenomas, and papillary neoplasms that are ≥1 cm): clinicopathologic and immunohistochemical analysis of 123 cases. *Am J Surg Pathol.* 2012 Sep;36(9):1279–301. PMID:22895264
41. Adsay V, Logani S, Sarkar F, et al. Foamy gland pattern of pancreatic ductal adenocarcinoma: a deceptively benign-appearing variant. *Am J Surg Pathol.* 2000 Apr;24(4):493–504. PMID:10757396
42. Adsay V, Mino-Kenudson M, Furukawa T, et al. Pathologic evaluation and reporting of intraductal papillary mucinous neoplasms of the pancreas and other tumoral intraepithelial neoplasms of pancreaticobiliary tract: recommendations of Verona consensus meeting. *Ann Surg.* 2016 Jan;263(1):162–77. PMID:25775066
43. Adsay V, Ohike N, Tajiri T, et al. Ampullary region carcinomas: definition and site specific classification with delineation of four clinicopathologically and prognostically distinct subsets in an analysis of 249 cases. *Am J Surg Pathol.* 2012 Nov;36(11):1592–608. PMID:23026934
44. Agaimy A, Daum O, Märkl B, et al. SWI/SNF complex-deficient undifferentiated/rhabdoid carcinomas of the gastrointestinal tract: a series of 13 cases highlighting mutually exclusive loss of SMARCA4 and SMARCA2 and frequent co-inactivation of SMARCB1 and SMARCA2. *Am J Surg Pathol.* 2016 Apr;40(4):544–53. PMID:26551623
45. Agaimy A, Erlenbach-Wünsch K, Konukiewitz B, et al. ISL1 expression is not restricted to pancreatic well-differentiated neuroendocrine neoplasms, but is also commonly found in well and poorly differentiated neuroendocrine neoplasms of extrapancreatic origin. *Mod Pathol.* 2013 Jul;26(7):995–1003. PMID:23503646
46. Agaimy A, Rau TT, Hartmann A, et al. SMARCB1 (INI1)-negative rhabdoid carcinomas of the gastrointestinal tract: clinicopathologic and molecular study of a highly aggressive variant with literature review. *Am J Surg Pathol.* 2014 Jul;38(7):910–20. PMID:24503755
47. Agaimy A, Stoehr R, Vieth M, et al. Benign serrated colorectal fibroblastic polyps/intramucosal perineuriomas are true mixed epithelial-stromal polyps (hybrid hyperplastic polyp/mucosal perineurioma) with frequent BRAF mutations. *Am J Surg Pathol.* 2010 Nov;34(11):1663–71. PMID:20962618
48. Agaimy A, Wünsch PH, Hofstaedter F, et al. Minute gastric sclerosing stromal tumors (GIST tumorlets) are common in adults and frequently show c-KIT mutations. *Am J Surg Pathol.* 2007 Jan;31(1):113–20. PMID:17197927
49. Agaram NP, Sung YS, Zhang L, et al. Dichotomy of genetic abnormalities in PEComas with therapeutic implications. *Am J Surg Pathol.* 2015 Jun;39(6):813–25. PMID:25651471
50. Agarwal N, Kumar S, Dass J, et al. Diffuse pancreatic serous cystadenoma associated with neuroendocrine carcinoma: a case report and review of literature. *JOP.* 2009 Jan 8;10(1):55–8. PMID:19129617
51. Agnes A, Estrella JS, Badgwell B. The significance of a nineteenth century definition in the era of genomics: *linitis plastica*. *World J Surg Oncol.* 2017 Jul 5;15(1):123. PMID:28679451
52. Agoston AT, Odze RD. Evidence that gastric pit dysplasia-like atypia is a neoplastic precursor lesion. *Hum Pathol.* 2014 Mar;45(3):446–55. PMID:24529328
53. Agréus L, Kuipers EJ, Kupcinskas L, et al. Rationale in diagnosis and screening of

- atrophic gastritis with stomach-specific plasma biomarkers. *Scand J Gastroenterol*. 2012 Feb;47(2):136–47. PMID:22242613
54. Aguilera N, Gru AA. Reexamining post-transplant lymphoproliferative disorders: newly recognized and enigmatic types. *Semin Diagn Pathol*. 2018 Jul;35(4):236–46. PMID:29615296
55. Ahadova A, Gallon R, Gebert J, et al. Three molecular pathways model colorectal carcinogenesis in Lynch syndrome. *Int J Cancer*. 2018 Jul 1;143(1):139–50. PMID:29424427
56. Ahadova A, von Knebel Doeberitz M, Bläker H, et al. CTNNB1-mutant colorectal carcinomas with immediate invasive growth: a model of interval cancers in Lynch syndrome. *Fam Cancer*. 2016 Oct;15(4):579–86. PMID:26960970
57. Ahls MG, Niedergethmann M, Dinter D, et al. Case report: intraductal tubulopapillary neoplasm of the pancreas with unique clear cell phenotype. *Diagn Pathol*. 2014 Jan 20;9:11. PMID:24443801
58. Ahn DW, Ryu JK, Kim J, et al. Endoscopic papillectomy for benign ampullary neoplasms: how can treatment outcome be predicted? *Gut Liver*. 2013 Mar;7(2):239–45. PMID:23560162
59. Ahn JS, Jeon JR, Yoo HS, et al. Hepatoid adenocarcinoma of the stomach: an unusual case of elevated alpha-fetoprotein with prior treatment for hepatocellular carcinoma. *Clin Mol Hepatol*. 2013 Jun;19(2):173–8. PMID:23837142
60. Ahn S, Bae GE, Kim KM. Exuberant squamous metaplasia of the gastric mucosa in a patient with gastric adenocarcinoma. *Diagn Pathol*. 2015 Apr 30;10:46. PMID:25925374
61. Ahn S, Lee SJ, Kim Y, et al. High-throughput protein and mRNA expression-based classification of gastric cancers can identify clinically distinct subtypes, concordant with recent molecular classifications. *Am J Surg Pathol*. 2017 Jan;41(1):106–15. PMID:27819872
63. Aishima S, Fujita N, Mano Y, et al. Different roles of S100P overexpression in intrahepatic cholangiocarcinoma: carcinogenesis of perihilar type and aggressive behavior of peripheral type. *Am J Surg Pathol*. 2011 Apr;35(4):590–8. PMID:21412073
64. Aishima S, Iguchi T, Fujita N, et al. Histological and immunohistological findings in biliary intraepithelial neoplasia arising from a background of chronic biliary disease compared with liver cirrhosis of non-biliary aetiology. *Histopathology*. 2011 Nov;59(5):867–75. PMID:22092398
65. Aishima S, Oda Y. Pathogenesis and classification of intrahepatic cholangiocarcinoma: different characters of perihilar large duct type versus peripheral small duct type. *J Hepatobiliary Pancreat Sci*. 2015 Feb;22(2):94–100. PMID:25181580
66. Aishima S, Tanaka Y, Kubo Y, et al. Bile duct adenoma and von Meyenburg complex-like duct arising in hepatitis and cirrhosis: pathogenesis and histological characteristics. *Pathol Int*. 2014 Nov;64(11):551–9. PMID:25239860
67. Ait Ouakrim D, Dashti SG, Chau R, et al. Aspirin, ibuprofen, and the risk of colorectal cancer in Lynch syndrome. *J Natl Cancer Inst*. 2015 Jun 24;107(9):djv170. PMID:26109217
68. Akagi T, Motegi M, Tamura A, et al. A novel gene, MALT1 at 18q21, is involved in t(11;18) (q21;q21) found in low-grade B-cell lymphoma of mucosa-associated lymphoid tissue. *Oncogene*. 1999 Oct 14;18(42):5785–94. PMID:10523859
69. Akazawa Y, Saito T, Hayashi T, et al. Next-generation sequencing analysis for gastric adenocarcinoma with enteroblastic differentiation: emphasis on the relationship with hepatoid adenocarcinoma. *Hum Pathol*. 2018 Aug;78:79–88. PMID:29751042
70. Akerström G, Hessman O, Hellman P, et al. Pancreatic tumours as part of the MEN-1 syndrome. *Best Pract Res Clin Gastroenterol*. 2005 Oct;19(5):819–30. PMID:16253903
71. Akita M, Fujikura K, Ajiki T, et al. Dichotomy in intrahepatic cholangiocarcinomas based on histologic similarities to hilar cholangiocarcinomas. *Mod Pathol*. 2017 Jul;30(7):986–97. PMID:28338651
72. Akiyama T, Shida T, Yoshitomi H, et al. Expression of sex determining region Y-box 2 and pancreatic and duodenal homeobox 1 in pancreatic neuroendocrine tumors. *Pancreas*. 2016 Apr;45(4):522–7. PMID:26491904
73. Al Efishat MA, Attiyeh MA, Eaton AA, et al. Multi-institutional validation study of pancreatic cyst fluid protein analysis for prediction of high-risk intraductal papillary mucinous neoplasms of the pancreas. *Ann Surg*. 2018 Aug;268(2):340–7. PMID:28700444
74. Al-Abadi MA, Almasri NM, Al-Quran S, et al. Cytokeratin and epithelial membrane antigen expression in angiiosarcomas: an immunohistochemical study of 33 cases. *Arch Pathol Lab Med*. 2007 Feb;131(2):288–92. PMID:17284115
75. Al-Saleem T, Al-Mondhir H. Immunoproliferative small intestinal disease (IPSID): a model for mature B-cell neoplasms. *Blood*. 2005 Mar 15;105(6):2274–80. PMID:15542584
76. Al-Shoha M, Nadeem U, George N, et al. Verrucous carcinoma of the esophagus remains a diagnostic enigma. *Am J Gastroenterol*. 2018 Jun;113(6):919–21. PMID:29748561
77. Al-Toma A, Goerres MS, Meijer JW, et al. Human leukocyte antigen-DQ2 homozygosity and the development of refractory celiac disease and enteropathy-associated T-cell lymphoma. *Clin Gastroenterol Hepatol*. 2006 Mar;4(3):315–9. PMID:16527694
78. Al-Toma A, Verbeek WH, Hadithi M, et al. Survival in refractory coeliac disease and enteropathy-associated T-cell lymphoma: retrospective evaluation of single-centre experience. *Gut*. 2007 Oct;56(10):1373–8. PMID:17470479
79. Alakus H, Babicky ML, Ghosh P, et al. Genome-wide mutational landscape of mucinous carcinomatosis peritonei of appendiceal origin. *Genome Med*. 2014 May 29;6(5):43. PMID:24944587
80. Alassiri AH, Ali RH, Shen Y, et al. ETV6-NTRK3 is expressed in a subset of ALK-negative inflammatory myofibroblastic tumors. *Am J Surg Pathol*. 2016 Aug;40(8):1051–61. PMID:27259007
81. Albores-Saavedra J, Batich K, Hossain S, et al. Carcinoid tumors and small-cell carcinomas of the gallbladder and extrahepatic bile ducts: a comparative study based on 221 cases from the Surveillance, Epidemiology, and End Results Program. *Ann Diagn Pathol*. 2009 Dec;13(6):378–83. PMID:19917473
82. Albores-Saavedra J, Chabré-Montero F, Angeles-Albores D, et al. Early gallbladder carcinoma: a clinicopathologic study of 13 cases of intramucosal carcinoma. *Am J Clin Pathol*. 2011 Apr;135(4):637–42. PMID:21411787
83. Albores-Saavedra J, Chabré-Montero F, González-Romo MA, et al. Adenomas of the gallbladder. Morphologic features, expression of gastric and intestinal mucins, and incidence of high-grade dysplasia/carcinoma in situ and invasive carcinoma. *Hum Pathol*. 2012 Sep;43(9):1506–13. PMID:22386521
84. Albores-Saavedra J, Chabré-Montero F, Méndez-Sánchez N, et al. Adenocarcinoma with pyloric gland phenotype of the extrahepatic bile ducts: a previously unrecognized and distinctive morphologic variant of extrahepatic bile duct carcinoma. *Hum Pathol*. 2012 Dec;43(12):2292–8. PMID:22795356
85. Albores-Saavedra J, Córdoba-Ramón JC, Chabré-Montero F, et al. Cystadenomas of the liver and extrahepatic bile ducts: morphologic and immunohistochemical characterization of the biliary and intestinal variants. *Ann Diagn Pathol*. 2015 Jun;19(3):124–9. PMID:25792461
86. Albores-Saavedra J, Hart A, Chabré-Montero F, et al. Carcinoids and high-grade neuroendocrine carcinomas of the ampulla of Vater: a comparative analysis of 139 cases from the Surveillance, Epidemiology, and End Results program—a population based study. *Arch Pathol Lab Med*. 2010 Nov;134(11):1692–6. PMID:21043824
87. Albores-Saavedra J, Henson DE, Klimstra DS. Tumors of the gallbladder, extrahepatic bile ducts and ampulla of Vater. Washington, DC: Armed Forces Institute of Pathology; 2000. (AFIP atlas of tumor pathology, series 3; fascicle 27).
88. Albores-Saavedra J, Henson DE, Klimstra DS. Tumors of the gallbladder, extrahepatic bile ducts, and Vaterian system. Washington, DC: American Registry of Pathology; 2015. (AFIP atlas of tumor pathology, series 4; fascicle 23).
89. Albores-Saavedra J, Hoang MP, Murakata LA, et al. Atypical bile duct adenoma, clear cell type: a previously undescribed tumor of the liver. *Am J Surg Pathol*. 2001 Jul;25(7):956–60. PMID:11420469
90. Albores-Saavedra J, Keenportz B, Bejarano PA, et al. Adenomyomatous hyperplasia of the gallbladder with perineural invasion: revisited. *Am J Surg Pathol*. 2007 Oct;31(10):1598–604. PMID:17895763
91. Albores-Saavedra J, Manivel C, Dorantes-Heredia R, et al. Nonmucinous cystadenomas of the pancreas with pancreatic-biliary phenotype and ovarian-like stroma. *Am J Clin Pathol*. 2013 May;139(5):599–604. PMID:23596111
92. Albores-Saavedra J, Molberg K, Henson DE. Unusual malignant epithelial tumors of the gallbladder. *Semin Diagn Pathol*. 1996 Nov;13(4):326–38. PMID:8946610
93. Albores-Saavedra J, Schwartz AM, Batich K, et al. Cancers of the ampulla of Vater: demographics, morphology, and survival based on 5,625 cases from the SEER program. *J Surg Oncol*. 2009 Dec 1;100(7):598–605. PMID:19697352
94. Albores-Saavedra J, Shukla D, Carrick K, et al. In situ and invasive adenocarcinomas of the gallbladder extending into or arising from Rokitansky-Aschoff sinuses: a clinicopathologic study of 49 cases. *Am J Surg Pathol*. 2004 May;28(5):621–8. PMID:15105650
95. Albores-Saavedra J, Vardaman CJ, Vuitch F. Non-neoplastic polypoid lesions and adenomas of the gallbladder. *Pathol Annu*. 1993;28(Pt 1):145–77. PMID:8416136
96. Albores-Saavedra J, Wu J, Crook T, et al. Intestinal and oncocytic variants of pancreatic intraepithelial neoplasia. A morphological and immunohistochemical study. *Ann Diagn Pathol*. 2005 Apr;9(2):69–76. PMID:15806512
97. Albores-Saavedra J. Acinar cystadenoma of the pancreas: a previously undescribed tumor. *Ann Diagn Pathol*. 2002 Apr;6(2):113–5. PMID:12004359
98. Albuquerque A, Pessegueiro Miranda H, Lopes J, et al. Liver transplant recipients have a higher prevalence of anal squamous intraepithelial lesions. *Br J Cancer*. 2017 Dec 5;117(12):1761–7. PMID:29093575
99. Albuquerque A, Sheaff M, Stirrup O, et al. Performance of anal cytology compared with high-resolution anoscopy and histology in women with lower anogenital tract neoplasia. *Clin Infect Dis*. 2018 Sep 28;67(8):1262–8. PMID:29659752
100. Alcindor T, Tosikyan A, Vuong T, et al. Small-cell anal carcinoma and AIDS: case report and review of the literature. *Infect Dis*. 2008 Jan;23(1):135–6. PMID:18200000
101. Aldaoud N, Joudeh A, et al. Anaplastic carcinoma arising in a mucinous cystic neoplasm masquerading as a pancreatic pseudocyst. *Diagn Cytopathol*. 2014 Jun;44(6):538–42. PMID:24722547
102. Alexander J, Watanabe T, et al. Histopathological identification of colorectal cancer with microsatellite instability. *Am J Pathol*. 2002 Feb;158(2):527–35. PMID:11795182
103. Alexandraki KI, Grossmann ME. The ACTH syndrome. *Rev Endocr Metab Disord*. 2010 Jun;11(2):117–25. PMID:20494020
104. Alexandraki KI, Kaltsas G, et al. Pitressin-Gastrinoma syndrome: diagnosis and management. *Endocr Relat Cancer*. 2016 Jan;23(1):1–12. PMID:26483424
105. Alexandrov LB, Nik-Zainal S, et al. Signatures of mutational processes in human cancer. *Nature*. 2013 Jun;500(7463):415–21. PMID:23754432
106. Allaire GS, Rabin L, et al. Bile duct adenoma. A study of 10 cases. *Am J Surg Pathol*. 1988 Sep;12(9):833–8. PMID:3046396
107. Allan BJ, Parikh PP, et al. Predictors of survival and incidence of liver metastasis in the paediatric population. *Am J Surg Pathol*. 2013 Oct;15(10):741–6. PMID:24070000
108. Allanson BM, Bonavia R, et al. Early Barrett esophagus—mucosal segments 1 cm or longer associated with intestinal metaplasia. *Am J Surg Pathol*. 2008 Aug;30(8):1170–6. PMID:18544000
109. Allemani C, Matsuda T, et al. Global surveillance of trends in cancer survival 2000–14 (CONCORD-3): an international collaboration. *Lancet*. 2016 Jun;387(10027):107–17. PMID:26940000
110. Allen PJ, Kuk D, et al. Multi-institutional validation study of the revised TNM stage for pancreatic adenocarcinoma. *Am J Clin Pathol*. 2011 Jan;135(1):185–91. PMID:21207767
111. Allison KH, Yoder BJ, et al. Angiosarcoma involving the hepatic hilum: a report of two cases and review of the literature. *Am J Surg Pathol*. 2004 Mar;28(3):322–6. PMID:15104292
112. Allum W, Lordick F, et al. The essential requirements for the care of patients with esophageal and gastric cancer: a consensus statement. *Rev Oncol Hematol*. 2010 Mar;10(1):1–10. PMID:20458786
113. Aloia TA, Janoff W, et al. Bile duct cancer: expert consensus guidelines. *HPB (Oxford)*. 2015 Jul;17(7):631–40. PMID:26172135
114. Alpert LC, Truong LD, et al. Microcystic adenoma of the ampulla of Vater: a study of 14 cases with immunohistochemical and electron microscopic evaluation. *Am J Surg Pathol*. 1993 Jun;17(6):553–60. PMID:8344751
115. Alvi MA, Laughrey ME, et al. Molecular profiling of sigmoidal and rectal cancers provides a strong rationale for targeted and immune therapies. *Br J Cancer*. 2017 Jul;117(1):103–10. PMID:28595259
116. Alvi MA, McAllister DG, et al. Comprehensive molecular pathology of rectal adenocarcinoma with potential for clinical applications. *Am J Pathol*. 2015 Aug 28;186(4):1035–44. PMID:26172135
117. Alvi MA, Wilson RH, et al. Anal cancers: the greatest health burden. *Br J Cancer*. 2017 Jul;117(1):103–10. PMID:28595259

- search and oncology treatment. *Br J Cancer*. 2017 Oct 24;117(9):1255–7. PMID:28934760
115. Aljouze MJ, Alratriot JA, ElSharkawy T, et al. Malignant gastrointestinal neuroectodermal tumor: a case report and review of the literature. *Diagn Pathol*. 2017 Mar 20;12(1):29. PMID:28320420
116. Amadou A, Waddington Achatz MI, Hainaut P. Revisiting tumor patterns and penetrance in Li-Fraumeni syndrome. *Curr Opin Oncol*. 2018 Jan;30(1):23–9. PMID:29076966
117. Amato E, Molin MD, Mafficini A, et al. Integrated next-generation sequencing of cancer genes dissects the molecular profiles of papillary neoplasms of the pancreas. *J Pathol*. 2014 Jul;233(3):217–27. PMID:24604757
118. Amato T, Abate F, Piccaluga P, et al. Genomic analysis of immunoglobulin gene rearrangement by next-generation sequencing in non-Hodgkin Burkitt lymphoma suggests antigen activation of BCR as opposed to sporadic Burkitt lymphoma. *Am J Clin Pathol*. 2016 Jun;194(1):116–27. PMID:26712879
119. Ambrosio MR, Lazzi S, Bello GL, et al. MYC protein expression scoring and its impact on the prognosis of aggressive B-cell lymphoma patients. *Haematologica*. 2019 Jun;104(1):e25–8. PMID:29954940
120. Ambrosio MR, Navari M, Di Lisio L, et al. The Epstein Barr-encoded BART-6-3p ncRNA affects regulation of cell growth and immuno response in Burkitt lymphoma. *Int J Agent Cancer*. 2014 Apr 14;9:12. PMID:24731550
121. Ambrosio MR, Piccaluga PP, Ponzoni M, et al. The alteration of lipid metabolism in Burkitt lymphoma identifies a novel marker: sphingomyelin. *PLoS One*. 2012;7(8):e44315. PMID:22952953
122. Amrieh MR, El-Omar EM. Host-bacterial interactions in Helicobacter pylori infection. *Gastroenterology*. 2008 Jan;134(1):306–23. PMID:18166359
123. Amin A, Epstein JI. Noninvasive micro-mucinous urothelial carcinoma: a clinicopathologic study of 18 cases. *Hum Pathol*. 2012 Dec;43(12):2124–8. PMID:22939957
124. Amin MB, Edge S, Greene F, et al., editors. *Cancer staging manual*. 8th ed. New York: Springer; 2017.
125. Ammann RW, Vetter D, Deyhle P, et al. Gastrointestinal involvement in systemic mastocytosis. *Gut*. 1976 Feb;17(2):107–12. PMID:1261881
126. Arnaldadottir L, Kraft P, Stolzenberg-Solomon RZ, et al. Genome-wide association identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. *Nat Genet*. 2009 Sep;41(9):986–90. PMID:19648918
127. Arnaldadottir LT. Pancreatic cancer genetics. *J Biol Sci*. 2016 Jan 28;12(3):314–25. PMID:26929738
128. An S, Jang J, Min K, et al. Granular cell tumor of the gastrointestinal tract: histologic and immunohistochemical analysis of 98 cases. *Hum Pathol*. 2015 Jun;46(6):813–9. PMID:25882927
129. Anagnostopoulos GK, Arvanitidis D, Karafas G, et al. Combined carcinoid-adenocarcinoma tumour of the anal canal. *Scand J Gastroenterol*. 2004 Feb;39(2):198–200. PMID:15000285
130. Andea A, Sarkar F, Adsay VN. Clinicopathological correlates of pancreatic intraepithelial neoplasia: a comparative analysis of 82 cases with and 152 cases without pancreatic adenocarcinoma. *Mod Pathol*. 2003 Oct;16(10):996–1006. PMID:14559982
131. Anderson JC, Butterly LF, Robinson CM, et al. Risk of metachronous high-risk adenomas and large serrated polyps in individuals with serrated polyps on index colonoscopy: data from the New Hampshire Colonoscopy Registry. *Gastroenterology*. 2018 Jan;154(1):117–27. e2. PMID:28927878
135. Anderson KE, Mack TM, Silverman DT. Cancer of the pancreas. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer epidemiology and prevention*. 3rd ed. New York (NY): Oxford University Press; 2006. pp. 721–62.
136. Anderson MJ, Kwong CA, Atieh M, et al. Mixed acinar-neuroendocrine-ductal carcinoma of the pancreas: a tale of three lineages. *BMJ Case Rep*. 2016 Jun 2;2016. pii: bcr2015213661. PMID:27257019
137. Anderson WF, Rabkin CS, Turner N, et al. The changing face of noncardia gastric cancer incidence among US non-Hispanic whites. *J Natl Cancer Inst*. 2018 Jun 1;110(6):608–15. PMID:29361173
138. Andersson E, Arvidsson Y, Swärd C, et al. Expression profiling of small intestinal neuroendocrine tumors identifies subgroups with clinical relevance, prognostic markers and therapeutic targets. *Mod Pathol*. 2016 Jun;29(6):616–29. PMID:26965582
139. Andersson E, Arvidsson Y, Swärd C, Stenman G, et al. High-resolution genomic profiling reveals gain of chromosome 14 as a predictor of poor outcome in ileal carcinoids. *Endocr Relat Cancer*. 2009 Sep;16(3):953–66. PMID:19458023
140. Ando N, Ozawa S, Kitagawa Y, et al. Improvement in the results of surgical treatment of advanced squamous esophageal carcinoma during 15 consecutive years. *Ann Surg*. 2000 Aug;232(2):225–32. PMID:10903602
141. Ando T, Hosokawa A, Yamawaki H, et al. Esophageal small-cell carcinoma with syndrome of inappropriate secretion of antidiuretic hormone. *Intern Med*. 2011;50(10):1099–103. PMID:21576835
142. Andrici J, Farzin M, Sioson L, et al. Mismatch repair deficiency as a prognostic factor in mucinous colorectal cancer. *Mod Pathol*. 2016 Mar;29(3):266–74. PMID:26769140
143. Andricovich J, Perkail S, Kai Y, et al. Loss of KDM6A activates super-enhancers to induce gender-specific squamous-like pancreatic cancer and confers sensitivity to BET inhibitors. *Cancer Cell*. 2018 Mar 12;33(3):512–26.e8. PMID:29533787
144. André TR, Brito M, Freire JG, et al. Rectal and anal canal neuroendocrine tumours. *J Gastrointest Oncol*. 2018 Apr;9(2):354–7. PMID:29755775
145. Anene C, Thompson JS, Saigh J, et al. Somatostatinoma: atypical presentation of a rare pancreatic tumor. *Am J Gastroenterol*. 1995 May;90(5):819–21. PMID:7733095
146. Ang DC, Shia J, Tang LH, et al. The utility of immunohistochemistry in subtyping adenocarcinoma of the ampulla of Vater. *Am J Surg Pathol*. 2014 Oct;38(10):1371–9. PMID:24832159
147. Angeles-Angeles A, Quintanilla-Martinez L, Larriva-Sahd J. Primary carcinoid of the common bile duct. Immunohistochemical characterization of a case and review of the literature. *Am J Clin Pathol*. 1991 Sep;96(3):341–4. PMID:1877530
148. Anjaneyulu V, Shankar-Swannalatha G, Rao SC. Carcinoid tumor of the gall bladder. *Ann Diagn Pathol*. 2007 Apr;11(2):113–6. PMID:17349570
149. Anker MC, Arnemann J, Neumann K, et al. Alport syndrome with diffuse leiomyomatosis. *Am J Med Genet A*. 2003 Jun 15;119A(3):381–5. PMID:12784310
150. Anlauf M, Bauersfeld J, Raffel A, et al. Insulinomatosis: a multicentric insulinoma disease that frequently causes early recurrent hyperinsulinemic hypoglycemia. *Am J Surg Pathol*. 2009 Mar;33(3):339–46. PMID:19011561
151. Anlauf M, Enosawa T, Henopp T, et al. Primary lymph node gastrinoma or occult duodenal microgastrinoma with lymph node metastases in a MEN1 patient: the need for a systematic search for the primary tumor. *Am J Surg Pathol*. 2008 Jul;32(7):1101–5. PMID:18520436
152. Anlauf M, Garbrecht N, Bauersfeld J, et al. Hereditary neuroendocrine tumors of the gastroenteropancreatic system. *Virchows Arch*. 2007 Aug;451 Suppl 1:S29–38. PMID:17684762
153. Anlauf M, Garbrecht N, Henopp T, et al. Sporadic versus hereditary gastrinomas of the duodenum and pancreas: distinct clinicopathological and epidemiological features. *World J Gastroenterol*. 2006 Sep 14;12(34):5440–6. PMID:17006979
154. Anlauf M, Perren A, Henopp T, et al. Allelic deletion of the MEN1 gene in duodenal gastrin and somatostatin cell neoplasms and their precursor lesions. *Gut*. 2007 May;56(5):637–44. PMID:17135306
155. Anlauf M, Perren A, Meyer CL, et al. Precursor lesions in patients with multiple endocrine neoplasia type 1-associated duodenal gastrinomas. *Gastroenterology*. 2005 May;128(5):1187–98. PMID:15887103
156. Anlauf M, Schlenger R, Perren A, et al. Microadenomatosis of the endocrine pancreas in patients with and without the multiple endocrine neoplasia type 1 syndrome. *Am J Surg Pathol*. 2006 May;30(5):560–74. PMID:16699310
157. Anthony PP, James K. Pedunculated hepatocellular carcinoma. Is it an entity? *Histopathology*. 1987 Apr;11(4):403–14. PMID:3036680
158. Anthony PP, Morris DS, Vowles KD. Multiple and recurrent inflammatory fibroid polyps in three generations of a Devon family: a new syndrome. *Gut*. 1984 Aug;25(8):854–62. PMID:6745724
159. Anthony PP, Sarsfield P, Clarke T. Primary lymphoma of the liver: clinical and pathological features of 10 patients. *J Clin Pathol*. 1990 Dec;43(12):1007–13. PMID:2266172
160. Antman K, Chang Y. Kaposi's sarcoma. *N Engl J Med*. 2000 Apr 6;342(14):1027–38. PMID:10749966
161. Antonescu C. Malignant vascular tumors—an update. *Mod Pathol*. 2014 Jan;27 Suppl 1:S30–8. PMID:24384851
162. Antonescu CR, Besmer P, Guo T, et al. Acquired resistance to imatinib in gastrointestinal stromal tumor occurs through secondary gene mutation. *Clin Cancer Res*. 2005 Jun 1;11(11):4182–90. PMID:15930355
163. Antonescu CR, Le Loarer F, Mosquera JM, et al. Novel YAP1-TFE3 fusion defines a distinct subset of epithelioid hemangioendothelioma. *Genes Chromosomes Cancer*. 2013 Aug;52(8):775–84. PMID:23737213
164. Antonescu CR, Romeo S, Zhang L, et al. Dedifferentiation in gastrointestinal stromal tumor to an anaplastic KIT-negative phenotype: a diagnostic pitfall: morphologic and molecular characterization of 8 cases occurring either de novo or after imatinib therapy. *Am J Surg Pathol*. 2013 Mar;37(3):385–92. PMID:23348204
165. Antonescu CR, Suurmeijer AJ, Zhang L, et al. Molecular characterization of inflammatory myofibroblastic tumors with frequent ALK and ROS1 gene fusions and rare novel RET rearrangement. *Am J Surg Pathol*. 2015 Jul;39(7):957–67. PMID:25723109
166. Antonescu CR, Yoshida A, Guo T, et al. KDR activating mutations in human angiosarcomas are sensitive to specific kinase inhibitors. *Cancer Res*. 2009 Sep 15;69(18):7175–9. PMID:19723655
167. Antoniuk PM, Tjandra JJ, Webb BW, et al. Anorectal malignant melanoma has a poor prognosis. *Int J Colorectal Dis*. 1993 Jul;8(2):81–6. PMID:8409692
168. Antwi SO, Mousa OY, Patel T. Racial, ethnic, and age disparities in incidence and survival of intrahepatic cholangiocarcinoma in the United States: 1995–2014. *Ann Hepatol*. 2018 Mar 1;17(2):274–85. PMID:29469047
169. Aoki Y, Tabuse K, Wada M, et al. Primary adenosquamous carcinoma of the stomach: experience of 11 cases and its clinical analysis. *Gastroenterol Jpn*. 1978;13(2):140–5. PMID:669198
170. Aparicio T, Zaanan A, Mary F, et al. Small bowel adenocarcinoma. *Gastroenterol Clin North Am*. 2016 Sep;45(3):447–57. PMID:27546842
171. Aparicio T, Zaanan A, Svrcik M, et al. Small bowel adenocarcinoma: epidemiology, risk factors, diagnosis and treatment. *Dig Liver Dis*. 2014 Feb;46(2):97–104. PMID:23796552
172. Appelman HD, Coopersmith N. Pleomorphic spindle-cell carcinoma of the gallbladder. Relation to carcinoma of the gallbladder. *Cancer*. 1970 Mar;25(3):535–41. PMID:5416826
173. Arai M, Shimizu S, Imai Y, et al. Mutations of the Ki-ras, p53 and APC genes in adenocarcinomas of the human small intestine. *Int J Cancer*. 1997 Feb 7;70(4):390–5. PMID:9033644
174. Arai T, Sakurai U, Sawabe M, et al. Frequent microsatellite instability in papillary and solid-type, poorly differentiated adenocarcinomas of the stomach. *Gastric Cancer*. 2013 Oct;16(4):505–12. PMID:23274922
175. Arcaini L, Zibellini S, Boveri E, et al. The BRAF V600E mutation in hairy cell leukemia and other mature B-cell neoplasms. *Blood*. 2012 Jan 5;119(1):188–91. PMID:22072557
176. Arceci RJ, Allen CE, Dunkel IJ, et al. A phase IIa study of afuresertib, an oral pan-AKT inhibitor, in patients with Langerhans cell histiocytosis. *Pediatr Blood Cancer*. 2017 May;64(5). PMID:27804235
177. Arena V, Arena E, Stigliano E, et al. Bile duct adenoma with oncocytic features. *Histopathology*. 2006 Sep;49(3):318–20. PMID:16918984
178. Arends MJ. Pathways of colorectal carcinogenesis. *Appl Immunohistochem Mol Morphol*. 2013 Mar;21(2):97–102. PMID:23417071
179. Arer IM, Yilmaz D, Ozek OC, et al. Unusual location of median raphe cyst presenting as perianal polyp: a case report. *Dermatol Online J*. 2016 Jun 15;22(6):13030/qtf4f48g7jc. PMID:27617601
180. Aretz S, Stienen D, Uhlhaas S, et al. High proportion of large genomic deletions and a genotype phenotype update in 80 unrelated families with juvenile polyposis syndrome. *J Med Genet*. 2007 Nov;44(11):702–9. PMID:17873119
181. Aretz S, Stienen D, Uhlhaas S, Goergens H, et al. MUTYH-associated polyposis: 70 of 71 patients with biallelic mutations present with an attenuated or atypical phenotype. *Int J Cancer*. 2006 Aug 15;119(4):807–14. PMID:16557584
182. Argani P, Aulmann S, Illei PB, et al. A distinctive subset of PEComas harbors TFE3 gene fusions. *Am J Surg Pathol*. 2010 Oct;34(10):1395–406. PMID:20871214
183. Ariffin H, Chan AS, Oh L, et al. Frequent occurrence of gastric cancer in Asian kindreds with Li-Fraumeni syndrome. *Clin Genet*. 2015 Nov;88(5):450–5. PMID:25318593
184. Ariizumi S, Kotera Y, Katagiri S, et al. Combined hepatocellular-cholangiocarcinoma had poor outcomes after hepatectomy regardless of Allen and Lisa class or the predominance of intrahepatic cholangiocarcinoma

- cells within the tumor. *Ann Surg Oncol*. 2012 May;19(5):1628–36. PMID:22113592
185. Amaoutakis DJ, Kim Y, Pultano C, et al. Management of biliary cystic tumors: a multi-institutional analysis of a rare liver tumor. *Ann Surg*. 2015 Feb;261(2):361–7. PMID:24509187
186. Arnason T, Borger DR, Corless C, et al. Biliary adenofibroma of liver: morphology, tumor genetics, and outcomes in 6 cases. *Am J Surg Pathol*. 2017 Apr;41(4):499–505. PMID:28266931
187. Arnason T, Fleming KE, Wanless IR. Peritumoral hyperplasia of the liver: a response to portal vein invasion by hypervascular neoplasms. *Histopathology*. 2013 Feb;62(3):458–64. PMID:23240735
188. Arnason T, Liang WY, Alfaro E, et al. Morphology and natural history of familial adenomatous polyposis-associated dysplastic fundic gland polyps. *Histopathology*. 2014 Sep;65(3):353–62. PMID:24548295
189. Arnold D, Lueza B, Douillard JY, et al. Prognostic and predictive value of primary tumour side in patients with RAS wild-type metastatic colorectal cancer treated with chemotherapy and EGFR directed antibodies in six randomized trials. *Ann Oncol*. 2017 Aug 1;28(8):1713–29. PMID:28407110
190. Arnold LD, Patel AV, Yan Y, et al. Are racial disparities in pancreatic cancer explained by smoking and overweight/obesity? *Cancer Epidemiol Biomarkers Prev*. 2009 Sep;18(9):2397–405. PMID:19723915
191. Arnold M, Sierra MS, Laversanne M, et al. Global patterns and trends in colorectal cancer incidence and mortality. *Gut*. 2017 Apr;66(4):683–91. PMID:26818619
192. Arnold M, Soerjomataram I, Ferlay J, et al. Global incidence of oesophageal cancer by histological subtype in 2012. *Gut*. 2015 Mar;64(3):381–7. PMID:25320104
193. Arock M, Valent P. Pathogenesis, classification and treatment of mastocytosis: state of the art in 2010 and future perspectives. *Expert Rev Hematol*. 2010 Aug;3(4):497–516. PMID:21083038
194. Aronson M, Gallinger S, Cohen Z, et al. Gastrointestinal findings in the largest series of patients with hereditary biallelic mismatch repair deficiency syndrome: report from the international consortium. *Am J Gastroenterol*. 2016 Feb;111(2):275–84. PMID:26729549
195. Arvey A, Ojesina AI, Pedamallu CS, et al. The tumor virus landscape of AIDS-related lymphomas. *Blood*. 2015 May 14;125(20):e14–22. PMID:25827832
196. Asare EA, Compton CC, Hanna NN, et al. The impact of stage, grade, and mucinous histology on the efficacy of systemic chemotherapy in adenocarcinomas of the appendix: analysis of the National Cancer Data Base. *Cancer*. 2016 Jan 15;122(2):213–21. PMID:26506400
197. Asayama M, Fuse N, Yoshino T, et al. Amrubicin for the treatment of neuroendocrine carcinoma of the gastrointestinal tract: a retrospective analysis of five cases. *Cancer Chemother Pharmacol*. 2011 Nov;68(5):1325–30. PMID:21461890
198. Ascolani M, Mescoli C, Palmieri G, et al. Colonic phenotype of the ileum in Crohn's disease: a prospective study before and after ileocolonic resection. *Inflamm Bowel Dis*. 2014 Sep;20(9):1555–61. PMID:25054336
199. Chathadi KV, Kashish MA, Acosta RD, et al. The role of endoscopy in ampullary and duodenal adenomas. *Gastrointest Endosc*. 2015 Nov;82(5):773–81. PMID:26260385
200. Askan G, Deshpande V, Klimstra DS, et al. Expression of markers of hepatocellular differentiation in pancreatic acinar cell neoplasms: a potential diagnostic pitfall. *Am J Clin Pathol*. 2016 Aug;145(2):163–9. PMID:27425386
201. Askling J, Dickman PW, Karlén P, et al. Family history as a risk factor for colorectal cancer in inflammatory bowel disease. *Gastroenterology*. 2001 May;120(6):1356–62. PMID:11313305
202. Aslan DL, Jessurun J, Gulbahce HE, et al. Endoscopic ultrasound-guided fine needle aspiration features of a pancreatic neoplasm with predominantly intraductal growth and prominent tubular cytromorphology: intraductal tubular carcinoma of the pancreas? *Diagn Cytopathol*. 2008 Nov;36(11):833–9. PMID:18831024
203. Assmann G, Kappler R, Zeindl-Eberhart E, et al. β -Catenin mutations in 2 nested stromal epithelial tumors of the liver—a neoplasia with defective mesenchymal–epithelial transition. *Hum Pathol*. 2012 Nov;43(11):1815–27. PMID:22749188
204. Atkin W, Brenner A, Martin J, et al. The clinical effectiveness of different surveillance strategies to prevent colorectal cancer in people with intermediate-grade colorectal adenomas: a retrospective cohort analysis, and psychological and economic evaluations. *Health Technol Assess*. 2017 Apr;21(25):1–536. PMID:28621643
205. Atkin WS, Edwards R, Kralj-Hans I, et al. Once-only flexible sigmoidoscopy screening in prevention of colorectal cancer: a multicentre randomised controlled trial. *Lancet*. 2010 May 8;375(9726):1624–33. PMID:20430429
206. Attygalle AD, Cabeçadas J, Gaulard P, et al. Peripheral T-cell and NK-cell lymphomas and their mimics: taking a step forward - report on the lymphoma workshop of the XVIth meeting of the European Association for Haematopathology and the Society for Hematopathology. *Histopathology*. 2014 Jan;64(2):171–99. PMID:24128129
207. Audard V, Cavard C, Richa H, et al. Impaired E-cadherin expression and glutamine synthetase overexpression in solid pseudopapillary neoplasm of the pancreas. *Pancreas*. 2008 Jan;36(1):80–3. PMID:18192886
208. Augu KL, Fischer SE, Denroche RE, et al. Genomics-driven precision medicine for advanced pancreatic cancer: early results from the COMPASS trial. *Clin Cancer Res*. 2018 Mar 15;24(6):1344–54. PMID:29288237
209. Avadhani V, Hacihasanoglu E, Memis B, et al. Cytologic predictors of malignancy in bile duct brushings: a multi-reviewer analysis of 60 cases. *Mod Pathol*. 2017 Sep;30(9):1273–86. PMID:28664934
210. Aydogdu I, Uzun E, Mirapoglu SL, et al. Buschke-Löwenstein tumor: three pediatric cases. *Pediatr Int*. 2016 Aug;58(8):769–72. PMID:27384409
211. Aytac E, Ozdemir Y, Ozuner G. Long term outcomes of neuroendocrine carcinomas (high-grade neuroendocrine tumors) of the colon, rectum, and anal canal. *J Visc Surg*. 2014 Feb;151(1):3–7. PMID:24412088
212. Azar C, Van de Stadt J, Rickaert F, et al. Intraductal papillary mucinous tumours of the pancreas. Clinical and therapeutic issues in 32 patients. *Gut*. 1996 Sep;39(3):457–64. PMID:8949654
213. Azimuddin K, Khubchandani IT, Stasik JJ, et al. Neoplasia after uretersigmoidostomy. *Dis Colon Rectum*. 1999 Dec;42(12):1632–8. PMID:10613486
214. Bachmeyer C, Monge M, Cazier A, et al. Gastric adenocarcinoma in a patient with X-linked agammaglobulinemia. *Eur J Gastroenterol Hepatol*. 2000 Sep;12(9):1033–5. PMID:11007143
215. Backes Y, Moons LM, Novelli MR, et al. Diagnosis of T1 colorectal cancer in pedunculated polyps in daily clinical practice: a multicenter study. *Mod Pathol*. 2017 Jan;30(1):104–12. PMID:27713422
216. Backes Y, Moss A, Reitsma JB, et al. Narrow band imaging, magnifying chromoendoscopy, and gross morphological features for the optical diagnosis of T1 colorectal cancer and deep submucosal invasion: a systematic review and meta-analysis. *Am J Gastroenterol*. 2017 Jan;112(1):54–64. PMID:27644737
217. Bacq Y, Jacquemin E, Balabaud C, et al. Familial liver adenomatosis associated with hepatocyte nuclear factor 1alpha inactivation. *Gastroenterology*. 2003 Nov;125(5):1470–5. PMID:14598263
218. Badalian-Very G, Vergilio JA, Degar BA, et al. Recurrent BRAF mutations in Langerhans cell histiocytosis. *Blood*. 2010 Sep 16;116(11):1919–23. PMID:20519626
219. Baek DH, Kim GH, Park DY, et al. Gastric epithelial dysplasia: characteristics and long-term follow-up results after endoscopic resection according to morphological categorization. *BMC Gastroenterol*. 2015 Feb 12;15:17. PMID:25886985
220. Baek SK, Han SW, Oh DY, et al. Clinicopathologic characteristics and treatment outcomes of hepatoid adenocarcinoma of the stomach, a rare but unique subtype of gastric cancer. *BMC Gastroenterol*. 2011 May 19;11:56. PMID:21592404
221. Baek SW, Kang HJ, Yoon JY, et al. Clinical study and review of articles (Korean) about retrorectal developmental cysts in adults. *J Korean Soc Coloproctol*. 2011 Dec;27(6):303–14. PMID:22259746
222. Bagg A, Dunphy CH. Immunosuppressive and immunomodulatory therapy-associated lymphoproliferative disorders. *Semin Diagn Pathol*. 2013 May;30(2):102–12. PMID:23541274
223. Bai X, Kong Y, Chi Z, et al. MAPK pathway and TERT promoter gene mutation pattern and its prognostic value in melanoma patients: a retrospective study of 2,793 cases. *Clin Cancer Res*. 2017 Oct 15;23(20):6120–7. PMID:28720667
224. Bailey P, Chang DK, Nones K, et al. Genomic analyses identify molecular subtypes of pancreatic cancer. *Nature*. 2016 Mar 3;531(7592):47–52. PMID:26909576
225. Baker HL, Caldwell DW. Lesions of the ampulla of Vater. *Surgery*. 1947 Apr;21(4):523–31. PMID:20290635
226. Baker KT, Salk JJ, Brentnall TA, et al. Precancer in ulcerative colitis: the role of the field effect and its clinical implications. *Carcinogenesis*. 2018 Jan 12;39(1):11–20. PMID:29087436
227. Baker ML, Seeley ES, Pai R, et al. Invasive mucinous cystic neoplasms of the pancreas. *Exp Mol Pathol*. 2012 Dec;93(3):345–9. PMID:22902940
228. Bakry D, Aronson M, Durno C, et al. Genetic and clinical determinants of constitutional mismatch repair deficiency syndrome: report from the constitutional mismatch repair deficiency consortium. *Eur J Cancer*. 2014 Mar;50(5):987–96. PMID:24440087
229. Balakrishnan M, George R, Sharma A, et al. Changing trends in stomach cancer throughout the world. *Curr Gastroenterol Rep*. 2017 Aug;19(8):36. PMID:28730504
230. Balci S, Basturk O, Saka B, et al. Substaging nodal status in ampullary carcinomas has significant prognostic value: proposed revised staging based on an analysis of 313 well-characterized cases. *Ann Surg Oncol*. 2015 Dec;22(13):4392–401. PMID:25783680
231. Balta Z, Sauerbruch T, Hirner A, et al. [Primary neuroendocrine carcinoma of the liver. From carcinoid tumor to small-cell hepatic carcinoma: case reports and review of the literature]. *Pathologe*. 2008 Feb;29(1):53–60. German. PMID:18210116
232. Ban S, Naitoh Y, Mino-Kenudson M, et al. Intraductal papillary mucinous neoplasm (IPMN) of the pancreas: its histologic difference between 2 main types. *J Surg Pathol*. 2006 Dec;39(12):1561–7. PMID:17122512
233. Banck MS, Kanwar R, Kulig J, et al. The genomic landscape of small neuroendocrine tumors. *J Clin Endocrinol*. 2016 Jun;123(6):2502–8. PMID:26765461
234. Bandyopadhyay S, Bassan D, et al. Isolated solitary ducts in the liver and adipose tissue: a specific but uncommon finding of pancreatic adenocarcinoma. *Am J Surg Pathol*. 2013 Mar;33(3):425–9. PMID:23455253
235. Bang JY, Hebert-Magee S, Riedel E, et al. EUS-guided fine needle aspiration of pancreatic masses can yield true neoplastic tissue. *Endoscopy*. 2018 Dec;67(12):2081–4. PMID:30500000
236. Bang UC, Benfield T, Hyman D, et al. Mortality, cancer, and comorbidity in patients with chronic pancreatitis: a Danish matched-cohort study. *Gastroenterology*. 2014 Apr;146(4):989–94. PMID:24550000
237. Bang YJ, Van Cutsem E, Chung CH, et al. Trastuzumab in combination with chemotherapy versus chemotherapy alone for HER2-positive advanced or gastro-oesophageal junction cancer: a phase 3, open-label, randomised controlled trial. *Lancet*. 2010 Aug 28;376(9743):849–56. PMID:20728210
238. Bano S, Upadhyay S, Puri SK, et al. Imaging of pancreatic serous cystadenoma. *Jpn J Radiol*. 2011 Dec;29(12):803–7. PMID:22009426
239. Banville N, Geraghty R, Foulkes WD, et al. A missense mutation in the MSH2 gene in a family with hereditary nonpolyposis colorectal cancer. *Am J Hum Genet*. 2006 Nov;79(5):937–44. PMID:17099571
240. Bao F, Panarelli NC, Remond K, et al. Adjuvant therapy induces loss of heterozygosity in colorectal carcinoma. *Am J Pathol*. 2010 Dec;179(4):798–804. PMID:20940000
241. Bao Y, Giovannucci E, Fuchs CS, et al. Passive smoking and pancreatic cancer in women: a prospective cohort study. *Cancer Epidemiol Biomarkers Prev*. 2009 Jun;18(6):1463–70. PMID:19602702
242. Barak S, Wang Z, Methner A, et al. Reactivity for calretinin and keratin 7 in fibromatosis and other myofibroblastic tumors: a diagnostic pitfall. *Am J Surg Pathol*. 2013 Sep;36(9):1404–9. PMID:23551174
243. Barber ME, Save V, Carter BJ, et al. Pathological and molecular analysis of resection specimens from hereditary nonpolyposis colorectal cancer patients has implications for surveillance of individuals at risk. *Cancer*. 2005 Nov;106(10):286–94. PMID:16250000
244. Barbour AP, Jones K, Green PM, et al. Refining esophageal cancer staging: the role of neoadjuvant therapy: importance of tumor regression and treatment response. *Ann Surg Oncol*. 2006 Oct;15(10):2894–902. PMID:16960000
245. Bardales RH, Stelow EB, et al. Review of endoscopic ultrasound-guided fine-needle aspiration cytology. *Cancer Cytopathol*. 2006 Feb;104(2):103–10. PMID:16511852
246. Barghorn A, Kommisch F, Schmid D, et al. Deletion at 3p25.3–27 in neurofibromatosis 1 is encountered in endocrine pancreatic tumors and is associated with metastasis and short survival. *J Pathol*. 2001 Aug;194(4):511–7. PMID:11523053
247. Barghorn A, Speel EJ, Fimmenius C, et al. Putative tumor suppressor genes located on chromosomes 11q13 and 6q23-q24 are involved in the development of neurofibromatosis 1. *Cancer*. 2002 Jul;94(2):437–44. PMID:12093000

- progression of sporadic endocrine pancreatic tumors. *Am J Pathol*. 2001 Jun;158(6):1903–11. PMID:11395364
248. Barnes G Jr, Romero L, Hess KR, et al. Primary adenocarcinoma of the duodenum: management and survival in 67 patients. *Ann Surg Oncol*. 1994 Jan;1(1):73–8. PMID:7834432
249. Barr Fritch EG, Voss JS, Brankley SM, et al. An optimized set of fluorescence in situ hybridization probes for detection of pancreaticobiliary tract cancer in cytology brush samples. *Gastroenterology*. 2015 Dec;149(7):1813–24. PMID:26327129
250. Barresi V, Reggiani Bonetti L, Ieni A, et al. Poorly differentiated clusters: clinical impact in colorectal cancer. *Clin Colorectal Cancer*. 2017 Mar;16(1):9–15. PMID:27444718
251. Barret M, Prat F. Diagnosis and treatment of superficial esophageal cancer. *Ann Gastroenterol*. 2018 May-Jun;31(3):256–65. PMID:29720850
252. Barth TF, Müller S, Pawlita M, et al. Homogeneous immunophenotype and paucity of secondary genomic aberrations are distinctive features of endemic but not of sporadic Burkitt's lymphoma and diffuse large B-cell lymphoma with MYC rearrangement. *J Pathol*. 2004 Aug;203(4):940–5. PMID:15258997
253. Bartley AN, Luthra R, Saraiya DS, et al. Identification of cancer patients with Lynch syndrome: clinically significant discordances and problems in tissue-based mismatch repair testing. *Cancer Prev Res (Phila)*. 2012 Feb;5(2):320–7. PMID:22086678
254. Bartley AN, Washington MK, Colasacco C, et al. HER2 testing and clinical decision making in gastroesophageal adenocarcinoma: guideline from the College of American Pathologists, American Society for Clinical Pathology, and the American Society of Clinical Oncology. *J Clin Oncol*. 2017 Feb;35(4):446–64. PMID:28129524
255. Barton CM, Staddon SL, Hughes CM, et al. Abnormalities of the p53 tumour suppressor gene in human pancreatic cancer. *Br J Cancer*. 1991 Dec;64(6):1076–82. PMID:1764370
256. Barton JG, Barrett DA, Maricevich MA, et al. Intraductal papillary mucinous neoplasm of the biliary tract: a real disease? *HPB (Oxford)*. 2009 Dec;11(8):684–91. PMID:20495637
257. Bartsch D, Hahn SA, Danichevski KD, et al. Mutations of the DPC4/Smad4 gene in neuroendocrine pancreatic tumors. *Oncogene*. 1999 Apr 8;18(14):2367–71. PMID:10327057
258. Bartsch DK, Kress R, Sina-Frey M, et al. Prevalence of familial pancreatic cancer in Germany. *Int J Cancer*. 2004 Jul 20;110(6):902–6. PMID:15170674
259. Bartsch DK, Slater EP, Albers M, et al. Higher risk of aggressive pancreatic neuroendocrine tumors in MEN1 patients with MEN1 mutations affecting the CHES1 interacting MENIN domain. *J Clin Endocrinol Metab*. 2014 Nov;99(11):E2387–91. PMID:25210877
260. Bartsch DK, Waldmann J, Fendrich V, et al. Impact of lymphadenectomy on survival after surgery for sporadic gastrinoma. *Br J Surg*. 2012 Sep;99(9):1234–40. PMID:22864882
261. Barugola G, Falconi M, Bettini R, et al. The determinant factors of recurrence following resection for ductal pancreatic cancer. *JOP*. 2007 Jan 9;8(1 Suppl):132–40. PMID:17228145
262. Bass J, Soucy P, Walton M, et al. Inflammatory cloacogenic polyps in children. *J Pediatr Surg*. 1995 Apr;30(4):585–8. PMID:7595840
263. Basturk O, Adsay V, Askan G, et al. Intraductal tubulopapillary neoplasm of the pancreas: a clinicopathologic and immunohistochemical analysis of 33 cases. *Am J Surg Pathol*. 2017 Mar;41(3):313–25. PMID:27984235
264. Basturk O, Berger MF, Yamaguchi H, et al. Pancreatic intraductal tubulopapillary neoplasm is genetically distinct from intraductal papillary mucinous neoplasm and ductal adenocarcinoma. *Mod Pathol*. 2017 Dec;30(12):1760–72. PMID:28776573
265. Basturk O, Chung SM, Hruban RH, et al. Distinct pathways of pathogenesis of intraductal oncocytic papillary neoplasms and intraductal papillary mucinous neoplasms of the pancreas. *Virchows Arch*. 2016 Nov;469(5):523–32. PMID:27591765
266. Basturk O, Coban I, Adsay NV. Pancreatic cysts: pathologic classification, differential diagnosis, and clinical implications. *Arch Pathol Lab Med*. 2009 Mar;133(3):423–38. PMID:19260748
267. Basturk O, Hong SM, Wood LD, et al. A revised classification system and recommendations from the Baltimore Consensus Meeting for Neoplastic Precursor Lesions in the Pancreas. *Am J Surg Pathol*. 2015 Dec;39(12):1730–41. PMID:26559377
268. Basturk O, Khayyata S, Klimstra DS, et al. Preferential expression of MUC6 in oncocytic and pancreatobiliary types of intraductal papillary neoplasms highlights a pyloropancreatic pathway, distinct from the intestinal pathway, in pancreatic carcinogenesis. *Am J Surg Pathol*. 2010 Mar;34(3):364–70. PMID:20139757
269. Basturk O, Saka B, Balci S, et al. Substaging of lymph node status in resected pancreatic ductal adenocarcinoma has strong prognostic correlations: proposal for a revised N classification for TNM staging. *Ann Surg Oncol*. 2015 Dec;22 Suppl 3:S1187–95. PMID:26362048
270. Basturk O, Tan M, Bhantot U, et al. The oncocytic subtype is genetically distinct from other pancreatic intraductal papillary mucinous neoplasm subtypes. *Mod Pathol*. 2016 Sep;29(9):1058–69. PMID:27282351
271. Basturk O, Tang L, Hruban RH, et al. Poorly differentiated neuroendocrine carcinomas of the pancreas: a clinicopathologic analysis of 44 cases. *Am J Surg Pathol*. 2014 Apr;38(4):437–47. PMID:24503751
272. Basturk O, Yang Z, Tang LH, et al. The high-grade (WHO G3) pancreatic neuroendocrine tumor category is morphologically and biologically heterogeneous and includes both well differentiated and poorly differentiated neoplasms. *Am J Surg Pathol*. 2015 May;39(5):683–90. PMID:25723112
273. Basturk O, Zamboni G, Klimstra DS, et al. Intraductal and papillary variants of acinar cell carcinomas: a new addition to the challenging differential diagnosis of intraductal neoplasms. *Am J Surg Pathol*. 2007 Mar;31(3):363–70. PMID:17325477
274. Bauduer F, Marty F, Gemail MC, et al. Primary non-Hodgkin's lymphoma of the liver in a patient with hepatitis B, C, HIV infections. *Am J Hematol*. 1997 Mar;54(3):265. PMID:9067511
275. Bean GR, Joseph NM, Gill RM, et al. Recurrent GNAQ mutations in anastomosing hemangiomas. *Mod Pathol*. 2017 May;30(5):722–7. PMID:28084343
276. Bean SM, Chhieng DC. Anal-rectal cytology: a review. *Diagn Cytopathol*. 2010 Jul;38(7):538–46. PMID:19941374
277. Beasley MB, Lantuejoul S, Abbondanzo S, et al. The P16/cyclin D1/Rb pathway in neuroendocrine tumors of the lung. *Hum Pathol*. 2003 Feb;34(2):136–42. PMID:12612881
278. Beaugerie L, Carrat F, Nahon S, et al. High risk of anal and rectal cancer in patients with anal and/or perianal Crohn's disease. *Clin Gastroenterol Hepatol*. 2018 Jun;16(6):892–9. e2. PMID:29199142
279. Beaugerie L, Itzkowitz SH. Cancers complicating inflammatory bowel disease. *N Engl J Med*. 2015 Jul 9;373(2):195. PMID:26154801
280. Becker K, Mueller JD, Schulmacher C, et al. Histomorphology and grading of regression in gastric carcinoma treated with neoadjuvant chemotherapy. *Cancer*. 2003 Oct 1;98(7):1521–30. PMID:14508841
281. Becker WF. Pancreatoduodenectomy for carcinoma of the pancreas in an infant: report of a case. *Ann Surg*. 1957 Jun;145(6):864–70; discussion 870–2. PMID:13425296
282. Bedir A, Jukic DM, Wang L, et al. Systemic mastocytosis mimicking inflammatory bowel disease: a case report and discussion of gastrointestinal pathology in systemic mastocytosis. *Am J Surg Pathol*. 2006 Nov;30(11):1478–82. PMID:17063092
283. Beer A, Streubel B, Asari R, et al. Gastric adenocarcinoma and proximal polyposis of the stomach (GAPPS) - a rare recently described gastric polyposis syndrome - report of a case. *Z Gastroenterol*. 2017 Nov;55(11):1131–4. PMID:29141268
284. Beghini A, Tibiletti MG, Roversi G, et al. Germline mutation in the juxtamembrane domain of the kit gene in a family with gastrointestinal stromal tumors and urticaria pigmentosa. *Cancer*. 2001 Aug 1;92(3):657–62. PMID:11505412
285. Behdad A, Owens SR. Langerhans cell histiocytosis involving the gastrointestinal tract. *Arch Pathol Lab Med*. 2014 Oct;138(10):1350–2. PMID:25268199
286. Behjati S, Tarpey PS, Sheldon H, et al. Recurrent PTEN and PLCG1 mutations in angiosarcoma. *Nat Genet*. 2014 Apr;46(4):376–9. PMID:24633157
287. Belifiori G, Sartelli M, Cardinali L, et al. Risk stratification systems for surgically treated localized primary gastrointestinal stromal tumors (GIST). Review of literature and comparison of the three prognostic criteria: MSKCC Nomogramm, NIH-Fletcher and AFIP-Miettinen. *Ann Ital Chir*. 2015 May-Jun;86(3):219–27. PMID:26098671
288. Belhadji K, Reyes F, Farset JP, et al. Hepatosplenic gammadelta T-cell lymphoma is a rare clinicopathologic entity with poor outcome: report on a series of 21 patients. *Blood*. 2003 Dec 15;102(13):4261–9. PMID:12907441
289. Belhadji S, Mur P, Navarro M, et al. Delineating the phenotypic spectrum of the NTHL1-associated polyposis. *Clin Gastroenterol Hepatol*. 2017 Mar;15(3):461–2. PMID:27720914
290. Belinsky MG, Rink L, Cai KQ, et al. Somatic loss of function mutations in neurofibromin 1 and MYC associated factor X genes identified by exome-wide sequencing in a wild-type GIST case. *BMC Cancer*. 2015 Nov 10;15:887. PMID:26555092
291. Bell D, Ranganathan S, Tao J, et al. Novel advances in understanding of molecular pathogenesis of hepatoblastoma: a Wnt/β-catenin perspective. *Gene Expr*. 2017 Feb 10;17(2):141–54. PMID:27938502
292. Bellizzi AM, Rock J, Marsh WL, et al. Serrated lesions of the appendix: a morphologic and immunohistochemical appraisal. *Am J Clin Pathol*. 2010 Apr;133(4):623–32. PMID:20231616
293. Bellizzi AM, Woodford RL, Moskaluk CA, et al. Basaloid squamous cell carcinoma of the esophagus: assessment for high-risk human papillomavirus and related molecular markers. *Am J Surg Pathol*. 2009 Nov;33(11):1608–14. PMID:19738459
294. Belsley NA, Pitman MB, Lauwers GY, et al. Serous cystadenoma of the pancreas: limitations and pitfalls of endoscopic ultrasound-guided fine-needle aspiration biopsy. *Cancer*. 2008 Apr 25;114(2):102–10. PMID:18260088
295. Ben-Haim M, Roayaie S, Ye MQ, et al. Hepatic epithelioid hemangioendothelioma: resection or transplantation, which and when? *Liver Transplant Surg*. 1999 Nov;5(6):526–31. PMID:10545542
296. Bende RJ, Smit LA, Bossenbroek JG, et al. Primary follicular lymphoma of the small intestine: alpha4beta7 expression and immunoglobulin configuration suggest an origin from local antigen-experienced B cells. *Am J Pathol*. 2003 Jan;162(1):105–13. PMID:12507894
297. Benedict MA, Lauwers GY, Jain D. Gastric adenocarcinoma of the fundic gland type: update and literature review. *Am J Clin Pathol*. 2018 Apr 25;149(6):461–73. PMID:29648578
298. Benhammane H, El M'rabet FZ, Idriss Serhouchi K, et al. Small bowel adenocarcinoma complicating coeliac disease: a report of three cases and the literature review. *Case Rep Oncol Med*. 2012;2012:935183. PMID:23243535
299. Benn JJ, Firth RG, Sönksen PH. Metabolic effects of an insulin-like factor causing hypoglycaemia in a patient with a haemangiopericytoma. *Clin Endocrinol (Oxf)*. 1990 Jun;32(6):769–80. PMID:2116946
300. Benusiglio PR, Colas C, Rouleau E, et al. Hereditary diffuse gastric cancer syndrome: improved performances of the 2015 testing criteria for the identification of probands with a CDH1 germline mutation. *J Med Genet*. 2015 Aug;52(8):563–5. PMID:26025002
301. Benya RV, Metz DC, Hijazi YJ, et al. Fine needle aspiration cytology of submucosal nodules in patients with Zollinger-Ellison syndrome. *Am J Gastroenterol*. 1993 Feb;88(2):258–65. PMID:8093826
302. Berardi RS. Carcinoid tumors of the colon (exclusive of the rectum): review of the literature. *Dis Colon Rectum*. 1972 Sep-Oct;15(5):383–91. PMID:4561188
303. Berberi A, Noujeim Z. Epidemiology and relationships between CD4+ counts and oral lesions among 50 patients infected with human immunodeficiency virus. *J Int Oral Health*. 2015 Jan;7(1):18–21. PMID:25709361
304. Berge T, Linell F. Carcinoid tumours. Frequency in a defined population during a 12-year period. *Acta Pathol Microbiol Scand A*. 1976 Jul;84(4):322–30. PMID:961424
305. Berger AC, Garcia M Jr, Hoffman JP, et al. Postresection CA 19-9 predicts overall survival in patients with pancreatic cancer treated with adjuvant chemoradiation: a prospective validation by RTOG 9704. *J Clin Oncol*. 2008 Dec 20;26(36):5918–22. PMID:19029412
306. Bergmann F, Aulmann S, Sipos B, et al. Acinar cell carcinomas of the pancreas: a molecular analysis in a series of 57 cases. *Virchows Arch*. 2014 Dec;465(6):661–72. PMID:25298229
307. Bergmann F, Aulmann S, Welsch T, et al. Molecular analysis of pancreatic acinar cell cystadenomas: evidence of a non-neoplastic nature. *Oncol Lett*. 2014 Aug;8(2):852–8. PMID:25009661
308. Bergmann F, Esposito I, Michalski CW, et al. Early undifferentiated pancreatic carcinoma with osteoclastlike giant cells: direct evidence for ductal evolution. *Am J Surg Pathol*. 2007 Dec;31(12):1919–25. PMID:18043049
309. Bergmann F, Singh S, Michel S, et al. Small bowel adenocarcinomas in celiac disease follow the CIM-MSI pathway. *Oncol Rep*. 2010 Dec;24(6):1535–9. PMID:21042749
- 309A. Bernick PE, Klimstra DS, Shia J, et al. Neuroendocrine carcinomas of the colon and rectum. *Dis Colon Rectum*. 2004 Feb;47(2):163–9. PMID:15043285
310. Bernstein CN, Blanchard JF, Kliewer E, et al. Cancer risk in patients with inflammatory bowel disease: a population-based study. *Cancer*. 2001 Feb 15;91(4):854–62. PMID:11241255

311. Bernstein CN, Shanahan F, Weinstein WM. Are we telling patients the truth about surveillance colonoscopy in ulcerative colitis? *Lancet*. 1994 Jan 8;343(8889):71–4. PMID:7903776
312. Bernstein H, Bernstein C, Payne CM, et al. Bile acids as carcinogens in human gastrointestinal cancers. *Mutat Res*. 2005 Jan;589(1):47–65. PMID:15652226
313. Bertani H, Mirante VG, Caruso A, et al. Successful treatment of diffuse esophageal papillomatosis with balloon-assisted radiofrequency ablation in a patient with Goltz syndrome. *Endoscopy*. 2014;46 Suppl 1 UCTN:E404–5. PMID:25314164
314. Bertoni F, Rossi D, Zucca E. Recent advances in understanding the biology of marginal zone lymphoma. *F1000Res*. 2018 Mar 28;7:406. PMID:29657712
315. Bertran E, Heise K, Andia ME, et al. Gallbladder cancer: incidence and survival in a high-risk area of Chile. *Int J Cancer*. 2010 Nov 15;127(10):2446–54. PMID:20473911
316. Bettington M, Walker N, Rosty C, et al. Clinicopathological and molecular features of sessile serrated adenomas with dysplasia or carcinoma. *Gut*. 2017 Jan;66(1):97–106. PMID:26475632
317. Bettington M, Walker N, Rosty C, et al. Critical appraisal of the diagnosis of the sessile serrated adenoma. *Am J Surg Pathol*. 2014 Feb;38(2):158–66. PMID:24418851
318. Bettington M, Walker N, Rosty C, et al. Serrated tubulovillous adenoma of the large intestine. *Histopathology*. 2016 Mar;68(4):578–87. PMID:26212352
319. Bettington ML, Chetty R. Traditional serrated adenoma: an update. *Hum Pathol*. 2015 Jul;46(7):933–8. PMID:26001333
320. Bettington ML, Walker NI, Rosty C, et al. A clinicopathological and molecular analysis of 200 traditional serrated adenomas. *Mod Pathol*. 2015 Mar;28(3):414–27. PMID:25216220
321. Bhalla A, Mann SA, Chen S, et al. Histopathological evidence of neoplastic progression of von Meyenburg complex to intrahepatic cholangiocarcinoma. *Hum Pathol*. 2017 Sep;67:217–24. PMID:28823571
322. Bhatial PS, Hughes NR, Goodman ZD. The so-called bile duct adenoma is a peribiliary gland hamartoma. *Am J Surg Pathol*. 1996 Jul;20(7):858–64. PMID:8669534
323. Bhattacharya B, Dilworth HP, Iacobuzio-Donahue C, et al. Nuclear beta-catenin expression distinguishes deep fibromatosis from other benign and malignant fibroblastic and myofibroblastic lesions. *Am J Surg Pathol*. 2005 May;29(5):653–9. PMID:15832090
324. Bhattacharya A, Chattopadhyay R, Mitra S, et al. Oxidative stress: an essential factor in the pathogenesis of gastrointestinal mucosal diseases. *Physiol Rev*. 2014 Apr;94(2):329–54. PMID:24692350
325. Bianchi G, Sohani AR. Heavy chain disease of the small bowel. *Curr Gastroenterol Rep*. 2018 Jan 25;20(1):3. PMID:29372346
326. Bianchi LK, Burke CA, Bennett AE, et al. Fundic gland polyp dysplasia is common in familial adenomatous polyposis. *Clin Gastroenterol Hepatol*. 2008 Feb;6(2):180–5. PMID:18237868
327. Biankin AV, Biankin SA, Kench JG, et al. Aberrant p16(INK4A) and DPC4/Smad4 expression in intraductal papillary mucinous tumours of the pancreas is associated with invasive ductal adenocarcinoma. *Gut*. 2002 Jun;50(6):861–8. PMID:12010891
328. Bilezikian KY, Bentrem DJ, Wayne JD, et al. Small bowel cancer in the United States: changes in epidemiology, treatment, and survival over the last 20 years. *Ann Surg*. 2009 Jan;249(1):63–71. PMID:19106677
329. Billmire D, Vinocur C, Rescorla F, et al. Malignant retroperitoneal and abdominal germ cell tumors: an intergroup study. *J Pediatr Surg*. 2003 Mar;38(3):315–8, discussion 315–8. PMID:12632341
330. Bioulac-Sage P, Cubel G, Taouji S, et al. Immunohistochemical markers on needle biopsies are helpful for the diagnosis of focal nodular hyperplasia and hepatocellular adenoma subtypes. *Am J Surg Pathol*. 2012 Nov;36(11):1691–9. PMID:23060349
331. Bioulac-Sage P, Laumonier H, Couchy G, et al. Hepatocellular adenoma management and phenotypic classification: the Bordeaux experience. *Hepatology*. 2009 Aug;50(2):481–9. PMID:19585623
332. Bioulac-Sage P, Laumonier H, Laurent C, et al. Benign and malignant vascular tumors of the liver in adults. *Semin Liver Dis*. 2008 Aug;28(3):302–14. PMID:18814083
333. Bioulac-Sage P, Laumonier H, Rullier A, et al. Over-expression of glutamine synthetase in focal nodular hyperplasia: a novel easy diagnostic tool in surgical pathology. *Liver Int*. 2009 Mar;29(3):459–65. PMID:18803590
334. Bioulac-Sage P, Rebouissou S, Sa Cunha A, et al. Clinical, morphologic, and molecular features defining so-called telangiectatic focal nodular hyperplasias of the liver. *Gastroenterology*. 2005 May;128(5):1211–8. PMID:15887105
335. Bioulac-Sage P, Rebouissou S, Thomas C, et al. Hepatocellular adenoma subtype classification using molecular markers and immunohistochemistry. *Hepatology*. 2007 Sep;46(3):740–8. PMID:17663417
336. Bioulac-Sage P, Taouji S, Possenti L, et al. Hepatocellular adenoma subtypes: the impact of overweight and obesity. *Liver Int*. 2012 Sep;32(8):1217–21. PMID:22429502
337. Bishop JC, Britton JF, Murphy AM, et al. Juvenile idiopathic arthritis associated with combined JP-HHT syndrome: a novel phenotype associated with a novel variant in SMAD4. *J Pediatr Genet*. 2018 Jun;7(2):78–82. PMID:29707409
338. Bishop KD, Olszewski AJ. Epidemiology and survival outcomes of ocular and mucosal melanomas: a population-based analysis. *Int J Cancer*. 2014 Jun 15;134(12):2961–71. PMID:24727143
339. Bismar TA, Basturk O, Gerald WL, et al. Desmoplastic small cell tumor in the pancreas. *Am J Surg Pathol*. 2004 Jun;28(6):808–12. PMID:15166674
340. Bizama C, Garcia P, Espinoza JA, et al. Targeting specific molecular pathways holds promise for advanced gallbladder cancer therapy. *Cancer Treat Rev*. 2015 Mar;41(3):222–34. PMID:25639632
341. Black ME, Hedgire SS, Camposano S, et al. Hepatic manifestations of tuberous sclerosis complex: a genotypic and phenotypic analysis. *Clin Genet*. 2012 Dec;82(6):552–7. PMID:22251200
342. Blackford A, Parmigiani G, Kensler TW, et al. Genetic mutations associated with cigarette smoking in pancreatic cancer. *Cancer Res*. 2009 Apr 15;69(8):3681–8. PMID:19351817
343. Blackford A, Serrano OK, Wolfgang CL, et al. SMAD4 gene mutations are associated with poor prognosis in pancreatic cancer. *Clin Cancer Res*. 2009 Jul 15;15(14):4674–9. PMID:19584151
344. Blandamura S, Parenti A, Famengo B, et al. Three cases of pancreatic serous cystadenoma and endocrine tumour. *J Clin Pathol*. 2007 Mar;60(3):278–82. PMID:16644876
345. Blansfield JA, Choyke L, Morita SY, et al. Clinical, genetic and radiographic analysis of 108 patients with von Hippel-Lindau disease (VHL) manifested by pancreatic neuroendocrine neoplasms (PNETs). *Surgery*. 2007 Dec;142(6):814–8, discussion 818.e1–2. PMID:18063061
346. Blaydon DC, Etheridge SL, Risk JM, et al. RHBDF2 mutations are associated with tylosis, a familial esophageal cancer syndrome. *Am J Hum Genet*. 2012 Feb 10;90(2):340–6. PMID:22265016
347. Blinkenberg EO, Brendehaug A, Sandvik AK, et al. Angioma serpiginosus with oesophageal papillomatosis is an X-linked dominant condition that maps to Xp11.3-Xq12. *Eur J Hum Genet*. 2007 May;15(5):543–7. PMID:17342156
348. Blomberg M, Friis S, Munk C, et al. Genital warts and risk of cancer: a Danish study of nearly 50 000 patients with genital warts. *J Infect Dis*. 2012 May 15;205(10):1544–53. PMID:22427679
349. Bloomston M, Chanona-Vilchis J, Ellison EC, et al. Carcinosarcoma of the pancreas arising in a mucinous cystic neoplasm. *Am Surg*. 2006 Apr;72(4):351–5. PMID:16676863
350. Bluteau O, Jeannot E, Bioulac-Sage P, et al. Bi-allelic inactivation of TCF1 in hepatic adenomas. *Nat Genet*. 2002 Oct;32(2):312–5. PMID:12355088
351. Bläker H, Helmchen B, Bönisch A, et al. Mutational activation of the RAS-RAF-MAPK and the Wnt pathway in small intestinal adenocarcinomas. *Scand J Gastroenterol*. 2004 Aug;39(8):748–53. PMID:155113360
352. Boberg KM, Jebson P, Clausen OP, et al. Diagnostic benefit of biliary brush cytology in cholangiocarcinoma in primary sclerosing cholangitis. *J Hepatol*. 2006 Oct;45(4):568–74. PMID:16879890
353. Boeckx N, Kouakakis R, Op de Beeck K, et al. Primary tumor sidedness has an impact on prognosis and treatment outcome in metastatic colorectal cancer: results from two randomized first-line panitumumab studies. *Ann Oncol*. 2017 Aug 1;28(8):1862–8. PMID:28449055
354. Boffetta P, Hecht S, Gray N, et al. Smokeless tobacco and cancer. *Lancet Oncol*. 2008 Jul;9(7):667–75. PMID:18598931
355. Bogusz AM, Seegmiller AC, Garcia R, et al. Plasmablastic lymphomas with MYC/IgH rearrangement: report of three cases and review of the literature. *Am J Clin Pathol*. 2009 Oct;132(4):597–605. PMID:19762538
356. Boikos SA, Pappo AS, Killian JK, et al. Molecular subtypes of KIT/PDGFRα wild-type gastrointestinal stromal tumors: a report from the National Institutes of Health Gastrointestinal Stromal Tumor Clinic. *JAMA Oncol*. 2016 Jul 1;2(7):922–8. PMID:27011036
357. Boland PM, Ma WW. Immunotherapy for colorectal cancer. *Cancers (Basel)*. 2017 May 11;9(5):E50. PMID:28492495
358. Bolland J, Couderc C, Blanc M, et al. Antitumor effect of everolimus in preclinical models of high-grade gastroenteropancreatic neuroendocrine carcinomas. *Neuroendocrinology*. 2013;97(4):331–40. PMID:23343749
359. Boman F, Bossard C, Fabre M, et al. Mesenchymal hamartomas of the liver may be associated with increased serum alpha foetoprotein concentrations and mimic hepatoblastoma. *Eur J Pediatr Surg*. 2004 Feb;14(1):63–6. PMID:15024683
360. Bonilla Guerrero R, Roberts LR. The role of hepatitis B virus integrations in the pathogenesis of human hepatocellular carcinoma. *J Hepatol*. 2005 May;42(5):760–77. PMID:15826727
361. Bonnaffont R, Teinturier R, Gherardi S, et al. Foxa2, a novel protein partner of the tumour suppressor menin, is deregulated in mouse and human MEN1 glucagonomas. *J Pathol*. 2017 May;242(1):90–101. PMID:28188614
362. Bonnaffont R, Teinturier R, Gherardi S, et al. Foxa2, a novel protein partner of the tumour suppressor menin, is deregulated in mouse and human MEN1 glucagonomas. *J Pathol*. 2017 May;242(1):90–101. PMID:28188614
363. Boparai KS, Dekker E, Polak MM, et al. A serrated colorectal cancer pathway predominates over the classic WNT pathway in patients with hyperplastic polyposis syndrome. *Am J Pathol*. 2011 Jun;178(6):2291–9. PMID:21641392
364. Boparai KS, Dekker E, Van Esden E, et al. Hyperplastic polyyps and sessile serrated adenomas as a phenotypic expression of WNT-associated polyposis. *Gastroenterology*. 2008 Dec;135(6):2014–8. PMID:19013484
365. Boparai KS, Reitsma JB, Lemmens V, et al. Increased colorectal cancer risk in three gree relatives of patients with hyperplastic polyposis syndrome. *Gut*. 2010 Sep;59(9):1259–65. PMID:20584785
366. Boparai KS, Reitsma JB, Lemmens V, et al. Increased colorectal cancer risk in three gree relatives of patients with hyperplastic polyposis syndrome. *Gut*. 2010 Sep;59(9):1259–65. PMID:20584785
367. Borazanci E, Millis SZ, Kom R, et al. Well-differentiated squamous carcinoma of the pancreas: molecular characterization of 23 patients through a literature review. *World J Gastroenterol*. 2015 Sep 15;21(39):132–40. PMID:26380055
368. Borden EC, Baker LH, Bell RS, et al. Soft tissue sarcomas of adults: state-of-the-art translational science. *Clin Cancer Res*. 2006 Jun;12(9):1941–56. PMID:16796356
369. Bordi C. Neuroendocrine tumours of the stomach: the Parma contribution. *Endocr Pathol*. 2014 Jun;25(2):171–80. PMID:24782101
370. Borowsky J, Dumenil T, Bettington M, et al. The role of APC in WNT pathway activation in serrated neoplasia. *Mod Pathol*. 2008 Mar;21(3):495–504. PMID:18148235
371. Borrello MG, Smith DP, Pessione E, et al. RET activation by germline MEN2A and MEN2B mutations. *Oncogene*. 1995 Dec 7;11(11):2419–27. PMID:8570134
372. Borzio M, Fargion S, Borzio F, et al. Biology of large regenerative, low grade and high grade dysplastic nodules in hepatocellular carcinoma development. *J Hepatol*. 2003 Aug;39(2):200–14. PMID:14573817
373. Bosch SL, Teerenstra S, de Brujin E, et al. Predicting lymph node metastasis in colorectal cancer: a systematic review of factors providing rationale for therapies. *Endoscopy*. 2013 Oct;45(10):750–60. PMID:23884793
374. Bosetti C, Bertuccio P, Levi F, et al. Cancer mortality in Europe, 2005–2009: overview of trends since 1980. *Ann Oncol*. 2012 Oct;24(10):2657–71. PMID:23077780
375. Bosetti C, Lucenteforte E, Bracci M, et al. Ulcer, gastric surgery and pancreatic cancer risk: an analysis from the International Pancreatic Cancer Case-Control Consortium (PanC4). *Ann Oncol*. 2013 Nov;24(11):2991–10. PMID:23970016
376. Bosetti C, Rosato V, Li D, et al. Diabetes, antidiabetic medications, and pancreatic cancer risk: an analysis from the International Pancreatic Cancer Case-Control Consortium (PanC4). *Ann Oncol*. 2014 Oct;25(10):2571–7. PMID:25057164
377. Boshoff C, Schulz TF, Kennedy MA, et al. Kaposi's sarcoma-associated herpesvirus infects endothelial and spindle cells. *Nature*. 1995 Dec;378(6561):1274–8. PMID:7559480
378. Boshoff C, Whitby D, Radcliffe J, et al. Kaposi's-sarcoma-associated herpesvirus in HIV-negative Kaposi's sarcoma. *Lancet*. 1995 Apr 22;345(8956):1043–4. PMID:7572255
379. Bosman FT, Carneiro F, Hruban RH, et al. WHO classification of tumours of the digestive system. Lyon (France): International Agency for Research on Cancer; 2010. <http://publications.iarc.fr/13>
380. Boswell JT, Helwig EB. Squamous carcinoma and adenoacanthoma of the rectum. A clinicopathologic study. *Cancer*. 1958 Feb;18:181–92. PMID:13340774
381. Bougeard G, Renaux-Petit N, Pommery M, et al. Revisiting Li-Fraumeni syndrome

- TP53 mutation carriers. *J Clin Oncol*. 2015 Jul;33(21):2345–52. PMID:26014290
- Bourke MJ. Endoscopic resection in the duodenum: current limitations and future directions. *Endoscopy*. 2013;45(2):127–32. PMID:23364840
- Bouvard V, Loomis D, Guyton KZ, et al. Carcinogenicity of consumption of red and processed meat. *Lancet Oncol*. 2015 Dec;16(16):1599–600. PMID:26514947
- Bouvier AM, Belot A, Manfredi S, et al. Trends of incidence and survival in squamous-cell carcinoma of the anal canal in France: a population-based study. *Eur J Cancer Prev*. 2016 May;25(3):182–7. PMID:25973771
- Bowman GA, Rosenthal D. Carcinoïd tumors of the appendix. *Am J Surg*. 1983 Dec;146(6):700–3. PMID:6650751
- Bowman SJ, Levison DA, Cotter FE, et al. Primary T cell lymphoma of the liver in a patient with Felt's syndrome. *Br J Rheumatol*. 1994 Feb;33(2):157–60. PMID:8162482
- Boyer Cetinkaya R, Aagnes B, Thuis-Evensen E, et al. Trends in incidence of neuroendocrine neoplasms in Norway: a report of 16,075 cases from 1993 through 2010. *Neuroendocrinology*. 2017;104(1):1–10. PMID:26562558
- Boyd CA, Benaroch-Gampel J, Sheffield M, et al. 415 patients with adenosquamous carcinoma of the pancreas: a population-based analysis of prognosis and survival. *J Surg Res*. 2012 May 1;174(1):12–9. PMID:21816433
- Boyd S, Mustonen H, Tenca A, et al. Surveillance of primary sclerosing cholangitis with EUS and brush cytology: risk factors for cholangiocarcinoma. *Scand J Gastroenterol*. 2017 Feb;52(2):242–9. PMID:27806633
- Boyd S, Tenca A, Jokelainen K, et al. Screening primary sclerosing cholangitis and biliary dysplasia with endoscopic retrograde cholangiography and brush cytology: risk factors for biliary neoplasia. *Endoscopy*. 2016 May;48(5):432–9. PMID:26808393
- Boyer SN, Wazer DE, Band V. E7 protein of human papilloma virus-18 induces degradation of retinoblastoma protein through the ubiquitin-proteasome pathway. *Cancer Res*. 1996 Oct 15;56(20):4620–4. PMID:8840974
- Bradley CA, Salto-Tellez M, Laurent-Puig P, et al. Targeting c-MET in gastrointestinal tumours: rationale, opportunities and challenges. *Nat Rev Clin Oncol*. 2018 Jan;15(3):150. PMID:29358775
- Bradley RF, Stewart JH 4th, Russell GB, et al. Pseudomyxoma peritonei of appendiceal origin: a clinicopathologic analysis of 101 patients uniformly treated at a single institution, with literature review. *Am J Surg Pathol*. 2006 May;30(5):551–9. PMID:16699309
- Brainard JA, Goldblum JR. Stromal tumors of the jejunum and ileum: a clinicopathologic study of 39 cases. *Am J Surg Pathol*. 1997 Apr;21(4):407–16. PMID:9130987
- Bramis Petrou A, Papalambros A, et al. Serous cystadenocarcinoma of the pancreas: report of a case and management reflections. *World J Surg Oncol*. 2012 Mar 8;10:51. PMID:22400805
- Brancatelli G, Federle MP, Vullierme MP, et al. CT and MR imaging evaluation of hepatic adenoma. *J Comput Assist Tomogr*. 2006 Sep-Oct;30(5):745–50. PMID:16954922
- Brat DJ, Lillemoe KD, Yeo CJ, et al. Progression of pancreatic intraductal neoplasias to infiltrating adenocarcinoma of the pancreas. *Am J Surg Pathol*. 1998 Feb;22(2):163–9. PMID:9500216
- Bratton L, Salloum R, Cao W, et al. Solitary fibrous tumor of the sigmoid colon masquerading as an adnexal neoplasm. *Case Rep Pathol*. 2016;2016:4182026. PMID:27672467
- Bray F, Ferlay J, Soerjomataram I, et al. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin*. 2018 Nov;68(6):394–424. PMID:30207593
- Brcic I, Cathomas G, Vanoli A, et al. Medullary carcinoma of the small bowel. *Histopathology*. 2016 Jul;69(1):136–40. PMID:26599717
- Brenca M, Rossi S, Polano M, et al. Transcriptome sequencing identifies ETV6-NTRK3 as a gene fusion involved in GIST. *J Pathol*. 2016 Mar;238(4):543–9. PMID:26606880
- Brennan MF, Antonescu CR, Moraco N, et al. Lessons learned from the study of 10,000 patients with soft tissue sarcoma. *Ann Surg*. 2014 Sep;260(3):416–21, discussion 421–2. PMID:25115417
- Bressac B, Kew M, Wands J, et al. Selective G to T mutations of p53 gene in hepatocellular carcinoma from southern Africa. *Nature*. 1991 Apr 4;350(6317):429–31. PMID:1672732
- Bridge MF, Perzin KH. Primary adenocarcinoma of the jejunum and ileum. A clinicopathologic study. *Cancer*. 1975 Nov;36(5):1876–87. PMID:53095
- Bridgewater J, Galle PR, Khan SA, et al. Guidelines for the diagnosis and management of intrahepatic cholangiocarcinoma. *J Hepatol*. 2014 Jun;60(6):1268–89. PMID:24681130
- Bridgewater JA, Goodman KA, Kalyan A, et al. Biliary tract cancer: epidemiology, radiotherapy, and molecular profiling. *Am Soc Clin Oncol Educ Book*. 2016;35:e194–203. PMID:2724923
- Briehler WM, Yap AS. Cadherin junctions and their cytoskeleton(s). *Curr Opin Cell Biol*. 2013 Feb;25(1):39–46. PMID:23127608
- Brierly JD, Gospodarowicz MK, Wittekind C, editors. *TNM classification of malignant tumours*. 8th ed. Oxford (UK): Wiley Blackwell; 2017.
- Briggs S, Tomlinson I. Germline and somatic polymerase ε and δ mutations define a new class of hypermutated colorectal and endometrial cancers. *J Pathol*. 2013 Jun;230(2):148–53. PMID:23447401
- Brockmann D, Tries B, Esche H. Isolation and characterization of novel adenovirus type 12 E1A mRNAs by cDNA PCR technique. *Virology*. 1990 Dec;179(2):585–90. PMID:2146800
- Brodsky SV, Sandoval C, Sharma N, et al. Recurrent nested stromal epithelial tumor of the liver with extrahepatic metastasis: case report and review of literature. *Pediatr Dev Pathol*. 2008 Nov-Dec;11(6):469–73. PMID:18338937
- Brody JR, Costantino CL, Potoczek M, et al. Adenosquamous carcinoma of the pancreas harbors KRAS2, DPC4 and TP53 molecular alterations similar to pancreatic ductal adenocarcinoma. *Mod Pathol*. 2009 May;22(5):651–9. PMID:19270646
- Bronowicki JP, Bineau C, Feugier P, et al. Primary lymphoma of the liver: clinical-pathological features and relationship with HCV infection in French patients. *Hepatology*. 2003 Apr;37(4):781–7. PMID:12668970
- Brooks DD, Winawer SJ, Rex DK, et al. Colonoscopy surveillance after polypectomy and colorectal cancer resection. *Am Fam Physician*. 2008 Apr 1;77(7):995–1002. PMID:18441865
- Brosens LA, Keller JJ, Offerhaus GJ, et al. Prevention and management of duodenal polyps in familial adenomatous polyposis. *Gut*. 2005 Jul;54(7):1034–43. PMID:15951555
- Brosens LA, Langeveld D, van Hattem WA, et al. Juvenile polyposis syndrome. *World J Gastroenterol*. 2011 Nov 28;17(44):4839–44. PMID:22171123
- Brosens LA, Offerhaus GJ, Giardiello FM. Hereditary colorectal cancer: genetics and screening. *Surg Clin North Am*. 2015 Oct;95(5):1067–80. PMID:26315524
- Brosens LA, Tytgat KM, Morsink FH, et al. Multiple colorectal neoplasms in X-linked agammaglobulinemia. *Clin Gastroenterol Hepatol*. 2008 Jan;6(1):115–9. PMID:17967562
- Brosens LA, van Hattem WA, Hyland LM, et al. Risk of colorectal cancer in juvenile polyposis. *Gut*. 2007 Jul;56(7):965–7. PMID:17303595
- Brosens LA, van Hattem WA, Jansen M, et al. Gastrointestinal polyposis syndromes. *Curr Mol Med*. 2007 Feb;7(1):29–46. PMID:17311531
- Brosens LA, Wood LD, Offerhaus GJ, et al. Pathology and genetics of syndromic gastric polyposis. *Int J Surg Pathol*. 2016 May;24(3):185–99. PMID:26721304
- Brotto M, Finegold MJ. Distinct patterns of p27/KIP 1 gene expression in hepatoblastoma and prognostic implications with correlation before and after chemotherapy. *Hum Pathol*. 2002 Feb;33(2):198–205. PMID:11957145
- Broughan TA, Leslie JD, Soto JM, et al. Pancreatic islet cell tumors. *Surgery*. 1986 Jun;99(6):671–8. PMID:2424108
- Brousse N, Meijer JW. Malignant complications of coeliac disease. *Best Pract Res Clin Gastroenterol*. 2005 Jun;19(3):401–12. PMID:15925845
- Brown B, Khalil B, Batra G, et al. Mature cystic teratoma arising at the porta hepatis: a diagnostic dilemma. *J Pediatr Surg*. 2008 Apr;43(4):e1–3. PMID:18405692
- Brown IS, Whiteman DC, Lauwers GY. Foveolar type dysplasia in Barrett esophagus. *Mod Pathol*. 2010 Jun;23(6):834–43. PMID:20228780
- Brown K, Kristopaitis T, Yong S, et al. Cystic glucagonoma: a rare variant of an uncommon neuroendocrine pancreas tumor. *J Gastrointest Surg*. 1998 Nov-Dec;2(6):533–6. PMID:10457311
- Brune K, Abe T, Canto M, et al. Multifocal neoplastic precursor lesions associated with lobular atrophy of the pancreas in patients having a strong family history of pancreatic cancer. *Am J Surg Pathol*. 2006 Sep;30(9):1067–76. PMID:16931950
- Brune KA, Lau B, Palmisano E, et al. Importance of age of onset in pancreatic cancer kindreds. *J Natl Cancer Inst*. 2010 Jan 20;102(2):119–26. PMID:20068195
- Brunner P, Rufle A, Dirlhofer S, et al. Follicular lymphomoid transformation into histiocytic sarcoma: indications for a common neoplastic progenitor. *Leukemia*. 2014 Sep;28(9):1937–40. PMID:24850291
- Brunt E, Aishima S, Clavien PA, et al. chCC-CCA: consensus terminology for primary liver carcinomas with both hepatocytic and cholangiocytic differentiation. *Hepatology*. 2018 Jul;68(1):113–26. PMID:29360137
- Brusselaers N, Engstrand L, Lagergren J. Maintenance proton pump inhibition therapy and risk of oesophageal cancer. *Cancer Epidemiol*. 2018 Apr;53:172–7. PMID:29477057
- Bryant KL, Mancias JD, Kimmelman AC, et al. KRAS: feeding pancreatic cancer proliferation. *Trends Biochem Sci*. 2014 Feb;39(2):91–100. PMID:24388967
- Bubien V, Bonnet F, Brouste V, et al. High cumulative risks of cancer in patients with PTEN hamartoma tumor syndrome. *J Med Genet*. 2013 Apr;50(4):255–63. PMID:23335809
- Buchanan DD, Clendenning M, Zhuoer L, et al. Lack of evidence for germline RNF43 mutations in patients with serrated polyposis syndrome from a large multinational study. *Gut*. 2017 Jun;66(6):1170–2. PMID:27582512
- Buchanan DD, Stewart JR, Clendenning M, et al. Risk of colorectal cancer for carriers of a germ-line mutation in POLR2E or POLD1. *Genet Med*. 2018 Aug;20(8):890–5. PMID:29120461
- Buchanan DD, Sweet K, Drini M, et al. Risk factors for colorectal cancer in patients with multiple serrated polyps: a cross-sectional case series from genetics clinics. *PLoS One*. 2010 Jul 16;5(7):e11636. PMID:20661287
- Buckle G, Maranda L, Skiles J, et al. Factors influencing survival among Kenyan children diagnosed with endemic Burkitt lymphoma between 2003 and 2011: a historical cohort study. *Int J Cancer*. 2016 Sep 15;139(6):1231–40. PMID:27136063
- Buetow PC, Rao P, Thompson LD. From the Archives of the AFIP. Mucinous cystic neoplasms of the pancreas: radiologic-pathologic correlation. *Radiographics*. 1998 Mar-Apr;18(2):433–49. PMID:9536488
- Bullard KM, Tuttle TM, Rothenberger DA, et al. Surgical therapy for anorectal melanoma. *J Am Coll Surg*. 2003 Feb;196(2):206–11. PMID:12595048
- Burgos J, Curran A, Landolfi S, et al. Risk factors of high-grade anal intraepithelial neoplasia recurrence in HIV-infected MSM. *AIDS*. 2017 Jun 1;31(9):1245–52. PMID:28252530
- Burgoine AM, Somaiah N, Sicklick JK. Gastrointestinal stromal tumors in the setting of multiple tumor syndromes. *Curr Opin Oncol*. 2014 Jul;26(4):408–14. PMID:24840526
- Burke AP, Sobin LH, Federspiel BH, et al. Goblet cell carcinoids and related tumors of the veriform appendix. *Am J Clin Pathol*. 1990 Jul;94(1):27–35. PMID:2163192
- Burke AP, Sobin LH, Shekitka KM, et al. Intra-abdominal fibromatosis. A pathologic analysis of 130 tumors with comparison of clinical subgroups. *Am J Surg Pathol*. 1990 Apr;14(4):335–41. PMID:2321698
- Burke AP, Thomas RM, Elsayed AM, et al. Carcinoids of the jejunum and ileum: an immunohistochemical and clinicopathologic study of 167 cases. *Cancer*. 1997 Mar 15;79(6):1086–93. PMID:9070484
- Burke M, Shepherd N, Mann CV. Carcinoid tumours of the rectum and anus. *Br J Surg*. 1987 May;74(5):358–61. PMID:3594122
- Burkitt D. A sarcoma involving the jaws in African children. *Br J Surg*. 1958 Nov;46(197):218–23. PMID:13628987
- Burns PN, Wilson SR. Focal liver masses: enhancement patterns on contrast-enhanced images—concordance of US scans with CT scans and MR images. *Radiology*. 2007 Jan;242(1):162–74. PMID:17090710
- Burt AD, Alves V, Bedossa P, et al. Data set for the reporting of intrahepatic cholangiocarcinoma, perihilar cholangiocarcinoma and hepatocellular carcinoma: recommendations from the International Collaboration on Cancer Reporting (ICCR). *Histopathology*. 2018 Sep;73(3):369–85. PMID:29573451
- Burt AD, Ferrell LD, Hübscher SG. MacSween's pathology of the liver. 7th ed. Philadelphia (PA): Elsevier; 2018.
- Buttar NS, Wang KK, Sebo TJ, et al. Extent of high-grade dysplasia in Barrett's esophagus correlates with risk of adenocarcinoma. *Gastroenterology*. 2001 Jun;120(7):1630–9. PMID:11375945
- Byun TJ, Han DS, Ahn SB, et al. Pseudoinvasion in an adenomatous polyp of the colon mimicking invasive colon cancer. *Gut Liver*. 2009 Jun;3(2):130–3. PMID:20431736
- Büchler M, Malfertheiner P, Baczkó K, et al. A metastatic endocrine-neurogenic tumor of the ampulla of Vater with multiple endocrine immunoreaction-malignant paraganglioma? *Digestion*. 1985;31(1):54–9. PMID:2858422
- Bülow S, Björk J, Christensen IJ, et al. Duodenal adenomatosis in familial adenomatous polyposis. *Gut*. 2004 Mar;53(3):381–6. PMID:14960520
- Cacheux W, Dangles-Marie V, Rouleau E, et al. Exome sequencing reveals

- aberrant signalling pathways as hallmark of treatment-naïve anal squamous cell carcinoma. *Oncotarget*. 2017 Dec 8;9(1):464–76. PMID:29416628
456. Cagir B, Nagy MW, Topham A, et al. Adenosquamous carcinoma of the colon, rectum, and anus: epidemiology, distribution, and survival characteristics. *Dis Colon Rectum*. 1999 Feb;42(2):258–63. PMID:10211505
458. Caillard S, Porcher R, Provost F, et al. Post-transplantation lymphoproliferative disorder after kidney transplantation: report of a nationwide French registry and the development of a new prognostic score. *J Clin Oncol*. 2013 Apr 1;31(10):1302–9. PMID:23423742
459. Cairo S, Armengol C, De Reyniès A, et al. Hepatic stem-like phenotype and interplay of Wnt/beta-catenin and Myc signaling in aggressive childhood liver cancer. *Cancer Cell*. 2008 Dec 9;14(6):471–84. PMID:19061838
460. Caldas C, Hahn SA, da Costa LT, et al. Frequent somatic mutations and homozygous deletions of the p16 (MTS1) gene in pancreatic adenocarcinoma. *Nat Genet*. 1994 Sep;8(1):27–32. PMID:7726912
461. Calderaro J, Couchy G, Imbeaud S, et al. Histological subtypes of hepatocellular carcinoma are related to gene mutations and molecular tumour classification. *J Hepatol*. 2017 Oct;67(4):727–38. PMID:28532995
462. Calderaro J, Nault JC, Balabaud C, et al. Inflammatory hepatocellular adenomas developed in the setting of chronic liver disease and cirrhosis. *Mod Pathol*. 2016 Jan;29(1):43–50. PMID:26516697
463. Calhoun ES, Jones JB, Ashfaq R, et al. BRAF and FBXW7 (CDC4, FBW7, AGO, SEL10) mutations in distinct subsets of pancreatic cancer: potential therapeutic targets. *Am J Pathol*. 2003 Oct;163(4):1255–60. PMID:14507635
464. Caliskan A, Kohlmann WK, Affolter KE, et al. Intramucosal lipomas of the colon implicate Cowden syndrome. *Mod Pathol*. 2018 Apr;31(4):643–51. PMID:29192650
465. Caliskan C, Makay O, Firat O, et al. McKittrick-Wheeldon syndrome: is it really rare? *Am J Emerg Med*. 2010 Jan;28(1):105–6. PMID:20006212
466. Calle EE, Rodriguez C, Walker-Thurmond K, et al. Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. adults. *N Engl J Med*. 2003 Apr 24;348(17):1625–38. PMID:12711737
467. Calva-Cerqueira D, Chinnathambi S, Pechman B, et al. The rate of germline mutations and large deletions of SMAD4 and BMPR1A in juvenile polyposis. *Clin Genet*. 2009 Jan;75(1):79–85. PMID:18823382
468. Calvani J, Lopez P, Sarnacki S, et al. Solid pseudopapillary neoplasms of the pancreas do not express major pancreatic markers in pediatric patients. *Hum Pathol*. 2019 Jan;83:29–35. PMID:3103629
469. Camargo MC, Anderson WF, King JB, et al. Divergent trends for gastric cancer incidence by anatomical subsite in US adults. *Gut*. 2011 Dec;60(12):1644–9. PMID:21613644
470. Camargo MC, Murphy G, Koriyama C, et al. Determinants of Epstein-Barr virus-positive gastric cancer: an international pooled analysis. *Br J Cancer*. 2011 Jun 28;105(1):38–43. PMID:21654677
471. Campana JP, Pellegrini PA, Rossi GL, et al. Right versus left laparoscopic colectomy for colon cancer: does side make any difference? *Int J Colorectal Dis*. 2017 Jun;32(6):907–12. PMID:28204867
472. Campbell F, Verbeke CS. Pathology of the pancreas: a practical approach. London (UK): Springer-Verlag London; 2013.
473. Campoli PM, Ejima FH, Cardoso DM, et al. Metastatic cancer to the stomach. *Gastric Cancer*. 2006;9(1):19–25. PMID:16557432
474. Cancer Genome Atlas Network. Comprehensive molecular characterization of human colon and rectal cancer. *Nature*. 2012 Jul 18;487(7407):330–7. PMID:22810696
475. Cancer Genome Atlas Research Network. Integrated genomic characterization of oesophageal carcinoma. *Nature*. 2017 Jan 12;541(7636):169–75. PMID:28052061
476. Cancer Genome Atlas Research Network. Comprehensive molecular characterization of gastric adenocarcinoma. *Nature*. 2014 Sep 11;513(7517):202–9. PMID:25079317
477. Cancer Genome Atlas Research Network. Integrated genomic characterization of pancreatic ductal adenocarcinoma. *Cancer Cell*. 2017 Aug 14;32(2):185–203.e13. PMID:28810144
478. Cancer Genome Atlas Research Network. Comprehensive and integrative genomic characterization of hepatocellular carcinoma. *Cell*. 2017 Jun 15;169(7):1327–41.e23. PMID:28622513
479. Candido JB, Morton JP, Bailey P, et al. CSF1R+ macrophages sustain pancreatic tumor growth through T cell suppression and maintenance of key gene programs that define the squamous subtype. *Cell Rep*. 2018 May 1;23(5):1448–60. PMID:29719257
480. Canto MI, Goggins M, Hruban RH, et al. Screening for early pancreatic neoplasia in high-risk individuals: a prospective controlled study. *Clin Gastroenterol Hepatol*. 2006 Jun;4(6):766–81, quiz 665. PMID:16682259
481. Canto MI, Harinck F, Hruban RH, et al. International Cancer of the Pancreas Screening (CAPS) Consortium summit on the management of patients with increased risk for familial pancreatic cancer. *Gut*. 2013 Mar;62(3):339–47. PMID:23135763
482. Canto MI, Hruban RH, Fishman EK, et al. Frequent detection of pancreatic lesions in asymptomatic high-risk individuals. *Gastroenterology*. 2012 Apr;142(4):796–804, quiz e14–5. PMID:22245846
483. Cao D, Antoncescu C, Wong G, et al. Positive immunohistochemical staining of KIT in solid-pseudopapillary neoplasms of the pancreas is not associated with KIT/PDGFRα mutations. *Mod Pathol*. 2006 Sep;19(9):1157–63. PMID:16778826
484. Cao D, Maitra A, Saavedra JA, et al. Expression of novel markers of pancreatic ductal adenocarcinoma in pancreatic non-ductal neoplasms: additional evidence of different genetic pathways. *Mod Pathol*. 2005 Jun;18(6):752–61. PMID:15696124
485. Cao H, Wang B, Zhang Z, et al. Distribution trends of gastric polyps: an endoscopy database analysis of 24 121 northern Chinese patients. *J Gastroenterol Hepatol*. 2012 Jul;27(7):1175–80. PMID:22414211
486. Cao S, Cox K, Esquivel CO, et al. Post-transplant lymphoproliferative disorders and gastrointestinal manifestations of Epstein-Barr virus infection in children following liver transplantation. *Transplantation*. 1998 Oct 15;66(7):851–6. PMID:9798693
487. Cao XP, Liu YY, Xiao HP, et al. Pancreatic somatostatinoma characterized by extreme hypoglycemia. *Chin Med J (Engl)*. 2009 Jul 20;122(14):1709–12. PMID:19719976
488. Cao Y, Gao Z, Li L, et al. Whole exome sequencing of insulinoma reveals recurrent T372R mutations in YY1. *Nat Commun*. 2013;4:2810. PMID:24326773
489. Capella C, Frigerio B, Cornaggia M, et al. Gastric parietal cell carcinoma—a newly recognized entity: light microscopic and ultrastructural features. *Histopathology*. 1984 Sep;8(5):813–24. PMID:6083970
490. Capella C, Marando A, Longhi E, et al. Primary gastric Merkel cell carcinoma harboring DNA polyomavirus: first description of an unusual high-grade neuroendocrine carcinoma. *Hum Pathol*. 2014 Jun;45(6):1310–4. PMID:24709111
491. Capelle LG, de Vries AC, Haringsma J, et al. The staging of gastritis with the OLGA system by using intestinal metaplasia as an accurate alternative for atrophic gastritis. *Gastrointest Endosc*. 2010 Jun;71(7):1150–8. PMID:20381801
492. Capelle LG, Van Grieken NC, Lingsma HF, et al. Risk and epidemiological time trends of gastric cancer in Lynch syndrome carriers in the Netherlands. *Gastroenterology*. 2010 Feb;138(2):487–92. PMID:19900449
493. Cappell MS, Stevens CE, Amin M. Systematic review of giant gastric lipomas reported since 1980 and report of two new cases in a review of 117110 esophagogastrroduodenoscopies. *World J Gastroenterol*. 2017 Aug 14;23(30):5619–33. PMID:28852321
494. Carballal S, Rodríguez-Alcalde D, Moreira L, et al. Colorectal cancer risk factors in patients with serrated polyposis syndrome: a large multicentre study. *Gut*. 2016 Nov;65(11):1829–37. PMID:26264224
495. Carbonnel F, d'Almagne H, Lavergne A, et al. The clinicopathological features of extensive small intestinal CD4 T cell infiltration. *Gut*. 1999 Nov;45(5):662–7. PMID:10517900
496. Cardinal LH, Carballo P, Lorenzo MC, et al. A six-year experience with anal cytology in women with HPV in the lower genital tract: utility, limitations, and clinical correlation. *Diagn Cytopathol*. 2014 May;42(5):396–400. PMID:24166879
497. Cardoso R, Coburn N, Seevaratnam R, et al. A systematic review and meta-analysis of the utility of EUS for preoperative staging for gastric cancer. *Gastric Cancer*. 2012 Sep;15 Suppl 1:S19–26. PMID:22237654
498. Carethers JM, Stoffel EM. Lynch syndrome and Lynch syndrome mimics: the growing complex landscape of hereditary colon cancer. *World J Gastroenterol*. 2015 Aug 21;21(31):9253–61. PMID:26309352
499. Carethers JM. Differentiating Lynch-like from Lynch syndrome. *Gastroenterology*. 2014 Mar;146(3):602–4. PMID:24468183
500. Carethers JM, Microsatellite instability pathway and EMAST in colorectal cancer. *Curr Colorectal Cancer Rep*. 2017 Feb;13(1):73–80. PMID:28367107
501. Carlson GJ, Nivatvongs S, Snover DC. Colorectal polyps in Cowden's disease (multiple hamartoma syndrome). *Am J Surg Pathol*. 1984 Oct;8(10):763–70. PMID:6496844
502. Carlson JW, Fletcher CD. Immunohistochemistry for beta-catenin in the differential diagnosis of spindle cell lesions: analysis of a series and review of the literature. *Histopathology*. 2007 Oct;51(4):509–14. PMID:17711447
503. Carmack SW, Genta RM, Graham DY, et al. Management of gastric polyps: a pathology-based guide for gastroenterologists. *Nat Rev Gastroenterol Hepatol*. 2009 Jun;6(6):331–41. PMID:19421245
504. Carmack SW, Genta RM, Schuler CM, et al. The current spectrum of gastric polyps: a 1-year national study of over 120,000 patients. *Am J Gastroenterol*. 2009 Jun;104(6):1524–32. PMID:19491866
505. Carmona-Bayonas A, Jiménez-Fonseca P, Echavarria I, et al. Surgery for metastases for esophageal-gastric cancer in the real world: data from the AGAMENON national registry. *Eur J Surg Oncol*. 2018 Aug;44(8):1191–8. PMID:29685755
506. Carneiro F, Huntsman DG, Smyrk TC, et al. Model of the early development of diffuse gastric cancer in E-cadherin mutation carriers and its implications for patient screening. *J Clin Oncol*. 2004 Jun;23(2):681–7. PMID:15143361
507. Carneiro F, Seixas M, Sizemore G, et al. New elements for an updated classification of the carcinomas of the stomach. *Pathol Pract*. 1995 Jul;191(6):571–84. PMID:15143361
508. Carney JA, Go VL, Sizemore G, et al. Alimentary-tract ganglioneuromatosis: a component of the syndrome of multiple endocrine neoplasia, type 2b. *N Engl J Med*. 1995 Dec 2;295(23):1287–91. PMID:15143361
509. Carney JA. Gastric stromal tumors, pulmonary chondroma, and extramedullary paraganglioma (Carney triad): molecular biology, adrenocortical component, and familial occurrence. *Mayo Clin Proc*. 1995 Jun;74(6):543–52. PMID:15143361
510. Carpenter JB, Rennels WA. Immunotypic characteristics of anal gland carcinomas. *Arch Pathol Lab Med*. 2008 Oct;132(10):1428–33. PMID:18834205
511. Carr NJ, Cecil TD, Mohamed F, et al. Consensus for classification and reporting of pseudomyxoma peritonei associated appendiceal neoplasia: the of the Peritoneal Surface Oncology International (PSOGI) modified Definition. *Am J Surg Pathol*. 2016 Jan;40(1):1–10. PMID:26492181
512. Carr NJ, McCarthy WF, Sizemore G, et al. Small noncarcinoid tumors and tumors of the appendix. A clinicopathologic study of patients with a multivariate analysis of prognostic factors. *Cancer*. 1995 Feb 1;73(3):621–7. PMID:7828125
513. Carrera C, Kunk P, Rahm D, et al. Carcinoma of the gallbladder: case report and comprehensive analysis of outcomes. *Cancer*. 2015;2015:304909. PMID:26492181
514. Carstens PH, Crossman FR, et al. Giant oncocytic carcinoid of the rectum. *Ultrastruct Pathol*. 1989 Jan-Feb;13(1):1–10. PMID:2919439
515. Carta M, Maresi E, Giuffrè A, et al. Genital hepatic mesenchymal hamartoma associated with mesenchymal stem cell proliferation of the placenta: case report. *J Pediatr Endocrinol Metab*. 2005 May;40(5):e37–9. PMID:15937700
516. Carvalho B, Buffart TE, et al. Mixed gastric carcinomas: study of chromosomal aberrations in both the glandular and mesomucosal components. *Cell Oncol*. 2003 Jun;25(6):283–94. PMID:12717181
517. Carvalho B, Sillars-Hannigan M, et al. Colorectal adenoma to carcinoma progression is accompanied by changes in expression associated with age, somatic instability, and fatty acid metabolism. *Cell Oncol* (Dordr). 2012 Feb;34(1):1–10. PMID:22278361
518. Cary NR, Barron DJ, et al. Combined oesophageal adenocarcinoid and Barrett's oesophagus: role of enterochromaffin-like cells in the development of malignant transformation. *Thorax*. 1995 Oct;50(10):1055–60. PMID:8511743
519. Casadei R, D'Ambra M, et al. Solid serous microcystic tumor of the liver. *JOP*. 2008 Jul 10;9(4):538–40. PMID:18636000
520. Casali PG, Abecassis M, et al. Gastrointestinal stromal tumors: RACAN Clinical Practice Guidelines for diagnosis, treatment and follow-up. *World J Gastroenterol*. 2018 Oct;24(39):Supplement. PMID:29846513
521. Cassaro M, Rugge M, et al. Topographic patterns of intestinal metaplasia in Barrett's esophagus and gastric cancer. *Am J Gastroenterol*. 1995 Jun;95(6):1431–8. PMID:15143361
522. Cassaro M, Rugge M, et al. Indefinite for non-invasive neoplasia in Barrett's esophagus lesions in gastric intestinal metaplasia. *Am J Gastroenterol*. 1995 Jun;95(6):1431–8. PMID:15143361

- immunophenotype. *J Clin Pathol.* 2007 Jun;60(6):615–21. PMID:17557866
522. Cassier PA, Ducimetière F, Lurkin A, et al. A prospective epidemiological study of new incident GISTs during two consecutive years in Rhône Alpes region: incidence and molecular distribution of GIST in a European region. *Br J Cancer.* 2010 Jul 13;103(2):165–70. PMID:20588273
523. Castillejo A, Vargas G, Castillejo MI, et al. Prevalence of germline MUTYH mutations among Lynch-like syndrome patients. *Eur J Cancer.* 2014 Sep;50(13):2241–50. PMID:24953332
524. Castillo JJ, Bibas M, Miranda RN. The biology and treatment of plasmablastic lymphoma. *Blood.* 2015 Apr 9;125(15):2323–30. PMID:25636338
525. Castillo JJ, Furman M, Beltrán BE, et al. Human immunodeficiency virus-associated plasmablastic lymphoma: poor prognosis in the era of highly active antiretroviral therapy. *Cancer.* 2012 Nov 1;118(21):5270–7. PMID:22510767
526. Castillo JJ, Winer ES, Olszewski AJ. Population-based prognostic factors for survival in patients with Burkitt lymphoma: an analysis from the Surveillance, Epidemiology, and End Results database. *Cancer.* 2013 Oct 15;119(20):3672–9. PMID:23913575
527. Cateni L, Bajetta E, Milione M, et al. Mammalian target of rapamycin expression in poorly differentiated endocrine carcinoma: clinical and therapeutic future challenges. *Target Oncol.* 2011 Jun;6(2):65–8. PMID:21468754
528. Catellani E, Solmi L, Anti M, et al. Ultrasound guided fine needle biopsy of early hepatocellular carcinoma complicating liver cirrhosis: a multicentre study. *Gut.* 2004 Sep;53(9):1356–62. PMID:15306600
529. Cazals-Hatem D, Rebouissou S, Bioucas P, et al. Clinical and molecular analysis of combined hepatocellular-cholangiocarcinomas. *J Hepatol.* 2004 Aug;41(2):292–8. PMID:15288479
530. Celio MR, Pasi A, Bürgisser E, et al. Prospiccortin fragments' in normal human adult pituitary. Distribution and ultrastructural characterization of immunoreactive cells. *Acta Endocrinol (Copenh).* 1980 Sep;95(1):27–40. PMID:6257006
531. Cenaj O, Gibson J, Odze RD. Clinicopathologic and outcome study of sessile serrated adenomas/polyps with serrated versus intestinal dysplasia. *Mod Pathol.* 2018 Mar;31(4):633–42. PMID:29271414
532. Centeno BA, Stelow EB, Pitman MB. Pancreatic cytohistology: cytohistology of small tissue samples. Cambridge (UK): Cambridge University Press; 2015.
533. Cappa EP, Burbridge RA, Rialon KL, et al. Endoscopic versus surgical ampullectomy: algorithm to treat disease of the ampulla of Vater. *Ann Surg.* 2013 Feb;257(2):315–22. PMID:23059497
534. Cerar A, Jutersek A, Vidmar S. Adenoid cystic carcinoma of the esophagus. A clinicopathologic study of three cases. *Cancer.* 1991 Mar;67(8):2159–64. PMID:1706215
535. Cenni M, Capello D, Muti G, et al. Aberrant somatic hypermutation in post-transplant lymphoproliferative disorders. *Br J Haematol.* 2004 Nov;127(3):362–4. PMID:15491294
536. Cenwenka H, Bacher H, Mischinger H. Pyloric obstruction caused by prolapse of a hyperplastic gastric polyp. *Hepatogastroenterology.* 2002 Jul-Aug;49(46):958–60. PMID:12143253
537. Ceserman E, Chadburn A, Liu YF, et al. MLH-6 gene mutations in posttransplant lymphoproliferative disorders predict response to therapy and clinical outcome. *Blood.* 1998 Oct 1;92(7):2294–302. PMID:9746767
538. Ceserman E, Knowles DM. Kaposi's sarcoma-associated herpesvirus: a lymphotropic human herpesvirus associated with Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castleman's disease. *Semin Diagn Pathol.* 1997 Feb;14(1):54–66. PMID:9044510
539. Cha PC, Zembutsu H, Takahashi A, et al. A genome-wide association study identifies SNP in DCC is associated with gallbladder cancer in the Japanese population. *J Hum Genet.* 2012 Apr;57(4):235–7. PMID:22318345
540. Chang HJ, Jee CD, Kim WH, et al. Mutation and altered expression of beta-catenin during gallbladder carcinogenesis. *Am J Surg Pathol.* 2002 Jun;26(6):758–66. PMID:12023580
541. Chadburn A, Ceserman E, Liu YF, et al. Molecular genetic analysis demonstrates that multiple posttransplantation lymphoproliferative disorders occurring in one anatomic site in a single patient represent distinct primary lymphoid neoplasms. *Cancer.* 1995 Jun 1;75(11):2747–56. PMID:7743481
542. Chadburn A, Chen JM, Hsu DT, et al. The morphologic and molecular genetic categories of posttransplantation lymphoproliferative disorders are clinically relevant. *Cancer.* 1998 May 15;82(10):1978–87. PMID:9587133
543. Chaffee KG, Oberg AL, McWilliams RR, et al. Prevalence of germ-line mutations in cancer genes among pancreatic cancer patients with a positive family history. *Genet Med.* 2018 Jan;20(1):119–27. PMID:28726808
544. Chan JK, Chan AC, Cheuk W, et al. Type II enteropathy-associated T-cell lymphoma: a distinct aggressive lymphoma with frequent γδ T-cell receptor expression. *Am J Surg Pathol.* 2011 Oct;35(10):1557–69. PMID:21921780
545. Chan JK, Fletcher CD, Nayler SJ, et al. Follicular dendritic cell sarcoma. Clinicopathologic analysis of 17 cases suggesting a malignant potential higher than currently recognized. *Cancer.* 1997 Jan 15;79(2):294–313. PMID:9010103
546. Chan K, Brown IS, Kyle T, et al. Chief cell-predominant gastric polyps: a series of 12 cases with literature review. *Histopathology.* 2016 May;68(6):825–33. PMID:26335020
547. Chan KW. Review of 253 cases of significant pathology in 7,910 cholecystectomies in Hong Kong. *Pathology.* 1988 Jan;20(1):20–3. PMID:3374970
548. Chan NG, Penswick JL, Labelle E, et al. Ectopic breast tissue presenting as an anal polyp. *Can J Surg.* 2007 Dec;50(6):E23–4. PMID:18067696
549. Chan-On W, Nairismägi ML, Ong CK, et al. Exome sequencing identifies distinct mutational patterns in liver fluke-related and non-infection-related bile duct cancers. *Nat Genet.* 2013 Dec;45(12):1474–8. PMID:24185513
550. Chand M, Siddiqui MR, Swift I, et al. Systematic review of prognostic importance of extramural venous invasion in rectal cancer. *World J Gastroenterol.* 2016 Jan 28;22(4):1721–6. PMID:26819536
551. Chandrasekharappa SC, Guru SC, Manickam P, et al. Positional cloning of the gene for multiple endocrine neoplasia-type 1. *Science.* 1997 Apr 18;276(5311):404–7. PMID:9103196
552. Chang AE, Karnell LH, Menck HR. The National Cancer Data Base report on cutaneous and noncutaneous melanoma: a summary of 84,836 cases from the past decade. *Cancer.* 1998 Oct 15;83(8):1664–78. PMID:9781962
553. Chang CL, Marra G, Chauhan DP, et al. Oxidative stress inactivates the human DNA mismatch repair system. *Am J Physiol Cell Physiol.* 2002 Jul;283(1):C148–54. PMID:12055083
554. Chang CY, Hernandez-Prera JC, Roayaie S, et al. Changing epidemiology of hepatocellular adenoma in the United States: review of the literature. *Int J Hepatol.* 2013;2013:604860. PMID:23509632
555. Chang DK, Jamieson NB, Johns AL, et al. Histomolecular phenotypes and outcome in adenocarcinoma of the ampulla of Vater. *J Clin Oncol.* 2013 Apr 1;31(10):1348–56. PMID:23439753
556. Chang HJ, Jee CD, Kim WH. Mutation and altered expression of beta-catenin during gallbladder carcinogenesis. *Am J Surg Pathol.* 2002 Jun;26(6):758–66. PMID:12023580
557. Chang HJ, Jin SY, Park C, et al. Mesenchymal hamartomas of the liver: comparison of clinicopathologic features between cystic and solid forms. *J Korean Med Sci.* 2006 Feb;21(1):63–8. PMID:16479067
558. Chang HK, Yu E, Kim J, et al. Adenocarcinoma of the small intestine: a multi-institutional study of 197 surgically resected cases. *Hum Pathol.* 2010 Aug;41(8):1087–96. PMID:20334897
559. Chang MS, Lee HS, Kim CW, et al. Clinicopathologic characteristics of Epstein-Barr virus-incorporated gastric cancers in Korea. *Pathol Res Pract.* 2001;197(6):395–400. PMID:11432666
560. Chang P, Attiyeh FF. Adenocarcinoma of the appendix. *Dis Colon Rectum.* 1981 Apr;24(3):176–80. PMID:6164526
561. Chang Y, Ceserman E, Pessin MS, et al. Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. *Science.* 1994 Dec 16;266(5192):1865–9. PMID:7997879
562. Chang YC, Nagasue N, Abe S, et al. Comparison between the clinicopathologic features of AFP-positive and AFP-negative gastric cancers. *Am J Gastroenterol.* 1992 Mar;87(3):321–5. PMID:1371637
563. Chang YR, Park JK, Jang JY, et al. Incidental pancreatic cystic neoplasms in an asymptomatic healthy population of 21,745 individuals: large-scale, single-center cohort study. *Medicine (Baltimore).* 2016 Dec;95(51):e5535. PMID:28002329
564. Chapman J, Gentles AJ, Sujoy V, et al. Gene expression analysis of plasmablastic lymphoma identifies downregulation of B-cell receptor signaling and additional unique transcriptional programs. *Leukemia.* 2015 Nov;29(11):2270–3. PMID:25921246
565. Charalampakis N, Nogueras González GM, Elimova E, et al. The proportion of signet ring cell component in patients with localized gastric adenocarcinoma correlates with the degree of response to pre-operative chemoradiation. *Oncology.* 2016;90(5):239–47. PMID:27046280
566. Chari ST, Yadav D, Smyrk TC, et al. Study of recurrence after surgical resection of intraductal papillary mucinous neoplasm of the pancreas. *Gastroenterology.* 2002 Nov;123(5):1500–7. PMID:12404225
567. Charlesworth M, Verbeke CS, Falk GA, et al. Pancreatic lesions in von Hippel-Lindau disease? A systematic review and meta-synthesis of the literature. *J Gastrointest Surg.* 2012 Jul;16(7):1422–8. PMID:22370733
568. Charlton A, Blair V, Shaw D, et al. Hereditary diffuse gastric cancer: predominance of multiple foci of signet ring cell carcinoma in distal stomach and transitional zone. *Gut.* 2004 Jun;53(6):814–20. PMID:15138207
569. Chatelain D, Paye F, Moura N, et al. Unilocular acinar cell cystadenoma of the pancreas—an unusual acinar cell tumor. *Am J Clin Pathol.* 2002 Aug;118(2):211–4. PMID:12162680
570. Chatterjee D, Katz MH, Rashid A, et al. Histologic grading of the extent of residual carcinoma following neoadjuvant chemoradiation in pancreatic ductal adenocarcinoma: a predictor for patient outcome. *Cancer.* 2012 Jun 15;118(12):3182–90. PMID:22028089
571. Chaudhary P, Bhadana U, Singh RA, et al. Primary hepatic angiosarcoma. *Eur J Surg Oncol.* 2015 Sep;41(9):1137–43. PMID:26008857
572. Cheadle JP, Sampson JR. MUTYH-associated polyposis—from defect in base excision repair to clinical genetic testing. *DNA Repair (Amst).* 2007 Mar 1;6(3):274–9. PMID:17161978
573. Chen AL, Misraji J, Brugge WR, et al. Adenocarcinoma cystadenoma: a challenging cytology diagnosis, facilitated by Moray® micro-forceps biopsy. *Diagn Cytopathol.* 2017 Jun;45(6):557–60. PMID:28236434
574. Chen C, Wang L, Liu X, et al. Gallbladder neuroendocrine carcinoma: report of 10 cases and comparison of clinicopathologic features with gallbladder adenocarcinoma. *Int J Clin Exp Pathol.* 2015 Jul 1;8(7):8218–26. PMID:26339390
575. Chen CN, Lin JJ, Chen JJ, et al. Gene expression profile predicts patient survival of gastric cancer after surgical resection. *J Clin Oncol.* 2005 Oct 10;23(29):7286–95. PMID:16145069
576. Chen H, Shen C, Yin R, et al. Clinicopathological characteristics, diagnosis, treatment, and outcomes of primary gastric adenosquamous carcinoma. *World J Surg Oncol.* 2015 Apr 2;13:136. PMID:25889482
577. Chen HW, Lu CH, Shun CT, et al. Gastric outlet obstruction due to giant hyperplastic gastric polyps. *J Formos Med Assoc.* 2005 Nov;104(11):852–5. PMID:16496067
578. Chen JN, He D, Tang F, et al. Epstein-Barr virus-associated gastric carcinoma: a newly defined entity. *J Clin Gastroenterol.* 2012 Apr;46(4):262–71. PMID:22392024
579. Chen RC, Wang J, Kuang XY, et al. Integrated analysis of microRNA and mRNA expression profiles in HBx-expressing hepatic cells. *World J Gastroenterol.* 2017 Mar 14;23(10):1787–95. PMID:28348484
580. Chen RW, Qiu MJ, Chen Y, et al. Analysis of the clinicopathological features and prognostic factors of primary hepatic neuroendocrine tumors. *Oncol Lett.* 2018 Jun;15(6):8604–10. PMID:30065788
581. Chen S, Chen Y, Yang J, et al. Primary mucoepidermoid carcinoma of the esophagus. *J Thorac Oncol.* 2011 Aug;6(8):1426–31. PMID:21587066
582. Chen SB, Weng HR, Wang G, et al. Primary adenosquamous carcinoma of the esophagus. *World J Gastroenterol.* 2013 Dec 7;19(45):8382–90. PMID:24363531
583. Chen TC, Kuo TT, Ng KF. Follicular dendritic cell tumor of the liver: a clinicopathologic and Epstein-Barr virus study of two cases. *Mod Pathol.* 2001 Apr;14(4):354–60. PMID:11301353
584. Chen W, Lau SK, Fong D, et al. High frequency of clonal immunoglobulin receptor gene rearrangements in sporadic histiocytic/dendritic cell sarcomas. *Am J Surg Pathol.* 2009 Jun;33(6):863–73. PMID:19145200
585. Chen Y, Shi H, Li H, et al. Clinicopathological features of inflammatory pseudotumour-like follicular dendritic cell tumour of the abdomen. *Histopathology.* 2016 May;68(6):858–65. PMID:26332157
586. Chen YW, Yen SH, Chen SY, et al. Anus-preservation treatment for anal cancer: retrospective analysis at a single institution. *J Surg Oncol.* 2007 Oct 1;96(5):374–80. PMID:17492635
587. Chen YY, Li AF, Huang KH, et al. Adenosquamous carcinoma of the stomach and review of the literature. *Pathol Oncol Res.* 2015

- Jul;21(3):547–51. PMID:25567665
588. Chen Z, Han S, Wu J, et al. A systematic review: perivascular epithelioid cell tumor of the gastrointestinal tract. *Medicine (Baltimore)*. 2016 Jul;95(28):e3890. PMID:27428182
589. Chen Z, Xiao HE, Ramchandra P, et al. Imaging and pathological features of primary hepatic neuroendocrine carcinoma: an analysis of nine cases and review of the literature. *Oncol Lett*. 2014 Apr;7(4):956–62. PMID:24944650
590. Chen ZM, Scudiere JR, Abraham SC, et al. Pyloric gland adenoma: an entity distinct from gastric foveolar type adenoma. *Am J Surg Pathol*. 2009 Feb;33(2):186–93. PMID:18830123
591. Chen ZM, Wang HL. Alteration of cytokeratin 7 and cytokeratin 20 expression profile is uniquely associated with tumorigenesis of primary adenocarcinoma of the small intestine. *Am J Surg Pathol*. 2004 Oct;28(10):1352–9. PMID:15371952
592. Chene A, Donati D, Orem J, et al. Endemic Burkitt's lymphoma as a polymicrobial disease: new insights on the interaction between Plasmodium falciparum and Epstein-Barr virus. *Semin Cancer Biol*. 2009 Dec;19(6):411–20. PMID:19897039
593. Cheng DW, Sekhon HK, Toutounjian R, et al. Heterotopic gastric mucosa of the anus associated with anal ulcer. *Tech Coloproctol*. 2012 Apr;16(2):167–8. PMID:22124763
594. Cheng N, Hui DY, Liu Y, et al. Is gastric lymphoepithelioma-like carcinoma a special subtype of EBV-associated gastric carcinoma? New insight based on clinicopathological features and EBV genome polymorphisms. *Gastric Cancer*. 2015 Apr;18(2):246–55. PMID:24771002
595. Chesnokova V, Zonis S, Zhou C, et al. Growth hormone is permissive for neoplastic colon growth. *Proc Natl Acad Sci U S A*. 2016 Jun 7;113(23):E3250–9. PMID:27226307
596. Cheson BD, Fisher RI, Barrington SF, et al. Recommendations for initial evaluation, staging, and response assessment of Hodgkin and non-Hodgkin lymphoma: the Lugano classification. *J Clin Oncol*. 2014 Sep 20;32(27):3059–68. PMID:25113753
597. Chetty R, Bateman AC, Torlakovic E, et al. A pathologist's survey on the reporting of sessile serrated adenomas/polyps. *J Clin Pathol*. 2014 May;67(5):426–30. PMID:24399034
598. Chetty R, Clark SP, Pitson GA. Primary small cell carcinoma of the pancreas. *Pathology*. 1993 Jul;25(3):240–2. PMID:8265240
599. Chetty R, Hafezi-Bakhtiari S, Serra S, et al. Traditional serrated adenomas (TSAs) admixed with other serrated (so-called precursor) polyps and conventional adenomas: a frequent occurrence. *J Clin Pathol*. 2015 Apr;68(4):270–3. PMID:25589791
600. Chetty R, Serra S, Hsieh E. Basaloid squamous carcinoma of the anal canal with an adenoid cystic pattern: histologic and immunohistochemical reappraisal of an unusual variant. *Am J Surg Pathol*. 2005 Dec;29(12):1668–72. PMID:16327441
601. Chetty R, Serra S. Membrane loss and aberrant nuclear localization of E-cadherin are consistent features of solid pseudopapillary tumour of the pancreas. An immunohistochemical study using two antibodies recognizing different domains of the E-cadherin molecule. *Histopathology*. 2008 Feb;52(3):325–30. PMID:18269583
602. Cheuk W, Chan JK, Shek TW, et al. Inflammatory pseudotumor-like follicular dendritic cell tumor: a distinctive low-grade malignant intra-abdominal neoplasm with consistent Epstein-Barr virus association. *Am J Surg Pathol*. 2001 Jun;25(6):721–31. PMID:11395549

603. Cheuk W, Chan JK. Thyroid transcription factor-1 is of limited value in practical distinction between pulmonary and extrapulmonary small cell carcinomas. *Am J Surg Pathol*. 2001 Apr;25(4):545–6. PMID:11257635
604. Cheung R. Racial and social economic factors impact on the cause specific survival of pancreatic cancer: a SEER survey. *Asian Pac J Cancer Prev*. 2013;14(1):159–63. PMID:23534717
605. Chia NY, Tan P. Molecular classification of gastric cancer. *Ann Oncol*. 2016 May;27(5):763–9. PMID:26861606
606. Chiaravall M, Reni M, O'Reilly EM. Pancreatic ductal adenocarcinoma: state-of-the-art 2017 and new therapeutic strategies. *Cancer Treat Rev*. 2017 Nov;60:32–43. PMID:28869888
607. Chibon F, Lagarde P, Salas S, et al. Validated prediction of clinical outcome in sarcomas and multiple types of cancer on the basis of a gene expression signature related to genome complexity. *Nat Med*. 2010 Jul;16(7):781–7. PMID:20581836
608. Chiche L, Dao T, Salamé E, et al. Liver adenomatosis: reappraisal, diagnosis, and surgical management: eight new cases and review of the literature. *Ann Surg*. 2000 Jan;231(1):74–81. PMID:10636105
609. Chiles MC, Parham DM, Qualman SJ, et al. Sclerosing rhabdomyosarcomas in children and adolescents: a clinicopathologic review of 13 cases from the Intergroup Rhabdomyosarcoma Study Group and Children's Oncology Group. *Pediatr Dev Pathol*. 2004 Nov-Dec;7(6):583–94. PMID:15630526
610. Chini P, Draganov PV. Diagnosis and management of ampullary adenoma: the expanding role of endoscopy. *World J Gastrointest Endosc*. 2011 Dec 16;3(12):241–7. PMID:22195233
611. Chino O, Kijima H, Shimada H, et al. Esophageal squamous cell carcinoma with lymphoid stroma: report of 3 cases with immunohistochemical analyses. *Gastrointest Endosc*. 2001 Oct;54(4):513–7. PMID:11577322
612. Chiou WY, Chang CM, Tseng KC, et al. Effect of liver cirrhosis on metastasis in colorectal cancer patients: a nationwide population-based cohort study. *Jpn J Clin Oncol*. 2015 Feb;45(2):160–8. PMID:25378650
613. Chirieac LR, Swisher SG, Correa AM, et al. Signet-ring cell or mucinous histology after preoperative chemoradiation and survival in patients with esophageal or esophagogastric junction adenocarcinoma. *Clin Cancer Res*. 2005 Mar 15;11(6):2229–36. PMID:15788671
614. Chlumská A, Waloschek T, Mukenšabl P, et al. Pyloric gland adenoma: a histologic, immunohistochemical and molecular genetic study of 23 cases. *Cesk Patol*. 2015;51(3):137–43. PMID:26421956
615. Chmielecki J, Crago AM, Rosenberg M, et al. Whole-exome sequencing identifies a recurrent NAB2-STAT6 fusion in solitary fibrous tumors. *Nat Genet*. 2013 Feb;45(2):131–2. PMID:23313954
616. Chmielecki J, Hutchinson KE, Frampton GM, et al. Comprehensive genomic profiling of pancreatic acinar cell carcinomas identifies recurrent RAF fusions and frequent inactivation of DNA repair genes. *Cancer Discov*. 2014 Dec;4(12):1398–405. PMID:25266736
617. Cho C, Rullis I, Rogers LS. Bile duct adenomas as liver nodules. *Arch Surg*. 1978 Mar;113(3):272–4. PMID:205188
- 617A. Cho CJ, Kang HJ, Ryu YM, et al. Poor prognosis in Epstein-Barr virus-negative gastric cancer with lymphoid stroma is associated with immune phenotype. *Gastric Cancer*. 2018 Nov;21(6):925–35. PMID:29627937
618. Cho KJ, Jang JJ, Lee SS, et al. Basaloid squamous carcinoma of the oesophagus: a distinct neoplasm with multipotential differentiation. *Histopathology*. 2000 Apr;36(4):331–40. PMID:10759947
619. Choi AB, Maxwell JE, Keck KJ, et al. Is multifocality an indicator of aggressive behavior in small bowel neuroendocrine tumors? *Pancreas*. 2017 Oct;46(9):1115–20. PMID:28902780
620. Choi GH, Ann SY, Lee SI, et al. Collision tumor of hepatocellular carcinoma and neuroendocrine carcinoma involving the liver: case report and review of the literature. *World J Gastroenterol*. 2016 Nov 7;22(41):9229–34. PMID:27895410
621. Choi IJ, Kook MC, Kim YI, et al. Helicobacter pylori therapy for the prevention of metachronous gastric cancer. *N Engl J Med*. 2018 Mar 22;378(12):1085–95. PMID:29562147
622. Choi JI, Joo I, Lee JM. State-of-the-art preoperative staging of gastric cancer by MDCT and magnetic resonance imaging. *World J Gastroenterol*. 2014 Apr 28;20(16):4546–57. PMID:24782607
623. Choi JY, Kim MJ, Lee JY, et al. Typical and atypical manifestations of serous cystadenoma of the pancreas: imaging findings with pathologic correlation. *AJR Am J Roentgenol*. 2009 Jul;193(1):136–42. PMID:19542405
624. Choi PM. Predominance of rectosigmoid neoplasia in ulcerative colitis and its implication on cancer surveillance. *Gastroenterology*. 1993 Feb;104(2):666–7. PMID:8425717
625. Choi WT, Brown I, Ushiku T, et al. Gastric pyloric gland adenoma: a multicentre clinicopathological study of 67 cases. *Histopathology*. 2018 May;72(6):1007–14. PMID:29278427
626. Choi YY, Jeon YM, Kim YJ. Sarcomatoid carcinoma of colon: extremely poor prognosis. *J Korean Surg Soc*. 2011 Jun;80 Suppl 1:S26–30. PMID:22066078
627. Chopin-Laly X, Walter T, Hervieu V, et al. Neuroendocrine neoplasms of the jejunum: a heterogeneous group with distinctive proximal and distal subsets. *Virchows Arch*. 2013 May;462(5):489–99. PMID:23579432
628. Chott A, Haedicke W, Mosberger I, et al. Most CD56+ intestinal lymphomas are CD8+CD5-T-cell lymphomas of monomorphic small to medium size histology. *Am J Pathol*. 1998 Nov;153(5):1483–90. PMID:9811340
629. Chow JS, Chen CC, Ahsan H, et al. A population-based study of the incidence of malignant small bowel tumours: SEER, 1973–1990. *Int J Epidemiol*. 1996 Aug;25(4):722–8. PMID:8921448
630. Christ E, Wild D, Forrer F, et al. Glucagon-like peptide-1 receptor imaging for localization of insulinomas. *J Clin Endocrinol Metab*. 2009 Nov;94(11):4398–405. PMID:19820010
631. Christison-Lagay ER, Burrows PE, Alomari A, et al. Hepatic hemangiomas: subtype classification and development of a clinical practice algorithm and registry. *J Pediatr Surg*. 2007 Jan;42(1):62–7, discussion 67–8. PMID:17208542
632. Chu LC, Singhi AD, Haroun RR, et al. The many faces of pancreatic serous cystadenoma: radiologic and pathologic correlation. *Diagn Interv Imaging*. 2017 Mar;98(3):191–202. PMID:27614585
633. Chu YJ, Yang HI, Wu HC, et al. Aflatoxin B1 exposure increases the risk of hepatocellular carcinoma associated with hepatitis C virus infection or alcohol consumption. *Eur J Cancer*. 2018 May;94:37–46. PMID:29533866
634. Chuah SK, Hu TH, Kuo CM, et al. Upper gastrointestinal carcinoid tumors incidentally found by endoscopic examinations. *World J Gastroenterol*. 2005 Nov 28;11(44):7028–32. PMID:16437611
635. Chumbalkar V, Jennings TA, Ainechi S, et al. Extramammary Paget's disease of anal canal associated with rectal adenocarcinoma: invasive carcinoma. *Gastroenterology*. 2016 Dec;9(6):99–102. PMID:27050000
636. Chun YS, Pawlik TM, Yeutter JJ, et al. Edition of the AJCC Cancer Staging Manual for the pancreas and hepatobiliary cancers. *Cancer*. 2018 Apr;25(4):845–7. PMID:29102500
637. Chung JH, Sanford E, Johnson KH, et al. Comprehensive genomic profiling of squamous cell carcinoma reveals genotypically defined classes. *Am J Pathol*. 2017 Jul;17(7):1336–41. PMID:27050000
638. Ciccioppo R, Croci GA, Bigatti S, et al. Intestinal T-cell lymphoma with extranodal associated T-cell lymphoma-like features in the setting of adult autoimmune thyroiditis. *Hematol Oncol*. 2018 Apr;20(2):102–10. PMID:29446107
639. Cimino-Mathews A, Sharma R, et al. Detection of human papillomavirus in squamous cell carcinomas of the anus and rectum. *Am J Surg Pathol*. 2012 Jul;36(7):933–40. PMID:22531171
640. Cingolani N, Shaco-Levy R, et al. Alpha-fetoprotein production by hepatic tumors exhibiting adenomatous differentiation: study of five cases, one arising in a teratoma. *Hum Pathol*. 2000 Aug;31(8):825–30. PMID:10987254
641. Cisco RM, Norton JA, et al. Gastrinoma. *Adv Surg*. 2017;48:17–30. PMID:17972563
642. Clark SK, Phillips RK, et al. Familial adenomatous polyposis. *Br J Surg*. 1998 Nov;83(11):1494–504. PMID:9811340
643. Clendenning M, Young JP, et al. Germline mutations in the coiled-coil genes BMPR1A, SMAD4, PTEN, and GREM1 are not common in the serrated polyposis syndrome. *PLoS One*. 2013 Jun 21;8(6):e6705. PMID:23785000
644. Clot G, Jares P, Gmei E, et al. A molecular signature that distinguishes between leukemic nonnodal mantle cell lymphoma helps predict outcome. *Blood*. 2012;6:132(4):413–22. PMID:22757500
645. Cloyd JM, Chun YS, et al. Clinical and genetic implications of DNA repair deficiency in biliary cancer associated with Lynch syndrome. *Cancer*. 2018 Mar;113(10):2500–6. PMID:29102500
646. Coffey K, Beral V, Green J, et al. Anal cancer in women aged 50 years and older. *Br J Cancer*. 2015 Apr 20;112(8):1253–8. PMID:25867258
647. Coffin CM, Hornick JL, et al. Inflammatory myofibroblastic tumor: comparison of clinicopathologic, immunohistochemical, and molecular expression in atypical and malignant forms. *Am J Surg Pathol*. 2007 Apr;31(4):539–47. PMID:17414097
648. Coffin CM, Watterson J, et al. Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor): clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol*. 2000 Aug;19(8):859–72. PMID:10987254
649. Cohen L, Taylor L, et al. A systematic approach to prevention of cervical cancer. *Am J Health Promot*. 1991 Jul;5(7):529–35. PMID:13752000
650. Coindre JM. Grading of soft tissue tumors: review and update. *Pathol Biol (Paris)*. 2006 Oct;130(10):1449–55. PMID:17085000
651. Coleccchia A, Scialdi E, et al. Pre-operative liver biopsy in the management of early hepatocellular carcinoma: a safe and accurate method for tumour grading assessment. *Br J Cancer*. 2002 Feb;54(2):300–5. PMID:11825000
652. Coleman HG, Xie SH, et al. The

- epidemiology of esophageal adenocarcinoma. *Gastroenterology*. 2018 Jan;154(2):390–405. PMID:28780073
- Collins MA, Bednar F, Zhang Y, et al. Oncogenic Kras is required for both the initiation and maintenance of pancreatic cancer in mice. *J Clin Invest*. 2012 Feb;122(2):639–53. PMID:22232209
- Colombo C, Foo WC, Whiting D, et al. MAPK-related desmoid tumors: a series of 44 patients evaluated in a cancer referral center. *Histopathol*. 2012 May;27(5):641–9. PMID:22419028
- Colombo P, Arizzi C, Roncalli M. Acinar cystadenocarcinoma of the pancreas: report of rare case and review of the literature. *Hum Pathol*. 2004 Dec;35(12):1568–71. PMID:15619219
- Colonna J, Plaza JA, Frankel WL, et al. Serous cystadenoma of the pancreas: clinical and pathologic features in 33 patients. *Pancreatology*. 2008;8(2):135–41. PMID:18382099
- Compagno J, Oertel JE. Microcystic adenomas of the pancreas (glycogen-rich cystadenomas): a clinicopathologic study of 34 cases. *J Clin Pathol*. 1978 Mar;69(3):289–98. PMID:637043
- Conlon KC, Klimstra DS, Brennan MF. Long-term survival after curative resection for pancreatic ductal adenocarcinoma. Clinicopathologic analysis of 5-year survivors. *Ann Surg*. 1996 Mar;223(3):273–9. PMID:8604907
- Connell WR, Lennard-Jones JE, Williams IE, et al. Factors affecting the outcome of endoscopic surveillance for cancer in ulcerative colitis. *Gastroenterology*. 1994 Oct;107(4):934–44. PMID:7926483
- Connolly MM, Dawson PJ, Michelassi F, et al. Survival in 1001 patients with carcinoma of the pancreas. *Ann Surg*. 1987 Sep;206(3):366–75. PMID:2820322
- Connor AA, Denroche RE, Jang GH, et al. Association of distinct mutational signatures with correlates of increased immune activity in pancreatic ductal adenocarcinoma. *JAMA Oncol*. 2017 Jun;1;3(6):774–83. PMID:27768182
- Conrad R, Cobb C, Raza A. Role of cytology in the diagnosis and management of gastrointestinal tract cancers. *J Gastrointest Oncol*. 2012 Sep;3(3):285–98. PMID:22943018
- Conte B, George B, Overman M, et al. High-grade neuroendocrine colorectal carcinomas: a retrospective study of 100 patients. *Colorectal Cancer*. 2016 Jun;15(2):e1–7. PMID:26810202
- Cook JR, Dehner LP, Collins MH, et al. Anaplastic lymphoma kinase (ALK) expression in the inflammatory myofibroblastic tumor: a comparative immunohistochemical study. *Am Surg Pathol*. 2001 Nov;25(11):1364–71. PMID:11684952
- Cook JR, Harris NL, Isaacson PG, et al. Non-heavy chain disease. In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. p. 240. WHO classification of tumours series, 4th rev. vol. 2). <http://publications.iarc.fr/556>.
- Cook JR, Isaacson PG, Chott A, et al. Extramedullary marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma). In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. pp. 259–62. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/556>.
- Cooke CB, Krenacs L, Stetler-Stephenson M, et al. Hepatosplenic T-cell lymphoma: a distinct clinicopathologic entity of cytotoxic gamma delta T-cell origin. *Blood*. 1996 Dec 1;88(11):4265–74. PMID:8943863
- Cooper WN, Luharia A, Evans GA, et al. Molecular subtypes and phenotypic expression of Beckwith-Wiedemann syndrome. *Eur J Hum Genet*. 2005 Sep;13(9):1025–32. PMID:15999116
- Coppa GF, Eng K, Localio SA. Surgical management of diffuse cavernous hemangioma of the colon, rectum and anus. *Surg Gynecol Obstet*. 1984 Jul;159(1):17–22. PMID:6740459
- Corcos O, Couvelard A, Giraud S, et al. Endocrine pancreatic tumors in von Hippel-Lindau disease: clinical, histological, and genetic features. *Pancreas*. 2008 Jul;37(1):85–93. PMID:18580449
- Coriat R, Mozer M, Caux F, et al. Endoscopic findings in Cowden syndrome. *Endoscopy*. 2011 Aug;43(8):723–6. PMID:21437855
- Corless CL, Barnett CM, Heinrich MC. Gastrointestinal stromal tumors: origin and molecular oncology. *Nat Rev Cancer*. 2011 Nov 17;11(12):865–78. PMID:22089421
- Corless CL, Schroeder A, Griffith D, et al. PDGFRA mutations in gastrointestinal stromal tumors: frequency spectrum and in vitro sensitivity to imatinib. *J Clin Oncol*. 2005 Aug 10;23(23):5357–64. PMID:16298335
- Correa P, Piazuelo MB. The gastric precancerous cascade. *J Dig Dis*. 2012 Jan;13(1):2–9. PMID:22188910
- Correa P. Gastric cancer: overview. *Gastrecterol Clin North Am*. 2013 Jun;42(2):211–7. PMID:23639637
- Correa P. The biological model of gastric carcinogenesis. *IARC Sci Publ*. 2004; (157):301–10. PMID:15055303
- Corrin B, Gilby ED, Jones NF, et al. Oat cell carcinoma of the pancreas with ectopic ACTH secretion. *Cancer*. 1973 Jun;31(6):1523–7. PMID:4350960
- Corso G, Carvalho J, Marrelli D, et al. Somatic mutations and deletions of the E-cadherin gene predict poor survival of patients with gastric cancer. *J Clin Oncol*. 2013 Mar 1;31(7):868–75. PMID:23341533
- Corso G, Pedrazzani C, Marrelli D, et al. Familial gastric cancer and Li-Fraumeni syndrome. *Eur J Cancer Care (Engl)*. 2010 May;19(3):377–81. PMID:19674071
- Cortina R, McCormick J, Kolm P, et al. Management and prognosis of adenocarcinoma of the appendix. *Dis Colon Rectum*. 1995 Aug;38(8):848–52. PMID:7634979
- Corvalan A, Koriyama C, Akiba S, et al. Epstein-Barr virus in gastric carcinoma is associated with location in the cardia and with a diffuse histology: a study in one area of Chile. *Int J Cancer*. 2001 Nov;94(4):527–30. PMID:11745439
- Costi R, Caruana P, Sarli L, et al. Ampullary adenocarcinoma in neurofibromatosis type 1. Case report and literature review. *Mod Pathol*. 2001 Nov;14(11):1169–74. PMID:11706080
- Couloomb C, Cavard C, Rubbia-Brandt L, et al. Combined hepatocellular-cholangiocarcinomas exhibit progenitor features and activation of Wnt and TGF β signalling pathways. *Carcinogenesis*. 2012 Sep;33(9):1791–6. PMID:22696594
- Courville EL, Yohe S, Chou D, et al. EBV-negative monomorphic B-cell post-transplant lymphoproliferative disorders are pathologically distinct from EBV-positive cases and frequently contain TP53 mutations. *Mod Pathol*. 2016 Oct;29(10):1200–11. PMID:27443517
- Couvelard A, Terris B, Hammel P, et al. [Acinar cystic transformation of the pancreas (or acinar cell cystadenoma), a rare and recently described entity]. *Ann Pathol*. 2002 Oct;22(5):397–400. French. PMID:12483157
- Crabtree MD, Tomlinson IP, Talbot IC, et al. Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age. *Gut*. 2001 Oct;49(4):540–3. PMID:11559652
- Crago AM, Chmielecki J, Rosenberg M, et al. Near universal detection of alterations in CTNNB1 and Wnt pathway regulators in desmoid-type fibromatosis by whole-exome sequencing and genomic analysis. *Genes Chromosomes Cancer*. 2015 Oct;54(10):606–15. PMID:26171757
- Craig FE, Johnson LR, Harvey SA, et al. Gene expression profiling of Epstein-Barr virus-positive and -negative monomorphic B-cell posttransplant lymphoproliferative disorders. *Diagn Mol Pathol*. 2007 Sep;16(3):158–68. PMID:17721324
- Creasy JM, Sadot E, Koerkamp BG, et al. The impact of primary tumor location on long-term survival in patients undergoing hepatic resection for metastatic colon cancer. *Ann Surg Oncol*. 2018 Feb;25(2):431–8. PMID:29181680
- Crippa S, Fernández-Del Castillo C, Salvia R, et al. Mucin-producing neoplasms of the pancreas: an analysis of distinguishing clinical and epidemiologic characteristics. *Clin Gastroenterol Hepatol*. 2010 Feb;8(2):213–9. PMID:19835989
- Crippa S, Salvia R, Warshaw AL, et al. Mucinous cystic neoplasm of the pancreas is not an aggressive entity: lessons from 163 resected patients. *Ann Surg*. 2008 Apr;247(4):571–9. PMID:18362619
- Cristescu R, Lee J, Nebozhyn M, et al. Molecular analysis of gastric cancer identifies subtypes associated with distinct clinical outcomes. *Nat Med*. 2015 May;21(5):449–56. PMID:25894828
- Crocetti D, Sapienza P, Sterpetti AV, et al. Surgery for symptomatic colon lipoma: a systematic review of the literature. *Anticancer Res*. 2014 Nov;34(11):6271–6. PMID:25368224
- Cromwell I, Gaudet M, Peacock SJ, et al. Cost-effectiveness analysis of anal cancer screening in women with cervical neoplasia in British Columbia, Canada. *BMC Health Serv Res*. 2016 Jun 27;16:206. PMID:27349646
- Crona J, Gustavsson T, Norlén O, et al. Somatic mutations and genetic heterogeneity at the CDKN1B locus in small intestinal neuroendocrine tumors. *Ann Surg Oncol*. 2015 Dec;22 Suppl 3:S1428–35. PMID:25586243
- Crump M, Gospodarowicz M, Shepherd FA. Lymphoma of the gastrointestinal tract. *Semin Oncol*. 1999 Jun;26(3):324–37. PMID:10375089
- Cruz-Correia M, Giardiello FM. Familial adenomatous polyposis. *Gastrointest Endosc*. 2003 Dec;58(6):885–94. PMID:14652558
- Cubilla AL, Fitzgerald PJ. Morphological lesions associated with human primary invasive nonendocrine pancreas cancer. *Cancer Res*. 1976 Jul;36(7 PT 2):2690–8. PMID:1277176
- Cubilla AL, Hajdu SI. Islet cell carcinoma of the pancreas. *Arch Pathol*. 1975 Apr;99(4):204–7. PMID:163633
- Cui C, Lian B, Zhou L, et al. Multifactorial analysis of prognostic factors and survival rates among 706 mucosal melanoma patients. *Ann Surg Oncol*. 2018 Aug;25(8):2184–92. PMID:29748886
- Cuilliere P, Lazare T, Bui M, et al. Solid adenoma with exclusive hepatocellular differentiation: a new variant among pancreatic benign neoplasms? *Virchows Arch*. 2002 Nov;441(5):519–22. PMID:12447684
- Curia MC, Zuckermann M, De Lellis L, et al. Sporadic childhood hepatoblastomas show activation of beta-catenin, mismatch repair defects and p53 mutations. *Mod Pathol*. 2008 Jan;21(1):7–14. PMID:17962810
- Czauderna P, Lopez-Terrada D, Hiyama E, et al. Hepatoblastoma state of the art: pathology, genetics, risk stratification, and chemotherapy. *Curr Opin Pediatr*. 2014 Feb;26(1):19–28. PMID:24322718
- d'Amore F, Brincker H, Grønbæk K, et al. Non-Hodgkin's lymphoma of the gastrointestinal tract: a population-based analysis of incidence, geographic distribution, clinicopathologic presentation features, and prognosis. *J Clin Oncol*. 1994 Aug;12(8):1673–84. PMID:8040680
- d'Huart MC, Chevoux JB, Bressenot AM, et al. Prevalence of esophageal squamous papilloma (ESP) and associated cancer in northeastern France. *Endosc Int Open*. 2015 Apr;3(2):E101–6. PMID:26135647
- D'Onofrio M, De Robertis R, Tinazzi Martini P, et al. Oncocytic intraductal papillary mucinous neoplasms of the pancreas: imaging and histopathological findings. *Pancreas*. 2016 Oct;45(9):1233–42. PMID:27518461
- Dabaja BS, Suki D, Pro B, et al. Adenocarcinoma of the small bowel: presentation, prognostic factors, and outcome of 217 patients. *Cancer*. 2004 Aug 1;101(3):518–26. PMID:15274064
- Dabbs DJ. Diagnostic immunohistochemistry: theranostic and genomic applications. 5th ed. Philadelphia (PA): Elsevier; 2018.
- Dahdaleh FS, Carr JC, Calva D, et al. Juvenile polyposis and other intestinal polypsis syndromes with microdeletions of chromosome 10q22–23. *Clin Genet*. 2012 Feb;81(2):110–6. PMID:21834858
- Dal Molin M, Blackford AL, Siddiqui A, et al. Duodenal involvement is an independent prognostic factor for patients with surgically resected pancreatic ductal adenocarcinoma. *Ann Surg Oncol*. 2017 Aug;24(8):2379–86. PMID:28439733
- Daling JR, Madeleine MM, Johnson LG, et al. Human papillomavirus, smoking, and sexual practices in the etiology of anal cancer. *Cancer*. 2004 Jul 15;101(2):270–80. PMID:15241823
- Dangoor A, Seddon B, Gerrard C, et al. UK guidelines for the management of soft tissue sarcomas. *Clin Sarcoma Res*. 2016 Nov 15;6:20. PMID:27891213
- Daou B, Zanello M, Varlet P, et al. An unusual case of constitutional mismatch repair deficiency syndrome with anaplastic ganglioglioma, colonic adenocarcinoma, osteosarcoma, acute myeloid leukemia, and signs of neurofibromatosis type 1: case report. *Neurosurgery*. 2015 Jul;77(1):E145–52, discussion E152. PMID:25850602
- Darragh TM, Colgan TJ, Cox JT, et al. The lower anogenital squamous terminology standardization project for HPV-associated Lesions: background and consensus recommendations from the College of American Pathologists and the American Society for Colposcopy and Cervical Pathology. *Arch Pathol Lab Med*. 2012 Oct;136(10):1266–97. PMID:22742517
- Das DK. Cytodiagnosis of hepatocellular carcinoma in fine-needle aspirates of the liver: its differentiation from reactive hepatocytes and metastatic adenocarcinoma. *Diagn Cytopathol*. 1999 Dec;21(6):370–7. PMID:10572267
- Dasari A, Shen C, Halperin D, et al. Trends in the incidence, prevalence, and survival outcomes in patients with neuroendocrine tumors in the United States. *JAMA Oncol*. 2017 Oct 1;3(10):1335–42. PMID:28448665
- Date K, Okabayashi T, Shima Y, et al. Clinicopathological features and surgical outcomes of intraductal tubulopapillary neoplasm of the pancreas: a systematic review. *Langenbecks Arch Surg*. 2016 Jun;401(4):439–47.

- PMID:27001682
718. Daugule I, Sudra A, Chiu HM, et al. Gastric plasma biomarkers and Operative Link for Gastritis Assessment gastritis stage. *Eur J Gastroenterol Hepatol.* 2011 Apr;23(4):302–7. PMID:21389862
719. Daum O, Hatlova J, Mandys V, et al. Comparison of morphological, immunohistochemical, and molecular genetic features of inflammatory fibroid polyps (Vanek's tumors). *Virchows Arch.* 2010 May;456(5):491–7. PMID:20393746
720. Daum S, Cellier C, Mulder CJ. Refractory coeliac disease. *Best Pract Res Clin Gastroenterol.* 2005 Jun;19(3):413–24. PMID:15925846
721. Daum S, Weiss D, Hummel M, et al. Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue. *Gut.* 2001 Dec;49(6):804–12. PMID:11709515
722. Dave SS, Fu K, Wright GW, et al. Molecular diagnosis of Burkitt's lymphoma. *N Engl J Med.* 2006 Jun 8;354(23):2431–42. PMID:16760443
723. Davenport JR, Su T, Zhao Z, et al. Modifiable lifestyle factors associated with risk of sessile serrated polyps, conventional adenomas and hyperplastic polyps. *Gut.* 2018 Mar;67(3):456–65. PMID:27852795
724. Davison JM, Choudry HA, Pingpank JF, et al. Clinicopathologic and molecular analysis of disseminated appendiceal mucinous neoplasms: identification of factors predicting survival and proposed criteria for a three-tiered assessment of tumor grade. *Mod Pathol.* 2014 Nov;27(11):1521–39. PMID:24633196
725. Davison JM, Hartman DA, Singhi AD, et al. Loss of SMAD4 protein expression is associated with high tumor grade and poor prognosis in disseminated appendiceal mucinous neoplasms. *Am J Surg Pathol.* 2014 May;38(5):583–92. PMID:24618609
726. Dawsey SM, Lewin KJ, Wang GQ, et al. Squamous esophageal histology and subsequent risk of squamous cell carcinoma of the esophagus. A prospective follow-up study from Linxian, China. *Cancer.* 1994 Sep 15;74(6):1686–92. PMID:8082069
727. Dawson H, Novotny A, Becker K, et al. Macroscopy predicts tumor progression in gastric cancer: a retrospective patho-historical analysis based on Napoleon Bonaparte's autopsy report. *Dig Liver Dis.* 2016 Nov;48(11):1378–85. PMID:27522550
728. Dawson J, Bloom SR, Cockel R. A unique apudoma producing the glucagonoma and gastrinoma syndromes. *Postgrad Med J.* 1983 May;59(691):315–6. PMID:6878103
729. de Baaj LR, Berkhof J, van de Water JM, et al. A new and validated clinical prognostic model (epi) for enteropathy-associated t-cell lymphoma. *Clin Cancer Res.* 2015 Jul 1;21(13):3013–9. PMID:25779949
730. de Boer WB, Ee H, Kumarasinghe MP. Neoplastic lesions of gastric adenocarcinoma and proximal polyposis syndrome (GAPPS) are gastric phenotype. *Am J Surg Pathol.* 2018 Jan;42(1):1–8. PMID:29112017
731. De Herder WW, Lamberts SW. Octapeptide somatostatin-analogue therapy of Cushing's syndrome. *Postgrad Med J.* 1999 Feb;75(880):65–6. PMID:10448463
732. de Jonge PJ, van Blankenstein M, Looman CW, et al. Risk of malignant progression in patients with Barrett's oesophagus: a Dutch nationwide cohort study. *Gut.* 2010 Aug;59(8):1030–6. PMID:20639249
733. de Lambert G, Lardy H, Martelli H, et al. Surgical management of neuroendocrine tumors of the appendix in children and adolescents: a retrospective French multicenter study of 114 cases. *Pediatr Blood Cancer.* 2016 Apr;63(4):598–603. PMID:266663900
734. de Latour RA, Kilaru SM, Gross SA. Management of small bowel polyps: a literature review. *Best Pract Res Clin Gastroenterol.* 2017 Aug;31(4):401–8. PMID:28842049
735. de Leng WW, Jansen M, Carvalho R, et al. Genetic defects underlying Peutz-Jeghers syndrome (PJS) and exclusion of the polarity-associated MARK/Par1 gene family as potential PJS candidates. *Clin Genet.* 2007 Dec;72(6):568–73. PMID:17924967
736. de Leval L, Parrens M, Le Bras F, et al. Angioimmunoblastic T-cell lymphoma is the most common T-cell lymphoma in two distinct French information data sets. *Haematologica.* 2015 Sep;100(9):e361–4. PMID:26045291
737. DE Marchis ML, Tonelli F, Quaresmini D, et al. Desmoid tumors in familial adenomatous polyposis. *Anticancer Res.* 2017 Jul;37(7):3357–66. PMID:28668823
738. de Rosa N, Rodriguez-Bigas MA, Chang GK, et al. DNA mismatch repair deficiency in rectal cancer: benchmarking its impact on prognosis, neoadjuvant response prediction, and clinical cancer genetics. *J Clin Oncol.* 2016 Sep 1;34(25):3039–46. PMID:27432916
739. de Sanjose S, Brotons M, Pavón MA. The natural history of human papillomavirus infection. *Best Pract Res Clin Obstet Gynaecol.* 2018 Feb;47:2–13. PMID:28964706
740. De Vito C, Sarker D, Ross P, et al. Histological heterogeneity in primary and metastatic classic combined hepatocellular-cholangiocarcinoma: a case series. *Virchows Arch.* 2017 Nov;471(5):619–29. PMID:28707055
741. de-Thé G, Geser A, Day NE, et al. Epidemiological evidence for causal relationship between Epstein-Barr virus and Burkitt's lymphoma from Ugandan prospective study. *Nature.* 1978 Aug 24;274(5673):756–61. PMID:210392
742. Debiec-Rychter M, Sciot R, Le Cesne A, et al. KIT mutations and dose selection for imatinib in patients with advanced gastrointestinal stromal tumours. *Eur J Cancer.* 2006 May;42(8):1093–103. PMID:16624552
743. Deepak P, Sifuentes H, Sherid M, et al. T-cell non-Hodgkin's lymphomas reported to the FDA AERS with tumor necrosis factor-alpha (TNF- α) inhibitors: results of the REFURBISH study. *Am J Gastroenterol.* 2013 Jan;108(1):99–105. PMID:23032984
744. Degasperi E, Colombo M. Distinctive features of hepatocellular carcinoma in non-alcoholic fatty liver disease. *Lancet Gastroenterol Hepatol.* 2016 Oct;1(2):156–64. PMID:28404072
745. Dei Tos AP, Seregiard S, Calonje E, et al. Giant cell angiomyofibroma. A distinctive orbital tumor in adults. *Am J Surg Pathol.* 1995 Nov;19(11):1286–93. PMID:7573691
746. Delabie J, Holte H, Vose JM, et al. Enteropathy-associated T-cell lymphoma: clinical and histological findings from the international peripheral T-cell lymphoma project. *Blood.* 2011 Jul 7;118(1):148–55. PMID:21566094
747. Delaunoit T, Neczyporenko F, Limburg PJ, et al. Pathogenesis and risk factors of small bowel adenocarcinoma: a colorectal cancer sibling? *Am J Gastroenterol.* 2005 Mar;100(3):703–10. PMID:15743371
748. Delcore R Jr, Cheung LY, Friesen SR. Outcome of lymph node involvement in patients with the Zollinger-Ellison syndrome. *Ann Surg.* 1988 Sep;208(3):291–8. PMID:3421754
749. Deleeuw RJ, Zettl A, Klinker E, et al. Whole-genome analysis and HLA genotyping of enteropathy-type T-cell lymphoma reveals 2 distinct lymphoma subtypes. *Gastroenterology.* 2007 May;132(5):1902–11. PMID:17484883
750. Delle Fave G, O'Toole D, Sundin A, et al. ENETS consensus guidelines update for gastroduodenal neuroendocrine neoplasms. *Neuroendocrinology.* 2016;103(2):119–24. PMID:26784901
751. Delnatare C, Sanlaville D, Mougenot JF, et al. Contiguous gene deletion within chromosome arm 10q is associated with juvenile polyposis of infancy, reflecting cooperation between the BMPR1A and PTEN tumor-suppressor genes. *Am J Hum Genet.* 2006 Jun;78(6):1066–74. PMID:16685657
752. DeMaoribus CA, Lally KP, Sim K, et al. Mesenchymal hamartoma of the liver. A 35-year review. *Arch Surg.* 1990 May;125(5):598–600. PMID:2331217
753. DeMatos P, Wolfe WG, Shea CR, et al. Primary malignant melanoma of the esophagus. *J Surg Oncol.* 1997 Nov;66(3):201–6. PMID:9369967
754. Demicco EG, Wagner MJ, Maki RG, et al. Risk assessment in solitary fibrous tumors: validation and refinement of a risk stratification model. *Mod Pathol.* 2017 Oct;30(10):1433–42. PMID:28731041
755. den Elzen N, Butterly CV, Maddugoda MP, et al. Cadherin adhesion receptors orient the mitotic spindle during symmetric cell division in mammalian epithelia. *Mol Biol Cell.* 2009 Aug;20(16):3740–50. PMID:19553471
756. Deng N, Goh LK, Wang H, et al. A comprehensive survey of genomic alterations in gastric cancer reveals systematic patterns of molecular exclusivity and co-occurrence among distinct therapeutic targets. *Gut.* 2012 May;61(5):673–84. PMID:22315472
757. Deng YF, Lin Q, Zhang SH, et al. Malignant angiomyolipoma in the liver: a case report with pathological and molecular analysis. *Pathol Res Pract.* 2008;204(12):911–8. PMID:18723294
758. Deniz K, Moreira RK, Yeh MM, et al. Steatohepatitis-like changes in focal nodular hyperplasia, a finding to distinguish from steatohepatitis variant of hepatocellular carcinoma. *Am J Surg Pathol.* 2017 Feb;41(2):277–81. PMID:28079599
759. DeOliveira ML, Cunningham SC, Cameron JL, et al. Cholangiocarcinoma: thirty-one-year experience with 564 patients at a single institution. *Ann Surg.* 2007 May;245(5):755–62. PMID:17457168
760. Desai DC, Lockman JC, Chadwick RB, et al. Recurrent germline mutation in MSH2 arises frequently de novo. *J Med Genet.* 2000 Sep;37(9):646–52. PMID:10978353
761. Deshpande V, Fernandez-del Castillo C, Muzikansky A, et al. Cytokeratin 19 is a powerful predictor of survival in pancreatic endocrine tumors. *Am J Surg Pathol.* 2004 Sep;28(9):1145–53. PMID:15316313
762. Deshpande V, Mino-Kenudson M, Brugge WR, et al. Endoscopic ultrasound guided fine needle aspiration biopsy of autoimmune pancreatitis: diagnostic criteria and pitfalls. *Am J Surg Pathol.* 2005 Nov;29(11):1464–71. PMID:16224213
763. Detlefsen S, Fagerberg CR, Ousager LB, et al. Histiocytic disorders of the gastrointestinal tract. *Hum Pathol.* 2013 May;44(5):683–96. PMID:23063502
764. Detlefsen S, Sipos B, Feyerabend B, et al. Pancreatic fibrosis associated with age and ductal papillary hyperplasia. *Virchows Arch.* 2005 Nov;447(5):800–5. PMID:16021508
765. Deugnier YM, Charalambous P, Le Quilieuc D, et al. Preneoplastic significance of hepatic iron-free foci in genetic hemochromatosis: a study of 185 patients. *Hepatology.* 1993 Dec;18(6):1363–9. PMID:7902316
766. Devaney K, Goodman ZD, et al. Hepatobiliary cystadenoma and adenocarcinoma. A light microscopic and immunohistochemical study of 70 patients. *Hum Pathol.* 1994 Nov;18(11):1078–81. PMID:7529300
767. Dewald GW, Smyrk TC, et al. Fluorescence in situ hybridization to delineate genetic abnormalities in the spectrum of acinar cell carcinoma, ductal carcinoma, and islet cell carcinoma. *Mayo Clin Proc.* 2009 Sep;84(9):1000–6. PMID:19720778
768. Deyrup AT, Lee JK, et al. Barr virus-associated smooth muscle tumors are distinctive mesenchymal tumors with multiple infection events: a clinicopathologic and molecular analysis of 23 patients. *Am J Surg Pathol.* 2005 Aug;29(8):1031–40. PMID:16030945
769. Deyrup AT, Metzner B, et al. Angiosarcomas arising in the liver and soft tissue of children and young adults: a pathologic study of 15 cases. *Am J Surg Pathol.* 2009 Feb;33(2):254–9. PMID:19175000
770. Dhamidharka VR, Lamb KE, et al. Associations between EBV infection and organ transplant type in a national analysis of the SRTR. *Am J Transplant.* 2012 Apr;12(4):976–83. PMID:22222000
771. Dhamidharka VR, Lamb KE, et al. Associations between EBV infection and organ transplant type in a national analysis of the SRTR. *Am J Transplant.* 2012 Apr;12(4):976–83. PMID:22222000
772. Dhamidharka VR, Wenzel OM, et al. Post-transplant lymphoproliferative disorders. *Nat Rev Dis Primers.* 2018;2:15088. PMID:27195956
773. Dhamidharka VR, et al. Complications of post-organ transplant lymphoproliferation. *Am J Transplant.* 2018 Mar;18(3):661–70. PMID:29178667
774. Dhebri AR, Connor SE, et al. Diagnosis, treatment and outcome of hepatoblastoma. *Pancreatology.* 2010;10(4):452–3. PMID:20522550
775. di Pietro M, Cammisa MC, et al. Endoscopic management of esophageal adenocarcinoma and squamous cell carcinoma of the esophagus: screening, diagnosis, and treatment. *Gastroenterology.* 2018 Jan;154(1):10–20.e1. PMID:28778650
776. Di Tommaso L, D'Onofrio G, et al. The application of marker genes (CDX2, CDX3, GS) in liver biopsies is useful to distinguish hepatocellular carcinoma from other tumors. *Am J Surg Pathol.* 2004 Apr;50(4):746–54. PMID:15202000
777. Diamond EL, Suttorp MJ, et al. Vemurafenib for BRAF-mutant patients with Erdheim-Chester disease and other rare cell histiocytosis: analysis of a phase II study of histology-independent, dose-escalating VE-BASKET study. *JAMA.* 2015 Jan;313(4):384–8. PMID:25918829
778. Dickson BC, Riddle IC, et al. Sirtuin 1 (SIRT1): a promising molecular target for soft tissue neoplasms with a focus on rhabdomyosarcoma. *Hum Pathol.* 2013 Jun;44(6):1230–40. PMID:23332867
779. Dieckhoff P, Rummel H, et al. Well-differentiated neuroendocrine carcinomas: relapse-free survival and overall survival after curative intent resection. *Br J Cancer.* 2014;90(2):35–37. PMID:24370000
780. Diehm C, Abri O, et al. Prostaglandin E2, a stable prostaglandin E2 derivative, inhibits 4 arterial occlusive diseases in a controlled multicenter study. *Angiology.* 1989 May;40(5):391–7. PMID:27470569
781. Dierickx D, Tousseyn TD, et al. I-treat posttransplant lymphoproliferative disorders. *Blood.* 2015 Nov;126(21):2633–41. PMID:26384356
782. Dillon JL, Gonzalez JL, et al. I-treat posttransplant lymphoproliferative disorders. *Blood.* 2015 Nov;126(21):2633–41. PMID:26384356

- Universal screening for Lynch syndrome in endometrial cancers: frequency of germline mutations and identification of patients with Lynch-like syndrome. *Hum Pathol.* 2017 Dec;70:121–8. PMID:29107668
783. Din S, Wong K, Mueller MF, et al. Mutational analysis identifies therapeutic biomarkers in inflammatory bowel disease-associated colorectal cancers. *Clin Cancer Res.* 2018 Oct 15;24(20):5133–42. PMID:29950348
784. Dinesh U, Pervatikar SK, Rao R. FNAC diagnosis of pancreatic somatostatinoma. *J Cytol.* 2009 Oct;26(4):153–5. PMID:21938182
785. Ding GH, Liu Y, Wu MC, et al. Diagnosis and treatment of hepatic angiomyolipoma. *Surg Oncol.* 2011 Jun;103(8):807–12. PMID:21283992
786. Ding W, Zhao S, Wang J, et al. Gastrointestinal lymphoma in southwest China: subtype distribution of 1,010 cases using the WHO 2008 classification in a single institution. *Acta Haematol.* 2016;135(1):21–8. PMID:26303279
787. Dinis-Ribeiro M, Areia M, de Vries AC, et al. Management of precancerous conditions and lesions in the stomach (MAPS): guideline from the European Society of Gastrointestinal Endoscopy (ESGE), European Helicobacter Study Group (EHSG), European Society of Pathology (ESP), and the Sociedade Portuguesa de Endoscopia Digestiva (SPED). *Endoscopy.* 2012 Jan;44(1):74–94. PMID:22198778
788. Disanto MG, Ambrosio MR, Rocca BJ, et al. Optimal minimal panels of immunohistochemistry for diagnosis of B-cell lymphoma for application in countries with limited resources and for triaging cases before referral to specialist centers. *Am J Clin Pathol.* 2016 Mar;145(5):687–95. PMID:27247372
789. Disibio G, French SW. Metastatic patterns of cancers: results from a large autopsy study. *Arch Pathol Lab Med.* 2008 Jun;132(6):931–9. PMID:18517275
790. Dittmer DP, Damania B. Kaposi sarco-associated herpesvirus: immunobiology, carcinogenesis, and therapy. *J Clin Invest.* 2016 Sep;126(9):3165–75. PMID:27584730
791. Dixon MF, Genta RM, Yardley JH, et al. Classification and grading of gastritis. The updated Sydney System. International Workshop on the Histopathology of Gastritis. Houston 1994. *Am J Surg Pathol.* 1996 Dec;20(10):1161–81. PMID:8827022
792. Dixon MF, O'Connor HJ, Axon AT, et al. Reflux gastritis: distinct histopathological entity? *J Clin Pathol.* 1986 May;39(5):524–30. PMID:3722405
793. Dixon MF. Gastrointestinal epithelial neoplasia: Vienna revisited. *Gut.* 2002 Jun;51(1):130–1. PMID:12077106
794. Dobashi A, Tsuyama N, Asaka R, et al. Frequent BCOR aberrations in extranodal NK-cell lymphoma, nasal type. *Genes Chromosomes Cancer.* 2016 May;55(5):460–71. PMID:26773734
795. Doglioni C, Wotherspoon AC, Moschini A, et al. High incidence of primary gastric lymphoma in northeastern Italy. *Lancet.* 1992 Apr 25;339(8797):834–5. PMID:1347858
796. Doi M, Imai T, Shichiri M, et al. Octreotide-sensitive ectopic ACTH production by cell carcinoma with multiple liver metastases. *Endocr J.* 2003 Apr;50(2):135–43. PMID:12803233
797. Dokmak S, Paradis V, Vilgrain V, et al. A single-center surgical experience of 122 patients with single and multiple hepatocellular adenomas. *Gastroenterology.* 2009 Nov;137(5):1698–705. PMID:19664629
798. Domingo E, Freeman-Mills L, Rayner E, et al. Somatic POLE proofreading domain mutation, immune response, and prognosis in colorectal cancer: a retrospective, pooled biomarker study. *Lancet Gastroenterol Hepatol.* 2016 Nov;1(3):207–16. PMID:28404093
799. Domizio P, Owen RA, Shepherd NA, et al. Primary lymphoma of the small intestine. A clinicopathological study of 119 cases. *Am J Surg Pathol.* 1993 May;17(5):429–42. PMID:8470758
800. Domoto H, Terahata S, Senoh A, et al. Clear cell change in colorectal adenomas: its incidence and histological characteristics. *Histopathology.* 1999 Mar;34(3):250–6. PMID:10217566
801. Dong S, Chen L, Chen Y, et al. Primary hepatic extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue type: a case report and literature review. *Medicine (Baltimore).* 2017 Mar;96(13):e6305. PMID:28353562
802. Dong XD, DeMatos P, Prieto VG, et al. Melanoma of the gallbladder: a review of cases seen at Duke University Medical Center. *Cancer.* 1999 Jan 1;85(1):32–9. PMID:9921971
- 802A. Donow C, Baisch H, Heitz PU, et al. Nuclear DNA content in 27 pancreatic endocrine tumours: correlation with malignancy, survival and expression of glycoprotein hormone alpha chain. *Virchows Arch A Pathol Anat Histopathol.* 1991;419(6):463–8. PMID:1750193
803. Donow C, Pipeleers-Marichal M, Schröder S, et al. Surgical pathology of gastrinoma. Site, size, multicentricity, association with multiple endocrine neoplasia type 1, and malignancy. *Cancer.* 1991 Sep 15;68(6):1329–34. PMID:1678681
804. Doubrovina E, Oflaz-Sozmen B, Prokopp SE, et al. Adoptive immunotherapy with unselected or EBV-specific T cells for biopsy-proven EBV+ lymphomas after allogeneic hematopoietic cell transplantation. *Blood.* 2012 Mar 15;119(11):2644–56. PMID:22138512
805. Dowen SE, Crnogorac-Jurcevic T, Ganjeswaran R, et al. Expression of S100P and its novel binding partner S100PBPR in early pancreatic cancer. *Am J Pathol.* 2005 Jan;166(1):81–92. PMID:15632002
806. Doyle LA, Fletcher CD, Hornick JL. Nuclear expression of CAMTA1 distinguishes epithelioid hemangioendothelioma from histologic mimics. *Am J Surg Pathol.* 2016 Jan;40(1):94–102. PMID:26414223
807. Doyle LA, Hornick JL, Fletcher CD. PEComa of the gastrointestinal tract: clinicopathologic study of 35 cases with evaluation of prognostic parameters. *Am J Surg Pathol.* 2013 Dec;37(12):1769–82. PMID:24061520
808. Doyle LA, Hornick JL. Mesenchymal tumors of the gastrointestinal tract other than GIST. *Surg Pathol Clin.* 2013 Sep;6(3):425–73. PMID:26839096
- 808A. Doyle LA, Nelson D, Heinrich MC, et al. Loss of succinate dehydrogenase subunit B (SDHB) expression is limited to a distinctive subset of gastric wild-type gastrointestinal stromal tumours: a comprehensive genotype-phenotype correlation study. *Histopathology.* 2012 Nov;61(5):801–9. PMID:22804613
809. Doyle LA, Sepehr GJ, Hamilton MJ, et al. A clinicopathologic study of 24 cases of systemic mastocytosis involving the gastrointestinal tract and assessment of mucosal mast cell density in irritable bowel syndrome and asymptomatic patients. *Am J Surg Pathol.* 2014 Jun;38(6):832–43. PMID:24618605
810. Doyle LA, Vivero M, Fletcher CD, et al. Nuclear expression of STAT6 distinguishes solitary fibrous tumor from histologic mimics. *Mod Pathol.* 2014 Mar;27(3):390–5. PMID:24030747
811. Dreijerink KM, Derkx JL, Cataldo I, et al. Genetics and epigenetics of pancreatic neuroendocrine tumors and pulmonary carcinoids. *Front Horm Res.* 2015;44:115–38. PMID:26303708
812. Driessens A, Nafteux P, Lerut T, et al. Identical cytokeratin expression pattern CK7+/CK20– in esophageal and cardiac cancer: etiopathological and clinical implications. *Mod Pathol.* 2004 Jan;17(1):49–55. PMID:14631371
813. Drut R, Jones MC. Congenital pancreateoblastoma in Beckwith-Wiedemann syndrome: an emerging association. *Pediatr Pathol.* 1988;8(3):331–9. PMID:2845376
814. Du MQ. MALT lymphoma: recent advances in aetiology and molecular genetics. *J Clin Exp Hematop.* 2007 Nov;47(2):31–42. PMID:18040143
815. Dubourdeau M, Miyamura T, Matsuura Y, et al. Infection of HepG2 cells with recombinant adenovirus encoding the HCV core protein induces p21(WAF1) down-regulation – effect of transforming growth factor beta. *J Hepatol.* 2002 Oct;37(4):486–92. PMID:12217602
816. Dubé C, Yakubu M, McCurdy BR, et al. Risk of advanced adenoma, colorectal cancer, and colorectal cancer mortality in people with low-risk adenomas at baseline colonoscopy: a systematic review and meta-analysis. *Am J Gastroenterol.* 2017 Dec;112(12):1790–801. PMID:2907393
817. Duchini A, Sessoms SL. Gastrointestinal hemorrhage in patients with systemic sclerosis and CREST syndrome. *Am J Gastroenterol.* 1998 Sep;93(9):1453–6. PMID:9732924
818. Dudley JC, Lin MT, Le DT, et al. Microsatellite instability as a biomarker for PD-1 blockade. *Clin Cancer Res.* 2016 Feb 15;22(4):813–20. PMID:26880610
819. Dudley JC, Zheng Z, McDonald T, et al. Next-generation sequencing and fluorescence in situ hybridization have comparable performance characteristics in the analysis of pancreaticobiliary brushings for malignancy. *J Mol Diagn.* 2016 Jan;18(1):124–30. PMID:26596524
820. Dulai PS, Sandborn WJ, Gupta S. Colorectal cancer and dysplasia in inflammatory bowel disease: a review of disease epidemiology, pathophysiology, and management. *Cancer Prev Res (Phila).* 2016 Dec;9(12):887–94. PMID:27679553
821. Dulai PS, Singh S, Marquez E, et al. Chemoprevention of colorectal cancer in individuals with previous colorectal neoplasia: systematic review and network meta-analysis. *BMJ.* 2016 Dec 5;355:i6188. PMID:27919915
822. Dulak AM, Stojanov P, Peng S, et al. Exome and whole-genome sequencing of esophageal adenocarcinoma identifies recurrent driver events and mutational complexity. *Nat Genet.* 2013 May;45(5):478–86. PMID:23525077
823. Dumitrascu T, Dima S, Herlea V, et al. Neuroendocrine tumours of the ampulla of Vater: clinicopathological features, surgical approach and assessment of prognosis. *Langenbecks Arch Surg.* 2012 Aug;397(6):933–43. PMID:22476195
824. Dunne PD, Alderdice M, O'Reilly PG, et al. Cancer-cell intrinsic gene expression signatures overcome intratumoural heterogeneity bias in colorectal cancer patient classification. *Nat Commun.* 2017 May 31;8:15657. PMID:28561046
825. Dunne PD, McArt DG, Bradley CA, et al. Challenging the cancer molecular stratification dogma: intratumoural heterogeneity undermines consensus molecular subtypes and potential diagnostic value in colorectal cancer. *Clin Cancer Res.* 2016 Aug 15;22(16):4095–104. PMID:27151745
826. Dupin N, Fisher C, Kellam P, et al. Distribution of human herpesvirus-8 latently infected cells in Kaposi's sarcoma, multicentric Castleman's disease, and primary effusion lymphoma. *Proc Natl Acad Sci U S A.* 1999 Apr 13;96(8):4546–51. PMID:10200299
827. Duprez R, Lacoste V, Brière J, et al. Evidence for a monoclonal origin of multicentric advanced lesions of Kaposi sarcoma. *J Natl Cancer Inst.* 2007 Jul 18;99(14):1086–94. PMID:17623796
828. Durot C, Dohan A, Boudif M, et al. Cancer of the anal canal: diagnosis, staging and follow-up with MRI. *Korean J Radiol.* 2017 Nov-Dec;18(6):946–56. PMID:29089827
829. Dursun N, Escalona OT, Roa JC, et al. Mucinous carcinomas of the gallbladder: clinicopathologic analysis of 15 cases identified in 606 carcinomas. *Arch Pathol Lab Med.* 2012 Nov;136(11):1347–58. PMID:23106580
830. Dursun N, Feng J, Basturk O, et al. Vacuolated cell pattern of pancreaticobiliary adenocarcinoma: a clinicopathological analysis of 24 cases of a poorly recognized distinctive morphologic variant important in the differential diagnosis. *Virchows Arch.* 2010 Dec;457(6):643–9. PMID:20931225
831. Dymerska D, Gołębiewska K, Kuświk M, et al. New EPCAM founder deletion in Polish population. *Clin Genet.* 2017 Dec;92(6):649–53. PMID:28369810
832. Dziadzio M, Chee R, McNamara C, et al. EBV-driven diffuse large B-cell lymphoma confined to the liver in a patient with a history of idiopathic CD4 lymphocytopenia. *BMJ Case Rep.* 2013 Aug 21;2013. PMID:23966455
833. Därr R, Nambuba J, Del Rivero J, et al. Novel insights into the polycythemia-paraganglioma-somatostatinoma syndrome. *Endocr Relat Cancer.* 2016 Dec;23(12):899–908. PMID:27679736
834. Défachelles AS, Martin De Lassalle E, Boutard P, et al. Pancreatoblastoma in childhood: clinical course and therapeutic management of seven patients. *Med Pediatr Oncol.* 2001 Jul;37(1):47–52. PMID:11466723
835. D'Souza G, Wentz A, Wiley D, et al. Anal cancer screening in men who have sex with men in the multicenter AIDS cohort study. *J Acquir Immune Defic Syndr.* 2016 Apr 15;71(5):570–6. PMID:26656784
836. Eaden JA, Abrams KR, Mayberry JF. The risk of colorectal cancer in ulcerative colitis: a meta-analysis. *Gut.* 2001 Apr;48(4):526–35. PMID:11247898
837. East JE, Atkin WS, Bateman AC, et al. British Society of Gastroenterology position statement on serrated polyps in the colon and rectum. *Gut.* 2017 Jul;66(7):1181–96. PMID:28450390
838. Ebata T, Kosuge T, Hirano S, et al. Proposal to modify the International Union Against Cancer staging system for perihilar cholangiocarcinomas. *Br J Surg.* 2014 Jan;101(2):79–88. PMID:24375300
839. Edelstein DL, Axilbund JE, Hyland LM, et al. Serrated polyposis: rapid and relentless development of colorectal neoplasia. *Gut.* 2013 Mar;62(3):404–8. PMID:22490521
840. Edfeldt K, Ahmad T, Åkerström G, et al. TCEB3C a putative tumor suppressor gene of small intestinal neuroendocrine tumors. *Endocr Relat Cancer.* 2014 Feb;21(2):275–84. PMID:24351681
841. Egan L, D'Inca R, Jess T, et al. Non-colorectal intestinal tract carcinomas in inflammatory bowel disease: results of the 3rd ECCO Pathogenesis Scientific Workshop (II). *J Crohns Colitis.* 2014 Jan;8(1):19–30. PMID:23664498
842. Egan LJ, Walsh SV, Stevens FM, et al. Celiac-associated lymphoma. A single institution experience of 30 cases in the combination chemotherapy era. *J Clin Gastroenterol.* 1995 Sep;21(2):123–9. PMID:8583077
843. Egawa N, Egawa K, Griffin H, et al. Human

- papillomaviruses; epithelial tropisms, and the development of neoplasia. *Viruses*. 2015 Jul 16;7(7):3863–90. PMID:26193301
- 844.** Egawa N, Fukayama M, Kawaguchi K, et al. Relapsing oral and colonic ulcers with monoclonal T-cell infiltration. A low grade mucosal T-lymphoproliferative disease of the digestive tract. *Cancer*. 1995 Apr 1;75(7):1728–33. PMID:8826934
- 845.** Egele RM, Schipper ME, Heymans HS. Gastrointestinal involvement in Langerhans' cell histiocytosis (histiocytosis X): a clinical report of three cases. *Eur J Pediatr*. 1990 Feb;149(5):325–9. PMID:2178934
- 846.** Egoavil C, Juárez M, Guarinos C, et al. Increased risk of colorectal cancer in patients with multiple serrated polyps and their first-degree relatives. *Gastroenterology*. 2017 Jul;153(1):106–12.e2. PMID:28400194
- 847.** Ehman EC, Torbenson MS, Wells ML, et al. Hepatic tumors of vascular origin: imaging appearances. *Abdom Radiol (NY)*. 2018 Aug;43(8):1978–90. PMID:29159525
- 849.** Ekbom A, Helmick C, Zack M, et al. Ulcerative colitis and colorectal cancer. A population-based study. *N Engl J Med*. 1990 Nov 1;323(18):1228–33. PMID:2215606
- 850.** El Rassi ZS, Mohsine RM, Berger F, et al. Endocrine tumors of the extrahepatic bile ducts. Pathological and clinical aspects, surgical management and outcome. *Hepatogastroenterology*. 2004 Sep-Oct;51(59):1295–300. PMID:15362737
- 851.** El-Fattah MA. Non-Hodgkin lymphoma of the liver: a US population-based analysis. *J Clin Transl Hepatol*. 2017 Jun 28;5(2):83–91. PMID:28660145
- 852.** El-Naggar AK, Chan JKC, Grandis JR, et al., editors. WHO classification of head and neck tumours. Lyon (France): International Agency for Research on Cancer; 2017. (WHO classification of tumours series, 4th ed.; vol. 9). <http://publications.iarc.fr/548>.
- 853.** El-Serag HB, Rudolph KL. Hepatocellular carcinoma: epidemiology and molecular carcinogenesis. *Gastroenterology*. 2007 Jun;132(7):2557–76. PMID:17570226
- 854.** El-Zimaity HM, Graham DY. Evaluation of gastric mucosal biopsy site and number for identification of Helicobacter pylori or intestinal metaplasia: role of the Sydney System. *Hum Pathol*. 1999 Jan;30(1):72–7. PMID:9923930
- 855.** Eldor R, Glaser B, Fraenkel M, et al. Glucagonoma and the glucagonoma syndrome - cumulative experience with an elusive endocrine tumour. *Clin Endocrinol (Oxf)*. 2011 May;74(5):593–8. PMID:21470282
- 856.** Elsayed FA, Kets CM, Ruano D, et al. Germline variants in POLE are associated with early onset mismatch repair deficient colorectal cancer. *Eur J Hum Genet*. 2015 Aug;23(8):1080–4. PMID:25370038
- 857.** Elstrom RL, Andreadis C, Aqui NA, et al. Treatment of PTLD with rituximab or chemotherapy. *Am J Transplant*. 2006 Mar;6(3):569–76. PMID:16468968
- 858.** Emile JF, Abla O, Fraitag S, et al. Revised classification of histiocytoses and neoplasms of the macrophage-dendritic cell lineages. *Blood*. 2016 Jun 2;127(22):2672–81. PMID:26966089
- 859.** Emile JF, Brahimji S, Coindre JM, et al. Frequencies of KIT and PDGFRα mutations in the MolecGIST prospective population-based study differ from those of advanced GISTS. *Med Oncol*. 2012 Sep;29(3):1765–72. PMID:21953054
- 860.** Endo Y, Marusawa H, Kou T, et al. Activation-induced cytidine deaminase links between inflammation and the development of colitis-associated colorectal cancers. *Gastroenterology*. 2008 Sep;135(3):889–98, 898.e1–3. PMID:18691581
- 861.** Endoscopic Classification Review Group. Update on the Paris classification of superficial neoplastic lesions in the digestive tract. *Endoscopy*. 2005 Jun;37(6):570–8. PMID:15933932
- 862.** Eng C. PTEN hamartoma tumor syndrome. In: Adam MP, Ardinger HH, Pagon RA, et al., editors. *GeneReviews*. Seattle (WA): University of Washington, Seattle; 2001 Nov 29 [updated 2016 Jun 2]. PMID:20301661
- 863.** Engelsjörd M, Farraye FA, Odze RD. Polypectomy may be adequate treatment for adenoma-like dysplastic lesions in chronic ulcerative colitis. *Gastroenterology*. 1999 Dec;117(6):1288–94, discussion 1488–91. PMID:10579969
- 864.** Enolsi B, Sgadari C, Barillari G, et al. Biology of Kaposi's sarcoma. *Eur J Cancer*. 2001 Jul;37(10):1251–69. PMID:11423257
- 865.** Enzinger PC, Mayer RJ. Esophageal cancer. *N Engl J Med*. 2003 Dec 4;349(23):2241–52. PMID:14657432
- 866.** Eom DW, Kang GH, Han SH, et al. Gastric micropapillary carcinoma: a distinct subtype with a significantly worse prognosis in TNM stages I and II. *Am J Surg Pathol*. 2011 Jan;35(1):84–91. PMID:21164291
- 867.** Epstein JI, Sears DL, Tucker RS, et al. Carcinoma of the esophagus with adenoid cystic differentiation. *Cancer*. 1984 Mar 1;53(5):1131–6. PMID:6318960
- 868.** Erichsen R, Baron JA, Hamilton-Dutoit SJ, et al. Increased risk of colorectal cancer development among patients with serrated polyps. *Gastroenterology*. 2016 Apr;150(4):895–902.e5. PMID:26677986
- 869.** Erickson LA, Papouchado B, Dimashkieh H, et al. Cdx2 as a marker for neuroendocrine tumors of unknown primary sites. *Endocr Pathol*. 2004 Fall;15(3):247–52. PMID:15640551
- 870.** Eriguchi N, Aoyagi S, Nakayama T, et al. Serous cystadenocarcinoma of the pancreas with liver metastases. *J Hepatobiliary Pancreat Surg*. 1998;5(4):467–70. PMID:9931400
- 871.** Eriksson B, Orlefors H, Oberg K, et al. Developments in PET for the detection of endocrine tumours. *Best Pract Res Clin Endocrinol Metab*. 2005 Jun;19(2):311–24. PMID:15763703
- 872.** Erlenbach-Wünsch K, Bihl M, Hartmann A, et al. Serrated epithelial colorectal polyps (hyperplastic polyps, sessile serrated adenomas) with perineural stroma: Clinicopathological and molecular analysis of a new series. *Ann Diagn Pathol*. 2018 Aug;35:48–52. PMID:29747061
- 873.** Errani C, Sung YS, Zhang L, et al. Monoclonality of multifocal epithelioid hemangioendothelioma of the liver by analysis of WWTR1-CAMTA1 breakpoints. *Cancer Genet*. 2012 Jan-Feb;205(1-2):12–7. PMID:22429593
- 874.** Errani C, Zhang L, Sung YS, et al. A novel WWTR1-CAMTA1 gene fusion is a consistent abnormality in epithelioid hemangioendothelioma of different anatomic sites. *Genes Chromosomes Cancer*. 2011 Aug;50(8):644–53. PMID:21584898
- 875.** Eskelund CW, Dahl C, Hansen JW, et al. TP53 mutations identify younger mantle cell lymphoma patients who do not benefit from intensive chemoimmunotherapy. *Blood*. 2017 Oct 26;130(17):1903–10. PMID:28819011
- 876.** Espinet B, Ferrer A, Bellósillo B, et al. Distinction between asymptomatic monoclonal B-cell lymphocytosis with cyclin D1 overexpression and mantle cell lymphoma: from molecular profiling to flow cytometry. *Clin Cancer Res*. 2014 Feb 15;20(4):1007–19. PMID:24352646
- 877.** Espinosa I, Lee CH, Kim MK, et al. A novel monoclonal antibody against DOG1 is a sensitive and specific marker for gastrointestinal stromal tumors. *Am J Surg Pathol*. 2008 Feb;32(2):210–8. PMID:18223323
- 878.** Espinoza JA, Bizama C, García P, et al. The inflammatory inception of gallbladder cancer. *Biochim Biophys Acta*. 2016 Apr;1865(2):245–54. PMID:26980625
- 879.** Esposito I, Bauer A, Hoheisel JD, et al. Microcystic tubulopapillary carcinoma of the pancreas: a new tumor entity? *Virchows Arch*. 2004 May;444(5):447–53. PMID:15014986
- 880.** Esposito I, Kleeff J, Bergmann F, et al. Most pancreatic cancer resections are R1 resections. *Ann Surg Oncol*. 2008 Jun;15(6):1651–60. PMID:18351300
- 881.** Esposito I, Segler A, Steiger K, et al. Pathology, genetics and precursors of human and experimental pancreatic neoplasms: an update. *Pancreatology*. 2015 Nov-Dec;15(6):598–610. PMID:26365060
- 881A.** Estrella JS, Broaddus RR, Mathews A, et al. Progesterone receptor and PTEN expression predict survival in patients with low- and intermediate-grade pancreatic neuroendocrine tumors. *Arch Pathol Lab Med*. 2014 Aug;138(8):1027–36. PMID:25076292
- 882.** Estrozi B, Bacchi CE. Neuroendocrine tumors involving the gastroenteropancreatic tract: a clinicopathological evaluation of 773 cases. *Clinics (Sao Paulo)*. 2011;66(10):1671–5. PMID:22012036
- 883.** Etersperger J, Montcuquet N, Malamut G, et al. Interleukin-15-dependent T-cell-like innate intraepithelial lymphocytes develop in the intestine and transform into lymphomas in celiac disease. *Immunity*. 2016 Sep 20;45(3):610–25. PMID:27612641
- 884.** European Association for the Study of the Liver (EASL). EASL Clinical Practice Guidelines on the management of benign liver tumours. *J Hepatol*. 2016 Aug;65(2):386–98. PMID:27085809
- 885.** European Association for the Study of the Liver. EASL Clinical Practice Guidelines: Management of hepatocellular carcinoma. *J Hepatol*. 2018 Jul;69(1):182–236. PMID:29628281
- 886.** European Study Group on Cystic Tumours of the Pancreas. European evidence-based guidelines on pancreatic cystic neoplasms. *Gut*. 2018 May;67(5):789–804. PMID:29574408
- 887.** Evans M, Liu Y, Chen C, et al. Adenosquamous carcinoma of the esophagus: an NCDB-based investigation on comparative features and overall survival in a rare tumor. *Oncology*. 2017;93(5):336–42. PMID:28848104
- 888.** Evasion KJ, Grenert JP, Ferrell LD, et al. Atypical hepatocellular adenoma-like neoplasms with β-catenin activation show cytogenetic alterations similar to well-differentiated hepatocellular carcinomas. *Hum Pathol*. 2013 May;44(5):750–8. PMID:23084586
- 889.** Fagih M, Serra S, Chetty R. Paucicellular infiltrating ductal carcinoma of pancreas: an unusual variant. *Ann Diagn Pathol*. 2007 Feb;11(1):46–8. PMID:17240307
- 890.** Fahrenkrug J. Transmitter role of vasoactive intestinal peptide. *Pharmacol Toxicol*. 1993 Jun;72(6):354–63. PMID:8103215
- 891.** Fairve J, Trama A, De Angelis R, et al. Incidence, prevalence and survival of patients with rare epithelial digestive cancers diagnosed in Europe in 1995–2002. *Eur J Cancer*. 2012 Jul;48(10):1417–24. PMID:22169462
- 892.** Fakhruddin N, Bahmad HF, Aridi T, et al. Hepatoid adenocarcinoma of the stomach: a challenging diagnostic and therapeutic disease through a case report and review of the literature. *Front Med (Lausanne)*. 2017 Sep 28;4:164. PMID:29034239
- 893.** Falchook GS, Vega F, Dang NH, et al. Hepatosplenic gamma-delta T-cell lymphoma: clinicopathological features and treatment. *Ann Oncol*. 2009 Jun;20(6):1080–5. PMID:19237479
- 894.** Falconi M, Bartsch DK, Eriksson B, ENETS Consensus Guidelines for the management of patients with digestive neuroendocrine neoplasms of the digestive system: well-differentiated pancreatic non-functioning tumors. *Neuroendocrinology*. 2012 Dec;95(3-4):202–13. PMID:22261872
- 895.** Falconi M, Eriksson B, Kaltseis E, ENETS consensus guidelines update for the management of patients with functional digestive neuroendocrine tumors and non-functional pancreatic neuroendocrine tumors. *Neuroendocrinology*. 2016 Nov;103(3-4):201–10. PMID:26742109
- 896.** Falini B, Agostinelli C, Bigerna B, et al. IRTA1 is selectively expressed in extranodal marginal zone lymphoma. *Histopathology*. 2012 Nov;61(6):933–40. PMID:22716304
- 897.** Fan B, Malato Y, Calvisi DF, et al. Gliomas can originate from normal tissue in mice. *J Clin Invest*. 2012 Aug;122(8):3060–7. PMID:22797301
- 898.** Fang J, Jia J, Makowski M, et al. Functional characterization of a multi-locus on chr5p15.33 revises the TERT by ZNF148. *Nat Commun*. 2012;3:15034. PMID:24847668
- 899.** Fang Y, Su Z, Xie J, et al. Features of pancreatic adenocarcinoma (PASC). *J Pathol*. 2017 Oct;242(4):529–37. PMID:28722109
- 900.** Farinha P, Gascoyne RD, et al. Pathogenesis of mucosa-associated lymphoma. *J Clin Oncol*. 2010;28(26):6370–8. PMID:20936500
- 901.** Farraye FA, Odze RD, AGA technical review on the diagnosis and management of colorectal neoplasia in inflammatory bowel disease. *Gastroenterology*. 2016 Feb;138(2):746–74, 774.e1–4. PMID:2641809
- 902.** Farrell JM, Pang JC, Kim EE, et al. Hepatocellular carcinoma according to Ki-67 index on fine-needle specimens using the WHO 2010 criteria. *Cancer Cytopathol*. 2014 Dec;121(6):478–85. PMID:25044931
- 903.** Farrington SM, Terese A, et al. Germline susceptibility to cancer due to base-excision repair genes. *Am J Hum Genet*. 2005 Jun;76(6):853–62. PMID:15931596
- 904.** Farris AB, Misraji J, Shrivastava A, et al. Sessile serrated adenoma: discrimination from other serrated polyps. *Am J Surg Pathol*. 2008 Jun;32(6):761–7. PMID:18162767
- 905.** Farris MS, Mosi N, et al. The association between physical activity and pancreatic cancer in adults: a systematic review and meta-analysis. *Cancer Epidemiol Biomarkers Prev*. 2010 Oct;24(10):1462–73. PMID:20747408
- 906.** Fassan M, Pizzi M, Farnai F, et al. Indefinite for intraepithelial neoplasia: a proposal for a new staging for gastric atrophy. *Am J Clin Pathol*. 2012 May;137(5):727–32. PMID:22620700
- 907.** Fassan M, Saraggi D, et al. Early miR-223 upregulation in gastric carcinogenesis. *Am J Clin Pathol*. 2010 Mar 1;147(3):301–8. PMID:20355557
- 908.** Fassan M, Simbolo W, Bini E, et al. High-throughput mutation profiling identifies novel molecular dysregulation in human intraepithelial neoplasia and early cancers. *Gastric Cancer*. 2014 Dec;17(4):471–80. PMID:24272205
- 909.** Fayette J, Martin E, Perner A, et al. Angiosarcomas, a heterogeneous group of sarcomas with specific features on primary site: a retrospective study. *Cancer*. 2014 Dec;119(24):4740–50. PMID:24272205

- cases. *Ann Oncol*. 2007 Dec;18(12):2030–6. PMID:17974557
910. Feakins RM. Obesity and metabolic syndrome: pathological effects on the gastrointestinal tract. *Histopathology*. 2016 Apr;68(5):630–40. PMID:26599607
911. Fearon ER, Vogelstein B. A genetic model for colorectal tumorigenesis. *Cell*. 1990 Jun 1;51(5):759–67. PMID:2188735
912. Federspiel BH, Burke AP, Sobin LH, et al. Rectal and colonic carcinoids. A clinicopathologic study of 84 cases. *Cancer*. 1990 Jan 1;65(1):135–40. PMID:2293859
913. Feldman AL, Arber DA, Pittaluga S, et al. Clonally related follicular lymphomas and histiocytic/dendritic cell sarcomas: evidence for transdifferentiation of the follicular lymphoma clone. *Blood*. 2008 Jun 15;111(12):5433–9. PMID:18272816
914. Feldmann G, Beaty R, Hruban RH, et al. Molecular genetics of pancreatic intraepithelial neoplasia. *J Hepatobiliary Pancreat Surg*. 2007;14(3):224–32. PMID:17520196
915. Fels Elliott DR, Perner J, Li X, et al. Impact of mutations in Toll-like receptor pathway genes on esophageal carcinogenesis. *PLoS Genet*. 2011 May 22;13(5):e1006808. PMID:28531216
916. Feng F, Zheng G, Qi J, et al. Clinicopathological features and prognosis of gastric adenosquamous carcinoma. *Sci Rep*. 2017 Jul 47(1):4597. PMID:28676632
917. Fenger C, Filipe MI. Mucin histochemistry of the anal canal epithelium. Studies of normal anal mucosa and mucosa adjacent to carcinoma. *Histochem J*. 1981 Nov;13(6):921–30. PMID:7338481
918. Fenger C, Frisch M, Jass JJ, et al. Anal cancer subtype reproducibility study. *Virchows Arch*. 2000 Mar;436(3):229–33. PMID:10782881
919. Fenoglio LM, Severini S, Ferrigno D, et al. Primary hepatic carcinoid: a case report and literature review. *World J Gastroenterol*. 2009 May 21;15(19):2418–22. PMID:19452590
920. Ferlay J, Colombet M, Bray F. Cancer incidence in Five Continents, CI5plus: IARC CancerBase No. 9 [Internet]. Lyon (France): International Agency for Research on Cancer; 2018. Available from: <http://ci5.iarc.fr>.
921. Ferlay J, Ervik M, Lam F, et al. Global Cancer Observatory: Cancer Today [Internet]. Lyon (France): International Agency for Research on Cancer; 2018. Available from: <https://gco.iarc.fr/today>.
922. Ferlay J, Partensky C, Bray F. More deaths from pancreatic cancer than breast cancer in the EU by 2017. *Acta Oncol*. 2016 Sep;55(9-10):1158–60. PMID:27551890
923. Ferlay J, Soerjomataram I, Dikshit R, et al. Cancer incidence and mortality worldwide: sources, methods and major patterns in GLOBOCAN 2012. *Int J Cancer*. 2015 Mar 1136(5):E359–86. PMID:25220842
924. Fernandes T, Silva R, Devesa V, et al. AIRP test cases in radiologic-pathologic correlation: gastroblastoma: a rare biphasic gastric tumor. *Radiographics*. 2014 Nov-Dec;34(7):1929–33. PMID:25384293
925. Fernández-del Castillo C, Adsay NV. Intraductal papillary mucinous neoplasms of the pancreas. *Gastroenterology*. 2010 Sep;139(3):708–13, 713.e1–2. PMID:20650278
926. Fernández-Sordo JO, Konda VJ, Chen YJ, et al. Is endoscopic ultrasound (EUS) necessary in the pre-therapeutic assessment of Barrett's esophagus with early neoplasia? *J Gastrointest Oncol*. 2012 Dec;3(4):314–21. PMID:23205307
927. Ferrari AP, Martins FP. Endoscopic surveillance of extensive esophageal papillomatosis not amenable to endoscopic therapy. *Einstein (Sao Paulo)*. 2017 Jul-Sep;15(3):363–5. PMID:28746592
928. Ferreiro JF, Morscjo J, Dierickx D, et al. EBV-positive and EBV-negative posttransplant diffuse large B cell lymphomas have distinct genomic and transcriptomic features. *Am J Transplant*. 2016 Feb;16(2):414–25. PMID:26780579
929. Ferreiro JF, Morscjo J, Dierickx D, et al. Post-transplant molecularly defined Burkitt lymphomas are frequently MYC-negative and characterized by the 11q-gain/loss pattern. *Haematologica*. 2015 Jul;100(7):e275–9. PMID:25795716
930. Ferrell LD, Beckstead JH. Paneth-like cells in an adenoma and adenocarcinoma in the ampulla of Vater. *Arch Pathol Lab Med*. 1991 Sep;115(9):956–8. PMID:1929795
931. Ferreri AJ, Govi S, Ponzoni M. Marginal zone lymphomas and infectious agents. *Semin Cancer Biol*. 2013 Dec;23(6):431–40. PMID:24090976
932. Ferrone CR, Finkelstein DM, Thayer SP, et al. Perioperative CA19-9 levels can predict stage and survival in patients with resectable pancreatic adenocarcinoma. *J Clin Oncol*. 2006 Jun 20;24(18):2897–902. PMID:16782929
933. Ferrone CR, Tang LH, D'Angelica M, et al. Extrahepatic bile duct carcinoid tumors: malignant biliary obstruction with a good prognosis. *J Am Coll Surg*. 2007 Aug;205(2):357–61. PMID:17660084
934. Ferrone CR, Tang LH, Tomlinson J, et al. Determining prognosis in patients with pancreatic endocrine neoplasms: can the WHO classification system be simplified? *J Clin Oncol*. 2007 Dec 10;25(35):5609–15. PMID:18065733
935. Fertig RM, Alperstein A, Diaz C, et al. Metastatic neuroendocrine tumor of the esophagus with features of medullary thyroid carcinoma. *Intractable Rare Dis Res*. 2017 Aug;6(3):224–9. PMID:28944148
936. Fewings E, Larionov A, Redman J, et al. Germline pathogenic variants in PALB2 and other cancer-predisposing genes in families with hereditary diffuse gastric cancer without CDH1 mutation: a whole-exome sequencing study. *Lancet Gastroenterol Hepatol*. 2018 Jul;3(7):489–98. PMID:29706558
938. Filipe MI, Muñoz N, Matko I, et al. Intestinal metaplasia types and the risk of gastric cancer: a cohort study in Slovenia. *Int J Cancer*. 1994 May 1;57(3):324–9. PMID:8168991
939. Finalet Ferreiro J, Rouigharabaei L, Urbankova H, et al. Integrative genomic and transcriptomic analysis identified candidate genes implicated in the pathogenesis of hepatosplenic T-cell lymphoma. *PLoS One*. 2014 Jul 24(7):e102977. PMID:25057852
940. Fiocca R, Rindi G, Capella C, et al. Glucagon, glicentin, proglucagon, PYY, PP and proPP-icosapeptide immunoreactivities of rectal carcinoid tumors and related non-tumor cells. *Regul Pept*. 1987 Jan;17(1):9–29. PMID:2882565
941. Fitzgerald RC, di Pietro M, Ragunath K, et al. British Society of Gastroenterology guidelines on the diagnosis and management of Barrett's oesophagus. *Gut*. 2014 Jan;63(1):7–42. PMID:24165758
942. Fitzgerald RC, Hardwick R, Huntsman D, et al. Hereditary diffuse gastric cancer: updated consensus guidelines for clinical management and directions for future research. *J Med Genet*. 2010 Jul;47(7):436–44. PMID:20591882
943. Fitzgerald TL, Hickner ZJ, Schmitz M, et al. Changing incidence of pancreatic neoplasms: a 16-year review of statewide tumor registry. *Pancreas*. 2008 Aug;37(2):134–8. PMID:18665072
944. Fitzmaurice GJ, Hurreiz H, McGallic CE, et al. Ectopic breast tissue at the anal verge—an unusual finding. *Int J Colorectal Dis*. 2010 Aug;25(8):1031–2. PMID:20198478
945. Fizazi K, Greco FA, Pavlidis N, et al. Cancers of unknown primary site: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Ann Oncol*. 2015 Sep;26 Suppl 5:v133–8. PMID:26314775
946. Flaherty KT, Puzanov I, Kim KB, et al. Inhibition of mutated, activated BRAF in metastatic melanoma. *N Engl J Med*. 2010 Aug 26;363(9):809–19. PMID:20818844
947. Fleming JB, Gonzalez RJ, Petzel MQ, et al. Influence of obesity on cancer-related outcomes after pancreatectomy to treat pancreatic adenocarcinoma. *Arch Surg*. 2009 Mar;144(3):216–21. PMID:19289659
948. Fletcher CD, Beham A, Bekir S, et al. Epithelioid angiomyxoma of deep soft tissue: a distinctive tumor readily mistaken for an epithelial neoplasm. *Am J Surg Pathol*. 1991 Oct;15(10):915–24. PMID:1718176
949. Fletcher CDM, Bridge JA, Hogendoorn PCW, et al, editors. WHO classification of tumours of soft tissue and bone. Lyon (France): International Agency for Research on Cancer; 2013. (WHO classification of tumours series, 4th ed.; vol. 5). <http://publications.iarc.fr/15>
950. Folpe AL, Chand EM, Goldblum JR, et al. Expression of Fli-1, a nuclear transcription factor, distinguishes vascular neoplasms from potential mimics. *Am J Surg Pathol*. 2001 Aug;25(8):1061–6. PMID:11474291
951. Folpe AL, Devaney K, Weiss SW. Lipomatous hemangiopericytoma: a rare variant of hemangiopericytoma that may be confused with liposarcoma. *Am J Surg Pathol*. 1999 Oct;23(10):1201–7. PMID:10524520
952. Folpe AL, Fanburg-Smith JC, Miettinen M, et al. Atypical and malignant glomus tumors: analysis of 52 cases, with a proposal for the reclassification of glomus tumors. *Am J Surg Pathol*. 2001 Jan;25(1):1–12. PMID:11145243
953. Folpe AL, Mentzel T, Lehr HA, et al. Perivascular epithelioid cell neoplasms of soft tissue and gynecologic origin: a clinicopathologic study of 26 cases and review of the literature. *Am J Surg Pathol*. 2005 Dec;29(12):1558–75. PMID:16327280
954. Fong Y, Wagman L, Gonem M, et al. Evidence-based gallbladder cancer staging: changing cancer staging by analysis of data from the National Cancer Database. *Ann Surg*. 2006 Jun;243(6):767–71, discussion 771–4. PMID:16772780
955. Fossmark R, Calvete O, Mjønes P, et al. ECL-cell carcinoids and carcinoma in patients homozygous for an inactivating mutation in the gastric H(+)/K(+) ATPase alpha subunit. *APMIS*. 2016 Jul;124(7):561–6. PMID:27150581
956. Foster DR, Foster DB. Gall-bladder polyps in Peutz-Jeghers syndrome. *Postgrad Med J*. 1980 May;56(655):373–6. PMID:7003570
957. Foukas PG, de Leval L. Recent advances in intestinal lymphomas. *Histopathology*. 2015 Jan;66(1):112–36. PMID:25639480
958. Fowler KJ, Shebani A, Parker RA 3rd, et al. Combined hepatocellular and cholangiocarcinoma (biphenotypic) tumors: imaging features and diagnostic accuracy of contrast-enhanced CT and MRI. *AJR Am J Roentgenol*. 2013 Aug;201(2):332–9. PMID:23883213
959. Fraga M, Lloret E, Sanchez-Verde L, et al. Mucosal mantle cell (centrocytic) lymphomas. *Histopathology*. 1995 May;26(5):413–22. PMID:7657310
960. Francis A, Johnson DW, Teixeira-Pinto A, et al. Incidence and predictors of post-transplant lymphoproliferative disease after kidney transplantation during adulthood and childhood: a registry study. *Nephrol Dial Transplant*. 2018 May 1;33(5):881–9. PMID:29342279
961. Francis JM, Kiezu A, Ramos AH, et al. Somatic mutation of CDKN1B in small intestine neuroendocrine tumors. *Nat Genet*. 2013 Dec;45(12):1483–6. PMID:24185511
962. Franko J, Cole K, Pezzci CM, et al. Serous cystadenocarcinoma of the pancreas with metachronous hepatic metastasis. *Am J Clin Oncol*. 2008 Dec;31(6):624–5. PMID:19060596
963. Franko J, Feng W, Yip L, et al. Non-functional neuroendocrine carcinoma of the pancreas: incidence, tumor biology, and outcomes in 2,158 patients. *J Gastrointest Surg*. 2010 Mar;14(3):541–8. PMID:19997980
964. Frantz VK. Tumors of the pancreas. Washington, DC: Armed Forces Institute of Pathology; 1959. (AFIP atlas of tumor pathology, series 1, section 7; fascicles 27 and 28).
965. Frayling IM, Arends M. Adenomatous polyposis coli. In: Maloy S, Hughes K, editors. Brenner's encyclopedia of genetics. Volume 1. 2nd ed. San Diego (CA): Academic Press; 2013. pp. 27–9.
966. Frayling IM. Familial adenomatous polyposis (FAP) and adenomatous polyposis (due to MUTYH, NTHL1, POLE & POLD1). In: Firth HV, Hurst JA, editors. Oxford Desk Reference: Clinical genetics & genomics. 2nd ed. Oxford (UK): Oxford University Press; 2017.
967. Frayling IM. Microsatellite instability. *Gut*. 1999 Jul;45(1):1–4. PMID:10369691
968. Freeman C, Berg JW, Cutler SJ. Occurrence and prognosis of extranodal lymphomas. *Cancer*. 1972 Jan;29(1):252–60. PMID:5007387
969. Friedl I, Rom-Gross E, Finegold M, et al. An infant with a diagnostically challenging hepatic teratoma, hypofibrinogenemia, and adrenal neuroblastoma: case report. *Pediatr Dev Pathol*. 2015 May-Jun;18(3):251–6. PMID:25756389
970. Friedl W, Uhlhaas S, Schulmann K, et al. Juvenile polyposis: massive gastric polyposis is more common in MADH4 mutation carriers than in BMPR1A mutation carriers. *Hum Genet*. 2002 Jul;111(1):108–11. PMID:12136244
971. Friedman HD. Nonmucinous, glyco-gen-poor cystadenocarcinoma of the pancreas. *Arch Pathol Lab Med*. 1990 Aug;114(8):888–91. PMID:2375664
972. Frilling A, Modlin IM, Kidd M, et al. Recommendations for management of patients with neuroendocrine liver metastases. *Lancet Oncol*. 2014 Jan;15(1):e8–21. PMID:24384494
973. Frisch M, Glimelius B, van den Brule AJ, et al. Sexually transmitted infection as a cause of anal cancer. *N Engl J Med*. 1997 Nov 6;337(19):1350–8. PMID:9358129
974. Fujii H, Aotake T, Horiuchi T, et al. Small cell carcinoma of the gallbladder: a case report and review of 53 cases in the literature. *Hepatogastroenterology*. 2001 Nov-Dec;48(42):1588–93. PMID:11813580
975. Fujikura K, Akita M, Abe-Suzuki S, et al. Mucinous cystic neoplasms of the liver and pancreas: relationship between KRAS driver mutations and disease progression. *Histopathology*. 2017 Oct;71(4):591–600. PMID:28570009
976. Fujikura K, Fukumoto T, Ajiki T, et al. Comparative clinicopathological study of biliary intraductal papillary neoplasms and papillary cholangiocarcinomas. *Histopathology*. 2016 Dec;69(6):950–61. PMID:27410028
977. Fujimoto A, Furuta M, Shiraishi Y, et al. Whole-genome mutational landscape of liver cancers displaying biliary phenotype reveals hepatitis impact and molecular diversity. *Nat Commun*. 2015 Jan 30;6:6120. PMID:25636086
978. Fujishiro M, Yoshida S, Matsuda R, et al. Updated evidence on endoscopic resection of early gastric cancer from Japan. *Gastric Cancer*. 2017 Mar;20 Suppl 1:39–44. PMID:27704225
979. Fujiya M, Tanaka K, Dokoshi T, et al. Efficacy and adverse events of EMR and endoscopic submucosal dissection for the treatment

- of colon neoplasms: a meta-analysis of studies comparing EMR and endoscopic submucosal dissection. *Gastrointest Endosc*. 2015 Mar;81(3):583–95. PMID:25592748
980. Furukawa M, Maguchi H, Takahashi K, et al. Clinical features and natural history of serous cystic neoplasm of the pancreas. *Pancreatology*. 2010;10(6):695–701. PMID:21242709
981. Fukasawa Y, Takada A, Tateno M, et al. Solitary fibrous tumor of the pleura causing recurrent hypoglycemia by secretion of insulin-like growth factor II. *Pathol Int*. 1998 Jan;48(1):47–52. PMID:9589464
982. Fukushima N, Fukayama M. Mucinous cystic neoplasms of the pancreas: pathology and molecular genetics. *J Hepatobiliary Pancreat Surg*. 2007;14(3):238–42. PMID:17520198
983. Fukushima N, Zamboni G. Mucinous cystic neoplasms of the pancreas: update on the surgical pathology and molecular genetics. *Semin Diagn Pathol*. 2014 Nov;31(6):467–74. PMID:25441310
984. Fung AD, Cohen C, Kavuri S, et al. Phosphohistone H3 and Ki-67 labeling indices in cytologic specimens from well-differentiated neuroendocrine tumors of the gastrointestinal tract and pancreas: a comparative analysis using automated image cytometry. *Acta Cytol*. 2013;57(5):501–8. PMID:24021213
985. Furlan D, Cerutti R, Genesetti A, et al. Microallelotyping defines the monoclonal or the polyclonal origin of mixed and collision endocrine-exocrine tumors of the gut. *Lab Invest*. 2003 Jul;83(7):963–71. PMID:12861036
986. Furlan D, Cerutti R, Uccella S, et al. Different molecular profiles characterize well-differentiated endocrine tumors and poorly differentiated endocrine carcinomas of the gastroenteropancreatic tract. *Clin Cancer Res*. 2004 Feb 1;10(3):947–57. PMID:14871972
987. Furlan D, Sahnane N, Bernasconi B, et al. APC alterations are frequently involved in the pathogenesis of acinar cell carcinoma of the pancreas, mainly through gene loss and promoter hypermethylation. *Virchows Arch*. 2014 May;464(5):553–64. PMID:24590585
988. Furney SJ, Turajlic S, Stamp G, et al. Genome sequencing of mucosal melanomas reveals that they are driven by distinct mechanisms from cutaneous melanoma. *J Pathol*. 2013 Jul;230(3):261–9. PMID:23620124
989. Furuhata A, Minamiguchi S, Mikami Y, et al. Intraductal tubulopapillary neoplasm with expansive invasive carcinoma of the pancreas diagnosed by endoscopic ultrasonography-guided fine needle aspiration: a case report. *Diagn Cytopathol*. 2014 Apr;42(4):314–20. PMID:24339429
990. Furukawa S, Uota S, Yamana T, et al. Distribution of human papillomavirus genotype in anal condyloma acuminatum among Japanese men: the higher prevalence of high risk human papillomavirus in men who have sex with men with HIV infection. *AIDS Res Hum Retroviruses*. 2018 Apr;34(4):375–81. PMID:29183133
991. Furukawa T, Fujisaki R, Yoshida Y, et al. Distinct progression pathways involving the dysfunction of DUSP6/MKP-3 in pancreatic intraepithelial neoplasia and intraductal papillary-mucinous neoplasms of the pancreas. *Mod Pathol*. 2005 Aug;18(8):1034–42. PMID:15832194
992. Furukawa T, Hatori T, Fujita I, et al. Prognostic relevance of morphological types of intraductal papillary mucinous neoplasms of the pancreas. *Gut*. 2011 Apr;60(4):509–16. PMID:21193453
993. Furukawa T, Klöppel G, Volkan Adsay N, et al. Classification of types of intraductal papillary-mucinous neoplasm of the pancreas: a consensus study. *Virchows Arch*. 2005 Nov;447(5):794–9. PMID:16088402
994. Furukawa T, Kuboki Y, Tanji E, et al. Whole-exome sequencing uncovers frequent GNAS mutations in intraductal papillary mucinous neoplasms of the pancreas. *Sci Rep*. 2011;1:161. PMID:22355676
995. Furukawa T, Oohashi K, Yamao K, et al. Intraductal ultrasonography of the pancreas: development and clinical potential. *Endoscopy*. 1997 Aug;29(6):561–9. PMID:9342572
996. Fuse N, Kuboki Y, Kuwata T, et al. Prognostic impact of HER2, EGFR, and c-MET status on overall survival of advanced gastric cancer patients. *Gastric Cancer*. 2016 Jan;19(1):183–91. PMID:25682441
997. Gaal J, Stratakis CA, Carney JA, et al. SDHB immunohistochemistry: a useful tool in the diagnosis of Carney-Stratakis and Carney triad gastrointestinal stromal tumors. *Mod Pathol*. 2011 Jan;24(1):147–51. PMID:20890271
998. Gaidano G, Cerri M, Capello D, et al. Molecular histogenesis of plasmablastic lymphoma of the oral cavity. *Br J Haematol*. 2002 Dec;119(3):622–8. PMID:12437635
999. Gaisa M, Sigel K, Hand J, et al. High rates of anal dysplasia in HIV-infected men who have sex with men, women, and heterosexual men. *AIDS*. 2014 Jan 14;28(2):215–22. PMID:24072194
1000. Gala MK, Mizukami Y, Le LP, et al. Germline mutations in oncogene-induced senescence pathways are associated with multiple sessile serrated adenomas. *Gastroenterology*. 2014 Feb;146(2):520–9. PMID:24512911
1001. Galanduk S, Rodriguez-Justo M, Jeffery R, et al. Field cancerization in the intestinal epithelium of patients with Crohn's ileocolitis. *Gastroenterology*. 2012 Apr;142(4):855–64.e8. PMID:22178590
1002. Galanis C, Zamani A, Cameron JL, et al. Resected serous cystic neoplasms of the pancreas: a review of 158 patients with recommendations for treatment. *J Gastrointest Surg*. 2007 Jul;11(7):820–6. PMID:17440789
1003. Galle TS, Juel K, Bülow S. Causes of death in familial adenomatous polyposis. *Scand J Gastroenterol*. 1999 Aug;34(8):808–12. PMID:10499482
1004. Gallione C, Aylsworth AS, Beis J, et al. Overlapping spectra of SMAD4 mutations in juvenile polyposis (JP) and JP-HHT syndrome. *Am J Med Genet A*. 2010 Feb;152A(2):333–9. PMID:20101697
1005. Gallione CJ, Repetto GM, Legius E, et al. A combined syndrome of juvenile polyposis and hereditary haemorrhagic telangiectasia associated with mutations in MADH4 (SMAD4). *Lancet*. 2004 Mar 13;363(9412):852–9. PMID:15031030
1006. Gao S, Chen D, Huang L, et al. Primary squamous cell carcinoma of the stomach: a case report and literature review. *Int J Clin Exp Pathol*. 2015 Aug 1;8(8):9667–71. PMID:26464735
1007. Gao SJ, Kingsley L, Hoover DR, et al. Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. *N Engl J Med*. 1996 Jul 25;335(4):233–41. PMID:8657239
1008. Gao YB, Chen ZL, Li JG, et al. Genetic landscape of esophageal squamous cell carcinoma. *Nat Genet*. 2014 Oct;46(10):1097–102. PMID:25151357
1009. Garbrecht N, Anlauf M, Schmitt A, et al. Somatostatin-producing neuroendocrine tumors of the duodenum and pancreas: incidence, types, biological behavior, association with inherited syndromes, and functional activity. *Endocr Relat Cancer*. 2008 Mar;15(1):229–41. PMID:18310290
1010. Garby L, Caron P, Claustre F, et al. Clinical characteristics and outcome of acromegaly induced by ectopic secretion of growth hormone-releasing hormone (GHRH): a French nationwide series of 21 cases. *J Clin Endocrinol Metab*. 2012 Jun;97(6):2093–104. PMID:22442262
1011. Garcia-Herrera A, Song JY, Chuang SS, et al. Nonhepatosplenitic γδ T-cell lymphomas represent a spectrum of aggressive cytotoxic T-cell lymphomas with a mainly extranodal presentation. *Am J Surg Pathol*. 2011 Aug;35(8):1214–25. PMID:21753698
1012. Garcia-Solano J, Pérez-Guillermo M, Conesa-Zamora P, et al. Clinicopathologic study of 85 colorectal serrated adenocarcinomas: further insights into the full recognition of a new subset of colorectal carcinoma. *Hum Pathol*. 2010 Oct;41(10):1359–68. PMID:20594582
1013. Garske U, Sandström M, Johansson S, et al. Lessons on tumour response: imaging during therapy with (177)Lu-DOTA-octreotate. A case report on a patient with a large volume of poorly differentiated neuroendocrine carcinoma. *Theranostics*. 2012;2(5):459–71. PMID:22768026
1014. Garud SS, Willingham FF. Molecular analysis of cyst fluid aspiration in the diagnosis and risk assessment of cystic lesions of the pancreas. *Clin Transl Sci*. 2012 Feb;5(1):102–7. PMID:22376266
1015. Gasparotto D, Rossi S, Polano M, et al. Quadruple-negative GIST is a sentinel for unrecognized neurofibromatosis type 1 syndrome. *Clin Cancer Res*. 2017 Jan 1;23(1):273–82. PMID:27390349
1016. Gatta G, van der Zwan JM, Casali PG, et al. Rare cancers are not so rare: the rare cancer burden in Europe. *Eur J Cancer*. 2011 Nov;47(17):2493–511. PMID:22033323
1017. Gaujoux S, Tissier F, Ragazzon B, et al. Pancreatic ductal and acinar cell neoplasms in Carney complex: a possible new association. *J Clin Endocrinol Metab*. 2011 Nov;96(11):E1888–95. PMID:21900385
1018. Gaulard P, Belhadj K, Reyes F. Gamma-delta T-cell lymphomas. *Semin Hematol*. 2003 Jul;40(3):233–43. PMID:12876672
1019. Ge PS, Wani S, Watson RR, et al. Performance characteristics of endoscopic ultrasound-guided fine-needle aspiration of malignant solid pancreatic masses in a large multicenter cohort. *Pancreas*. 2018 Mar;47(3):296–301. PMID:29401169
1020. Ge R, Liu C, Yin X, et al. Clinicopathologic characteristics of inflammatory pseudotumor-like follicular dendritic cell sarcoma. *Int J Clin Exp Pathol*. 2014 Apr 15;7(5):2421–9. PMID:24966952
1021. Genkinger JM, Kitahara CM, Bernstein L, et al. Central adiposity, obesity during early adulthood, and pancreatic cancer mortality in a pooled analysis of cohort studies. *Ann Oncol*. 2015 Nov;26(11):2257–66. PMID:26347100
1022. Genkinger JM, Spiegelman D, Anderson KE, et al. Alcohol intake and pancreatic cancer risk: a pooled analysis of fourteen cohort studies. *Cancer Epidemiol Biomarkers Prev*. 2009 Mar;18(3):765–76. PMID:19258474
1023. Genta RM, Feagins LA. Advanced precancerous lesions in the small bowel mucosa. *Best Pract Res Clin Gastroenterol*. 2013 Apr;27(2):225–33. PMID:23809242
1024. Genta RM, Rugge M. Gastric precancerous lesions: heading for an international consensus. *Gut*. 1999 Jul;45 Suppl 1:15–8. PMID:10457028
1025. Genta RM, Schuler CM, Robiou CI, et al. No association between gastric fundic gland polyps and gastrointestinal neoplasia in a study of over 100,000 patients. *Clin Gastroenterol Hepatol*. 2009 Aug;7(8):849–54. PMID:19465154
1026. Genç CG, Falconi M, Pannier S, et al. Recurrence of pancreatic neuroendocrine tumors and survival predictors. *Ann Surg Oncol*. 2018 Aug;25(8):2260–7. PMID:29789972
1027. George DH, Murphy E, McNeely T, et al. Serous cystadenocarcinoma of the pancreas: a new entity? *Am J Surg Pathol*. 2001 Jan;13(1):61–6. PMID:11195198
1028. Gerada J, Savic A, Vassiliou V, et al. Mucinous papilloma of the anal canal: a case report. *2013;45 Suppl 2*. PMID:23526509
1029. Gerson JN, Witteles RM, Cheung YB, et al. Carcinoid syndrome complicating a pancreatic neuroendocrine tumor: a case report. *Pancreas*. 2017 Nov;46(11):1697–701. PMID:29040196
1030. Ghaferi AA, Chojnacki KA, et al. Pancreatic VIPomas: subjective symptoms and institutional experience. *J Gastrointest Surg*. 2008 Feb;12(2):382–93. PMID:18247000
1031. Ghosh Roy S, Robertson ES, et al. Epigenetic impact on EBV-associated lymphomagenesis. *Bioolecules*. 2014;4(4):E46. PMID:25388533
1032. Ghofrani ZA, Serra S, et al. Gastrointestinal cell (glycogen rich) gastric adenocarcinoma: a distinct tubulo-papillary variant with predilection for the cardia/gastric junction. *Pathology*. 2007 Sep;39(7):607–12. PMID:17886094
1033. Giannitrapani L, Stretton J, et al. Sex hormones and male breast cancer. *Ann NY Acad Sci*. 2015 Nov;1367(1):1–12. PMID:17261770
1034. Giardiello FM, Brenner JE, Hamilton AC, et al. Very high risk of cancer in patients with Peutz-Jeghers syndrome. *Gastroenterology*. 2000 Dec;119(6):1447–53. PMID:11100000
1035. Giardiello FM, Hamilton RL, et al. Colorectal neoplasia in patients with Peutz-Jeghers syndrome or juvenile polyposis. *Arch Dis Child*. 2002 Aug;66(8):971–5. PMID:12160000
1036. Giardiello FM, Hamilton RL, et al. Increased risk of cancer in patients with Peutz-Jeghers syndrome. *N Engl J Med*. 2002 Nov;347(21):1511–4. PMID:12400000
1037. Gibril F, Jensen RT, et al. Neurofibromatosis 1: a clinical and molecular review. *Curr Opin Neurol*. 2000 Dec;13(6):454–63. PMID:11000000
1038. Gibson JA, Honda T, et al. Schwann cell "hamartoma": a clinicopathologic study of 26 neural colorectal polyps arising from neurofibromas and mucosal neuromas. *Am J Surg Pathol*. 2009 Mar;33(3):381–90. PMID:19065103
1039. Gibson SE, Swerdlow SH, et al. EBV-positive extranodal lymphoma of mucosa-associated lymphoid tissue in the posttransplant setting: a clinicopathologic study. *Am J Surg Pathol*. 2011 Jun;35(6):811–20. PMID:21552113
1040. Gigek CO, Calzagni M, et al. Genetic variants in genes involved in the NF1 pathway and clinical implications. *Exp Mol Pathol*. 2013 Aug;103(1):101–11. PMID:23752024
1041. Gill AJ, Chou A, et al. Histological and immunohistochemical characterization of small intestinal stromal tumors (GISTs) in patients with neurofibromatosis 1. *Am J Surg Pathol*. 2010 Mar;34(3):396–403. PMID:20305538
1042. Gill PS, Wong NAC, et al. Primary anal adenocarcinoma of intestinal type: a new proposed entity. *Histopathology*. 2010 Jul;57(1):157–61. PMID:20496704
1043. Gill RM, Buelow B, et al. Hepatic small vessel neoplasms: a distinct vascular neoplasm of unclear differentiation. *Am J Surg Pathol*. 2010 Mar;34(3):396–403. PMID:20305538

- potential. *Hum Pathol.* 2016 Aug;54:143–51. PMID:27090685
1044. Giuliano-Roth L, Wang K, MacDonald TY, et al. Targeted genomic sequencing of pediatric Burkitt lymphoma identifies recurrent alterations in antiapoptotic and chromatin-remodeling genes. *Blood.* 2012 Dec 20;120(26):5181–4. PMID:23091298
1045. Glazer ES, Tseng JF, Al-Refaie W, et al. Long-term survival after surgical management of neuroendocrine hepatic metastases. *HPB (Oxford).* 2010 Aug;12(6):427–33. PMID:20662794
1046. Gleeson EM, Feldman R, Mapow BL, et al. Appendix-derived pseudomyxoma peritonei (PMP): molecular profiling toward treatment of a rare malignancy. *Am J Clin Oncol.* 2018 Aug;41(8):777–83. PMID:28263231
1047. Glenn ST, Jones CA, Sexton S, et al. Conditional deletion of p53 and Rb in the *tenr*-expressing compartment of the pancreas leads to a highly penetrant metastatic pancreatic neuroendocrine carcinoma. *Oncogene.* 2014 Dec 11;33(50):5706–15. PMID:24292676
1048. Glinkova V, Shevah O, Boaz M, et al. Hepatic haemangiomas: possible association with female sex hormones. *Gut.* 2004 Sep;53(9):1352–5. PMID:15065959
1049. Akinyemiju T, Abera S, Ahmed M, et al. The burden of primary liver cancer and underlying etiologies from 1990 to 2015 at the global, regional, and national level: results from the Global Burden of Disease Study 2015. *JAMA Oncol.* 2017 Dec 1;3(12):1683–91. PMID:28983565
1050. Glynne-Jones R, Nilsson PJ, Aschele C, et al. Anal cancer: ESMO-ESSO-ESTRO clinical practice guidelines for diagnosis, treatment and follow-up. *Eur J Surg Oncol.* 2014 Oct;40(10):1165–76. PMID:25239441
1051. Glynne-Jones R, Sebag-Montefiore D, Meadows HM, et al. Best time to assess complete clinical response after chemoradiotherapy in squamous cell carcinoma of the anus (ACT II): a post-hoc analysis of randomised controlled phase 3 trial. *Lancet Oncol.* 2017 Mar;18(3):347–56. PMID:28209296
1052. Godambe A, Brunt EM, Fulling KH, et al. Biliary adenofibroma with invasive carcinoma: case report and review of the literature. *Case Rep Pathol.* 2016;2016:8068513. PMID:26885426
1053. Goddard MJ, Lonsdale RN. The histogenesis of appendiceal carcinoid tumours. *Histopathology.* 1992 Apr;20(4):345–9. PMID:1577412
1054. Goel A, Nguyen TP, Leung HC, et al. De novo constitutional MLH1 epimutations confer early-onset colorectal cancer in two new sporadic Lynch syndrome cases, with derivation of the epimutation on the paternal allele in one. *Int J Cancer.* 2011 Feb 15;128(4):869–78. PMID:20473912
1055. Goggins M, Offerhaus GJ, Hilgers W, et al. Pancreatic adenocarcinomas with DNA replication errors (RER+) are associated with wild-type K-ras and characteristic histopathology. Poor differentiation, a syncytial growth pattern, and pushing borders suggest RER+. *Am J Pathol.* 1998 Jun;152(6):1501–7. PMID:9626054
1056. Goggins M, Schutte M, Lu J, et al. Germline BRCA2 gene mutations in patients with apparently sporadic pancreatic carcinomas. *Cancer Res.* 1996 Dec 1;56(23):5360–4. PMID:8968085
1057. Gold JS, Antonescu CR, Hajdu C, et al. Clinicopathologic correlates of solitary fibrous tumors. *Cancer.* 2002 Feb 15;94(4):1057–68. PMID:11920476
1058. Goldblum JR, Appelman HD. Stromal tumors of the duodenum. A histologic and immunohistochemical study of 20 cases. *Am J Surg Pathol.* 1995 Jan;19(1):71–80. PMID:7528472
1059. Goldblum JR, Hart WR. Perianal Paget's disease: a histologic and immunohistochemical study of 11 cases with and without associated rectal adenocarcinoma. *Am J Surg Pathol.* 1998 Feb;22(2):170–9. PMID:9500217
1060. Goldblum JR, Rice TW, Zuccaro G, et al. Granular cell tumors of the esophagus: a clinical and pathologic study of 13 cases. *Ann Thorac Surg.* 1996 Sep;62(3):860–5. PMID:8784020
1061. Goldenring JR, Nam KT, Wang TC, et al. Spasmolytic polypeptide-expressing metaplasia and intestinal metaplasia: time for reevaluation of metaplasias and the origins of gastric cancer. *Gastroenterology.* 2010 Jun;138(7):2207–10, 2210.e1. PMID:20450866
1062. Goldfarb WB, Bennett D, Monofo W. Carcinoma in heterotopic gastric pancreas. *Ann Surg.* 1963 Jul;158:56–8. PMID:14042636
1063. Goldstone R, Itzkowitz S, Harpaz N, et al. Dysplasia is more common in the distal than proximal colon in ulcerative colitis surveillance. *Inflamm Bowel Dis.* 2012 May;18(5):832–7. PMID:21739534
1064. Gomoy H, Kagami Y, Kato H, et al. Primary hepatic follicular lymphoma: a case report and discussion of chemotherapy and favorable outcomes. *J Clin Exp Hematop.* 2007 Nov;47(2):73–7. PMID:18040146
1065. Gonda TA, Glick MP, Sethi A, et al. Polysomy and p16 deletion by fluorescence in situ hybridization in the diagnosis of indeterminate biliary strictures. *Gastrointest Endosc.* 2012 Jan;75(1):74–9. PMID:22100297
1066. Gong S, Auer I, Duggal R, et al. Epstein-Barr virus-associated inflammatory pseudotumor presenting as a colonic mass. *Hum Pathol.* 2015 Dec;46(12):1956–61. PMID:26477709
1067. Gong Y, Zhou Q, Zhou Y, et al. Gastrectomy and risk of pancreatic cancer: systematic review and meta-analysis of observational studies. *Cancer Causes Control.* 2012 Aug;23(8):1279–88. PMID:22674223
1068. Gonzalez RS, Cates JM, Washington MK, et al. Adenoma-like adenocarcinoma: a subtype of colorectal carcinoma with good prognosis, deceptive appearance on biopsy and frequent KRAS mutation. *Histopathology.* 2016 Jan;68(2):183–90. PMID:25913616
1069. Gonzalez RS, Messing S, Tu X, et al. Immunohistochemistry as a surrogate for molecular subtyping of gastric adenocarcinoma. *Hum Pathol.* 2016 Oct;56:16–21. PMID:27342907
1070. Gonzalez-Obeso E, Fujita H, Deshpande V, et al. Gastric hyperplastic polyps: a heterogeneous clinicopathologic group including a distinct subset best categorized as mucosal prolapse polyp. *Am J Surg Pathol.* 2011 May;35(5):670–7. PMID:21451363
1071. Goodman ZD, Ishak KG. Angiomyolipomas of the liver. *Am J Surg Pathol.* 1984 Oct;8(10):745–50. PMID:6496843
1072. Goodsell DS. The molecular perspective: the ras oncogene. *Oncologist.* 1999;4(3):263–4. PMID:10394594
1073. Gopal DV, Lieberman DA, Magaret N, et al. Risk factors for dysplasia in patients with Barrett's esophagus (BE): results from a multicenter consortium. *Dig Dis Sci.* 2003 Aug;48(8):1537–41. PMID:12924649
1074. Gordjani N, Herdeg S, Ross UH, et al. Focal dermal hypoplasia (Goltz-Gorlin syndrome) associated with obstructive papillomatosis of the larynx and hypopharynx. *Eur J Dermatol.* 1999 Dec;9(8):618–20. PMID:10586128
1075. Gordon-Dseagu VL, Devesa SS, Goggins M, et al. Pancreatic cancer incidence trends: evidence from the Surveillance, Epidemiology and End Results (SEER) population-based data. *Int J Epidemiol.* 2018 Apr 1;47(2):427–39. PMID:29149259
1076. Gounder MM, Maki RG. Molecular basis for primary and secondary tyrosine kinase inhibitor resistance in gastrointestinal stromal tumor. *Cancer Chemother Pharmacol.* 2011 Jan;67 Suppl 1:S25–43. PMID:21116624
1077. Gounder MM, Thomas DM, Tap WD. Locally aggressive connective tissue tumors. *J Clin Oncol.* 2018 Jan 10;36(2):202–9. PMID:29220303
1078. Grabowski P, Schönfelder J, Ahnert-Hilger G, et al. Expression of neuroendocrine markers: a signature of human undifferentiated carcinoma of the colon and rectum. *Virchows Arch.* 2002 Sep;441(3):256–63. PMID:12242522
1079. Grabsch H, Sivakumar S, Gray S, et al. HER2 expression in gastric cancer: rare, heterogeneous and of no prognostic value - conclusions from 924 cases of two independent series. *Cell Oncol.* 2010;32(1-2):57–65. PMID:20208134
1080. Graham RP, Arnold CA, Naini BV, et al. Basaloid squamous cell carcinoma of the anus revisited. *Am J Surg Pathol.* 2016 Mar;40(3):354–60. PMID:26866355
1081. Graham RP, Barr Fritcher EG, Pestova E, et al. Fibroblast growth factor receptor 2 translocations in intrahepatic cholangiocarcinoma. *Hum Pathol.* 2014 Aug;45(8):1630–8. PMID:24837095
1082. Graham RP, Kerr SE, Butz ML, et al. Heterogenous MSH6 loss is a result of microsatellite instability within MSH6 and occurs in sporadic and hereditary colorectal and endometrial carcinomas. *Am J Surg Pathol.* 2015 Oct;39(10):1370–6. PMID:26099011
1083. Graham RP, Nair AA, Davila JI, et al. Gastroblastoma harbors a recurrent somatic MALAT1-GLI1 fusion gene. *Mod Pathol.* 2017 Oct;30(10):1443–52. PMID:28731043
1084. Graham RP, Shrestha B, Caron BL, et al. Islet-1 is a sensitive but not entirely specific marker for pancreatic neuroendocrine neoplasms and their metastases. *Am J Surg Pathol.* 2013 Mar;37(3):399–405. PMID:23348208
1085. Graham RP, Torbenson MS. Fibrolamellar carcinoma: a histologically unique tumor with unique molecular findings. *Semin Diagn Pathol.* 2017 Mar;34(2):146–52. PMID:28110996
1086. Graham RP, Yeh MM, Lam-Himlin D, et al. Molecular testing for the clinical diagnosis of fibrolamellar carcinoma. *Mod Pathol.* 2018 Jan;31(1):141–9. PMID:28862261
1087. Granados R, Aramburu JA, Rodriguez JM, et al. Cytopathology of a primary follicular dendritic cell sarcoma of the liver of the inflammatory pseudotumor-like type. *Diagn Cytopathol.* 2008 Jan;36(1):42–6. PMID:18064686
1088. Granier G, Marty-Double C. [Gastrointestinal adenocarcinomas with a choriocarcinomatous component: 2 cases and a review of 120 cases in the literature]. *Gastroenterol Clin Biol.* 2007 Oct;31(10):854–7. French. PMID:18166865
1089. Grant CS. Insulinoma. *Best Pract Res Clin Gastroenterol.* 2005 Oct;19(5):783–98. PMID:16253900
1090. Gravante G, De Liguori Carino N, Overton J, et al. Primary carcinoids of the liver: a review of symptoms, diagnosis and treatments. *Dig Surg.* 2008;25(5):364–8. PMID:18984960
1091. Gray SG, Eriksson T, Ekström C, et al. Altered expression of members of the IGF-axis in hepatoblastomas. *Br J Cancer.* 2000 May;82(9):1561–7. PMID:10789725
1092. Grazioli L, Bondioni MP, Haradome H, et al. Hepatocellular adenoma and focal nodular hyperplasia: value of gadoteric acid-enhanced MR imaging in differential diagnosis. *Radiology.* 2012 Feb;262(2):520–9. PMID:22282184
1093. Green C, Spagnolo DV, Robbins PD, et al. Clear cell sarcoma of the gastrointestinal tract and malignant gastrointestinal neuroectodermal tumour: distinct or related entities? A review. *Pathology.* 2018 Aug;50(5):490–8. PMID:29970252
1094. Green J, Czanner G, Reeves G, et al. Menopausal hormone therapy and risk of gastrointestinal cancer: nested case-control study within a prospective cohort, and meta-analysis. *Int J Cancer.* 2012 May 15;130(10):2387–96. PMID:21671473
1095. Green RC, Green JS, Buehler SK, et al. Very high incidence of familial colorectal cancer in Newfoundland: a comparison with Ontario and 13 other population-based studies. *Fam Cancer.* 2007;6(1):53–62. PMID:17039269
1096. Greene FL. Epithelial misplacement in adenomatous polyps of the colon and rectum. *Cancer.* 1974 Jan;33(1):206–17. PMID:4810096
1097. Griffin JF, Page AJ, Samaha GJ, et al. Patients with a resected pancreatic mucinous cystic neoplasm have a better prognosis than patients with an intraductal papillary mucinous neoplasm: a large single institution series. *Pancreatology.* 2017 May-Jun;17(3):490–6. PMID:28416122
1098. Grillo F, Fassan M, Saracchi F, et al. HER2 heterogeneity in gastric/gastroesophageal cancers: from benchside to practice. *World J Gastroenterol.* 2016 Jul 14;22(26):5879–87. PMID:27468182
1099. Groisman GM, Hershkovitz D, Vieth M, et al. Colonic perineuriomas with and without crypt serration: a comparative study. *Am J Surg Pathol.* 2013 May;37(5):745–51. PMID:23588369
1100. Gronchi A, Miceli R, Shurell E, et al. Outcome prediction in primary resected retroperitoneal soft tissue sarcoma: histology-specific overall survival and disease-free survival nomograms built on major sarcoma center data sets. *J Clin Oncol.* 2013 May 1;31(13):1649–55. PMID:23530096
1101. Groves C, Lamlum H, Crabtree M, et al. Mutation cluster region, association between germline and somatic mutations and genotype-phenotype correlation in upper gastrointestinal familial adenomatous polyposis. *Am J Pathol.* 2002 Jun;160(6):2055–61. PMID:12057910
1102. Grozinsky-Glasberg S, Alexandraki KI, Barak D, et al. Current size criteria for the management of neuroendocrine tumors of the appendix: are they valid? Clinical experience and review of the literature. *Neuroendocrinology.* 2013;98(1):31–7. PMID:23051855
1103. Grulich AE, Poynten IM, Machalek DA, et al. The epidemiology of anal cancer. *Sex Health.* 2012 Dec;9(6):504–8. PMID:22958581
1104. Grützmann R, Lüttges J, Sípos B, et al. ADAM9 expression in pancreatic cancer is associated with tumour type and is a prognostic factor in ductal adenocarcinoma. *Br J Cancer.* 2004 Mar 8;90(5):1053–8. PMID:14997207
1105. Gschwantler M, Kriwanek S, Langner E, et al. High-grade dysplasia and invasive carcinoma in colorectal adenomas: a multivariate analysis of the impact of adenoma and patient characteristics. *Eur J Gastroenterol Hepatol.* 2002 Feb;14(2):183–8. PMID:11981343
1106. Guan H, Gurda G, Lennon AM, et al. Intraductal tubulopapillary neoplasm of the pancreas on fine needle aspiration: case report with differential diagnosis. *Diagn Cytopathol.* 2014 Feb;42(2):156–60. PMID:22807417
1107. Guillou L, Aurias A. Soft tissue sarcomas with complex genomic profiles. *Virchows Arch.* 2010 Feb;456(2):201–17. PMID:20217954
1108. Guinney J, Dienstmann R, Wang X, et al. The consensus molecular subtypes of colorectal

- cancer. *Nat Med.* 2015 Nov;21(11):1350–6. PMID:26457759
1109. Gullo I, Carvalho J, Martins D, et al. The transcriptomic landscape of gastric cancer: insights into Epstein-Barr virus infected and microsatellite unstable tumors. *Int J Mol Sci.* 2018 Jul;19(7):E2079. PMID:30018250
1110. Gullo I, Oliveira P, Athelogou M, et al. New insights into the inflamed tumor immune microenvironment of gastric cancer with lymphoid stroma: from morphology and digital analysis to gene expression. *Gastric Cancer.* 2019 Jan;22(1):77–90. PMID:29779068
1111. Gumbs AA, Moore PS, Falconi M, et al. Review of the clinical, histological, and molecular aspects of pancreatic endocrine neoplasms. *J Surg Oncol.* 2002 Sep;81(1):45–53, discussion 54. PMID:12210027
1112. Gunawardena SA, Siriwardana HP, Wickramasinghe SY, et al. Primary endodermal sinus (yolk sac) tumour of the liver. *Eur J Surg Oncol.* 2002 Feb;28(1):90–1. PMID:11869022
1113. Gunes D, Uysal KM, Cecen E, et al. Stromal-predominant mesenchymal hamartoma of the liver with elevated serum alpha-fetoprotein level. *Pediatr Hematol Oncol.* 2008 Sep;25(7):685–92. PMID:18850482
1114. Guo KJ, Yamaguchi K, Enjoji M. Undifferentiated carcinoma of the gallbladder. A clinicopathologic, histochemical, and immunohistochemical study of 21 patients with a poor prognosis. *Cancer.* 1988 May;1;61(9):1872–9. PMID:2451557
1115. Guo L, Kuroda N, Miyazaki E, et al. Anal canal neuroendocrine carcinoma with Pagetoid extension. *Pathol Int.* 2004 Aug;54(8):630–5. PMID:15260855
1116. Guo M, Jia Y, Yu Z, et al. Epigenetic changes associated with neoplasms of the exocrine and endocrine pancreas. *Discov Med.* 2014 Feb;17(92):67–73. PMID:24534469
1117. Guo X, Jo VY, Mills AM, et al. Clinically relevant molecular subtypes in leiomyosarcoma. *Clin Cancer Res.* 2015 Aug 1;21(15):3501–11. PMID:25896974
1118. Guo XF, Mao T, Gu ZT, et al. Adenoid cystic carcinoma of the esophagus: report of two cases and review of the Chinese literature. *Diagn Pathol.* 2012 Dec 13;7:179. PMID:23236991
1119. Gupta A, Dixon E. Epidemiology and risk factors: intrahepatic cholangiocarcinoma. *Hepatobiliary Surg Nutr.* 2017 Apr;6(2):101–4. PMID:28503557
1120. Gupta NM, Goenka MK, Jindal A, et al. Primary lymphoma of the esophagus. *J Clin Gastroenterol.* 1996 Oct;23(3):203–6. PMID:8899502
1121. Gupta R, Dinda AK, Singh MK, et al. Macrocytic serous cystadenocarcinoma of the pancreas: the first report of a new pattern of pancreatic carcinoma. *J Clin Pathol.* 2008 Mar;61(3):396–8. PMID:18305183
1122. Gupta RB, Harpaz N, Itzkowitz S, et al. Histologic inflammation is a risk factor for progression to colorectal neoplasia in ulcerative colitis: a cohort study. *Gastroenterology.* 2007 Oct;133(4):1099–105, quiz 1340–1. PMID:17919486
1123. Gupta S, Wang F, Holly EA, et al. Risk of pancreatic cancer by alcohol dose, duration, and pattern of consumption, including binge drinking: a population-based study. *Cancer Causes Control.* 2010 Jul;21(7):1047–59. PMID:20349126
1124. Gurera A, Alaggio R, Leone G, et al. Biliary adenofibroma of the liver: report of a case and review of the literature. *Patholog Res Int.* 2010 Oct 28;2010:504584. PMID:21151526
1125. Gusani NJ, Marsh JW, Nalesnik MA, et al. Carcinoid of the extra-hepatic bile duct: a case report with long-term follow-up and review of literature. *Am Surg.* 2008 Jan;74(1):87–90. PMID:18274439
1126. Gustafson P. Soft tissue sarcoma. Epidemiology and prognosis in 508 patients. *Acta Orthop Scand Suppl.* 1994 Jun;259:1–31. PMID:8042499
1127. Gustafsson BI, Siddique L, Chan A, et al. Uncommon cancers of the small intestine, appendix and colon: an analysis of SEER 1973–2004, and current diagnosis and therapy. *Int J Oncol.* 2008 Dec;33(6):1121–31. PMID:19020744
1128. Gut P, Waligórska-Stachura J, Czarnywojciek A, et al. Hindgut neuroendocrine neoplasms – characteristics and prognosis. *Arch Med Sci.* 2017 Oct;13(6):1427–32. PMID:29181074
1129. Guzirska-Ustymowicz K, Niewiarowska K, Pryczynicz A. Invasive micropapillary carcinoma: a distinct type of adenocarcinomas in the gastrointestinal tract. *World J Gastroenterol.* 2014 Apr 28;20(16):4597–606. PMID:24782612
1130. Gylli A, Abdel-Rahman WM, Juhola M, et al. Is gastric cancer part of the tumour spectrum of hereditary non-polyposis colorectal cancer? A molecular genetic study. *Gut.* 2007 Jul;56(7):926–33. PMID:17267619
1131. Ha C, Regan J, Cetindig IB, et al. Benign esophageal tumors. *Surg Clin North Am.* 2015 Jun;95(3):491–514. PMID:25965126
1132. Haas JE, Feusner JH, Finegold MJ. Small cell undifferentiated histology in hepatoblastoma may be unfavorable. *Cancer.* 2001 Dec 15;92(12):3130–4. PMID:11753992
1133. Hachiya H, Kita J, Shiraki T, et al. Intra-ductal papillary neoplasm of the bile duct developing in a patient with primary sclerosing cholangitis: a case report. *World J Gastroenterol.* 2014 Nov 14;20(42):15925–30. PMID:25400480
1134. Hacihasanoglu E, Memis B, Pehlivanoğlu B, et al. Factors impacting the performance characteristics of bile duct brushings: a clinicopathologic analysis of 253 patients. *Arch Pathol Lab Med.* 2018 Jul;142(7):863–70. PMID:29582676
1135. Hackeng WM, Montgomery EA, Giardullo FM, et al. Morphology and genetics of pyloric gland adenomas in familial adenomatous polyposis. *Histopathology.* 2017 Mar;70(4):549–57. PMID:27767239
1136. Hadjiladis D, Khoruts A, Zauber AG, et al. Cystic fibrosis colorectal cancer screening consensus recommendations. *Gastroenterology.* 2018 Feb;154(3):736–45.e14. PMID:29289528
1137. HaDuong JH, Martin AA, Skapek SX, et al. Sarcomas. *Pediatr Clin North Am.* 2015 Feb;62(1):179–200. PMID:25435119
1138. Haggitt RC, Glotzbach RE, Soffer EE, et al. Prognostic factors in colorectal carcinomas arising in adenomas: implications for lesions removed by endoscopic polypectomy. *Gastroenterology.* 1985 Aug;89(2):328–36. PMID:4007423
1139. Hagiwara N, Tajiri T, Tajiri T, et al. Biological behavior of mucoepidermoid carcinoma of the esophagus. *J Nippon Med Sch.* 2003 Oct;70(5):401–7. PMID:14578940
1140. Hahn HP, Hornick JL. Immunoreactivity for CD25 in gastrointestinal mucosal mast cells is specific for systemic mastocytosis. *Am J Surg Pathol.* 2007 Nov;31(11):1669–76. PMID:18059223
1141. Hahn SA, Schutte M, Hoque AT, et al. DPC4, a candidate tumor suppressor gene at human chromosome 18q21.1. *Science.* 1996 Jan 19;271(5247):350–3. PMID:8553070
1142. Hakkaart C, Ellison-Loschmann L, Day R, et al. Germline CDH1 mutations are a significant contributor to the high frequency of early-onset diffuse gastric cancer cases in New Zealand Maori. *Fam Cancer.* 2019 Jan;18(1):83–90. PMID:29589180
1143. Hale G, Liu X, Hu J, et al. Correlation of exon 3 β -catenin mutations with glutamine synthetase staining patterns in hepatocellular adenoma and hepatocellular carcinoma. *Mod Pathol.* 2016 Nov;29(11):1370–80. PMID:27469330
1144. Halldanarson TR, Bamlet WR, McWilliams RR, et al. Risk factors for pancreatic neuroendocrine tumors: a clinic-based case-control study. *Pancreas.* 2014 Nov;43(8):1219–22. PMID:25291526
1145. Halldanarson TR, Rabe KG, Rubin J, et al. Pancreatic neuroendocrine tumors (PNETs): incidence, prognosis and recent trend toward improved survival. *Ann Oncol.* 2008 Oct;19(10):1727–33. PMID:18515795
1146. Halldanarson TR, Rubin J, Farnell MB, et al. Pancreatic endocrine neoplasms: epidemiology and prognosis of pancreatic endocrine tumors. *Endocr Relat Cancer.* 2008 Jun;15(2):409–27. PMID:18508996
1148. Hamashige N, Doi Y, Yonezawa Y, et al. [Noninvasive detection and prognosis of coronary artery disease in elderly patients; usefulness of dipyridamole-loading myocardial scintigraphy]. *Nihon Naika Gakkai Zasshi.* 1987 Aug;76(8):1230–7. Japanese. PMID:3681095
1149. Hamashima C, Okamoto M, Shabana M, et al. Sensitivity of endoscopic screening for gastric cancer by the incidence method. *Int J Cancer.* 2013 Aug 1;133(3):653–9. PMID:23364866
1150. Hameed O, Xu H, Sadeghi S, et al. Hepatoid carcinoma of the pancreas: a case report and literature review of a heterogeneous group of tumors. *Am J Surg Pathol.* 2007 Jan;31(1):146–52. PMID:17197931
1151. Hamilton NA, Liu TC, Cavatiao A, et al. Ki-67 predicts disease recurrence and poor prognosis in pancreatic neuroendocrine neoplasms. *Surgery.* 2012 Jul;152(1):107–13. PMID:22503317
1152. Hamilton SR, Liu B, Parsons RE, et al. The molecular basis of Turcot's syndrome. *N Engl J Med.* 1995 Mar 30;332(13):839–47. PMID:7661930
1153. Hamilton-Dutoit SJ, Raphael M, Audouin J, et al. In situ demonstration of Epstein-Barr virus small RNAs (EBER 1) in acquired immunodeficiency syndrome-related lymphomas: correlation with tumor morphology and primary site. *Blood.* 1993 Jul 15;82(2):619–24. PMID:8392401
1154. Hammel PR, Vilgrain V, Terris B, et al. Pancreatic involvement in von Hippel-Lindau disease. The Groupe Francophone d'Etude de la Maladie de von Hippel-Lindau. *Gastroenterol Hepatol.* 2000 Oct;119(4):1087–95. PMID:11040195
1155. Han DH, Choi GH, Kim KS, et al. Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. *J Gastroenterol Hepatol.* 2013 Aug;28(8):1384–90. PMID:23517197
1156. Hanau CA, Miettinen M. Solitary fibrous tumor: histological and immunohistochemical spectrum of benign and malignant variants presenting at different sites. *Hum Pathol.* 1995 Apr;26(4):440–9. PMID:7705824
1157. Handra-Luka A, Condroyer C, de Montcuit C, et al. Vessels' morphology in SMAD4 and BMPR1A-related juvenile polyposis. *Am J Med Genet A.* 2005 Oct 1;138A(2):113–7. PMID:16152648
1158. Handra-Luka A, Montgomery E. Vascular malformations and hemangiolumphangiomas of the gastrointestinal tract: morphological features and clinical impact. *Int J Clin Exp Pathol.* 2011 Jun 20;4(5):430–43. PMID:21738815
1159. Hang XF, Xin HG, Wang L, et al. Non-leukemic myeloid sarcoma of the liver: a case report and review of literature. *Hepatol Int.* 2013 Jun;5(2):747–50. PMID:21484146
1160. Hansen MF, Johansen J, Syversen UL, et al. Use of multigene-panel identifies somatic genomic variants in several CRC-prone genes in patients previously tested for Lynch syndrome. *Clin Genet.* 2017 Oct;92(4):405–11. PMID:28195393
1161. Hansford S, Kaurah P, Li-Ching Lee, et al. Hereditary diffuse gastric cancer: CDH1 mutations and beyond. *JAMA Oncol.* 2015 Apr;1(1):23–32. PMID:26142200
1162. Hanson IM, Armstrong GR. Adenocarcinoma of the liver in an inflammatory polyposis. *J Clin Pathol.* 1999 May;52(5):417–20. PMID:10560365
1164. Hao Y, Samuels Y, Li Q, et al. Oncogenic PIK3CA mutations reprogram glioma cells in colorectal cancer. *Nat Commun.* 2013 Jun;4:11971. PMID:23721282
1165. Hara K, Saito T, Hayashi T, et al. TP53 mutation spectrum that includes GNAS, PRKDC, and TP53 may be shared by mucinous carcinoma of the appendix. *Pathol Res Pract.* 2013 Sep;211(9):657–64. PMID:23816752
1166. Hara T, Ikebe D, Otaka A, et al. Operative histological subtype of intraductal papillary mucinous neoplasia (IPMN) by pancreatic juice cytology with Papanicolaou stain. *Ann Surg.* 2013 Jun;257(6):1029–35. PMID:23364699
1167. Harada K, Mizrahi-Kayal D, et al. Personalized therapy based on BRAF mutation in phageal or gastroesophageal junctional carcinoma. *Ann Transl Med.* 2017 May;5(10):363. PMID:29666803
1168. Haralambieva E, Schwung E, et al. Interphase fluorescence in situ hybridization for detection of Bcl2 amplification on routine histologic sections: Burkitt lymphomas from three geographic regions. *Genes Chromosomes Cancer.* 2005 May;40(1):10–8. PMID:15634863
1169. Haraldsdóttir S, Rafnar T, et al. Comprehensive population-based study of Lynch syndrome in Iceland: mutations in MSH6 and PMS2. *Nat Commun.* 2017 May 3;8:14755. PMID:28548830
1170. Haramis AP, Begher J, et al. De novo crypt formation and intestinal polyposis on BMP inhibition in mice. *Science.* 2004 Mar 12;303(5661):1333–6. PMID:15017003
1171. Haroche J, Cohen-Harel M, et al. Reproducible and sustained response to targeted therapy with vemurafenib in BRAF(V600E)-mutated Endometrial cancer. *J Clin Oncol.* 2015 Feb 1;33(5):482–90. PMID:25422482
1172. Harpaz N, Ward SC, et al. Precancerous lesions in inflammatory bowel disease. *Best Pract Res Clin Gastroenterol.* 2013 Apr;27(2):257–67. PMID:23477000
1173. Harsha HC, Kanthasamy AG, et al. A compendium of molecular mechanisms of pancreatic cancer. *PLoS One.* 2012 Jul;7(6):e36004. PMID:22800000
1174. Hart M, Thakral B, et al. Inflammatory mucocutaneous ulceration in recipients: a localized manifestation of lymphoproliferative disorder. *Am J Clin Pathol.* 2014 Nov;188(5):1522–8. PMID:25270700
1175. Hart PA, Belli MD, et al. Type 3c (pancreatogenic) secondary to chronic calcifying pancreatitis. *Lancet Gastroenterol Hepatol.* 2016 Nov;1(3):225–37. PMID:27463000
1176. Hart S, Horsman JM, et al. Localised extranodal lymphoma of the head and neck: the Sheffield experience (1971–2000). *Clin Oncol.* 2004 May;16(3):355–62. PMID:15107000

1177. Hart WR. Primary endodermal sinus (yolk sac) tumor of the liver. First reported case. *Cancer*. 1975 May;35(5):1453–8. PMID:47264
1178. Hartman DJ, Binion DG, Regueiro MD, et al. Distinct histopathologic and molecular alterations in inflammatory bowel disease-associated intestinal adenocarcinoma: c-MYC amplification is common and associated with mucinous/signet ring cell differentiation. *Inflamm Bowel Dis*. 2018 Jul 12;24(8):1780–90. PMID:29788391
1179. Hasebe T, Sakamoto M, Mukai K, et al. Cholangiocarcinoma arising in bile duct adenoma with focal area of bile duct hamartoma. *Virchows Arch*. 1995;426(2):209–13. PMID:7757293
1180. Hasegawa H, Ueda M, Furukawa K, et al. p53 gene mutations in early colorectal carcinoma. De novo vs. adenoma-carcinoma sequence. *Int J Cancer*. 1995 Feb 20;64(1):47–51. PMID:7665248
1181. Hasegawa S, Mitsuyama K, Kawano H, et al. Endoscopic discrimination of sessile serrated adenomas from other serrated lesions. *Oncol Lett*. 2011 Sep 1;2(5):785–9. PMID:22866127
1182. Hasegawa T, Yang P, Kagawa N, et al. CD34 expression by inflammatory fibroid polyps of the stomach. *Mod Pathol*. 1997 May;10(5):451–6. PMID:9160309
1183. Haselkorn T, Whittemore AS, Lilienfeld DE. Incidence of small bowel cancer in the United States and worldwide: geographic, temporal, and racial differences. *Cancer Causes Control*. 2005 Sep;16(7):781–7. PMID:16132788
1184. Hashimoto T, Ogawa R, Matsubara A, et al. Familial adenomatous polyposis-associated and sporadic pyloric gland adenomas of the upper gastrointestinal tract share common genetic features. *Histopathology*. 2015 Nov;67(5):689–98. PMID:25832318
1185. Hashimoto T, Yamashita S, Yoshida H, et al. WNT pathway gene mutations are associated with the presence of dysplasia in colorectal sessile serrated adenoma/polyps. *Am J Surg Pathol*. 2017 Sep;41(9):1188–97. PMID:28614199
1186. Hassan C, Gimeno-Garcia A, Kalager M, et al. Systematic review with meta-analysis: the incidence of advanced neoplasia after colectomy in patients with and without low-grade adenomas. *Aliment Pharmacol Ther*. 2014 May;39(9):905–12. PMID:24593121
1187. Hata T, Suenaga M, Marchionni L, et al. Genome-wide somatic copy number alterations and mutations in high-grade pancreatic intraepithelial neoplasia. *Am J Pathol*. 2018 Jul;188(7):1723–33. PMID:29684357
1188. Hatano B, Ohshima K, Tsuchiya T, et al. Clinicopathological features of gastric B-cell lymphoma: a series of 317 cases. *Pathol Int*. 2002 Nov;52(11):677–82. PMID:12685544
1189. Hatipoglu BA. Cushing's syndrome. *J Surg Oncol*. 2012 Oct 1;106(5):565–71. PMID:22740318
1190. Hattori N, Ushijima T. Epigenetic impact of infection on carcinogenesis: mechanisms and applications. *Genome Med*. 2016 Jan 28(1):10. PMID:26823082
1191. Hattori T, Sentani K, Hattori Y, et al. Pure invasive micropapillary carcinoma of the esophagogastric junction with lymph nodes and liver metastasis. *Pathol Int*. 2016 Oct;66(10):583–6. PMID:27553658
1192. Haug U, Knudsen AB, Brenner H, et al. Is fecal occult blood testing more sensitive for left- versus right-sided colorectal neoplasia? A systematic literature review. *Expert Rev Mol Diagn*. 2011 Jul;11(6):605–16. PMID:21745014
1193. Haupt B, Ro JY, Schwartz MR, et al. Colorectal adenocarcinoma with micropapillary pattern and its association with lymph node metastasis. *Mod Pathol*. 2007 Jul;20(7):729–33. PMID:17464318
1194. Hausmann S, Kong B, Michalski C, et al. The role of inflammation in pancreatic cancer. *Adv Exp Med Biol*. 2014;816:129–51. PMID:24818722
1195. Hause O, Gustafsson BI, Kidd M, et al. Neuroendocrine tumor epidemiology: contrasting Norway and North America. *Cancer*. 2008 Nov 15;113(10):2655–64. PMID:18853416
1196. Havercos BM, Coleman C, Gru AA, et al. Emerging insights on the pathogenesis and treatment of extranodal NK/T cell lymphomas (ENKTL). *Discov Med*. 2017 Mar;23(126):189–99. PMID:28472613
1197. Hayakawa M, Nishikura K, Ajioka Y, et al. Re-evaluation of phenotypic expression in differentiated-type early adenocarcinoma of the stomach. *Pathol Int*. 2017 Mar;67(3):131–40. PMID:28088838
1198. Hayashi I, Muto Y, Fujii Y, et al. Mucoepidermoid carcinoma of the stomach. *J Surg Oncol*. 1987 Feb;34(2):94–9. PMID:3807383
1199. Hayward NK, Wilmott JS, Waddell N, et al. Whole-genome landscapes of major melanoma subtypes. *Nature*. 2017 May 11;545(7653):175–80. PMID:28467829
1200. Hazewinkel Y, López-Cerón M, East JE, et al. Endoscopic features of sessile serrated adenomas: validation by international experts using high-resolution white-light endoscopy and narrow-band imaging. *Gastrointest Endosc*. 2013 Jun;77(6):916–24. PMID:23433877
1201. Hazewinkel Y, Tytgat KM, van Eeden S, et al. Incidence of colonic neoplasia in patients with serrated polyposis syndrome who undergo annual endoscopic surveillance. *Gastroenterology*. 2014 Jul;147(1):88–95. PMID:24657624
1202. He EY, Wyld L, Sloane MA, et al. The molecular characteristics of colonic neoplasms in serrated polyposis: a systematic review and meta-analysis. *J Pathol Clin Res*. 2016 Apr 22(2):127–37. PMID:27499922
1203. He J, Ahuja N, Makary MA, et al. 2564 resected perianampullary adenocarcinomas at a single institution: trends over three decades. *HPB (Oxford)*. 2014 Jan;16(1):83–90. PMID:23472829
1204. Heald B, Meister J, Rybicki L, et al. Frequent gastrointestinal polyps and colorectal adenocarcinomas in a prospective series of PTEN mutation carriers. *Gastroenterology*. 2010 Dec;139(6):1927–33. PMID:20600018
1205. Hearle N, Schumacher V, Menko FH, et al. Frequency and spectrum of cancers in the Peutz-Jeghers syndrome. *Clin Cancer Res*. 2006 May 15;12(10):3209–15. PMID:16707622
1206. Heerema-McKenney A, Leuschner I, Smith N, et al. Nested stromal epithelial tumor of the liver: six cases of a distinctive pediatric neoplasm with frequent calcifications and association with Cushing syndrome. *Am J Surg Pathol*. 2005 Jan;29(1):10–20. PMID:15613852
1207. Heefeld M, Chougnon CN, Olsen IH, et al. Characteristics and treatment of patients with G3 gastroenteropancreatic neuroendocrine neoplasms. *Endocr Relat Cancer*. 2015 Aug;22(4):657–64. PMID:26113608
1208. Heinrich MC, Corless CL, Duensing A, et al. PDGFRα activating mutations in gastrointestinal stromal tumors. *Science*. 2003 Jan 31;299(5607):708–10. PMID:12522257
1209. Heitz PU, Kasper M, Polak JM, et al. Pancreatic endocrine tumors. *Hum Pathol*. 1982 Mar;13(3):263–71. PMID:7076209
1210. Hellan M, Sun CL, Artinyan A, et al. The impact of lymph node number on survival in patients with lymph node-negative pancreatic cancer. *Pancreas*. 2008 Jul;37(1):19–24. PMID:18580439
1211. Helmke BM, Mollenhauer J, Herold-Mende C, et al. BRAF mutations distinguish anorectal from cutaneous melanoma at the molecular level. *Gastroenterology*. 2004 Dec;127(6):1815–20. PMID:15578519
1212. Hemminki K, Li X. Familial and second primary pancreatic cancers: a nationwide epidemiologic study from Sweden. *Int J Cancer*. 2003 Feb 10;103(4):525–30. PMID:12478670
1213. Hempen PM, Zhang L, Bansal RK, et al. Evidence of selection for clones having genetic inactivation of the activin A type II receptor (ACVR2) gene in gastrointestinal cancers. *Cancer Res*. 2003 Mar 1;63(5):994–9. PMID:12615714
1214. Henderson L, Fehily C, Folarami S, et al. Management and outcome of neuroendocrine tumours of the appendix—a two centre UK experience. *J Pediatr Surg*. 2014 Oct;49(10):1513–7. PMID:25280658
1215. Hennedige TP, Neo WT, Venkatesh SK. Imaging of malignancies of the biliary tract—an update. *Cancer Imaging*. 2014 Apr 22;14:14. PMID:25608662
1216. Henriet E, Abou Hammoud A, Dupuy JW, et al. Argininosuccinate synthase 1 (ASS1): a marker of unclassified hepatocellular adenoma and high bleeding risk. *Hepatology*. 2017 Dec;66(6):2016–28. PMID:28646562
1217. Henson DE, Schwartz AM, Nsouli H, et al. Carcinomas of the pancreas, gallbladder, extrahepatic bile ducts, and ampulla of Vater share a field for carcinogenesis: a population-based study. *Arch Pathol Lab Med*. 2009 Jan;133(1):67–71. PMID:19123739
1218. Hepp MV, Roesch A, Weide B, et al. Prognostic factors and treatment outcomes in 444 patients with mucosal melanoma. *Eur J Cancer*. 2017 Aug;81:36–44. PMID:28600969
1219. Herfs M, Roncarati P, Koopmansch B, et al. A dualistic model of primary anal canal adenocarcinoma with distinct cellular origins, etiologies, inflammatory microenvironments and mutational signatures: implications for personalised medicine. *Br J Cancer*. 2018 May;118(10):1302–12. PMID:29700411
1220. Herman JM, Swartz MJ, Hsu CC, et al. Analysis of fluorouracil-based adjuvant chemotherapy and radiation after pancreaticoduodenectomy for ductal adenocarcinoma of the pancreas: results of a large, prospectively collected database at the Johns Hopkins Hospital. *J Clin Oncol*. 2008 Jul 20;26(21):3503–10. PMID:18640931
1221. Hermann G, Konukiewitz B, Schmitt A, et al. Hormonally defined pancreatic and duodenal neuroendocrine tumors differ in their transcription factor signatures: expression of ISL1, PDX1, NGN3, and CDX2. *Virchows Arch*. 2011 Aug;459(2):147–54. PMID:21739268
1222. Hes FJ, Nielsen M, Bik EC, et al. Somatic APC mosaicism: an underestimated cause of polyposis coli. *Gut*. 2008 Jan;57(1):71–6. PMID:17604324
1223. Heslin MJ, Lewis JJ, Woodruff JM, et al. Core needle biopsy for diagnosis of extremity soft tissue sarcoma. *Ann Surg Oncol*. 1997 Jul-Aug;4(5):425–31. PMID:9259971
1224. Hetzel JT, Huang CS, Coukos JA, et al. Variation in the detection of serrated polyps in an average risk colorectal cancer screening cohort. *Am J Gastroenterol*. 2010 Dec;105(12):2656–64. PMID:20717107
1225. Hibdon ES, Samuelson LC. Cellular plasticity in the stomach: insights into the cellular origin of gastric metaplasia. *Gastroenterology*. 2018 Mar;154(4):801–3. PMID:29425924
1226. Hibi Y, Fukushima N, Tsuchida A, et al. Pancreatic juice cytology and subclassification of intraductal papillary mucinous neoplasms of the pancreas. *Pancreas*. 2007 Mar;34(2):197–204. PMID:17312458
1227. Hidaka Y, Mitomi H, Saito T, et al. Alteration in the Wnt/β-catenin signaling pathway in gastric neoplasias of fundic gland (chief cell predominant) type. *Hum Pathol*. 2013 Nov;44(11):2438–48. PMID:24011952
1228. Higa E, Rosai J, Pizzimbono CA, et al. Mucosal hyperplasia, mucinous cystadenoma, and mucinous cystadenocarcinoma of the appendix. A re-evaluation of appendiceal "mucocele". *Cancer*. 1973 Dec;32(6):1525–41. PMID:4757938
1229. Higaki E, Yanagi S, Gotohda N, et al. Intraoperative peritoneal lavage cytology offers prognostic significance for gastric cancer patients with curative resection. *Cancer Sci*. 2017 May;108(5):978–86. PMID:28256061
1230. Higashi H, Tsutsumi R, Moto S, et al. SHP-2 tyrosine phosphatase as an intracellular target of Helicobacter pylori CagA protein. *Science*. 2002 Jan 25;295(5555):683–6. PMID:11743164
1231. Hijjoka S, Hosoda W, Matsuo K, et al. Rb loss and KRAS mutation are predictors of the response to platinum-based chemotherapy in pancreatic neuroendocrine neoplasm with grade 3: a Japanese multicenter pancreatic NEN-G3 study. *Clin Cancer Res*. 2017 Aug 15;23(16):4625–32. PMID:28455360
1232. Hilal L, Barakat K, Mukherji D, et al. Gastrointestinal (GI) leiomyosarcoma (LMS) case series and review on diagnosis, management, and prognosis. *Med Oncol*. 2016 Feb;33(2):20. PMID:26786155
1233. Hilgers W, Groot Koerkamp B, Geradts J, et al. Genomic FHIT analysis in RER+ and RER- adenocarcinomas of the pancreas. *Genes Chromosomes Cancer*. 2000 Mar;27(3):239–43. PMID:10679912
1234. Hill DA, Swanson PE, Anderson K, et al. Desmoplastic nested spindle cell tumor of liver: report of four cases of a proposed new entity. *Am J Surg Pathol*. 2005 Jan;29(1):1–9. PMID:15613851
1235. Hingorani SR, Petricoin EF, Maitra A, et al. Preinvasive and invasive ductal pancreatic cancer and its early detection in the mouse. *Cancer Cell*. 2003 Dec;4(6):437–50. PMID:14706336
1236. Hingorani SR, Wang L, Multani AS, et al. Trp53R172H and KrasG12D cooperate to promote chromosomal instability and widely metastatic pancreatic ductal adenocarcinoma in mice. *Cancer Cell*. 2005 May;7(5):469–83. PMID:15894267
1237. Hinoi T, Tani M, Lucas PC, et al. Loss of CDX2 expression and microsatellite instability are prominent features of large cell minimally differentiated carcinomas of the colon. *Am J Pathol*. 2001 Dec;159(6):2239–48. PMID:11733373
1238. Hirakawa K, Fuchigami T, Nakamura S, et al. Primary gastrointestinal T-cell lymphoma resembling multiple lymphomatous polyposis. *Gastroenterology*. 1996 Sep;111(3):778–82. PMID:8780585
1239. Hirji SA, Senturk JC, Hornick J, et al. A rare case of interdigitating dendritic cell sarcoma of the rectum: review of histopathology and management strategy. *BMJ Case Rep*. 2017 Aug 7;2017. PMID:28784918
1240. Hirose S, Tani M, Kawai M, et al. The carcinoembryonic antigen level in pancreatic juice and mural nodule size are predictors of malignancy for branch duct type intraductal papillary mucinous neoplasms of the pancreas. *Ann Surg*. 2012 Mar;255(3):517–22. PMID:22301608
1241. Hirose K, Matsui T, Nagano H, et al. Atypical glomus tumor arising in the liver: a case report. *Diagn Pathol*. 2015 Jul 19;10:112. PMID:26187280
1242. Hirota S, Isozaki K, Moriyama Y, et al. Gain-of-function mutations of c-kit in human

- gastrointestinal stromal tumors. *Science*. 1998 Jan 23;279(5530):577–80. PMID:9438854
- 1243.** Hirschman BA, Pollock BH, Tomlinson GE. The spectrum of APC mutations in children with hepatoblastoma from familial adenomatous polyposis kindreds. *J Pediatr*. 2005 Aug;147(2):263–6. PMID:16126064
- 1244.** Hisa T, Nobukawa B, Suda K, et al. Intraluminal carcinoma with complex fusion of tubular glands without macroscopic mucus in main pancreatic duct: dilemma in classification. *Pathol Int*. 2007 Nov;57(11):741–5. PMID:17922686
- 1245.** Hisong E, Ramrattan G, Zhang P, et al. Gastric carcinomas with lymphoid stroma: an evaluation of the histopathologic and molecular features. *Am J Surg Pathol*. 2018 Apr;42(4):453–62. PMID:29438172
- 1246.** Hitchins MP, Ward RL. Constitutional (germline) MLH1 epimutation as an aetiological mechanism for hereditary non-polyposis colorectal cancer. *J Med Genet*. 2009 Dec;46(12):793–802. PMID:19564652
- 1247.** Hiyama T, Yoshihara M, Tanaka S, et al. Genetic polymorphisms and esophageal cancer risk. *Int J Cancer*. 2007 Oct 15;121(8):1643–58. PMID:17674367
- 1248.** Hleyhel M, Belot A, Bouvier AM, et al. Trends in survival after cancer diagnosis among HIV-infected individuals between 1992 and 2009. Results from the FHDH-ANRS CO4 cohort. *Int J Cancer*. 2015 Nov 15;137(10):2443–53. PMID:25976897
- 1249.** Hoang MP, Hobbs CM, Sabin LH, et al. Carcinoid tumor of the esophagus: a clinicopathologic study of four cases. *Am J Surg Pathol*. 2002 Apr;26(4):517–22. PMID:11914632
- 1250.** Hoang MP, Hruban RH, Albores-Saavedra J. Clear cell endocrine pancreatic tumor mimicking renal cell carcinoma: a distinctive neoplasm of von Hippel-Lindau disease. *Am J Surg Pathol*. 2001 May;25(5):602–9. PMID:11342771
- 1251.** Hoang MP, Murakata LA, Katai N, et al. Invasive papillary carcinomas of the extrahepatic bile ducts: a clinicopathologic and immunohistochemical study of 13 cases. *Mod Pathol*. 2002 Dec;15(12):1251–8. PMID:12481004
- 1252.** Hobbs CM, Lowry MA, Owen D, et al. Anal gland carcinoma. *Cancer*. 2001 Oct 15;92(8):2045–9. PMID:11596018
- 1253.** Hobert JA, Eng C. PTEN hamartoma tumor syndrome: an overview. *Genet Med*. 2009 Oct;11(10):687–94. PMID:19668082
- 1254.** Hochwald SN, Zee S, Conlon KC, et al. Prognostic factors in pancreatic endocrine neoplasms: an analysis of 136 cases with a proposal for low-grade and intermediate-grade groups. *J Clin Oncol*. 2002 Jun 1;20(11):2633–42. PMID:12039924
- 1255.** Hoff PM, Coudry R, Moniz CM. Pathology of anal cancer. *Surg Oncol Clin N Am*. 2017 Jan;26(1):57–71. PMID:27889037
- 1256.** Hohenberger P, Ronellenfitsch U, Oladeji O, et al. Pattern of recurrence in patients with ruptured primary gastrointestinal stromal tumour. *Br J Surg*. 2010 Dec;97(12):1854–9. PMID:20730857
- 1257.** Holen KD, Klimstra DS, Hummer A, et al. Clinical characteristics and outcomes from an institutional series of acinar cell carcinoma of the pancreas and related tumors. *J Clin Oncol*. 2002 Dec 15;20(24):4673–8. PMID:12488412
- 1258.** Hollowood K, Stamp G, Zouani I, et al. Extranodal follicular dendritic cell sarcoma of the gastrointestinal tract. Morphologic, immunohistochemical and ultrastructural analysis of two cases. *Am J Clin Pathol*. 1995 Jan;103(1):90–7. PMID:7817952
- 1259.** Holme Ø, Breithauer M, Eide TJ, et al. Long-term risk of colorectal cancer in individuals with serrated polyps. *Gut*. 2015 Jun;64(6):929–36. PMID:25399542
- 1260.** Holmes GK, Prior P, Lane MR, et al. Malignancy in coeliac disease—effect of a gluten free diet. *Gut*. 1989 Mar;30(3):333–8. PMID:2707633
- 1261.** Holster IL, Aarts MJ, Tjwa ET, et al. Trend breaks in incidence of non-cardia gastric cancer in the Netherlands. *Cancer Epidemiol*. 2014 Feb;38(1):9–15. PMID:24309073
- 1262.** Honda M, Furuta Y, Naoe H, et al. Primary mucosa-associated lymphoid tissue (MALT) lymphoma of the gallbladder and review of the literature. *BMJ Case Rep*. 2017 May 27;2017. PMID:28551602
- 1263.** Honda M, Wong SL, Healy MA, et al. Long-term trends in primary sites of gastric adenocarcinoma in Japan and the United States. *J Cancer*. 2017 Jul 5;8(11):1935–42. PMID:28819392
- 1264.** Honda S, Arai Y, Haruta M, et al. Loss of imprinting of IGF2 correlates with hypermethylation of the H19 differentially methylated region in hepatoblastoma. *Br J Cancer*. 2008 Dec 2;99(11):1891–9. PMID:19034281
- 1265.** Honda S, Haruta M, Sugawara W, et al. The methylation status of RASSF1A promoter predicts responsiveness to chemotherapy and eventual cure in hepatoblastoma patients. *Int J Cancer*. 2008 Sep 1;123(5):1117–25. PMID:18537155
- 1266.** Honda S, Miyagi H, Suzuki H, et al. RASSF1A methylation indicates a poor prognosis in hepatoblastoma patients. *Pediatr Surg Int*. 2013 Nov;29(11):1147–52. PMID:23989600
- 1267.** Hong GS, Byun JH, Kim JH, et al. Thread sign in biliary intraductal papillary mucinous neoplasm: a novel specific finding for MRI. *Eur Radiol*. 2016 Sep;26(9):3112–20. PMID:26694060
- 1268.** Hong SM, Goggins M, Wolfgang CL, et al. Vascular invasion in infiltrating ductal adenocarcinoma of the pancreas can mimic pancreatic intraepithelial neoplasia: a histopathologic study of 209 cases. *Am J Surg Pathol*. 2012 Feb;36(2):235–41. PMID:22082604
- 1269.** Hong SM, Pawlik TM, Cho H, et al. Depth of tumor invasion better predicts prognosis than the current American Joint Committee on Cancer T classification for distal bile duct carcinoma. *Surgery*. 2009 Aug;146(2):250–7. PMID:19628081
- 1270.** Hoorens A, Lemoine NR, McLellan E, et al. Pancreatic acinar cell carcinoma. An analysis of cell lineage markers, p53 expression, and Ki-ras mutation. *Am J Pathol*. 1993 Sep;143(3):685–98. PMID:8362971
- 1271.** Hoorens A, Prenzel K, Lemoine NR, et al. Undifferentiated carcinoma of the pancreas: analysis of intermediate filament profile and Ki-ras mutations provides evidence of a ductal origin. *J Pathol*. 1998 May;185(1):53–60. PMID:9713360
- 1272.** Hoots BE, Palefsky JM, Pimenta JM, et al. Human papillomavirus type distribution in anal cancer and anal intraepithelial lesions. *Int J Cancer*. 2009 May 15;124(10):2375–83. PMID:19189402
- 1273.** Horie A, Yano Y, Kotoo Y, et al. Morphogenesis of pancreaticoblastoma, infantile carcinoma of the pancreas: report of two cases. *Cancer*. 1977 Jan;39(1):247–54. PMID:188539
- 1274.** Horiguchi H, Matsui-Horiguchi M, Sakata H, et al. Inflammatory pseudotumor-like follicular dendritic cell tumor of the spleen. *Pathol Int*. 2004 Feb;54(2):124–31. PMID:14720144
- 1275.** Hornick JL, Fletcher CD. Intestinal perineuriomas: clinicopathologic definition of a new anatomic subset in a series of 10 cases. *Am J Surg Pathol*. 2005 Jul;29(7):859–65. PMID:15958849
- 1276.** Hornick JL, Fletcher CD. Intraabdominal cystic lymphangiomas obscured by marked superimposed reactive changes: clinicopathological analysis of a series. *Hum Pathol*. 2005 Apr;36(4):426–32. PMID:15892005
- 1277.** Hornick JL, Jaffe ES, Fletcher CD. Extranodal histiocytic sarcoma: clinicopathologic analysis of 14 cases of a rare epithelioid malignancy. *Am J Surg Pathol*. 2004 Sep;28(9):1133–44. PMID:15316312
- 1278.** Hornick JL, Sholl LM, Dal Cin P, et al. Expression of ROS1 predicts ROS1 gene rearrangement in inflammatory myofibroblastic tumors. *Mod Pathol*. 2015 May;28(5):732–9. PMID:25612511
- 1279.** Horny H-P, Akin C, Arber DA, et al. Mastocytosis. In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. pp. 62–9. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/5565>.
- 1280.** Horny HP, Sotlar K, Valent P. Evaluation of mast cell activation syndromes: impact of pathology and immunohistology. *Int Arch Allergy Immunol*. 2012;159(1):1–5. PMID:22555026
- 1281.** Horowitz ME, Etcubanas E, Webber BL, et al. Hepatic undifferentiated (embryonal) sarcoma and rhabdomyosarcoma in children. Results of therapy. *Cancer*. 1987 Feb 1;59(3):396–402. PMID:3791152
- 1283.** Hoshimoto S, Aiura K, Shito M, et al. Adenosquamous carcinoma of the ampulla of Vater: a case report and literature review. *World J Surg Oncol*. 2015 Sep 29;13:287. PMID:26420726
- 1284.** Hosoda W, Chianchiano P, Griffin JF, et al. Genetic analyses of isolated high-grade pancreatic intraepithelial neoplasia (HG-PanIN) reveal paucity of alterations in TP53 and SMAD4. *J Pathol*. 2017 May;242(1):16–23. PMID:28188630
- 1285.** Hosoda W, Wood LD. Molecular genetics of pancreatic neoplasms. *Surg Pathol Clin*. 2016 Dec;9(4):685–703. PMID:27926367
- 1286.** Hosonuma K, Sato K, Honma M, et al. Small-cell carcinoma of the extrahepatic bile duct: a case report and review of the literature. *Hepatol Int*. 2008 Mar;2(1):129–32. PMID:19669289
- 1287.** Hostler E, Dreyling M, Klapper W, et al. A new prognostic index (MIPI) for patients with advanced-stage mantle cell lymphoma. *Blood*. 2008 Jan 15;111(2):558–65. PMID:17962512
- 1288.** Hostler E, Rosenwald A, Berger F, et al. Prognostic value of Ki-67 index, cytology, and growth pattern in mantle-cell lymphoma: results from randomized trials of the European Mantle Cell Lymphoma Network. *J Clin Oncol*. 2016 Apr 20;34(12):1386–94. PMID:26926679
- 1289.** Hou YY, Tan YS, Xu JF, et al. Schwannoma of the gastrointestinal tract: a clinicopathological, immunohistochemical and ultrastructural study of 33 cases. *Histopathology*. 2006 Apr;48(5):536–45. PMID:16623779
- 1290.** Houard C, Pinquay JB, Mesguich C, et al. Role of 18F-FDG PET/CT in posttreatment evaluation of anal carcinoma. *J Nucl Med*. 2017 Sep;58(9):1414–20. PMID:28280225
- 1291.** House MG, Gönen M, Jarnagin WR, et al. Prognostic significance of pathologic nodal status in patients with resected pancreatic cancer. *J Gastrointest Surg*. 2007 Nov;11(11):1549–55. PMID:17786531
- 1292.** How-Kit A, Dejeux E, Dousset B, et al. DNA methylation profiles distinguish different subtypes of gastroenteropancreatic neuroendocrine tumors. *Epigenomics*. 2015;7(8):1245–58. PMID:26360914
- 1293.** Howard JH, Pollock RE. Intra-abdominal and abdominal wall desmoid fibromatosis. *Oncol Ther*. 2016;4(1):57–72. PMID:28261640
- 1294.** Howdle PD, Jalai PK, Holmes GK, et al. Primary small-bowel malignancy: its association with coeliac disease. *Cancer*. 2000 May;96(5):345–53. PMID:10827650
- 1295.** Howe JR, Bair JL, Sayer AE, et al. Germline mutations of the gene encoding morphogenetic protein receptor 2 in juvenile polyposis. *Nat Genet*. 2001 Jun;28(2):165–70. PMID:11381269
- 1296.** Howe JR, Haide JL, LaFever B, et al. Mutations in MADH4/BMPR1A in juvenile polyposis patients with juvenile polyposis. *Cancer*. 2007 Jan;71(1):91–2. PMID:17244662
- 1297.** Howe JR, Kamell LH, Sayer AE, et al. The American College of Surgeons' Commission on Cancer and the American Society of Clinical Oncology's review of the National Comprehensive Cancer Network's revised guidelines for the early detection of cancer. *Cancer*. 1999 Dec 15;86(12):2555–60. PMID:10594865
- 1298.** Howe JR, Mitros FA, Sayer AE, et al. The risk of gastrointestinal cancer in patients with juvenile polyposis. *Am Surg*. 2000 Dec;5(8):751–6. PMID:10935522
- 1299.** Howe JR, Roth S, Sayer AE, et al. Mutations in the SMAD4 gene in juvenile polyposis. *Science*. 1998 Jun;280(5366):1086–8. PMID:9583000
- 1300.** Howell WM, Leung ST, Sayer AE, et al. HLA-DRB₁-DQA₁-DQB₁ haplotypes in celiac disease and enteropathy-associated T-cell lymphoma. *Cancer Res*. 1995 May;55(11):29–37. PMID:7557000
- 1301.** Hruban RH, Adsay VV, Alvarado CJ, et al. Precursors to pancreatic cancer. *Cancer*. 2007 Dec;109(24):5633–40. PMID:17996793
- 1304.** Hruban RH, Pitman MB, Alvarado CJ, et al. Tumors of the pancreas. In: Sobin LH, editor. American Registry of Pathology: atlas of tumor pathology, 4th edn. Philadelphia: Lippincott Williams & Wilkins; 2001 May;25(5):579–86. PMID:11375000
- 1302.** Hruban RH, Klimstra DS. Malignant neoplasms of the pancreas. *Semin Oncol*. 2014 Nov;31(6):443–51. PMID:25360000
- 1303.** Hruban RH, Maitz A, Alvarado CJ, et al. Precursors to pancreatic cancer. *Cancer*. 2007 Dec;109(24):5633–40. PMID:17996793
- 1304.** Hruban RH, Pitman MB, Alvarado CJ, et al. Tumors of the pancreas. In: Sobin LH, editor. American Registry of Pathology: atlas of tumor pathology, 4th edn. Philadelphia: Lippincott Williams & Wilkins; 2001 May;25(5):579–86. PMID:11375000
- 1305.** Hruban RH, Takatori K, et al. Clinical importance of premalignant lesions of the pancreas. *J Hepatobiliary Pancreat Sci*. 2007;14(3):255–63. PMID:17395200
- 1306.** Hruban RH, Takatori K, et al. An illustrated consensus on the classification of pancreatic intraepithelial neoplasia and intraductal papillary mucinous neoplasia. *Am J Surg Pathol*. 2014 Apr;38(4):533–43. PMID:25252303
- 1307.** Hruban RH, van Wierden GW, Goss JA, et al. K-ras oncogene activation in primary carcinomas of the human pancreas using a combined polymerase chain reaction and allele-specific oligonucleotide hybridization. *Am J Pathol*. 1993 Aug;143(2):449–56. PMID:8342602
- 1308.** Hsing AW, Gao YT, Hsu C, et al. Stones and the risk of colorectal cancer: a population-based study in China. *Cancer*. 2002 Dec 3;97(11):3577–82. PMID:12456000
- 1309.** Hsu C, Rashid A, Hsing AW, et al. Malignant potential of adenomas in patients with endocrine tumors: importance of tumor size and type. *J Surg Oncol*. 2012 Feb;105(2):160–5. PMID:22767417
- 1310.** Hsu HC, Thiam TH, Liaw PC, et al. Role of KRAS/NRAS BRAF genes in KRAS/NRAS BRAF genes in metastatic colorectal cancer. *Oncotarget*. 2016 Apr 19;7(16):1960–7. PMID:26989027

1211. Hsu IC, Metcalf RA, Sun T, et al. Mutational hotspot in the p53 gene in human hepatocellular carcinomas. *Nature*. 1991 Apr;350(6317):427–8. PMID:1849234
1212. Hsu JT, Yeh CN, Chen YR, et al. Adenosquamous carcinoma of the pancreas. *Digestion*. 2005;72(2-3):104–8. PMID:16172546
1213. Hsu M, Sasaki M, Igarashi S, et al. KRAS and GNAS mutations and p53 overexpression in biliary intraepithelial neoplasia and intrahepatic cholangiocarcinomas. *Cancer*. 2013 May;119(9):1669–74. PMID:23335266
1214. Hsu M, Terris B, Wu TT, et al. Endometrial cysts within the liver: a rare entity and differential diagnosis with mucinous cystic neoplasms of the liver. *Hum Pathol*. 2014 Jun;45(4):761–7. PMID:24491354
1215. Hsu M, Young RH, Misraji J. Ruptured appendiceal diverticula mimicking low-grade appendiceal mucinous neoplasms. *Am J Surg Pathol*. 2009 Oct;33(10):1515–21. PMID:19623035
1216. Hu G, Qin L, Zhang X, et al. Epigenetic silencing of the MLH1 promoter in relation to the development of gastric cancer and its use as a biomarker for patients with microsatellite instability: a systematic analysis. *Cell Physiol Biochem*. 2018;45(1):148–62. PMID:29334683
1217. Hu S, Xu-Monetey ZY, Balasubramanian A, et al. CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International IBLCL Rituximab-CHOP Consortium Program Study. *Blood*. 2013 Apr;121(14):2715–24. PMID:23343832
1218. Huang CC, Frankel WL, Doukides T, et al. Prolapse-related changes are a confounding factor in misdiagnosis of sessile serrated adenomas in the rectum. *Hum Pathol*. 2013 Jun;44(4):480–6. PMID:23069257
1219. Huang Q, Wu H, Nie L, et al. Primary high-grade neuroendocrine carcinoma of the esophagus: a clinicopathologic and immunohistochemical study of 42 resection cases. *Am J Surg Pathol*. 2013 Apr;37(4):467–83. PMID:23426118
1220. Huang SC, Chuang HC, Chen TD, et al. Alterations of the mTOR pathway in hepatic angiomyolipoma with emphasis on the epithelioid variant and loss of heterogeneity of TSC1/TSC2. *Histopathology*. 2015 Apr;66(5):695–705. PMID:25234729
1221. Hubert C, Sempoux C, Berquin A, et al. Bile duct carcinoid tumors: an uncommon disease but with a good prognosis? *Hepatogastroenterology*. 2005 Jul-Aug;52(64):1042–7. PMID:16001626
1222. Huebner M, Kendrick M, Reid-Lombard KM, et al. Number of lymph nodes evaluated: prognostic value in pancreatic adenocarcinoma. *J Gastrointest Surg*. 2012 May;16(5):920–6. PMID:22421988
1223. Hugen N, Brown G, Glynne-Jones R, et al. Advances in the care of patients with mucinous colorectal cancer. *Nat Rev Clin Oncol*. 2014 Jun;11(6):361–9. PMID:26323388
1224. Hugen N, van Beek JJ, de Wilt JH, et al. Insight into mucinous colorectal carcinoma: clues from etiology. *Ann Surg Oncol*. 2014 Sep;21(9):2963–70. PMID:24728741
1225. Hugen N, van de Velde CJ, de Wilt JH, et al. Metastatic pattern in colorectal cancer is strongly influenced by histological subtype. *Ann Oncol*. 2014 Mar;25(3):651–7. PMID:24504447
1226. Hugen N, Verhoeven RH, Lemmens VE, et al. Colorectal signet-ring cell carcinoma: benefit from adjuvant chemotherapy but a poor prognostic factor. *Int J Cancer*. 2015 Jan;136(2):333–9. PMID:24841868
1227. Hughes K, Kelty S, Martin R. Hepatoid carcinoma of the pancreas. *Am Surg*. 2004 Nov;70(11):1030–3. PMID:15586521
1328. Hughes NR, Goodman ZD, Bhathal PS. An immunohistochemical profile of the so-called bile duct adenoma: clues to pathogenesis. *Am J Surg Pathol*. 2010 Sep;34(9):1312–8. PMID:20679879
1329. Huh CW, Jung DH, Kim H, et al. Clinicopathologic features of gastric carcinoma with lymphoid stroma in early gastric cancer. *J Surg Oncol*. 2016 Nov;114(6):769–72. PMID:27450278
1330. Huh J, Byun JH, Hong SM, et al. Malignant pancreatic serous cystic neoplasms: systematic review with a new case. *BMC Gastroenterol*. 2016 Aug 22;16(1):97. PMID:27549181
1331. Hui CK. Collision adenoma-carcinoid tumour of the colon complicated by carcinoid syndrome. *Singapore Med J*. 2012 Sep;53(9):e195–7. PMID:23023914
1332. Humar B, Blair V, Charlton A, et al. E-cadherin deficiency initiates gastric signet-ring cell carcinoma in mice and man. *Cancer Res*. 2009 Mar 1;69(5):2050–6. PMID:19223545
1333. Humar B, Fukuzawa R, Blair V, et al. Destabilized adhesion in the gastric proliferative zone and c-Src kinase activation mark the development of early diffuse gastric cancer. *Cancer Res*. 2007 Mar 15;67(6):2480–9. PMID:17363565
1334. Humar B, Guilford P. Hereditary diffuse gastric cancer: a manifestation of lost cell polarity. *Cancer Sci*. 2009 Jul;100(7):1151–7. PMID:19432899
1335. Hummel M, Bentink S, Berger H, et al. A biologic definition of Burkitt's lymphoma from transcriptional and genomic profiling. *N Engl J Med*. 2006 Jun 8;354(23):2419–30. PMID:16760442
1336. Humphris JL, Johns AL, Simpson SH, et al. Clinical and pathologic features of familial pancreatic cancer. *Cancer*. 2014 Dec 1;120(23):3669–75. PMID:25313458
1337. Hundal R, Shaffer EA. Gallbladder cancer: epidemiology and outcome. *Clin Epidemiol*. 2014 Mar 7;6:99–109. PMID:24634588
1338. Hunt RH, Camilleri M, Crowe SE, et al. The stomach in health and disease. *Gut*. 2015 Oct;64(10):1650–68. PMID:26342014
1339. Hunter J, Harmston C, Hughes P, et al. What is the nature of polyps detected by the NHS bowel cancer screening pilots? *Colorectal Dis*. 2011 May;13(5):538–41. PMID:20088957
1340. Huntsman DG, Carneiro F, Lewis FR, et al. Early gastric cancer in young, asymptomatic carriers of germ-line E-cadherin mutations. *N Engl J Med*. 2001 Jun 21;344(25):1904–9. PMID:11419427
1341. Hurley JJ, Thomas LE, Walton SJ, et al. The impact of chromoendoscopy for surveillance of the duodenum in patients with MUTYH-associated polyposis and familial adenomatous polyposis. *Gastrointest Endosc*. 2018 Oct;88(4):665–73. PMID:29702101
1342. Huss S, Wardemann E, Goltz D, et al. Activating PDGFRA mutations in inflammatory fibroid polyps occur in exons 12, 14 and 18 and are associated with tumour localization. *Histopathology*. 2012 Jul;61(1):59–68. PMID:22394371
1343. Hussein S, Gindin T, Lagana SM, et al. Clonal T cell receptor gene rearrangements in coeliac disease: implications for diagnosing refractory coeliac disease. *J Clin Pathol*. 2018 Sep;71(9):825–31. PMID:29703761
1344. Hussell T, Isaacson PG, Crabtree JE, et al. The response of cells from low-grade B-cell gastric lymphomas of mucosa-associated lymphoid tissue to Helicobacter pylori. *Lancet*. 1993 Sep 4;342(8871):571–4. PMID:8102718
- 1344A. Hutchings D, Waters KM, Weiss MJ, et al. Cancerization of the pancreatic ducts: demonstration of a common and under-recognized process using immunolabeling of paired duct lesions and invasive pancreatic ductal adenocarcinoma for p53 and Smad4 expression. *Am J Surg Pathol*. 2018 Nov;42(11):1556–61. PMID:30212393
1345. Hwang S, Lee SG, Lee YJ, et al. Radical surgical resection for carcinoid tumors of the ampulla. *J Gastrointest Surg*. 2008 Apr;12(4):713–7. PMID:17992565
1346. Hyngstrom JR, Hu CY, Xing Y, et al. Clinicopathology and outcomes for mucinous and signet ring colorectal adenocarcinoma: analysis from the National Cancer Data Base. *Ann Surg Oncol*. 2012 Sep;19(9):2814–21. PMID:22476818
1347. Hyun JS, Kim GB, Choi BS, et al. Giant anal condyloma (giant condyloma acuminatum of anus) after allogeneic bone marrow transplantation associated with human papillomavirus: a case report. *J Med Case Rep*. 2015 Jan 19;9:9. PMID:25597932
1348. Iacobuzio-Donahue CA, Klimstra DS, Adsay NV, et al. Dpc4 protein is expressed in virtually all human intraductal papillary mucinous neoplasms of the pancreas: comparison with conventional ductal adenocarcinomas. *Am J Pathol*. 2000 Sep;157(3):755–61. PMID:10980115
1349. Iacobuzio-Donahue CA, Wilentz RE, Argani P, et al. Dpc4 protein in mucinous cystic neoplasms of the pancreas: frequent loss of expression in invasive carcinomas suggests a role in genetic progression. *Am J Surg Pathol*. 2000 Nov;24(11):1544–8. PMID:11075857
1350. Iacovazzo D, Flanagan SE, Walker E, et al. MAFA missense mutation causes familial insulinomas and diabetes mellitus. *Proc Natl Acad Sci U S A*. 2018 Jan 30;115(5):1027–32. PMID:29339498
1351. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans [Internet]. Lyon (France): International Agency for Research on Cancer; 2018. Agents classified by the IARC Monographs, Volumes 1–122; updated 2018 Jul 30. Available from: <https://monographs.iarc.fr/agents-classified-by-the-iarc/>.
1352. IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. Tobacco smoke and involuntary smoking. *IARC Monogr Eval Carcinog Risks Hum*. 2004;83:1–1438. PMID:15285078
1353. Iavarone M, Manini MA, Sangiovanni A, et al. Contrast-enhanced computed tomography and ultrasound-guided liver biopsy to diagnose dysplastic liver nodules in cirrhosis. *Dig Liver Dis*. 2013 Jan;45(1):43–9. PMID:23022425
1354. Ibrahim AE, Arends MJ, Silva AL, et al. Sequential DNA methylation changes are associated with DNMT3B overexpression in colorectal neoplastic progression. *Gut*. 2011 Apr;60(4):499–508. PMID:21068132
1355. Ichihara S, Uedo N, Gotoda T. Considering the esophagogastric junction as a 'zone'. *Dig Endosc*. 2017 Apr;29 Suppl 2:3–10. PMID:28425656
1356. Ichimura T, Abe H, Morikawa T, et al. Low density of CD204-positive M2-type tumor-associated macrophages in Epstein-Barr virus-associated gastric cancer: a clinicopathologic study with digital image analysis. *Hum Pathol*. 2016 Oct;56:74–80. PMID:27342912
1357. Ildings DM, Fleisig AJ, Chen SL, et al. Practice patterns and outcomes for anorectal melanoma in the USA, reviewing three decades of treatment: is more extensive surgical resection beneficial in all patients? *Ann Surg Oncol*. 2010 Jan;17(1):40–4. PMID:19774417
1358. Idelevich E, Kashtan H, Mavor E, et al. Small bowel obstruction caused by secondary tumors. *Surg Oncol*. 2006 Jul;15(1):29–32. PMID:16905310
1359. Ideno N, Ohtsuka T, Kono H, et al. Intraductal papillary mucinous neoplasms of the pancreas with distinct pancreatic ductal adenocarcinomas are frequently of gastric subtype. *Ann Surg*. 2013 Jul;258(1):141–51. PMID:23532108
1360. Igarashi H, Ito T, Nishimori I, et al. Pancreatic involvement in Japanese patients with von Hippel-Lindau disease: results of a nationwide survey. *J Gastroenterol*. 2014 Mar;49(3):511–6. PMID:23543325
1361. IJsspeert JE, Rana SA, Atkinson NS, et al. Clinical risk factors of colorectal cancer in patients with serrated polyposis syndrome: a multicentre cohort analysis. *Gut*. 2017 Feb;66(2):278–84. PMID:26603485
1362. IJsspeert JE, Tutein Nolthenius CJ, Kuipers EJ, et al. CT-colonography vs. colonoscopy for detection of high-risk sessile serrated polyps. *Am J Gastroenterol*. 2016 Apr;111(4):516–22. PMID:27021193
1363. IJsspeert JEG, Bevan R, Senore C, et al. Detection rate of serrated polyps and serrated polyposis syndrome in colorectal cancer screening cohorts: a European overview. *Gut*. 2017 Jul;66(7):1225–32. PMID:26911398
1364. Ikenberg H, Gissmann L, Gross G, et al. Human papillomavirus type-16-related DNA in genital Bowen's disease and in Bowenoid papulosis. *Int J Cancer*. 1983 Nov 15;32(5):563–5. PMID:6315601
1365. Ikoma N, Blum M, Chiang YJ, et al. Yield of staging laparoscopy and lavage cytology for radiologically occult peritoneal carcinomatosis of gastric cancer. *Ann Surg Oncol*. 2016 Dec;23(13):4332–7. PMID:27384751
1366. Ilardi G, Caroppo D, Varricchio S, et al. Anal melanoma with neuroendocrine differentiation: report of a case. *Int J Surg Pathol*. 2015 Jun;23(4):329–32. PMID:25722317
1367. Ilbawi AM, Simianu VV, Millie M, et al. Wide local excision of perianal mucinous adenocarcinoma. *J Clin Oncol*. 2015 Feb 1;33(4):e16–8. PMID:24590647
1368. Ilus T, Kaukinen K, Virta LJ, et al. Refractory coeliac disease in a country with a high prevalence of clinically-diagnosed coeliac disease. *Aliment Pharmacol Ther*. 2014 Feb;39(4):418–25. PMID:24387637
1369. Imaoka H, Shimizu Y, Mizuno N, et al. Clinical characteristics of adenosquamous carcinoma of the pancreas: a matched case-control study. *Pancreas*. 2014 Mar;43(2):287–90. PMID:24518509
1370. Imaoka H, Shimizu Y, Mizuno N, et al. Ring-enhancement pattern on contrast-enhanced CT predicts adenosquamous carcinoma of the pancreas: a matched case-control study. *Pancreatology*. 2014 May-Jun;14(3):221–6. PMID:24854619
1371. Inagawa S, Shimazaki J, Hori M, et al. Hepatoid adenocarcinoma of the stomach. *Gastric Cancer*. 2001;4(1):43–52. PMID:11706627
1372. Inai K, Kobuke T, Yonehara S, et al. Duodenal gangliocytic paraganglioma with lymph node metastasis in a 17-year-old boy. *Cancer*. 1989 Jun 15;63(12):2540–5. PMID:2655873
1373. Inayat F, Hassan GU, Tayyab GUN, et al. Post-transplantation lymphoproliferative disorder with gastrointestinal involvement. *Ann Gastroenterol*. 2018 Mar-Apr;31(2):248–51. PMID:29507477
1374. Ingakul T, Warshaw AL, Fernández-Del Castillo C. Epidemiology of intraductal papillary mucinous neoplasms of the pancreas: sex differences between 3 geographic regions. *Pancreas*. 2011 Jul;40(5):779–80. PMID:21673537
1375. Inoue H, Furukawa T, Sunamura M, et al. Exclusion of SMAD4 mutation as an early genetic change in human pancreatic ductal tumorigenesis. *Genes Chromosomes Cancer*. 2001 Jul;31(3):295–9. PMID:11391801
1376. Inoue H, Kaga M, Ikeda H, et al.

- Magnification endoscopy in esophageal squamous cell carcinoma: a review of the intrapapillary capillary loop classification. *Ann Gastroenterol.* 2015 Jan-Mar;28(1):41–8. PMID:25608626
1377. Inoue T, Nishi Y, Okumura F, et al. Solid pseudopapillary neoplasm of the pancreas associated with familial adenomatous polyposis. *Intern Med.* 2015;54(11):1349–55. PMID:26027985
1378. Insabato L, Guadagno E, Natella V, et al. An unusual association of malignant gastrointestinal neuroectodermal tumor (clear cell sarcoma-like) and Ewing sarcoma. *Pathol Res Pract.* 2015 Sep;211(9):688–92. PMID:26163185
- 1378A. International Association of Cancer Registries (IACR) [Internet]. Lyon (France): International Agency for Research on Cancer; 2019. ICD-O-3.2; updated 2019 Apr 23 [cited 2019 May 10]. Available from: http://www.iacr.com.fr/index.php?option=com_content&view=article&id=149:icd-o-3-2&catid=80&Itemid=545
1379. International Consensus Group for Hepatocellular Neoplasia. Pathologic diagnosis of early hepatocellular carcinoma: a report of the International Consensus Group for Hepatocellular Neoplasia. *Hepatology.* 2009 Feb;49(2):658–64. PMID:19177576
1380. International Society for Gastrointestinal Hereditary Tumours Database [Internet]. Leiden (Netherlands): Leiden University Medical Center; 2018. Available from: <https://www.insight-database.org>.
1381. International Society for Gastrointestinal Hereditary Tumours [Internet]. Middlesex (UK): International Society for Gastrointestinal Hereditary Tumours; 2018. MMR gene variant classification criteria. Available from: <https://www.insight-group.org/criteria/>.
1382. Iodice S, Gandini S, Maisonneuve P, et al. Tobacco and the risk of pancreatic cancer: a review and meta-analysis. *Langenbecks Arch Surg.* 2008 Jul;393(4):535–45. PMID:18193270
1383. Iqbal J, Greiner TC, Patel K, et al. Distinctive patterns of BCL6 molecular alterations and their functional consequences in different subgroups of diffuse large B-cell lymphoma. *Leukemia.* 2007 Nov;21(11):2332–43. PMID:17625604
1384. Iqbal J, Neppalli VT, Wright G, et al. BCL2 expression is a prognostic marker for the activated B-cell-like type of diffuse large B-cell lymphoma. *J Clin Oncol.* 2006 Feb;20(6):961–8. PMID:16418494
1385. Isaacs H Jr. Fetal and neonatal hepatic tumors. *J Pediatr Surg.* 2007 Nov;42(11):1797–803. PMID:18022426
1386. Isaacs PG, Dogan A, Price SK, et al. Immunoproliferative small-intestinal disease. An immunohistochemical study. *Am J Surg Pathol.* 1989 Dec;13(12):1023–33. PMID:2512818
1387. Isaacs PG, Du MQ. Gastrointestinal lymphoma: where morphology meets molecular biology. *J Pathol.* 2005 Jan;205(2):255–74. PMID:15643667
1388. Isaji S, Kawarada Y, Uemoto S. Classification of pancreatic cancer: comparison of Japanese and UICC classifications. *Pancreas.* 2004 Apr;28(3):231–4. PMID:15084962
1389. Iscovitch J, Boffetta P, Franceschi S, et al. Classic Kaposi sarcoma: epidemiology and risk factors. *Cancer.* 2000 Feb;188(3):500–17. PMID:10649240
1390. Ishak KG, Sesterhenn IA, Goodman ZD, et al. Epithelioid hemangioendothelioma of the liver: a clinicopathologic and follow-up study of 32 cases. *Hum Pathol.* 1984 Sep;15(9):839–52. PMID:6088383
1391. Ishibashi H, Nimura S, Kayashima Y, et al. Multiple lesions of gastrointestinal tract invasion by monomorphic epitheliotrophic intestinal T-cell lymphoma, accompanied by duodenal and intestinal enteropathy-like lesions and microscopic lymphocytic proctocolitis: a case series. *Diagn Pathol.* 2016 Jul;25(11):66. PMID:27457239
1392. Ishibashi Y, Matsuzono E, Yokoyama F, et al. A case of lymphomatoid gastropathy: a self-limited pseudomalignant natural killer (NK)-cell proliferative disease mimicking NK/T-cell lymphomas. *Clin J Gastroenterol.* 2013 Aug;6(4):287–90. PMID:26181731
1393. Ishida K, Sasano H, Moriya T, et al. Immunohistochemical analysis of steroidogenic enzymes in ovarian-type stroma of pancreatic mucinous cystic neoplasms: comparative study of subepithelial stromal cells in intra-ductal papillary mucinous neoplasms of the pancreas. *Pathol Int.* 2016 May;66(5):281–7. PMID:27060902
1394. Ishii M, Ota M, Saito S, et al. Lymphatic vessel invasion detected by monoclonal antibody D2-40 as a predictor of lymph node metastasis in T1 colorectal cancer. *Int J Colorectal Dis.* 2009 Sep;24(9):1069–74. PMID:19387662
1395. Ishii Y, Sasaki T, Serikawa M, et al. Elevated expression of cyclooxygenase-2 and microsomal prostaglandin E synthase-1 in primary sclerosing cholangitis: implications for cholangiocarcinogenesis. *Int J Oncol.* 2013 Oct;43(4):1073–9. PMID:23900502
1396. Ishikawa E, Tanaka T, Shimada K, et al. A prognostic model, including the EBV status of tumor cells, for primary gastric diffuse large B-cell lymphoma in the rituximab era. *Cancer Med.* 2018 Jun 1. PMID:29856127
1397. Ishikawa T, Nakao A, Nomoto S, et al. Immunohistochemical and molecular biological studies of serous cystadenoma of the pancreas. *Pancreas.* 1998 Jan;16(1):40–4. PMID:9436861
1398. Isikdogan A, Ayyildiz O, Buyukcelik A, et al. Non-Hodgkin's lymphoma in southeast Turkey: clinicopathologic features of 490 cases. *Ann Hematol.* 2004 May;83(5):265–9. PMID:15060744
1399. Islam F, Tang JC, Gopalan V, et al. Epigenetics: DNA methylation analysis in esophageal adenocarcinoma. *Methods Mol Biol.* 2018;1756:247–56. PMID:29600375
1400. Islami F, Ferlay J, Lortet-Tieulent J, et al. International trends in anal cancer incidence rates. *Int J Epidemiol.* 2017 Jun;1;46(3):924–38. PMID:27789668
1401. Ismail H, Dembowska-Bagińska B, Broniszczak D, et al. Treatment of undifferentiated embryonal sarcoma of the liver in children—single center experience. *J Pediatr Surg.* 2013 Nov;48(11):2202–6. PMID:24210186
1402. Isom JA, Arroyo MR, Reddy D, et al. NK cell enteropathy: a case report with 10 years of indolent clinical behaviour. *Histopathology.* 2018 Aug;73(2):345–50. PMID:29474745
1403. Isomoto H, Maeda T, Akashi T, et al. Multiple lymphomatous polyposis of the colon originating from T-cells: a case report. *Dig Liver Dis.* 2004 Mar;36(3):218–21. PMID:15046193
1404. Itakura E, Yamamoto H, Oda Y, et al. Detection and characterization of vascular endothelial growth factors and their receptors in a series of angiomyomas. *J Surg Oncol.* 2008 Jan;1;97(1):74–81. PMID:18041747
1405. Italiano A, Chen CL, Thomas R, et al. Alterations of the p53 and PIK3CA/AKT/mTOR pathways in angiomyomas: a pattern distinct from other sarcomas with complex genomics. *Cancer.* 2012 Dec 1;118(23):5878–87. PMID:22648906
1406. Italiano A, Lagarde P, Brulard C, et al. Genetic profiling identifies two classes of soft-tissue leiomyosarcomas with distinct clinical characteristics. *Clin Cancer Res.* 2013 Mar 1;19(5):1190–6. PMID:23329812
1407. Ito H, Hann LE, D'Angelica M, et al. Polypoid lesions of the gallbladder: diagnosis and followup. *J Am Coll Surg.* 2009 Apr;208(4):570–5. PMID:19476792
1408. Ito T, Igarashi H, Nakamura K, et al. Epidemiological trends of pancreatic and gastrointestinal neuroendocrine tumors in Japan: a nationwide survey analysis. *J Gastroenterol.* 2015 Jan;50(1):58–64. PMID:24499825
1409. Ito T, Sasano H, Tanaka M, et al. Epidemiological study of gastroenteropancreatic neuroendocrine tumors in Japan. *J Gastroenterol.* 2010 Feb;45(2):234–43. PMID:20058030
1410. Iwama T, Mishima Y, Utsunomiya J. The impact of familial adenomatous polyposis on the tumorigenesis and mortality at the several organs. Its rational treatment. *Ann Surg.* 1993 Feb;217(2):101–8. PMID:8382467
1411. Iwao M, Nakamura M, Enjoji M, et al. Primary hepatic carcinoid tumor: case report and review of 53 cases. *Med Sci Monit.* 2001 Jul-Aug;7(4):746–50. PMID:11433205
1412. Iyomasa S, Kato H, Tachimori Y, et al. Carcinosarcoma of the esophagus: a twenty-case study. *Jpn J Clin Oncol.* 1990 Mar;20(1):99–106. PMID:2319703
1413. Iype S, Mirza TA, Propper DJ, et al. Neuroendocrine tumours of the gallbladder: three cases and a review of the literature. *Postgrad Med J.* 2009 Apr;85(1002):213–8. PMID:19417172
1414. Izadi M, Taheri S. Features, predictors and prognosis of lymphoproliferative disorders post-liver transplantation regarding disease presentation time: report from the PTLD.Int. survey. *Ann Transplant.* 2011 Jan-Mar;16(1):39–47. PMID:21436773
1415. Izumo A, Yamaguchi K, Eguchi T, et al. Mucinous cystic tumor of the pancreas: immunohistochemical assessment of "ovarian-type stroma". *Oncol Rep.* 2003 May-Jun;10(3):515–25. PMID:12684617
1416. Jaeger E, Leedham S, Lewis A, et al. Hereditary mixed polyposis syndrome is caused by a 40-kb upstream duplication that leads to increased and ectopic expression of the BMP antagonist GREM1. *Nat Genet.* 2012 May 6;44(6):699–703. PMID:22561515
1417. Jaffe ES, Harris NL, Swerdlow SH, et al. Follicular lymphoma. In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. pp. 266–77. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/556>
1418. Jagelman DG, DeCosse JJ, Bussey HJ. Upper gastrointestinal cancer in familial adenomatous polyposis. *Lancet.* 1988 May 21;1(8595):1149–51. PMID:2896968
1419. Jais B, Rebours V, Malleo G, et al. Serous cystic neoplasm of the pancreas: a multinational study of 2622 patients under the auspices of the International Association of Pancreatologists and European Pancreatic Club (European Study Group on Cystic Tumors of the Pancreas). *Gut.* 2016 Feb;65(2):305–12. PMID:26045140
1420. Jamel S, Markar SR, Malietzis G, et al. Prognostic significance of peritoneal lavage cytology in staging gastric cancer: systematic review and meta-analysis. *Gastric Cancer.* 2018 Jan;21(1):10–8. PMID:28779261
1421. James RD, Glynne-Jones R, Meadows HM, et al. Mitomycin or cisplatin chemotherapy with or without maintenance chemotherapy for treatment of squamous-cell carcinoma of the anus (ACT II): a randomised, phase 3, open-label, 2 × 2 factorial trial. *Lancet Oncol.* 2013 May;14(6):516–24. PMID:2355724
1422. Janeway KA, Kim SY, Lutterbach B, et al. Defects in succinate dehydrogenase in intestinal stromal tumors lacking Kras and BRAF mutations. *Proc Natl Acad Sci USA.* 2011 Jan 4;108(1):314–8. PMID:2113320
1423. Jang JY, Kim SW, Ahn JS, et al. Multicenter analysis of clinicopathological features of intraductal papillary mucinous neoplasms of the pancreas: is it possible to predict the aggressiveness before surgery? *Ann Surg Oncol.* 2012 Feb;19(2):124–32. PMID:21827782
1424. Jang KT, Park SW, Baek SH, et al. Clinicopathologic characteristics of 178 pancreatic carcinomas arising in 178 pancreatic cystic neoplasms with ovarian-type stroma: implications for management. *Am J Surg Pathol.* 2015 Feb;39(2):253–60. PMID:25517958
1425. Jansen AM, van Wezel T, Verhaeghe B, et al. Combined mismatch repair and POLD1 defects explain unrecurrent Lynch syndrome cancers. *Eur J Cancer.* 2016 Jul;24(7):1089–92. PMID:27052500
1426. Jansen M, de Leng WM, Boer GJ, et al. Mucosal prolapse in the pathogenesis of Peutz-Jeghers polyposis. *Gut.* 2006 Jun;55(6):811–6. PMID:16344569
1427. Japan Esophageal Society. Classification of Esophageal Diseases. 2nd Edition: part I. Esophagus. 2011. PMID:28111535
1428. Japan Esophageal Society. Classification of Esophageal Diseases. 2nd Edition: part II and III. Esophagus. 2011. PMID:28111536
1429. Japanese Gastric Cancer Association. Japanese Classification of Gastric Carcinoma [Internet]. Kyoto (Japan): Japanese Gastric Cancer Association; 2018. Available from: http://entry/iganc.html/doc/2018_revised_edition.html
1430. Japanese Gastric Cancer Association. Japanese classification of gastric carcinoma. 15th ed. Tokyo (Japan): Nippon Hyoronsha; 2017. Japanese.
1431. Japanese Gastric Cancer Association. Japanese classification of gastric carcinoma. 3rd English edition. Gastric Cancer. 2018 Jun;14(2):101–12. PMID:29570704
1432. Japanese Gastric Cancer Association. Japanese gastric cancer treatment guidelines 2014 (ver. 4). Gastric Cancer. 2014 Jan;20(1):1–19. PMID:24740290
1433. Japanese Gastric Cancer Association. Japanese gastric cancer treatment guidelines 2018 (5th ed.). Tokyo (Japan): Nippon Hyoronsha; 2018. Japanese.
1434. Jass JR, Williams CB, Liao Z, et al. APC-associated polyposis: a clinicopathologic study. MP, Ardinger HH, Pagon RA, et al., editors. GeneReviews. Seattle (WA): University of Washington, Seattle; 1993 Dec 1;2017 Feb 2]. PMID:2331958
1435. Jass JR, Adim MS, Cagle PT, et al. Grading of rectal cancer: histopathologic features and a multivariate analysis. *Histopathology.* 1995 Dec;37(6):531–6. PMID:753131
1436. Jass JR, Williams CB, Liao Z, et al. Juvenile polyposis—a clinicopathologic study. *Histopathology.* 1995 Dec;37(6):531–6. PMID:753131
1437. Jass JR. Intestinal metaplasia in Barrett's esophagus. *Histopathology.* 1995 Dec;37(6):531–6. PMID:753131
1438. Jawie M, Bekai-Saad E, et al. Juvenile polyposis—a clinicopathologic study. *Histopathology.* 1995 Dec;37(6):531–6. PMID:753131
1439. Jaworski RC, Bunner SE, et al. Juvenile polyposis—a clinicopathologic study. *Histopathology.* 1995 Dec;37(6):531–6. PMID:753131

- Squamous cell carcinoma in situ arising in inflammatory cloacogenic polyps: report of two cases with PCR analysis for HPV DNA. *Pathology*. 2001 Aug;33(3):312–4. PMID:11523931
- 1440.** Jeannot E, Poussin K, Chiche L, et al. Association of CYP1B1 germ line mutations with hepatocyte nuclear factor 1alpha-mutated hepatocellular adenoma. *Cancer Res*. 2007 Mar 15;67(6):2611–6. PMID:17363580
- 1441.** Jederlán É, Lövey J, Szentirmai Z, et al. The role of MRI in the assessment of the local status of anal carcinomas and in their management. *Pathol Oncol Res*. 2015 Jul;21(3):571–9. PMID:25354914
- 1442.** Jelsig AM, Brusgaard K, Hansen TP, et al. Germline variants in hamartomatous polyposis syndrome-associated genes from patients with one or few hamartomatous polyps. *Scand J Gastroenterol*. 2016 Sep;51(9):1118–25. PMID:27146957
- 1443.** Jemal A, Ward EM, Johnson CJ, et al. Annual report to the nation on the status of cancer, 1975–2014, featuring survival. *J Natl Cancer Inst*. 2017 Sep 1;109(9). PMID:28376154
- 1444.** Jenkins MA, Hayashi S, O’Shea AM, et al. Pathology features in Bethesda guidelines predict colorectal cancer microsatellite instability: a population-based study. *Gastroenterology*. 2007 Jul;133(1):48–56. PMID:17631130
- 1445.** Jensen LH, Bojesen A, Byriel L, et al. Implementing population-based screening for Lynch syndrome [abstract]. *J Clin Oncol*. 2013 May 20;31(15_suppl). Abstract no. 6600. doi:10.1200/jco.2013.31.15_suppl.6600.
- 1446.** Jensen RT, Cadot G, Brandi ML, et al. ENETS Consensus Guidelines for the management of patients with digestive neuroendocrine neoplasms: functional pancreatic endocrine tumor syndromes. *Neuroendocrinology*. 2012;95(2):98–119. PMID:22261919
- 1447.** Jensen RT. Gastrointestinal abnormalities and involvement in systemic mastocytosis. *Hematol Oncol Clin North Am*. 2000 Jun;14(3):579–623. PMID:10909042
- 1448.** Jeong D, Jiang K, Anaya DA. Mucinous cystic neoplasm of the liver masquerading as an echinococcal cyst: radiologic-pathologic differential of complex cystic liver lesions. *J Clin Imaging Sci*. 2016 Mar 30;6:12. PMID:27195178
- 1449.** Jesinghaus M, Konukiewitz B, Foersch S, et al. Appendiceal goblet cell carcinoids and adenocarcinomas ex-goblet cell carcinoid are genetically distinct from primary colorectal-type adenocarcinoma of the appendix. *Mod Pathol*. 2018 May;31(5):829–39. PMID:29327707
- 1450.** Jesinghaus M, Konukiewitz B, Keller G, et al. Colorectal mixed adenoneuroendocrine carcinomas and neuroendocrine carcinomas are genetically closely related to colorectal adenocarcinomas. *Mod Pathol*. 2017 Apr;30(4):610–9. PMID:28059096
- 1451.** Jess T, Gamborg M, Matzen P, et al. Increased risk of intestinal cancer in Crohn’s disease: a meta-analysis of population-based cohort studies. *Am J Gastroenterol*. 2005 Dec;100(12):2724–9. PMID:16393226
- 1452.** Jess T, Loftus EV Jr, Velayos FS, et al. Risk factors for colorectal neoplasia in inflammatory bowel disease: a nested case-control study from Copenhagen County, Denmark and Olmsted County, Minnesota. *Am J Gastroenterol*. 2007 Apr;102(4):829–36. PMID:17222314
- 1453.** Jess T, Rungoe C, Peyrin-Biroulet L. Risk of colorectal cancer in patients with ulcerative colitis: a meta-analysis of population-based cohort studies. *Clin Gastroenterol Hepatol*. 2012 Jun;10(6):639–45. PMID:22289873
- 1454.** Jetmore AB, Ray JE, Gathright JB Jr, et al. Rectal carcinoids: the most frequent carcinoid tumor. *Dis Colon Rectum*. 1992 Aug;35(8):717–25. PMID:1643994
- 1455.** Jha HC, Pei Y, Robertson ES, Epstein-Barr virus: diseases linked to infection and transformation. *Front Microbiol*. 2016 Oct 25;7:1602. PMID:27826287
- 1456.** Jiang BG, Sun LL, Yu WL, et al. Retrospective analysis of histopathologic prognostic factors after hepatectomy for intrahepatic cholangiocarcinoma. *Cancer J*. 2009 May-Jun;15(3):257–61. PMID:19556914
- 1457.** Jiang L, Gu ZH, Yan ZX, et al. Exome sequencing identifies somatic mutations of DDX3X in natural killer/T-cell lymphoma. *Nat Genet*. 2015 Sep;47(9):1061–6. PMID:26192917
- 1458.** Jiang M, Chen X, Yi Z, et al. Prognostic characteristics of gastrointestinal tract NK/T-cell lymphoma: an analysis of 47 patients in China. *J Clin Gastroenterol*. 2013 Sep;47(8):e74–9. PMID:23948755
- 1459.** Jiang W, Shadrach B, Carver P, et al. Histomorphologic and molecular features of pouch and peripouch adenocarcinoma: a comparison with ulcerative colitis-associated adenocarcinoma. *Am J Surg Pathol*. 2012 Sep;36(9):1385–94. PMID:22859272
- 1460.** Jiao L, Chen L, White DL, et al. Low-fat dietary pattern and pancreatic cancer risk in the Women’s Health Initiative Dietary Modification randomized controlled trial. *J Natl Cancer Inst*. 2018 Jan 1;110(1). PMID:28922784
- 1461.** Jiao Y, Pawlik TM, Anders RA, et al. Exome sequencing identifies frequent inactivating mutations in BAP1, ARID1A and PBRM1 in intrahepatic cholangiocarcinomas. *Nat Genet*. 2013 Dec;45(12):1470–3. PMID:24185509
- 1462.** Jiao Y, Shi C, Edil BH, et al. DAXX/ATRX, MEN1, and mTOR pathway genes are frequently altered in pancreatic neuroendocrine tumors. *Science*. 2011 Mar 4;331(6021):1199–203. PMID:21252315
- 1463.** Jiao Y, Yonescu R, Offerhaus GJ, et al. Whole-exome sequencing of pancreatic neoplasms with acinar differentiation. *J Pathol*. 2014 Mar;232(4):428–35. PMID:24293293
- 1464.** Jideh B, Weltman M, Wu Y, et al. Esophageal squamous papilloma lacks clear clinicopathological associations. *World J Clin Cases*. 2017 Apr 16;5(4):134–9. PMID:28470005
- 1465.** Jing H, Geng M, Meng Q, et al. Sarcomatoid carcinoma of the stomach with osteoclast-like giant cells. *Tumori*. 2012 May-Jun;98(3):82e–5e. PMID:22825525
- 1466.** Jo YS, Kim MS, Lee JH, et al. Frequent frameshift mutations in 2 mononucleotide repeats of RNF43 gene and its regional heterogeneity in gastric and colorectal cancers. *Hum Pathol*. 2015 Nov;46(11):1640–6. PMID:26297255
- 1467.** Joensuu H, Hohenberger P, Corless CL. Gastrointestinal stromal tumour. *Lancet*. 2013 Sep 14;382(9896):973–83. PMID:23623056
- 1468.** Joensuu H, Rutkowski P, Nishida T, et al. KIT and PDGFRA mutations and the risk of GI stromal tumor recurrence. *J Clin Oncol*. 2015 Feb 20;33(6):634–42. PMID:25605837
- 1469.** Joensuu H, Vehtari A, Riihimäki J, et al. Risk of recurrence of gastrointestinal stromal tumour after surgery: an analysis of pooled population-based cohorts. *Lancet Oncol*. 2012 Mar;13(3):265–74. PMID:22153892
- 1470.** Joensuu H, Wardemann E, Sihto H, et al. Effect of KIT and PDGFRA mutations on survival in patients with gastrointestinal stromal tumors treated with adjuvant imatinib: an exploratory analysis of a randomized clinical trial. *JAMA Oncol*. 2017 May 1;3(5):602–9. PMID:28334365
- 1471.** Joensuu H, Wardemann E, Sihto H, et al. Effect of KIT and PDGFRA mutations on survival in patients with gastrointestinal stromal tumors treated with adjuvant imatinib: an exploratory analysis of a randomized clinical trial. *JAMA Oncol*. 2017 May 1;3(5):602–9. PMID:28334365
- 1472.** Johnnilla M, Stachler M, Misraji J, et al. Mutational landscape of goblet cell carcinoids and adenocarcinoma ex goblet cell carcinoids of the appendix is distinct from typical carcinoids and colorectal adenocarcinomas. *Mod Pathol*. 2018 Jun;31(6):989–96. PMID:29422640
- 1473.** Johnson CM, Wei C, Ensor JE, et al. Meta-analyses of colorectal cancer risk factors. *Cancer Causes Control*. 2013 Jun;24(6):1207–22. PMID:23563998
- 1474.** Johnson NA, Slack GW, Savage KJ, et al. Concurrent expression of MYC and BCL2 in diffuse large B-cell lymphoma treated with rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisone. *J Clin Oncol*. 2012 Oct 1;30(28):3452–9. PMID:22851565
- 1475.** Johnston WT, Mutualima N, Sun D, et al. Relationship between Plasmodium falciparum malaria prevalence, genetic diversity and endemic Burkitt lymphoma in Malawi. *Sci Rep*. 2014 Jan 17;4:3741. PMID:24434689
- 1476.** Johnstone JM, Morson BC. Inflammatory fibroid polyp of the gastrointestinal tract. *Histopathology*. 1978 Sep;2(5):349–61. PMID:721077
- 1477.** Jonas S, Bechstein WO, Steinmüller T, et al. Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis. *Hepatology*. 2001 May;33(5):1080–6. PMID:11343235
- 1478.** Jones EA, Morson BC. Mucinous adenocarcinoma in anorectal fistulae. *Histopathology*. 1984 Mar;8(2):279–92. PMID:6327491
- 1479.** Jones M, Zheng Z, Wang J, et al. Impact of next-generation sequencing on the clinical diagnosis of pancreatic cysts. *Gastrointest Endosc*. 2016 Jan;83(1):140–8. PMID:26253016
- 1480.** Jones S, Hruban RH, Kamiyama M, et al. Exomic sequencing identifies PALB2 as a pancreatic cancer susceptibility gene. *Science*. 2009 Apr 10;324(5924):217. PMID:19264984
- 1481.** Jones S, Zhang X, Parsons DW, et al. Core signaling pathways in human pancreatic cancers revealed by global genomic analyses. *Science*. 2008 Sep 26;321(5897):1801–6. PMID:18772397
- 1482.** Joo M, Shahsafaei A, Odze RD. Paneth cell differentiation in colonic epithelial neoplasms: evidence for the role of the Apc/beta-catenin/Tcf pathway. *Hum Pathol*. 2009 Jun;40(6):872–80. PMID:19269007
- 1483.** Joseph NM, Ferrell LD, Jain D, et al. Diagnostic utility and limitations of glutamine synthetase and serum amyloid-associated protein immunohistochemistry in the distinction of focal nodular hyperplasia and inflammatory hepatocellular adenoma. *Mod Pathol*. 2014 Jan;27(1):62–72. PMID:23807780
- 1484.** Jukić Z, Limani R, Luci LG, et al. hGH and GHR expression in large cell neuroendocrine carcinoma of the colon and rectum. *Anticancer Res*. 2012 Aug;32(8):3377–81. PMID:22843918
- 1485.** Jun JK, Choi KS, Lee HY, et al. Effectiveness of the Korean national cancer screening program in reducing gastric cancer mortality. *Gastroenterology*. 2017 May;152(6):1319–28.e7. PMID:28147224
- 1486.** Jun JK, Choi KS, Lee HY, et al. High-grade neuroendocrine carcinomas of the gallbladder and bile duct: report of four cases with pathological correlation. *J Comput Assist Tomogr*. 2006 Jul-Aug;30(4):604–9. PMID:16845291
- 1487.** Jun SY, Son D, Kim MJ, et al. Heterotopic pancreas of the gastrointestinal tract and associated precursor and cancerous lesions: systematic pathologic studies of 165 cases. *Am J Surg Pathol*. 2017 Jun;41(6):833–48. PMID:28368927
- 1488.** Jung G, Park KM, Lee SS, et al. Long-term clinical outcome of the surgically resected intraductal papillary neoplasm of the bile duct. *J Hepatol*. 2012 Oct;57(4):787–93. PMID:22634127
- 1489.** Jäkel C, Bergmann F, Toth R, et al. Genome-wide genetic and epigenetic analyses of pancreatic acinar cell carcinomas reveal aberrations in genome stability. *Nat Commun*. 2017 Nov 6;8(1):1323. PMID:29109526
- 1490.** Järvinen HJ, Sipponen P. Gastrroduodenal polyps in familial adenomatous and juvenile polyposis. *Endoscopy*. 1986 Nov;18(6):230–4. PMID:3024956
- 1491.** Kadota T, Fujii S, Oono Y, et al. Adenocarcinoma arising from heterotopic gastric mucosa in the cervical esophagus and upper thoracic esophagus: two case reports and literature review. *Expert Rev Gastroenterol Hepatol*. 2016;10(3):405–14. PMID:26610162
- 1492.** Kaerlev L, Teglbaerg PS, Sabroe S, et al. Occupation and small bowel adenocarcinoma: a European case-control study. *Occup Environ Med*. 2000 Nov;57(11):760–6. PMID:11024200
- 1493.** Kaerlev L, Teglbaerg PS, Sabroe S, et al. Occupational risk factors for small bowel carcinoid tumor: a European population-based case-control study. *J Occup Environ Med*. 2002 Jun;44(6):516–22. PMID:12085477
- 1494.** Kahaleh M, Shami VM, Brock A, et al. Factors predictive of malignancy and endoscopic resectability in ampullary neoplasia. *Am J Gastroenterol*. 2004 Dec;99(12):2335–9. PMID:15571579
- 1495.** Kai K, Yakabe T, Kohya N, et al. A case of unclassified multicystic biliary tumor with biliary adenofibroma features. *Pathol Int*. 2012 Jul;62(7):506–10. PMID:22726072
- 1496.** Kaiho T, Tanaka T, Tsuchiya S, et al. A case of classical carcinoid tumor of the gallbladder: review of the Japanese published works. *Hepatogastroenterology*. 1999 Jul-Aug;46(28):2189–95. PMID:10521965
- 1497.** Kakar S, Aksoy S, Burgart LJ, et al. Mucinous carcinoma of the colon: correlation of loss of mismatch repair enzymes with clinicopathologic features and survival. *Mod Pathol*. 2004 Jun;17(6):696–700. PMID:15017435
- 1498.** Kakar S, Deng G, Smyrk TC, et al. Loss of heterozygosity, aberrant methylation, BRAF mutation and KRAS mutation in colorectal signet ring cell carcinoma. *Mod Pathol*. 2012 Jul;25(7):1040–7. PMID:22522845
- 1499.** Kakar S, Muir T, Murphy LM, et al. Immunoreactivity of Hep Par 1 in hepatic and extrahepatic tumors and its correlation with albumin in situ hybridization in hepatocellular carcinoma. *Am J Clin Pathol*. 2003 Mar;119(3):361–6. PMID:12645337
- 1500.** Kakar S, Muir T, Murphy LM, et al. Recurrent gain-of-function mutations of RHOA in diffuse-type gastric carcinoma. *Nat Genet*. 2014 Jun;46(6):583–7. PMID:24816255
- 1501.** Kalb B, Sarmiento JM, Kooby DA, et al. MR imaging of cystic lesions of the pancreas. *Radiographics*. 2009 Oct;29(6):1749–65. PMID:19959519
- 1502.** Kamboj M, Gandhi JS, Gupta G, et al. Neuroendocrine carcinoma of gall bladder: a series of 19 cases with review of literature. *J Gastrointest Cancer*. 2015 Dec;46(4):356–64. PMID:26208508
- 1503.** Kamdar KY, Rooney CM, Heslop HE. Posttransplant lymphoproliferative disease following liver transplantation. *Curr Opin Organ Transplant*. 2011 Jun;16(3):274–80. PMID:21467936
- 1504.** Kaminsky P, Preiss J, Sasatomi E, et al. Biliary adenofibroma: a rare hepatic lesion with malignant features. *Hepatology*. 2017 Jan;65(1):380–3. PMID:27631648
- 1505.** Kamisawa T, Tu Y, Egawa N, et al. Ductal and acinar differentiation in pancreatic endocrine tumors. *Dig Dis Sci*. 2002 Oct;47(10):2254–61. PMID:12395898
- 1506.** Kamp K, Feelders RA, van Adrichem RC, et al. Parathyroid hormone-related peptide

- (PTHRP) secretion by gastroenteropancreatic neuroendocrine tumors (GEP-NETs): clinical features, diagnosis, management, and follow-up. *J Clin Endocrinol Metab.* 2014 Sep;199(9):3060–9. PMID:24905065
- 1508.** Kanai N, Nagaki S, Tanaka T. Clear cell carcinoma of the pancreas. *Acta Pathol Jpn.* 1987 Sep;37(9):1521–6. PMID:3687432
- 1509.** Kanai T, Hirohashi S, Upton MP, et al. Pathology of small hepatocellular carcinoma. A proposal for a new gross classification. *Cancer.* 1987 Aug 15;60(4):810–9. PMID:2439190
- 1510.** Kanda M, Matthaei H, Wu J, et al. Presence of somatic mutations in most early-stage pancreatic intraepithelial neoplasia. *Gastroenterology.* 2012 Apr;142(4):730–3.e9. PMID:22226782
- 1511.** Kanda M, Sadakari Y, Borges M, et al. Mutant TP53 in duodenal samples of pancreatic juice from patients with pancreatic cancer or high-grade dysplasia. *Clin Gastroenterol Hepatol.* 2013 Jun;11(6):719–30.e5. PMID:23200980
- 1512.** Kaneda A, Matsusaka K, Aburatani H, et al. Epstein-Barr virus infection as an epigenetic driver of tumorigenesis. *Cancer Res.* 2012 Jul 15;72(14):3445–50. PMID:22761333
- 1513.** Kanellis G, Roncador G, Arribas A, et al. Identification of MNDA as a new marker for nodal marginal zone lymphoma. *Leukemia.* 2009 Oct;23(10):1847–57. PMID:19474799
- 1514.** Kanetkar AV, Patkar S, Khobragade KH, et al. Neuroendocrine carcinoma of gallbladder: a step beyond palliative therapy, experience of 25 cases. *J Gastrointest Cancer.* 2018 Feb 13. PMID:29435905
- 1515.** Kang JH, Lim YJ, Kang JH, et al. Prevalence of precancerous conditions and gastric cancer based upon the National Cancer Screening Program in Korea for 7 years, single center experience. *Gastroenterol Res Pract.* 2015;2015:571965. PMID:25642244
- 1516.** Kang SY, Park CK, Chang DK, et al. Lynch-like syndrome: characterization and comparison with EPCAM deletion carriers. *Int J Cancer.* 2015 Apr 1;136(7):1568–78. PMID:25110875
- 1517.** Kano Y, Kakinuma S, Goto F, et al. Primary hepatic neuroendocrine carcinoma with a cholangiocellular carcinoma component in one nodule. *Clin J Gastroenterol.* 2014 Oct;7(5):449–54. PMID:26184027
- 1518.** Kanwal F, Kramer JR, Ilyas J, et al. HCV genotype 3 is associated with an increased risk of cirrhosis and hepatocellular cancer in a national sample of U.S. veterans with HCV. *Hepatology.* 2014 Jul;60(1):98–105. PMID:24615981
- 1519.** Kaplan KJ, Goodman ZD, Ishak KG. Liver involvement in Langerhans' cell histiocytosis: a study of nine cases. *Mod Pathol.* 1999 Apr;12(4):370–8. PMID:10229501
- 1520.** Kapran Y, Bauersfeld J, Anlauf M, et al. Multihormonality and entrapment of islets in pancreatic endocrine tumors. *Virchows Arch.* 2006 Apr;448(4):394–8. PMID:16418841
- 1521.** Kapur RP, Berry JE, Tsuchiya KD, et al. Activation of the chromosome 19q microRNA cluster in sporadic and androgenetic-biparental mosaicism-associated hepatic mesenchymal hamartoma. *Pediatr Dev Pathol.* 2014 Mar-Apr;17(2):75–84. PMID:24555441
- 1522.** Karamurzin Y, Zeng Z, Stadler ZK, et al. Unusual DNA mismatch repair-deficient tumors in Lynch syndrome: a report of new cases and review of the literature. *Hum Pathol.* 2012 Oct;43(10):1677–87. PMID:22516243
- 1523.** Karamzadeh Dashti N, Bahrami A, Lee SJ, et al. BRAF V600E mutations occur in a subset of glomus tumors, and are associated with malignant histologic characteristics. *Am J Surg Pathol.* 2017 Nov;41(11):1532–41. PMID:28834810
- 1524.** Karanjawala ZE, Illei PB, Ashfaq R, et al. New markers of pancreatic cancer identified through differential gene expression analyses: claudin 18 and annexin A8. *Am J Surg Pathol.* 2008 Feb;32(2):188–96. PMID:18223320
- 1525.** Karaoglanoglu N, Eroglu A, Turkyilmaz A, et al. Oesophageal adenoid cystic carcinoma and its management options. *Int J Clin Pract.* 2005 Sep;59(9):1101–3. PMID:16115189
- 1526.** Kardon DE, Thompson LD, Przygodzki RM, et al. Adenosquamous carcinoma of the pancreas: a clinicopathologic series of 25 cases. *Mod Pathol.* 2001 May;14(5):443–51. PMID:11353055
- 1527.** Karhunen PJ. Benign hepatic tumours and tumour like conditions in men. *J Clin Pathol.* 1986 Feb;39(2):183–8. PMID:3950039
- 1528.** Karlo C, Leschka S, Dettmer M, et al. Hepatic teratoma and peritoneal gliomatosis: a case report. *Cases J.* 2009 Dec 10;2:9302. PMID:20062626
- 1529.** Karpathakis A, Dibra H, Pipinikas C, et al. Prognostic impact of novel molecular subtypes of small intestinal neuroendocrine tumor. *Clin Cancer Res.* 2016 Jan 1;22(1):250–8. PMID:26169971
- 1530.** Karpelowsky JS, Pansini A, Lazarus C, et al. Difficulties in the management of mesenchymal hamartomas. *Pediatr Surg Int.* 2008 Oct;24(10):1171–5. PMID:18751987
- 1531.** Karube K, Scarfo L, Campo E, et al. Monoclonal B cell lymphocytosis and "in situ" lymphoma. *Semin Cancer Biol.* 2014 Feb;24:3–14. PMID:23999128
- 1532.** Kasenda B, Bass A, Koeberle D, et al. Survival in overweight patients with advanced pancreatic carcinoma: a multicentre cohort study. *BMC Cancer.* 2014 Sep 29;14:728. PMID:25266049
- 1533.** Kashyap P, Sweetser S, Farrugia G. Esophageal papillomas and skin abnormalities. Focal dermal hypoplasia (Goltz syndrome) manifesting with esophageal papillomatosis. *Gastroenterology.* 2011 Mar;140(3):784, 1111. PMID:21272558
- 1534.** Kasper B, Baumgarten C, Garcia J, et al. An update on the management of sporadic desmoid-type fibromatosis: a European Consensus Initiative between Sarcoma Patients EurOnet (SPAEN) and European Organization for Research and Treatment of Cancer (EORTC)/Soft Tissue and Bone Sarcoma Group (STBSG). *Ann Oncol.* 2017 Oct 1;28(10):2399–408. PMID:28961825
- 1535.** Kasper B, Ströbel P, Hohenberger P. Desmoid tumors: clinical features and treatment options for advanced disease. *Oncologist.* 2011;16(5):682–93. PMID:21478276
- 1536.** Katabi N, Albores-Saavedra J. The extrahepatic bile duct lesions in end-stage primary sclerosing cholangitis. *Am J Surg Pathol.* 2003 Mar;27(3):349–55. PMID:12604891
- 1537.** Katabi N, Torres J, Klimstra DS. Intra-ductal tubular neoplasms of the bile ducts. *Am J Surg Pathol.* 2012 Nov;36(11):1647–55. PMID:23073323
- 1538.** Katabi N. Neoplasia of gallbladder and biliary epithelium. *Arch Pathol Lab Med.* 2010 Nov;134(11):1621–7. PMID:21043815
- 1539.** Katai H, Ishikawa T, Akazawa K, et al. Five-year survival analysis of surgically resected gastric cancer cases in Japan: a retrospective analysis of more than 100,000 patients from the nationwide registry of the Japanese Gastric Cancer Association (2001–2007). *Gastric Cancer.* 2018 Jan;21(1):144–54. PMID:28417260
- 1540.** Katoh H, Ishikawa S. Genomic pathophysiology of gastric carcinoma. *Pathol Int.* 2017 Feb;67(2):63–71. PMID:28004449
- 1541.** Kawamoto K, Nakamura S, Iwashita A, et al. Clinicopathological characteristics of primary gastric T-cell lymphoma. *Histopathology.* 2009 Dec;55(6):641–53. PMID:20002766
- 1542.** Kawamoto S, Hiraoka T, Kanemitsu K, et al. Alpha-fetoprotein-producing pancreatic cancer—a case report and review of 28 cases. *Hepatogastroenterology.* 1992 Jun;39(3):282–6. PMID:1380476
- 1543.** Kawamoto S, Shi C, Hruban RH, et al. Small serotonin-producing neuroendocrine tumor of the pancreas associated with pancreatic duct obstruction. *AJR Am J Roentgenol.* 2011 Sep;197(3):W482–8. PMID:21862776
- 1544.** Kawamoto Y, Ome Y, Terada K, et al. Undifferentiated carcinoma with osteoclast-like giant cells of the ampullary region: short term survival after pancreaticoduodenectomy. *Int J Surg Case Rep.* 2016;24:199–202. PMID:27281360
- 1545.** Kawanaka Y, Kitajima K, Fukushima K, et al. Added value of pretreatment (18)F-FDG PET/CT for staging of advanced gastric cancer: comparison with contrast-enhanced MDCT. *Eur J Radiol.* 2016 May;85(5):989–95. PMID:27130061
- 1546.** Kawanowa K, Sakuma Y, Sakurai S, et al. High incidence of microscopic gastrointestinal stromal tumors in the stomach. *Hum Pathol.* 2006 Dec;37(12):1527–35. PMID:16996566
- 1547.** Kawazoe A, Kuwata T, Kuboki Y, et al. Clinicopathological features of programmed death ligand 1 expression with tumor-infiltrating lymphocyte, mismatch repair, and Epstein-Barr virus status in a large cohort of gastric cancer patients. *Gastric Cancer.* 2017 May;20(3):407–15. PMID:27629881
- 1548.** Kayahara M, Nakagawara H, Kitagawa H, et al. The nature of neural invasion by pancreatic cancer. *Pancreas.* 2007 Oct;35(3):218–23. PMID:17895841
- 1549.** Kaye PV, Haider SA, Ilyas M, et al. Barrett's dysplasia and the Vienna classification: reproducibility, prediction of progression and impact of consensus reporting and p53 immunohistochemistry. *Histopathology.* 2009 May;54(6):699–712. PMID:19438745
- 1550.** Kedrin D, Gala MK. Genetics of the serrated pathway to colorectal cancer. *Clin Transl Gastroenterol.* 2015 Apr 9;6:e84. PMID:25856207
- 1551.** Kelly GL, Stylianou J, Rasaiyaah J, et al. Different patterns of Epstein-Barr virus latency in endemic Burkitt lymphoma (BL) lead to distinct variants within the BL-associated gene expression signature. *J Virol.* 2013 Mar;87(5):2882–94. PMID:23269792
- 1552.** Kelly PJ, Shinagare S, Sainani N, et al. Cystic papillary pattern in pancreatic ductal adenocarcinoma: a heretofore undescribed morphologic pattern that mimics intraductal papillary mucinous carcinoma. *Am J Surg Pathol.* 2012 May;36(5):696–701. PMID:22367300
- 1553.** Kempers MJ, Kuiper RP, Ockelen CW, et al. Risk of colorectal and endometrial cancers in EPCAM deletion-positive Lynch syndrome: a cohort study. *Lancet Oncol.* 2011 Jan;12(1):49–55. PMID:21145788
- 1554.** Kennedy RD, Bylesjo M, Kerr P, et al. Development and independent validation of a prognostic assay for stage II colon cancer using formalin-fixed paraffin-embedded tissue. *J Clin Oncol.* 2011 Dec 10;29(35):4620–6. PMID:22067406
- 1555.** Kenney B, Singh G, Salem RR, et al. Pseudointraductal papillary mucinous neoplasia caused by microscopic periductal endocrine tumors of the pancreas: a report of 3 cases. *Hum Pathol.* 2011 Jul;42(7):1034–41. PMID:21292301
- 1556.** Kern MA, Breuhahn K, Schirmacher P. Molecular pathogenesis of human hepatocellular carcinoma. *Adv Cancer Res.* 2002;86:67–112. PMID:12374281
- 1557.** Kerr NJ, Fukuzawa R, Reeve AE, et al. Beckwith-Wiedemann syndrome, hemangioblastoma, and the wnt signaling pathway. *J Pathol.* 2002 Apr;160(4):1541–2. PMID:11943738
- 1558.** Keutgen XM, Nilubol N, Kebriazi E, et al. Malignant-functioning neuroendocrine tumor of the pancreas: a survival analysis. *Europ J Cancer.* 2016 May;159(5):1382–9. PMID:26704707
- 1559.** Khalil MO, Morton LM, DeVoss JD, et al. Incidence of marginal zone lymphoma in the United States, 2001–2009 with a focus on primary anatomic site. *Br J Hematol.* 2014 Apr;165(1):67–77. PMID:24417667
- 1560.** Khan M, Dirweesh A, Alvarez C, et al. Anal neuroendocrine tumor masquerading as external hemorrhoids: a case report. *J Gastroenterol Hepatol Res.* 2017 Feb;10(1):1–4. PMID:28270879
- 1561.** Khan MS, Luong TV, Watson J, et al. A comparison of Ki-67 and microvessel density as prognostic markers for metastatic and midgut neuroendocrine carcinomas. *Br J Cancer.* 2013 May 14;108(10):2053–60. PMID:23579216
- 1562.** Khashab MA, Shin EJ, et al. Tumor size and location correlate with the behavior of pancreatic serous cystic neoplasms. *J Gastroenterol.* 2011 Aug;41(8):1082–90. PMID:21468008
- 1563.** Khawaja SN, Mohammed S, El-Sherbeni M, et al. Pancreatic cancer disparities in African Americans. *Pancreas.* 2015 May;46(5):647–54. PMID:25872128
- 1564.** Khayata S, Basturk O, et al. Aggressive micropapillary carcinomas of the periampulo-pancreatobiliary region and their association with tumor-infiltrating neutrophils. *World J Gastroenterol.* 2005 Nov;18(11):1504–11. PMID:16260703
- 1565.** Khor TS, Alfaro EE, Del BN, et al. Differential expression of MUC5AC, MUC6, CD10, and CDX-2 in dysplastic and intestinal foveolar adenocarcinomas with intestinal foveolar morphology: is this evidence for a common gastric and intestinal pathway? *Am J Surg Pathol.* 2012 Mar;36(3):331–42. PMID:22367307
- 1566.** Khor TS, Badizadegan K, Remond K, et al. Acinar cystadenoma of the liver: a clinicopathologic study of 10 cases with multilocular lesions with mural nodules. *J Surg Pathol.* 2012 Nov;15(11):1560–6. PMID:23060352
- 1567.** Khoshnام N, Robinson H, Daneshpazir A, et al. Calcifying nested stromal tumor (CNSET) of the liver in Bechtel-Kleemann syndrome. *Eur J Med Genet.* 2012 Feb;60(2):136–9. PMID:22795077
- 1568.** Khouri RE, Kabir C, Mayer RJ, et al. What is the incidence of malignant intraductal papillary mucinous neoplasia? An analysis of over 100 US institutions in a single year. *Ann Surg Oncol.* 2016 Jun;23(6):1501–5. PMID:26956072
- 1569.** Khunamponpong S, Lamell IF, Sengul S, et al. Carcinoma of ectopic pancreatic ducts and gallbladder metastasis: a report of 16 cases. *Int J Gynecol Pathol.* 2007 Jul;27(3):366–79. PMID:17622074
- 1570.** Kiani B, Ferrell LD, Quisenberry C, et al. Immunohistochemical analysis of primary liver sarcomas. *Am J Clin Mol Pathol.* 2006 Jun;23(3):211–6. PMID:16785789
- 1571.** Kihara A, Fukushima J, et al. Glomus tumor of the liver presenting as a symptomatic lesion. *Pathol Int.* 2014 Jun;64(6):427–31. PMID:24965114
- 1572.** Kikuma K, Watanabe J, et al. Etiological factors in primary hepatocellular carcinoma. *Virchows Arch.* 2012 Oct;460(4):459–65. PMID:22395482

1573. Killian JK, Miettinen M, Walker RL, et al. Recurrent epimutation of SDHC in gastrointestinal stromal tumors. *Sci Transl Med*. 2014 Dec 24(626):268ra177. PMID:25540324
1574. Kim A, Ahn SJ, Park DY, et al. Gastric crypt dysplasia: a distinct subtype of gastric dysplasia with characteristic endoscopic features and immunophenotypic and biological anomalies. *Histopathology*. 2016 May;68(6):843–9. PMID:26336971
1575. Kim B, Giardiello FM. Chemoprevention in familial adenomatous polyposis. *Best Pract Res Clin Gastroenterol*. 2011 Aug;25(4-5):607–22. PMID:22122775
1576. Kim DH, Shin N, Kim GH, et al. Mucin expression in gastric cancer: reappraisal of its clinicopathologic and prognostic significance. *Arch Pathol Lab Med*. 2013 Aug;137(8):1047–53. PMID:23899060
1577. Kim DH, Song MH, Kim DH. Malignant carcinoid tumor of the common bile duct: report of a case. *Surg Today*. 2006;36(5):485–9. PMID:16633759
1578. Kim GE, Thung SN, Tsui WM, et al. Hepatic cavernous hemangioma: underrecognized associated histologic features. *Liver Int*. 2006 Apr;26(3):334–8. PMID:16584396
1579. Kim H, Choi GH, Na DC, et al. Human hepatocellular carcinomas with “stemness”-related marker expression: keratin 19 expression and a poor prognosis. *Hepatology*. 2011 Nov;54(5):1707–17. PMID:22045674
1580. Kim H, Lim JH, Jang KT, et al. Morphology of intraductal papillary neoplasm of the bile ducts: radiologic-pathologic correlation. *Abdom Imaging*. 2011 Aug;36(4):438–46. PMID:20623279
1581. Kim H, Oh BK, Roncalli M, et al. Large liver cell change in hepatitis B virus-related liver cirrhosis. *Hepatology*. 2009 Sep;50(3):752–62. PMID:19585549
1582. Kim H, Park C, Han KH, et al. Primary liver carcinoma of intermediate (hepatocyte-cholangiocyte) phenotype. *J Hepatol*. 2004 Feb;40(2):298–304. PMID:14739102
1583. Kim HG, Kesey JE, Griswold JA. Giant anorectal condyloma acuminatum of Buschke-Löwenstein presents difficult management decisions. *J Surg Case Rep*. 2018 Apr 3;2018(4):rjy058. PMID:29644039
1584. Kim HN, Kim KM, Shin JU, et al. Prediction of carcinoma after resection in subjects with ampullary adenomas on endoscopic biopsy. *J Clin Gastroenterol*. 2013 Apr;47(4):346–51. PMID:23442830
1585. Kim JM, Cho MY, Sohn JH, et al. Diagnosis of gastric epithelial neoplasia: dilemma for Korean pathologists. *World J Gastroenterol*. 2011 Jun 7;17(21):2602–10. PMID:21677827
1586. Kim JY, Brosnan-Cashman JA, An S, et al. Alternative lengthening of telomeres in primary pancreatic neuroendocrine tumors is associated with aggressive clinical behavior and poor survival. *Clin Cancer Res*. 2017 Mar 15;23(6):1598–606. PMID:27663587
1587. Kim JY, Kim MS, Kim KS, et al. Clinicopathologic and prognostic significance of multiple hormone expression in pancreatic neuroendocrine tumors. *Am J Surg Pathol*. 2015 May;39(5):592–601. PMID:25602797
1588. Kim KM, Kim MJ, Cho BK, et al. Genetic evidence for the multi-step progression of mixed glandular-neuroendocrine gastric carcinomas. *Virchows Arch*. 2002 Jan;440(1):85–93. PMID:11942581
1589. Kim KM, Lee JK, Shin JU, et al. Clinicopathologic features of intraductal papillary neoplasm of the bile duct according to histologic subtype. *Am J Gastroenterol*. 2012 Jan;107(1):118–25. PMID:21946282
1590. Kim MJ, Lee EJ, Kim DS, et al. Composite intestinal adenoma-microcarcinoïd in the colon and rectum: a case series and historical review. *Diagn Pathol*. 2017 Nov 7;12(1):78. PMID:29116005
1591. Kim MJ, Lee EJ, Suh JP, et al. Traditional serrated adenoma of the colorectum: clinicopathologic implications and endoscopic findings of the precursor lesions. *Am J Clin Pathol*. 2013 Dec;140(6):898–911. PMID:24225759
1592. Kim S, Chung JW, Jeong TD, et al. Searching for E-cadherin gene mutations in early onset diffuse gastric cancer and hereditary diffuse gastric cancer in Korean patients. *Fam Cancer*. 2013 Sep;12(3):503–7. PMID:23264079
1593. Kim SG, Wu TT, Lee JH, et al. Comparison of epigenetic and genetic alterations in mucinous cystic neoplasm and serous microcystic adenoma of pancreas. *Mod Pathol*. 2003 Nov;16(11):1086–94. PMID:14614047
1594. Kim SH, Park YN, Yoon DS, et al. Composite neuroendocrine and adenocarcinoma of the common bile duct associated with Clonorchis sinensis: a case report. *Hepatogastroenterology*. 2000 Jul-Aug;47(34):942–4. PMID:11020854
1595. Kim SJ, Akita M, Sung YN, et al. MDM2 amplification in intrahepatic cholangiocarcinomas: its relationship with large-duct type morphology and uncommon KRAS mutations. *Am J Surg Pathol*. 2018 Apr;42(4):512–21. PMID:29309301
1596. Kim SJ, Choi CW, Mun YC, et al. Multicenter retrospective analysis of 581 patients with primary intestinal non-hodgkin lymphoma from the Consortium for Improving Survival of Lymphoma (CISL). *BMC Cancer*. 2011 Jul 29;11:321. PMID:21798075
1597. Kim SJ, Jung HA, Chuang SS, et al. Extranodal natural killer/T-cell lymphoma involving the gastrointestinal tract: analysis of clinical features and outcomes from the Asia Lymphoma Study Group. *J Hematol Oncol*. 2013 Nov 16;6:86. PMID:24238138
1598. Kim SS, Kays DW, Larson SD, et al. Appendiceal carcinoids in children—management and outcomes. *J Surg Res*. 2014 Dec;192(2):250–3. PMID:25039014
1599. Kim ST, Ha SY, Lee J, et al. The clinicopathologic features and treatment of 607 hindgut neuroendocrine tumor (NET) patients at a single institution. *Medicine (Baltimore)*. 2016 May;95(19):e3534. PMID:27175651
1600. Kim TH, Shviddasani RA. Stomach development, stem cells and disease. *Development*. 2016 Feb 15;143(4):554–65. PMID:26884394
1601. Kim TK, Jang HJ, Burns PN, et al. Focal nodular hyperplasia and hepatic adenoma: differentiation with low-mechanical-index contrast-enhanced sonography. *AJR Am J Roentgenol*. 2008 Jan;190(1):58–66. PMID:18094294
1602. Kim WJ, Hwang S, Lee YJ, et al. Clinicopathological features and long-term outcomes of intraductal papillary neoplasms of the intrahepatic bile duct. *J Gastrointest Surg*. 2016 Jul;20(7):1368–75. PMID:26873016
1603. Kim WS, Choi BI, Lee YS, et al. Endodermal sinus tumor associated with benign teratoma of the common bile duct. *Pediatr Radiol*. 1993;23(1):59–60. PMID:8469596
- 1603A. Kim Y, Wen X, Bae JM, et al. The distribution of intratumoral macrophages correlates with molecular phenotypes and impacts prognosis in colorectal carcinoma. *Histopathology*. 2018 Oct;73(4):663–71. PMID:29906313
1604. Kim YJ, Park JC, Kim JH, et al. Histologic diagnosis based on forceps biopsy is not adequate for determining endoscopic treatment of gastric adenomatous lesions. *Endoscopy*. 2010 Aug;42(8):620–6. PMID:20623445
1606. Kimura T, Yamamoto E, Yamano HO, et al. A novel pit pattern identifies the precursor of colorectal cancer derived from sessile serrated adenoma. *Am J Gastroenterol*. 2012 Mar;107(3):460–9. PMID:22233696
1607. Kimura W, Kuroda A, Morioka Y. Clinical pathology of endocrine tumors of the pancreas. Analysis of autopsy cases. *Dig Dis Sci*. 1991 Jul;36(7):933–42. PMID:2070707
1608. Kimura W, Moriya T, Hirai I, et al. Multicenter study of serous cystic neoplasm of the Japan Pancreas Society. *Pancreas*. 2012 Apr;41(3):380–7. PMID:22415666
1609. Kinch A, Cavalier L, Bengtsson M, et al. Donor or recipient origin of posttransplant lymphoproliferative disorders following solid organ transplantation. *Am J Transplant*. 2014 Dec;14(12):2838–45. PMID:25307322
1610. Kindblom LG, Remotti HE, Aldenborg F, et al. Gastrointestinal pacemaker cell tumor (GIPACT): gastrointestinal stromal tumors show phenotypic characteristics of the interstitial cells of Cajal. *Am J Pathol*. 1998 May;152(5):1259–69. PMID:9588894
1611. Kindmark H, Sundin A, Granberg D, et al. Endocrine pancreatic tumors with glucagon hypersecretion: a retrospective study of 23 cases during 20 years. *Med Oncol*. 2007;24(3):330–7. PMID:17873310
1612. Kinoshita K, Isozaki K, Hirota S, et al. c-kit gene mutation at exon 17 or 13 is very rare in sporadic gastrointestinal stromal tumors. *J Gastroenterol Hepatol*. 2003 Feb;18(2):147–51. PMID:12542597
1613. Kinzler KW, Vogelstein B. Landscaping the cancer terrain. *Science*. 1998 May 15;280(5366):1036–7. PMID:9616081
1614. Kinzler KW, Vogelstein B. Lessons from hereditary colorectal cancer. *Cell*. 1996 Oct 18;87(2):159–70. PMID:8861899
1615. Kipp BR, Fritchler EG, Clayton AC, et al. Comparison of KRAS mutation analysis and FISH for detecting pancreaticobiliary tract cancer in cytology specimens collected during endoscopic retrograde cholangiopancreatography. *J Mol Diagn*. 2010 Nov;12(6):780–6. PMID:20864634
1616. Kirkwood KS, Debas HT. Neuroendocrine tumors: common presentations of uncommon diseases. *Compr Ther*. 1995 Dec;21(12):719–25. PMID:8789136
1617. Kirsch R, Messenger DE, Riddell RH, et al. Venous invasion in colorectal cancer: impact of an elastin stain on detection and interobserver agreement among gastrointestinal and nongastrointestinal pathologists. *Am J Surg Pathol*. 2013 Feb;37(2):200–10. PMID:23108018
1618. Kitagawa H, Nakamura M, Tani T, et al. A pure invasive micropapillary carcinoma of the pancreatic head: long disease-free survival after pancreaticoduodenectomy and adjuvant chemotherapy with gemcitabine. *Pancreas*. 2007 Aug;35(2):190–2. PMID:17632330
1619. Kitagawa H, Ohta T, Makino I, et al. Carcinomas of the ventral and dorsal pancreas exhibit different patterns of lymphatic spread. *Front Biosci*. 2008 Jan 1;13:2728–35. PMID:17981748
1620. Kitai S, Kudo M, Minami Y, et al. Validation of a new prognostic staging system for hepatocellular carcinoma: a comparison of the biomarker-combined Japan Integrated Staging Score, the conventional Japan Integrated Staging Score and the BALAD Score. *Oncology*. 2008;75 Suppl 1:83–90. PMID:19092276
1622. Klas JV, Rothenberger DA, Wong WD, et al. Malignant tumors of the anal canal: the spectrum of disease, treatment, and outcomes. *Cancer*. 1999 Apr 15;85(8):1686–93. PMID:10223561
1623. Kleeff J, Korc M, Apte M, et al. Pancreatic cancer. *Nat Rev Dis Primers*. 2016 Apr 21;2:16022. PMID:27158978
1624. Klein AP, Beaty TH, Bailey-Wilson JE, et al. Evidence for a major gene influencing risk of pancreatic cancer. *Genet Epidemiol*. 2002 Aug;23(2):133–49. PMID:12214307
1625. Klein AP, Brune KA, Petersen GM, et al. Prospective risk of pancreatic cancer in familial pancreatic cancer kindreds. *Cancer Res*. 2004 Apr 1;64(7):2634–8. PMID:15059921
1626. Klein WM, Hruban RH, Klein-Szanto AJ, et al. Direct correlation between proliferative activity and dysplasia in pancreatic intraepithelial neoplasia (PanIN): additional evidence for a recently proposed model of progression. *Mod Pathol*. 2002 Apr;15(4):441–7. PMID:11950919
1627. Kletter GB, Sweetser DA, Wallace SF, et al. Adrenocorticotropin-secreting pancreaticoblastoma. *J Pediatr Endocrinol Metab*. 2007 May;20(5):639–42. PMID:17642425
1628. Klimstra DS, Adsay V. Acinar neoplasms of the pancreas—a summary of 25 years of research. *Semin Diagn Pathol*. 2016 Sep;33(5):307–18. PMID:27320062
1629. Klimstra DS, Heffess CS, Oertel JE, et al. Acinar cell carcinoma of the pancreas. A clinicopathologic study of 28 cases. *Am J Surg Pathol*. 1992 Sep;16(9):815–37. PMID:1384374
1630. Klimstra DS, Modlin IR, Adsay NV, et al. Pathology reporting of neuroendocrine tumors: application of the Delphi consensus process to the development of a minimum pathology data set. *Am J Surg Pathol*. 2010 Mar;34(3):300–13. PMID:20118772
1631. Klimstra DS, Pitman MB, Hruban RH. An algorithmic approach to the diagnosis of pancreatic neoplasms. *Arch Pathol Lab Med*. 2009 Mar;133(3):454–64. PMID:19260750
1632. Klimstra DS, Rosai J, Heffess CS. Mixed acinar-endocrine carcinomas of the pancreas. *Am J Surg Pathol*. 1994 Aug;18(8):765–78. PMID:8037290
1633. Klimstra DS, Wenig BM, Heffess CS. Solid-pseudopapillary tumor of the pancreas: a typically cystic carcinoma of low malignant potential. *Semin Diagn Pathol*. 2000 Feb;17(1):66–80. PMID:10721808
1634. Klimstra DS. Nonductal neoplasms of the pancreas. *Mod Pathol*. 2007 Feb;20 Suppl 1:S94–112. PMID:17486055
1635. Kluijft I, Siemerink EJ, Ausems MG, et al. CDH1-related hereditary diffuse gastric cancer syndrome: clinical variations and implications for counseling. *Int J Cancer*. 2012 Jul 15;131(2):367–76. PMID:22020549
1636. Klöppel G, Adsay VV. Chronic pancreatitis and the differential diagnosis versus pancreatic cancer. *Arch Pathol Lab Med*. 2009 Mar;133(3):382–7. PMID:19260744
1637. Klöppel G, Adsay VV, Konukiewitz B, et al. Precancerous lesions of the biliary tree. *Best Pract Res Clin Gastroenterol*. 2013 Apr;27(2):285–97. PMID:23809246
1638. Klöppel G, Anlauf M, Perren A, et al. Hyperplasia to neoplasia sequence of duodenal and pancreatic neuroendocrine diseases and pseudohyperplasia of the PP-cells in the pancreas. *Endocr Pathol*. 2014 Jun;25(2):181–5. PMID:24718881
1639. Klöppel G, Anlauf M. Gastrinoma—morphological aspects. *Wien Klin Wochenschr*. 2007;119(19–20):579–84. PMID:17985091
1640. Klöppel G, Basturk O, Schlitter AM, et al. Intraductal neoplasms of the pancreas. *Semin Diagn Pathol*. 2014 Nov;31(6):452–66. PMID:25282472
1641. Klöppel G, Couvelard A, Perren A, et al. ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: towards a standardized approach to the diagnosis of gastroenteropancreatic neuroendocrine tumors and their prognostic stratification. *Neuroendocrinology*. 2009;90(2):162–6. PMID:19060454

1642. Klöppel G, Heitz PU. Morphology and functional activity of gastroenteropancreatic neuroendocrine tumours. *Recent Results Cancer Res.* 1990;118:27–36. PMID:1978380
1643. Klöppel G, Heitz PU. Pancreatic endocrine tumors. *Pathol Res Pract.* 1988 Apr;183(2):155–68. PMID:2898775
- 1643A. Klöppel G, La Rosa S. Ki67 labeling index: assessment and prognostic role in gastroenteropancreatic neuroendocrine neoplasms. *Virchows Arch.* 2018 Mar;472(3):341–9. PMID:29134440
1644. Klöppel G, Lohse T, Bosslet K, et al. Ductal adenocarcinoma of the head of the pancreas: incidence of tumor involvement beyond the Whipple resection line. Histological and immunocytochemical analysis of 37 total pancreatectomy specimens. *Pancreas.* 1987;2(2):170–5. PMID:2819857
1645. Klöppel G, Maurer R, Hofmann E, et al. Solid-cystic (papillary-cystic) tumours within and outside the pancreas in men: report of two patients. *Virchows Arch A Pathol Anat Histopathol.* 1991;418(2):179–83. PMID:1705067
1646. Klöppel G, Morohoshi T, John HD, et al. Solid and cystic acinar cell tumour of the pancreas. A tumour in young women with favourable prognosis. *Virchows Arch A Pathol Anat Histol.* 1981;392(2):171–83. PMID:7281507
1647. Klöppel G, Rindi G, Anlauf M, et al. Site-specific biology and pathology of gastroenteropancreatic neuroendocrine tumors. *Virchows Arch.* 2007 Aug;451 Suppl 1:S9–27. PMID:17684761
1648. Klöppel G, Willemer S, Stamm B, et al. Pancreatic lesions and hormonal profile of pancreatic tumors in multiple endocrine neoplasia type I. An immunocytochemical study of nine patients. *Cancer.* 1986 May 1;57(9):1824–32. PMID:2420439
1649. Klöppel G. Clinicopathologic view of intraductal papillary-mucinous tumor of the pancreas. *Hepatogastroenterology.* 1998 Nov-Dec;45(24):1981–5. PMID:9951851
1650. Klöppel G. Mixed exocrine-endocrine tumors of the pancreas. *Semin Diagn Pathol.* 2000 May;17(2):104–8. PMID:10839610
1651. Klöppel G. Pseudocysts and other non-neoplastic cysts of the pancreas. *Semin Diagn Pathol.* 2000 Feb;17(1):7–15. PMID:10721803
1652. Knight JS, Tsodikov A, Cibrik DM, et al. Lymphoma after solid organ transplantation: risk, response to therapy, and survival at a transplantation center. *J Clin Oncol.* 2009 Jul 10;27(20):3354–62. PMID:19451438
1653. Knijn N, Mogk SC, Teerenstra S, et al. Peritoneal invasion is a strong prognostic factor in colorectal cancer: a systematic review. *Am J Surg Pathol.* 2016 Jan;40(1):103–12. PMID:26426380
1654. Knijn N, van Exsel UEM, de Noo ME, et al. The value of intramural vascular invasion in colorectal cancer - a systematic review and meta-analysis. *Histopathology.* 2018 Apr;72(5):721–8. PMID:28960400
1655. Knowles DM, Ceserman E, Chadburn A, et al. Correlative morphologic and molecular genetic analysis demonstrates three distinct categories of posttransplantation lymphoproliferative disorders. *Blood.* 1995 Jan 15;85(2):552–65. PMID:7812011
1656. Knox CD, Anderson CD, Lamps LW, et al. Long-term survival after resection for primary hepatic carcinoid tumor. *Ann Surg Oncol.* 2003 Dec;10(10):1171–5. PMID:14654473
1657. Knox RD, Luey N, Sioson L, et al. Medullary colorectal carcinoma revisited: a clinical and pathological study of 102 cases. *Ann Surg Oncol.* 2015 Sep;22(9):2988–96. PMID:25572685
1658. Knudsen AL, Bülow S, Tomlinson I, et al. Attenuated familial adenomatous polyposis: results from an international collaborative study. *Colorectal Dis.* 2010 Oct;12(10 Online):e243–9. PMID:20105204
1659. Ko HM, Harpaz N, McBride RB, et al. Serrated colorectal polyps in inflammatory bowel disease. *Mod Pathol.* 2015 Dec;28(12):1584–93. PMID:26403785
1660. Ko YH, Cho EY, Kim JE, et al. NK and NK-like T-cell lymphoma in extranasal sites: a comparative clinicopathological study according to site and EBV status. *Histopathology.* 2004 May;44(5):480–9. PMID:15139996
1661. Ko YH, Karnan S, Kim KM, et al. Enteropathy-associated T-cell lymphoma—a clinicopathologic and array comparative genomic hybridization study. *Hum Pathol.* 2010 Sep;41(9):1231–7. PMID:20399483
1662. Ko YH, Kim CW, Park CS, et al. REAL classification of malignant lymphomas in the Republic of Korea: incidence of recently recognized entities and changes in clinicopathologic features. *Hematolymphoreticular Study Group of the Korean Society of Pathologists.* Revised European-American lymphoma. *Cancer.* 1998 Aug 15;83(4):806–12. PMID:9708949
1663. Kobari M, Egawa S, Shibuya K, et al. Intraductal papillary mucinous tumors of the pancreas comprise 2 clinical subtypes: differences in clinical characteristics and surgical management. *Arch Surg.* 1999 Oct;134(10):1131–6. PMID:10522860
1664. Koch P, del Valle F, Berdel WE, et al. Primary gastrointestinal non-Hodgkin's lymphoma: I. Anatomic and histologic distribution, clinical features, and survival data of 371 patients registered in the German Multicenter Study GIT NHL 01/92. *J Clin Oncol.* 2001 Sep 15;19(18):3861–73. PMID:11559724
1665. Koffron A, Rao S, Ferrario M, et al. Intrahepatic biliary cystadenoma: role of cyst fluid analysis and surgical management in the laparoscopic era. *Surgery.* 2004 Oct;136(4):926–36. PMID:15467680
1666. Koga A, Tabata M, Kido H, et al. [Successful treatment of ectopic insulinoma. Report of a case (author's transl)]. *Nihon Shokakibyo Gakkai Zasshi.* 1979 Feb;76(2):279–84. Japanese. PMID:220443
1667. Koito K, Namieno T, Nagakawa T, et al. Pancreas: imaging diagnosis with color/power Doppler ultrasonography, endoscopic ultrasonography, and intraductal ultrasonography. *Eur J Radiol.* 2001 May;38(2):94–104. PMID:11335091
1668. Kojima M, Ikeda K, Saito N, et al. Neuroendocrine tumors of the large intestine: clinicopathological features and predictive factors of lymph node metastasis. *Front Oncol.* 2016 Jul 18;6:173. PMID:27486567
1669. Kolodziejczyk P, Yao T, Tsuneyoshi M. Inflammatory fibroid poly of the stomach. A special reference to an immunohistochemical profile of 42 cases. *Am J Surg Pathol.* 1993 Nov;17(11):1159–68. PMID:8214261
1670. Komatsu H, Egawa S, Motoi F, et al. Clinicopathological features and surgical outcomes of adenosquamous carcinoma of the pancreas: a retrospective analysis of patients with resectable stage tumors. *Surg Today.* 2015 Mar;45(3):297–304. PMID:24973941
1671. Kominami A, Fujino M, Murakami H, et al. β -catenin mutation in ovarian solid pseudopapillary neoplasm. *Pathol Int.* 2014 Sep;64(9):460–4. PMID:25186079
1672. Komuta M, Spee B, Vander Borght S, et al. Clinicopathological study on cholangiolocellular carcinoma suggesting hepatic progenitor cell origin. *Hepatology.* 2008 May;47(5):1544–56. PMID:18393293
1673. Kondo E, Furukawa T, Yoshinaga K, et al. Not hMSH2 but hMLH1 is frequently silenced by hypermethylation in endometrial cancer but rarely silenced in pancreatic cancer with microsatellite instability. *Int J Oncol.* 2000 Sep;17(3):535–41. PMID:10938395
1674. Kondo F, Wada K, Nagato Y, et al. Biopsy diagnosis of well-differentiated hepatocellular carcinoma based on new morphologic criteria. *Hepatology.* 1989 May;9(5):751–5. PMID:2540084
1675. Kondo K. Duodenogastric reflux and gastric stump carcinoma. *Gastric Cancer.* 2002;5(1):16–22. PMID:12021855
1676. Konishi E, Nakashima Y, Smyrk TC, et al. Clear cell carcinoid tumor of the gallbladder. A case without von Hippel-Lindau disease. *Arch Pathol Lab Med.* 2003 Jun;127(6):745–7. PMID:12741904
1677. Konomi K, Chijiwa K, Katsuta T, et al. Pancreatic somatostatinoma: a case report and review of the literature. *J Surg Oncol.* 1990 Apr;43(4):259–65. PMID:16969977
1678. Konstantinidis IT, Vinuela EF, Tang LH, et al. Incidentally discovered pancreatic intraepithelial neoplasia: what is its clinical significance? *Ann Surg Oncol.* 2013 Oct;20(11):3643–7. PMID:23748606
1679. Konstantinova AM, Michal M, Kacerovska D, et al. Hidradenoma papilliferum: a clinicopathologic study of 264 tumors from 261 patients, with emphasis on mammary-type alterations. *Am J Dermatopathol.* 2016 Aug;38(8):598–607. PMID:26863059
1680. Konukiewitz B, Enosawa T, Klöppel G. Glucagon expression in cystic pancreatic neuroendocrine neoplasms: an immunohistochemical analysis. *Virchows Arch.* 2011 Jan;458(1):47–53. PMID:20922407
1681. Konukiewitz B, Jesinghaus M, Steiger K, et al. Pancreatic neuroendocrine carcinomas reveal a closer relationship to ductal adenocarcinomas than to neuroendocrine tumors G3. *Hum Pathol.* 2018 Jul;77:70–9. PMID:29596894
1682. Konukiewitz B, Schlitter AM, Jesinghaus M, et al. Somatostatin receptor expression related to TP53 and RB1 alterations in pancreatic and extrapancreatic neuroendocrine neoplasms with a Ki67-index above 20. *Mod Pathol.* 2017 Apr;30(4):587–98. PMID:28059098
1683. Kou GC, Tan SY, Tang T, et al. Janus kinase 3-activating mutations identified in natural killer/T-cell lymphoma. *Cancer Discov.* 2012 Jul;2(7):591–7. PMID:22705984
1684. Koopman T, Louwen M, Hage M, et al. Pathologic diagnostics of HER2 positivity in gastroesophageal adenocarcinoma. *Am J Clin Pathol.* 2015 Feb;143(2):257–64. PMID:25596252
1685. Kooy-Winkelhaar YM, Bouwer D, Janssen GM, et al. CD4 T-cell cytokines synergize to induce proliferation of malignant and nonmalignant innate intraepithelial lymphocytes. *Proc Natl Acad Sci U S A.* 2017 Feb 7;114(6):E980–9. PMID:28049849
1686. Koplin J, Agni R. Hepatic composite tumor in a patient with primary sclerosing cholangitis. *Pathol Res Pract.* 2009;205(5):361–4. PMID:19155146
1687. Korinek V, Barker N, Morin PJ, et al. Constitutive transcriptional activation by a beta-catenin-Tcf complex in APC-/ colon carcinoma. *Science.* 1997 Mar 21;275(5307):1784–7. PMID:9065401
1688. Kosmahl M, Pauser U, Anlauf M, et al. Pancreatic ductal adenocarcinomas with cystic features: neither rare nor uniform. *Mod Pathol.* 2005 Sep;18(9):1157–64. PMID:165920540
1689. Kosmahl M, Pauser U, Peters K, et al. Cystic neoplasms of the pancreas and tumor-like lesions with cystic features: a review of 418 cases and a classification proposal. *Virchows Arch.* 2004 Aug;445(2):168–78. PMID:15185076
1690. Kosmahl M, Seida JS, Jiang X, et al. Solid-pseudopapillary tumor of the pancreas: its origin revisited. *Virchows Arch.* 2001 May;436(5):473–80. PMID:11287741
1691. Kosmahl M, Wagner J, Pauser U, et al. Serous cystic neoplasms of the pancreas: an immunohistochemical analysis involving alpha-inhibin, neuron-specific enolase, and MUC6 as new markers. *Am J Surg Pathol.* 2003 Mar;28(3):339–46. PMID:14542429
1692. Koulos J, Symmans F, Cheung Y, et al. Human papillomavirus infection in anal carcinoma of the anus. *Natl Rev Cancer.* 2004 Jan;4(1):58–61. PMID:14755182
1693. Koushik A, Spiegelman J, Abemayor E, et al. Intake of fruits and vegetables and risk of pancreatic cancer in a case-control study. *Am J Epidemiol.* 2000 Jun;151(5):373–86. PMID:10845754
1694. Kozaka K, Sasak W, Fukuda T, et al. A group of intrahepatic cholangiocarcinomas: an infiltrating replacement growth with a resemblance to reactive proliferative nodules: 'bile ductular carcinoma'. *Cancer.* 2007 Sep;109(5):1030–7. PMID:17783059
1695. Kozuka S, Sassa R, Takemoto T, et al. Transformation of pancreatic duct hyperplasia into carcinoma. *Cancer.* 1979 Apr;43(8):1961–6. PMID:445339
1696. Kozuka S, Tsubone H, Yamamoto S, et al. Relation of adenoma to carcinoma of the gallbladder. *Cancer.* 1982 Nov;50(10):2531–5. PMID:7127263
1697. Krampitz GW, Norton JA. Management of the Zollinger-Ellison syndrome. *Surg.* 2013;47:59–79. PMID:23629594
1698. Krasinskas AM, Dako G, Sano K, et al. "Simple mucinous cyst": the clinicopathologic analysis of 35 cases of a diagnostically challenging entity. Intraductal papillary mucinous neoplasms versus mucinous cystic neoplasms. *Mod Pathol.* 2017 Jan;41(1):121–7. PMID:28027466
1699. Krausova M, Komel I, Komel R, et al. "Simple mucinous cyst": the clinicopathologic analysis of 35 cases of a diagnostically challenging entity. Intraductal papillary mucinous neoplasms versus mucinous cystic neoplasms. *Mod Pathol.* 2017 Jan;41(1):121–7. PMID:28027466
1700. Krausova M, Komel I, Komel R, et al. In adult intestinal stem cells and cancer. *Signal.* 2014 Mar;26(3):S10–6. PMID:24576000
1701. Kraus Y, Freedman N, Rosenblatt J, et al. 68Ga-DOTA-NOC PET/CT imaging of neuroendocrine tumors: comparison with PA-octreotide (Octreoscan). *Am J Nucl Biol.* 2011 Jun;13(3):582–83. PMID:21706000
1702. Krejs GJ. VIPoma syndrome. *Am J Med.* 1987 May 29;82:58–67. PMID:3550000
1703. Kremer BE, Reischl R, Weissenböck H, et al. Post-transplant lymphoproliferative disorder after lung transplantation: a case report. *J Heart Lung Transplant.* 2012 Dec;31(12):1304. PMID:22112992
1704. Krishna NB, Mehra R, Reddy R, et al. EUS/EUS-FNA for suspected pancreatic cancer: influence of chronic pancreatic disease on clinical presentation with or without obstructive jaundice on performance of EUS. *Gastrointest Endosc.* 2008 Jun;67(6):1036–42. PMID:18497774
1705. Krishna SG, Brugge WR, DeWitt J, et al. Needle-based confocal laser microscopy for the diagnosis of early-stage pancreatic lesions: an international external validation study. *Gastrointest Endosc.* 2017 Oct;86(4):863–71. PMID:28286093
1706. Kruger S, Haas R, Baumgärtner S, et al. Incidence, outcome and risk factors for venous thromboembolism in patients with pancreatic cancer – a systematic review and meta-analysis. *Thromb Res.* 2017 Sep;142:1–7. PMID:28675831
1707. Kubo T, Kiryu S, Akao H, et al. Relationship between involvement of histiocytic sarcoidosis and MRI findings. *Korean J Radiol.* 2018 Jun;19(6):1030–6. PMID:30080000

- Sep-Oct;17(5):758–62. PMID:27587965
1708. Kubo Y, Aishima S, Tanaka Y, et al. Different expression of glucose transporters in the progression of intrahepatic cholangiocarcinoma. *Hum Pathol.* 2014 Aug;45(8):1610–7. PMID:24824030
1709. Kuboki Y, Shimizu K, Hatori T, et al. Molecular biomarkers for progression of intraductal papillary mucinous neoplasm of the pancreas. *Pancreas.* 2015 Mar;44(2):227–35. PMID:25423558
1710. Kuboki Y, Yamashita S, Niwa T, et al. Comprehensive analyses using next-generation sequencing and immunohistochemistry enable precise treatment in advanced gastric cancer. *Ann Oncol.* 2016 Jan;27(1):127–33. PMID:26489445
1711. Kubota K, Nakanuma Y, Kondo F, et al. Clinicopathological features and prognosis of mucin-producing bile duct tumor and mucinous cystic tumor of the liver: a multi-institutional study by the Japan Biliary Association. *J Hepatobiliary Pancreat Sci.* 2014 Mar;21(3):176–85. PMID:23908126
1712. Kudo S, Tamura S, Nakajima T, et al. Diagnosis of colorectal tumorous lesions by magnifying endoscopy. *Gastrointest Endosc.* 1996 Jul;44(1):8–14. PMID:8836710
1713. Kudo S. Endoscopic mucosal resection of flat and depressed types of early colorectal cancer. *Endoscopy.* 1993 Sep;25(7):455–61. PMID:8261988
1714. Kuhlmann KF, de Castro SM, Wesseling JG, et al. Surgical treatment of pancreatic adenocarcinoma: actual survival and prognostic factors in 343 patients. *Eur J Cancer.* 2004 Mar;40(4):549–58. PMID:14962722
1715. Kuiper RP, Vissers LE, Venkatachalam R, et al. Recurrence and variability of germline EPCAM deletions in Lynch syndrome. *Hum Mutat.* 2011 Apr;32(4):407–14. PMID:21309036
1716. Kulke MH, Anthony LB, Bushnell DL, et al. NANETS treatment guidelines: well-differentiated neuroendocrine tumors of the stomach and pancreas. *Pancreas.* 2010 Aug;39(6):735–52. PMID:20664472
1717. Kumagai S, Sobue T, Makiuchi T, et al. Relationship between cumulative exposure to 1,2-dichloropropane and incidence risk of cholangiocarcinoma among offset printing workers. *Occup Environ Med.* 2016 Aug;73(8):545–52. PMID:27371662
1718. Kumar S, Krenacs L, Otsuki T, et al. Bcl-1 rearrangement and cyclin D1 protein expression in multiple lymphomatous polyposis. *Am J Clin Pathol.* 1996 Jun;105(6):737–43. PMID:8659449
1719. Kumarasinghe G, Lavee O, Parker A, et al. Post-transplant lymphoproliferative disease in heart and lung transplantation: defining risk and prognostic factors. *J Heart Lung Transplant.* 2015 Nov;34(11):1406–14. PMID:26279197
1720. Kumarasinghe MP, Brown I, Raftopoulos S, et al. Standardised reporting protocol for endoscopic resection for Barrett's oesophagus associated neoplasia: expert consensus recommendations. *Pathology.* 2014 Oct;46(6):473–80. PMID:25158823
1721. Kumaravel A, Lopez R, Brainard J, et al. Brush cytology vs. endoscopic biopsy for the surveillance of Barrett's esophagus. *Endoscopy.* 2010 Oct;42(10):800–5. PMID:20821361
1722. Kumar S, Ciesielski TE, Fogarasi MC. Management of small bowel adenocarcinoma. *Oncology (Williston Park).* 2002 Oct;16(10):1364–9, discussion 1370, 1372–3. PMID:12435206
1723. Kunisaki C, Makino H, Kimura J, et al. Impact of lymphovascular invasion in patients with stage I gastric cancer. *Surgery.* 2010 Feb;147(2):204–11. PMID:19878963
1724. Kuo FY, Huang HY, Chen CL, et al. TFE3-rearranged hepatic epithelioid hemangiendothelioma—a case report with immunohistochemical and molecular study. *APMIS.* 2017 Sep;125(9):849–53. PMID:28585251
1725. Kuo YH, Wang JH, Lu SN, et al. Natural course of hepatic focal nodular hyperplasia: a long-term follow-up study with sonography. *J Clin Ultrasound.* 2009 Mar-Apr;37(3):132–7. PMID:18855931
1726. Kuraoka K, Taniyama K, Fujitaka T, et al. Small cell carcinoma of the extrahepatic bile duct: case report and immunohistochemical analysis. *Pathol Int.* 2003 Dec;53(12):887–91. PMID:14629756
1727. Kurman RJ, Carcangioli ML, Herrington CS, et al., editors. WHO classification of tumours of female reproductive organs. Lyon (France): International Agency for Research on Cancer; 2014. (WHO classification of tumours series, 4th ed.; vol. 6). <http://publications.iarc.fr/16>
1728. Kuroda N, Tanida N, Ohara M, et al. Anal canal adenocarcinoma with MUC5AC expression suggestive of anal gland origin. *Med Mol Morphol.* 2007 Mar;40(1):50–3. PMID:17384991
1729. Kuroda T, Hoshino K, Nosaka S, et al. Critical hepatic hemangioma in infants: recent nationwide survey in Japan. *Pediatr Int.* 2014 Jun;56(3):304–8. PMID:24689756
1730. Kurokawa Y, Matsuura N, Kimura Y, et al. Multicenter large-scale study of prognostic impact of HER2 expression in patients with resectable gastric cancer. *Gastric Cancer.* 2015 Oct;18(4):691–7. PMID:25224659
1731. Kushner R, Kim KM. Interobserver variation in the diagnosis of gastric epithelial dysplasia and carcinoma between two pathologists in Japan and Korea. *J Gastric Cancer.* 2011 Sep;11(3):141–5. PMID:22076218
1732. Kushner R, Müller W, Stolte M, et al. Differential p53 protein expression in stomach adenomas of gastric and intestinal phenotypes: possible sequences of p53 alteration in stomach carcinogenesis. *Virchows Arch.* 1996 Jul;428(4–5):223–7. PMID:8764930
1733. Kushner R, Remmele W, Stolte M, et al. Pyloric gland type adenoma of the gallbladder with squamous spindle cell metaplasia. *Pathol Res Pract.* 1996 Sep;192(9):963–9, discussion 970–1. PMID:8950764
1734. Kushner R, Sekine S, Matsubara A, et al. Gastric adenocarcinoma of the fundic gland type shares common genetic and phenotypic features with pyloric gland adenoma. *Pathol Int.* 2013 Jun;63(6):318–25. PMID:23782334
1735. Kushner R, Vieth M, Borchard F, et al. Gastric-type well-differentiated adenocarcinoma and pyloric gland adenoma of the stomach. *Gastric Cancer.* 2006;9(3):177–84. PMID:16952035
1736. Kwak MS, Chung SJ, Yang JI, et al. Long-term outcome of small, incidentally detected rectal neuroendocrine tumors removed by simple excisional biopsy compared with the advanced endoscopic resection during screening colonoscopy. *Dis Colon Rectum.* 2018 Mar;61(3):338–46. PMID:29369898
1737. Kwon CH, Kim YK, Lee S, et al. Gastric poorly cohesive carcinoma: a correlative study of mutational signatures and prognostic significance based on histopathological subtypes. *Histopathology.* 2018 Mar;72(4):556–68. PMID:28873240
1738. Kwon HJ, Kim JW, Kim H, et al. Combined hepatocellular carcinoma and neuroendocrine carcinoma with ectopic secretion of parathyroid hormone: a case report and review of the literature. *J Pathol Transl Med.* 2018 Jul;52(4):232–7. PMID:29794961
1739. Kwon MJ, Kim JW, Jung JP, et al. Low incidence of KRAS, BRAF, and PIK3CA mutations in adenocarcinomas of the ampulla of Vater and their prognostic value. *Hum Pathol.* 2016 Apr;50:90–100. PMID:26997442
1740. Kwon MJ, Min BH, Lee SM, et al. Serated adenoma of the stomach: a clinicopathologic, immunohistochemical, and molecular study of nine cases. *Histol Histopathol.* 2013 Apr;28(4):453–62. PMID:23404616
1741. Kytölä S, Höög A, Nord B, et al. Comparative genomic hybridization identifies loss of 18q24-qter as an early and specific event in tumorigenesis of midgut carcinoids. *Am J Pathol.* 2001 May;158(5):1803–8. PMID:11337378
1742. Kyu HH, Bachman VF, Alexander LT, et al. Physical activity and risk of breast cancer, colon cancer, diabetes, ischemic heart disease, and ischemic stroke events: systematic review and dose-response meta-analysis for the Global Burden of Disease Study 2013. *BMJ.* 2016 Aug 9;352:i3857. PMID:27510511
1743. Königsrainer I, Glatzle J, Klöppel G, et al. Intraductal and cystic tubulopapillary adenocarcinoma of the pancreas—a possible variant of intraductal tubular carcinoma. *Pancreas.* 2008 Jan;36(1):92–5. PMID:18192889
1744. Körner M, Waser B, Schonbrunn A, et al. Somatostatin receptor subtype 2A immunohistochemistry using a new monoclonal antibody selects tumors suitable for in vivo somatostatin receptor targeting. *Am J Surg Pathol.* 2012 Feb;36(2):242–52. PMID:22251942
1745. Küppers F, Jongen J, Bock JU, et al. Keratoacanthoma in the differential diagnosis of anal carcinoma: difficult diagnosis, easy therapy. Report of three cases. *Dis Colon Rectum.* 2000 Mar;43(3):427–9. PMID:10733129
1746. Küsters-Vandevelde HV, Kruse V, Van Maerken T, et al. Copy number variation analysis and methylome profiling of a GNAQ-mutant primary meningeal melanocytic tumor and its liver metastasis. *Exp Mol Pathol.* 2017 Feb;102(1):25–31. PMID:27974237
1747. Küçük C, Jiang B, Hu X, et al. Activating mutations of STAT5B and STAT3 in lymphomas derived from γδ-T or NK cells. *Nat Commun.* 2015 Jan 14;6:6025. PMID:25586472
1748. La Rosa S, Adsay V, Albarello L, et al. Clinicopathologic study of 62 acinar cell carcinomas of the pancreas: insights into the morphology and immunophenotype and search for prognostic markers. *Am J Surg Pathol.* 2012 Dec;36(12):1782–95. PMID:23026929
1749. La Rosa S, Bernasconi B, Frattini M, et al. TP53 alterations in pancreatic acinar cell carcinoma: new insights into the molecular pathology of this rare cancer. *Virchows Arch.* 2016 Mar;468(3):289–96. PMID:26586531
1750. La Rosa S, Bernasconi B, Vanoli A, et al. c-MYC amplification and c-myc protein expression in pancreatic acinar cell carcinomas. New insights into the molecular signature of these rare cancers. *Virchows Arch.* 2018 Oct;473(4):435–41. PMID:29721608
1751. La Rosa S, Franzini F, Albarello L, et al. Serotonin-producing enterochromaffin cell tumors of the pancreas: clinicopathologic study of 15 cases and comparison with intestinal enterochromaffin cell tumors. *Pancreas.* 2011 Aug;40(6):883–95. PMID:21705949
1752. La Rosa S, Franzini F, Marchet S, et al. The monoclonal anti-BCL10 antibody (clone 331.1) is a sensitive and specific marker of pancreatic acinar cell carcinoma and pancreatic metaplasia. *Virchows Arch.* 2009 Feb;454(2):133–42. PMID:19066953
1753. La Rosa S, Inzani F, Vanoli A, et al. Histologic characterization and improved prognostic evaluation of 209 gastric neuroendocrine neoplasms. *Hum Pathol.* 2011 Oct;42(10):1373–84. PMID:21531442
1754. La Rosa S, Marando A, Sessa F, et al. Mixed adenoneuroendocrine carcinomas (MANECs) of the gastrointestinal tract: an update. *Cancers (Basel).* 2012 Jan 16;4(1):11–30. PMID:24213223
1755. La Rosa S, Pariani D, Calandra C, et al. Ectopic duodenal insulinoma: a very rare and challenging tumor type. Description of a case and review of the literature. *Endocr Pathol.* 2013 Dec;24(4):213–9. PMID:24006218
1756. La Rosa S, Rigoli E, Uccella S, et al. CDX2 as a marker of intestinal EC-cells and related well-differentiated endocrine tumors. *Virchows Arch.* 2004 Sep;445(3):248–54. PMID:15517368
1757. La Rosa S, Sessa F, Capella C. Acinar cell carcinoma of the pancreas: overview of clinicopathologic features and insights into the molecular pathology. *Front Med (Lausanne).* 2015 Jun 15;2:41. PMID:26137463
1758. La Rosa S, Sessa F, Uccella S. Mixed neuroendocrine-nonneuroendocrine neoplasms (MINENS): unifying the concept of a heterogeneous group of neoplasms. *Endocr Pathol.* 2016 Dec;27(4):284–311. PMID:27169712
1759. La Rosa S, Uccella S, Molinari F, et al. Mixed adenoma well-differentiated neuroendocrine tumor (MANET) of the digestive system: an indolent subtype of mixed neuroendocrine-nonneuroendocrine neoplasm (MINEN). *Am J Surg Pathol.* 2018 Nov;42(11):1503–12. PMID:30001239
1760. La Rosa S, Vanoli A. Gastric neuroendocrine neoplasms and related precursor lesions. *J Clin Pathol.* 2014 Nov;67(11):938–48. PMID:25053544
1761. Lachlan KL, Lucassen AM, Bunyan D, et al. Cowden syndrome and Bannayan Riley Ruvalcaba syndrome represent one condition with variable expression and age-related penetrance: results of a clinical study of PTEN mutation carriers. *J Med Genet.* 2007 Sep;44(9):579–85. PMID:17526800
1762. Lack EE, Schloo BL, Azumi N, et al. Undifferentiated (embryonal) sarcoma of the liver. Clinical and pathologic study of 16 cases with emphasis on immunohistochemical features. *Am J Surg Pathol.* 1991 Jan;15(1):1–16. PMID:1702267
1763. Lage J, Uedo N, Dinis-Ribeiro M, et al. Surveillance of patients with gastric precancerous conditions. *Best Pract Res Clin Gastroenterol.* 2016 Dec;30(6):913–22. PMID:27938786
1764. Laginestra MA, Tripodo C, Agostonelli C, et al. Distinctive histogenesis and immunological microenvironment based on transcriptional profiles of follicular dendritic cell sarcomas. *Mol Cancer Res.* 2017 May;15(5):541–52. PMID:28130401
1765. Lahat G, Lazar A, Lev D. Sarcoma epidemiology and etiology: potential environmental and genetic factors. *Surg Clin North Am.* 2008 Jun;88(3):451–81, v. PMID:18514694
1766. Lahaye MJ, Engelen SM, Nelemans PJ, et al. Imaging for predicting the risk factors—the circumferential resection margin and nodal disease—of local recurrence in rectal cancer: a meta-analysis. *Semin Ultrasound CT MR.* 2005 Aug;26(4):259–68. PMID:16152740
1767. Lai JP, Mertens RB, Mirocha J, et al. Comparison of PAX6 and PAX8 as immunohistochemical markers for pancreatic neuroendocrine tumors. *Endocr Pathol.* 2015 Mar;26(1):54–62. PMID:25433656
1768. Lai R, Weiss LM, Chang KL, et al. Frequency of CD43 expression in non-Hodgkin lymphoma. A survey of 742 cases and further characterization of rare CD43+ follicular lymphomas. *Am J Clin Pathol.* 1999 Apr;111(4):488–94. PMID:10191768
1769. Laine L, Kaltenbach T, Barkun A, et al.

SCENIC international consensus statement on surveillance and management of dysplasia in inflammatory bowel disease. *Gastrointest Endosc.* 2015 Mar;81(3):489–501.e26. PMID:25708752

1770. Lam AK. Application of pathological staging in esophageal adenocarcinoma. *Methods Mol Biol.* 2018;1756:93–103. PMID:29600363

1771. Lam AK. Histopathological assessment for esophageal adenocarcinoma. *Methods Mol Biol.* 2018;1756:67–76. PMID:29600360

1772. Lam AK. Introduction: esophageal adenocarcinoma: updates of Current Status. *Methods Mol Biol.* 2018;1756:1–6. PMID:29600355

1773. Lam KY, Dickens P, Loke SL, et al. Squamous cell carcinoma of the oesophagus with mucin-secreting component (muco-epidermoid carcinoma and adenosquamous carcinoma): a clinicopathologic study and a review of literature. *Eur J Surg Oncol.* 1994 Feb;20(1):25–31. PMID:8131864

1774. Lam KY, Law S, Tin L, et al. The clinicopathological significance of p21 and p53 expression in esophageal squamous cell carcinoma: an analysis of 153 patients. *Am J Gastroenterol.* 1999 Aug;94(8):2060–8. PMID:10445528

1775. Lam KY, Law SY, Loke SL, et al. Double sarcomatoid carcinomas of the oesophagus. *Pathol Res Pract.* 1996 Jun;192(6):604–9. PMID:8857649

1776. Lam KY, Leung CY, Ho JW. Sarcomatoid carcinoma of the small intestine. *Aust N Z J Surg.* 1996 Sep;66(9):636–9. PMID:8859167

1777. Lam KY, Loke SL, Ma LT. Histochemistry of mucin secreting components in mucoepidermoid and adenosquamous carcinoma of the oesophagus. *J Clin Pathol.* 1993 Nov;46(11):1011–5. PMID:7504701

1778. Lam KY, Ma L. Pathology of esophageal cancers: local experience and current insights. *Chin Med J (Engl).* 1997 Jun;110(6):459–64. PMID:9594248

1779. Lam KY, Ma LT, Wong J. Measurement of extent of spread of oesophageal squamous carcinoma by serial sectioning. *J Clin Pathol.* 1996 Feb;49(2):124–9. PMID:8655677

1780. Lam-Himlin D, Park JY, Cornish TC, et al. Morphologic characterization of syndromic gastric polyps. *Am J Surg Pathol.* 2010 Nov;34(11):1656–62. PMID:2092481

1781. Lamlium H, Ilyas M, Rowan A, et al. The type of somatic mutation at APC in familial adenomatous polyposis is determined by the site of the germline mutation: a new facet to Knudson's 'two-hit' hypothesis. *Nat Med.* 1999 Sep;5(9):1071–5. PMID:10470088

1782. Lammi L, Arte S, Somer M, et al. Mutations in AXIN2 cause familial tooth agenesis and predispose to colorectal cancer. *Am J Hum Genet.* 2004 May;74(5):1043–50. PMID:15042511

1783. Lan KH, Sheu ML, Hwang SJ, et al. HCV NS5A interacts with p53 and inhibits p53-mediated apoptosis. *Oncogene.* 2002 Jul 18;21(31):4801–11. PMID:12101418

1784. Landen S, Elens M, Vrancken C, et al. Giant hepatic carcinoid: a rare tumor with a favorable prognosis. *Case Rep Surg.* 2014;2014:456509. PMID:24653852

1785. Lang H, Sotiropoulos GC, Brokalaki EI, et al. Survival and recurrence rates after resection for hepatocellular carcinoma in noncirrhotic livers. *J Am Coll Surg.* 2007 Jul;205(1):27–36. PMID:17617329

1786. Langer R, Becker K. Tumor regression grading of gastrointestinal cancers after neoadjuvant therapy. *Virchows Arch.* 2018 Feb;472(2):175–86. PMID:28918544

1787. Langeveld D, Jansen M, de Boer DV, et al. Aberrant intestinal stem cell lineage dynamics in Peutz-Jeghers syndrome and familial

adenomatous polyposis consistent with protracted clonal evolution in the crypt. *Gut.* 2012 Jun;61(6):839–46. PMID:21940722

1788. Langeveld D, van Hattem WA, de Leng WW, et al. SMAD4 immunohistochemistry reflects genetic status in juvenile polyposis syndrome. *Clin Cancer Res.* 2010 Aug 15;16(16):4126–34. PMID:20682711

1789. Lanza G, Gafà R, Matteuzzi M, et al. Medullary-type poorly differentiated adenocarcinoma of the large bowel: a distinct clinicopathologic entity characterized by microsatellite instability and improved survival. *J Clin Oncol.* 1999 Aug;17(8):2429–38. PMID:10561306

1790. Larsson LI, Hirsch MA, Holst JJ, et al. Pancreatic somatostatinoma. Clinical features and physiological implications. *Lancet.* 1977 Mar 26;1(8013):666–8. PMID:66472

1791. Lasota J, Corless CL, Heinrich MC, et al. Clinicopathologic profile of gastrointestinal stromal tumors (GISTs) with primary KIT exon 13 or exon 17 mutations: a multicenter study on 54 cases. *Mod Pathol.* 2008 Apr;21(4):476–84. PMID:18246046

1792. Lasota J, Miettinen M. Clinical significance of oncogenic KIT and PDGFRA mutations in gastrointestinal stromal tumours. *Histopathology.* 2008 Sep;53(3):245–66. PMID:18312355

1793. Lasota J, Wang ZF, Sabin LH, et al. Gain-of-function PDGFRA mutations, earlier reported in gastrointestinal stromal tumors, are common in small intestinal inflammatory fibroid polyps. A study of 60 cases. *Mod Pathol.* 2009 Aug;22(8):1049–56. PMID:19448595

1794. Lasota J, Wasag B, Dansonka-Mieszkowska A, et al. Evaluation of NF2 and NF1 tumor suppressor genes in distinctive gastrointestinal nerve sheath tumors traditionally diagnosed as benign schwannomas: a study of 20 cases. *Lab Invest.* 2003 Sep;83(9):1361–71. PMID:13679444

1795. Lauby-Secretan B, Scoccianti C, Loomis D, et al. Body fatness and cancer—viewpoint of the IARC Working Group. *N Engl J Med.* 2016 Aug 25;375(8):794–8. PMID:27557308

1796. Lauby-Secretan B, Vilahur N, Bianchini F, et al. The IARC perspective on colorectal cancer screening. *N Engl J Med.* 2018 May 3;378(18):1734–40. PMID:29580179

1797. Laumonier H, Bioulac-Sage P, Laurent C, et al. Hepatocellular adenomas: magnetic resonance imaging features as a function of molecular pathological classification. *Hepatology.* 2008 Sep;48(3):808–18. PMID:18688875

1798. Lauren P. The two histological main types of gastric carcinoma: diffuse and so-called intestinal-type carcinoma. An attempt at a histo-clinical classification. *Acta Pathol Microbiol Scand.* 1965;64:31–49. PMID:14320675

1799. Laurent C, Fabiani B, Do C, et al. Immune-checkpoint expression in Epstein-Barr virus positive and negative plasmablastic lymphoma: a clinical and pathological study in 82 patients. *Haematologica.* 2016 Aug;101(8):976–84. PMID:27175027

1800. Laurent C, Trillaud H, Lepreux S, et al. Association of adenoma and focal nodular hyperplasia: experience of a single French academic center. *Comp Hepatol.* 2003 Apr 23;2(1):6. PMID:12812524

1801. Laurini JA, Perry AM, Boilesen E, et al. Classification of non-Hodgkin lymphoma in Central and South America: a review of 1028 cases. *Blood.* 2012 Dec 6;120(24):4795–801. PMID:23086753

1802. Laurini JA, Zhang L, Goldblum JR, et al. Low-grade fibromyxoid sarcoma of the small intestine: report of 4 cases with molecular cytogenetic confirmation. *Am J Surg Pathol.* 2011 Jul;35(7):1069–73. PMID:21677541

1803. Lauwers GY, Grant LD, Donnelly WH, et al. Hepatic undifferentiated (embryonal) sarcoma arising in a mesenchymal hamartoma. *Am J Surg Pathol.* 1997 Oct;21(10):1248–54. PMID:9331300

1804. Lauwers GY, Shimizu M, Correa P, et al. Evaluation of gastric biopsies for neoplasia: differences between Japanese and Western pathologists. *Am J Surg Pathol.* 1999 May;23(5):511–8. PMID:10328081

1805. Lauwers GY, Terris B, Balis UJ, et al. Prognostic histologic indicators of curatively resected hepatocellular carcinomas: a multi-institutional analysis of 425 patients with definition of a histologic prognostic index. *Am J Surg Pathol.* 2002 Jan;26(1):25–34. PMID:11756766

1806. Lawless ME, Towell DL, Jewell KD, et al. Massive gastric juvenile polyposis: a clinicopathologic study using SMAD4 immunohistochemistry. *Am J Clin Pathol.* 2017 Apr 1;147(4):390. PMID:28340255

1807. Lawrence B, Gustafsson BI, Chan A, et al. The epidemiology of gastroenteropancreatic neuroendocrine tumors. *Endocrinol Metab Clin North Am.* 2011 Mar;40(1):1–18, vii. PMID:21349409

1808. Layfield LJ, Bentz J. Giant-cell containing neoplasms of the pancreas: an aspiration cytology study. *Diagn Cytopathol.* 2008 Apr;36(4):238–44. PMID:18335561

1809. Layfield LJ, Goepfert EV. Percutaneous image-guided fine-needle aspiration of peritoneal lesions. *Diagn Cytopathol.* 2003 Jan;28(1):6–12. PMID:12508175

1810. Lazar AJ, Tuvin D, Hajibashi S, et al. Specific mutations in the beta-catenin gene (CTNNB1) correlate with local recurrence in sporadic desmoid tumors. *Am J Pathol.* 2008 Nov;173(5):1518–27. PMID:18832571

1811. Lazcano-Ponce EC, Miquel JF, Muñoz N, et al. Epidemiology and molecular pathology of gallbladder cancer. *CA Cancer J Clin.* 2001 Nov-Dec;51(6):349–64. PMID:11760569

1812. Lazure T, Demit S, Ndiaye N, et al. Giant cell-rich solitary fibrous tumour of the gallbladder. First case report. *Histopathology.* 2007 May;50(6):805–7. PMID:17355274

1813. Le Bodin MF, Heymann MF, Lecomte M, et al. Immunohistochemical study of 100 pancreatic tumors in 28 patients with multiple endocrine neoplasia, type I. *Am J Surg Pathol.* 1996 Nov;20(11):1378–84. PMID:8898842

1814. Le Borgne R, Bellaïche Y, Schweigert F. Drosophila E-cadherin regulates the orientation of asymmetric cell division in the sensory organ lineage. *Curr Biol.* 2002 Jan 22;12(2):95–104. PMID:11818059

1815. Le DT, Durham JN, Smith KN, et al. Mismatch repair deficiency predicts response of solid tumors to PD-1 blockade. *Science.* 2017 Jul 28;357(6349):409–13. PMID:28596308

1816. Le DT, Uram JN, Wang H, et al. PD-1 blockade in tumors with mismatch-repair deficiency. *N Engl J Med.* 2015 Jun 25;372(26):2509–20. PMID:26028255

1817. Le Roux C, Lombard-Bohas C, Delmas C, et al. Relapse factors for ileal neuroendocrine tumors after curative surgery: a retrospective French multicentre study. *Dig Liver Dis.* 2011 Oct;43(10):828–33. PMID:21641888

1818. Lechner MS, Laimins LA. Inhibition of p53 DNA binding by human papillomavirus E6 proteins. *J Virol.* 1994 Jul;68(7):4262–73. PMID:8207801

1819. Lecuit T, Yap AS. E-cadherin junctions as active mechanical integrators in tissue dynamics. *Nat Cell Biol.* 2015 May;17(5):533–9. PMID:25925582

1820. Lee AJ, Brenner L, Mourad B, et al. Gastrointestinal Kaposi's sarcoma: case report and review of the literature. *World J Gastrointest Pharmacol Ther.* 2015 Aug 6;6(3):89–95. PMID:26261737

1821. Lee CW, Tsai HI, Lin YS, et al. Intrahepatic biliary mucinous cystic neoplasms: radiological characteristics and surgical results. *BMC Gastroenterol.* 2015 Jun 10;15(1):12. PMID:26058559

1822. Lee HE, Smyrk TC, Zhang L, et al. Hereditary and sporadic diffuse gastric carcinoma. *Hum Pathol.* 2018 Apr;74:10–17. PMID:29307626

1823. Lee HJ, Eom DW, Kang GH, et al. Colorectal micropapillary carcinoma associated with poor prognosis and markers of stem cells. *Mod Pathol.* 2018 Aug;26(8):1123–31. PMID:23060121

1824. Lee JC, Fletcher CD. Malignant solitary fibrous tumor (so-called 'solitary hemangiopericytoma'): clinicopathologic analysis of 14 cases. *Am J Surg Pathol.* 2018 Aug;35(8):1177–85. PMID:21718888

1825. Lee JC, Li CF, Huang HY, et al. Oncoproteins in atypical inflammatory myoblastic tumours: novel RRSP1-LIN28B in epithelioid inflammatory myofibroblasts. *J Pathol.* 2017 Feb;241(2):243–53. PMID:27874193

1826. Lee JH, Abraham SC, Kim HE, et al. Inverse relationship between APC gene mutation in gastric adenomas and development of adenocarcinoma. *Am J Pathol.* 2005 Aug;161(2):611–8. PMID:15963385

1827. Lee JH, Kim MG, Jung WS, et al. Prognostic significance of lymphovascular invasion in node-negative gastric cancer. *World J Gastroenterol.* 2015 Mar;21(3):732–9. PMID:25593003

1828. Lee JK, Whitaker SJ, Emre RM. Gastrointestinal manifestations of mastocytosis. *World J Gastroenterol.* 2006 Jul;12(45):7005–8. PMID:16956555

1829. Lee JY, Chung H, Cho H, et al. Disease characteristics and treatment outcome of isolated myeloid sarcoma without marrow involvement: a single-institutional experience. *Blood Res.* 2017 Sep;50(3):123–8. PMID:29043233

1830. Lee KB. Histopathology of a duct lesion in the liver: morphologic precursor of intrahepatic cholangiocarcinoma. *Clin Mol Hepatol.* 2016 Sep;22(3):277–96. PMID:27729636

1831. Lee KTW, Gopalan V, Lam AK, et al. DNA copy-number alterations in esophageal adenocarcinoma using polymerase chain reaction. *Methodes Mol Biol.* 2018;1756:195–212. PMID:29500073

1832. Lee KTW, Smith RA, Gopalan V, et al. Targeted single gene mutation in esophageal adenocarcinoma. *Methodes Mol Biol.* 2018;1756:213–29. PMID:29500073

1833. Lee LS, Singhal S, Brunt EM, et al. Current management of esophageal adenocarcinoma. *J Am Coll Surg.* 2004 Jan;293(1):1–10. PMID:14698321

1834. Lee M, Pellegrata NS, Watanabe T, et al. Cricine neoplasia syndromes and mutation of p27. *J Endocrinol Invest.* 2018 Oct;36(9):781–7. PMID:23800000

1835. Lee PN, Thornton AJ, Hamid R, et al. Epidemiological evidence on environmental tobacco smoke and cancers other than lung cancer. *Regul Toxicol Pharmacol.* 2016 Dec;82:10–16. PMID:27321059

1836. Lee RT, Ferreira J, Friedman E, et al. A rare cause of constipation: obstructive neuroendocrine carcinoma of the rectum. *Int J Colorectal Dis.* 2015 Sep;30(9):1111–5. PMID:26198995

1838. Lee S, Kim J, Soh JS, et al. Recurrence rate of lateral margin-positive rectal cancer after bloc endoscopic submucosal dissection for colorectal neoplasia. *Int J Colorectal Dis.* 2015 Jun;33(6):735–43. PMID:25925582

- 1839.** Lee S, Park HY, Kang SY, et al. Genetic alterations of JAK/STAT cascade and histone modification in extranodal NK/T-cell lymphoma nasal type. *Oncotarget*. 2015 Jul 10;6(19):17764–76. PMID:25980440
- 1840.** Lee SE, Jang JY, Lee YJ, et al. Choleodochal cyst and associated malignant tumors in adults: a multicenter survey in South Korea. *Arch Surg*. 2011 Oct;146(10):1178–84. PMID:22006877
- 1841.** Lee SE, Kang SY, Cho J, et al. Pyloric gland adenoma in Lynch syndrome. *Am J Surg Pathol*. 2014 Jun;38(6):784–92. PMID:24518125
- 1842.** Lee SY, Saito T, Mitomi H, et al. Mutation spectrum in the Wnt/β-catenin signaling pathway in gastric fundic gland-associated neoplasms/polyps. *Virchows Arch*. 2015 Jul;467(1):27–38. PMID:25820416
- 1843.** Lee TY, Wu JC, Yu SH, et al. The occurrence of hepatocellular carcinoma in different risk stratifications of clinically noncirrhotic non-alcoholic fatty liver disease. *Int J Cancer*. 2017 Oct 1;141(7):1307–14. PMID:28509327
- 1844.** Lee WA, Lee MK, Jeen YM, et al. Solitary fibrous tumor arising in gastric serosa. *Pathol Int*. 2004 Jun;54(6):436–9. PMID:15144403
- 1845.** Lee WS, Koh YS, Kim JC, et al. Zollinger-Ellison syndrome associated with neurofibromatosis type 1: a case report. *BMC Cancer*. 2005 Jul 21;5:85. PMID:16042772
- 1846.** Lee YC, Chiang TH, Chou CK, et al. Association between Helicobacter pylori eradication and gastric cancer incidence: a systematic review and meta-analysis. *Gastroenterology*. 2016 May;150(5):1113–24.e5. PMID:26836587
- 1847.** Lee YC, Hsieh CC, Chuang JP. Prognostic significance of partial tumor regression after preoperative chemoradiotherapy for rectal cancer: a meta-analysis. *Dis Colon Rectum*. 2013 Sep;56(9):1093–101. PMID:23929020
- 1848.** Lee YH, Oh BK, Yoo JE, et al. Chromosomal instability, telomere shortening, and inactivation of p21(WAF1/CIP1) in dysplastic nodules of hepatitis B virus-associated multi-step hepatocarcinogenesis. *Mod Pathol*. 2009 Aug;22(8):1121–31. PMID:19465904
- 1849.** Leggett B. FAP: another indication to treat *H. pylori*. *Gut*. 2002 Oct;51(4):463–4. PMID:12235061
- 1850.** Lehmann FS, Beglinger C, Schnabel K, et al. Progressive development of diffuse liver hemangiomatosis. *J Hepatol*. 1999 May;30(5):951–4. PMID:10365825
- 1851.** Lei Z, Tan IB, Das K, et al. Identification of molecular subtypes of gastric cancer with different responses to PI3-kinase inhibitors and 5-fluorouracil. *Gastroenterology*. 2013 Sep;145(3):554–65. PMID:23684942
- 1852.** Leng C, Li Y, Qin J, et al. Relationship between expression of PD-L1 and PD-L2 on esophageal squamous cell carcinoma and the antitumor effects of CD8⁺ T cells. *Oncol Rep*. 2016 Feb;35(2):699–708. PMID:26718132
- 1853.** Lennon AM, Ahuja N, Wolfgang CL. AGA guidelines for the management of pancreatic cysts. *Gastroenterology*. 2015 Sep;149(3):825. PMID:26231607
- 1854.** Lennon AM, Wolfgang CL, Canto MI, et al. The early detection of pancreatic cancer: what will it take to diagnose and treat curable pancreatic neoplasia? *Cancer Res*. 2014 Jul 17;74(13):3381–9. PMID:24924775
- 1855.** Lenz G, Wright G, Dave SS, et al. Stromal gene signatures in large-B-cell lymphomas. *N Engl J Med*. 2008 Nov 27;359(22):2313–23. PMID:19038878
- 1856.** Lenz G, Wright GW, Emre NC, et al. Molecular subtypes of diffuse large B-cell lymphoma arise by distinct genetic pathways. *Proc Natl Acad Sci U S A*. 2008 Sep 9;105(36):13520–5. PMID:18765795
- 1857.** Lenz D, Leoncini L, Hummel M, et al. The different epidemiologic subtypes of Burkitt lymphoma share a homogenous micro RNA profile distinct from diffuse large B-cell lymphoma. *Leukemia*. 2011 Dec;25(12):1869–76. PMID:21701491
- 1858.** Lenz F, Birkfellner T, Lenz P, et al. Undifferentiated embryonal sarcoma of the liver in adults. *Cancer*. 2008 May 15;112(10):2274–82. PMID:18361435
- 1859.** Leonard D, Beddy D, Dozois EJ. Neoplasms of anal canal and perianal skin. *Clin Colon Rectal Surg*. 2011 Mar;24(1):54–63. PMID:22379406
- 1860.** Leoncini E, Boffetta P, Shafir M, et al. Increased incidence trend of low-grade and high-grade neuroendocrine neoplasms. *Endocrine*. 2017 Nov;58(2):368–79. PMID:28303513
- 1861.** Leoncini E, Carioli G, La Vecchia C, et al. Risk factors for neuroendocrine neoplasms: a systematic review and meta-analysis. *Ann Oncol*. 2016 Jan;27(1):68–81. PMID:26487581
- 1862.** Lepage C, Rachet B, Coleman MP. Survival from malignant digestive endocrine tumors in England and Wales: a population-based study. *Gastroenterology*. 2007 Mar;132(3):899–904. PMID:17383419
- 1863.** Leslyues T, Pérot G, Largeau MR, et al. RNA sequencing validation of the Complexity INdex in SARComas prognostic signature. *Eur J Cancer*. 2016 Apr;57:104–11. PMID:26916546
- 1864.** Leszczyszyn J, Łebski I, Łysenko L, et al. Anal warts (condylomata acuminata) - current issues and treatment modalities. *Adv Clin Exp Med*. 2014 Mar-Apr;23(2):307–11. PMID:24913124
- 1865.** Leucci E, Cocco M, Onnis A, et al. MYC translocation-negative classical Burkitt lymphoma cases: an alternative pathogenetic mechanism involving miRNA deregulation. *J Pathol*. 2008 Dec;216(4):440–50. PMID:18802929
- 1866.** Leung WK, Lin SR, Ching JY, et al. Factors predicting progression of gastric intestinal metaplasia: results of a randomised trial on Helicobacter pylori eradication. *Gut*. 2004 Sep;53(9):1244–9. PMID:15306578
- 1867.** Leuschner I, Newton WA Jr, Schmidt D, et al. Spindle cell variants of embryonal rhabdomyosarcoma in the paratesticular region. A report of the Intergroup Rhabdomyosarcoma Study. *Am J Surg Pathol*. 1993 Mar;17(3):221–30. PMID:8434703
- 1868.** Levy D, Kotilingam D, Wei C, et al. Optimizing treatment of desmoid tumors. *J Clin Oncol*. 2007 May 1;25(13):1785–91. PMID:17470870
- 1869.** Levi Z, Baris HN, Kedar I, et al. Upper and lower gastrointestinal findings in PTEN mutation-positive Cowden syndrome patients participating in an active surveillance program. *Clin Transl Gastroenterol*. 2011 Nov 17;2:e5. PMID:23238744
- 1870.** Levi Z, Kariv R, Barnes-Kedar I, et al. The gastrointestinal manifestation of constitutional mismatch repair deficiency syndrome: from a single adenoma to polyposis-like phenotype and early onset cancer. *Clin Genet*. 2015 Nov;88(5):474–8. PMID:25307252
- 1871.** Levine AM, Tulpule A. Clinical aspects and management of AIDS-related Kaposi's sarcoma. *Eur J Cancer*. 2001 Jul;37(10):1288–95. PMID:11423260
- 1872.** Levy AD, Abbott RM, Rohrmann CA Jr, et al. Gastrointestinal hemangiomas: imaging findings with pathologic correlation in pediatric and adult patients. *AJR Am J Roentgenol*. 2001 Nov;177(5):1073–81. PMID:11641173
- 1873.** Levy AD, Quiles AM, Miettinen M, et al. Gastrointestinal schwannomas: CT features with clinicopathologic correlation. *AJR Am J Roentgenol*. 2005 Mar;184(3):797–802. PMID:15728600
- 1874.** Levy M, Trivedi A, Zhang J, et al. Expression of glycan-3 in undifferentiated embryonal sarcoma and mesenchymal hamartoma of the liver. *Hum Pathol*. 2012 May;43(5):695–701. PMID:21937079
- 1875.** Lewandrowski K, Warshaw A, Compton C. Macrocytic serous cystadenoma of the pancreas: a morphologic variant differing from microcystic adenoma. *Hum Pathol*. 1992 Aug;23(8):871–5. PMID:1644432
- 1875A.** Lewin M, Handra-Luca A, Arrivé L, et al. Liver adenomatosis: classification of MR imaging features and comparison with pathologic findings. *Radiology*. 2006 Nov;241(2):433–40. PMID:16966481
- 1876.** Lewis JT, Gaffney RL, Casey MB, et al. Inflammatory pseudotumor of the spleen associated with a clonal Epstein-Barr virus genome. Case report and review of the literature. *Am J Clin Pathol*. 2003 Jul;120(1):56–61. PMID:12866373
- 1877.** Lewis JT, Talwalkar JA, Rosen CB, et al. Precancerous bile duct pathology in end-stage primary sclerosing cholangitis, with and without cholangiocarcinoma. *Am J Surg Pathol*. 2010 Jan;34(1):27–34. PMID:19898228
- 1878.** Lewis JT, Talwalkar JA, Rosen CB, et al. Prevalence and risk factors for gallbladder neoplasia in patients with primary sclerosing cholangitis: evidence for a metaplasia-dysplasia-carcinoma sequence. *Am J Surg Pathol*. 2007 Jun;31(6):907–13. PMID:17527079
- 1879.** Leão JC, Caterino-De-Araújo A, Porter SR, et al. Human herpesvirus 8 (HHV-8) and the etiopathogenesis of Kaposi's sarcoma. *Rev Hosp Clin Fac Med São Paulo*. 2002 Jul-Aug;57(4):175–86. PMID:12244338
- 1880.** Li D, Bautista MC, Jiang SF, et al. Risks and predictors of gastric adenocarcinoma in patients with gastric intestinal metaplasia and dysplasia: a population-based study. *Am J Gastroenterol*. 2016 Aug;111(8):1104–13. PMID:27185078
- 1881.** Li FP, Fletcher JA, Heinrich MC, et al. Familial gastrointestinal stromal tumor syndrome: phenotypic and molecular features in a kindred. *J Clin Oncol*. 2005 Apr 20;23(12):2735–43. PMID:15837988
- 1882.** Li GM. Mechanisms and functions of DNA mismatch repair. *Cell Res*. 2008 Jan;18(1):85–98. PMID:18157157
- 1883.** Li J, Woods SL, Healey S, et al. Point mutations in exon 1B of APC reveal gastric adenocarcinoma and proximal polyposis of the stomach as a familial adenomatous polyposis variant. *Am J Hum Genet*. 2016 May 5;98(5):830–42. PMID:27087319
- 1884.** Li L, Qian M, Chen IH, et al. Acquisition of cholangiocarcinoma traits during advanced hepatocellular carcinoma development in mice. *Am J Pathol*. 2018 Mar;188(3):656–71. PMID:29248454
- 1885.** Li M, Liu F, Zhang Y, et al. Whole-genome sequencing reveals the mutational landscape of metastatic small-cell gallbladder neuroendocrine carcinoma (GB-SCNEC). *Cancer Lett*. 2017 Apr 10;391:20–7. PMID:28040546
- 1886.** Li M, Zhao H, Zhang X, et al. Inactivating mutations of the chromatin remodeling gene ARID2 in hepatocellular carcinoma. *Nat Genet*. 2011 Aug 7;43(9):828–9. PMID:21822264
- 1887.** Li S, Tian B. Acute pancreatitis in patients with pancreatic cancer: timing of surgery and survival duration. *Medicine (Baltimore)*. 2017 Jan;96(3):e5908. PMID:28099352
- 1888.** Li T, Fan J, Qin LX, et al. Risk factors, prognosis, and management of early and late intrahepatic recurrence after resection of primary clear cell carcinoma of the liver. *Ann Surg Oncol*. 2011 Jul;18(7):1955–63. PMID:21240562
- 1889.** Li T, Wang L, Yu HH, et al. Hepatic angiomyolipoma: a retrospective study of 25 cases. *Surg Today*. 2008;38(6):529–35. PMID:18516533
- 1890.** Li TJ, Zhang YX, Wen J, et al. Basaloid squamous cell carcinoma of the esophagus with or without adenoid cystic features. *Arch Pathol Lab Med*. 2004 Oct;128(10):1124–30. PMID:15387711
- 1891.** Li X, Shi Z, You R, et al. Inflammatory pseudotumor-like follicular dendritic cell sarcoma of the spleen: computed tomography imaging characteristics in 5 patients. *J Comput Assist Tomogr*. 2018 May/Jun;42(3):399–404. PMID:29287022
- 1892.** Li X, Zhang Y, Zhang Y, et al. Survival prediction of gastric cancer by a seven-microRNA signature. *Gut*. 2010 May;59(5):579–85. PMID:19951901
- 1893.** Li Y, Fu L, Li JB, et al. Increased expression of EIF5A2, via hypoxia or gene amplification, contributes to metastasis and angiogenesis of esophageal squamous cell carcinoma. *Gastroenterology*. 2014 Jun;146(7):1701–13. e9. PMID:24561231
- 1894.** Li Z, Xia Y, Feng LN, et al. Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study. *Lancet Oncol*. 2016 Sep;17(9):1240–7. PMID:27470079
- 1895.** Liang R, Todd D, Chan TK, et al. Prognostic factors for primary gastrointestinal lymphoma. *Hematol Oncol*. 1995 May-Jun;13(3):153–63. PMID:7622145
- 1896.** Liang W, He W, Li Z. Extranodal follicular dendritic cell sarcoma originating in the pancreas: a case report. *Medicine (Baltimore)*. 2016 Apr;95(15):e3377. PMID:27082603
- 1897.** Liao X, Lochhead P, Nishihara R, et al. Aspirin use, tumor PIK3CA mutation, and colorectal-cancer survival. *N Engl J Med*. 2012 Oct 25;367(17):1596–606. PMID:23094721
- 1898.** Liu JY, Tsai JH, Yang CY, et al. Alternative lengthening of telomeres phenotype in malignant vascular tumors is highly associated with loss of ATRX expression and is frequently observed in hepatic angiosarcomas. *Hum Pathol*. 2015 Sep;46(9):1360–6. PMID:26190196
- 1899.** Liu JY, Tsai JH, Yuan RH, et al. Morphological subclassification of intrahepatic cholangiocarcinoma: etiological, clinicopathological, and molecular features. *Mod Pathol*. 2014 Aug;27(8):1163–73. PMID:24406866
- 1900.** Liaw D, Marsh DJ, Li J, et al. Germline mutations of the PTEN gene in Cowden disease, an inherited breast and thyroid cancer syndrome. *Nat Genet*. 1997 May;16(1):64–7. PMID:9140396
- 1901.** Libbrecht L, Cassiman D, Verslype C, et al. Clinicopathological features of focal nodular hyperplasia-like nodules in 130 cirrhotic explant livers. *Am J Gastroenterol*. 2006 Oct;101(10):2341–6. PMID:17032200
- 1902.** Lichtenauer UD, Di Dalmazi G, Slater EP, et al. Frequency and clinical correlates of somatic Ying Yang 1 mutations in sporadic insulinomas. *J Clin Endocrinol Metab*. 2015 May;100(5):E776–82. PMID:25763608
- 1903.** Lieberman DA, Rex DK, Winawer SJ, et al. Guidelines for colonoscopy surveillance after screening and polypectomy: a consensus update by the US Multi-Society Task Force on Colorectal Cancer. *Gastroenterology*. 2012 Sep;143(3):844–57. PMID:22763141
- 1904.** Liebig C, Ayala G, Wilks JA, et al. Perineural invasion in cancer: a review of the literature. *Cancer*. 2009 Aug 1;115(15):3379–91. PMID:19484787
- 1905.** Liegl B, Bennett MW, Fletcher CD. Microcystic/reticular schwannoma: a distinct

- variant with predilection for visceral locations. *Am J Surg Pathol.* 2008 Jul;32(7):1080–7. PMID:18520439
- 1906.** Liegl B, Hornick JL, Antonescu CR, et al. Rhabdomyosarcomatous differentiation in gastrointestinal stromal tumors after tyrosine kinase inhibitor therapy: a novel form of tumor progression. *Am J Surg Pathol.* 2009 Feb;33(2):218–26. PMID:18830121
- 1907.** Liegl B, Hornick JL, Lazar AJ. Contemporary pathology of gastrointestinal stromal tumors. *Hematol Oncol Clin North Am.* 2009 Feb;23(1):49–68, vii–viii. PMID:19248970
- 1908.** Ligato S, Fumagalli W, Cartun RW, et al. Primary carcinoid tumor of the common hepatic duct: a rare case with immunohistochemical and molecular findings. *Oncol Rep.* 2005 Mar;13(3):543–6. PMID:15706430
- 1909.** Ligneau B, Lombard-Bohas C, Partensky C, et al. Cystic endocrine tumors of the pancreas: clinical, radiologic, and histopathologic features in 13 cases. *Am J Surg Pathol.* 2001 Jun;25(6):752–60. PMID:11395552
- 1910.** Ligtenberg MJ, Kuiper RP, Geurts van Kessel A, et al. EPCAM deletion carriers constitute a unique subgroup of Lynch syndrome patients. *Fam Cancer.* 2013 Jun;12(2):169–74. PMID:23264089
- 1911.** Lilo MT, VandenBussche CJ, Allison DB, et al. Serous cystadenoma of the pancreas: potentials and pitfalls of a preoperative cytopathologic diagnosis. *Acta Cytol.* 2017;61(1):27–33. PMID:27889754
- 1912.** Lim CH, Cho YK, Kim SW, et al. The chronological sequence of somatic mutations in early gastric carcinogenesis inferred from multiregion sequencing of gastric adenomas. *Oncotarget.* 2016 Jun 28;7(26):39758–67. PMID:27175599
- 1913.** Lim H, Park YS, Lee JH, et al. Features of gastric carcinoma with lymphoid stroma associated with Epstein-Barr virus. *Clin Gastroenterol Hepatol.* 2015 Oct;13(10):1738–44.e2. PMID:25912839
- 1914.** Lim JE, Chien MW, Earle CC. Prognostic factors following curative resection for pancreatic adenocarcinoma: a population-based, linked database analysis of 396 patients. *Ann Surg.* 2003 Jan;237(1):74–85. PMID:12496533
- 1915.** Lin CC, Chiang JH, Li CI, et al. Independent and joint effect of type 2 diabetes and gastric and hepatobiliary diseases on risk of pancreatic cancer risk: 10-year follow-up of population-based cohort. *Br J Cancer.* 2014 Nov 25;111(11):2180–6. PMID:25275365
- 1916.** Lin CW, Lai CH, Hsu CC, et al. Primary hepatic carcinoid tumor: a case report and review of the literature. *Cases J.* 2009 Jan 27;2(1):90. PMID:19173727
- 1917.** Lin DC, Hao JJ, Nagata Y, et al. Genomic and molecular characterization of esophageal squamous cell carcinoma. *Nat Genet.* 2014 May;46(5):467–73. PMID:24686850
- 1918.** Lin DC, Wang MR, Koefler HP. Genomic and epigenetic aberrations in esophageal squamous cell carcinoma and implications for patients. *Gastroenterology.* 2018 Jan;154(2):374–89. PMID:28757263
- 1919.** Lin H, van den Esscher J, Liu C, et al. Systematic review of hepatocellular adenoma in China and other regions. *J Gastroenterol Hepatol.* 2011 Jan;26(1):28–35. PMID:21175790
- 1920.** Lin J, Biggs J, Ulbright TM, et al. Anatomosing hemangioma of the liver and gastrointestinal tract: an unusual variant histologically mimicking angiosarcoma. *Am J Surg Pathol.* 2013 Nov;37(11):1761–5. PMID:23887160
- 1921.** Lin Y, Ueda J, Kituchi S, et al. Comparative epidemiology of gastric cancer between Japan and China. *World J Gastroenterol.* 2011 Oct 21;17(39):4421–8. PMID:22110269
- 1923.** Lindberg B, Armeo U, Bergquist A, et al. Diagnosis of biliary strictures in conjunction with endoscopic retrograde cholangiopancreatography, with special reference to patients with primary sclerosing cholangitis. *Endoscopy.* 2002 Nov;34(11):909–16. PMID:12430077
- 1924.** Lisker-Melman M, Pittaluga S, Pluda JM, et al. Primary lymphoma of the liver in a patient with acquired immune deficiency syndrome and chronic hepatitis B. *Am J Gastroenterol.* 1989 Nov;84(11):1445–8. PMID:2683745
- 1925.** Lisovsky M, Patel K, Cymes K, et al. Immunophenotypic characterization of anal gland carcinoma: loss of p63 and cytokeratin 5/6. *Arch Pathol Lab Med.* 2007 Aug;131(8):1304–11. PMID:17683193
- 1926.** Littooy AS, McHugh K, McCarron MB, et al. Yolk sac tumour: a rare cause of raised serum alpha-fetoprotein in a young child with a large liver mass. *Pediatr Radiol.* 2014 Jan;44(1):18–22. PMID:23982265
- 1927.** Liu C, Karam R, Zhou Y, et al. The UPF1 RNA surveillance gene is commonly mutated in pancreatic adenosquamous carcinoma. *Nat Med.* 2014 Jun;20(6):596–8. PMID:24859531
- 1928.** Liu C, McKeone DM, Walker NI, et al. GNAS mutations are present in colorectal traditional serrated adenomas, serrated tubulovillous adenomas and serrated adenocarcinomas with adverse prognostic features. *Histopathology.* 2017 Jun;70(7):1079–88. PMID:28164369
- 1929.** Liu C, Walker NI, Leggett BA, et al. Sessile serrated adenomas with dysplasia: morphological patterns and correlations with MLH1 immunohistochemistry. *Mod Pathol.* 2017 Dec;30(12):1728–38. PMID:28752838
- 1930.** Liu H, Ye H, Ruscone-Fournestraux A, et al. t(11;18) is a marker for all stage gastric MALT lymphomas that will not respond to H. pylori eradication. *Gastroenterology.* 2002 May;122(5):1286–94. PMID:11984515
- 1931.** Liu W, Shia J, Gönen M, et al. DNA mismatch repair abnormalities in acinar cell carcinoma of the pancreas: frequency and clinical significance. *Pancreas.* 2014 Nov;43(8):1264–70. PMID:25058881
- 1932.** Liu X, Mody K, de Abreu FB, et al. Molecular profiling of appendiceal epithelial tumors using massively parallel sequencing to identify somatic mutations. *Clin Chem.* 2014 Jul;60(7):1004–11. PMID:24821835
- 1933.** Liu ZH, Lian BF, Dong QZ, et al. Whole-exome mutational and transcriptional landscapes of combined hepatocellular cholangiocarcinoma and intrahepatic cholangiocarcinoma reveal molecular diversity. *Biochim Biophys Acta Mol Basis Dis.* 2018 Jun;1864(6 Pt B):2360–8. PMID:29408647
- 1934.** Lièvre A, Bachet JB, Le Corre D, et al. KRAS mutation status is predictive of response to cetuximab therapy in colorectal cancer. *Cancer Res.* 2006 Apr 15;66(8):3992–5. PMID:16181717
- 1935.** Llovet JM, Brú C, Bruix J. Prognosis of hepatocellular carcinoma: the BCLC staging classification. *Semin Liver Dis.* 1999;19(3):329–38. PMID:10518312
- 1936.** Lloyd RV, Osamura RY, Klöppel G, et al., editors. WHO classification of tumours of endocrine organs. Lyon (France): International Agency for Research on Cancer; 2017. (WHO classification of tumours series, 4th ed.; vol. 10). <http://publications.iarc.fr/554>
- 1937.** Lo RC. Epithelioid angiomyolipoma of the liver: a clinicopathologic study of 5 cases. *Ann Diagn Pathol.* 2013 Oct;17(5):412–5. PMID:23786777
- 1938.** Loane J, Kealy WF, Mulcahy G. Perianal hidradenoma papilliferum occurring in a male: a case report. *Ir J Med Sci.* 1998 Jan-Mar;167(1):26–7. PMID:9540295
- 1939.** Loftus EV Jr, Olivares-Pakzad BA, Batts KP, et al. Intraductal papillary-mucinous tumors of the pancreas: clinicopathologic features, outcome, and nomenclature. Members of the Pancreas Clinic, and Pancreatic Surgeons of Mayo Clinic. *Gastroenterology.* 1996 Jun;110(6):1909–18. PMID:8964418
- 1940.** Loghavi S, Alayad K, Alabd TN, et al. Stage, age, and EBV status impact outcomes of plasmablastic lymphoma patients: a clinicopathologic analysis of 61 patients. *J Hematol Oncol.* 2015 Jun 10;8:65. PMID:26055271
- 1941.** Logroño R, Rampy BA, Adegboyega PA. Fine needle aspiration cytology of hepatobiliary cystadenoma with mesenchymal stroma. *Cancer.* 2002 Feb 25;96(1):37–42. PMID:11836701
- 1942.** Lohse I, Borgida A, Cao P, et al. BRCA1 and BRCA2 mutations sensitize to chemotherapy in patient-derived pancreatic cancer xenografts. *Br J Cancer.* 2015 Jul 28;113(3):425–32. PMID:26180923
- 1943.** Lokko C, Turner J, Yoo W, et al. Anal squamous cell carcinoma in African Americans with and without HIV: a comparative study. *J Cancer Epidemiol Treat.* 2015;1(1):6–10. PMID:27774311
- 1944.** Lomberk G, Blum Y, Nicolle R, et al. Distinct epigenetic landscapes underlie the pathobiology of pancreatic cancer subtypes. *Nat Commun.* 2018 May 17;9(1):1978. PMID:29773832
- 1945.** Lomo LC, Blount PL, Sanchez CA, et al. Crypt dysplasia with surface maturation: a clinical, pathologic, and molecular study of a Barrett's esophagus cohort. *Am J Surg Pathol.* 2006 Apr;30(4):423–35. PMID:16625087
- 1946.** Longacre TA, Kong CS, Welton ML. Diagnostic problems in anal pathology. *Adv Anat Pathol.* 2008 Sep;15(5):263–78. PMID:18724100
- 1947.** Loos M, Bergmann F, Bauer A, et al. Solid type clear cell carcinoma of the pancreas: differential diagnosis of an unusual case and review of the literature. *Virchows Arch.* 2007 Jun;450(6):719–26. PMID:17453235
- 1948.** Lorenzi L, Döring C, Rausch T, et al. Identification of novel follicular dendritic cell sarcoma markers, FDCS and SRGN, by whole transcriptome sequencing. *Oncotarget.* 2017 Mar 7;8(10):16463–72. PMID:28145886
- 1949.** Loukola A, Salovaara R, Kristo P, et al. Microsatellite instability in adenomas as a marker for hereditary nonpolyposis colorectal cancer. *Am J Pathol.* 1999 Dec;155(6):1849–53. PMID:10595914
- 1950.** Love C, Sun Z, Jima D, et al. The genetic landscape of mutations in Burkitt lymphoma. *Nat Genet.* 2012 Dec;44(12):1321–5. PMID:23143597
- 1951.** Lovly CM, Gupta A, Lipson D, et al. Inflammatory myofibroblastic tumors harbor multiple potentially actionable kinase fusions. *Cancer Discov.* 2014 Aug;4(8):889–95. PMID:24875859
- 1952.** Lowenfels AB, Maisonneuve P, DiMagno EP, et al. Hereditary pancreatitis and the risk of pancreatic cancer. *J Natl Cancer Inst.* 1997 Mar 19;89(6):442–6. PMID:9091646
- 1953.** Lower MA, Klimstra DS, Shia J, et al. Acinar cell carcinoma of the pancreas: new genetic and treatment insights into a rare malignancy. *Oncologist.* 2011;16(12):1714–20. PMID:22042785
- 1954.** Lower MA, Wong W, Jordan EJ, et al. Prospective evaluation of germline alterations in patients with exocrine pancreatic neoplasms. *J Natl Cancer Inst.* 2018 Oct 1;110(10):1067–74. PMID:29506128
- 1955.** Loy TS, Kaplan PA. Villous adenocarcinoma of the colon and rectum: a clinicopathologic study of 36 cases. *Am J Surg Pathol.* 2004 Nov;28(11):1460–5. PMID:15489649
- 1956.** Lu DW, El-Mofty SK, Wang HL. Expression of p16, Rb, and p53 proteins in squamous cell carcinomas of the anorectal region harboring human papillomavirus. *Mod Pathol.* 2003 Jul;16(7):692–9. PMID:12861066
- 1957.** Ludvigsson JF, Bai JC, Biagi F, et al. Diagnosis and management of adult coeliac disease: guidelines from the British Society of Gastroenterology. *Gut.* 2014 Aug;63(8):1219–28. PMID:24917550
- 1958.** Lugli A, Kirsch R, Ajioka Y, et al. Recommendations for reporting tumor budding in colorectal cancer based on the International Tumor Budding Consensus Conference (ITBC) 2016. *Mod Pathol.* 2017 Sep;30(9):1299–311. PMID:28548122
- 1959.** Lukás Z, Dvorák K, Kroupová I, et al. Immunohistochemical and genetic analysis of osteoclast giant cell tumor of the pancreas. *Pancreas.* 2006 Apr;32(4):529–34. PMID:16628090
- 1960.** Luminari S, Cesaretti M, Marchesini M, et al. Decreasing incidence of gastric MALT lymphomas in the era of anti-Helicobacter pylori interventions: results from a population-based study on extranodal marginal zone lymphomas. *Ann Oncol.* 2010 Apr;21(4):955–61. PMID:19850642
- 1961.** Lunniss PJ, Sheffield JP, Tatton JC, et al. Persistence of idiopathic anal fissures may be related to epithelialization. *Br J Surg.* 1992 Jan;82(1):32–3. PMID:13781949
- 1962.** Luu C, Thapa R, Woo K, et al. Does pathology really influence gastric cancer prognosis? *J Gastrointest Oncol.* 2017 Dec;9(6):1024–36. PMID:29299363
- 1963.** Lvivra V, Puglisiem A, Bhattacharjee V, et al. Long-term outcome of surgical resection for intraductal papillary neoplasm of the bile duct with correlation. *J Gastroenterol Hepatol.* 2017 Feb;32(2):527–33. PMID:27556249
- 1964.** Lvivra V, Somsap K, Puglisiem A, et al. Morphological classification of intraductal papillary neoplasm of the bile duct with correlation. *Asian Pac J Cancer Prev.* 2017 Jan;18(1):207–13. PMID:28240521
- 1965.** Luzar B, Antony F, Randal P, et al. Intrahepatic Kaposi's sarcoma – a hitherto unrecognized phenomenon. *J Cutan Pathol.* 2007 Nov;34(11):861–4. PMID:17947037
- 1966.** Lymphoma Study Group of Japanese Pathologists. The World Health Organization classification of malignant lymphomas: incidence of recently recognized entities. *Pathol Int.* 2000 Sep;50(9):696–702. PMID:10930300
- 1967.** Lynch HT, Cristofaro G, Rosenblatt J, et al. History of the International Collaborative Group on Hereditary Non Polyposis Colorectal Cancer. *Fam Cancer.* 2002 Sep;3(3):271–8. PMID:14574154
- 1968.** Lynch HT, Detels CA, Lynch JF, et al. Familial pancreatic carcinoma in Jews. *Cancer.* 2004;3(3):233–40. PMID:15135000
- 1969.** Lynch HT, Krush AJ. Cancer family "G" revisited: 1895–1970. *Cancer.* 1991 Jun;67(6):1505–11. PMID:13756227
- 1970.** Lynch HT, Lynch PM, Petersen J, et al. Cancer family syndrome. Rare chromosomal and genetic linkage of Torre's syndrome. *Cancer.* 1981 Apr;41(5):607–11. PMID:7008330
- 1971.** Lynch HT, Rieger-Johnson JL, Shander C, et al. Lynch syndrome-associated extracolonic tumors are rare in two families with the same EPCAM mutation. *J Gastroenterol.* 2011 Oct;16(10):1020–3. PMID:21769135
- 1972.** Lynch HT, Smyrk T, Lynch JF. Molecular genetics and clinical-pathologic features of hereditary nonpolyposis colorectal cancer (Lynch syndrome): historical journey from pedigree anecdote to molecular information. *Oncology.* 1998 Mar;14(3):273–83. PMID:9499183
- 1973.** Lynch SM, Vrieling A, Luttmann J, et al. Cell carcinomas of the anorectal region harboring human papillomavirus. *Mod Pathol.* 2003 Jul;16(7):692–9. PMID:12861066

- Cigarette smoking and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. *Am J Epidemiol.* 2009 Aug 15;170(4):403–13. PMID:19561064
1974. Lévy-Bohbot N, Merle C, Goudet P, et al. Prevalence, characteristics and prognosis of MEN 1-associated glucagonomas, VIPomas, and somatostatinomas: study from the GTE (Groupe des Tumeurs Endocrines) registry. *Gastroenterol Clin Biol.* 2004 Nov;28(11):1075–81. PMID:15657529
1975. López-Terrada D, Alaggio R, de Dávila MT, et al. Towards an international pediatric liver tumor consensus classification: proceedings of the Los Angeles COG liver tumors symposium. *Mod Pathol.* 2014 Mar;27(3):472–91. PMID:24008558
1976. López-Terrada D, Gunaratne PH, Adesina AM, et al. Histologic subtypes of hepatoblastoma are characterized by differential canonical Wnt and Notch pathway activation in DLX+ precursors. *Hum Pathol.* 2009 Jun;40(6):783–94. PMID:19200579
1977. Lüttges J, Feyerabend B, Buchelt T, et al. The mucin profile of noninvasive and invasive mucinous cystic neoplasms of the pancreas. *Am J Surg Pathol.* 2002 Apr;26(4):466–71. PMID:11914624
1978. Lüttges J, Mentzel T, Hübner G, et al. Solitary fibrous tumour of the pancreas: a new member of the small group of mesenchymal pancreatic tumours. *Virchows Arch.* 1999 Jul;435(1):37–42. PMID:10431844
1979. Lüttges J, Schemm S, Vogel I, et al. The grade of pancreatic ductal carcinoma is an independent prognostic factor and is superior to the immunohistochemical assessment of proliferation. *J Pathol.* 2000 Jun;191(2):154–61. PMID:10861575
1980. Lüttges J, Stigge C, Pacena M, et al. Rare ductal adenocarcinoma of the pancreas in patients younger than age 40 years. *Cancer.* 2004 Jan 1;100(1):173–82. PMID:14692038
1981. Lüttges J, Vogel I, Menke M, et al. Clear cell carcinoma of the pancreas: an adenocarcinoma with ductal phenotype. *Histopathology.* 1998 May;32(5):444–8. PMID:9639120
1983. Lüttges J, Zamboni G, Longnecker D, et al. The immunohistochemical mucin expression pattern distinguishes different types of intraductal papillary mucinous neoplasms of the pancreas and determines their relationship to mucinous noncystic carcinoma and ductal adenocarcinoma. *Am J Surg Pathol.* 2001 Jul;25(7):942–8. PMID:11420467
1984. Ma C, Giardiello FM, Montgomery EA. Upper tract juvenile polyps in juvenile polyposis patients: dysplasia and malignancy are associated with foveolar, intestinal, and pyloric differentiation. *Am J Surg Pathol.* 2014 Dec;38(12):1618–26. PMID:25390638
1985. Ma J, Siegel R, Jemal A. Pancreatic cancer death rates by race among US men and women, 1970–2009. *J Natl Cancer Inst.* 2013 Nov 20;105(22):1694–700. PMID:24203988
1986. Ma MX, Bourke MJ. Management of duodenal polyps. *Best Pract Res Clin Gastroenterol.* 2017 Aug;31(4):389–99. PMID:28842048
1987. Ma Q, Zhang C, Fang S, et al. Primary esophageal mucosa-associated lymphoid tissue lymphoma: a case report and review of literature. *Medicine (Baltimore).* 2017 Mar;96(13):e6478. PMID:28353588
1988. Ma Y, Zheng J, Zhu H, et al. Gastroblastoma in a 12-year-old Chinese boy. *Int J Clin Exp Pathol.* 2014 May 15;7(6):3380–4. PMID:25031764
1989. Maarschalk-Ellerbroek LJ, Oldenburg B, Mombers IM, et al. Outcome of screening endoscopy in common variable immunodeficiency disorder and X-linked agammaglobulinemia. *Endoscopy.* 2013;45(4):320–3. PMID:23325698
1990. Maas M, Nelemans PJ, Valentini V, et al. Long-term outcome in patients with a pathological complete response after chemoradiation for rectal cancer: a pooled analysis of individual patient data. *Lancet Oncol.* 2010 Sep;11(9):835–44. PMID:20692872
1991. Machado JC, Soares P, Carneiro F, et al. E-cadherin gene mutations provide a genetic basis for the phenotypic divergence of mixed gastric carcinomas. *Lab Invest.* 1999 Apr;79(4):459–65. PMID:10211998
1992. Machado MC, Machado MA. Solid serous adenoma of the pancreas: an uncommon but important entity. *Eur J Surg Oncol.* 2008 Jul;34(7):730–3. PMID:18440191
1993. Machens A, Schaaf L, Karges W, et al. Age-related penetrance of endocrine tumours in multiple endocrine neoplasia type 1 (MEN1): a multicentre study of 258 gene carriers. *Clin Endocrinol (Oxf).* 2007 Oct;67(4):613–22. PMID:17590169
1994. Mackey AC, Green L, Liang LC, et al. Hepatosplenic T cell lymphoma associated with infliximab use in young patients treated for inflammatory bowel disease. *J Pediatr Gastroenterol Nutr.* 2007 Feb;44(2):265–7. PMID:17255842
1995. Macon WR, Levy NB, Kurtin PJ, et al. Hepatosplenic alphabeta T-cell lymphomas: a report of 14 cases and comparison with hepatosplenic gammadelta T-cell lymphomas. *Am J Surg Pathol.* 2001 Mar;25(3):285–96. PMID:11224598
1996. Macon WR, Williams ME, Greer JP, et al. Paracortical nodular T-cell lymphoma. Identification of an unusual variant of peripheral T-cell lymphoma. *Am J Surg Pathol.* 1995 Mar;19(3):297–303. PMID:7872427
1997. Madura JA, Jarman BT, Doherty MG, et al. Adenosquamous carcinoma of the pancreas. *Arch Surg.* 1999 Jun;134(6):599–603. PMID:10367867
1998. Maejima T, Kono T, Orii F, et al. Anal canal adenocarcinoma in a patient with long-standing Crohn's disease arising from rectal mucosa that migrated from a previously treated rectovaginal fistula. *Am J Case Rep.* 2016 Jul 4;17:448–53. PMID:27373845
1999. Maffione AM, Marzola MC, Capirci C, et al. Value of (18)F-FDG PET for predicting response to neoadjuvant therapy in rectal cancer: systematic review and meta-analysis. *AJR Am J Roentgenol.* 2015 Jun;204(6):1261–8. PMID:26001237
2000. Magrath I. Epidemiology: clues to the pathogenesis of Burkitt lymphoma. *Br J Haematol.* 2012 Mar;156(6):744–56. PMID:22260300
2001. Maguinik I, Neumann WL, Sonnenberg A, et al. Reactive gastropathy is associated with inflammatory conditions throughout the gastrointestinal tract. *Aliment Pharmacol Ther.* 2012 Oct;36(8):736–43. PMID:22928604
2002. Maguire A, Sheahan K. Primary small bowel adenomas and adenocarcinomas—recent advances. *Virchows Arch.* 2018 Sep;473(3):265–73. PMID:29998424
2003. Mahmud A, Poon R, Jonker D. PET imaging in anal canal cancer: a systematic review and meta-analysis. *Br J Radiol.* 2017 Dec;90(1080):20170370. PMID:28972796
2004. Mahon M, Xu J, Yi X, et al. Paneth cell in adenomas of the distal colorectum is inversely associated with synchronous advanced adenoma and carcinoma. *Sci Rep.* 2016 May 18;6:26129. PMID:27188450
2005. Mahurkar S, Reddy DN, Rao GV, et al. Genetic mechanisms underlying the pathogenesis of tropical calcific pancreatitis. *World J Gastroenterol.* 2009 Jan 21;15(3):264–9. PMID:19140225
2006. Maire F, Hammel P, Terris B, et al. Intraductal papillary and mucinous pancreatic tumour: a new extracolonic tumour in familial adenomatous polyposis. *Gut.* 2002 Sep;51(3):446–9. PMID:12171972
2007. Maire F, Hammel P, Terris B, et al. Prognosis of malignant intraductal papillary mucinous tumours of the pancreas after surgical resection. Comparison with pancreatic ductal adenocarcinoma. *Gut.* 2002 Nov;51(5):717–22. PMID:12377813
2008. Maitra A, Adsay NV, Argani P, et al. Multicomponent analysis of the pancreatic adenocarcinoma progression model using a pancreatic intraepithelial neoplasia tissue microarray. *Mod Pathol.* 2003 Sep;16(9):902–12. PMID:13679454
2009. Maitra A, Hruban RH. Pancreatic cancer. *Annu Rev Pathol.* 2008;3:157–88. PMID:18039136
2010. Maitra A, Krueger JE, Tascilar M, et al. Carcinoid tumors of the extrahepatic bile ducts: a study of seven cases. *Am J Surg Pathol.* 2000 Nov;24(11):1501–10. PMID:11075851
2011. Maitra A, Tascilar M, Hruban RH, et al. Small cell carcinoma of the gallbladder: a clinicopathologic, immunohistochemical, and molecular pathology study of 12 cases. *Am J Surg Pathol.* 2001 May;25(5):595–601. PMID:11342770
2012. Majewski IJ, Kluitj I, Cats A, et al. An α-E-catenin (CTNNA1) mutation in hereditary diffuse gastric cancer. *J Pathol.* 2013 Mar;229(4):621–9. PMID:23208944
2013. Majewski JT, Wilson SD. The MEA-I syndrome: an all or none phenomenon? *Surgery.* 1979 Sep;86(3):475–84. PMID:38521
2014. Makhlof HR, Abdul-Al HM, Wang G, et al. Calcifying nested stromal-epithelial tumors of the liver: a clinicopathologic, immunohistochemical, and molecular genetic study of 9 cases with a long-term follow-up. *Am J Surg Pathol.* 2009 Jul;33(7):976–83. PMID:19363442
2015. Makhlof HR, Burke AP, Sabin LH. Carcinoid tumors of the ampulla of Vater: a comparison with duodenal carcinoid tumors. *Cancer.* 1999 Mar 15;85(6):1241–9. PMID:10189128
2016. Makhlof HR, Ishak KG, Goodman ZD. Epithelioid hemangioendothelioma of the liver: a clinicopathologic study of 137 cases. *Cancer.* 1999 Feb 1;85(3):562–82. PMID:10091730
2017. Makhlof HR, Ishak KG, Shekar R, et al. Melanoma markers in angiomyolipoma of the liver and kidney: a comparative study. *Arch Pathol Lab Med.* 2002 Jan;126(1):49–55. PMID:11800647
2018. Makhlof HR, Remotti HE, Ishak KG. Expression of KIT (CD117) in angiomyolipoma. *Am J Surg Pathol.* 2002 Apr;26(4):493–7. PMID:11914628
2019. Makhlof HR, Sabin LH. Inflammatory myofibroblastic tumors (inflammatory pseudotumors) of the gastrointestinal tract: how closely are they related to inflammatory fibroid polyps? *Hum Pathol.* 2002 Mar;33(3):307–15. PMID:11979371
2020. Maki M, Kaneko Y, Ohta Y, et al. Somatostatinoma of the pancreas associated with von Hippel-Lindau disease. *Intern Med.* 1995 Jul;34(7):661–5. PMID:7496080
2021. Makino H, Miyashita M, Nomura T, et al. Solitary fibrous tumor of the cervical esophagus. *Dig Dis Sci.* 2007 Sep;52(9):2195–200. PMID:17429725
2022. Makuchi R, Terashima M, Kusuhara M, et al. Comprehensive analysis of gene mutation and expression profiles in neuroendocrine carcinomas of the stomach. *Biomed Res.* 2017;38(1):19–27. PMID:28239029
2023. Malaguera G, Madeddu R, Catania VE, et al. Anorectal mucosal melanoma. *Oncotarget.* 2018 Jan 2;9(9):8785–800. PMID:29492238
2024. Malamut G, Afchain P, Verkarre V, et al. Presentation and long-term follow-up of refractory celiac disease: comparison of type I with type II. *Gastroenterology.* 2009 Jan;136(1):81–90. PMID:19014942
2025. Malamut G, Chandesris O, Verkarre V, et al. Enteropathy associated T cell lymphoma in celiac disease: a large retrospective study. *Dig Liver Dis.* 2013 May;45(5):377–84. PMID:23313469
2026. Malamut G, El Machhour R, Montcuquet N, et al. IL-15 triggers an antiapoptotic pathway in human intraepithelial lymphocytes that is a potential new target in celiac disease-associated inflammation and lymphomagenesis. *J Clin Invest.* 2010 Jun;120(6):2131–43. PMID:20440074
2027. Malamut G, Meresse B, Cellier C, et al. Refractory celiac disease: from bench to bedside. *Semin Immunopathol.* 2012 Jul;34(4):601–13. PMID:22810901
2028. Malamut G, Verkarre V, Callens C, et al. Enteropathy-associated T-cell lymphoma complicating an autoimmune enteropathy. *Gastroenterology.* 2012 Apr;142(4):726–9.e3, quiz e13–4. PMID:2226659
2029. Malanga D, De Gisi S, Riccardi M, et al. Functional characterization of a rare germline mutation in the gene encoding the cyclin-dependent kinase inhibitor p27Kip1 (CDKN1B) in a Spanish patient with multiple endocrine neoplasia-like phenotype. *Eur J Endocrinol.* 2012 Mar;166(3):551–60. PMID:22129891
2030. Malek-Hosseini SA, Baezzat SR, Shamai A, et al. Huge immature teratoma of the liver in an adult: a case report and review of the literature. *Clin J Gastroenterol.* 2010 Dec;3(6):332–6. PMID:26190492
2031. Malfertheiner P, Megraud F, O'Morain CA, et al. Management of Helicobacter pylori infection—the Maastricht V/Florence Consensus Report. *Gut.* 2017 Jan;66(1):6–30. PMID:27707777
2032. Malogolowkin MH, Katzenstein HM, Meyers RL, et al. Complete surgical resection is curative for children with hepatoblastoma with pure fetal histology: a report from the Children's Oncology Group. *J Clin Oncol.* 2011 Aug 20;29(24):3301–6. PMID:21768450
2033. Malowany JL, Merritt NH, Chan NG, et al. Nested stromal epithelial tumor of the liver in Beckwith-Wiedemann syndrome. *Pediatr Dev Pathol.* 2013 Jul-Aug;16(4):312–7. PMID:23570373
2034. Mamessier E, Song JY, Eberle FC, et al. Early lesions of follicular lymphoma: a genetic perspective. *Haematologica.* 2014 Mar;99(3):481–8. PMID:24162788
2035. Mamone G, Caruso S, Cortis K, et al. Complete spontaneous regression of giant focal nodular hyperplasia of the liver: magnetic resonance imaging evaluation with hepatobilary contrast media. *World J Gastroenterol.* 2016 Dec 21;22(47):10461–4. PMID:28058027
2036. Mandar AM, Dalibard F, Mandar JC, et al. Pathologic assessment of tumor regression after preoperative chemoradiotherapy of esophageal carcinoma. *Clinicopathologic correlations.* *Cancer.* 1994 Jun 1;73(11):2680–6. PMID:8194005
2037. Mandell JW, Gulley ML, Williams ME, et al. Recurrent Epstein-Barr virus-associated post-transplant lymphoproliferative disorder: report of a patient with histologically similar but clonally distinct metachronous abdominal and brain lesions. *Hum Pathol.* 1999 Oct;30(10):1262–5. PMID:10534178
2038. Manguso N, Johnson J, Harit A, et al. Prognostic factors associated with outcomes in small bowel neuroendocrine tumors. *Am Surg.* 2017 Oct 1;83(10):1174–8. PMID:29391119

- 2039.** Mani H, Climent F, Colomo L, et al. Gall bladder and extrahepatic bile duct lymphomas: clinicopathological observations and biological implications. *Am J Surg Pathol*. 2010 Sep;34(9):1277–86. PMID:20679881
- 2040.** Manley PN, Abu-Abed S, Kirsch R, et al. Familial PDGFRα-mutation syndrome: somatic and gastrointestinal phenotype. *Hum Pathol*. 2018 Jun;76:52–7. PMID:29486293
- 2041.** Mannath J, Ragunath K. Role of endoscopy in early oesophageal cancer. *Nat Rev Gastroenterol Hepatol*. 2016 Dec;13(12):720–30. PMID:27807370
- 2042.** Mansoor A, Pittaluga S, Beck PL, et al. NK-cell enteropathy: a benign NK-cell lymphoproliferative disease mimicking intestinal lymphoma: clinicopathologic features and follow-up in a unique case series. *Blood*. 2011 Feb 3;117(5):1447–52. PMID:20966166
- 2043.** Mantoo S, Sanaka MR, Chute DJ. Cytologic features of tubular adenoma of ampulla causing distal common bile duct stricture: a case report and review of the literature. *Cytology*. 2017 Aug 22;14:19. PMID:28900465
- 2044.** Mao C, Shah A, Hanson DJ, et al. Von Recklinghausen's disease associated with duodenal somatostatinoma: contrast of duodenal versus pancreatic somatostatinomas. *J Surg Oncol*. 1995 May;59(1):67–73. PMID:7745981
- 2045.** Maragliano R, Vanoli A, Albarelli L, et al. ACTH-secreting pancreatic neoplasms associated with Cushing syndrome: clinicopathologic study of 11 cases and review of the literature. *Am J Surg Pathol*. 2015 Mar;39(3):374–82. PMID:25353285
- 2046.** Marchegiani G, Andrianello S, Malleo G, et al. Does size matter in pancreatic cancer?: Reappraisal of tumour dimension as a predictor of outcome beyond the TNM. *Ann Surg*. 2017 Jul;266(1):142–8. PMID:27322188
- 2047.** Marchegiani G, Andrianello S, Massignani M, et al. Solid pseudopapillary tumors of the pancreas: specific pathological features predict the likelihood of postoperative recurrence. *J Surg Oncol*. 2016 Oct;114(5):597–601. PMID:27471041
- 2048.** Marchegiani G, Mino-Kenudson M, Ferrone CR, et al. Oncocytic-type intraductal papillary mucinous neoplasms: a unique malignant pancreatic tumor with good long-term prognosis. *J Am Coll Surg*. 2015 May;220(5):839–44. PMID:25840549
- 2049.** Marchio A, Terris B, Meddeb M, et al. Chromosomal abnormalities in liver cell dysplasia detected by comparative genomic hybridization. *Mol Pathol*. 2001 Aug;54(4):270–4. PMID:11477144
- 2050.** Marcus DM, Edgar MA, Hawk NN, et al. Small cell carcinoma of the anus in the setting of prior squamous dysplasia and carcinoma in situ. *J Gastrointest Oncol*. 2013 Jun;4(2):E1–4. PMID:23730521
- 2051.** Marcus R, Maitra A, Roszik J. Recent advances in genomic profiling of adenosquamous carcinoma of the pancreas. *J Pathol*. 2017 Nov;243(3):271–2. PMID:28816351
- 2052.** Margolskee E, Jobanputra V, Lewis SK, et al. Indolent small intestinal CD4+ T-cell lymphoma is a distinct entity with unique biologic and clinical features. *PLoS One*. 2013 Jul 4;8(7):e68343. PMID:23861889
- 2052A.** Mariette C, Carneiro F, Grabsch HI, et al. Consensus on the pathological definition and classification of poorly cohesive gastric carcinoma. *Gastric Cancer*. 2019 Jan;22(1):1–9. PMID:30167905
- 2053.** Marinoni I, Kurrer AS, Vassella E, et al. Loss of DAXX and ATRX are associated with chromosome instability and reduced survival of patients with pancreatic neuroendocrine tumors. *Gastroenterology*. 2014 Feb;146(2):453–60.e5. PMID:24148618
- 2054.** Mariño-Enríquez A, Dal Cin P. ALK as a paradigm of oncogenic promiscuity: different mechanisms of activation and different fusion partners drive tumors of different lineages. *Cancer Genet*. 2013 Nov;206(11):357–73. PMID:24091028
- 2055.** Mariño-Enríquez A, Wang WL, Roy A, et al. Epithelioid inflammatory myofibroblastic sarcoma: an aggressive intra-abdominal variant of inflammatory myofibroblastic tumor with nuclear membrane or perinuclear ALK. *Am J Surg Pathol*. 2011 Jan;35(1):135–44. PMID:21164297
- 2056.** Marks E, Shi Y. Duodenal-type follicular lymphoma: a clinicopathologic review. *Arch Pathol Lab Med*. 2018 Apr;142(4):542–7. PMID:29565210
- 2057.** Marquardt JU, Seo D, Andersen JB, et al. Sequential transcriptome analysis of human liver cancer indicates late stage acquisition of malignant traits. *J Hepatol*. 2014 Feb;60(2):346–53. PMID:24512821
- 2058.** Marrelli D, Polom K, de Manzoni G, et al. Multimodal treatment of gastric cancer in the west: Where are we going? *World J Gastroenterol*. 2015 Jul 14;21(26):7954–69. PMID:26185368
- 2059.** Marrero JA, Ahn J, Rajender Reddy K. ACG clinical guideline: the diagnosis and management of focal liver lesions. *Am J Gastroenterol*. 2014 Sep;109(9):1328–47, quiz 1348. PMID:25135008
- 2060.** Martignoni ME, Friess H, Lübeck D, et al. Study of a primary gastrinoma in the common hepatic duct - a case report. *Digestion*. 1999 Mar-Apr;60(2):187–90. PMID:10095161
- 2061.** Martin FC, Chenevix-Trench G, Yeomans ND. Systematic review with meta-analysis: fundic gland polyps and proton pump inhibitors. *Aliment Pharmacol Ther*. 2016 Nov;44(9):915–25. PMID:27634363
- 2062.** Martin JA, Haber GB. Ampullary adenoma: clinical manifestations, diagnosis, and treatment. *Gastrointest Endosc Clin N Am*. 2003 Oct;13(4):649–69. PMID:14986792
- 2063.** Martin-Carbonero L, Barrios A, Saballs P, et al. Pegylated liposomal doxorubicin plus highly active antiretroviral therapy versus highly active antiretroviral therapy alone in HIV patients with Kaposi's sarcoma. *AIDS*. 2004 Aug 20;18(12):1737–40. PMID:15280789
- 2064.** Martinez D, Valera A, Perez NS, et al. Plasmablastic transformation of low-grade B-cell lymphomas: report on 6 cases. *Am J Surg Pathol*. 2013 Feb;37(2):272–81. PMID:23282972
- 2065.** Martinez OM, Krams SM. The immune response to Epstein Barr virus and implications for posttransplant lymphoproliferative disorder. *Transplantation*. 2017 Sep;101(9):2009–16. PMID:28376031
- 2066.** Maru DM, Khurana H, Rashid A, et al. Retrospective study of clinicopathologic features and prognosis of high-grade neuroendocrine carcinoma of the esophagus. *Am J Surg Pathol*. 2008 Sep;32(9):1404–11. PMID:18670347
- 2067.** Marvin ML, Mazzoni SM, Herron CM, et al. AXIN2-associated autosomal dominant ectodermal dysplasia and neoplastic syndrome. *Am J Med Genet A*. 2011 Apr;155A(4):898–902. PMID:21416598
- 2068.** Mas-Moya J, Dudley B, Brand RE, et al. Clinicopathological comparison of colorectal and endometrial carcinomas in patients with Lynch-like syndrome versus patients with Lynch syndrome. *Hum Pathol*. 2015 Nov;46(11):1616–25. PMID:26319271
- 2069.** Masciarelli S, Dewanwala A, Stoffel EM, et al. Gastric cancer in individuals with Li-Fraumeni syndrome. *Genet Med*. 2011 Jul;13(7):651–7. PMID:21552135
- 2070.** Mason EF, Hornick JL. Conventional risk stratification fails to predict progression of succinate dehydrogenase-deficient gastrointestinal stromal tumors: a clinicopathologic study of 76 cases. *Am J Surg Pathol*. 2016 Dec;40(12):1616–21. PMID:27340750
- 2071.** Masoomi H, Ziogas A, Lin BS, et al. Population-based evaluation of adenosquamous carcinoma of the colon and rectum. *Dis Colon Rectum*. 2012 May;55(5):509–14. PMID:22513428
- 2072.** Massironi S, Rossi RE, Ferrero S, et al. An esophageal gastrointestinal stromal tumor in a patient with MEN1-related pancreatic gastrinoma: an unusual association and review of the literature. *J Cancer Res Ther*. 2014 Apr-Jun;10(2):443–5. PMID:25022420
- 2073.** Masson EA, MacFarlane IA, Graham D, et al. Spontaneous hypoglycemia due to a pleural fibroma: role of insulin like growth factors. *Thorax*. 1991 Dec;46(12):930–1. PMID:1792643
- 2074.** Mastrangelo G, Coindre JM, Ducimetière F, et al. Incidence of soft tissue sarcoma and beyond: a population-based prospective study in 3 European regions. *Cancer*. 2012 Nov 1;118(21):5339–48. PMID:22517534
- 2075.** Mathias MD, Ambati SR, Chou AJ, et al. A single-center experience with undifferentiated embryonal sarcoma of the liver. *Pediatr Blood Cancer*. 2016 Dec;63(12):2246–8. PMID:27427850
- 2076.** Mathieu D, Kobeiter H, Maisonneuve P, et al. Oral contraceptive use and focal nodular hyperplasia of the liver. *Gastroenterology*. 2000 Mar;118(3):560–4. PMID:10702207
- 2077.** Matson DR, Xu J, Huffman L, et al. KRAS and GNAS co-mutation in metastatic low-grade appendiceal mucinous neoplasm (LAMN) to the ovaries: a practical role for next-generation sequencing. *Am J Case Rep*. 2017 May 20;18:558–62. PMID:28526814
- 2078.** Matsubara A, Ogawa R, Suzuki H, et al. Activating GNAS and KRAS mutations in gastric foveolar metaplasia, gastric heterotopia, and adenocarcinoma of the duodenum. *Br J Cancer*. 2015 Apr 14;112(8):1398–404. PMID:25867268
- 2079.** Matsubara A, Sekine S, Fukushima R, et al. Frequent GNAS and KRAS mutations in pyloric gland adenoma of the stomach and duodenum. *J Pathol*. 2013 Mar;229(4):579–87. PMID:23208952
- 2080.** Matsubayashi H, Takaori K, Morizane C, et al. Familial pancreatic cancer: concept, management and issues. *World J Gastroenterol*. 2017 Feb 14;23(6):935–48. PMID:28246467
- 2081.** Matsuda A, Higashi M, Nakagawa T, et al. Assessment of tumor characteristics based on glycoform analysis of membrane-tethered MUC1. *Lab Invest*. 2017 Sep;97(9):1103–13. PMID:28581490
- 2082.** Matsuda Y, Furukawa T, Yachida S, et al. The prevalence and clinicopathological characteristics of high-grade pancreatic intraepithelial neoplasia: autopsy study evaluating the entire pancreatic parenchyma. *Pancreas*. 2017 May;Jun;46(5):658–64. PMID:28196020
- 2083.** Matsumoto M, Nomiyama T, Nakae J, et al. Combination chemotherapy for a senile patient with adenoid cystic carcinoma of the esophagus: a case report. *Jpn J Clin Oncol*. 1993 Aug;23(4):258–62. PMID:8411740
- 2084.** Matsumoto T, Imai Y, Inokuma T. Neuroendocrine carcinoma of the gallbladder accompanied by pancreaticobiliary maljunction. *Clin Gastroenterol Hepatol*. 2016 Mar;14(3):e29–30. PMID:26247168
- 2085.** Matsuno S, Egawa S, Fukuyama S, et al. Pancreatic Cancer Registry in Japan: 20 years of experience. *Pancreas*. 2004 Apr;28(3):219–30. PMID:15084961
- 2086.** Matsuura S, Aishima S, Taguchi K, et al. 'Scirrrous' type hepatocellular carcinoma: a special reference to expression of cyclin 7 and hepatocyte paraffin 1. *Histopathology*. 2005 Oct;47(4):382–90. PMID:16178883
- 2087.** Matsuzawa G, Shirabe K, Gon T, et al. Surgically resected undifferentiated carcinoma with osteoclast-like giant cells of the peritoneal region involving the orifice of the papilla of Vater: report of a case. *Surg Today*. 2011 Apr;40(4):376–9. PMID:20339995
- 2088.** Matthaei H, Lingohr P, Strässer H, et al. Biliary intraepithelial neoplasia (BILIN) is frequently found in surgical margins of biliary tract cancer resection specimens but has no clinical implications. *Virchows Arch*. 2011 Feb;466(2):133–41. PMID:215245476
- 2089.** Matthaei H, Wu J, Dal Molin M, et al. GNAS codon 201 mutations are uncommon in intraductal papillary neoplasms of the bile duct. *HPB (Oxford)*. 2012 Oct;14(10):577–82. PMID:22954004
- 2090.** Matthaei H, Wu J, Dal Molin M, et al. GNAS sequencing identifies IPMEN-associated mutations in a subgroup of diminutive premalignant cysts referred to as 'Incipient IPMEN'. *Am J Surg Pathol*. 2014 Mar;38(3):380–5. PMID:24525507
- 2091.** Maurer CA, Baer HU, Dyring TH, et al. Carcinoid of the pancreas: clinical characteristics and morphological features. *Eur J Cancer*. 1996 Jun;32A(7):1109–16. PMID:8675300
- 2092.** Mazer LM, Losada HF, Cheung YB, et al. Tumor characteristics and outcome analysis of incidental versus suspected primary bladder carcinoma. *J Gastrointest Surg*. 2007 Jul;11(7):1311–7. PMID:17570074
- 2093.** Mazzaferrro V, Regalia E, Di Stefano A, et al. Liver transplantation for the treatment of small hepatocellular carcinomas in patients with cirrhosis. *N Engl J Med*. 1999 Mar;340(11):693–9. PMID:10344028
- 2094.** Mazzoni SM, Fearon ER, et al. AXIN2 and AXIN2 variants in gastrointestinal cancers. *Cancer Lett*. 2014 Dec 1;350(1):10–14. PMID:25236910
- 2095.** Mbulaiteye SM, Anderson WF, Freilich J, et al. Pediatric, elderly, and adult-onset peaks in Burkitt's lymphoma incidence diagnosed in four continents outside Africa. *Am J Hematol*. 2012 Jun;87(6):561–6. PMID:22488262
- 2096.** McCall CM, Shi C, Compton TD, et al. Grading of well-differentiated pancreatic neuroendocrine tumors is improved by the use of both Ki67 proliferative index and tumor grade. *Am J Surg Pathol*. 2013 Nov;37(11):1571–7. PMID:24121170
- 2097.** McCall CM, Shi C, Klein JP, et al. Serotonin expression in pancreatic neuroendocrine tumors correlates with a more aggressive histologic pattern and larger tumor size. *Hum Pathol*. 2012 Aug;43(8):1171–7. PMID:22221702
- 2098.** McCarthy DM, Brat DJ, Wilentz RE, et al. Pancreatic intraepithelial neoplasia preceding adenocarcinoma: analysis of 100 cases and recurrence by DPC4 immunohistochemical labeling. *Hum Pathol*. 2001 Jun;32(6):645–51. PMID:11347179
- 2099.** McCloskey JC, Kast MM, Fearon ER, et al. Syndemic synergy of HPV and other sexually transmitted pathogens in the development of high-grade anal squamous intraepithelial lesions. *Papillomavirus Res*. 2011 Dec;25(12):1039–45. PMID:22179876
- 2100.** McCluney S, Wijesuriya N, Shrivastava V, et al. Solid pseudopapillary neoplasia of the pancreas: clinicopathologic analysis. *ANZ J Surg*. 2018 Sep;88(9):651–5. PMID:29316119
- 2101.** McDuffie LA, Sabesan A, et al. Solid

- et al. β -Catenin activation in fundic gland polyps, gastric cancer and colonic polyps in families afflicted by 'gastric adenocarcinoma and proximal polyposis of the stomach' (GAPPS). *J Clin Pathol.* 2016 Sep;69(9):826–33. PMID:27406052
2102. McEvoy MP, Rich B, Klimstra D, et al. Acinar cell cystadenoma of the pancreas in a 9-year-old boy. *J Pediatr Surg.* 2010 May;45(5):e7–9. PMID:20438912
2103. McFaul CD, Greenhalf W, Earl J, et al. Anticipation in familial pancreatic cancer. *Gut.* 2006 Feb;55(2):252–8. PMID:15972300
2104. McKenney JK, Heerema-McKenney A, Rouse RV. Extragonadal germ cell tumors: a review with emphasis on pathologic features, clinical prognostic variables, and differential diagnostic considerations. *Adv Anat Pathol.* 2007 Mar;14(2):69–92. PMID:17471115
2105. McKinney M, Moffitt AB, Gauvard P, et al. The genetic basis of hepatosplenic T-cell lymphoma. *Cancer Discov.* 2017 Apr;7(4):369–79. PMID:28122867
2106. McLean CA, Pedersen JS. Endocrine cell carcinoma of the gallbladder. *Histopathology.* 1991 Aug;19(2):173–6. PMID:1661701
2107. McLean MH, El-Omar EM. Genetics of gastric cancer. *Nat Rev Gastroenterol Hepatol.* 2014 Nov;11(11):664–74. PMID:25134511
2108. McWilliams RR, Matsumoto ME, Burch PA, et al. Obesity adversely affects survival in pancreatic cancer patients. *Cancer.* 2010 Nov 1;116(21):5054–62. PMID:20665496
2109. Medeiros F, Corless CL, Duensing A, et al. KIT-negative gastrointestinal stromal tumors: proof of concept and therapeutic implications. *Am J Surg Pathol.* 2004 Jul;28(7):889–94. PMID:15223958
2110. Mehrabi A, Fischer L, Hafezi M, et al. A systematic review of localization, surgical treatment options, and outcome of insulinoma. *Pancreas.* 2014 Jul;43(5):675–86. PMID:24921202
2111. Mehrabi A, Kashfi A, Fonouni H, et al. Primary malignant hepatic epithelioid hemangiopericytoma: a comprehensive review of the literature with emphasis on the surgical therapy. *Cancer.* 2006 Nov 1;107(9):2108–21. PMID:17019735
2112. Mehrvarz Sarshekeh A, Advani S, Halperin DM, et al. Regional lymph node involvement and outcomes in appendiceal neuroendocrine tumors: a SEER database analysis. *Oncotarget.* 2017 Aug 19;8(59):99541–51. PMID:29245922
2113. Meis JM, Enzinger FM. Inflammatory fibrosarcoma of the mesentery and retroperitoneum. A tumor closely simulating inflammatory pseudotumor. *Am J Surg Pathol.* 1991 Dec;15(12):1146–56. PMID:1746682
2114. Meis-Kindblom JM, Kindblom LG. Angiosarcoma of soft tissue: a study of 80 cases. *Am J Surg Pathol.* 1998 Jun;22(6):683–97. PMID:9630175
2115. Melck AL, Yip L, Carty SE. The utility of BRAF testing in the management of papillary thyroid cancer. *Oncologist.* 2010;15(12):1285–93. PMID:21147872
2116. Melletani T, Cantini L, Lanese A, et al. Are liver nested stromal epithelial tumors always low aggressive? *World J Gastroenterol.* 2017 Dec;14(23):8248–55. PMID:29290661
2117. Melo S, Figueiredo J, Fernandes MS, et al. Predicting the functional impact of CDH1 missense mutations in hereditary diffuse gastric cancer. *Int J Mol Sci.* 2017 Dec 12;18(12):E2687. PMID:29231860
2118. Melson J, Ma K, Arshad S, et al. Presence of small sessile serrated polyps increases rate of advanced neoplasia upon surveillance compared with isolated low-risk tubular adenomas. *Gastrointest Endosc.* 2016 Aug;84(2):307–14. PMID:26855297
2119. Mendlick MR, Nelson M, Pickering D, et al. Translocation t(1;3)(p36.3;q25) is a nonrandom aberration in epithelioid hemangiopericytoma. *Am J Surg Pathol.* 2001 May;25(5):684–7. PMID:11342784
2120. Meng Y, Zhang J, Wang H, et al. Poorer prognosis in patients with advanced gastric squamous cell carcinoma compared with adenocarcinoma of the stomach: case report. *Medicine (Baltimore).* 2017 Dec;96(50):e9224. PMID:29390350
2121. Menko FH, Kneepkens CM, de Leeuw N, et al. Variable phenotypes associated with 10q23 microdeletions involving the PTEN and BMPR1A genes. *Clin Genet.* 2008 Aug;74(2):145–54. PMID:18510548
2122. Mention JJ, Ben Ahmed M, Bégué B, et al. Interleukin 15: a key to disrupted intraepithelial lymphocyte homeostasis and lymphomagenesis in celiac disease. *Gastroenterology.* 2003 Sep;125(3):730–45. PMID:12949719
2123. Mera RM, Bravo LE, Camargo MC, et al. Dynamics of Helicobacter pylori infection as a determinant of progression of gastric precancerous lesions: 16-year follow-up of an eradication trial. *Gut.* 2018 Jul;67(7):1239–46. PMID:28647684
2124. Meriden Z, Montgomery EA. Anal duct carcinoma: a report of 5 cases. *Hum Pathol.* 2012 Feb;43(2):216–20. PMID:21820151
2125. Mescoll C, Albertoni L, D'Inca R, et al. Dysplasia in inflammatory bowel diseases. *Dig Liver Dis.* 2013 Mar;45(3):186–94. PMID:22974564
2126. Mester J, Eng C. When overgrowth bumps into cancer: the PTEN-opathies. *Am J Med Genet C Semin Med Genet.* 2013 May;163C(2):114–21. PMID:23613428
2127. Metcalf RA, Monabati A, Vyas M, et al. Myeloid cell nuclear differentiation antigen is expressed in a subset of marginal zone lymphomas and is useful in the differential diagnosis with follicular lymphoma. *Hum Pathol.* 2014 Aug;45(8):1730–6. PMID:24925224
2128. Metz DC, Cadot G, Poitras P, et al. Diagnosis of Zollinger-Ellison syndrome in the era of PPIs, faulty gastrin assays, sensitive imaging and limited access to acid secretory testing. *Int J Endocr Oncol.* 2017;4(4):167–85. PMID:29326808
2129. Mewa Kinoo S, Maharaj K, Singh B, et al. Primary esophageal sclerosing mucoepidermoid carcinoma with "tissue eosinophilia". *World J Gastroenterol.* 2014 Jun 14;20(22):7055–60. PMID:24944502
2130. Meyer CT, Troncale FJ, Galloway S, et al. Arteriovenous malformations of the bowel: an analysis of 22 cases and a review of the literature. *Medicine (Baltimore).* 1981 Jan;60(1):36–48. PMID:6969839
2131. Meyers RL, Maibach R, Hiyama E, et al. Risk-stratified staging in paediatric hepatoblastoma: a unified analysis from the Children's Hepatic Tumors International Collaboration. *Lancet Oncol.* 2017 Jan;18(1):122–31. PMID:27884679
2132. Meza JL, Anderson J, Pappo AS, et al. Analysis of prognostic factors in patients with nonmetastatic rhabdomyosarcoma treated on intergroup rhabdomyosarcoma studies III and IV: the Children's Oncology Group. *J Clin Oncol.* 2006 Aug 20;24(24):3844–51. PMID:16921036
2133. Micchelli ST, Vivekanandan P, Boitnott JK, et al. Malignant transformation of hepatic adenomas. *Mod Pathol.* 2008 Apr;21(4):491–7. PMID:18246041
2134. Michaels PJ, Brachtel EF, Bounds BC, et al. Intraductal papillary mucinous neoplasm of the pancreas: cytologic features predict histologic grade. *Cancer.* 2006 Jun 25;108(3):163–73. PMID:16550572
2135. Michalova K, Michal M, Sedivcova M, et al. Solid pseudopapillary neoplasm (SPN) of the testis: comprehensive mutational analysis of 6 testicular and 8 pancreatic SPNs. *Ann Diagn Pathol.* 2018 Aug;35:42–7. PMID:29705715
2136. Michopoulos S. Critical appraisal of guidelines for screening and surveillance of Barrett's esophagus. *Ann Transl Med.* 2018 Jul;6(13):259. PMID:30094245
2137. Middleton SB, Frayling IM, Phillips RK. Desmoids in familial adenomatous polyposis are monoclonal proliferations. *Br J Cancer.* 2000 Feb;82(4):827–32. PMID:10732754
2138. Miettinen M, Dow N, Lasota J, et al. A distinctive novel epitheliomesenchymal biphasic tumor of the stomach in young adults ("gastroblastoma"): a series of 3 cases. *Am J Surg Pathol.* 2009 Sep;33(9):1370–7. PMID:19718790
2139. Miettinen M, Felisiak-Golabek A, Wang Z, et al. GIST manifesting as a retroperitoneal tumor: clinicopathologic immunohistochemical, and molecular genetic study of 112 cases. *Am J Surg Pathol.* 2017 May;41(5):577–85. PMID:28288036
2140. Miettinen M, Fetsch JF, Sabin LH, et al. Gastrointestinal stromal tumors in patients with neurofibromatosis 1: a clinicopathologic and molecular genetic study of 45 cases. *Am J Surg Pathol.* 2006 Jan;30(1):90–6. PMID:16330947
2141. Miettinen M, Fetsch JF. Distribution of keratins in normal endothelial cells and a spectrum of vascular tumors: implications in tumor diagnosis. *Hum Pathol.* 2000 Sep;31(9):1062–7. PMID:11014572
2142. Miettinen M, Furlong M, Sarlomo-Rikala M, et al. Gastrointestinal stromal tumors, intramural leiomyomas, and leiomyosarcomas in the rectum and anus: a clinicopathologic, immunohistochemical, and molecular genetic study of 144 cases. *Am J Surg Pathol.* 2001 Sep;25(9):1121–33. PMID:11688571
2143. Miettinen M, Kopczynski J, Makhlouf HR, et al. Gastrointestinal stromal tumors, intramural leiomyomas, and leiomyosarcomas in the duodenum: a clinicopathologic, immunohistochemical, and molecular genetic study of 167 cases. *Am J Surg Pathol.* 2003 May;27(5):625–41. PMID:12717247
2144. Miettinen M, Lasota J, Sabin LH. Gastrointestinal stromal tumors of the stomach in children and young adults: a clinicopathologic, immunohistochemical, and molecular genetic study of 44 cases with long-term follow-up and review of the literature. *Am J Surg Pathol.* 2005 Oct;29(10):1373–81. PMID:16160481
2145. Miettinen M, Lasota J. Gastrointestinal stromal tumors. *Gastroenterol Clin North Am.* 2013 Jun;42(2):399–415. PMID:23639648
2146. Miettinen M, Lasota J. Gastrointestinal stromal tumors: pathology and prognosis at different sites. *Semin Diagn Pathol.* 2006 May;23(2):70–83. PMID:17193820
2147. Miettinen M, Lindemayer AE, Chaubal A. Endothelial cell markers CD31, CD34, and BNH9 antibody to H- and Y-antigens—evaluation of their specificity and sensitivity in the diagnosis of vascular tumors and comparison with von Willebrand factor. *Mod Pathol.* 1994 Jan;7(1):82–90. PMID:7512718
2148. Miettinen M, Makhlouf H, Sabin LH, et al. Gastrointestinal stromal tumors of the jejunum and ileum: a clinicopathologic, immunohistochemical, and molecular genetic study of 906 cases before imatinib with long-term follow-up. *Am J Surg Pathol.* 2006 Apr;30(4):477–89. PMID:16625094
2149. Miettinen M, Makhlouf HR, Sabin LH, et al. Plexiform fibromyxoma: a distinctive benign gastric antral neoplasm not to be confused with a myxoid GIST. *Am J Surg Pathol.* 2009 Nov;33(11):1624–32. PMID:19675452
2150. Miettinen M, Paal E, Lasota J, et al. Gastrointestinal glomus tumors: a clinicopathologic, immunohistochemical, and molecular genetic study of 32 cases. *Am J Surg Pathol.* 2002 Mar;26(3):301–11. PMID:11859201
2151. Miettinen M, Sarlomo-Rikala M, Sabin LH, et al. Esophageal stromal tumors: a clinicopathologic, immunohistochemical, and molecular genetic study of 17 cases and comparison with esophageal leiomyomas and leiomyosarcomas. *Am J Surg Pathol.* 2000 Feb;24(2):211–22. PMID:10680889
2152. Miettinen M, Sarlomo-Rikala M, Sabin LH, et al. Gastrointestinal stromal tumors and leiomyosarcomas in the colon: a clinicopathologic, immunohistochemical, and molecular genetic study of 44 cases. *Am J Surg Pathol.* 2000 Oct;24(10):1339–52. PMID:11023095
2153. Miettinen M, Shekitka KM, Sabin LH. Schwannomas in the colon and rectum: a clinicopathologic and immunohistochemical study of 20 cases. *Am J Surg Pathol.* 2001 Jul;25(7):846–55. PMID:11420455
2154. Miettinen M, Sabin LH, Lasota J. Gastrointestinal stromal tumors of the stomach: a clinicopathologic, immunohistochemical, and molecular genetic study of 1765 cases with long-term follow-up. *Am J Surg Pathol.* 2005 Jan;29(1):52–68. PMID:15613856
2155. Miettinen M, Sabin LH, Lasota J. True smooth muscle tumors of the small intestine: a clinicopathologic, immunohistochemical, and molecular genetic study of 25 cases. *Am J Surg Pathol.* 2009 Mar;33(3):430–6. PMID:18971781
2156. Miettinen M, Wang ZF, Lasota J. DOG1 antibody in the differential diagnosis of gastrointestinal stromal tumors: a study of 1840 cases. *Am J Surg Pathol.* 2009 Sep;33(9):1401–8. PMID:19606013
2157. Miettinen M, Wang ZF, Paetau A, et al. ERG transcription factor as an immunohistochemical marker for vascular endothelial tumors and prostatic carcinoma. *Am J Surg Pathol.* 2011 Mar;35(3):432–41. PMID:21317715
2158. Miettinen M, Wang ZF, Sarlomo-Rikala M, et al. Succinate dehydrogenase-deficient GISTs: a clinicopathologic, immunohistochemical, and molecular genetic study of 66 gastric GISTs with predilection to young age. *Am J Surg Pathol.* 2011 Nov;35(11):1712–21. PMID:21997692
2159. Miftahussurur M, Yamaoka Y, Graham DY. Helicobacter pylori as an oncogenic pathogen, revisited. *Expert Rev Mol Med.* 2017 Mar 21;19:e4. PMID:28322182
2160. Mihaylova VT, Bindra RS, Yuan J, et al. Decreased expression of the DNA mismatch repair gene MLH1 under hypoxic stress in mammalian cells. *Mol Cell Biol.* 2003 May;23(9):3265–73. PMID:12697826
2161. Miki K. Gastric cancer screening using the serum pepsinogen test method. *Gastric Cancer.* 2006;9(4):245–53. PMID:17235625
2162. Miles RR, Arnold S, Cairo MS. Risk factors and treatment of childhood and adolescent Burkitt lymphoma/leukaemia. *Br J Haematol.* 2012 Mar;156(6):730–43. PMID:22260323
2163. Milione M, Maisonneuve P, Pellegrinelli A, et al. Ki67 proliferative index of the neuroendocrine component drives MANEC prognosis. *Endocr Relat Cancer.* 2018 May;25(5):583–93. PMID:29592868
2164. Milione M, Maisonneuve P, Spada F, et al. The clinicopathologic heterogeneity of grade 3 gastroenteropancreatic neuroendocrine neoplasms: morphological differentiation and proliferation identify different prognostic categories. *Neuroendocrinology.* 2017;104(1):85–93. PMID:26943788
2165. Mills SE, Allen MS Jr, Cohen AR. Small-cell undifferentiated carcinoma of the colon. A clinicopathological study of five cases and their association with colonic adenomas. *Am J Surg*

- Pathol. 1983 Oct;7(7):643-51. PMID:6314828

2166. Mills SE, Greenson JK, Hornick JL, et al., editors. Sternberg's diagnostic surgical pathology. 6th ed. Philadelphia (PA): Lippincott Williams & Wilkins; 2015.

2167. Min BH, Hwang J, Kim NK, et al. Dysregulated Wnt signalling and recurrent mutations of the tumour suppressor RNF43 in early gastric carcinogenesis. *J Pathol.* 2016 Nov;240(3):304-14. PMID:27514024

2168. Minatsuki S, Miura I, Yao A, et al. Platelet-derived growth factor receptor-tyrosine kinase inhibitor, imatinib, is effective for treating pulmonary hypertension induced by pulmonary tumor thrombotic microangiopathy. *Int Heart J.* 2015;56(2):245-8. PMID:25740390

2169. Ming SC. Gastric carcinoma. A pathobiological classification. *Cancer.* 1977 Jun;39(6):2475-85. PMID:872047

2170. Mingazzini PL, Malchioldi Albedi F, Blandamura V. Villous adenoma of the duodenum: cellular composition and histochemical findings. *Histopathology.* 1982 Mar;6(2):235-44. PMID:7076140

2171. Minicozzi A, Borzellino G, Momo R, et al. Perianal Paget's disease: presentation of six cases and literature review. *Int J Colorectal Dis.* 2010 Jan;25(1):1-7. PMID:19707774

2172. Mino-Kenudson M, Fernández-del Castillo C, Baba Y, et al. Prognosis of invasive intraductal papillary mucinous neoplasm depends on histological and precursor epithelial subtypes. *Gut.* 2011 Dec;60(12):1712-20. PMID:21508421

2173. Miranda C, Nucifora M, Molinari F, et al. KRAS and BRAF mutations predict primary resistance to imatinib in gastrointestinal stromal tumors. *Clin Cancer Res.* 2012 Mar 15;18(6):1769-76. PMID:22282465

2174. Misraji J, Burgart LJ, Lauwers GY. Defective mismatch repair in the pathogenesis of low-grade appendiceal mucinous neoplasms and adenocarcinomas. *Mod Pathol.* 2004 Dec;17(12):1447-54. PMID:15354187

2175. Misraji J, Yantiss RK, Graeme-Cook FM, et al. Appendiceal mucinous neoplasms: a clinicopathologic analysis of 107 cases. *Am J Surg Pathol.* 2003 Aug;27(8):1089-103. PMID:12883241

2176. Mishra MV, Keith SW, Shen X, et al. Primary pancreatic lymphoma: a population-based analysis using the SEER program. *Am J Clin Oncol.* 2013 Feb;36(1):38-43. PMID:22134518

2177. Missaglia E, Dalai I, Barbi S, et al. Pancreatic endocrine tumors: expression profiling evidences a role for AKT-mTOR pathway. *J Clin Oncol.* 2010 Jan 10;28(2):245-55. PMID:19917848

2178. Mitsunaga S, Hasebe T, Kinoshita T, et al. Detail histologic analysis of nerve plexus invasion in invasive ductal carcinoma of the pancreas and its prognostic impact. *Am J Surg Pathol.* 2007 Nov;31(11):1636-44. PMID:18059219

2179. Miyazaki K, Yamaguchi M, Suzuki R, et al. CD5-positive diffuse large B-cell lymphoma: a retrospective study in 337 patients treated by chemotherapy with or without rituximab. *Ann Oncol.* 2011 Jul;22(7):1601-7. PMID:21199885

2180. Miyazawa M, Matsuda M, Yano M, et al. Gastric adenocarcinoma of fundic gland type: five cases treated with endoscopic resection. *World J Gastroenterol.* 2015 Jul 14;21(26):8208-14. PMID:26185396

2182. Mizobuchi S, Tachimori Y, Kato H, et al. Metastatic esophageal tumors from distant primary lesions: report of three esophagectomies and study of 1835 autopsy cases. *Jpn J Clin Oncol.* 1997 Dec;27(6):410-4. PMID:9438004

2183. Mo JQ, Dimashkieh HH, Bove KE. GLUT1 endothelial reactivity distinguishes benign infantile hemangioma from congenital hepatic fibrosis. *Am J Pathol.* 2009 Jun;174(6):1551-60. PMID:19446608

hepatic vascular malformation with associated capillary proliferation. *Hum Pathol.* 2004 Feb;35(2):200-9. PMID:14991538

2184. Moch H, Humphrey PA, Ulbright TM, et al., editors. WHO classification of tumours of the urinary system and male genital organs. Lyon (France): International Agency for Research on Cancer; 2016. (WHO classification of tumours series, 4th ed.; vol. 8). <http://publications.iarc.fr/540>.

2185. Modlin IM, Lye KD, Kidd M. A 5-decade analysis of 13,715 carcinoid tumors. *Cancer.* 2003 Feb 15;97(4):934-59. PMID:12569593

2186. Modlin IM, Lye KD, Kidd M. Carcinoid tumors of the stomach. *Surg Oncol.* 2003 Aug;12(2):153-72. PMID:12946486

2187. Modlin IM, Sandor A. An analysis of 8305 cases of carcinoid tumors. *Cancer.* 1997 Feb 15;79(4):813-29. PMID:9024720

2188. Modlin IM, Shapiro MD, Kidd M. An analysis of rare carcinoid tumors: clarifying these clinical conundrums. *World J Surg.* 2005 Jan;29(1):92-101. PMID:15599742

2189. Moeini A, Sia D, Zhang Z, et al. Mixed hepatocellular cholangiocarcinoma tumors: cholangiolocellular carcinoma is a distinct molecular entity. *J Hepatol.* 2017 May;66(5):952-61. PMID:28126467

2190. Moertel CG, Weiland LH, Nagorney DM, et al. Carcinoid tumor of the appendix: treatment and prognosis. *N Engl J Med.* 1987 Dec 31;317(27):1699-701. PMID:3696178

2191. Moffitt AB, Ondrejka SL, McKinney M, et al. Enteropathy-associated T cell lymphoma subtypes are characterized by loss of function of SETD2. *J Exp Med.* 2017 May 1;214(5):1371-86. PMID:28424246

2192. Moffitt RA, Marayati R, Flate EL, et al. Virtual microdissection identifies distinct tumor- and stroma-specific subtypes of pancreatic ductal adenocarcinoma. *Nat Genet.* 2015 Oct;47(10):1168-78. PMID:26343385

2193. Mohajeri A, Tayebwa J, Collin A, et al. Comprehensive genetic analysis identifies a pathognomonic NAB2/STAT6 fusion gene, non-random secondary genomic imbalances, and a characteristic gene expression profile in solitary fibrous tumor. *Genes Chromosomes Cancer.* 2013 Oct;52(10):873-86. PMID:23761323

2194. Mohammadkhani Shali S, Schmitt V, Behrendt FF, et al. Metabolic tumour volume of anal carcinoma on (18)FDG PET/CT before combined radiochemotherapy is the only independent determinant of recurrence free survival. *Eur J Radiol.* 2016 Aug;85(8):1390-4. PMID:27423677

2195. Mohr VH, Vortmeyer AO, Zhuang Z, et al. Histopathology and molecular genetics of multiple cysts and microcystic (serous) adenomas of the pancreas in von Hippel-Lindau patients. *Am J Pathol.* 2000 Nov;157(5):1615-21. PMID:11073821

2196. Mohri D, Asaoka Y, Ijichi H, et al. Different subtypes of intraductal papillary mucinous neoplasm in the pancreas have distinct pathways to pancreatic cancer progression. *J Gastroenterol.* 2012 Feb;47(2):203-13. PMID:22041919

2197. Moinzadeh P, Breuhahn K, Stützer H, et al. Chromosome alterations in human hepatocellular carcinomas correlate with aetiology and histological grade—results of an explorative CGH meta-analysis. *Br J Cancer.* 2005 Mar 14;92(5):935-41. PMID:15756261

2198. Molberg KH, Heffess C, Delgado R, et al. Undifferentiated carcinoma with osteoclast-like giant cells of the pancreas and periampullary region. *Cancer.* 1998 Apr 1;82(7):1279-87. PMID:9529019

2199. Moldovan GL, D'Andrea AD. How the Fanconi anemia pathway guards the genome. *Annu Rev Genet.* 2009;43:223-49. PMID:19686080

2200. Molin MD, Matthaei H, Wu J, et al. Clinicopathological correlates of activating GNAS mutations in intraductal papillary mucinous neoplasm (IPMN) of the pancreas. *Ann Surg Oncol.* 2013 Nov;20(12):3802-8. PMID:23846778

2201. Molyneux EM, Rochford R, Griffin B, et al. Burkitt's lymphoma. *Lancet.* 2012 Mar 31;379(9822):1234-44. PMID:22333947

2202. Montes-Moreno S, Gonzalez-Medina AR, Rodriguez-Pinilla SM, et al. Aggressive large B-cell lymphoma with plasma cell differentiation: immunohistochemical characterization of plasmablastic lymphoma and diffuse large B-cell lymphoma with partial plasmablastic phenotype. *Haematologica.* 2010 Aug;95(8):1342-9. PMID:20418245

2203. Montes-Moreno S, Martinez-Magunacelaya N, Zecchini-Barrese T, et al. Plasmablastic lymphoma phenotype is determined by genetic alterations in MYC and PRDM1. *Mod Pathol.* 2017 Jan;30(1):85-94. PMID:27687004

2204. Montgomery E, Bronner MP, Greenson JK, et al. Are ulcers a marker for invasive carcinoma in Barrett's esophagus? Data from a diagnostic variability study with clinical follow-up. *Am J Gastroenterol.* 2002 Jan;97(1):27-31. PMID:11808966

2205. Monzen M, Shimizu K, Hatori T, et al. Usefulness of cell block cytology for preoperative grading and typing of intraductal papillary mucinous neoplasms. *Pancreatology.* 2013 Jul-Aug;13(4):369-78. PMID:23890135

2206. Moore PS, Chang Y. Detection of herpesvirus-like DNA sequences in Kaposi's sarcoma in patients with and those without HIV infection. *N Engl J Med.* 1995 May 4;332(18):1181-5. PMID:7700310

2207. Moore PS, Zamboni G, Brighenti A, et al. Molecular characterization of pancreatic serous microcystic adenomas: evidence for a tumor suppressor gene on chromosome 10q. *Am J Pathol.* 2001 Jan;158(1):317-21. PMID:11141506

2208. Morais DJ, Yamanaka A, Zeitune JM, et al. Gastric polyps: a retrospective analysis of 26,000 digestive endoscopies. *Arq Gastroenterol.* 2007 Jan-Mar;44(1):14-7. PMID:17639176

2209. Morak M, Koehler U, Schackert HK, et al. Biallelic MLH1 SNP cDNA expression or constitutional promoter methylation can hide genomic rearrangements causing Lynch syndrome. *J Med Genet.* 2011 Aug;48(8):513-9. PMID:21712435

2210. Morak M, Massdorf T, Sykora H, et al. First evidence for digenic inheritance in hereditary colorectal cancer by mutations in the base excision repair genes. *Eur J Cancer.* 2011 May;47(7):1046-55. PMID:21195604

2211. Moran CA, Ishak KG, Goodman ZD. Solitary fibrous tumor of the liver: a clinicopathologic and immunohistochemical study of nine cases. *Ann Diagn Pathol.* 1998 Feb;2(1):19-24. PMID:9845719

2212. Moran S, Martínez-Cardús A, Sayols S, et al. Epigenetic profiling to classify cancer of unknown primary: a multicentre, retrospective analysis. *Lancet Oncol.* 2016 Oct;17(10):1386-95. PMID:27575023

2213. Mori I, Iwashita A, Enjoji M. Adenosquamous carcinoma of the stomach. A clinicopathologic analysis of 28 cases. *Cancer.* 1986 Jan 15;57(2):333-9. PMID:3942965

2214. Mori Y, Sato N, Taniguchi R, et al. Pancreatic somatostatinoma diagnosed preoperatively: report of a case. *JOP.* 2014 Jan 10;15(1):66-71. PMID:24413789

2215. Morikawa T, Okabayashi T, Shima Y, et al. Adenomyomatosis concomitant with primary gallbladder carcinoma. *Acta Med Okayama.* 2017 Apr;71(2):113-8. PMID:28420892

2216. Morin PJ, Sparks AB, Korinek V, et al. Activation of beta-catenin-Tcf signaling in cancer by mutations in beta-catenin or APC. *Science.* 1997 Mar 21;275(5307):1787-91. PMID:9065402

2217. Morinaga S, Tsumuraya M, Nakajima T, et al. Ciliated-cell adenocarcinoma of the pancreas. *Acta Pathol Jpn.* 1986 Dec;36(12):1051-10. PMID:3825537

2218. Moris D, Ntanasis-Stathopoulos I, Tsilimigras DI, et al. Update on management of small bowel neuroendocrine tumors. *Anticancer Res.* 2018 Mar;38(3):1251-8. PMID:29491050

2219. Moris D, Tsilimigras DI, Vagios S, et al. Neuroendocrine neoplasms of the gut: review of the literature. *Anticancer Res.* 2018 Feb;38(2):601-11. PMID:29374682

2220. Morita FH, Bernardo MM, de Oliveira E, et al. Narrow band imaging versus Lugol's iodine endoscopy to diagnose squamous cell carcinoma of the esophagus: a systematic review and meta-analysis. *BMC Cancer.* 2017 13;17(1):54. PMID:28086818

2221. Moriya K, Tamura H, Nakamura T, et al. A primary esophageal MALT lymphoma associated with Helicobacter pylori infection achieves complete remission after H. pylori eradication without anti-lymphoma treatment. *Lancet.* 2016 Dec 20;387(10035):207-8. PMID:27055556

2222. Morris-Stiff G, Falk GA, El-Harroussi O, et al. Jejunum cavernous lymphangioma. *Br J Radiol.* 2011 May 12;2011. PMID:21595030

2223. Morris-Stiff G, Lentz E, Chetty R, et al. Pancreatic cyst aspiration for cystic neoplasms: mucin or bryonyc antigen—which is better? *Br J Radiol.* 2010 Oct;148(4):638-44, discussion 645-6. PMID:20797749

2224. Morscio J, Dierickx D, Ferriera J, et al. Gene expression profiling reveals differences between EBV-positive and EBV-negative posttransplant lymphoproliferative disorders. *Am J Transplant.* 2013 May;13(5):1033-42. PMID:23489474

2225. Morscio J, Dierickx D, Ferriera J, et al. Clinicopathologic comparison of plasmablastic lymphoma in HIV-positive, immunocompetent, and posttransplant patients: single-center 25 cases and meta-analysis of 122 cases. *Am J Surg Pathol.* 2014 Jun;86:1-10. PMID:24832164

2226. Morscio J, Dierickx D, Ferriera J, et al. Molecular pathogenesis of B-cell non-Hodgkin lymphoproliferative disorder: what is so far? *Clin Dev Immunol.* 2013;2013:1-10. PMID:23690819

2227. Morson BC, Sobin LH, Greene FL, et al. Precancerous conditions and dysplasia in the stomach. *J Clin Pathol.* 1984 Aug;37(8):711-21. PMID:3993839

2228. Morton M, Couper B, Ross AJ, et al. Epidemiology of posttransplant lymphoproliferative disorder in adult heart-lung transplant recipients. *Transplantation.* 2015;95(3):470-8. PMID:25800870

2229. Mosquera JM, Stover A, et al. Novel MIR143-NOTCH1 fusions and malignant glioma tumors. *Cancer.* 2013 Nov;119(22):4321-8. PMID:23999936

2230. Mostafa ME, Erdogan B, Erkanli S, et al. Pathology of "pancreatic cancers": current challenges. *Clin Clin Oncol.* 2017 Mar;35(3):531-7. PMID:28930719

2231. Motohashi S, Yamamoto K, et al. Prognostic implications of hemangioma frequency in gastric cancer. *Cancer.* 2018;114(10):2962-72. PMID:29500000

2232. Motohashi S, Ichikawa T, et al. Detection of pancreatic cancer metastases with galectin-3. *Cancer.* 2018;114(10):2962-72. PMID:29500000

- MR imaging: comparison with contrast-enhanced multi-detector row CT. *Radiology*. 2011 Aug;260(2):446–53. PMID:21693662
- 2223.** Mounajed T, Yasir S, Aleff PA, et al. Pigmented hepatocellular adenomas have a high risk of atypia and malignancy. *Mod Pathol*. 2015 Sep;28(9):1265–74. PMID:26205181
- 2224.** Moussaly E, Atallah JP. A rare case of undifferentiated carcinoma of the colon with rhabdoid features: a case report and review of the literature. *Case Rep Oncol Med*. 2015;2015:531348. PMID:26064731
- 2225.** Movahedi M, Bishop DT, Macrae F, et al. Obesity, aspirin, and risk of colorectal cancer in carriers of hereditary colorectal cancer: a prospective investigation in the CAPP2 study. *J Clin Oncol*. 2015 Nov 1;33(31):3591–7. PMID:26282643
- 2226.** Movahedi-Lankarani S, Hruban RH, Westra WH, et al. Primitive neuroectodermal tumors of the pancreas: a report of seven cases of a rare neoplasm. *Am J Surg Pathol*. 2002 Aug;26(8):1040–7. PMID:12170091
- 2227.** Movassaghian M, Brunner AM, Blonquist TM, et al. Presentation and outcomes among patients with isolated myeloid sarcoma: a Surveillance, Epidemiology, and End Results database analysis. *Leuk Lymphoma*. 2015 Jun;56(6):1698–703. PMID:25213180
- 2228.** Moynihan MJ, Bast MA, Chan WC, et al. Lymphomatous polyposis. A neoplasm of either follicular mantle or germinal center cell origin. *Am J Surg Pathol*. 1996 Apr;20(4):442–52. PMID:8604811
- 2229.** Mukai S, Oue N, Oshima T, et al. Overexpression of PCDHB9 promotes peritoneal metastasis and correlates with poor prognosis in patients with gastric cancer. *J Pathol*. 2017 Sep;243(1):100–10. PMID:28671736
- 2230.** Mullen JT, Savarese DM. Carcinoid tumors of the appendix: a population-based study. *J Surg Oncol*. 2011 Jul 1;104(1):41–4. PMID:21294132
- 2231.** Mulligan RM. Histogenesis and biologic behavior of gastric carcinoma. *Pathol Annu*. 1972;7:349–415. PMID:4557936
- 2232.** Mulrooney DA, Carpenter B, Georgieff M, et al. Hepatic mesenchymal hamartoma in a neonate: a case report and review of the literature. *J Pediatr Hematol Oncol*. 2001 Jun-Jul;23(5):316–7. PMID:11464991
- 2233.** Mundo L, Ambrosio MR, Picciolini M, et al. Unveiling another missing piece in EBV-driven lymphomagenesis: EBV-encoded microRNAs expression in EBER-negative Burkitt lymphoma cases. *Front Microbiol*. 2017 Mar 1:229. PMID:28298901
- 2234.** Munghate GS, Agarwala S, Bhatnagar V. Primary yolk sac tumor of the common bile duct. *J Pediatr Surg*. 2011 Jun;46(6):1271–3. PMID:21683236
- 2235.** Muraki T, Memis B, Reid MD, et al. Reflux-associated cholecystopathy: analysis of 76 gallbladders from patients with supraduodenal union of the pancreatic duct and common bile duct (pancreatobiliary maljunction) elucidates a specific diagnostic pattern of mucosal hyperplasia as a prelude to carcinoma. *Am J Surg Pathol*. 2017 Sep;41(9):1167–77. PMID:28622182
- 2236.** Muraki T, Pehlivanoglu B, Memis B, et al. Pancreatobiliary maljunction-associated gallbladder cancer is as common in the West as in the East, shows distinct clinicopathologic characteristics, and offers an invaluable model for reflux-associated physio-chemical carcinogenesis [abstract]. *Lab Invest*. 2018 Mar;98(S1):670–94. Abstract no. 1903. PMID:29551802
- 2237.** Muraki T, Reid MD, Basturk O, et al. Undifferentiated carcinoma with osteoclastic giant cells of the pancreas: clinicopathologic analysis of 38 cases highlights a more protracted clinical course than currently appreciated. *Am J Surg Pathol*. 2016 Sep;40(9):1203–16. PMID:27508975
- 2238.** Muraki T, Uehara T, Sano K, et al. A case of MUC5AC-positive intraductal neoplasm of the pancreas classified as an intraductal tubulopapillary neoplasm? *Pathol Res Pract*. 2015 Dec;211(12):1034–9. PMID:26586167
- 2239.** Murali R, Doubrovsky A, Watson GF, et al. Diagnosis of metastatic melanoma by fine-needle biopsy: analysis of 2,204 cases. *Am J Clin Pathol*. 2007 Mar;127(3):385–97. PMID:17276948
- 2240.** Murata M, Iwao K, Miyoshi Y, et al. Molecular and biological analysis of carcinoma of the small intestine: beta-catenin gene mutation by interstitial deletion involving exon 3 and replication error phenotype. *Am J Gastroenterol*. 2000 Jun;95(6):1576–80. PMID:10894600
- 2241.** Murphy G, Pfeiffer R, Camargo MC, et al. Meta-analysis shows that prevalence of Epstein-Barr virus-positive gastric cancer differs based on sex and anatomic location. *Gastroenterology*. 2009 Sep;137(3):824–33. PMID:19445939
- 2242.** Murphy SB, Hustu HO. A randomized trial of combined modality therapy of childhood non-Hodgkin's lymphoma. *Cancer*. 1980 Feb 15;45(4):630–7. PMID:6986967
- 2243.** Murray SE, Lloyd RV, Sippel RS, et al. Postoperative surveillance of small appendiceal carcinoid tumors. *Am J Surg*. 2014 Mar;207(3):342–5, discussion 345. PMID:24393285
- 2244.** Mutrie CJ, Donahue DM, Wain JC, et al. Esophageal leiomyoma: a 40-year experience. *Ann Thorac Surg*. 2005 Apr;79(4):1122–5. PMID:15797036
- 2245.** Myerson RJ, Karnell LH, Menck HR. The National Cancer Data Base report on carcinoma of the anus. *Cancer*. 1997 Aug 15;80(4):805–15. PMID:9264365
- 2246.** Myhre-Jensen O. A consecutive 7-year series of 1331 benign soft tissue tumours. Clinicopathologic data. Comparison with sarcomas. *Acta Orthop Scand*. 1981 Jun;52(3):287–93. PMID:7282321
- 2247.** Mylonas KS, Doulamis IP, Tsilimigras DI, et al. Solid pseudopapillary and malignant pancreatic tumors in childhood: a systematic review and evidence quality assessment. *Pediatr Blood Cancer*. 2018 Oct;65(10):e27114. PMID:29697193
- 2248.** Mylonas KS, Nasioudis D, Tsilimigras DI, et al. A population-based analysis of a rare oncologic entity: malignant pancreatic tumors in children. *J Pediatr Surg*. 2018 Apr;53(4):647–52. PMID:28693851
- 2249.** Méndez-Martínez R, Rivera-Martínez NE, Crabtree-Ramírez B, et al. Multiple human papillomavirus infections are highly prevalent in the anal canal of human immunodeficiency virus-positive men who have sex with men. *BMC Infect Dis*. 2014 Dec 16;14:671. PMID:25510243
- 2250.** Møller P, Seppälä T, Bernstein I, et al. Cancer incidence and survival in Lynch syndrome patients receiving colonoscopic and gynaecological surveillance: first report from the prospective Lynch syndrome database. *Gut*. 2017 Mar;66(3):464–72. PMID:26657901
- 2251.** Møller P, Seppälä T, Bernstein I, et al. Incidence of and survival after subsequent cancers in carriers of pathogenic MMR variants with previous cancer: a report from the prospective Lynch syndrome database. *Gut*. 2017 Sep;66(9):1657–64. PMID:27261338
- 2252.** Møller P, Seppälä TT, Bernstein I, et al. Cancer risk and survival in path_MMR carriers by gene and gender up to 75 years of age: a report from the Prospective Lynch Syndrome Database. *Gut*. 2018 Jul;67(7):1306–16. PMID:28754778
- 2253.** Müller MF, Ibrahim AE, Arends MJ. Molecular pathological classification of colorectal cancer. *Virchows Arch*. 2016 Aug;469(2):125–34. PMID:27325016
- 2254.** Nafidi O, Nguyen BN, Roy A. Carcinoid tumor of the common bile duct: a rare complication of von Hippel-Lindau syndrome. *World J Gastroenterol*. 2008 Feb 28;14(8):1299–301. PMID:18300362
- 2255.** Nagakawa T, Kayahara M, Ueno K, et al. Clinicopathological study on neural invasion to the extrapancreatic nerve plexus in pancreatic cancer. *Hepatogastroenterology*. 1992 Feb;39(1):51–5. PMID:1314766
- 2256.** Nagami Y, Tominaga K, Machida H, et al. Usefulness of non-magnifying narrow-band imaging in screening of early esophageal squamous cell carcinoma: a prospective comparative study using propensity score matching. *Am J Gastroenterol*. 2014 Jun;109(6):845–54. PMID:24751580
- 2257.** Nagata K, Horinouchi M, Saitou M, et al. Mucin expression profile in pancreatic cancer and the precursor lesions. *J Hepatobiliary Pancreat Surg*. 2007;14(3):243–54. PMID:17520199
- 2258.** Nagata N, Shimbo T, Yazaki H, et al. Predictive clinical factors in the diagnosis of gastrointestinal Kaposi's sarcoma and its endoscopic severity. *PLoS One*. 2012;7(11):e46967. PMID:23226197
- 2259.** Nagtegaal ID, Knijn N, Hugen N, et al. Tumor deposits in colorectal cancer: improving the value of modern staging—a systematic review and meta-analysis. *J Clin Oncol*. 2017 Apr 1;35(10):1119–27. PMID:28029327
- 2260.** Nagtegaal ID, Quirke P. What is the role for the circumferential margin in the modern treatment of rectal cancer? *J Clin Oncol*. 2008 Jan 10;26(2):303–12. PMID:18182672
- 2261.** Nagtegaal ID, van de Velde CJ, Marijnen CA, et al. Low rectal cancer: a call for a change of approach in abdominoperineal resection. *J Clin Oncol*. 2005 Dec 20;23(36):9257–64. PMID:16361623
- 2262.** Nagtegaal ID, van de Velde CJ, van der Worp E, et al. Macroscopic evaluation of rectal cancer resection specimen: clinical significance of the pathologist in quality control. *J Clin Oncol*. 2002 Apr 1;20(7):1729–34. PMID:11919228
- 2263.** Naguib A, Cooke JC, Happerfield L, et al. Alterations in PTEN and PIK3CA in colorectal cancers in the EPIC Norfolk study: associations with clinicopathological and dietary factors. *BMC Cancer*. 2011 Apr 7;11:123. PMID:21473780
- 2264.** Naguib A, Mitrou PN, Gay LJ, et al. Dietary, lifestyle and clinicopathological factors associated with BRAF and K-ras mutations arising in distinct subsets of colorectal cancers in the EPIC Norfolk study. *BMC Cancer*. 2010 Mar 16;10:99. PMID:20233436
- 2265.** Nagula S, Kennedy T, Schatzner MA, et al. Evaluation of cyst fluid CEA analysis in the diagnosis of mucinous cysts of the pancreas. *J Gastrointest Surg*. 2010 Dec;14(12):1997–2003. PMID:20658204
- 2266.** Naini BV, Souza RF, Odze RD. Barrett's esophagus: a comprehensive and contemporary review for pathologists. *Am J Surg Pathol*. 2016 May;40(5):e45–66. PMID:26813745
- 2267.** Nairismägi ML, Tan J, Lim JQ, et al. JAK-STAT and G-protein-coupled receptor signaling pathways are frequently altered in epitheliotropism intestinal T-cell lymphoma. *Leukemia*. 2016 Jun;30(6):1311–9. PMID:26854024
- 2268.** Nakahara H, Moriya Y, Shinkai T, et al. Small cell carcinoma of the anus in a human HIV carrier: report of a case. *Surg Today*. 1993;23(1):85–8. PMID:8384908
- 2269.** Nakajo S, Yamamoto M, Tahara E. Morphometric analysis of gallbladder adenocarcinoma: discrimination between carcinoma and dysplasia. *Virchows Arch A Pathol Anat Histopathol*. 1989;416(2):133–40. PMID:2512741
- 2270.** Nakamura A, Horinouchi M, Goto M, et al. New classification of pancreatic intraductal papillary-mucinous tumour by mucin expression: its relationship with potential for malignancy. *J Pathol*. 2002 Jun;197(2):201–10. PMID:12015744
- 2271.** Nakamura H, Arai Y, Totoki Y, et al. Genomic spectra of biliary tract cancer. *Nat Genet*. 2015 Sep;47(9):1003–10. PMID:26258846
- 2272.** Nakamura K, Sugano H, Takagi K. Carcinoma of the stomach in incipient phase: its histogenesis and histological appearances. *Gan*. 1968 Jun;59(3):251–8. PMID:5726267
- 2273.** Nakamura S, Akazawa K, Yao T, et al. A clinicopathologic study of 233 cases with special reference to evaluation with the MIB-1 index. *Cancer*. 1995 Oct 15;76(8):1313–24. PMID:8620403
- 2274.** Nakamura S, Matsumoto T, Kobori Y, et al. Impact of Helicobacter pylori infection and mucosal atrophy on gastric lesions in patients with familial adenomatous polyposis. *Gut*. 2002 Oct;51(4):485–9. PMID:12235068
- 2275.** Nakamura S, Matsumoto T. Helicobacter pylori and gastric mucosa-associated lymphoid tissue lymphoma: recent progress in pathogenesis and management. *World J Gastroenterol*. 2013 Dec 7;19(45):8181–7. PMID:24363507
- 2276.** Nakamura S, Sugiyama T, Matsumoto T, et al. Long-term clinical outcome of gastric MALT lymphoma after eradication of Helicobacter pylori: a multicentre cohort follow-up study of 420 patients in Japan. *Gut*. 2012 Apr;61(4):507–13. PMID:21890816
- 2277.** Nakamura S, Ye H, Bacon CM, et al. Clinical impact of genetic aberrations in gastric MALT lymphoma: a comprehensive analysis using interphase fluorescence in situ hybridisation. *Gut*. 2007 Oct;56(10):1358–63. PMID:17525089
- 2278.** Nakamura T, Nakamura S, Yonezumi M, et al. Helicobacter pylori and the t(11;18)(q21;q21) translocation in gastric low-grade B-cell lymphoma of mucosa-associated lymphoid tissue type. *Jpn J Cancer Res*. 2000 Mar;91(3):301–9. PMID:10760689
- 2279.** Nakamura T, Seto M, Tajika M, et al. Clinical features and prognosis of gastric MALT lymphoma with special reference to responsiveness to *H. pylori* eradication and API2-MALT1 status. *Am J Gastroenterol*. 2008 Jan;103(1):62–70. PMID:17894851
- 2280.** Nakanishi Y, Kondo S, Zen Y, et al. Impact of residual in situ carcinoma on postoperative survival in 125 patients with extrahepatic bile duct carcinoma. *J Hepatobiliary Pancreat Sci*. 2010 Mar;17(2):166–73. PMID:19521656
- 2281.** Nakanishi Y, Nakanuma Y, Ohara M, et al. Intraductal papillary neoplasm arising from peribiliary glands connecting with the inferior branch of the bile duct of the anterior segment of the liver. *Pathol Int*. 2011 Dec;61(12):773–7. PMID:22126388
- 2282.** Nakanishi Y, Zen Y, Kondo S, et al. Expression of cell cycle-related molecules in biliary premalignant lesions: biliary intraepithelial neoplasia and biliary intraductal papillary neoplasm. *Hum Pathol*. 2008 Aug;39(8):1153–61. PMID:18495210
- 2283.** Nakanuma Y, Jang KT, Fukushima N, et al. A statement by the Japan-Korea expert

- pathologists for future clinicopathological and molecular analyses toward consensus building of intraductal papillary neoplasm of the bile duct through several opinions at the present stage. *J Hepatobiliary Pancreat Sci.* 2018 Mar;25(3):181–7. PMID:29272078
- 2296.** Nakanuma Y, Kakuda Y, Uesaka K, et al. Characterization of intraductal papillary neoplasm of bile duct with respect to histopathologic similarities to pancreatic intraductal papillary mucinous neoplasm. *Hum Pathol.* 2016 May;51:103–13. PMID:27067788
- 2297.** Nakanuma Y, Kakuda Y. Pathologic classification of cholangiocarcinoma: new concepts. *Best Pract Res Clin Gastroenterol.* 2015 Apr;29(2):277–93. PMID:25966428
- 2298.** Nakanuma Y, Sato Y, Ikeda H, et al. Intrahepatic cholangiocarcinoma with predominant “duct plate malformation” pattern: a new subtype. *Am J Surg Pathol.* 2012 Nov;36(11):1629–35. PMID:23073321
- 2299.** Nakanuma Y, Sato Y. Cystic and papillary neoplasm involving peribiliary glands: a biliary counterpart of branch-type intraductal papillary mucinous [corrected] neoplasm? *Hepatology.* 2012 Jun;55(6):2040–1. PMID:22262399
- 2300.** Nakanuma Y, Sudo Y. Biliary tumors with pancreatic counterparts. *Semin Diagn Pathol.* 2017 Mar;34(2):167–75. PMID:28109714
- 2301.** Nakanuma Y, Uchida T, Sato Y, et al. An S100P-positive biliary epithelial field is a preinvasive intraepithelial neoplasm in nodular-sclerosing cholangiocarcinoma. *Hum Pathol.* 2017 Feb;60:46–57. PMID:27984121
- 2302.** Nakanuma Y, Uesaka K, Miyayama S, et al. Intraductal neoplasms of the bile duct. A new challenge to biliary tract tumor pathology. *Histol Histopathol.* 2017 Oct;32(10):1001–15. PMID:28337739
- 2303.** Nakao A, Harada A, Nonami T, et al. Clinical significance of carcinoma invasion of the extrapancreatic nerve plexus in pancreatic cancer. *Pancreas.* 1996 May;12(4):357–61. PMID:8740402
- 2304.** Nakao A, Harada A, Nonami T, et al. Clinical significance of portal invasion by pancreatic head carcinoma. *Surgery.* 1995 Jan;117(1):50–5. PMID:7809836
- 2305.** Nakasono M, Hirokawa M, Suzuki M, et al. Lymphoepithelioma-like carcinoma of the esophagus: report of a case with non-progressive behavior. *J Gastroenterol Hepatol.* 2007 Dec;22(12):2344–7. PMID:18031397
- 2306.** Nakata B, Yashiro M, Nishioka N, et al. Very low incidence of microsatellite instability in intraductal papillary-mucinous neoplasm of the pancreas. *Int J Cancer.* 2002 Dec 20;102(6):655–9. PMID:12448010
- 2307.** Nakken S, Hovig E, Møller P, editors. Prospective Lynch Syndrome Database [Internet]. Edinburgh (UK): European Hereditary Tumour Group & Middlesex (UK): International Society for Gastrointestinal Hereditary Tumours; 2018. Available from: <http://www.iscarisk.org>.
- 2308.** Nallamothu G, Adler DG. Large colonic lipomas. *Gastroenterol Hepatol (N Y).* 2011 Jul;7(7):490–2. PMID:22298986
- 2308A.** Nam AR, Kim JW, Cha Y, et al. Therapeutic implication of HER2 in advanced biliary tract cancer. *Oncotarget.* 2016 Sep 6;7(36):58007–21. PMID:27517322
- 2309.** Narasimayam S, Martin DR, Saini S. Imaging of liver metastases: MRI. *Cancer Imaging.* 2007;7:2–9. PMID:17293303
- 2310.** Napoléon B, Lemaitre AI, Pujol B, et al. A novel approach to the diagnosis of pancreatic serous cystadenoma: needle-based confocal laser endomicroscopy. *Endoscopy.* 2015 Jan;47(1):26–32. PMID:25325684
- 2311.** Nara S, Shimada K, Kosuge T, et al. Minimally invasive intraductal papillary-mucinous carcinoma of the pancreas: clinicopathologic study of 104 intraductal papillary-mucinous neoplasms. *Am J Surg Pathol.* 2008 Feb;32(2):243–55. PMID:18223327
- 2312.** Naresh KN, Ibrahim HA, Lazzi S, et al. Diagnosis of Burkitt lymphoma using an algorithmic approach—applicable in both resource-poor and resource-rich countries. *Br J Haematol.* 2011 Sep;154(6):770–6. PMID:21718280
- 2313.** Narita T, Moriyama Y, Ito Y. Endodermal sinus (yolk sac) tumour of the liver. A case report and review of the literature. *J Pathol.* 1988 May;155(1):41–7. PMID:3288736
- 2314.** Nart D, Erkan Y, Yilmaz F, et al. Primary hepatic marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue type in a liver transplant patient with hepatitis B cirrhosis. *Transplant Proc.* 2005 Dec;37(10):4408–12. PMID:16387133
- 2315.** Nascimbeni R, Villanacci V, Di Fabio F, et al. Solitary microcarcinoïd of the rectal stump in ulcerative colitis. *Neuroendocrinology.* 2005;81(6):400–4. PMID:16276118
- 2316.** Naseem M, Barzi A, Brezden-Masley C, et al. Outlooks on Epstein-Barr virus associated gastric cancer. *Cancer Treat Rev.* 2018 May;66:15–22. PMID:29631196
- 2317.** Nassar H, Albores-Saavedra J, Klimstra DS. High-grade neuroendocrine carcinoma of the ampulla of Vater: a clinicopathologic and immunohistochemical analysis of 14 cases. *Am J Surg Pathol.* 2005 May;29(5):588–94. PMID:15832081
- 2318.** Natarajan S, Theise ND, Thung SN, et al. Large-cell change of hepatocytes in cirrhosis may represent a reaction to prolonged cholestasis. *Am J Surg Pathol.* 1997 Mar;21(3):312–8. PMID:9060601
- 2319.** National Institute for Health and Care Excellence [Internet]. London (UK): National Institute for Health and Care Excellence; 2018. Molecular testing strategies for Lynch syndrome in people with colorectal cancer: Diagnostics guidance [DG27]; published 2017 Feb. Available from: <https://www.nice.org.uk/guidance/dg27>.
- 2320.** Natkunam Y, Farinha P, Hsi ED, et al. LMO2 protein expression predicts survival in patients with diffuse large B-cell lymphoma treated with anthracycline-based chemotherapy with and without rituximab. *J Clin Oncol.* 2008 Jan 20;26(3):447–54. PMID:18086797
- 2321.** Natori T, Teshima S, Kikuchi Y, et al. Primary yolk sac tumor of the liver. An autopsy case with ultrastructural and immunopathological studies. *Acta Pathol Jpn.* 1983 May;33(3):555–64. PMID:6353852
- 2322.** Nault JC, Bioulac-Sage P, Zucman-Rossi J. Hepatocellular benign tumors—from molecular classification to personalized clinical care. *Gastroenterology.* 2013 May;144(5):888–902. PMID:23485860
- 2323.** Nault JC, Calderaro J, Di Tommaso L, et al. Telomerase reverse transcriptase promoter mutation is an early somatic genetic alteration in the transformation of premalignant nodules in hepatocellular carcinoma on cirrhosis. *Hepatology.* 2014 Dec;60(6):1983–92. PMID:25123086
- 2324.** Nault JC, Couchy G, Balabaud C, et al. Molecular classification of hepatocellular adenoma associates with risk factors, bleeding, and malignant transformation. *Gastroenterology.* 2017 Mar;152(4):880–94.e6. PMID:27939373
- 2325.** Nault JC, Galle PR, Marquardt JU. The role of molecular enrichment on future therapies in hepatocellular carcinoma. *J Hepatol.* 2018 Jul;69(1):237–47. PMID:29505843
- 2326.** Nault JC, Mallet M, Pilati C, et al. High frequency of telomerase reverse-transcriptase promoter somatic mutations in hepatocellular carcinoma and preneoplastic lesions. *Nat Commun.* 2013;4:2218. PMID:23887712
- 2327.** Navaneethan U, Hasan MK, Lourdusamy V, et al. Single-operator cholangioscopy and targeted biopsies in the diagnosis of indeterminate biliary strictures: a systematic review. *Gastrointest Endosc.* 2015 Oct;82(4):608–14.e2. PMID:26071061
- 2328.** Nawgir RS, Nagle JA, Wilbur DC, et al. Cytomorphology and B72.3 labeling of benign and malignant ductal epithelium in pancreatic lesions compared to gastrointestinal epithelium. *Diagn Cytopathol.* 2007 May;35(5):300–5. PMID:17427224
- 2329.** Nelen MR, Kremer H, Konings IB, et al. Novel PTEN mutations in patients with Cowden disease: absence of clear genotype-phenotype correlations. *Eur J Hum Genet.* 1999 Apr;7(3):267–73. PMID:10234502
- 2330.** Nelen MR, Padberg GW, Peeters EA, et al. Localization of the gene for Cowden disease to chromosome 10q22–23. *Nat Genet.* 1996 May;13(1):114–6. PMID:8673088
- 2331.** Nelen MR, van Staveren WC, Peeters EA, et al. Germline mutations in the PTEN/MMAC1 gene in patients with Cowden disease. *Hum Mol Genet.* 1997 Aug;6(8):1383–7. PMID:9259288
- 2332.** Nelson BP, Wolniak KL, Evens A, et al. Early posttransplant lymphoproliferative disease: clinicopathologic features and correlation with mTOR signaling pathway activation. *Am J Clin Pathol.* 2012 Oct;138(4):568–78. PMID:23010712
- 2333.** Nelson S, Nähke IS. Interactions and functions of the adenomatous polyposis coli (APC) protein at a glance. *J Cell Sci.* 2013 Feb 15;126(Pt 4):873–7. PMID:23589686
- 2334.** Neoptolemos JP, Dunn JA, Stocken DD, et al. Adjuvant chemoradiotherapy and chemotherapy in resectable pancreatic cancer: a randomised controlled trial. *Lancet.* 2001 Nov 10;358(9293):1576–85. PMID:11716884
- 2335.** Neoptolemos JP, Stocken DD, Dunn JA, et al. Influence of resection margins on survival for patients with pancreatic cancer treated by adjuvant chemoradiation and/or chemotherapy in the ESPAC-1 randomized controlled trial. *Ann Surg.* 2001 Dec;234(6):758–68. PMID:11729382
- 2336.** Neoptolemos JP, Stocken DD, Friess H, et al. A randomized trial of chemoradiotherapy and chemotherapy after resection of pancreatic cancer. *N Engl J Med.* 2004 Mar 18;350(12):1200–10. PMID:15028824
- 2337.** Nesi G, Marcucci T, Rubin CA, et al. Somatostatinoma: clinicopathological features of three cases and literature reviewed. *J Gastroenterol Hepatol.* 2008 Apr;23(4):521–6. PMID:17645474
- 2338.** Neumann WL, Coss E, Rugge M, et al. Autoimmune atrophic gastritis—pathogenesis, pathology and management. *Nat Rev Gastroenterol Hepatol.* 2013 Sep;10(9):529–41. PMID:23774773
- 2339.** Neuville A, Chibon F, Coindre JM. Grading of soft tissue sarcomas: from histological to molecular assessment. *Pathology.* 2014 Feb;46(2):113–20. PMID:24378389
- 2340.** Newman DH, Doerhoff CR, Bunt TJ. Villous adenoma of the duodenum. *Am Surg.* 1984 Jan;50(1):26–8. PMID:6691630
- 2341.** Ng IO, Guan XY, Poon RT, et al. Determination of the molecular relationship between multiple tumour nodules in hepatocellular carcinoma differentiates multicentric origin from intrahepatic metastasis. *J Pathol.* 2003 Mar;199(3):345–53. PMID:12579536
- 2342.** Ngoma T, Addo M, Durosini M, et al. Treatment of Burkitt lymphoma in equatorial Africa using a simple three-drug combination followed by a salvage regimen for patients with persistent or recurrent disease. *Br J Haematol.* 2012 Sep;158(6):749–62. PMID:22844968
- 2343.** Nguyen BN, Fléjou JF, Terris B, et al. Focal nodular hyperplasia of the liver: a comprehensive pathologic study of 305 lesions and recognition of new histologic forms. *Am J Surg Pathol.* 1999 Dec;23(12):1447–56. PMID:10584697
- 2344.** Nguyen NQ, Johns AL, Gill AJ, et al. Clinical and immunohistochemical features of solid pseudopapillary tumors of the pancreas. *Gastroenterol Hepatol.* 2011 Feb;25(2):167–74. PMID:21261715
- 2345.** Nguyen NT, Harring TR, Holley L, et al. Biliary adenofibroma with carcinoma in situ: a rare case report. *Case Reports Hepatol.* 2012;2012:793963. PMID:23747410
- 2346.** Nguyen TB, Roncalli M, Di Tommaso L, et al. Combined use of heat-shock protein 70 and glutamine synthetase is useful in the distinction of typical hepatocellular adenoma from atypical hepatocellular neoplasms and well-differentiated hepatocellular carcinoma. *Mod Pathol.* 2016 Mar;29(3):283–92. PMID:26761330
- 2347.** Nguyen TT, Gorman B, Sheets J, et al. Malignant hepatic angiomyolipoma: report of a case and review of literature. *Am J Surg Pathol.* 2008 May;32(5):793–8. PMID:1859748
- 2348.** Ni PZ, Yang YS, Hu WP, et al. Phosphadenosquamous carcinoma of the esophagus: an analysis of 39 cases. *J Thorac Oncol.* 2010 Oct;8(10):2689–96. PMID:20867543
- 2349.** Ni Y, Zbuk KM, Sadler T, et al. Germline mutations and variants in the succinate dehydrogenase genes in Cowden and Bannayan-Riley-Ruken-like syndromes. *Am J Hum Genet.* 2008 Aug;83(2):261–8. PMID:18676327
- 2350.** Nicholson HS, Egeler RK, Neale K, et al. The epidemiology of Langerhans cell histiocytosis. *Hematol Oncol Clin North Am.* 1998 Apr;12(2):379–84. PMID:95619307
- 2351.** Nicol K, Savell V, Moore J, et al. Distinguishing undifferentiated embryonal sarcoma of the liver from biliary tract mesenchymal tumor: a Children's Oncology Group study. *Pediatr Dev Pathol.* 2007 Mar-Apr;10(2):112–20. PMID:17378682
- 2352.** Nicolae A, Xi L, Pham TH, et al. Mutations in the JAK/STAT and RAS pathways are common in intestinal T-cell lymphomas. *Leukemia.* 2016 Nov;30(11):2029–36. PMID:27389054
- 2353.** Nicolae A, Xi L, Pitzalis S, et al. Frequent STAT5B mutations in adult splenic T-cell lymphomas. *Leukemia.* 2006 Nov;20(11):2244–8. PMID:17047020
- 2354.** Niederle MB, Hackl M, Kasper W, et al. Gastroenteropancreatic neuroendocrine tumours: the current incidence and based on the WHO and European Neuroendocrine Tumour Society classification. *Endocr Relat Cancer.* 2010 Oct;17(4):17–18. PMID:20702725
- 2355.** Nielsen GP, Dickersin GR, et al. Lipomatous hemangioendothelioma: a clinicopathologic, ultrastructural and immunohistochemical study of a unique variant of hemangioma. *Am J Surg Pathol.* 1995 Jun;19(6):656–61. PMID:7553272
- 2356.** Nielsen GP, O'Connell JX, et al. Solitary fibrous tumor of the liver: report of 15 cases, including 5 malignant examples with light microscopic, immunohistochemical, and ultrastructural data. *Mod Pathol.* 2000 Oct;13(10):1028–37. PMID:10946183
- 2357.** Nieser M, Henopp T, Brügel M, et al. Chromosome 18 in neurofibromatosis of the small intestine: the embryo theory. *Neuroendocrinology.* 2010 Mar;91(3):217–26. PMID:20222126
- 2358.** Nieuwenhuis MH, Vogt S, Zentgraf H, et al. Evidence for accelerated carcinogenesis in neurofibromatosis 1-associated polyposis? *Gut.* 2012 May;61(10):1453–60. PMID:22342030

- PMID:21846783
2359. Nikfarjam M, Warshaw AL, Axelrod L, et al. Improved contemporary surgical management of insulinomas: a 25-year experience at the Massachusetts General Hospital. *Ann Surg.* 2008 Jan;247(1):165–72. PMID:18156937
2360. Nikiforova MN, Khalid A, Fasanella KE, et al. Integration of KRAS testing in the diagnosis of pancreatic cystic lesions: a clinical experience of 618 pancreatic cysts. *Mod Pathol.* 2013 Nov;26(11):1478–87. PMID:23743931
2361. Nikolaisen C, Figenschau Y, Nossent JC. Anemia in early rheumatoid arthritis is associated with interleukin 6-mediated bone marrow suppression, but has no effect on disease course or mortality. *J Rheumatol.* 2008 Mar;35(3):380–6. PMID:18260177
2362. Nilbert M, Planck M, Fernebro E, et al. Microsatellite instability is rare in rectal carcinomas and signifies hereditary cancer. *Eur J Cancer.* 1999 Jun;35(6):942–5. PMID:10533476
2363. Nilbert M, Rambech E. Beta-catenin activation through mutation is rare in rectal cancer. *Cancer Genet Cytogenet.* 2001 Jul 1;128(1):43–5. PMID:11454429
2364. Nilsson B, Bümming P, Meis-Kindblom JM, et al. Gastrointestinal stromal tumors: the incidence, prevalence, clinical course, and prognostication in the preimatinib mesylate era—a population-based study in western Sweden. *Cancer.* 2005 Feb 15;103(4):821–9. PMID:15648083
2365. Nilsson O. Profiling of ileal carcinoids. *Neuroendocrinology.* 2013;97(1):7–18. PMID:22986706
2366. Nirmala V, Chopra P, Machado NO. An unusual adult hepatic teratoma. *Histopathology.* 2003 Sep;43(3):306–8. PMID:12940789
2367. Nishigami T, Kataoka TR, Ikeuchi H, et al. Adenocarcinomas associated with perianal fistulae in Crohn's disease have a rectal, not an anal, immunophenotype. *Pathology.* 2011 Jan;43(1):36–9. PMID:21240063
2368. Nishihara K, Nagai E, Tsuneyoshi M, et al. Small-cell carcinoma combined with adenocarcinoma of the gallbladder. A case report with immunohistochemical and flow cytometric studies. *Arch Pathol Lab Med.* 1994 Feb;118(2):177–81. PMID:8311660
2369. Nishihara K, Nagoshi M, Tsuneyoshi M, et al. Papillary cystic tumors of the pancreas. Assessment of their malignant potential. *Cancer.* 1993 Jan 1;71(1):82–92. PMID:8416730
2370. Nishihara K, Tsuneyoshi M. Undifferentiated spindle cell carcinoma of the gallbladder: a clinicopathologic, immunohistochemical, and flow cytometric study of 11 cases. *Hum Pathol.* 1993 Dec;24(12):1298–305. PMID:8276377
2371. Nishihara K, Yamaguchi K, Hashimoto H, et al. Tubular adenoma of the gallbladder with squamoid spindle cell metaplasia. Report of three cases with immunohistochemical study. *Acta Pathol Jpn.* 1991 Jan;41(1):41–5. PMID:1709553
2372. Nishikawa G, Sekine S, Ogawa R, et al. Frequent GNAS mutations in low-grade appendiceal mucinous neoplasms. *Br J Cancer.* 2013 Mar 5;108(4):951–8. PMID:23403822
2373. Nishino H, Hatano E, Seo S, et al. Histological features of mixed neuroendocrine carcinoma and hepatocellular carcinoma in the liver: a case report and literature review. *Clin J Gastroenterol.* 2016 Aug;9(4):272–9. PMID:27384317
2374. Nitecki SS, Wolff BG, Schlinkert R, et al. The natural history of surgically treated primary adenocarcinoma of the appendix. *Ann Surg.* 1994 Jan;219(1):51–7. PMID:8297177
2375. Niwa A, Kuwano S, Tomita H, et al. The different pathogeneses of sporadic adenoma and adenocarcinoma in non-ampullary lesions of the proximal and distal duodenum. *Oncotarget.* 2017 Jun 20;8(25):41078–90. PMID:28467793
2376. Noble F, Lloyd MA, Turkington R, et al. Multicentre cohort study to define and validate pathological assessment of response to neoadjuvant therapy in oesophagogastric adenocarcinoma. *Br J Surg.* 2017 Dec;104(13):1816–28. PMID:28944954
2377. Noble F, Nolan L, Bateman AC, et al. Refining pathological evaluation of neoadjuvant therapy for adenocarcinoma of the esophagus. *World J Gastroenterol.* 2013 Dec 28;19(48):9282–93. PMID:24409055
2378. Noda Y, Fujita N, Kobayashi G, et al. Histological study of gallbladder and bile duct epithelia in patients with anomalous arrangement of the pancreaticobiliary ductal system: comparison between those with and without a dilated common bile duct. *J Gastroenterol.* 2007 Mar;42(3):211–8. PMID:17380279
2379. Noguchi R, Yano H, Gohda Y, et al. Molecular profiles of high-grade and low-grade pseudomyxoma peritonei. *Cancer Med.* 2015 Dec;4(12):1809–16. PMID:26475379
2380. Nojima T, Nakamura F, Ishikura M, et al. Pleomorphic carcinoma of the pancreas with osteoclast-like giant cells. *Int J Pancreatol.* 1993 Dec;14(3):275–81. PMID:8113629
2381. Nomura R, Saito T, Mitomi H, et al. GNAS mutation as an alternative mechanism of activation of the Wnt/β-catenin signaling pathway in gastric adenocarcinoma of the fundic gland type. *Hum Pathol.* 2014 Dec;45(12):2488–96. PMID:25288233
2382. Nomura Y, Nakashima O, Akiba J, et al. Clinicopathological features of neoplasms with neuroendocrine differentiation occurring in the liver. *J Clin Pathol.* 2017 Jul;70(7):563–70. PMID:27881473
2383. Nonaka D, Wang BY, Edmondson D, et al. A study of gata3 and phox2b expression in tumors of the autonomic nervous system. *Am J Surg Pathol.* 2013 Aug;37(8):1236–41. PMID:23715162
2384. Nonomura A, Mizukami Y, Takayanagi N, et al. Immunohistochemical study of hepatic angiomyolipoma. *Pathol Int.* 1996 Jan;46(1):24–32. PMID:10846546
2385. Noorani A, Bornschein J, Lynch AG, et al. A comparative analysis of whole genome sequencing of esophageal adenocarcinoma pre- and post-chemotherapy. *Genome Res.* 2017 Jun;27(6):902–12. PMID:28465312
2386. Norlén O, Stålberg P, Öberg K, et al. Long-term results of surgery for small intestinal neuroendocrine tumors at a tertiary referral center. *World J Surg.* 2012 Jun;36(6):1419–31. PMID:21984144
2387. Noronha V, Shafi NQ, Obando JA, et al. Primary non-Hodgkin's lymphoma of the liver. *Crit Rev Oncol Hematol.* 2005 Mar;53(3):199–207. PMID:15718146
2388. Norris AL, Roberts NJ, Jones S, et al. Familial and sporadic pancreatic cancer share the same molecular pathogenesis. *Fam Cancer.* 2015 Mar;14(1):95–103. PMID:25240578
2389. Norsworthy KJ, Bhatnagar B, Singh ZN, et al. Myeloid sarcoma of the hepatobiliary system: a case series and review of the literature. *Acta Haematol.* 2016;135(4):241–51. PMID:27007946
2390. Notta F, Chan-Seng-Yue M, Lemire M, et al. A renewed model of pancreatic cancer evolution based on genomic rearrangement patterns. *Nature.* 2016 Oct 20;538(7625):378–82. PMID:27732578
2391. Novelli M, Rossi S, Rodriguez-Justo M, et al. DOG1 and CD117 are the antibodies of choice in the diagnosis of gastrointestinal stromal tumours. *Histopathology.* 2010 Aug;57(2):259–70. PMID:20716168
2392. Noë M, Pea A, Luchini C, et al. Whole-exome sequencing of duodenal neuroendocrine tumors in patients with neurofibromatosis type 1. *Mod Pathol.* 2018 Oct;31(10):1532–8. PMID:29849115
2393. Noë M, Rezaee N, Asrani K, et al. Immunolabeling of cleared human pancreata provides insights into three-dimensional pancreatic anatomy and pathology. *Am J Pathol.* 2018 Jul;188(7):1530–5. PMID:29684363
2394. Nugent KP, Spigelman AD, Phillips RK. Life expectancy after colectomy and ileorectal anastomosis for familial adenomatous polyposis. *Dis Colon Rectum.* 1993 Nov;36(11):1059–62. PMID:8223060
2395. Nummela P, Saarinen L, Thiel A, et al. Genomic profile of pseudomyxoma peritonei analyzed using next-generation sequencing and immunohistochemistry. *Int J Cancer.* 2015 Mar 1;136(5):E282–9. PMID:25274248
2396. Nunes G, Coelho H, Patila M, et al. Pancreablastoma: an unusual diagnosis in an adult patient. *Clin J Gastroenterol.* 2018 Apr;11(2):161–6. PMID:29285688
2397. Nusse R, Clevers H. Wnt/β-catenin signaling, disease, and emerging therapeutic modalities. *Cell.* 2017 Jun 1;169(6):985–99. PMID:28575679
2398. Nyström-Lahti M, Kristo P, Nicolaides NC, et al. Founding mutations and Alu-mediated recombination in hereditary colon cancer. *Nat Med.* 1995 Nov;1(11):1203–6. PMID:7584997
2399. Nzzeo UC, Goodman ZD, Ishak KG. Comparison of tumor pathology with duration of survival of North American patients with hepatocellular carcinoma. *Cancer.* 1995 Aug 15;76(4):579–88. PMID:8625150
2400. O'Brien MJ, Yang S, Clebanoff JL, et al. Hyperplastic (serrated) polyps of the colorectum: relationship of CpG island methylator phenotype and K-ras mutation to location and histologic subtype. *Am J Surg Pathol.* 2004 Apr;28(4):423–34. PMID:15087661
2401. O'Brien MJ, Zhao Q, Yang S. Colorectal serrated pathway cancers and precursors. *Histopathology.* 2015 Jan;66(1):49–65. PMID:25263173
2402. O'Connell JB, Maggard MA, Manunga J Jr, et al. Survival after resection of ampullary carcinoma: a national population-based study. *Ann Surg Oncol.* 2008 Jul;15(7):1820–7. PMID:18369675
2403. O'Farrelly C, Feighery C, O'Briain DS, et al. Humoral response to wheat protein in patients with coeliac disease and enteropathy associated T cell lymphoma. *Br Med J (Clin Res Ed).* 1986 Oct 11;293(6552):908–10. PMID:3094712
2404. O'Sullivan MJ, Swanson PE, Knoll J, et al. Undifferentiated embryonal sarcoma with unusual features arising within mesenchymal hamartoma of the liver: report of a case and review of the literature. *Pediatr Dev Pathol.* 2001 Sep-Oct;4(5):482–9. PMID:11779051
2405. Oda, Kondo H, Yamao T, et al. Metastatic tumors to the stomach: analysis of 54 patients diagnosed at endoscopy and 347 autopsy cases. *Endoscopy.* 2001 Jun;33(6):507–10. PMID:11437044
2406. Odé M, Misseelevich I, Oliven A, et al. Small intestinal carcinoma with osteoclast-like giant cells. *Am J Gastroenterol.* 1995 Jul;90(7):1177–9. PMID:7611227
2407. Odé M, Misseelevich I, Oliven A, et al. Esophageal squamous papillomas. A clinicopathologic study of 38 lesions and analysis for human papillomavirus by the polymerase chain reaction. *Am J Surg Pathol.* 1993 Aug;17(8):803–12. PMID:8393303
2408. Odze RD, Farraye FA, Hecht JL, et al. Long-term follow-up after polypectomy treatment for adenoma-like dysplastic lesions in ulcerative colitis. *Clin Gastroenterol Hepatol.* 2004 Jul;2(7):534–41. PMID:15224277
2409. Odze RD, Goldblum JR, editors. *Odze and Goldblum surgical pathology of the GI tract, liver, biliary tract and pancreas.* 3rd ed. Philadelphia (PA): Saunders; 2015.
2410. Oehler-Jäne C, Huguet F, Provencher S, et al. HIV-specific differences in outcome of squamous cell carcinoma of the anal canal: a multicentric cohort study of HIV-positive patients receiving highly active antiretroviral therapy. *J Clin Oncol.* 2008 May 20;26(15):2550–7. PMID:18427149
2411. Oettle H, Post S, Neuhaus P, et al. Adjuvant chemotherapy with gemcitabine vs observation in patients undergoing curative-intent resection of pancreatic cancer: a randomized controlled trial. *JAMA.* 2007 Jan 17;297(3):267–77. PMID:17227978
2412. Offerhaus GJ, Giardiello FM, Krush AJ, et al. The risk of upper gastrointestinal cancer in familial adenomatous polyposis. *Gastroenterology.* 1992 Jun;102(6):1980–2. PMID:1316858
2413. Offerhaus GJ, Giardiello FM, Moore GW, et al. Partial gastrectomy: a risk factor for carcinoma of the pancreas? *Hum Pathol.* 1987 Mar;18(3):285–8. PMID:3028929
2414. Offman J, Muldrew B, O'Donovan M, et al. Barrett's oESophagus trial 3 (BEST3): study protocol for a randomised controlled trial comparing the Cytopponge-TFF3 test with usual care to facilitate the diagnosis of oesophageal pre-cancer in primary care patients with chronic acid reflux. *BMC Cancer.* 2018 Aug 3;18(1):784. PMID:30075763
2415. Offman J, Muldrew B, O'Donovan M, et al. Barrett's oESophagus trial 3 (BEST3): study protocol for a randomised controlled trial comparing the Cytopponge-TFF3 test with usual care to facilitate the diagnosis of oesophageal pre-cancer in primary care patients with chronic acid reflux. *Anticancer Res.* 2013 Feb;33(2):685–9. PMID:23393368
2416. Ogawa H, Haneda S, Shibata C, et al. Adenocarcinoma associated with perianal fistulas in Crohn's disease. *Anticancer Res.* 2013 Feb;33(2):685–9. PMID:23393368
2417. Ogiwara H, Sugimoto M, Ohno T, et al. Role of deletion located between the intermediate and middle regions of the Helicobacter pylori vacA gene in cases of gastroduodenal diseases. *J Clin Microbiol.* 2009 Nov;47(11):3493–500. PMID:19726606
2418. Ogwang MD, Bhatia K, Biggar RJ, et al. Incidence and geographic distribution of endemic Burkitt lymphoma in northern Uganda revisited. *Int J Cancer.* 2008 Dec 1;123(11):2658–63. PMID:18767045
2419. Oh D, Yi NJ, Song S, et al. Split liver transplantation for retroperitoneal immature teratoma masquerading as hepatoblastoma. *Pediatr Transplant.* 2017 Nov;21(7). PMID:28714114
2420. Ohashi S, Miyamoto S, Kikuchi O, et al. Recent advances from basic and clinical studies of esophageal squamous cell carcinoma. *Gastroenterology.* 2015 Dec;149(7):1700–15. PMID:26376349
2421. Ohike N, Coban I, Kim GE, et al. Tumor budding as a strong prognostic indicator in invasive ampullary adenocarcinomas. *Am J Surg Pathol.* 2010 Oct;34(10):1417–24. PMID:20871215
2422. Ohike N, Jürgenssen A, Pipeleers-Marichal M, et al. Mixed ductal-endocrine carcinomas of the pancreas and ductal adenocarcinomas with scattered endocrine cells: characterization of the endocrine cells. *Virchows Arch.* 2003 Mar;442(3):258–65. PMID:12647216
2423. Ohike N, Kim GE, Tajiri T, et al. Intra-ampullary papillary-tubular neoplasm (IAPN): characterization of tumoral intraepithelial neoplasia occurring within the ampulla: a clinicopathologic analysis of 82 cases. *Am J Surg Pathol.* 2010 Dec;34(12):1731–48. PMID:21084962
2424. Ohike N, Kosmahl M, Klöppel G. Mixed acinar-endocrine carcinoma of the pancreas. A clinicopathological study and comparison with acinar-cell carcinoma. *Virchows Arch.* 2004 Sep;445(3):231–5. PMID:15517367
2425. Ohike N, Morohoshi T. Exocrine

- pancreatic neoplasms of nonductal origin: acinar cell carcinoma, pancreaticblastoma, and solid-pseudopapillary neoplasm. *Surg Pathol Clin.* 2011 Jun;4(2):579–88. PMID:26837489
- 2426.** Ohmoto T, Yoshitani N, Nishitsui K, et al. CD44-expressing undifferentiated carcinoma with rhabdoid features of the pancreas: molecular analysis of aggressive invasion and metastasis. *Pathol Int.* 2015 May;65(5):264–70. PMID:25753521
- 2427.** Ohnishi N, Takata K, Miyata-Takata T, et al. CD10 down expression in follicular lymphoma correlates with gastrointestinal lesion involving the stomach and large intestine. *Cancer Sci.* 2016 Nov;107(11):1687–95. PMID:27513891
- 2428.** Ohnishi T, Tomita N, Monden T, et al. A detailed analysis of the role of K-ras gene mutation in the progression of colorectal adenoma. *Br J Cancer.* 1997;75(3):341–7. PMID:9020477
- 2429.** Ohsawa M, Aozasa K, Horiuchi K, et al. Malignant lymphoma of the liver. Report of five cases and review of the literature. *Dig Dis Sci.* 1992 Jul;37(7):1105–9. PMID:1618060
- 2430.** Ohtomo R, Sekine S, Taniguchi H, et al. Anal canal neuroendocrine carcinoma associated with squamous intraepithelial neoplasia: a human papillomavirus 18-related lesion. *Pathol Int.* 2012 May;62(5):356–9. PMID:22524667
- 2431.** Ohuchida K, Mizumoto K, Miyasaka Y, et al. Over-expression of S100A2 in pancreatic cancer correlates with progression and poor prognosis. *J Pathol.* 2007 Nov;213(3):275–82. PMID:17940995
- 2432.** Oikawa T, Ojima H, Yamasaki S, et al. Multistep and multicentric development of hepatocellular carcinoma: histological analysis of 980 resected nodules. *J Hepatol.* 2005 Feb;42(2):225–9. PMID:15664248
- 2433.** Okabayashi T, Hanazaki K. Surgical outcome of adenosquamous carcinoma of the pancreas. *World J Gastroenterol.* 2008 Nov 28;14(44):6765–70. PMID:19058301
- 2434.** Okada K, Fujisaki J, Kasuga A, et al. Sporadic nonampullary duodenal adenoma in the natural history of duodenal cancer: a study of follow-up surveillance. *Am J Gastroenterol.* 2011 Feb;106(2):357–64. PMID:21139577
- 2435.** Okamoto N, Kawachi H, Yoshida T, et al. "Crawling-type" adenocarcinoma of the stomach: a distinct entity preceding poorly differentiated adenocarcinoma. *Gastric Cancer.* 2013 Apr;16(2):220–32. PMID:22865191
- 2436.** Oku T, Ono K, Nagamachi Y, et al. [Pedunculated carcinoid tumor of the gall-bladder-analysis of the relationship between location and morphology in carcinoid tumor of the gallbladder]. *Nihon Shokakibyo Gakkai Zasshi.* 2008 Mar;105(3):397–403. Japanese. PMID:18332605
- 2437.** Okumura K, Ikebe M, Shimokama T, et al. An unusual enteropathy-associated T-cell lymphoma with MYC translocation arising in a Japanese patient: a case report. *World J Gastroenterol.* 2012 May 21;18(19):2434–7. PMID:22654438
- 2438.** Okumura Y, Kohashi K, Wang H, et al. Combined primary hepatic neuroendocrine carcinoma and hepatocellular carcinoma with aggressive biological behavior (adverse clinical course): a case report. *Pathol Res Pract.* 2017 Oct;213(10):1322–6. PMID:28647212
- 2439.** Oliveira C, Pinheiro H, Figueiredo J, et al. Familial gastric cancer: genetic susceptibility, pathology, and implications for management. *Lancet Oncol.* 2015 Feb;16(2):e60–70. PMID:25638682
- 2440.** Oliveira C, Senz J, Kaurah P, et al. Germline CDH1 deletions in hereditary diffuse gastric cancer families. *Hum Mol Genet.* 2009 May 1;18(9):1545–55. PMID:19168852
- 2441.** Oliveira C, Sousa S, Pinheiro H, et al. Quantification of epigenetic and genetic 2nd hits in CDH1 during hereditary diffuse gastric cancer progression. *Gastroenterology.* 2009 Jun;136(7):2137–48. PMID:19269290
- 2442.** Oliver RL, Davis JR, White A. Characterisation of ACTH related peptides in ectopic Cushing's syndrome. *Pituitary.* 2003;6(3):119–26. PMID:14971736
- 2443.** Omland LH, Jepsen P, Krarup H, et al. Liver cancer and non-Hodgkin lymphoma in hepatitis C virus-infected patients: results from the DANVIR cohort study. *Int J Cancer.* 2012 May 15;130(10):2310–7. PMID:21780099
- 2444.** Ong CK, Subimber C, Pairojkul C, et al. Exome sequencing of liver fluke-associated cholangiocarcinoma. *Nat Genet.* 2012 May 6;44(6):690–3. PMID:22561520
- 2445.** Ong EJ, Wang LM, Darby J. Synchronous Merkel cell and squamous cell carcinoma of the anal canal in an HIV-positive patient: a case report. *Colorectal Dis.* 2012 Dec;14(12):e819–20. PMID:22329967
- 2446.** Ong JJ, Fairley CK, Carroll S, et al. Cost-effectiveness of screening for anal cancer using regular digital ano-rectal examinations in men who have sex with men living with HIV. *J Int AIDS Soc.* 2016 Mar 1;19(1):20514. PMID:26942721
- 2447.** Ong JJ, Fairley CK, Read TRH, et al. Age-specific pattern of anogenital wart in men who have sex with men. *Sex Transm Dis.* 2018 Mar;45(3):186–8. PMID:29420447
- 2448.** Onkendi EO, Boostrom SY, Sarr MG, et al. 15-year experience with surgical treatment of duodenal carcinoma: a comparison of periampullary and extra-ampullary duodenal carcinomas. *J Gastrointest Surg.* 2012 Apr;16(4):682–91. PMID:22350721
- 2449.** Onniss A, De Falco G, Antoncicelli G, et al. Primary extranodal and nodal non-Hodgkin's lymphoma: A survey of a population-based registry. *Eur J Cancer Clin Oncol.* 1989 Aug;25(8):1203–10. PMID:2767109
- 2450.** Otter R, Gerrits WB, vd Sandt MM, et al. Primary extranodal and nodal non-Hodgkin's lymphoma: A survey of a population-based registry. *Eur J Cancer Clin Oncol.* 1989 Aug;25(8):1203–10. PMID:2767109
- 2451.** Otter R, Willemze R. Extrananodal non-Hodgkin's lymphoma. *Neth J Med.* 1988 Aug;33(1-2):49–51. PMID:3247010
- 2452.** Ouansafi I, He B, Fraser C, et al. Transformation of follicular lymphoma to plasmablastic lymphoma with c-myc gene rearrangement. *Am J Clin Pathol.* 2010 Dec;134(6):972–81. PMID:21088162
- 2453.** Oue N, Naito Y, Hayashi T, et al. Signal peptidase complex 18, encoded by SEC11A, contributes to progression via TGF- α secretion in gastric cancer. *Oncogene.* 2014 Jul 24;33(30):3918–26. PMID:23995782
- 2454.** Overman MJ, Fournier K, Hu CY, et al. Improving the AJCC/TNM staging for adenocarcinomas of the appendix: the prognostic impact of histological grade. *Ann Surg.* 2013 Jun;257(6):1072–8. PMID:23001080
- 2455.** Overman MJ, Hu CY, Kopetz S, et al. A population-based comparison of adenocarcinoma of the large and small intestine: insights into a rare disease. *Ann Surg Oncol.* 2012 May;19(5):1439–45. PMID:22187121
- 2456.** Overman MJ, Hu CY, Wolff RA, et al. Prognostic value of lymph node evaluation in small bowel adenocarcinoma: analysis of the Surveillance, Epidemiology, and End Results database. *Cancer.* 2010 Dec 1;116(23):5374–82. PMID:20715162
- 2457.** Overman MJ, Kunitake H. UpToDate [Internet]. Waltham (MA): UpToDate Inc.; 2018. Epidemiology, clinical features, and types of small bowel neoplasms; updated 2018 May 4 [cited 2018 Jan 4]. Available from: <https://www.uptodate.com/contents/epidemiology-clinical-features-and-types-of-small-bowel-neoplasms>.
- 2458.** Overman MJ, Pozadzides J, Kopetz S, et al. Immunophenotype and molecular characterisation of adenocarcinoma of the small intestine. *Br J Cancer.* 2010 Jan 5;102(1):144–50. PMID:19935793
- 2459.** Orloff MS, Eng C. Genetic and phenotypic heterogeneity in the PTEN hamartoma tumour syndrome. *Oncogene.* 2008 Sep 18;27(41):5387–97. PMID:18794875
- 2460.** Orosey M, Amin M, Cappell MSA. A 14-year study of 398 esophageal adenocarcinomas diagnosed among 156,256 EGDS performed at two large hospitals: an inlet patch is proposed as a significant risk factor for proximal esophageal adenocarcinoma. *Dig Dis Sci.* 2018 Feb;63(2):452–65. PMID:29249048
- 2461.** Osborn NK, Keate RF, Trastek VF, et al. Verrucous carcinoma of the esophagus: clinicopathophysiologic features and treatment of a rare entity. *Dig Dis Sci.* 2003 Mar;48(3):465–74. PMID:12757157
- 2462.** Osborne BM, Butler JJ, Guarda LA. Primary lymphoma of the liver. Ten cases and a review of the literature. *Cancer.* 1985 Dec 15;56(12):2902–10. PMID:3840404
- 2463.** Osmond A, Li-Chang H, Kirsch R, et al. Interobserver variability in assessing dysplasia and architecture in colorectal adenomas: a multicentre Canadian study. *J Clin Pathol.* 2014 Sep;67(9):781–6. PMID:25004943
- 2464.** Ota H, Yamaguchi D, Iwaya M, et al. Principal cells in gastric neoplasia of fundic gland (chief cell predominant) type show characteristics of immature chief cells. *Pathol Int.* 2015 Apr;65(4):202–4. PMID:25597649
- 2465.** Ott PA, Piha-Paul SA, Munster P, et al. Safety and antitumor activity of the anti-PD-1 antibody pembrolizumab in patients with recurrent carcinoma of the anal canal. *Ann Oncol.* 2017 May 1;28(5):1036–41. PMID:28453692
- 2466.** Otter R, Gerrits WB, vd Sandt MM, et al. Primary extranodal and nodal non-Hodgkin's lymphoma: A survey of a population-based registry. *Eur J Cancer Clin Oncol.* 1989 Aug;25(8):1203–10. PMID:2767109
- 2467.** Otter R, Willemze R. Extrananodal non-Hodgkin's lymphoma. *Neth J Med.* 1988 Aug;33(1-2):49–51. PMID:3247010
- 2468.** Ouansafi I, He B, Fraser C, et al. Transformation of follicular lymphoma to plasmablastic lymphoma with c-myc gene rearrangement. *Am J Clin Pathol.* 2010 Dec;134(6):972–81. PMID:21088162
- 2469.** Padmanabhan N, Ushijima T, Tanaka T, et al. to stomach an epigenetic insult: the cancer epigenome. *Nat Rev Gastroenterol Hepatol.* 2017 Aug;14(8):467–78. PMID:28595602
- 2470.** Pagès F, Micrik B, Milacic F, et al. International validation of the consensus immunoscore for the classification of colon cancer: a prognostic and accuracy study. *Lancet.* 2017 May 26;391(10135):2128–39. PMID:28595603
- 2471.** Pahlman L, Bujko K, Rutkowski P, et al. Altering the therapeutic paradigm toward a distal bowel margin of < 1 cm in rectal cancer: a systematic review and commentary. *Colorectal Dis.* 2009 Apr;15(4):e166–74. PMID:20220177
- 2472.** Pai RK, Beck AH, Norton JA, et al. Colorectal mucinous neoplasms: clinicopathologic study of 116 cases with analysis of predicting recurrence. *Am J Surg Pathol.* 2002 Oct;33(10):1425–39. PMID:12141482
- 2473.** Pai RK, Hart J, Noffsinger AE, et al. Serrated adenomas strongly predict synchronous polyps in nonpatients. *Histopathology.* 2010 Aug;57(2):208–16. PMID:20459568
- 2474.** Pai RK, Hartman DJ, Giannini C, et al. Serrated lesions of the appendix: KRAS mutations and not BRAF indicating a distinctly different oncogenic pathway in the appendix. *Hum Pathol.* 2012 Feb;45(2):227–35. PMID:22459227
- 2475.** Pai RK, Mojahed A, Rose J, et al. Histologic and molecular analyses of perineural-like proliferations in serrated polyps: perineural-like stromal infiltrates are seen in sessile serrated adenomas. *J Surg Pathol.* 2011 Sep;14(9):1230–6. PMID:21836484
- 2476.** Pai RK, Mojahed A, Rose J, et al. In the RAS/RAF/MAP kinase pathway, BRAF mutations commonly occur in gallbladder adenomas, an uncommon in gallbladder adenomas. *Appl Immunohistochem Mol Morphol.* 2011 Mar;19(2):133–40. PMID:21307755
- 2477.** Palazzo JP, Edmonson EA, Harnold LM, et al. Invasive papillary adenocarcinoma of the colon. *Hum Pathol.* 2003 Mar;33(3):372–5. PMID:12676881
- 2478.** Palefsky JM, Holly EA, et al. Anal cytology as a screen for anal squamous intraepithelial lesions. *Immune Defic Syndr Hum Retronvirology.* 2003 May;14(5):415–22. PMID:12707045
- 2479.** Palles C, Cuzick JE, et al. *morphology: magnifying endoscopic classification of the Japan Esophageal Society. Esophagus.* 2017;14(2):105–12. PMID:28582795

- al. Germline mutations affecting the proof-reading domains of POLE and POLD1 predispose to colorectal adenomas and carcinomas. *Nat Genet.* 2013 Feb;45(2):136–44. PMID:23263490
- 2494.** Pan CC, Chung MY, Ng KF, et al. Constant allelic alteration on chromosome 16p (TSC2 gene) in perivascular epithelioid cell tumour (PEComa): genetic evidence for the relationship of PEComa with angiomyolipoma. *J Pathol.* 2008 Feb;214(3):387–93. PMID:18085521
- 2495.** Pan ST, Cheng CY, Lee NS, et al. Follicular dendritic cell sarcoma of the inflammatory pseudotumor-like variant presenting as a colonic polyp. *Korean J Pathol.* 2014 Apr;48(2):140–5. PMID:24868227
- 2496.** Pan SY, Morrison H. Epidemiology of cancer of the small intestine. *World J Gastrointest Oncol.* 2011 Mar 15;3(3):33–42. PMID:21461167
- 2497.** Pan Z, Xie Q, Repertinger S, et al. Plasmablastic transformation of low-grade CD5+ B-cell lymphoproliferative disorder with MYC gene rearrangements. *Hum Pathol.* 2013 Oct;44(10):2139–48. PMID:23791008
- 2498.** Pandalai PK, Lauwers GY, Chung DC, et al. Prophylactic total gastrectomy for individuals with germline CDH1 mutation. *Surgery.* 2011 Mar;149(3):347–55. PMID:20719348
- 2499.** Pande M, Lynch PM, Hopper JL, et al. Smoking and colorectal cancer in Lynch syndrome: results from the Colon Cancer Family Registry and the University of Texas M.D. Anderson Cancer Center. *Clin Cancer Res.* 2010 Feb 15;16(4):1331–9. PMID:20145170
- 2500.** Pandilla R, Kotapalli V, Gowrishankar S, et al. Distinct genetic aberrations in oesophageal adeno and squamous carcinoma. *Eur J Clin Invest.* 2013 Dec;43(12):1233–9. PMID:24102414
- 2501.** Paner GP, Thompson KS, Reyes CV. Hepatoid carcinoma of the pancreas. *Cancer.* 2000 Apr 1;88(7):1582–9. PMID:10738216
- 2502.** Pantham G, Ganesh S, Einstadter D, et al. Assessment of the incidence of squamous cell papilloma of the esophagus and the presence of high-risk human papilloma virus. *Dis Esophagus.* 2017 Jan 1;30(1):1–5. PMID:27001250
- 2503.** Papadaki L, Wotherspoon AC, Isaacs PG. The lymphoepithelial lesion of gastric low-grade B-cell lymphoma of mucosa-associated lymphoid tissue (MALT): an ultrastructural study. *Histopathology.* 1992 Nov;21(5):415–21. PMID:1452124
- 2504.** Pape UF, Perren A, Niederle B, et al. ENETS Consensus Guidelines for the management of patients with neuroendocrine neoplasms from the jejunum-ileum and the appendix including goblet cell carcinomas. *Neuroendocrinology.* 2012;95(2):135–56. PMID:22262080
- 2505.** Papotti M, Bongiovanni M, Volante M, et al. Expression of somatostatin receptor types 1–5 in 81 cases of gastrointestinal and pancreatic endocrine tumors. A correlative immunohistochemical and reverse-transcriptase polymerase chain reaction analysis. *Virchows Arch.* 2002 May;440(5):461–75. PMID:12021920
- 2506.** Papotti M, Cassoni P, Sapino A, et al. Large cell neuroendocrine carcinoma of the gallbladder: report of two cases. *Am J Surg Pathol.* 2000 Oct;24(10):1424–8. PMID:11023106
- 2507.** Papotti M, Cassoni P, Taraglio S, et al. Oncocytic and oncocytoid tumors of the exocrine pancreas, liver, and gastrointestinal tract. *Semin Diagn Pathol.* 1999 May;16(2):126–34. PMID:10452578
- 2508.** Papotti M, Cassoni P, Volante M, et al. Ghrelin-producing endocrine tumors of the stomach and intestine. *J Clin Endocrinol Metab.* 2001 Oct;86(10):5052–9. PMID:11600584
- 2509.** Paradis V, Benzekri A, Dargère D, et al. Telangiectatic focal nodular hyperplasia: a variant of hepatocellular adenoma. *Gastroenterology.* 2004 May;126(5):1323–9. PMID:15131793
- 2510.** Paradis V, Bièche I, Dargère D, et al. A quantitative gene expression study suggests a role for angiopoietins in focal nodular hyperplasia. *Gastroenterology.* 2003 Mar;124(3):651–9. PMID:12612904
- 2511.** Paradis V, Champault A, Ronot M, et al. Telangiectatic adenoma: an entity associated with increased body mass index and inflammation. *Hepatology.* 2007 Jul;46(1):140–6. PMID:17596890
- 2512.** Paradis V, Laurent A, Flejou JF, et al. Evidence for the polyclonal nature of focal nodular hyperplasia of the liver by the study of X-chromosome inactivation. *Hepatology.* 1997 Oct;26(4):891–5. PMID:9328310
- 2513.** Paradis V, Zalinski S, Chelbi E, et al. Hepatocellular carcinomas in patients with metabolic syndrome often develop without significant liver fibrosis: a pathological analysis. *Hepatology.* 2009 Mar;49(3):851–9. PMID:19115377
- 2513A.** Pareja F, Brandes AH, Basili T, et al. Loss-of-function mutations in ATP6AP1 and ATP6AP2 in granular cell tumors. *Nat Commun.* 2018 Aug 30;9(1):3533. PMID:30166553
- 2514.** Parente F, Cernuschi M, Orlando G, et al. Kaposi's sarcoma and AIDS: frequency of gastrointestinal involvement and its effect on survival. A prospective study in a heterogeneous population. *Scand J Gastroenterol.* 1991 Oct;26(10):1007–12. PMID:1947766
- 2515.** Parfitt JR, McLean CA, Joseph MG, et al. Granular cell tumours of the gastrointestinal tract: expression of nestin and clinicopathological evaluation of 11 patients. *Histopathology.* 2006 Mar;48(4):424–30. PMID:16487364
- 2516.** Parfitt JR, Rodriguez-Justo M, Feakins R, et al. Gastrointestinal Kaposi's sarcoma: CD117 expression and the potential for misdiagnosis as gastrointestinal stromal tumour. *Histopathology.* 2008 Jun;52(7):816–23. PMID:18494611
- 2517.** Parfitt JR, Shepherd NA. Polypoid mucosal prolapse complicating low rectal adenomas: beware the inflammatory cloacogenic poly! *Histopathology.* 2008 Jul;53(1):91–6. PMID:18484980
- 2518.** Parham DM, Barr FG. Classification of rhabdomyosarcoma and its molecular basis. *Adv Anat Pathol.* 2013 Nov;20(6):387–97. PMID:24113309
- 2519.** Parham DM, Fisher C. Angiosarcomas of the breast developing post radiotherapy. *Histopathology.* 1997 Aug;31(2):189–95. PMID:9279573
- 2520.** Parikh U, Marcus C, Sarangi R, et al. FDG PET/CT in pancreatic and hepatobiliary carcinomas: value to patient management and patient outcomes. *PET Clin.* 2015 Jul;10(3):327–43. PMID:26099670
- 2521.** Park C, Ha SY, Kim ST, et al. Identification of the BRAF V600E mutation in gastroentero-pancreatic neuroendocrine tumors. *Oncotarget.* 2016 Jan 26;7(4):4024–35. PMID:26684240
- 2522.** Park DY, Srivastava A, Kim GH, et al. Adenomatous and foveolar gastric dysplasia: distinct patterns of mucin expression and background intestinal metaplasia. *Am J Surg Pathol.* 2008 Apr;32(4):524–33. PMID:18300795
- 2523.** Park DY, Srivastava A, Kim GH, et al. CDX2 expression in the intestinal-type gastric epithelial neoplasia: frequency and significance. *Mod Pathol.* 2010 Jan;23(1):54–61. PMID:19820687
- 2524.** Park HJ, Kim SY, Kim HJ, et al. Intraductal papillary neoplasm of the bile duct: clinical, imaging, and pathologic features. *AJR Am J Roentgenol.* 2018 Jul;211(1):67–75. PMID:29629808
- 2525.** Park IU, Introcaso C, Dunne EF. Human papillomavirus and genital warts: a review of the evidence for the 2015 Centers for Disease Control and Prevention sexually transmitted diseases treatment guidelines. *Clin Infect Dis.* 2015 Dec 15;61 Suppl 8:S849–55. PMID:26602622
- 2526.** Park JG, Park KJ, Ahn YO, et al. Risk of gastric cancer among Korean familial adenomatous polyposis patients. Report of three cases. *Dis Colon Rectum.* 1992 Oct;35(10):996–8. PMID:1327683
- 2527.** Park JK, Paik WH, Lee K, et al. DAXX/ATRX and MEN1 genes are strong prognostic markers in pancreatic neuroendocrine tumors. *Oncotarget.* 2017 Jul 25;8(30):49796–806. PMID:28591701
- 2528.** Park JY, Cornish TC, Lam-Himlin D, et al. Gastric lesions in patients with autoimmune metaplastic atrophic gastritis (AMAG) in a tertiary care setting. *Am J Surg Pathol.* 2010 Nov;34(11):1591–8. PMID:20975338
- 2529.** Park S, Ko YH. Peripheral T cell lymphoma in Asia. *Int J Hematol.* 2014 Mar;99(3):227–39. PMID:24481942
- 2530.** Park SK, Andreotti G, Rashid A, et al. Polymorphisms of estrogen receptors and risk of biliary tract cancers and gallstones: a population-based study in Shanghai, China. *Carcinogenesis.* 2010 May;31(5):842–6. PMID:20172949
- 2531.** Park SK, Andreotti G, Sakoda LC, et al. Variants in hormone-related genes and the risk of biliary tract cancers and stones: a population-based study in China. *Carcinogenesis.* 2009 Apr;30(4):606–14. PMID:19168589
- 2532.** Park SY, Rhee Y, Yoon JC, et al. Ectopic Cushing's syndrome due to concurrent corticotropin-releasing hormone (CRH) and adrenocorticotrophic hormone (ACTH) secreted by malignant gastrinoma. *Exp Clin Endocrinol Diabetes.* 2007 Jan;115(1):13–6. PMID:17286228
- 2533.** Park YN, Kojiro M, Di Tommaso L, et al. Ductular reaction is helpful in defining early stromal invasion, small hepatocellular carcinomas, and dysplastic nodules. *Cancer.* 2007 Mar 1;109(5):915–23. PMID:17279586
- 2534.** Park YN, Roncalli M. Large liver cell dysplasia: a controversial entity. *J Hepatol.* 2006 Nov;45(5):734–43. PMID:16982109
- 2535.** Park YN, Yang CP, Fernandez GJ, et al. Neoangiogenesis and sinusoidal "capillarization" in dysplastic nodules of the liver. *Am J Surg Pathol.* 1998 Jun;22(6):656–62. PMID:9630172
- 2536.** Parry S, Burt RW, Win AK, et al. Reducing the polyp burden in serrated polyposis by serial colonoscopy: the impact of nationally coordinated community surveillance. *N Z Med J.* 2017 Mar 3;130(1451):57–67. PMID:28253245
- 2537.** Parwani AV, Geradts J, Caspers E, et al. Immunohistochemical and genetic analysis of non-small cell and small cell gallbladder carcinoma and their precursor lesions. *Mod Pathol.* 2003 Apr;16(4):299–308. PMID:12692194
- 2538.** Pasini B, McWhinney SR, Bei T, et al. Clinical and molecular genetics of patients with the Carney-Stratakis syndrome and germline mutations of the genes coding for the succinate dehydrogenase subunits SDHB, SDHC, and SDHD. *Eur J Hum Genet.* 2008 Jan;16(1):79–88. PMID:17667967
- 2539.** Pasini FS, Zilberman B, Smitkovsky I, et al. A gene expression profile related to immune dampening in the tumor microenvironment is associated with poor prognosis in gastric adenocarcinoma. *J Gastroenterol.* 2014 Nov;49(11):1453–66. PMID:24217965
- 2540.** Pasman EA, Heifert TA, Nylund CM. Esophageal squamous papillomas with focal dermal hypoplasia and eosinophilic
- esophagitis. *World J Gastroenterol.* 2017 Mar 28;23(12):2246–50. PMID:28405153
- 2541.** Pasqualucci L, Dalla-Favera R. Genetics of diffuse large B-cell lymphoma. *Blood.* 2018 May 24;131(21):2307–19. PMID:29666115
- 2542.** Passmore SJ, Berry PJ, Oakhill A. Recurrent pancreateblastoma with inappropriate adrenocorticotrophic hormone secretion. *Arch Dis Child.* 1988 Dec;63(12):1494–6. PMID:2852926
- 2543.** Pasternak S, Carter MD, Ly TY, et al. Immunohistochemical profiles of different subsets of Merkel cell carcinoma. *Hum Pathol.* 2018 Dec;82:232–8. PMID:30067951
- 2544.** Patel HS, Silver AR, Levine T, et al. Human papillomavirus infection and anal dysplasia in renal transplant recipients. *Br J Surg.* 2010 Nov;97(11):1716–21. PMID:20730855
- 2545.** Patel NR, Salim AA, Sayeed H, et al. Molecular characterization of epithelioid haemangioendotheliomas identifies novel WWTR1-CAMTA1 fusion variants. *Histopathology.* 2015 Nov;67(5):699–708. PMID:25817592
- 2546.** Patel P, De P. Trends in colorectal cancer incidence and related lifestyle risk factors in 15–49-year-olds in Canada, 1969–2010. *Cancer Epidemiol.* 2016 Jun;42:90–100. PMID:27060626
- 2547.** Patel R, Varadarajulu S, Wilcox CM. Endoscopic ampullectomy: techniques and outcomes. *J Clin Gastroenterol.* 2012 Jan;46(1):8–15. PMID:22064552
- 2548.** Patel RM, Goldblum JR, Hsi ED. Immunohistochemical detection of human herpes virus-8 latent nuclear antigen-1 is useful in the diagnosis of Kaposi sarcoma. *Mod Pathol.* 2004 Apr;17(4):456–60. PMID:14990970
- 2549.** Patel S, Roa JC, Tapia O, et al. Hyalinizing cholecystitis and associated carcinomas: clinicopathologic analysis of a distinctive variant of cholecystitis with porcelain-like features and accompanying diagnostically challenging carcinomas. *Am J Surg Pathol.* 2011 Aug;35(8):1104–13. PMID:21716080
- 2550.** Patel SG, Prasad ML, Escrig M, et al. Primary mucosal malignant melanoma of the head and neck. *Head Neck.* 2002 Mar;24(3):247–57. PMID:11891956
- 2551.** Paterson C, Musselman L, Chorneyko K, et al. Merkel cell (neuroendocrine) carcinoma of the anal canal: report of a case. *Dis Colon Rectum.* 2003 May;46(5):676–8. PMID:12792446
- 2552.** Patil DT, Goldblum JR, Billings SD. Clinicopathological analysis of basal cell carcinoma of the anal region and its distinction from basaloïd squamous cell carcinoma. *Mod Pathol.* 2013 Oct;26(10):1382–9. PMID:23599161
- 2553.** Pawar N, Clift AK, Osmani H, et al. Surgical management of patients with neuroendocrine neoplasms of the appendix: appendectomy or more. *Neuroendocrinology.* 2018;106(3):242–51. PMID:28641291
- 2554.** Pawlik TM, Gleisner AL, Cameron JL, et al. Prognostic relevance of lymph node ratio following pancreaticoduodenectomy for pancreatic cancer. *Surgery.* 2007 May;141(5):610–8. PMID:17462460
- 2555.** Pea A, Hruban RH, Wood LD. Genetics of pancreatic neuroendocrine tumors: implications for the clinic. *Expert Rev Gastroenterol Hepatol.* 2015;9(11):1407–19. PMID:26413978
- 2556.** Pedrazzani C, Marrelli D, Pacelli F, et al. Gastric linitis plastica: which role for surgical resection? *Gastric Cancer.* 2012 Jan;15(1):56–60. PMID:21717092
- 2557.** Peifer M, Fernández-Cuesta L, Sos ML, et al. Integrative genome analyses identify key somatic driver mutations of small-cell lung cancer. *Nat Genet.* 2012 Oct;44(10):1104–10. PMID:22941188
- 2558.** Peifer M, Fernández-Cuesta L, Sos ML, et al. Integrative genome analyses identify key somatic driver mutations of small-cell lung cancer. *Nat Genet.* 2012 Oct;44(10):1104–10. PMID:22941188
- 2559.** Peifer M, Polakis P. Wnt signaling in oncogenesis and embryogenesis—a look

- outside the nucleus. *Science*. 2000 Mar 3;287(5458):1606–9. PMID:10733430
- 2560.** Pelaez-Luna M, Chari ST, Smyrk TC, et al. Do consensus indications for resection in branch duct intraductal papillary mucinous neoplasm predict malignancy? A study of 147 patients. *Am J Gastroenterol*. 2007 Aug;102(8):1759–64. PMID:17686073
- 2562.** Pelletier G, Cortot A, Launay JM, et al. Serotonin-secreting and insulin-secreting ileal carcinoid tumor and the use of in vitro culture of tumoral cells. *Cancer*. 1984 Jul 15;54(2):319–22. PMID:6372987
- 2563.** Pelosi G, Bresola E, Bogina G, et al. Endocrine tumors of the pancreas: Ki-67 immunoreactivity on paraffin sections is an independent predictor for malignancy: a comparative study with proliferating-cell nuclear antigen and progesterone receptor protein immunostaining, mitotic index, and other clinicopathologic variables. *Hum Pathol*. 1996 Nov;27(11):1124–34. PMID:8912819
- 2564.** Penel N, Chibon F, Salas S. Adult desmoid tumors: biology, management and ongoing trials. *Curr Opin Oncol*. 2017 Jul;29(4):268–74. PMID:28489620
- 2565.** Pengelly RJ, Rowaiye B, Pickard K, et al. Analysis of mutation and loss of heterozygosity by whole-exome sequencing yields insights into pseudomyxoma peritonei. *J Mol Diagn*. 2018 Sep;20(5):635–42. PMID:29936255
- 2566.** Penn I. Kaposi's sarcoma in transplant recipients. *Transplantation*. 1997 Sep 15;64(5):669–73. PMID:9311700
- 2567.** Pereira P, Aho V, Arola J, et al. Bile microbiota in primary sclerosing cholangitis: impact on disease progression and development of biliary dysplasia. *PLoS One*. 2017 Aug 10;12(8):e0182924. PMID:28796833
- 2568.** Perez-Montiel MD, Frankel WL, Suster S. Neuroendocrine carcinomas of the pancreas with 'rhabdoid' features. *Am J Surg Pathol*. 2003 May;27(5):642–9. PMID:12717248
- 2569.** Pernot S, Voron T, Perkins G, et al. Signet-ring cell carcinoma of the stomach: impact on prognosis and specific therapeutic challenge. *World J Gastroenterol*. 2015 Oct 28;21(40):11428–38. PMID:26523107
- 2570.** Perry AM, Alvarado-Bernal Y, Laurini JA, et al. MYC and BCL2 protein expression predicts survival in patients with diffuse large B-cell lymphoma treated with rituximab. *Br J Haematol*. 2014 May;165(3):382–91. PMID:24506200
- 2571.** Perry AM, Warneke RA, Hu Q, et al. Indolent T-cell lymphoproliferative disease of the gastrointestinal tract. *Blood*. 2013 Nov 21;122(22):3599–606. PMID:24009234
- 2572.** Perzin KH, Bridge MF. Adenomas of the small intestine: a clinicopathologic review of 51 cases and a study of their relationship to carcinoma. *Cancer*. 1981 Aug 1;48(3):799–819. PMID:7248908
- 2573.** Peters AC, Akinwumi MS, Cervera C, et al. The changing epidemiology of posttransplant lymphoproliferative disorder in adult solid organ transplant recipients over 30 years: a single-center experience. *Transplantation*. 2018 Sep;102(9):1553–62. PMID:29485513
- 2574.** Petersen GM. Familial pancreatic cancer. *Semin Oncol*. 2016 Oct;43(5):548–53. PMID:27899186
- 2575.** Petralia MR, Giuncio S, Serraino D, et al. Post-transplant lymphoproliferative disorders: from epidemiology to pathogenesis-driven treatment. *Cancer Lett*. 2015 Dec 1;369(1):37–44. PMID:26279520
- 2576.** Petrick JL, Falk RT, Hyland PL, et al. Association between circulating levels of sex steroid hormones and esophageal adenocarcinoma in the FINBAR Study. *PLoS One*. 2018 Jan 17;13(1):e0190325. PMID:29342161
- 2577.** Petrick JL, Yang B, Altekruse SF, et al. Risk factors for intrahepatic and extrahepatic cholangiocarcinoma in the United States: a population-based study in SEER-Medicare. *PLoS One*. 2017 Oct 19;12(10):e0186643. PMID:29049401
- 2578.** Petrusson SR. Adenoid cystic carcinoma of the esophagus. Complete response to combination chemotherapy. *Cancer*. 1986 Apr 15;57(8):1464–7. PMID:3004692
- 2579.** Piccaluga PP, De Falco G, Kustagi M, et al. Gene expression analysis uncovers similarity and differences among Burkitt lymphoma subtypes. *Blood*. 2011 Mar 31;117(13):3596–608. PMID:21245480
- 2580.** Piccaluga PP, Navari M, De Falco G, et al. Virus-encoded microRNA contributes to the molecular profile of EBV-positive Burkitt lymphomas. *Oncotarget*. 2016 Jan 5;7(1):224–40. PMID:26325594
- 2581.** Pihlak R, Valle JW, McNamara MG. Germline mutations in pancreatic cancer and potential new therapeutic options. *Oncotarget*. 2017 Apr 20;8(42):73240–57. PMID:29069866
- 2582.** Pilarski R, Burt R, Kohlman W, et al. Cowden syndrome and the PTEN hamartoma tumor syndrome: systematic review and revised diagnostic criteria. *J Natl Cancer Inst*. 2013 Nov 6;105(21):1607–16. PMID:24136893
- 2583.** Pilati C, Letouzé E, Nault JC, et al. Genomic profiling of hepatocellular adenomas reveals recurrent FRK-activating mutations and the mechanisms of malignant transformation. *Cancer Cell*. 2014 Apr 14;25(4):428–41. PMID:24735922
- 2584.** Pileri SA, Grogan TM, Harris NL, et al. Tumours of histiocytes and accessory dendritic cells: an immunohistochemical approach to classification from the International Lymphoma Study Group based on 61 cases. *Histopathology*. 2002 Jul;41(1):1–29. PMID:12121233
- 2585.** Pillai S, Gopalan V, Lam AK. DNA genome sequencing in esophageal adenocarcinoma. *Methods Mol Biol*. 2018;1756:231–46. PMID:29600374
- 2586.** Pimentel-Nunes P, Dinis-Ribeiro M, Ponchon T, et al. Endoscopic submucosal dissection: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. *Endoscopy*. 2015 Sep;47(9):829–54. PMID:26317585
- 2587.** Pinho AC, Melo RB, Oliveira M, et al. Adenoma-carcinoma sequence in intrahepatic cholangiocarcinoma. *Int J Surg Case Rep*. 2012;3(4):131–3. PMID:22326450
- 2588.** Pink A, Anzengruber F, Navarini AA. Acne and hidradenitis suppurativa. *Br J Dermatol*. 2018 Mar;178(3):619–31. PMID:29380349
- 2589.** Piro G, Carbone C, Santoro R, et al. Predictive biomarkers for the treatment of resectable esophageal and esophago-gastric junction adenocarcinoma: from hypothesis generation to clinical validation. *Expert Rev Mol Diagn*. 2018 Apr;18(4):357–70. PMID:29544370
- 2591.** Pitman MB, Centeno BA, Dagliari ES, et al. Cytological criteria of high-grade epithelial atypia in the cyst fluid of pancreatic intraductal papillary mucinous neoplasms. *Cancer Cytopathol*. 2014 Jan;122(1):40–7. PMID:23939829
- 2593.** Pitman MB, Layfield LJ. The Papanicolaou Society of Cytopathology system for reporting pancreaticobiliary cytology: definitions, criteria and explanatory notes. *Cham (Switzerland): Springer International Publishing*; 2015.
- 2594.** Pitman MB, Lewandrowski K, Shen J, et al. Pancreatic cysts: preoperative diagnosis and clinical management. *Cancer Cytopathol*. 2010 Feb 25;118(1):1–13. PMID:20043327
- 2595.** Pitman MB, Michaels PJ, Deshpande V, et al. Cytological and cyst fluid analysis of small (< or = 3 cm) branch duct intraductal papillary mucinous neoplasms adds value to patient management decisions. *Pancreatology*. 2008;8(3):277–84. PMID:18497541
- 2596.** Pittman ME, Rao R, Hruban RH. Classification, morphology, molecular pathogenesis, and outcome of premalignant lesions of the pancreas. *Arch Pathol Lab Med*. 2017 Dec;141(12):1606–14. PMID:29189063
- 2597.** Pizzi S, Azzoni C, Bassi D, et al. Genetic alterations in poorly differentiated endocrine carcinomas of the gastrointestinal tract. *Cancer*. 2003 Sep 15;98(6):1273–82. PMID:12973852
- 2597A.** Pizzi S, D'Adda T, Azzoni C, et al. Malignancy-associated allelic losses on the X-chromosome in foregut but not in midgut endocrine tumours. *J Pathol*. 2002 Apr;196(4):401–7. PMID:11920735
- 2598.** Planck M, Ericson K, Piotrowska Z, et al. Microsatellite instability and expression of MLH1 and MSH2 in carcinomas of the small intestine. *Cancer*. 2003 Mar 15;97(6):1551–7. PMID:12672520
- 2599.** Plebani M, Bassi D, Cassaro M, et al. Helicobacter pylori serology in patients with chronic gastritis. *Am J Gastroenterol*. 1996 May;91(5):954–8. PMID:8633587
- 2600.** Plentz RR, Park YN, Lechel A, et al. Telomere shortening and inactivation of cell cycle checkpoints characterize human hepatocarcinogenesis. *Hepatology*. 2007 Apr;45(4):968–76. PMID:17393506
- 2601.** Pohl H, Srivastava A, Bensen SP, et al. Incomplete polyp resection during colonoscopy—results of the complete adenoma resection (CARE) study. *Gastroenterology*. 2013 Jan;144(1):74–80.e1. PMID:23022496
- 2602.** Polom K, Marano L, Marrelli D, et al. Meta-analysis of microsatellite instability in relation to clinicopathological characteristics and overall survival in gastric cancer. *Br J Surg*. 2018 Feb;105(3):159–67. PMID:29091259
- 2603.** Polydorides AD, Harpaz N. Serrated lesions in inflammatory bowel disease. *Gastrointest Endosc*. 2017 Feb;85(2):461. PMID:27424192
- 2604.** Poon KK, Mills S, Booth IW, et al. Inflammatory cloacogenic polyp: an unrecognized cause of hematochezia and tenesmus in childhood. *J Pediatr*. 1997 Feb;130(2):327–9. PMID:9042143
- 2605.** Portela-Gomes GM, Grimalius L, Stridsberg M. Secretogranin III in human neuroendocrine tumours: a comparative immunohistochemical study with chromogranins A and B and secretogranin II. *Regul Pept*. 2010 Nov 30;165(1):30–5. PMID:20550951
- 2606.** Poruk KE, Gay DZ, Brown K, et al. The clinical utility of CA 19-9 in pancreatic adenocarcinoma: diagnostic and prognostic updates. *Curr Mol Med*. 2013 Mar;13(3):340–51. PMID:23331006
- 2607.** Posner S, Colletti L, Knol J, et al. Safety and long-term efficacy of transduodenal excision for tumors of the ampulla of Vater. *Surgery*. 2000 Oct;128(4):694–701. PMID:11015104
- 2609.** Potter DD, Murray JA, Donohue JH, et al. The role of defective mismatch repair in small bowel adenocarcinoma in celiac disease. *Cancer Res*. 2004 Oct 1;64(19):7073–7. PMID:15466202
- 2610.** Poulogiannis G, Frayling IM, Arends MJ. DNA mismatch repair deficiency in sporadic colorectal cancer and Lynch syndrome. *Histopathology*. 2010 Jan;56(2):167–79. PMID:20102395
- 2611.** Poulogiannis G, Ichimura K, Hamoudi RA, et al. Prognostic relevance of DNA copy number changes in colorectal cancer. *J Pathol*. 2010 Feb;220(3):338–47. PMID:19911421
- 2612.** Poulsides GA, Reddy S, Cameron JL, et al. Histopathologic basis for the favorable survival after resection of intraductal papillary mucinous neoplasm-associated invasive adenocarcinoma of the pancreas. *Ann Surg*. 2010 Mar;251(3):470–6. PMID:20142731
- 2613.** Prasad ML, Busam KA, Patel SG, et al. Clinicopathologic differences in malignant melanoma arising in oral squamous and sinonasal respiratory mucosa of the upper aerodigestive tract. *Arch Pathol Lab Med*. 2001 Aug;127(8):997–1002. PMID:12572174
- 2614.** Prenen H, De Schutter J, Jacobs B, et al. PIK3CA mutations are not a major determinant of resistance to the epidermal growth factor receptor inhibitor cetuximab in metastatic colorectal cancer. *Clin Cancer Res*. 2009 Mar 1;15(9):3184–8. PMID:19366825
- 2615.** Prezzi D, Mandegaram R, Giannìanni S, et al. The impact of MRI sequences on tumour staging and gross tumour delineation in squamous cell carcinoma of the anal canal. *Eur Radiol*. 2018 Apr;28(4):1520–6. PMID:29134349
- 2616.** Price TN, Thompson GB, Lewis JT, et al. Zollinger-Ellison syndrome due to primary gastrinoma of the extrahepatic biliary tree: three case reports and review of literature. *Endocr Pract*. 2009 Nov-Dec;15(7):737–40. PMID:19491075
- 2617.** Puente XS, Jares P, Camps E. Chromophytic leukemia and mantle cell lymphoma: crossroads of genetic and microenvironment interactions. *Blood*. 2016 Mar 24;131(21):2283–96. PMID:25667714
- 2618.** Puglisi F, Damante G, Pizzitto E, et al. Combined volvular sac tumor and adenomatous polypoma in a gastric stump: molecular evidence of clonality. *Cancer*. 1999 May 1;85(9):1950–4. PMID:10223229
- 2619.** Pujals A, Amadeo G, Casan C, et al. BRAF V600E mutations in bile duct adenomas. *Hepatology*. 2015 Jan;61(1):40–6. PMID:24634053
- 2620.** Pujals A, Bioulac-Sage P, Casan C, et al. BRAF V600E mutational status in bile duct adenomas and hamartomas. *Histopathology*. 2015 Oct;67(4):562–7. PMID:25745817
- 2621.** Pulitzer DR, Martin PC, Reed RJ. Glomus glomus tumor. *Hum Pathol*. 1991 Sep;22(9):1022–7. PMID:1672794
- 2622.** Pyo JS, Sohn JH, Kang E. Metastatic carcinoma in the colorectum: a systematic review and meta-analysis. *Hum Pathol*. 2000 Jul;31(7):91–6. PMID:27001432
- 2623.** Périgny M, Hammel P, Corcos J, et al. Pancreatic endocrine microadenomas in patients with von Hippel-Lindau disease: characterization by VHL/HIF pathway proteins expression. *Am J Surg Pathol*. 2000 May;33(5):739–48. PMID:10828077
- 2624.** Qazi TM, O'Brien NJ, Farajayi R, et al. Epidemiology of goblet cell and microinvasive hyperplastic polyps. *Am J Gastroenterol*. 2004 Dec;109(12):1922–32. PMID:15525378
- 2625.** Qizilbash AH. Mucocles of the rectum. Their relationship to hyperplastic, non-mucinous cystadenomas, and carcinomas. *Arch Pathol*. 1975 Oct;90(4):379–83. PMID:1191124
- 2626.** Quante M, Graham TA, James WD. Insights into the pathophysiology of rectal adenocarcinoma. *Gastroenterology*. 2000 Jan;154(2):406–20. PMID:20053742
- 2627.** Quartey B. Primary hepatic mesenchymal tumor: what do we know now? *Cancer*. 2011 Oct;121(20):309–16. PMID:21870033
- 2628.** Quigley B, Reid MD, Penberthy EL. Hepatobiliary mucinous cystic neoplasms: ovarian type stroma (so-called 'benign cystadenoma/cystadenocarcinoma'): pathologic analysis of 36 cases illustrating the spectrum of carcinomatous change. *Am J Surg Pathol*. 2018 Jan;42(1):95–102. PMID:29359444
- 2629.** Quinn AM, Farajayi R, Nairn B, et al. Polypectomy is adequate treatment for adenoma-like dysplastic lesions. *Dis Colon Rectum*. 2004 Jun;47(6):463–70. PMID:15173000

- Crohn's disease. *Inflamm Bowel Dis.* 2013 May;19(6):1186–93. PMID:23567776
- 2630.** Quintana I, Mejías-Luque R, Terradas M, et al. Evidence suggests that germline RNF43 mutations are a rare cause of serrated polyposis. *Gut.* 2018 Dec;67(12):2230–2. PMID:29330307
- 2631.** Qunaj L, Castillo JJ, Olszewski AJ. Survival of patients with CD20-negative variants of large B-cell lymphoma: an analysis of the National Cancer Data Base. *Leuk Lymphoma.* 2018 Jun;59(6):1375–83. PMID:29019447
- 2632.** Qureshi SS, Bhagat M, Kurkure PA, et al. Ectopic Cushing syndrome secondary to recurrent pancreaticblastoma in a child: lessons learnt. *J Cancer Res Ther.* 2015 Oct-Dec;11(4):1027. PMID:26881602
- 2633.** Radaszkiewicz T, Dragosics B, Bauer P. Gastrointestinal malignant lymphomas of the mucosa-associated lymphoid tissue: factors relevant to prognosis. *Gastroenterology.* 1992 May;102(5):1628–38. PMID:1568573
- 2634.** Raddatz D, Horstmann O, Basenau D, et al. Cushing's syndrome due to ectopic adrenocorticotrophic hormone production by a non-metastatic gastrinoma after long-term conservative treatment of Zollinger-Ellison syndrome. *Ital J Gastroenterol Hepatol.* 1998 Dec;30(6):636–40. PMID:10076790
- 2635.** Raderer M, Streubel B, Woehler S, et al. High relapse rate in patients with MALT lymphoma warrants lifelong follow-up. *Clin Cancer Res.* 2005 May 1;11(9):3349–52. PMID:15867234
- 2636.** Radojkovic M, Ilic D, Ilic I. Primary signet ring cell carcinoma of the pancreas with a good response to chemotherapy: case report and literature review. *Tumori.* 2017 Nov 15;103(Suppl 1):e50–2. PMID:28708232
- 2637.** Radomski M, Pai RK, Shuai Y, et al. Curative surgical resection as a component of multimodality therapy for peritoneal metastases from goblet cell carcinoids. *Ann Surg Oncol.* 2016 Dec;23(13):4338–43. PMID:27401448
- 2638.** Radu OM, Nikiforova MN, Farkas LM, et al. Challenging cases encountered in colorectal cancer screening for Lynch syndrome reveal novel findings: nucleolar MSH6 staining and impact of prior chemoradiation therapy. *Hum Pathol.* 2011 Sep;42(9):1247–58. PMID:21334712
- 2639.** Radyk MD, Burclaff J, Willet SG, et al. Metaplastic cells in the stomach arise, independently of stem cells, via dedifferentiation or transdifferentiation of chief cells. *Gastroenterology.* 2018 Mar;154(4):839–43.e2. PMID:29248442
- 2640.** Rahemtullah A, Misraji J, Pitman MB. Adenosquamous carcinoma of the pancreas: cytologic features in 14 cases. *Cancer.* 2003 Dec 25;99(6):372–8. PMID:14681946
- 2641.** Rahib L, Smith BD, Alzinger R, et al. Projecting cancer incidence and deaths to 2030: the unexpected burden of thyroid, liver, and pancreas cancers in the United States. *Cancer Res.* 2014 Jun 1;74(11):2913–21. PMID:24840647
- 2642.** Rahmat K, Vijayananthan A, Abdullah B, et al. Benign teratoma of the liver: a rare cause of cholangitis. *Biomed Imaging Interv J.* 2006 Jul;2(3):e20. PMID:21614237
- 2643.** Raimondi S, Bruno S, Mondelli MU, et al. Hepatitis C virus genotype 1b as a risk factor for hepatocellular carcinoma development: a meta-analysis. *J Hepatol.* 2009 Jun;50(6):1142–54. PMID:19395111
- 2644.** Raimondi S, Lowenfels AB, Morselli-Labate AM, et al. Pancreatic cancer in chronic pancreatitis: aetiology, incidence, and early detection. *Best Pract Res Clin Gastroenterol.* 2010 Jun;24(3):349–58. PMID:20510834
- 2645.** Rainey JJ, Omenah D, Sumba PO, et al. Spatial clustering of endemic Burkitt's lymphoma in high-risk regions of Kenya. *Int J Cancer.* 2007 Jan 1;120(1):121–7. PMID:17019706
- 2646.** Rajaram V, Knezevich S, Bove KE, et al. DNA sequence of the translocation breakpoints in undifferentiated embryonal sarcoma arising in mesenchymal hamartoma of the liver harboring the t(11;19)(q11;q13.4) translocation. *Genes Chromosomes Cancer.* 2007 May;46(5):508–13. PMID:17311249
- 2647.** Rajpal S, Warren RS, Alexander M, et al. Pancreatoblastoma in an adult: case report and review of the literature. *J Gastrointest Surg.* 2006 Jun;10(6):829–36. PMID:16769539
- 2648.** Ramalingam P, Hart WR, Goldblum JR. Cytokeratin subset immunostaining in rectal adenocarcinoma and normal anal glands. *Arch Pathol Lab Med.* 2001 Aug;125(8):1074–7. PMID:11473461
- 2649.** Ramanujam TM, Ramesh JC, Goh DW, et al. Malignant transformation of mesenchymal hamartoma of the liver: case report and review of the literature. *J Pediatr Surg.* 1999 Nov;34(11):1684–6. PMID:10591570
- 2650.** Ramezani M, Sadeghi M. Carcinoid tumour of the oesophagus: a systematic review. *Prz Gastroenterol.* 2018;13(3):196–9. PMID:30302162
- 2651.** Ramnani DM, Wistuba II, Behrens C, et al. K-ras and p53 mutations in the pathogenesis of classical and goblet cell carcinoids of the appendix. *Cancer.* 1999 Jul 1;86(1):14–21. PMID:10391558
- 2652.** Rampado S, Ruol A, Guido M, et al. Mediastinal carcinosis involving the esophagus in breast cancer: the "breast-esophagus" syndrome: report on 25 cases and guidelines for diagnosis and treatment. *Ann Surg.* 2007 Aug;246(2):316–22. PMID:17667512
- 2652A.** Raney RB, Maurer HM, Anderson JR, et al. The Intergroup Rhabdomyosarcoma Study Group (IRS): major lessons from the IRS-I through IRS-IV studies as background for the current IRS-V treatment protocols. *Sarcoma.* 2001;5(1):9–15. PMID:18521303
- 2653.** Ranheim EA, Jones C, Zehnder JL, et al. Spontaneously relapsing clonal, mucosal cytotoxic T-cell lymphoproliferative disorder: case report and review of the literature. *Am J Surg Pathol.* 2000 Feb;24(2):296–301. PMID:10680899
- 2654.** Rantshabeng PS, Moyo S, Moraka NO, et al. Prevalence of oncogenic human papillomavirus genotypes in patients diagnosed with anogenital malignancies in Botswana. *BMC Infect Dis.* 2017 Nov 25;17(1):731. PMID:29178840
- 2655.** Raphael M, Gentilhomme O, Tulliez M, et al. Histopathologic features of high-grade non-Hodgkin's lymphomas in acquired immunodeficiency syndrome. *Arch Pathol Lab Med.* 1991 Jan;115(1):15–20. PMID:1987908
- 2656.** Rasbarachi G, Sierra M, Hernando M, et al. Primary liver carcinoid tumour with a Zollinger Ellison syndrome - an unusual diagnosis: a case report. *Cases J.* 2009 Aug 7;2:6346. PMID:19918579
- 2657.** Rashid A, Gao YT, Bhakta S, et al. Beta-catenin mutations in biliary tract cancers: a population-based study in China. *Cancer Res.* 2001 Apr 15;61(8):3406–9. PMID:11309300
- 2658.** Rault-Petit B, Do Cao C, Guyévant S, et al. Current management and predictive factors of lymph node metastasis of appendix neuroendocrine tumors: a national study from the French Group of Endocrine Tumors (GTE). *Ann Surg.* 2018 Mar 19. PMID:29557879
- 2659.** Raut CP, Miceli R, Strauss DC, et al. External validation of a multi-institutional retroperitoneal sarcoma nomogram. *Cancer.* 2016 May 1;122(9):1417–24. PMID:26916507
- 2660.** Ray S, Saluja SS, Gupta R, et al. Esophageal leiomyomatosis – an unusual cause of pseudoachalasia. *Can J Gastroenterol.* 2008 Feb;22(2):187–9. PMID:18299739
- 2661.** Rayner E, van Gool IC, Palles C, et al. A panoply of errors: polymerase proofreading domain mutations in cancer. *Nat Rev Cancer.* 2016 Feb;16(2):71–81. PMID:26822575
- 2662.** Raza MA, Mazzara PF. Sarcomatoid carcinoma of esophagus. *Arch Pathol Lab Med.* 2011 Jul;135(7):945–8. PMID:21732788
- 2663.** Ready E, Chernushkin K, Partovi N, et al. Posttransplant lymphoproliferative disorder in adults receiving kidney transplantation in British Columbia: a retrospective cohort analysis. *Can J Kidney Health Dis.* 2018 Apr 1;5:2054358118760831. PMID:29636980
- 2664.** Real FXA. A "catastrophic hypothesis" for pancreas cancer progression. *Gastroenterology.* 2003 Jun;124(7):1958–64. PMID:12806629
- 2665.** Rebouissou S, Amessou M, Couchy G, et al. Frequent in-frame somatic deletions activate gp130 in inflammatory hepatocellular tumours. *Nature.* 2009 Jan 8;457(7226):200–4. PMID:19020503
- 2666.** Rebouissou S, Bioulac-Sage P, Zucman-Rossi J. Molecular pathogenesis of focal nodular hyperplasia and hepatocellular adenoma. *J Hepatol.* 2008 Jan;48(1):163–70. PMID:17997499
- 2667.** Rebouissou S, Couchy G, Libbrecht L, et al. The beta-catenin pathway is activated in focal nodular hyperplasia but not in cirrhotic FNH-like nodules. *J Hepatol.* 2008 Jul;49(1):61–71. PMID:18466996
- 2668.** Rebouissou S, Franconi A, Calderaro J, et al. Genotype-phenotype correlation of CTNNB1 mutations reveals different β-catenin activity associated with liver tumor progression. *Hepatology.* 2016 Dec;64(6):2047–61. PMID:27117928
- 2669.** Rebours V, Gaujoux S, d'Assignies G, et al. Obesity and fatty pancreatic infiltration are risk factors for pancreatic precancerous lesions (PanIN). *Clin Cancer Res.* 2015 Aug 1;21(15):3522–8. PMID:25700304
- 2670.** Recine M, Kaw M, Evans DB, et al. Fine-needle aspiration cytology of mucinous tumors of the pancreas. *Cancer.* 2004 Apr 25;102(2):92–9. PMID:15098253
- 2671.** Reddy A, Zhang J, Davis NS, et al. Genetic and functional drivers of diffuse large B cell lymphoma. *Cell.* 2017 Oct 5;171(2):481–94.e15. PMID:28985567
- 2672.** Reddy RP, Smyrk TC, Zaplach M, et al. Pancreatic mucinous cystic neoplasm defined by ovarian stroma: demographics, clinical features, and prevalence of cancer. *Clin Gastroenterol Hepatol.* 2004 Nov;2(11):1026–31. PMID:15551256
- 2673.** Reddy S, Cameron JL, Scudiere J, et al. Surgical management of solid-pseudopapillary neoplasms of the pancreas (Franz or Hamoudi tumors): a large single-institutional series. *J Am Coll Surg.* 2009 May;208(5):950–7, discussion 957–9. PMID:19476869
- 2674.** Redston MS, Caldas C, Seymour AB, et al. p53 mutations in pancreatic carcinoma and evidence of common involvement of homopolymer tracts in DNA microdeletions. *Cancer Res.* 1994 Jun 1;54(11):3025–33. PMID:8187092
- 2675.** Reed RC, Beischel L, Schoof J, et al. Androgenetic/biparental mosaicism in an infant with hepatic mesenchymal hamartoma and placental mesenchymal dysplasia. *Pediatr Dev Pathol.* 2008 Sep-Oct;11(5):377–83. PMID:18260692
- 2676.** Reggiani S, Cosso L, Adriani A, et al. A case of intestinal mastocytosis misdiagnosed as Crohn's disease. *Case Rep Gastroenterol.* 2015 Jun 3;9(2):188–93. PMID:26120300
- 2677.** Reginelli A, Granata V, Fusco R, et al. Diagnostic performance of magnetic resonance imaging and 3D endoanal ultrasound in detection, staging and assessment post treatment, in anal cancer. *Oncotarget.* 2017 Apr 4;8(14):22980–90. PMID:28152518
- 2678.** Rehfeld JF, Federspiel B, Bardram L. A neuroendocrine tumor syndrome from cholecystokinin secretion. *N Engl J Med.* 2013 Mar 21;368(12):1165–6. PMID:23514309
- 2679.** Reid BJ, Haggitt RC, Rubin CE, et al. Observer variation in the diagnosis of dysplasia in Barrett's esophagus. *Hum Pathol.* 1988 Feb;19(2):166–78. PMID:3343032
- 2680.** Reid BJ, Levine DS, Longton G, et al. Predictors of progression to cancer in Barrett's esophagus: baseline histology and flow cytometry identify low- and high-risk patient subsets. *Am J Gastroenterol.* 2000 Jul;95(7):1669–76. PMID:10925966
- 2681.** Reid M. Cytology of the pancreas: a practical review for cytopathologists. *Surg Pathol Clin.* 2011 Jun;4(2):651–91. PMID:26837492
- 2682.** Reid MD, Bagci P, Adsay NV. Histopathologic assessment of pancreatic cancer: does one size fit all? *J Surg Oncol.* 2013 Jan;107(1):67–77. PMID:22711682
- 2683.** Reid MD, Balci S, Ohike N, et al. Ampullary carcinoma is often of mixed or hybrid histologic type: an analysis of reproducibility and clinical relevance of classification as pancreaticobiliary versus intestinal in 232 cases. *Mod Pathol.* 2016 Dec;29(12):1575–85. PMID:27586202
- 2684.** Reid MD, Balci S, Saka B, et al. Neuroendocrine tumors of the pancreas: current concepts and controversies. *Endocr Pathol.* 2014 Mar;25(1):65–79. PMID:24430597
- 2685.** Reid MD, Basturk O, Shaib WL, et al. Adenocarcinoma ex-goblet cell carcinoid (appendiceal-type crypt cell adenocarcinoma) is a morphologically distinct entity with highly aggressive behavior and frequent association with peritoneal/intra-abdominal dissemination: an analysis of 77 cases. *Mod Pathol.* 2016 Oct;29(10):1243–53. PMID:27338636
- 2686.** Reid MD, Choi HJ, Memis B, et al. Serous neoplasms of the pancreas: a clinicopathologic analysis of 193 cases and literature review with new insights on macrocystic and solid variants and critical reappraisal of so-called "serous cystadenocarcinoma". *Am J Surg Pathol.* 2015 Dec;39(12):1597–610. PMID:26559376
- 2687.** Reid MD, Lewis MM, Willingham FF, et al. The evolving role of pathology in new developments, classification, terminology, and diagnosis of pancreaticobiliary neoplasms. *Arch Pathol Lab Med.* 2017 Mar;141(3):366–80. PMID:28055239
- 2688.** Reid MD, Muraki T, HooKim K, et al. Cytologic features and clinical implications of undifferentiated carcinoma with osteoclastic giant cells of the pancreas: an analysis of 15 cases. *Cancer Cytopathol.* 2017 Jul;125(7):563–75. PMID:28371566
- 2689.** Reid MD, Roa JC, Memis B, et al. Neuroendocrine neoplasms of the gallbladder. An immunohistochemical and clinicopathologic analysis of 29 cases [abstract]. *Mod Pathol.* 2017 Feb;30(S2):157–210. Abstract no. 784. PMID:28134903
- 2690.** Reid MD, Stallworth CR, Lewis MM, et al. Cytopathologic diagnosis of oncocytic type intraductal papillary mucinous neoplasm: criteria and clinical implications of accurate diagnosis. *Cancer Cytopathol.* 2016 Feb;124(2):122–34. PMID:26415076
- 2691.** Reiman A, Kikuchi H, Scocchia D, et al. Validation of an NGS mutation detection panel for melanoma. *BMC Cancer.* 2017 Feb 22;17(1):150. PMID:28228113
- 2692.** Relles D, Baek J, Witkiewicz A, et al. Periampullary and duodenal neoplasms in

- neurofibromatosis type 1: two cases and an updated 20-year review of the literature yielding 76 cases. *J Gastrointest Surg.* 2010 Jun;14(6):1052–61. PMID:20300877
- 2694.** Remstein ED, Dogan A, Einerson RR, et al. The incidence and anatomic site specificity of chromosomal translocations in primary extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma) in North America. *Am J Surg Pathol.* 2006 Dec;30(12):1546–53. PMID:17122510
- 2694A.** Ren M, Lu Y, Lv J, et al. Prognostic factors in primary anorectal melanoma: a clinicopathological study of 60 cases in China. *Hum Pathol.* 2018 Sep;79:77–85. PMID:29763716
- 2695.** Rengifo-Cam W, Jasperon K, Garrido-Laguna I, et al. A 30-year-old man with three primary malignancies: a case of constitutional mismatch repair deficiency. *ACG Case Rep J.* 2017 Mar 1;4:e34. PMID:28286799
- 2696.** Renzulli M, Biselli M, Brocchi S, et al. New hallmark of hepatocellular carcinoma, early hepatocellular carcinoma and high-grade dysplastic nodules on Gd-EOB-DTPA MRI in patients with cirrhosis: a new diagnostic algorithm. *Gut.* 2018 Sep;67(9):1674–82. PMID:29437912
- 2697.** Repak R, Kohoutova D, Podhola M, et al. The first European family with gastric adenocarcinoma and proximal polyposis of the stomach: case report and review of the literature. *Gastrointest Endosc.* 2016 Oct;84(4):718–25. PMID:27343414
- 2698.** Reuschenbach M, Kloos M, Morak M, et al. Serum antibodies against frameshift peptides in microsatellite unstable colorectal cancer patients with Lynch syndrome. *Fam Cancer.* 2010 Jun;9(2):173–9. PMID:19957108
- 2699.** Rex DK, Ahnen DJ, Baron JA, et al. Serrated lesions of the colorectum: review and recommendations from an expert panel. *Am J Gastroenterol.* 2012 Sep;107(9):1315–29, quiz 1314, 1330. PMID:22710576
- 2700.** Reyes CV, Wang T. Undifferentiated small cell carcinoma of the pancreas: a report of five cases. *Cancer.* 1981 May 15;47(10):2500–2. PMID:6268272
- 2701.** Reynoso J, Davis RE, Daniels WW, et al. Esophageal papillomatosis complicated by squamous cell carcinoma in situ. *Dis Esophagus.* 2004;17(4):345–7. PMID:15569375
- 2702.** Rhee H, Ko JE, Chung T, et al. Transcriptomic and histopathological analysis of cholangiocellular differentiation trait in intrahepatic cholangiocarcinoma. *Liver Int.* 2018 Jan;38(1):113–24. PMID:28608943
- 2703.** Rhee H, Nahm JH, Kim H, et al. Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. *Mod Pathol.* 2016 Sep;29(9):1038–49. PMID:27312064
- 2704.** Ribeiro MA Jr, Papaiordanou F, Gonçalves JM, et al. Spontaneous rupture of hepatic hemangiomas: a review of the literature. *World J Hepatol.* 2010 Dec 27;2(12):428–33. PMID:21191518
- 2705.** Ricci R, Martini M, Cencio T, et al. PDGFRA-mutant syndrome. *Mod Pathol.* 2015 Jul;28(7):954–64. PMID:25975287
- 2706.** Ricci R. Syndromic gastrointestinal stromal tumors. *Hered Cancer Clin Pract.* 2016 Jul 19;14:15. PMID:27437068
- 2707.** Rice TW, Gress DM, Patil DT, et al. Cancer of the esophagus and esophagogastric junction—Major changes in the American Joint Committee on Cancer eighth edition cancer staging manual. *CA Cancer J Clin.* 2017 Jul 8;67(4):304–17. PMID:28556024
- 2708.** Rice TW, Patil DT, Blackstone EH. 8th edition AJCC/UICC staging of cancers of the esophagus and esophagogastric junction: application to clinical practice. *Ann Cardiothorac Surg.* 2017 Mar;6(2):119–30. PMID:28447000
- 2709.** Rice TW, Rusch VW, Apperson-Hansen C, et al. Worldwide esophageal cancer collaboration. *Dis Esophagus.* 2009;22(1):1–8. PMID:19196264
- 2710.** Richard S, Gardie B, Couvé S, et al. Von Hippel-Lindau: how a rare disease illuminates cancer biology. *Semin Cancer Biol.* 2013 Feb;23(1):26–37. PMID:22659535
- 2711.** Richter J, Schlesner M, Hoffmann S, et al. Recurrent mutation of the ID3 gene in Burkitt lymphoma identified by integrated genome, exome and transcriptome sequencing. *Nat Genet.* 2012 Dec;44(12):1316–20. PMID:23143595
- 2712.** Riddell RH, Goldman H, Ransohoff DF, et al. Dysplasia in inflammatory bowel disease: standardized classification with provisional clinical applications. *Hum Pathol.* 1983 Nov;14(11):931–68. PMID:6629368
- 2713.** Rieker RJ, Quentmeier A, Weiss C, et al. Cystic lymphangioma of the small-bowel mesentery: case report and a review of the literature. *Pathol Oncol Res.* 2000;6(2):146–8. PMID:10936792
- 2714.** Rindi G, Azzoni C, La Rosa S, et al. ECL cell tumor and poorly differentiated endocrine carcinoma of the stomach: prognostic evaluation by pathological analysis. *Gastroenterology.* 1999 Mar;116(3):532–42. PMID:10029611
- 2715.** Rindi G, Bordi C, Rappel S, et al. Gastric carcinoids and neuroendocrine carcinomas: pathogenesis, pathology, and behavior. *World J Surg.* 1996 Feb;20(2):168–72. PMID:8661813
- 2716.** Rindi G, Falconi M, Klersy C, et al. TNM staging of neoplasms of the endocrine pancreas: results from a large international cohort study. *J Natl Cancer Inst.* 2012 May 16;104(10):764–77. PMID:22525418
- 2716A.** Rindi G, Klersy C, Albarelli L, et al. Competitive testing of the WHO 2010 versus the WHO 2017 grading of pancreatic neuroendocrine neoplasms: data from a large international cohort study. *Neuroendocrinology.* 2018;107(4):375–86. PMID:30300897
- 2717.** Rindi G, Klimstra DS, Abedi-Ardakani B, et al. A common classification framework for neuroendocrine neoplasms: an International Agency for Research on Cancer (IARC) and World Health Organization (WHO) expert consensus proposal. *Mod Pathol.* 2018 Dec;31(12):1770–86. PMID:30140036
- 2718.** Rindi G, Klöppel G, Alhman H, et al. TNM staging of foregut (neuro)endocrine tumors: a consensus proposal including a grading system. *Virchows Arch.* 2006 Oct;449(4):395–401. PMID:16967267
- 2719.** Rindi G, Klöppel G, Couvelard A, et al. TNM staging of midgut and hindgut (neuro)endocrine tumors: a consensus proposal including a grading system. *Virchows Arch.* 2007 Oct;451(4):757–62. PMID:17674042
- 2720.** Rindi G, Luijnen O, Cornaggia M, et al. Three subtypes of gastric argyrophil carcinoid and the gastric neuroendocrine carcinoma: a clinicopathologic study. *Gastroenterology.* 1993 Apr;104(4):994–1006. PMID:7681798
- 2721.** Rindi G, Solcia E. Endocrine hyperplasia and dysplasia in the pathogenesis of gastrointestinal and pancreatic endocrine tumors. *Gastroenterol Clin North Am.* 2007 Dec;36(4):851–65, vi. PMID:17996794
- 2722.** Rivera B, Castellsagué E, Bah I, et al. Biallelic NTHL1 mutations in a woman with multiple primary tumors. *N Engl J Med.* 2015 Nov 12;373(20):1985–6. PMID:26559593
- 2723.** Rivera B, Perea J, Sánchez E, et al. A novel AXIN2 germline variant associated with attenuated FAP without signs of oligodontia or ectodermal dysplasia. *Eur J Hum Genet.* 2014 Mar;22(3):423–6. PMID:23838596
- 2724.** Rivero-Sánchez L, Lopez-Ceron M, Carballal S, et al. Reassessment colonoscopy to diagnose serrated polyposis syndrome in a colorectal cancer screening population. *Endoscopy.* 2017 Jan;49(1):44–53. PMID:27741536
- 2725.** Roa EI, Muñoz NS, Ibáñez SG, et al. [Natural history of gallbladder cancer. Analysis of biopsy specimens]. *Rev Med Chil.* 2009 Jul;137(7):873–80. Spanish. PMID:19802413
- 2726.** Roa I, Araya JC, Villaseca M, et al. Gallbladder cancer in a high risk area: morphological features and spread patterns. *Hepatogastroenterology.* 1999 May-Jun;46(27):1540–6. PMID:10430291
- 2727.** Roa I, de Aretxabaleta X, Araya JC, et al. Preneoplastic lesions in gallbladder cancer. *J Surg Oncol.* 2006 Jun 15;93(8):615–23. PMID:16724345
- 2728.** Roa I, de Aretxabaleta X, Morgan R, et al. [Clinicopathological features of gallbladder polyps and adenomas]. *Rev Med Chil.* 2004 Jun;132(6):673–9. Spanish. PMID:15332368
- 2729.** Roa I, Ibáñez G, Muñoz S, et al. Gallbladder cancer in Chile: pathologic characteristics of survival and prognostic factors: analysis of 1,366 cases. *Am J Clin Pathol.* 2014 May;141(5):675–82. PMID:24713738
- 2730.** Roa JC, Roa I, Correa P, et al. Microsatellite instability in preneoplastic and neoplastic lesions of the gallbladder. *J Gastroenterol.* 2005 Jan;40(1):79–86. PMID:15692793
- 2731.** Roa JC, Tapia O, Cakir A, et al. Squamous cell and adenosquamous carcinomas of the gallbladder: clinicopathological analysis of 34 cases identified in 606 carcinomas. *Mod Pathol.* 2011 Aug;24(8):1069–78. PMID:21532545
- 2732.** Roa JC, Tapia O, Manterola C, et al. Early gallbladder carcinoma has a favorable outcome but Rokitansky–Aschoff sinus involvement is an adverse prognostic factor. *Virchows Arch.* 2013 Nov;463(5):651–61. PMID:24022828
- 2733.** Robberecht P, Conlon TP, Gardner JD. Interaction of porcine vasoactive intestinal peptide with dispersed pancreatic acinar cells from the guinea pig. Structural requirements for effects of vasoactive intestinal peptide and secretin on cellular adenosine 3':5'-monophosphate. *J Biol Chem.* 1976 Aug 10;251(15):4635–9. PMID:181379
- 2734.** Robbiani DF, Deroubaix S, Feldhahn N, et al. Plasmodium infection promotes genomic instability and AID-dependent B cell lymphoma. *Cell.* 2015 Aug 13;162(4):727–37. PMID:26276629
- 2735.** Roberti A, Dobay MP, Bisig B, et al. Type II enteropathy-associated T-cell lymphoma features a unique genomic profile with highly recurrent SETD2 alterations. *Nat Commun.* 2016 Sep 7;7:12602. PMID:27600764
- 2736.** Roberts NJ, Norris AL, Petersen GM, et al. Whole genome sequencing defines the genetic heterogeneity of familial pancreatic cancer. *Cancer Discov.* 2016 Feb;6(2):166–75. PMID:26658419
- 2737.** Robinson DR, Wu YM, Kalyana-Sundaram S, et al. Identification of recurrent NAB2-STAT6 gene fusions in solitary fibrous tumor by integrative sequencing. *Nat Genet.* 2013 Feb;45(2):180–5. PMID:23313952
- 2738.** Robison K, Cronin B, Bregar A, et al. Anal cytology and human papillomavirus genotyping in women with a history of lower genital tract neoplasia compared with low-risk women. *Obstet Gynecol.* 2015 Dec;126(6):1294–300. PMID:26551180
- 2739.** Robles AI, Traverso G, Zhang M, et al. Whole-exome sequencing analyses of inflammatory bowel disease-associated colorectal cancers. *Gastroenterology.* 2016 Apr;150(4):931–43. PMID:26764183
- 2740.** Rocha FG, Lee H, Katai N, et al. Intraductal papillary neoplasm of the bile duct: a biliary equivalent to intraductal papillary mucinous neoplasm of the pancreas? *Hepatology.* 2012 Oct;56(4):1352–60. PMID:22514725
- 2741.** Rodriguez JR, Salvia R, Criado E, et al. Branch-duct intraductal papillary mucinous neoplasms: observations in 145 patients who underwent resection. *Gastroenterology.* 2007 Jul;133(1):72–9, quiz 309–10. PMID:17621133
- 2742.** Rodríguez-Alcalde D, Cartelli E, Moreira L, et al. High incidence of advanced colorectal neoplasia during endoscopic surveillance in serrated polyposis syndrome. *Endoscopy.* 2019 Feb;51(2):142–51. PMID:30300000
- 2743.** Rogers WM, Dobo E, Norton JA, et al. Risk-reducing total gastrectomy for germline mutations in E-cadherin (CDH1): prelogic findings with clinical implications. *Am J Surg Pathol.* 2008 Jun;32(6):759–65. PMID:18391748
- 2744.** Roh JH, Srivastava A, Lauwers GJ, et al. Micropapillary carcinoma of stomach: clinicopathologic and immunohistochemical study of 11 cases. *Am J Surg Pathol.* 2001 Aug;34(8):1139–46. PMID:11661012
- 2745.** Roithmann S, Toledo M, Touzeau JL, et al. HIV-associated non-Hodgkin's lymphoma: clinical characteristics and outcome. The experience of the French Registry of HIV-associated tumors. *Ann Oncol.* 1991 Apr;2:29–35. PMID:1686025
- 2746.** Rokkas T, Pitsios D, Sehouli J, et al. Risk of colorectal neoplasm in acromegaly with acromegaly: a meta-analysis. *World J Gastroenterol.* 2008 Jun 14;14(22):3490–5. PMID:18567075
- 2747.** Rokutan H, Hosoda F, Hama N, et al. Comprehensive mutation profiling of nonsmall cell gastric carcinoma. *J Pathol.* 2009 Oct;240(2):137–48. PMID:27313181
- 2748.** Roldo C, Missaglia E, Hagan JP, et al. MicroRNA expression abnormalities in pancreatic endocrine and acinar tumors associated with distinctive pathology, behavior and clinical behavior. *J Clin Oncol.* 2008 Jun 10;26(21):4677–84. PMID:18455557
- 2749.** Romaguera JE, Medeiros LJ, Meister FB, et al. Frequency of gastrointestinal involvement and its clinical significance in mantle cell lymphoma. *Cancer.* 2001 Jul;91(3):586–91. PMID:12548600
- 2750.** Rombouts AJM, Hugen N, van den Brink JJP, et al. Does pelvic radiation increase the risk of rectal cancer incidence? - A systematic review and meta-analysis. *Cancer Treat Rev.* 2009 Jul;35(7):136–44. PMID:29957373
- 2751.** Rondonotti E, Koulaouzidis A, Giannini J, et al. Small bowel tumours: update in aetiology, diagnosis and management. *Curr Opin Gastroenterol.* 2018 May;34(3):159–64. PMID:29483617
- 2752.** Ronkainen J, Aro P, Storskrubb T, et al. Prevalence of Barrett's esophagus in the general population: an endoscopic study. *Gastroenterology.* 2005 Dec;130(6):1725–31. PMID:16344051
- 2753.** Ronnett BM, Yan H, Kumar RL, et al. Patients with pseudomyxoma peritonei associated with disseminated peritoneal carcinomatosis have a significantly more favorable prognosis than patients with peritoneal mesotheliomatosis. *Cancer.* 2001 Jul 10;92(1):95–91. PMID:11443613
- 2754.** Rooks JB, Ory HW, Istak KG, et al. Epidemiology of hepatocellular adenoma: The role of oral contraceptive use. *JAMA.* 1998 Jul 17;280(3):444–8. PMID:9621698
- 2755.** Rooney SL, Shi J. Intraductal papillary neoplasm of the pancreas: a

- update from a pathologist's perspective. *Arch Pathol Lab Med.* 2016 Oct;140(10):1068–73. PMID:27684978
- 2756.** Rose DM, Hochwald SN, Klimstra DS, et al. Primary duodenal adenocarcinoma: a ten-year experience with 79 patients. *J Am Coll Surg.* 1996 Aug;183(2):89–96. PMID:8696551
- 2757.** Rosenberg JM, Welch JP. Carcinoid tumors of the colon. A study of 72 patients. *Am J Surg.* 1985 Jun;149(6):775–9. PMID:2409828
- 2758.** Rosolen A, Perkins SL, Pinkerton CR, et al. Revised international pediatric non-hodgkin lymphoma staging system. *J Clin Oncol.* 2015 Jun 20;33(18):2112–8. PMID:25940716
- 2759.** Ross-Innes CS, Beqq J, Warren A, et al. Whole-genome sequencing provides new insights into the clonal architecture of Barrett's esophagus and esophageal adenocarcinoma. *Nat Genet.* 2015 Sep;47(9):1038–46. PMID:26192915
- 2760.** Rossi S, Gasparotto D, Cacciato M, et al. Neurofibromin C terminus-specific antibody (clone NFC) is a valuable tool for the identification of NF1-inactivated GISTs. *Mod Pathol.* 2018 Jan;31(1):160–8. PMID:28862263
- 2761.** Rossi S, Gasparotto D, Miceli R, et al. KIT, PDGFRA, and BRAF mutational spectrum impacts on the natural history of imatinib-naïve localized GIST: a population-based study. *Am J Surg Pathol.* 2015 Jul;39(7):922–30. PMID:25970686
- 2762.** Rossi S, Miceli R, Messerini L, et al. Natural history of imatinib-naïve GISTs: a retrospective analysis of 929 cases with long-term follow-up and development of a survival nomogram based on mitotic index and size as continuous variables. *Am J Surg Pathol.* 2011 Nov;35(11):1646–56. PMID:21997685
- 2763.** Rossidis G, Arroyo MR, Abbit PL, et al. Malignant transformation of a pancreatic serous cystadenoma. *Am Surg.* 2012 Feb;78(2):260–3. PMID:22369840
- 2764.** Rusty C, Buchanan DD, Walsh MD, et al. Phenotype and polyp landscape in serrated polyposis syndrome: a series of 100 patients from genetics clinics. *Am J Surg Pathol.* 2012 Jun;36(6):876–82. PMID:22510757
- 2765.** Rusty C, Hewett DG, Brown IS, et al. Serrated polyps of the large intestine: current understanding of diagnosis, pathogenesis, and clinical management. *J Gastroenterol.* 2013 Mar;48(3):287–302. PMID:23208018
- 2766.** Rusty C, Walsh MD, Walters RJ, et al. Multiplicity and molecular heterogeneity of colorectal carcinomas in individuals with serrated polyposis. *Am J Surg Pathol.* 2013 Mar;37(3):434–42. PMID:23211288
- 2767.** Rottenburger C, Papantonio D, Mandair D, et al. A case series of molecular imaging of glucagonoma after initial therapy-68Ga-DOTATATE PET/CT reveals similar results as in neuroendocrine tumors of other origin in follow-up and re-evaluation. *Clin Nucl Med.* 2018 Apr;43(4):252–5. PMID:29432346
- 2768.** Rowe PS, Read AP, Mountford R, et al. Three DNA markers for hypophosphataemic rickets. *Hum Genet.* 1992 Jul;89(5):539–42. PMID:1353055
- 2769.** Roy AC, Wattchow D, Astill D, et al. Uncommon anal neoplasms. *Surg Oncol Clin N Am.* 2017 Jan;26(1):143–61. PMID:27889033
- 2770.** Roy N, Malik S, Villanueva KE, et al. Brønck promotes both tumor-suppressive and oncogenic activities at distinct stages of pancreatic cancer formation. *Genes Dev.* 2015 Mar 15;29(6):658–71. PMID:25792600
- 2771.** Roy S, LaFramboise WA, Liu TC, et al. Loss of chromatin-remodeling proteins and/or CDKN2A associates with metastasis of pancreatic neuroendocrine tumors and reduced patient survival times. *Gastroenterology.* 2018 Jun;154(8):2060–3.e8. PMID:29486199
- 2772.** Rozek LS, Schmit SL, Greenon JK, et al. Tumor-infiltrating lymphocytes, Crohn's-like lymphoid reaction, and survival from colorectal cancer. *J Natl Cancer Inst.* 2016 May 12;108(8). PMID:2712903
- 2773.** Rubenstein JH, Shaheen NJ. Epidemiology, diagnosis, and management of esophageal adenocarcinoma. *Gastroenterology.* 2015 Aug;149(2):302–17.e1. PMID:25957861
- 2774.** Rubin BP, Singer S, Tsao C, et al. KIT activation is a ubiquitous feature of gastrointestinal stromal tumors. *Cancer Res.* 2001 Nov 15;61(22):8118–21. PMID:11719439
- 2775.** Rubin DT, Huo D, Kinnucan JA, et al. Inflammation is an independent risk factor for colonic neoplasia in patients with ulcerative colitis: a case-control study. *Clin Gastroenterol Hepatol.* 2013 Dec;11(12):1601–8.e1, 4. PMID:23872237
- 2776.** Rubio CA. Serrated adenomas of the appendix. *J Clin Pathol.* 2004 Sep;57(9):946–9. PMID:15333655
- 2777.** Rubio CA. Traditional serrated adenomas of the upper digestive tract. *J Clin Pathol.* 2016 Jan;69(1):1–5. PMID:26468393
- 2778.** Rubio-Tapia A, Kelly DG, Lahr BD, et al. Clinical staging and survival in refractory celiac disease: a single center experience. *Gastroenterology.* 2009 Jan;136(1):99–107, quiz 352–3. PMID:18996383
- 2779.** Ruel J, Ko HM, Roda G, et al. Anal neoplasia in inflammatory bowel disease is associated with HPV and perianal disease. *Clin Transl Gastroenterol.* 2016 Mar 3;7:e148. PMID:26938479
- 2780.** Rugge M, Bersani G, Bertorelli R, et al. Microsatellite instability and gastric non-invasive neoplasia in a high risk population in Cesena, Italy. *J Clin Pathol.* 2005 Aug;58(8):805–10. PMID:16049280
- 2781.** Rugge M, Capelle LG, Cappellosso R, et al. Precancerous lesions in the stomach: from biology to clinical patient management. *Best Pract Res Clin Gastroenterol.* 2013 Apr;27(2):205–23. PMID:23809241
- 2782.** Rugge M, Cassaro M, Di Mario F, et al. The long term outcome of gastric non-invasive neoplasia. *Gut.* 2003 Aug;52(8):1111–6. PMID:12865267
- 2783.** Rugge M, Correa P, Dixon MF, et al. Gastric dysplasia: the Padova international classification. *Am J Surg Pathol.* 2000 Feb;24(2):167–76. PMID:10680883
- 2784.** Rugge M, Correa P, Dixon MF, et al. Gastric mucosal atrophy: interobserver consistency using new criteria for classification and grading. *Aliment Pharmacol Ther.* 2002 Jul;16(7):1249–59. PMID:12144574
- 2785.** Rugge M, de Boni M, Pennelli G, et al. Gastritis OLGA-staging and gastric cancer risk: a twelve-year clinico-pathological follow-up study. *Aliment Pharmacol Ther.* 2010 May;31(10):1104–11. PMID:2080784
- 2786.** Rugge M, Farinati F, Di Mario F, et al. Gastric epithelial dysplasia: a prospective multicenter follow-up study from the Interdisciplinary Group on Gastric Epithelial Dysplasia. *Hum Pathol.* 1991 Oct;22(10):1002–8. PMID:1842372
- 2787.** Rugge M, Fassan M, Cavallini F, et al. Risk of malignant progression in Barrett's esophagus patients: results from a large population-based study. *J Natl Cancer Inst.* 2012 Nov 21;104(22):1771–2. PMID:23042934
- 2788.** Rugge M, Fassan M, Graham DY. Clinical guidelines: secondary prevention of gastric cancer. *Nat Rev Gastroenterol Hepatol.* 2012 Feb 14;(9):128–9. PMID:22330815
- 2789.** Rugge M, Fassan M, Pizzi M, et al. Autoimmune gastritis: histology phenotype and OLGA staging. *Aliment Pharmacol Ther.* 2012 Jun;35(12):1460–6. PMID:22519568
- 2790.** Rugge M, Fassan M, Pizzi M, et al. Operative Link for Gastritis Assessment gastritis staging incorporates intestinal metaplasia subtyping. *Hum Pathol.* 2011 Oct;42(10):1539–44. PMID:21481917
- 2791.** Rugge M, Genta RM, Di Mario F, et al. Gastric cancer as preventable disease. *Clin Gastroenterol Hepatol.* 2017 Dec;15(12):1833–43. PMID:28532700
- 2792.** Rugge M, Genta RM, Graham DY, et al. Chronicles of a cancer foretold: 35 years of gastric cancer risk assessment. *Gut.* 2016 May;65(5):721–5. PMID:26927528
- 2793.** Rugge M, Genta RM. Staging gastritis: an international proposal. *Gastroenterology.* 2005 Nov;129(5):1807–8. PMID:16285989
- 2794.** Rugge M, Genta RM. Staging and grading of chronic gastritis. *Hum Pathol.* 2005 Mar;36(3):228–33. PMID:15791566
- 2795.** Rugge M, Leandro G, Farinati F, et al. Gastric epithelial dysplasia: How clinicopathologic background relates to management. *Cancer.* 1995 Aug 1;76(3):376–82. PMID:8625116
- 2796.** Rugge M, Meggio A, Pennelli G, et al. Gastritis staging in clinical practice: the OLGA staging system. *Gut.* 2007 May;56(5):631–6. PMID:17142647
- 2797.** Rugge M, Meggio A, Pravaddelli C, et al. Gastritis staging in the endoscopic follow-up for the secondary prevention of gastric cancer: a 5-year prospective study of 1755 patients. *Gut.* 2019 Jan;68(1):11–7. PMID:29306868
- 2798.** Rugge M, Sonego F, Miliello C, et al. Primary carcinoid tumor of the cystic and common bile ducts. *Am J Surg Pathol.* 1992 Aug;16(8):802–7. PMID:1497121
- 2799.** Rugge M. Gastric cancer risk in patients with Helicobacter pylori infection and following its eradication. *Gastroenterol Clin North Am.* 2015 Sep;44(3):609–24. PMID:26314671
- 2800.** Ruijts MW, Verhoef S, Rookus MA, et al. TP53 germline mutation testing in 180 families suspected of Li-Fraumeni syndrome: mutation detection rate and relative frequency of cancers in different familial phenotypes. *J Med Genet.* 2010 Jun;47(6):421–8. PMID:20522432
- 2801.** Ruiz L, Coit DG, Brennan MF, et al. Long-term follow-up of patients with familial adenomatous polyposis undergoing pancreaticoduodenal surgery. *J Gastrointest Surg.* 2002 Sep-Oct;6(5):671–5. PMID:12399055
- 2802.** Ruskoné-Fourmestraux A, Dragosics B, Morgner A, et al. Paris staging system for primary gastrointestinal lymphomas. *Gut.* 2003 Jun;52(6):912–3. PMID:12740354
- 2803.** Rustagi T, Gleeson FC, Chari ST, et al. Endoscopic ultrasound fine-needle aspiration diagnosis of synchronous primary pancreatic adenocarcinoma and effects on staging and resectability. *Clin Gastroenterol Hepatol.* 2017 Feb;15(2):299–302.e4. PMID:27539084
- 2804.** Rutten M, Saunders B, Wilkinson K, et al. Severity of inflammation is a risk factor for colorectal neoplasia in ulcerative colitis. *Gastroenterology.* 2004 Feb;126(2):451–9. PMID:14762782
- 2805.** Rutten MD, Saunders BP, Wilkinson KH, et al. Thirty-year analysis of a colonoscopic surveillance program for neoplasia in ulcerative colitis. *Gastroenterology.* 2006 Apr;130(4):1030–8. PMID:16618396
- 2806.** Saad RS, Mahood LK, Clary KM, et al. Role of cytology in the diagnosis of Barrett's esophagus and associated neoplasia. *Diagn Cytopathol.* 2003 Sep;29(3):130–5. PMID:12951679
- 2807.** Sachatello CR, Griffen WO Jr. Hereditary polyposis diseases of the gastrointestinal tract: a working classification. *Am J Surg.* 1975 Feb;129(2):198–203. PMID:1091175
- 2808.** Sacher AG, Gandhi L. Biomarkers for the clinical use of PD-1/PD-L1 inhibitors in non-small-cell lung cancer: a review. *JAMA Oncol.* 2016 Sep 1;2(9):1217–22. PMID:27310809
- 2809.** Sadanandam A, Wullschleger S, Lyssios CJ, et al. A cross-species analysis in pancreatic neuroendocrine tumors reveals molecular subtypes with distinctive clinical, metastatic, developmental, and metabolic characteristics. *Cancer Discov.* 2015 Dec;5(12):1296–313. PMID:26446169
- 2810.** Saeki N, Saito A, Choi IJ, et al. A functional single nucleotide polymorphism in mucin 1, at chromosome 1q22, determines susceptibility to diffuse-type gastric cancer. *Gastroenterology.* 2011 Mar;140(3):892–902. PMID:21070779
- 2811.** Safari MT, Shahrokh S, Miri MB, et al. Biliary mucinous cystic neoplasm: a case report and review of the literature. *Gastroenterol Hepatol Bed Bench.* 2016 Dec;9 Suppl 1:S88–92. PMID:28224034
- 2812.** Sagar J, Sagar B, Patel AF, et al. Ciliated median raphe cyst of perineum presenting as perianal polyp: a case report with immunohistochemical study, review of literature, and pathogenesis. *ScientificWorldJournal.* 2006 Mar 5;6:2339–44. PMID:17619701
- 2813.** Saha SK, Parachoniak CA, Ghanta KS, et al. Mutant IDH inhibits HNF-4α to block hepatocyte differentiation and promote biliary cancer. *Nature.* 2014 Sep 4;513(7516):110–4. PMID:25043045
- 2814.** Saha SK, Zhu AX, Fuchs CS, et al. Forty-year trends in cholangiocarcinoma incidence in the U.S.: intrahepatic disease on the rise. *Oncologist.* 2016 May;21(5):594–9. PMID:27000463
- 2815.** Saha SK, Zhu AX, Fuchs CS, et al. Intraductal papillary mucinous neoplasm of pancreas: multi-detector row CT with 2D curved reformations-correlation with MRCP. *Radiology.* 2006 Feb;238(2):560–9. PMID:16436817
- 2816.** Sahani DV, Kadavigere R, Blake M, et al. Intraductal papillary mucinous neoplasm of pancreas: multi-detector row CT with 2D curved reformations-correlation with MRCP. *Radiology.* 2006 Feb;238(2):560–9. PMID:16436817
- 2817.** Sahin IH, Lowry MA, Stadler ZK, et al. Genomic instability in pancreatic adenocarcinoma: a new step towards precision medicine and novel therapeutic approaches. *Expert Rev Gastroenterol Hepatol.* 2016 Aug;10(8):893–905. PMID:26881472
- 2818.** Saito R, Abe H, Kunita A, et al. Overexpression and gene amplification of PD-L1 in cancer cells and PD-L1+ immune cells in Epstein-Barr virus-associated gastric cancer: the prognostic implications. *Mod Pathol.* 2017 Mar;30(3):427–39. PMID:27934877
- 2819.** Saito S, Azumi M, Muneoka Y, et al. Cost-effectiveness of combined serum anti-Helicobacter pylori IgG antibody and serum pepsinogen concentrations for screening for gastric cancer risk in Japan. *Eur J Health Econ.* 2018 May;19(4):545–55. PMID:28550494
- 2820.** Saito S, Hosoya Y, Morishima K, et al. A clinicopathological and immunohistochemical study of gastric cancer with squamous cell carcinoma components: a clinically aggressive tumor. *J Dig Dis.* 2012 Aug;13(8):407–13. PMID:22788926
- 2821.** Saito Y, Hinoi T, Ueno H, et al. Risk factors for the development of desmoid tumor after colectomy in patients with familial adenomatous polyposis: multicenter retrospective cohort study in Japan. *Ann Surg Oncol.* 2016 Aug;23 Suppl 4:559–65. PMID:27387679
- 2822.** Saka B, Balci S, Basturk O, et al. Pancreatic ductal adenocarcinoma is spread to the peripancreatic soft tissue in the majority of resected cases, rendering the AJCC T-stage protocol (7th edition) inapplicable and insignificant: a size-based staging system (pT1: ≤2, pT2: >2–4, pT3: >4 cm) is more valid

- and clinically relevant. *Ann Surg Oncol.* 2016 Jun;23(6):2010–8. PMID:26832882
- 2823.** Sakai Y, Kupelioglu AA, Yanagisawa A, et al. Origin of giant cells in osteoclast-like giant cell tumors of the pancreas. *Hum Pathol.* 2000 Oct;31(10):1223–9. PMID:11070115
- 2824.** Sakamoto H, Kuboki Y, Hatori T, et al. Clinicopathological significance of somatic RNF43 mutation and aberrant expression of ring finger protein 43 in intraductal papillary mucinous neoplasms of the pancreas. *Mod Pathol.* 2015 Feb;28(2):261–7. PMID:25081753
- 2825.** Sakamoto LH, DE Camargo B, Cajaiba M, et al. MT1G hypermethylation: a potential prognostic marker for hepatoblastoma. *Pediatr Res.* 2010 Apr;67(4):387–93. PMID:20032811
- 2827.** Sakurai U, Lauwers GY, Vieth M, et al. Gastric high-grade dysplasia can be associated with submucosal invasion: evaluation of its prevalence in a series of 121 endoscopically resected specimens. *Am J Surg Pathol.* 2014 Nov;38(11):1545–50. PMID:25310837
- 2828.** Salar A, Juanpere N, Bellosillo B, et al. Gastrointestinal involvement in mantle cell lymphoma: a prospective clinic, endoscopic, and pathologic study. *Am J Surg Pathol.* 2006 Oct;30(10):1274–80. PMID:17001159
- 2829.** Salas S, Brulard C, Terrier P, et al. Gene expression profiling of desmoid tumors by cDNA microarrays and correlation with progression-free survival. *Clin Cancer Res.* 2015 Sep 15;21(18):4194–200. PMID:25878329
- 2830.** Salaverria I, Martin-Guerrero I, Wagener R, et al. A recurrent 11q aberration pattern characterizes a subset of MYC-negative high-grade B-cell lymphomas resembling Burkitt lymphoma. *Blood.* 2014 Feb 20;123(8):1187–98. PMID:24398325
- 2831.** Salaverria I, Royo C, Carvajal-Cuena A, et al. CCND2 rearrangements are the most frequent genetic events in cyclin D1(-) mantle cell lymphoma. *Blood.* 2013 Feb 21;121(8):1394–402. PMID:23255553
- 2832.** Saleem A. Severe hyponatremia presenting as paraneoplastic syndrome in a patient with small cell carcinoma of gallbladder. *J Coll Physicians Surg Pak.* 2016 May;26(5):451–2. PMID:27225161
- 2833.** Salmon JS, Thompson MA, Arildsen RC, et al. Non-Hodgkin's lymphoma involving the liver: clinical and therapeutic considerations. *Clin Lymphoma Myeloma.* 2006 Jan;6(4):273–80. PMID:16507204
- 2834.** Salomao M, Luna AM, Sepulveda JL, et al. Mutational analysis by next generation sequencing of gastric type dysplasia occurring in hyperplastic polyps of the stomach: mutations in gastric hyperplastic polyps. *Exp Mol Pathol.* 2015 Dec;99(3):468–73. PMID:26325218
- 2835.** Salomao M, Yu WM, Brown RS Jr, et al. Steatohepatitic hepatocellular carcinoma (SH-HCC): a distinctive histological variant of HCC in hepatitis C virus-related cirrhosis with associated NAFLD/NASH. *Am J Surg Pathol.* 2010 Nov;34(11):1630–6. PMID:20975341
- 2836.** Salotti JA, Nanduri V, Pearce MS, et al. Incidence and clinical features of Langerhans cell histiocytosis in the UK and Ireland. *Arch Dis Child.* 2009 May;94(5):376–80. PMID:19060008
- 2837.** Salvia R, Fernández-del Castillo C, Bassi C, et al. Main-duct intraductal papillary mucinous neoplasms of the pancreas: clinical predictors of malignancy and long-term survival following resection. *Ann Surg.* 2004 May;239(5):678–85, discussion 685–7. PMID:15082972
- 2838.** Sampiao MS, Cho YW, Shah T, et al. Association of immunosuppressive maintenance regimens with posttransplant lymphoproliferative disorder in kidney transplant recipients. *Transplantation.* 2012 Jan 15;93(1):73–81. PMID:22129761
- 2839.** Sanaka MR, Kowalski TE, Brotz C, et al. Solid serous adenoma of the pancreas: a rare form of serous cystadenoma. *Dig Dis Sci.* 2007 Nov;52(11):3154–6. PMID:17393319
- 2840.** Sander S, Calado DP, Srinivasan L, et al. Synergy between PI3K signaling and MYC in Burkitt lymphomagenesis. *Cancer Cell.* 2012 Aug 14;22(2):167–79. PMID:22897848
- 2841.** Sano M, Homma T, Hayashi E, et al. Clinicopathological characteristics of anaplastic carcinoma of the pancreas with rhabdoid features. *Virchows Arch.* 2014 Nov;465(5):531–8. PMID:25031015
- 2842.** Sano T, Coit DG, Kim HH, et al. Proposal of a new stage grouping of gastric cancer for TNM classification: International Gastric Cancer Association staging project. *Gastric Cancer.* 2017 Mar;20(2):217–25. PMID:26897166
- 2843.** Santarelli R, De Marco R, Masala MV, et al. Direct correlation between human herpesvirus-8 seroprevalence and classic Kaposi's sarcoma incidence in Northern Sardinia. *J Med Virol.* 2001 Oct;65(2):368–72. PMID:11536246
- 2844.** Santoro E, Sacchi M, Scutari F, et al. Primary adenocarcinoma of the duodenum: treatment and survival in 89 patients. *Hepatogastroenterology.* 1997 Jul-Aug;44(16):1157–63. PMID:9261617
- 2845.** Sanyal AJ, Yoon SK, Lencioni R. The etiology of hepatocellular carcinoma and consequences for treatment. *Oncologist.* 2010;15 Suppl 4:14–22. PMID:21115577
- 2846.** Sarbia M, Verreet P, Bittinger F, et al. Basaloid squamous cell carcinoma of the esophagus: diagnosis and prognosis. *Cancer.* 1997 May 15;79(10):1871–8. PMID:9149011
- 2847.** Sarlomo-Rikala M, Miettinen M. Gastric schwannoma—a clinicopathological analysis of six cases. *Histopathology.* 1995 Oct;27(4):355–60. PMID:8847066
- 2848.** Sarr MG, Carpenter HA, Prabhakar LP, et al. Clinical and pathologic correlation of 84 mucinous cystic neoplasms of the pancreas: can one reliably differentiate benign from malignant (or premalignant) neoplasms? *Ann Surg.* 2000 Feb;231(2):205–12. PMID:10674612
- 2849.** Sartore-Bianchi A, Martini M, Molinari F, et al. PIK3CA mutations in colorectal cancer are associated with clinical resistance to EGFR-targeted monoclonal antibodies. *Cancer Res.* 2009 Mar 1;69(5):1851–7. PMID:19223544
- 2850.** Sasaki A, Nakajima T, Egashira H, et al. Condyloma acumatum of the anal canal, treated with endoscopic submucosal dissection. *World J Gastroenterol.* 2016 Feb 28;22(8):2636–41. PMID:26937152
- 2851.** Sasaki M, Matsubara T, Kakuda Y, et al. Immunostaining for polycomb group protein EZH2 and senescent marker p16INK4a may be useful to differentiate cholangiolocellular carcinoma from ductular reaction and bile duct adenoma. *Am J Surg Pathol.* 2014 Mar;38(3):364–9. PMID:24487593
- 2852.** Sasaki M, Matsubara T, Nitta T, et al. GNAS and KRAS mutations are common in intraductal papillary neoplasms of the bile duct. *PLoS One.* 2013 Dec 2;8(12):e81706. PMID:24312577
- 2853.** Sasaki M, Matsubara T, Yoneda N, et al. Overexpression of enhancer of zeste homolog 2 and MUC1 may be related to malignant behaviour in intraductal papillary neoplasm of the bile duct. *Histopathology.* 2013 Feb;62(3):446–57. PMID:23163606
- 2854.** Sasaki M, Nitta T, Sato Y, et al. Autophagy may occur at an early stage of cholangiocarcinogenesis via biliary intraepithelial neoplasia. *Hum Pathol.* 2015 Feb;46(2):202–9. PMID:25466963
- 2855.** Sasaki M, Sato H, Kakuda Y, et al. Clinicopathological significance of 'subtypes with stem-cell feature' in combined hepatocellular-cholangiocarcinoma. *Liver Int.* 2015 Mar;35(3):1024–35. PMID:24712771
- 2856.** Sasaki M, Sato Y, Nakanuma Y. Mutational landscape of combined hepatocellular carcinoma and cholangiocarcinoma, and its clinicopathological significance. *Histopathology.* 2017 Feb;70(3):423–34. PMID:276344656
- 2857.** Sasaki M, Sato Y. Insulin-like growth factor II mRNA-binding protein 3 (IMP3) is a marker that predicts presence of invasion in papillary biliary tumors. *Hum Pathol.* 2017 Apr;62:152–9. PMID:28089541
- 2858.** Sasaki M, Yoneda N, Sawai Y, et al. Clinicopathological characteristics of serum amyloid A-positive hepatocellular neoplasms/nodules arising in alcoholic cirrhosis. *Histopathology.* 2015 May;66(6):836–45. PMID:25318388
- 2859.** Sasi OA, Sathiapalan R, Rifai A, et al. Colonic neuroendocrine carcinoma in a child. *Pediatr Radiol.* 2005 Mar;35(3):339–43. PMID:15565344
- 2860.** Sato H, Maeda K, Maruta M, et al. Mucinous adenocarcinoma associated with chronic anal fistula reconstructed by gracilis myocutaneous flaps. *Tech Coloproctol.* 2006 Oct;10(3):249–52. PMID:16969607
- 2861.** Sato T, Konishi K, Kimura H, et al. Adenoma and tiny carcinoma in adenoma of the papilla of Vater-p53 and PCNA. *Hepatogastroenterology.* 1999 May-Jun;46(27):1959–62. PMID:10430377
- 2862.** Sato Y, Harada K, Sasaki M, et al. Clinicopathological significance of S100 protein expression in cholangiocarcinoma. *J Gastroenterol Hepatol.* 2013 Aug;28(8):1422–9. PMID:23621473
- 2863.** Sato Y, Harada K, Sasaki M, et al. Histological characteristics of biliary intraepithelial neoplasia-3 and intraepithelial spread of cholangiocarcinoma. *Virchows Arch.* 2013 Apr;462(4):421–7. PMID:23446751
- 2864.** Satoh A, Asano N, Nakazawa A, et al. Epstein-Barr virus (EBV)-positive sporadic Burkitt lymphoma: an age-related lymphoproliferative disorder? *Am J Surg Pathol.* 2015 Feb;39(2):227–35. PMID:25321330
- 2865.** Saul SH. Inflammatory cloacogenic polyp: relationship to solitary rectal ulcer syndrome/mucosal prolapse and other bowel disorders. *Hum Pathol.* 1987 Nov;18(11):1120–5. PMID:3500106
- 2866.** Saurin JC, Gutknecht C, Napoleon B, et al. Surveillance of duodenal adenomas in familial adenomatous polyposis reveals high cumulative risk of advanced disease. *J Clin Oncol.* 2004 Feb 1;22(3):493–8. PMID:15475072
- 2867.** Sauter M, Keilholz G, Kranzbühler H, et al. Presenting symptoms predict local staging of anal cancer: a retrospective analysis of 86 patients. *BMC Gastroenterol.* 2016 Apr 6;16:46. PMID:27048435
- 2869.** Savant D, Lee L, Das K. Intraductal tubulopapillary neoplasm of the pancreas masquerading as pancreatic neuroendocrine carcinoma: review of the literature with a case report. *Acta Cytol.* 2016;60(3):267–74. PMID:27459312
- 2870.** Saw EC, Yu GS, Wagner G, et al. Synchronous primary neuroendocrine carcinoma and adenocarcinoma in Barrett's esophagus. *J Clin Gastroenterol.* 1997 Mar;24(2):116–9. PMID:9077732
- 2871.** Sawada G, Moon J, Saito A, et al. A case of adenoid cystic carcinoma of the esophagus. *Surg Case Rep.* 2015 Dec;1(1):119. PMID:26943443
- 2872.** Sawada T, Yashiro M, Sentani K, et al. New molecular staging with G-factor supplements TNM classification in gastric cancer: a multicenter collaborative research by the Japan Society for Gastroenterological Carcinogenesis G-Project committee. *Gastric Cancer.* 2015 Jan;18(1):119–28. PMID:24488015
- 2873.** Sawey ET, Chanion M, Cai C, et al. Identification of a therapeutic strategy targeting amplified FGF19 in liver cancer by genomic screening. *Cancer Cell.* 2011 Mar 8;19(3):347–58. PMID:2197858
- 2874.** Sawhney MS, Dickstein J, LeClair J, et al. Adenomas with high-grade dysplasia and adenocarcinoma are more likely to be sessile in the proximal colon. *Colorectal Dis.* 2015 Aug;17(8):682–8. PMID:25619115
- 2875.** Sayed MG, Ahmed AF, Ringold JR, et al. Germline SMAD4 or BMPR1A mutations and phenotype of juvenile polyposis. *Am J Syst Oncol.* 2002 Nov;9(9):901–6. PMID:12417511
- 2876.** Saygin C, Uzunalan D, Ozogur M, et al. Dendritic cell sarcoma: a pocket analysis including 462 cases with presentation of our case series. *Crit Rev Oncol Hematol.* 2010 Nov;88(2):253–71. PMID:23758890
- 2877.** Scardoni M, Vittoria E, Volante M, et al. Mixed adenoneuroendocrine carcinomas of the gastrointestinal tract: targeted next-generation sequencing suggests a monoclonal origin of the two components. *Neuroendocrinology.* 2014;100(4):310–6. PMID:25342529
- 2878.** Scarpa A, Chang DK, Nones K, et al. Whole-genome landscape of pancreatic neuroendocrine tumours. *Nature.* 2011 Mar 2;543(7643):65–71. PMID:2199294
- 2879.** Scarpa A, Mantovani W, Capella C, et al. Pancreatic endocrine tumors: improved TNM staging and histopathological grading serve a clinically efficient prognostic stratification of patients. *Mod Pathol.* 2010 Jun;23(6):604–10. PMID:20305616
- 2880.** Scarpa A, Castagliuolo I, Cestaro C, et al. Inflammatory colonic carcinomas: a review on pathogenesis and immunobiology mechanisms in ulcerative colitis. *West J Gastroenterol.* 2014 Jun 14;20(12):1571–82. PMID:24944468
- 2881.** Schaefer IM, Mariño-Enriquez A, Perner JA. What is new in gastrointestinal stromal tumor? *Adv Anat Pathol.* 2017 Sep;24(5):61–67. PMID:28632504
- 2882.** Schaefer IM, Wang Y, Liang Z, et al. MAX inactivation is an early event in development that regulates p16 and cell proliferation. *Nat Commun.* 2017 Mar;8:15483. PMID:28270683
- 2883.** Schildhaus HU, Cavdar T, Emre E, et al. Inflammatory fibroid polyps harbour mutations in the platelet-derived growth factor receptor alpha (PDGFRα) gene. *J Pathol.* 2008 Oct;216(2):176–82. PMID:18688281
- 2884.** Schizas D, Mastoraki A, Kiliaridis S, et al. Neuroendocrine tumors of the lung: state of the art in diagnosis and therapeutic management. *J Gastrointest Cancer.* 2017 Dec;48(4):299–304. PMID:28520000
- 2885.** Schleper RJ, Kato Y, Stolte M, et al. Review of histological classifications of gastrointestinal epithelial neoplasia: differences in classification of early carcinomas between Japanese and Western pathologists. *J Gastroenterol.* 2008 Jul;36(7):445–56. PMID:18480788
- 2886.** Schleper RJ, Riddell RH, Rastogi S, et al. The Vienna classification of gastrointestinal stromal neoplasia. *Gut.* 2000 Aug;47(4):542–50. PMID:10896917
- 2887.** Schlesinger S, Aleksandrova L, Tsiatis A, et al. Diabetes mellitus, insulin resistance, duration, and risk of biliary and hepatocellular carcinoma in a European cohort. *Ann Oncol.* 2013 Sep;24(9):2496–503. PMID:23720454
- 2888.** Schlitter AM, Boni D, Bertoni F, et al. Intraductal papillary neoplasia of the biliary tree: stepwise progression to carcinoma through common molecular pathways. *Am J Gastroenterol.* 2014 Jan;27(1):73–86. PMID:23820516

- 2889.** Schlitter AM, Esposito I. Definition of microscopic tumor clearance (r0) in pancreatic cancer resections. *Cancers (Basel)*. 2010 Nov 25;2(4):2001–10. PMID:24281214
- 2890.** Schlitter AM, Jang KT, Klöppel G, et al. Intraductal tubulopapillary neoplasms of the bile ducts: clinicopathologic, immunohistochemical, and molecular analysis of 20 cases. *Mod Pathol*. 2015 Sep;28(9):1249–64. PMID:26111977
- 2891.** Schlitter AM, Jesinghaus M, Jäger C, et al. pT but not pN stage of the 8th TNM classification significantly improves prognostication in pancreatic ductal adenocarcinoma. *Eur J Cancer*. 2017 Oct;84:121–9. PMID:28802189
- 2892.** Schlitter AM, Konukiewitz B, Kleeff J, et al. [Recurrent duodenal ulcer bleeding as the first manifestation of a solid pseudopapillary neoplasm of the pancreas with hepatic metastases]. *Dtsch Med Wochenschr*. 2013 May;138(20):1050–3. German. PMID:23670260
- 2893.** Schlitter AM, Segler A, Steiger K, et al. Molecular, morphological and survival analysis of 177 resected pancreatic ductal adenocarcinomas (PDACs): identification of prognostic subtypes. *Sci Rep*. 2017 Feb 1;7:41064. PMID:28145465
- 2894.** Schmatz AI, Streubel B, Kretschmer-Chott E, et al. Primary follicular lymphoma of the duodenum is a distinct mucosal/submucosal variant of follicular lymphoma: a retrospective study of 63 cases. *J Clin Oncol*. 2011 Apr 10;29(11):1445–51. PMID:21383289
- 2895.** Schmelz M, Montes-Moreno S, Piris M, et al. Lack and/or aberrant localization of major histocompatibility class II (MHCII) protein in plasmablastic lymphoma. *Haematologica*. 2012 Oct;97(10):1614–6. PMID:22689685
- 2896.** Schmitt AM, Anlauf M, Rousson V, et al. WHO 2004 criteria and CK19 are reliable prognostic markers in pancreatic endocrine tumors. *Am J Surg Pathol*. 2007 Nov;31(11):1677–82. PMID:18059224
- 2897.** Schmitt AM, Schmid S, Rudolph T, et al. VHL inactivation is an important pathway for the development of malignant sporadic pancreatic endocrine tumors. *Endocr Relat Cancer*. 2009 Dec;16(4):1219–27. PMID:19690016
- 2898.** Schmitz F, Tjon JM, Lai Y, et al. Identification of a potential physiological precursor of aberrant cells in refractory coeliac disease type II. *Gut*. 2013 Apr;62(4):509–19. PMID:22760007
- 2899.** Schmitz R, Wright GW, Huang DW, et al. Genetics and pathogenesis of diffuse large B-cell lymphoma. *N Engl J Med*. 2018 Apr 12;378(15):1396–407. PMID:29641966
- 2900.** Schmitz R, Young RM, Ceribelli M, et al. Burkitt lymphoma pathogenesis and therapeutic targets from structural and functional genomics. *Nature*. 2012 Oct 4;490(7418):116–20. PMID:22885699
- 2901.** Schneider-Stock R, Boltze C, Lasota J, et al. High prognostic value of p16INK4a alterations in gastrointestinal stromal tumors. *J Clin Oncol*. 2003 May 1;21(9):1688–97. PMID:12721243
- 2902.** Schnelldorfer T, Sarr MG, Nagorney DM, et al. Experience with 208 resections for intraductal papillary mucinous neoplasm of the pancreas. *Arch Surg*. 2008 Jul;143(7):639–46, discussion 646. PMID:18645105
- 2903.** Schnelldorfer T, Ware AL, Sarr MG, et al. Long-term survival after pancreateoduodenectomy for pancreatic adenocarcinoma: is cure possible? *Ann Surg*. 2008 Mar;247(3):456–62. PMID:18376190
- 2904.** Schoenmakers EF, Wanschura S, Mols R, et al. Recurrent rearrangements in the high mobility group protein gene, HMGI-C, in benign mesenchymal tumours. *Nat Genet*. 1995 Aug;10(4):436–44. PMID:7670494
- 2905.** Scholtysik R, Kreuz M, Klapper W, et al. Detection of genomic aberrations in molecularly defined Burkitt's lymphoma by array-based, high resolution, single nucleotide polymorphism analysis. *Haematologica*. 2010 Dec;95(12):2047–55. PMID:20823134
- 2906.** Schoonhoven LM, Spaarnaay T, van Wissen W, et al. Seven-week persistence of an oviposition-deterring pheromone. *J Chem Ecol*. 1981 May;7(3):583–8. PMID:24420597
- 2907.** Schottenfeld D, Beebe-Dimmer JL, Vigneau FD. The epidemiology and pathogenesis of neoplasia in the small intestine. *Ann Epidemiol*. 2009 Jan;19(1):58–69. PMID:19064190
- 2908.** Schrader KA, Nelson TN, De Luca A, et al. Multiple granular cell tumors are an associated feature of LEOPARD syndrome caused by mutation in PTPN11. *Clin Genet*. 2009 Feb;75(2):185–9. PMID:19054014
- 2909.** Schreuder MI, van den Brand M, Hebeda KM, et al. Novel developments in the pathogenesis and diagnosis of extranodal marginal zone lymphoma. *J Hematop*. 2017 Sep 25;10(3–4):91–107. PMID:29225710
- 2910.** Schulze K, Imbeaud S, Letouzé E, et al. Exome sequencing of hepatocellular carcinomas identifies new mutational signatures and potential therapeutic targets. *Nat Genet*. 2015 May;47(5):505–11. PMID:25822088
- 2911.** Schutte M, Hruban RH, Gerald JS, et al. Abrogation of the Rb/p16 tumor-suppressive pathway in virtually all pancreatic carcinomas. *Cancer Res*. 1997 Aug 1;57(15):3126–30. PMID:9242437
- 2912.** Schwartz AM, Henson DE. Familial and sporadic pancreatic carcinoma, epidemiologic concordance. *Am J Surg Pathol*. 2007 Apr;31(4):645–6. PMID:17414117
- 2913.** Schwartz G, Colanta A, Gaetz H, et al. Primary carcinoid tumors of the liver. *World J Surg Oncol*. 2008 Aug 27;6:91. PMID:18727836
- 2914.** Schwartz RA, Torre DP. The Muir-Torre syndrome: a 25-year retrospect. *J Am Acad Dermatol*. 1995 Jul;33(1):90–104. PMID:7601953
- 2915.** Schwarz RE, Smith DD. Extent of lymph node retrieval and pancreatic cancer survival: information from a large US population database. *Ann Surg Oncol*. 2006 Sep;13(9):1189–200. PMID:16955385
- 2916.** Schwarzkopf G, Pfisterer J. [Metastasizing gastrinoma and tuberous sclerosis complex. Association or coincidence?]. *Zentralbl Pathol*. 1994 Feb;139(6):477–81. German. PMID:8161496
- 2917.** Schwarzkopf G, Pfisterer J. [Metastasizing gastrinoma and tuberous sclerosis complex. Association or coincidence?]. *Zentralbl Pathol*. 1994 Feb;139(6):477–81. German. PMID:8161496
- 2918.** Schweizer L, Koelsche C, Sahm F, et al. Meningeal hemangiopericytoma and solitary fibrous tumors carry the NAB2-STAT6 fusion and can be diagnosed by nuclear expression of STAT6 protein. *Acta Neuropathol*. 2013 May;125(5):651–8. PMID:23575898
- 2919.** Schönleben F, Qiu W, Bruckman KC, et al. BRAF and KRAS gene mutations in intraductal papillary mucinous neoplasm/carcinoma (IPMN/PMC) of the pancreas. *Cancer Lett*. 2007 May 8;249(2):242–8. PMID:17097223
- 2919A.** Sciarra A, Di Tommaso L, Nakano M, et al. Morphophenotypic changes in human multistep hepatocarcinogenesis with translational implications. *J Hepatol*. 2016 Jan;64(1):87–93. PMID:26343958
- 2920.** Scoazec JY, Degott C, Brousse N, et al. Non-Hodgkin's lymphoma presenting as a primary tumor of the liver: presentation, diagnosis and outcome in eight patients. *Hepatology*. 1991 May;13(5):870–5. PMID:2029991
- 2921.** Scott DW, Wright GW, Williams PM, et al. Determining cell-of-origin subtypes of diffuse large B-cell lymphoma using gene expression in formalin-fixed paraffin-embedded tissue. *Blood*. 2014 Feb 20;123(8):1214–7. PMID:24398326
- 2922.** Scott N, Jamali A, Verbeke C, et al. Retroperitoneal margin involvement by adenocarcinoma of the cecum and ascending colon: what does it mean? *Colorectal Dis*. 2008 Mar;10(3):289–93. PMID:17764533
- 2923.** Secrier M, Li X, de Silva N, et al. Mutational signatures in esophageal adenocarcinoma define etiologically distinct subgroups with therapeutic relevance. *Nat Genet*. 2016 Oct;48(10):1131–41. PMID:27595477
- 2924.** Seeveratnam R, Cardoso R, McGregor C, et al. How useful is preoperative imaging for tumor, node, metastasis (TNM) staging of gastric cancer? A meta-analysis. *Gastric Cancer*. 2012 Sep;15 Suppl 1:S3–18. PMID:21837458
- 2925.** Segura S, Muthukumarana V, West J, et al. Primary hepatic neuroendocrine carcinoma: case reports and review of the literature. *Conn Med*. 2016 Jan;80(1):19–23. PMID:26882787
- 2926.** Seguí N, Mina LB, Lázaro C, et al. Germline mutations in FAN1 cause hereditary colorectal cancer by impairing DNA repair. *Gastroenterology*. 2015 Sep;149(3):563–6. PMID:26052075
- 2927.** Sei CA, Glembotski CC. Calcium dependence of phenylephrine-, endothelin-, and potassium chloride-stimulated atrial natriuretic factor secretion from long term primary neonatal rat atrial cardiocytes. *J Biol Chem*. 1990 May 5;265(13):7166–72. PMID:2158988
- 2928.** Sei Y, Feng J, Zhao X, et al. Polyclonal crypt genesis and development of familial small intestinal neuroendocrine tumors. *Gastroenterology*. 2016 Jul;151(1):140–51. PMID:27003604
- 2929.** Sei Y, Zhao X, Forbes J, et al. A hereditary form of small intestinal carcinoid associated with a germline mutation in inositol polyphosphate multikinase. *Gastroenterology*. 2015 Jul;149(1):67–78. PMID:25865046
- 2930.** Seidel G, Zahurak M, Iacobuzio-Donahue C, et al. Almost all infiltrating colloid carcinomas of the pancreas and periampullary region arise from *in situ* papillary neoplasms: a study of 39 cases. *Am J Surg Pathol*. 2002 Jan;26(1):56–63. PMID:11756769
- 2931.** Seket B, Saurin JC, Scoazec JY, et al. [Pancreatic acinar cell carcinoma in a patient with familial adenomatous polyposis]. *Gastroenterol Clin Biol*. 2003 Aug-Sep;27(8–9):818–20. French. PMID:14586255
- 2932.** Seki S, Sakaguchi H, Kitada T, et al. Outcomes of dysplastic nodules in human cirrhotic liver: a clinicopathological study. *Clin Cancer Res*. 2000 Sep;6(9):3469–73. PMID:10999730
- 2933.** Sekine S, Ogawa R, Hashimoto T, et al. Comprehensive characterization of RSPO fusions in colorectal traditional serrated adenomas. *Histopathology*. 2017 Oct;71(4):601–9. PMID:28543708
- 2934.** Sekine S, Ogawa R, Saito S, et al. Cytoplasmic MSH2 immunoreactivity in a patient with Lynch syndrome with an EPCAM-MSH2 fusion. *Histopathology*. 2017 Mar;70(4):664–9. PMID:27986849
- 2935.** Sekine S, Shibata T, Yamauchi Y, et al. Beta-catenin mutations in sporadic fundic gland polyps. *Virchows Arch*. 2002 Apr;440(4):381–6. PMID:11956818
- 2936.** Sekine S, Yamashita S, Tanabe T, et al. Frequent PTPRK-RSPO3 fusions and RNF43 mutations in colorectal traditional serrated adenoma. *J Pathol*. 2016 Jun;239(2):133–8. PMID:26924569
- 2937.** Sekine S, Yoshida H, Jansen M, et al. The Japanese viewpoint on the histopathology of early gastric cancer. *Adv Exp Med Biol*. 2016;908:331–46. PMID:27573779
- 2938.** Sekiya S, Suzuki A. Intrahepatic cholangiocarcinoma can arise from Notch-mediated conversion of hepatocytes. *J Clin Invest*. 2012 Nov;122(11):3914–8. PMID:23023701
- 2939.** Selby DM, Stocker JT, Ishak KG. Angiosarcoma of the liver in childhood: a clinicopathologic and follow-up study of 10 cases. *Pediatr Pathol*. 1992 Jul-Aug;12(4):485–98. PMID:1409148
- 2940.** Selby DM, Stocker JT, Waclawiw MA, et al. Infantile hemangioendothelioma of the liver. *Hepatology*. 1994 Jul;20(1 Pt 1):39–45. PMID:8020903
- 2941.** Sellner F. Investigations on the significance of the adenoma-carcinoma sequence in the small bowel. *Cancer*. 1990 Aug 15;66(4):702–15. PMID:2167140
- 2942.** Selves J, Meggetto F, Brouillet P, et al. Inflammatory pseudotumor of the liver. Evidence for follicular dendritic reticulum cell proliferation associated with clonal Epstein-Barr virus. *Am J Surg Pathol*. 1996 Jun;20(6):747–53. PMID:8651355
- 2943.** Sempoux C, Balabaud C, Bioulac-Sage P. Malignant transformation of hepatocellular adenoma. *Hepat Oncol*. 2014 Oct;1(4):421–31. PMID:30190977
- 2944.** Sempoux C, Balabaud C, Bioulac-Sage P. Pictures of focal nodular hyperplasia and hepatocellular adenomas. *World J Hepatol*. 2014 Aug 27;6(8):580–95. PMID:25232451
- 2945.** Sempoux C, Balabaud C, Paradis V, et al. Hepatocellular nodules in vascular liver diseases. *Virchows Arch*. 2018 Jul;473(1):33–44. PMID:29804132
- 2946.** Sempoux C, Fan C, Singh P, et al. Cholangiolocellular carcinoma: an innocent-looking malignant liver tumor mimicking ductular reaction. *Semin Liver Dis*. 2011 Feb;31(1):104–10. PMID:21344355
- 2947.** Sempoux C, Paradis V, Komuta M, et al. Hepatocellular nodules expressing markers of hepatocellular adenomas in Budd-Chiari syndrome and other rare hepatic vascular disorders. *J Hepatol*. 2015 Nov;63(5):1173–80. PMID:26119687
- 2948.** Sempoux C, Paradis V, Saxena R. Variant differentiation patterns in primary liver carcinoma. *Semin Diagn Pathol*. 2017 Mar;34(2):176–82. PMID:28256363
- 2949.** Sena Teixeira Mendes L, Attiyalge A, C Wotherspoon A. Helicobacter pylori infection in gastric extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) lymphoma: a re-evaluation. *Gut*. 2014 Sep;63(9):1526–7. PMID:24951256
- 2950.** Sena Teixeira Mendes L, Attiyalge A, C Wotherspoon A. Helicobacter pylori infection in gastric extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue (MALT) lymphoma: a re-evaluation. *Gut*. 2014 Sep;63(9):1526–7. PMID:24951256
- 2951.** Sendagorta E, Herranz P, Guadalajara H, et al. Prevalence of abnormal anal cytology and high-grade squamous intraepithelial lesions among a cohort of HIV-infected men who have sex with men. *Dis Colon Rectum*. 2014 Apr;57(4):475–81. PMID:24608304
- 2952.** Sener SF, Fremgen A, Menck HR, et al. Pancreatic cancer: a report of treatment and survival trends for 100,313 patients diagnosed from 1985–1995, using the National Cancer Database. *J Am Coll Surg*. 1999 Jul;189(1):1–7. PMID:10401733
- 2953.** Seok JY, Na DC, Woo HG, et al. A fibrous stromal component in hepatocellular carcinoma reveals a cholangiocarcinoma-like gene expression trait and epithelial-mesenchymal transition. *Hepatology*. 2012 Jun;55(6):1776–86. PMID:22234953
- 2954.** Seppälä T, Pylvänäinen K, Evans DG, et al. Colorectal cancer incidence in path_MLH1 carriers subjected to different follow-up protocols: a Prospective Lynch Syndrome Database report. *Hered Cancer Clin Pract*. 2017 Oct 10;15:18. PMID:29046738
- 2955.** Sepulveda AR, Hamilton SR, Allegra CJ, et al. Molecular biomarkers for the evaluation of colorectal cancer: guideline summary from the American Society for Clinical Pathology, College of American Pathologists, Association for Molecular Pathology, and American Society of Clinical Oncology. *J Oncol Pract*. 2017

- May;13(5):333–7. PMID:28350513
- 2956.** Service FJ, McMahon MM, O'Brien PC, et al. Functioning insulinoma—incidence, recurrence, and long-term survival of patients: a 60-year study. *Mayo Clin Proc.* 1991 Jul;66(7):711–9. PMID:1677058
- 2957.** Service FJ. Diagnostic approach to adults with hypoglycemic disorders. *Endocrinol Metab Clin North Am.* 1999 Sep;28(3):519–32, vi. PMID:10500929
- 2958.** Seshachalam VP, Sekar K, Hui KM. Insights into the etiology-associated gene regulatory networks in hepatocellular carcinoma from The Cancer Genome Atlas. *J Gastroenterol Hepatol.* 2018 Dec;33(12):2037–47. PMID:29672926
- 2959.** Sessa F, Bonato M, Frigerio B, et al. Ductal cancers of the pancreas frequently express markers of gastrointestinal epithelial cells. *Gastroenterology.* 1990 Jun;98(6):1655–65. PMID:1692551
- 2960.** Setia N, Agoston AT, Han HS, et al. A protein and mRNA expression-based classification of gastric cancer. *Mod Pathol.* 2016 Jul;29(7):772–84. PMID:27032689
- 2961.** Shaco-Levy R, Jasperson KW, Martin K, et al. Gastrointestinal polyposis in Cowden syndrome. *J Clin Gastroenterol.* 2017 Aug;51(7):e60–7. PMID:27661969
- 2962.** Shaco-Levy R, Jasperson KW, Martin K, et al. Morphologic characterization of hamartomatous gastrointestinal polyps in Cowden syndrome, Peutz-Jeghers syndrome, and juvenile polyposis syndrome. *Hum Pathol.* 2016 Mar;49:39–48. PMID:26826408
- 2963.** Shafqat H, Ali S, Salhab M, et al. Survival of patients with neuroendocrine carcinoma of the colon and rectum: a population-based analysis. *Dis Colon Rectum.* 2015 Mar;58(3):294–303. PMID:25664707
- 2964.** Shah NA, Ursusova IA, D'Agnolo A, et al. Primary hepatic carcinoid tumor presenting as Cushing's syndrome. *J Endocrinol Invest.* 2007 Apr;30(4):327–33. PMID:17556871
- 2965.** Shah SB, Pickham D, Araya H, et al. Prevalence of anal dysplasia in patients with inflammatory bowel disease. *Clin Gastroenterol Hepatol.* 2015 Nov;13(11):1955–61.e1. PMID:26044314
- 2966.** Shaheen NJ, Falk GW, Iyer PG, et al. ACG clinical guideline: diagnosis and management of Barrett's esophagus. *Am J Gastroenterol.* 2016 Jan;111(1):30–50, quiz 51. PMID:26526079
- 2967.** Shaib WL, Nammour JP, Gill H, et al. The future prospects of immune therapy in gastric and esophageal adenocarcinoma. *J Clin Med.* 2016 Nov;14(11):E100. PMID:27854242
- 2968.** Shaib YH, Ruggie M, Graham DY, et al. Management of gastric polyps: an endoscopy-based approach. *Clin Gastroenterol Hepatol.* 2013 Nov;11(11):1374–84. PMID:23583466
- 2969.** Shaikh F, Murray MJ, Amatruda JF, et al. Paediatric extracranial germ-cell tumours. *Lancet Oncol.* 2016 Apr;17(4):e149–62. PMID:27300675
- 2970.** Shames JM, Dhurandhar NR, Blackard WG. Insulin-secreting bronchial carcinoid tumor with widespread metastases. *Am J Med.* 1968 Apr;44(4):632–7. PMID:4296076
- 2971.** Shao Y, Yu ZL, Ji M, et al. Lugol chromoendoscopic screening for esophageal dysplasia/early squamous cell carcinoma in patients with esophageal symptoms in low-risk region in China. *Oncol Lett.* 2015 Jul;10(1):45–50. PMID:26170975
- 2972.** Sharif K, Ramani P, Lochbihler H, et al. Recurrent mesenchymal hamartoma associated with 19q translocation. A call for more radical surgical resection. *Eur J Pediatr Surg.* 2006 Feb;16(1):64–7. PMID:16544232
- 2973.** Sharma A, Mukewar S, Vege SS. Clinical profile of pancreatic cystic lesions in von Hippel-Lindau disease: a series of 48 patients seen at a tertiary institution. *Pancreas.* 2017 Aug;46(7):948–52. PMID:28697137
- 2974.** Sharma A, Oishi N, Boddeker RL, et al. Recurrent STAT3-JAK2 fusions in indolent T-cell lymphoproliferative disorder of the gastrointestinal tract. *Blood.* 2018 May 17;131(20):2262–6. PMID:29592893
- 2975.** Sharma A, Smyrk TC, Levy MJ, et al. Fasting blood glucose levels provide estimate of duration and progression of pancreatic cancer before diagnosis. *Gastroenterology.* 2018 Aug;155(2):490–500.e2. PMID:29723506
- 2976.** Sharma P, Falk GW, Weston AP, et al. Dysplasia and cancer in a large multicenter cohort of patients with Barrett's esophagus. *Clin Gastroenterol Hepatol.* 2006 May;4(5):566–72. PMID:16630761
- 2977.** Shastri A, Msaoel P, Montagna C, et al. Primary hepatic small cell carcinoma: two case reports, molecular characterization and pooled analysis of known clinical data. *Anticancer Res.* 2016 Jan;36(1):271–7. PMID:26722053
- 2978.** Shehata BM, Gupta NA, Katzenstein HM, et al. Undifferentiated embryonal sarcoma of the liver is associated with mesenchymal hamartoma and multiple chromosomal abnormalities: a review of eleven cases. *Pediatr Dev Pathol.* 2011 Mar-Apr;14(2):111–6. PMID:20925497
- 2979.** Shek TW, Luk IS, Loong F, et al. Inflammatory cell-rich gastrointestinal autonomic nerve tumor. An expansion of its histologic spectrum. *Am J Surg Pathol.* 1996 Mar;20(3):325–31. PMID:8772786
- 2980.** Shen J, Gibson JA, Schulte S, et al. Clinical, pathologic, and outcome study of hyperplastic and sessile serrated polyps in inflammatory bowel disease. *Hum Pathol.* 2015 Oct;46(10):1548–56. PMID:26297256
- 2981.** Shen SC, Wu CC, Ng KF, et al. Follicular dendritic cell sarcoma mimicking giant cell carcinoma of the pancreas. *Pathol Int.* 2006 Aug;56(8):466–70. PMID:16872443
- 2982.** Shepherd NA, Hall PA. Epithelial-mesenchymal interactions can influence the phenotype of carcinoma metastases in the mucosa of the intestine. *J Pathol.* 1990 Feb;160(2):103–9. PMID:2319390
- 2983.** Shetty S, Natarajan B, Thomas P, et al. Proposed classification of pseudomyxoma peritonei: influence of signet ring cells on survival. *Am Surg.* 2013 Nov;79(11):1171–6. PMID:24165252
- 2984.** Shetty T, Chase TN. Central monoamines and hyperkinase of childhood. *Neurology.* 1976 Oct;26(10):1000–2. PMID:986582
- 2985.** Shi C, Hong SM, Lim P, et al. KRAS2 mutations in human pancreatic acinar-ductal metaplastic lesions are limited to those with PanIN: implications for the human pancreatic cancer cell of origin. *Mol Cancer Res.* 2009 Feb;7(2):230–6. PMID:19208745
- 2986.** Shi C, Hruban RH, Klein AP. Familial pancreatic cancer. *Arch Pathol Lab Med.* 2009 Mar;133(3):365–74. PMID:19260742
- 2987.** Shi C, Klein AP, Goggins M, et al. Increased prevalence of precursor lesions in familial pancreatic cancer patients. *Clin Cancer Res.* 2009 Dec 15;15(24):7737–43. PMID:19996207
- 2988.** Shi C, Klimstra DS. Pancreatic neuroendocrine tumors: pathologic and molecular characteristics. *Semin Diagn Pathol.* 2014 Nov;31(6):498–511. PMID:25441311
- 2989.** Shi C, Zhao Q, Dai B, et al. Primary hepatic neuroendocrine neoplasm: long-time surgical outcome and prognosis. *Medicine (Baltimore).* 2018 Aug;97(31):e11764. PMID:30075602
- 2990.** Shi E, Chmielecki J, Tang CM, et al. FGFR1 and NTRK3 actionable alterations in "wild-type" gastrointestinal stromal tumors. *J Transl Med.* 2016 Dec 14;14(1):339. PMID:27974047
- 2991.** Shi H, Cao D, Wei L, et al. Inflammatory angiomyolipomas of the liver: a clinicopathologic and immunohistochemical analysis of 5 cases. *Ann Diagn Pathol.* 2010 Aug;14(4):240–6. PMID:20637427
- 2992.** Shi Y, Rojas Y, Zhang W, et al. Characteristics and outcomes in children with undifferentiated embryonal sarcoma of the liver: a report from the National Cancer Database. *Pediatr Blood Cancer.* 2017 Apr;64(4). PMID:27781381
- 2993.** Shia J, Guillen JG, Moore HG, et al. Patterns of morphologic alteration in residual rectal carcinoma following preoperative chemoradiation and their association with long-term outcome. *Am J Surg Pathol.* 2004 Feb;28(2):215–23. PMID:15043311
- 2994.** Shia J, Holck S, Depetris G, et al. Lynch syndrome-associated neoplasms: a discussion on histopathology and immunohistochemistry. *Fam Cancer.* 2013 Jun;12(2):241–60. PMID:23435936
- 2995.** Shia J, Tang LH, Weiser MR, et al. Is nonsmall cell type high-grade neuroendocrine carcinoma of the tubular gastrointestinal tract a distinct disease entity? *Am J Surg Pathol.* 2008 May;32(5):719–31. PMID:18360283
- 2996.** Shia J, Tickoo SK, Guillem JG, et al. Increased endocrine cells in treated rectal adenocarcinomas: a possible reflection of endocrine differentiation in tumor cells induced by chemotherapy and radiotherapy. *Am J Surg Pathol.* 2002 Jul;26(7):863–72. PMID:12131153
- 2997.** Shia J, Zhang L, Shike M, et al. Secondary mutation in a coding mononucleotide tract in MSH6 causes loss of immunoexpression of MSH6 in colorectal carcinomas with MLH1/PMS2 deficiency. *Mod Pathol.* 2013 Jan;26(1):131–8. PMID:22918162
- 2998.** Shia J. An update on tumors of the anal canal. *Arch Pathol Lab Med.* 2010 Nov;134(11):1601–11. PMID:21043813
- 2999.** Shibahara H, Tamada S, Goto M, et al. Pathologic features of mucin-producing bile duct tumors: two histopathologic categories as counterparts of pancreatic intraductal papillary-mucinous neoplasms. *Am J Surg Pathol.* 2004 Mar;28(3):327–38. PMID:15104295
- 3000.** Shibata H, Toyama K, Shioya H, et al. Rapid colorectal adenoma formation initiated by conditional targeting of the Apc gene. *Science.* 1997 Oct 3;278(5335):120–3. PMID:9311916
- 3001.** Shibata T, Arai Y, Totoki Y. Molecular genomic landscapes of hepatobiliary cancer. *Cancer Sci.* 2018 May;109(5):1282–91. PMID:29573058
- 3002.** Shibuya R, Matsuyama A, Shiba E, et al. CAMTA1 is a useful immunohistochemical marker for diagnosing epithelioid haemangiendothelioma. *Histopathology.* 2015 Dec;67(6):827–35. PMID:25879300
- 3003.** Shichijo S, Hirata Y, Niikura R, et al. Histologic intestinal metaplasia and endoscopic atrophy are predictors of gastric cancer development after Helicobacter pylori eradication. *Gastrointest Endosc.* 2016 Oct;84(4):618–24. PMID:26995689
- 3004.** Shida T, Kishimoto T, Furuya M, et al. Expression of an activated mammalian target of rapamycin (mTOR) in gastroenteropancreatic neuroendocrine tumors. *Cancer Chemother Pharmacol.* 2010 Apr;65(5):889–93. PMID:19657638
- 3005.** Shiels MS, Kreimer AR, Coghill AE, et al. Anal cancer incidence in the United States, 1977–2011: distinct patterns by histology and behavior. *Cancer Epidemiol Biomarkers Prev.* 2015 Oct;24(10):1548–56. PMID:26224796
- 3006.** Shiels MS, Pfeiffer RM, Chaturvedi AK, et al. Impact of the HIV epidemic on the incidence rates of anal cancer in the United States. *J Natl Cancer Inst.* 2012 Oct 17;104(20):1559–65. PMID:23042932
- 3007.** Shih A, Lauwers GY, Balabaud C, et al. Simultaneous occurrence of focal nodular hyperplasia and HNF1A-inactivated hepatocellular adenoma: a collision tumor simulating a composite FNH-HCA. *Am J Surg Pathol.* 2015 Sep;39(9):1296–300. PMID:26274031
- 3008.** Shim KN, Yang SK, Myung SJ, et al. Atypical endoscopic features of rectal carcinoids. *Endoscopy.* 2004 Apr;36(4):313–6. PMID:15057680
- 3009.** Shim YH, Park HJ, Choi MS, et al. Hypermethylation of the p16 gene and lack of p16 expression in hepatoblastoma. *Mod Pathol.* 2003 May;16(5):430–6. PMID:12748249
- 3010.** Shimada H, Matsubara H, Okazumi S, et al. Improved surgical results in thoracic esophageal squamous cell carcinoma: a 40-year analysis of 792 patients. *J Gastrointest Surg.* 2008 Mar;12(3):518–26. PMID:18238402
- 3011.** Shimada K, Sakamoto Y, Sano T, et al. Invasive carcinoma originating in an intraductal papillary mucinous neoplasm of the pancreas: a clinicopathologic comparison with a common type of invasive ductal carcinoma. *Pancreas.* 2006 Apr;32(3):281–7. PMID:16628084
- 3012.** Shimada K, Sakamoto Y, Sano T, et al. Prognostic factors after distal pancreatectomy with extended lymphadenectomy for invasive pancreatic adenocarcinoma of the body and tail. *Surgery.* 2006 Mar;139(3):285–95. PMID:16546491
- 3013.** Shimada K, Sakamoto Y, Sano T, et al. Reappraisal of the clinical significance of tumor size in patients with pancreatic ductal carcinoma. *Pancreas.* 2006 Oct;33(3):220–8. PMID:17003643
- 3014.** Shimizu T, Marusawa H, Matsumoto Y, et al. Accumulation of somatic mutations in TP53 in gastric epithelium with Helicobacter pylori infection. *Gastroenterology.* 2014 Aug;147(2):407–17.e3. PMID:24786952
- 3015.** Shimizu Y, Yamaue H, Maguchi H, et al. Predictors of malignancy in intraductal papillary mucinous neoplasm of the pancreas: analysis of 310 pancreatic resection patients at multiple high-volume centers. *Pancreas.* 2013 Jul;42(5):883–8. PMID:23508017
- 3016.** Shin DH, Lee JH, Kang RU, et al. Novel epitheliomesenchymal biphasic stomach tumor (gastroblastoma) in a Systematic morphological, ultrastructural and immunohistochemical findings. *J Clin Pathol.* 2010 Mar;63(3):270–4. PMID:20203230
- 3017.** Shin HR, Oh JK, Lim MK, et al. Descriptive epidemiology of cholangiocarcinoma and cholangioschisis in Korea. *J Korean Med Sci.* 2010 Jul;25(7):1011–6. PMID:20592891
- 3018.** Shin N, Jo HJ, Kim WK, et al. Gastric dysplasia in adjacent gastric mucosa in 494 gastric cancers: prevalence and characteristics. *Am J Surg Pathol.* 2011 Jul;35(7):1022–6. PMID:21677540
- 3019.** Shindo K, Yu J, Suenaga M, et al. Diverse germline mutations in patients with apparently sporadic pancreatic adenocarcinoma. *J Clin Oncol.* 2017 Oct 20;35(30):3382–8. PMID:28767289
- 3020.** Shindoh J, de Aretxabala X, Alba TM, et al. Tumor location is a strong predictor of tumor progression and survival in T2 gallbladder cancer: an international multicenter study. *Am Surg.* 2015 Apr;261(4):733–9. PMID:24854401
- 3021.** Shinozaki-Ushiku A, Kumita A, Fukayama M. Update on Epstein-Barr virus and gastric cancer (review). *Int J Oncol.* 2015 Apr;46(4):1421–34. PMID:25633561
- 3022.** Shiono S, Suda K, Nobukawa E, et al. Pancreatic, hepatic, splenic, and mesenteric mucinous cystic neoplasms (MCN) are tumors

- together as extra ovarian MCN. *Pathol Int.* 2006 Feb;56(2):71–7. PMID:16445818
- 3023.** Shiraki T, Kuroda H, Takada A, et al. Intraoperative frozen section diagnosis of bile duct margin for extrahepatic cholangiocarcinoma. *World J Gastroenterol.* 2018 Mar 28;24(12):1332–42. PMID:29599608
- 3024.** Shorter NA, Glick RD, Klimstra DS, et al. Malignant pancreatic tumors in childhood and adolescence: the Memorial Sloan-Kettering experience, 1967 to present. *J Pediatr Surg.* 2002 Jun;37(6):887–92. PMID:12037756
- 3025.** Shoushtari AN, Munhoz RR, Kuk D, et al. The efficacy of anti-PD-1 agents in acral and mucosal melanoma. *Cancer.* 2016 Nov 15;122(21):3354–62. PMID:27533633
- 3026.** Shu X, Sundquist K, Sundquist J, et al. Time trends in incidence, causes of death, and survival of cancer of unknown primary in Sweden. *Eur J Cancer Prev.* 2012 May;21(3):281–8. PMID:21968687
- 3027.** Sia D, Hoshida Y, Villanueva A, et al. Integrative molecular analysis of intrahepatic cholangiocarcinoma reveals 2 classes that have different outcomes. *Gastroenterology.* 2013 Apr;144(4):829–40. PMID:23295441
- 3028.** Sia D, Villanueva A, Friedman SL, et al. Liver cancer cell of origin, molecular class, and effects on patient prognosis. *Gastroenterology.* 2017 Mar;152(4):745–61. PMID:28043904
- 3029.** Sie AS, Mensenkamp AR, Adang EM, et al. Fourfold increased detection of Lynch syndrome by raising age limit for tumour genetic testing from 50 to 70 years is cost-effective. *Ann Oncol.* 2014 Oct;25(10):2001–7. PMID:25081898
- 3030.** Sieber OM, Lipton L, Crabtree M, et al. Multiple colorectal adenomas, classic adenomatous polyposis, and germ-line mutations in MYH. *N Engl J Med.* 2003 Feb 27;348(9):791–9. PMID:12606733
- 3031.** Sieber OM, Segdisas S, Knudsen AL, et al. Disease severity and genetic pathways in attenuated familial adenomatous polyposis vary greatly but depend on the site of the germline mutation. *Gut.* 2006 Oct;55(10):1440–8. PMID:16461775
- 3032.** Siegel RL, Fedewa SA, Anderson WF, et al. Colorectal cancer incidence patterns in the United States, 1974–2013. *J Natl Cancer Inst.* 2017 Aug 1;109(8). PMID:28376186
- 3033.** Siegel RL, Miller KD, Jemal A. Cancer statistics, 2017. *CA Cancer J Clin.* 2017 Jan;67(1):7–30. PMID:28055103
- 3034.** Siegel RL, Miller KD, Jemal A. Cancer statistics, 2018. *CA Cancer J Clin.* 2018 Jan;68(1):7–30. PMID:29313949
- 3035.** Siegenbeek van Heukelom ML, Richel O, de Vries HJ, et al. Low- and high-risk human papillomavirus genotype infections in intra-anal warts in HIV-positive men who have sex with men. *Br J Dermatol.* 2016 Oct;175(4):735–43. PMID:26994411
- 3036.** Sieniawski M, Angamuthu N, Boyd K, et al. Evaluation of enteropathy-associated T-cell lymphoma comparing standard therapies with a novel regimen including autologous stem cell transplantation. *Blood.* 2010 May 6;115(18):3664–70. PMID:20197551
- 3037.** Sierra EM, Villanueva Saenz E, Martínez PH, et al. Mucinous adenocarcinoma associated with fistula in ano: report of a case. *Tech Coloproctol.* 2006 Mar;10(1):51–3. PMID:16528482
- 3038.** Sierzega M, Bobryński Ł, Matyja A, et al. Factors predicting adequate lymph node yield in patients undergoing pancreateoduodenectomy for malignancy. *World J Surg Oncol.* 2016 Sep 20;14(1):248. PMID:27644962
- 3040.** Siewert JR, Stein HJ. Classification of adenocarcinoma of the oesophagogastric junction. *Br J Surg.* 1998 Nov;85(11):1457–9. PMID:9823902
- 3041.** Sigel CS, Klimstra DS. Cytomorphologic and immunophenotypical features of acinar cell neoplasms of the pancreas. *Cancer Cytopathol.* 2013 Aug;121(8):459–70. PMID:23408736
- 3042.** Sigel CS, Krauss Silva VW, Reid MD, et al. Assessment of cytologic differentiation in high-grade pancreatic neuroendocrine neoplasms: a multi-institutional study. *Cancer Cytopathol.* 2018 Jan;126(1):44–53. PMID:29044913
- 3043.** Sigel JE, Petras RE, Lashner BA, et al. Intestinal adenocarcinoma in Crohn's disease: a report of 30 cases with a focus on coexisting dysplasia. *Am J Surg Pathol.* 1999 Jun;23(6):651–5. PMID:10366146
- 3044.** Silva VW, Askan G, Daniel TD, et al. Biliary carcinomas: pathology and the role of DNA mismatch repair deficiency. *Chin Clin Oncol.* 2016 Oct;5(5):62. PMID:27829276
- 3045.** Simard G, Loiseau D, Girault A, et al. Reactivity of HDL subfractions towards lecithin-cholesterol acyltransferase. Modulation by their content in free cholesterol. *Biochim Biophys Acta.* 1989 Oct 17;1005(3):245–52. PMID:2804054
- 3046.** Simchuk EJ, Low DE. Direct esophageal metastasis from a distant primary tumor is a submucosal process: a review of six cases. *Dis Esophagus.* 2001;14(3-4):247–50. PMID:11869331
- 3047.** Singh K, Patel N, Patil P, et al. Primary ovarian solid pseudopapillary neoplasm with CTNNB1 c.98C>G (p.S33C) point mutation. *Int J Gynecol Pathol.* 2018 Mar;37(2):110–6. PMID:28463908
- 3048.** Singh R, Basturk O, Klimstra DS, et al. Lipid-rich variant of pancreatic endocrine neoplasms. *Am J Surg Pathol.* 2006 Feb;30(2):194–200. PMID:16434893
- 3049.** Singh S, Manickam P, Amin AV, et al. Incidence of esophageal adenocarcinoma in Barrett's esophagus with low-grade dysplasia: a systematic review and meta-analysis. *Gastrointest Endosc.* 2014 Jun;79(6):897–909.e4, quiz 983.e1, 983.e3. PMID:24556051
- 3050.** Singhal S, Baker RD, Khan A, et al. A rare case of esophageal papilloma due to human papillomavirus with uncommon presentation of dysphagia in a 2-year-old child. *Clin Pediatr (Phila).* 2016 Oct;55(12):1168–70. PMID:26538585
- 3051.** Singh AD, Adsay NV, Swierczynski SL, et al. Hyperplastic Luschka ducts: a mimic of adenocarcinoma in the gallbladder fossa. *Am J Surg Pathol.* 2011 Jun;35(6):883–90. PMID:21566517
- 3052.** Singh AD, Chu LC, Tatsas AD, et al. Cystic pancreatic neuroendocrine tumors: a clinicopathologic study. *Am J Surg Pathol.* 2012 Nov;36(11):1666–73. PMID:23073325
- 3053.** Singh AD, Davison JM, Choudry HA, et al. GNAS is frequently mutated in both low-grade and high-grade disseminated appendiceal mucinous neoplasms but does not affect survival. *Hum Pathol.* 2014 Aug;45(8):1737–43. PMID:24925222
- 3054.** Singh AD, Ishida H, Ali SZ, et al. A histomorphologic comparison of familial and sporadic pancreatic cancers. *Pancreatology.* 2015 Jul-Aug;15(4):387–91. PMID:25959245
- 3055.** Singh AD, Klimstra DS. Well-differentiated pancreatic neuroendocrine tumours (Pan-NETs) and poorly differentiated pancreatic neuroendocrine carcinomas (PanNECs): concepts, issues and a practical diagnostic approach to high-grade (G3) cases. *Histopathology.* 2018 Jan;72(1):168–77. PMID:29239037
- 3056.** Singh AD, Lazenby AJ, Montgomery EA. Gastric adenocarcinoma with chief cell differentiation: a proposal for reclassification as oxytic gland polyp/adenoma. *Am J Surg Pathol.* 2012 Jul;36(7):1030–5. PMID:22472957
- 3057.** Singh AD, Liu TC, Roncaoli JL, et al. Alternative lengthening of telomeres and loss of DAXX/ATRX expression predicts metastatic disease and poor survival in patients with pancreatic neuroendocrine tumors. *Clin Cancer Res.* 2017 Jan 15;23(2):600–9. PMID:27407094
- 3058.** Singh AD, McGrath K, Brand RE, et al. Preoperative next-generation sequencing of pancreatic cyst fluid is highly accurate in cyst classification and detection of advanced neoplasia. *Gut.* 2018 Dec;67(12):2131–41. PMID:28970292
- 3059.** Singh AD, Montgomery EA. Colorectal granular cell tumor: a clinicopathologic study of 26 cases. *Am J Surg Pathol.* 2010 Aug;34(8):1186–92. PMID:20661017
- 3060.** Singh AD, Montgomery EA. Gastrointestinal tract langerhans cell histiocytosis: a clinicopathologic study of 12 patients. *Am J Surg Pathol.* 2011 Feb;35(2):305–10. PMID:21263252
- 3061.** Singh AD, Norwood S, Liu TC, et al. Acinar cell cystadenoma of the pancreas: a benign neoplasm or non-neoplastic ballooning of acinar and ductal epithelium? *Am J Surg Pathol.* 2013 Sep;37(9):1329–35. PMID:24076773
- 3062.** Singh AD, Pai RK, Kant JA, et al. The histopathology of PRSS1 hereditary pancreatitis. *Am J Surg Pathol.* 2014 Mar;38(3):346–53. PMID:24525505
- 3063.** Singh AD, Seethala RR, Nason K, et al. Undifferentiated carcinoma of the esophagus: a clinicopathological study of 16 cases. *Hum Pathol.* 2015 Mar;46(3):366–75. PMID:25582499
- 3064.** Sinkre PA, Murakata L, Rabin L, et al. Clear cell carcinoid tumor of the gallbladder: another distinctive manifestation of von Hippel-Lindau disease. *Am J Surg Pathol.* 2001 Oct;25(10):1334–9. PMID:11688471
- 3065.** Sipos B, Frank S, Gress T, et al. Pancreatic intraepithelial neoplasia revisited and updated. *Pancreatology.* 2009;9(1-2):45–54. PMID:19077454
- 3066.** Sipos B, Sperveslage J, Anlauf M, et al. Glucagon cell hyperplasia and neoplasia with and without glucagon receptor mutations. *J Clin Endocrinol Metab.* 2015 May;100(5):E783–8. PMID:25695890
- 3067.** Sjödahl RI, Myrelid P, Söderholm JD. Anal and rectal cancer in Crohn's disease. *Colorectal Dis.* 2003 Sep;5(5):490–5. PMID:12925087
- 3068.** Skubitz KM. Biology and treatment of aggressive fibromatosis or desmoid tumor. *Mayo Clin Proc.* 2017 Jun;92(6):947–64. PMID:28578783
- 3069.** Slater DN, Cotton DW, Azzopardi JG. Oncocytic glomus tumour: a new variant. *Histopathology.* 1987 May;11(5):523–31. PMID:3038728
- 3070.** Slowik V, Attard T, Dai H, et al. Desmoid tumors complicating familial adenomatous polyposis: a meta-analysis mutation spectrum of affected individuals. *BMC Gastroenterol.* 2015 Jul 16;15:84. PMID:26179480
- 3071.** Sluikin II, Hafez GR, Niederhuber JE, et al. Combined serous microcystic adenoma and well-differentiated endocrine pancreatic neoplasm: a case report and review of the literature. *Arch Pathol Lab Med.* 2003 Oct;127(10):1369–72. PMID:14521452
- 3072.** Smit VT, Boot AJ, Smits AM, et al. KRAS codon 12 mutations occur very frequently in pancreatic adenocarcinomas. *Nucleic Acids Res.* 1988 Aug 25;16(16):7773–82. PMID:3047672
- 3073.** Smith JD, Reidy DL, Goodman KA, et al. A retrospective review of 126 high-grade neuroendocrine carcinomas of the colon and rectum. *Ann Surg Oncol.* 2014 Sep;21(9):2956–62. PMID:24763982
- 3074.** Smith SL, Branton SA, Avino AJ, et al. Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature. *Surgery.* 1998 Dec;124(6):1050–5. PMID:9854582
- 3075.** Smyrk TC, Watson P, Kaul K, et al. Tumor-infiltrating lymphocytes are a marker for microsatellite instability in colorectal carcinoma. *Cancer.* 2001 Jun 15;91(12):2417–22. PMID:11413533
- 3076.** Smyth EC, Fassan M, Cunningham D, et al. Effect of pathologic tumor response and nodal status on survival in the Medical Research Council adjuvant gastric infusional chemotherapy trial. *J Clin Oncol.* 2016 Aug 10;34(23):2721–7. PMID:27298411
- 3077.** Snowsill T, Coelho H, Huxley N, et al. Molecular testing for Lynch syndrome in people with colorectal cancer: systematic reviews and economic evaluation. *Health Technol Assess.* 2017 Sep;21(51):1–238. PMID:28895526
- 3078.** Snowsill T, Huxley N, Hoyle M, et al. A systematic review and economic evaluation of diagnostic strategies for Lynch syndrome. *Health Technol Assess.* 2014 Sep;18(58):1–406. PMID:25244061
- 3079.** Soeberg MJ, Rogers K, Currow DC, et al. Trends in incidence and survival for anal cancer in New South Wales, Australia, 1972–2009. *Cancer Epidemiol.* 2015 Dec;39(6):842–7. PMID:26651444
- 3080.** Soetikno RM, Lin OS, Heidenreich PA, et al. Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis. *Gastrointest Endosc.* 2002 Jul;56(1):48–54. PMID:12085034
- 3081.** Soga J, Tazawa K. Pathologic analysis of carcinoids. *Histologic reevaluation of 62 cases.* *Cancer.* 1971 Oct;28(4):990–8. PMID:4106849
- 3082.** Soga J, Yakuwa Y. Glucagonomas/diabetico-dermatogenetic syndrome (DDS): a statistical evaluation of 407 reported cases. *J Hepatobiliary Pancreat Surg.* 1998;5(3):312–9. PMID:9880781
- 3083.** Soga J, Yakuwa Y. Somatostatinoma/inhibitory syndrome: a statistical evaluation of 173 reported cases as compared to other pancreatic endocrinomas. *J Exp Clin Cancer Res.* 1999 Mar;18(1):13–22. PMID:10374671
- 3084.** Soga J, Yakuwa Y. The gastrinoma/Zollinger-Ellison syndrome: statistical evaluation of a Japanese series of 359 cases. *J Hepatobiliary Pancreat Surg.* 1998;5(1):77–85. PMID:9683758
- 3085.** Soga J, Yakuwa Y. Vipoma/diarrheogenic syndrome: a statistical evaluation of 241 reported cases. *J Exp Clin Cancer Res.* 1998 Dec;17(4):389–400. PMID:10089056
- 3086.** Soga J. Carcinoids of the pancreas: an analysis of 156 cases. *Cancer.* 2005 Sep 15;104(6):1180–7. PMID:16104045
- 3087.** Soga J. Endocrinocarcinomas (carcinoids and their variants) of the duodenum. An evaluation of 927 cases. *J Exp Clin Cancer Res.* 2003 Sep;22(3):349–63. PMID:14582691
- 3088.** Soga J. Primary endocrinomas (carcinoids and variant neoplasms) of the gallbladder. A statistical evaluation of 138 reported cases. *J Exp Clin Cancer Res.* 2003 Mar;22(1):5–15. PMID:12725316
- 3089.** Soga J. Primary hepatic endocrinomas (carcinoids and variant neoplasms). A statistical evaluation of 126 reported cases. *J Exp Clin Cancer Res.* 2002 Dec;21(4):457–68. PMID:12636090
- 3090.** Sogabe M, Taniki T, Fukui Y, et al. A patient with esophageal hemangioma treated by endoscopic mucosal resection: a case report and review of the literature. *J Med Invest.* 2006 Feb;53(1-2):177–82. PMID:16538013

- 3091.** Sohn TA, Yeo CJ, Cameron JL, et al. Intraductal papillary mucinous neoplasms of the pancreas: an updated experience. *Ann Surg.* 2004 Jun;239(6):788–97, discussion 797–9. PMID:15166958
- 3092.** Sohn TA, Yeo CJ, Cameron JL, et al. Resected adenocarcinoma of the pancreas–616 patients: results, outcomes, and prognostic indicators. *J Gastrointest Surg.* 2000 Nov-Dec;4(6):567–79. PMID:11307091
- 3093.** Soini Y, Welsh JA, Ishak KG, et al. p53 mutations in primary hepatic angiosarcomas not associated with vinyl chloride exposure. *Carcinogenesis.* 1995 Nov;16(11):2879–81. PMID:7586214
- 3094.** Solcia E, Capella C, Fiocca R, et al. Disorders of the endocrine system. In: Ming SC, Goldman H, editors. *Pathology of the gastrointestinal tract.* 2nd ed. Philadelphia (PA): Williams and Wilkins; 1998. pp. 295–322.
- 3095.** Solcia E, Capella C, Kloppel G. Tumors of the pancreas. Washington, DC: Armed Forces Institute of Pathology; 1997. (AFIP atlas of tumor pathology, series 3; fascicle 20).
- 3096.** Solcia E, Capella C, Riva C, et al. The morphology and neuroendocrine profile of pancreatic epithelial VIPomas and extrapancreatic, VIP-producing, neurogenic tumors. *Ann N Y Acad Sci.* 1988;527:508–17. PMID:2839087
- 3097.** Song HG, Yoo KS, Ju NR, et al. [A case of adenosquamous carcinoma of the papilla of Vater]. *Korean J Gastroenterol.* 2006 Aug;48(2):132–6. Korean. PMID:16929159
- 3098.** Song X, Zheng S, Yang G, et al. Glucagonoma and the glucagonoma syndrome. *Oncol Lett.* 2018 Mar;15(3):2749–55. PMID:29435000
- 3099.** Song Y, Li L, Ou Y, et al. Identification of genomic alterations in oesophageal squamous cell cancer. *Nature.* 2014 May 1;509(7498):91–5. PMID:24670651
- 3100.** Sonnenberg A, Genta RM. Prevalence of benign gastric polyps in a large pathology database. *Dig Liver Dis.* 2015 Feb;47(2):164–9. PMID:25458775
- 3101.** Sonoda Y, Yamaguchi K, Nagai E, et al. Small cell carcinoma of the cystic duct: a case report. *J Gastrointest Surg.* 2003 Jul-Aug;7(5):631–4. PMID:12850675
- 3102.** Sorahan T, Lancashire RJ. Parental cigarette smoking and childhood risks of hepatoblastoma: OSCC data. *Br J Cancer.* 2004 Mar 8;90(5):1016–8. PMID:14997199
- 3103.** Sorbye H, Strosberg J, Baudin E, et al. Gastroenteropancreatic high-grade neuroendocrine carcinoma. *Cancer.* 2014 Sep 15;120(18):2814–23. PMID:24771552
- 3104.** Sorbye H, Welin S, Langer SW, et al. Predictive and prognostic factors for treatment and survival in 305 patients with advanced gastrointestinal neuroendocrine carcinoma (WHO G3): the NORDIC NEC study. *Ann Oncol.* 2013 Jan;24(1):152–60. PMID:22967994
- 3105.** Sowery RD, Jensen C, Morrison KB, et al. Comparative genomic hybridization detects multiple chromosomal amplifications and deletions in undifferentiated embryonal sarcoma of the liver. *Cancer Genet Cytogenet.* 2001 Apr 15;126(2):128–33. PMID:11376805
- 3106.** Spans L, Fletcher CD, Antonescu CR, et al. Recurrent MALAT1-GLI1 oncogenic fusion and GLI1 up-regulation define a subset of plexiform fibromyxoma. *J Pathol.* 2016 Jul;239(3):335–43. PMID:27101025
- 3107.** Spechler SJ, Merchant JL, Wang TC, et al. A summary of the 2016 James W. Freston Conference of the American Gastroenterological Association: intestinal metaplasia in the esophagus and stomach: origins, differences, similarities and significance. *Gastroenterology.* 2017 Jul;153(1):e6–13. PMID:28583825
- 3108.** Spector LG, Ross JA. Smoking and hepatoblastoma: confounding by birth weight? *Br J Cancer.* 2003 Aug 4;89(3):602, author reply 603. PMID:12888836
- 3109.** Speel EJ, Richter J, Moch H, et al. Genetic differences in endocrine pancreatic tumor subtypes detected by comparative genomic hybridization. *Am J Pathol.* 1999 Dec;155(6):1787–94. PMID:10595906
- 3110.** Speisky D, Duces A, Bièche I, et al. Molecular profiling of pancreatic neuroendocrine tumors in sporadic and Von Hippel-Lindau patients. *Clin Cancer Res.* 2012 May 15;18(10):2838–49. PMID:22461457
- 3111.** Spence RW, Burns-Cox CJ. ACTH-secreting ‘apudoma’ of gallbladder. *Gut.* 1975 Jun;16(6):473–6. PMID:168130
- 3112.** Sperti C, Pasquali C, Pedrazzoli S. Ductal adenocarcinoma of the body and tail of the pancreas. *J Am Coll Surg.* 1997 Sep;185(3):255–9. PMID:9291403
- 3113.** Spier I, Holzapfel S, Altmüller J, et al. Frequency and phenotypic spectrum of germline mutations in POLE and seven other polymerase genes in 266 patients with colorectal adenomas and carcinomas. *Int J Cancer.* 2015 Jul 15;137(2):320–31. PMID:25529843
- 3114.** Spigelman AD, Williams CB, Talbot IC, et al. Upper gastrointestinal cancer in patients with familial adenomatous polyposis. *Lancet.* 1989 Sep 30;2(8666):783–5. PMID:2571019
- 3115.** Spiridakis KG, Sfakianakis EE, Flamanourakis ME, et al. Synchronous mucinous adenocarcinoma of the recto sigmoid revealed by and seeding an anal fistula. (A case report and review of the literature). *Int J Surg Case Rep.* 2017;37:48–51. PMID:28641190
- 3116.** Spring KJ, Zhao ZZ, Karamatic R, et al. High prevalence of sessile serrated adenomas with BRAF mutations: a prospective study of patients undergoing colonoscopy. *Gastroenterology.* 2006 Nov;131(5):1400–7. PMID:17101316
- 3117.** Springer S, Wang Y, Dal Molin M, et al. A combination of molecular markers and clinical features improve the classification of pancreatic cysts. *Gastroenterology.* 2015 Nov;149(6):1501–10. PMID:26253305
- 3118.** Srinivasan N, Teo JY, Chin YK, et al. Systematic review of the clinical utility and validity of the Sendai and Fukuoka Consensus Guidelines for the management of intraductal papillary mucinous neoplasms of the pancreas. *HPB (Oxford).* 2018 Jun;20(6):497–504. PMID:29486917
- 3119.** Srivastava A, Hornick JL, Li X, et al. Extent of low-grade dysplasia is a risk factor for the development of esophageal adenocarcinoma in Barrett's esophagus. *Am J Gastroenterol.* 2007 Mar;102(3):483–93, quiz 694. PMID:17338734
- 3120.** Srivjai MN, Chatten J, Schulman WM, et al. Mesenchymal hamartoma of the liver in infants. *Cancer.* 1978 Nov;42(5):2483–9. PMID:363258
- 3121.** Stachler MD, Taylor-Weiner A, Peng S, et al. Paired exome analysis of Barrett's esophagus and adenocarcinoma. *Nat Genet.* 2015 Sep;47(9):1047–55. PMID:26192918
- 3122.** Stahl TJ, Schoetz DJ Jr, Roberts PL, et al. Crohn's disease and carcinoma: increasing justification for surveillance? *Dis Colon Rectum.* 1992 Sep;35(9):850–6. PMID:1511645
- 3123.** Stancu M, Wu TT, Wallace C, et al. Genetic alterations in goblet cell carcinoids of the veriform appendix and comparison with gastrointestinal carcinoid tumors. *Mod Pathol.* 2003 Dec;16(12):1189–98. PMID:14681318
- 3124.** Stancu M, Wu TT, Wallace C, et al. The role of endoscopy in ampullary and duodenal adenomas. *Gastrointest Endosc.* 2006 Dec;64(6):849–54. PMID:17140885
- 3125.** Adler DG, Qureshi W, Davila R, et al. The role of endoscopy in ampullary and duodenal adenomas. *Gastrointest Endosc.* 2006 Dec;64(6):849–54. PMID:17140885
- 3126.** Stang A, Klutig A. Etiologic insights from surface adjustment of colorectal carcinoma incidences: an analysis of the U.S. SEER data 2000–2004. *Am J Gastroenterol.* 2008 Nov;103(11):2853–61. PMID:18759825
- 3127.** Starkier LF, Carling T. Molecular genetics of gastroenteropancreatic neuroendocrine tumors. *Curr Opin Oncol.* 2009 Jan;21(1):29–33. PMID:19125015
- 3128.** Stebbing J, Sanitt A, Nelson M, et al. A prognostic index for AIDS-associated Kaposi's sarcoma in the era of highly active antiretroviral therapy. *Lancet.* 2006 May 6;367(9521):1495–502. PMID:16679162
- 3129.** Steele SR, Mullens PS, Martin MJ, et al. Heterotopic gastric mucosa of the anus: a case report and review of the literature. *Am Surg.* 2004 Aug;70(8):715–9. PMID:15328807
- 3130.** Steiner R, Kridel R, Girosa E, et al. Low 5-year cumulative incidence of post-transplant lymphoproliferative disorders after solid organ transplantation in Switzerland. *Swiss Med Wkly.* 2018 Mar 8;148:w14596. PMID:29518251
- 3131.** Steinmüller T, Kianmanesh R, Falconi M, et al. Consensus guidelines for the management of patients with liver metastases from digestive (neuro)endocrine tumors: foregut, midgut, hindgut, and unknown primary. *Neuroendocrinology.* 2008;87(1):47–62. PMID:18097131
- 3132.** Stelow EB, Murad FM, Debol SM, et al. A limited immunocytochemical panel for the distinction of subepithelial gastrointestinal mesenchymal neoplasms sampled by endoscopic ultrasound-guided fine-needle aspiration. *Am J Clin Pathol.* 2008 Feb;129(2):219–25. PMID:18208801
- 3133.** Stelow EB, Shaco-Levy R, Bao F, et al. Pancreatic acinar cell carcinomas with prominent ductal differentiation: mixed acinar ductal carcinoma and mixed acinar endocrine ductal carcinoma. *Am J Surg Pathol.* 2010 Apr;34(4):510–8. PMID:20182344
- 3134.** Stelow EB, Shami VM, Abbott TE, et al. The use of fine needle aspiration cytology for the distinction of pancreatic mucinous neoplasia. *Am J Clin Pathol.* 2008 Jan;129(1):67–74. PMID:18089490
- 3135.** Stelzner S, Emmrich P. The mixed type in Lauren's classification of gastric carcinoma. Histologic description and biologic behavior. *Gen Diagn Pathol.* 1997 Jul;143(1):39–48. PMID:9269907
- 3136.** Stephen AE, Berger DL. Carcinoma in the porcelain gallbladder: a relationship revisited. *Surgery.* 2001 Jun;129(6):699–703. PMID:11391368
- 3137.** Stewart CJ, Mills PR, Carter R, et al. Brush cytology in the assessment of pancreatic-biliary strictures: a review of 406 cases. *J Clin Pathol.* 2001 Jun;54(6):449–55. PMID:11376018
- 3138.** Stiles ZE, Behrman SW, Deneve JL, et al. Ampullary adenocarcinoma: defining predictors of survival and the impact of adjuvant therapy following surgical resection for stage I disease. *J Surg Oncol.* 2018 Jun;117(7):1500–8. PMID:29518820
- 3139.** Stinner B, Kisker O, Zielke A, et al. Surgical management for carcinoid tumors of small bowel, appendix, colon, and rectum. *World J Surg.* 1996 Feb;20(2):183–8. PMID:8661815
- 3140.** Stinner B, Rothmund M. Neuroendocrine tumors (carcinoids) of the appendix. *Best Pract Res Clin Gastroenterol.* 2005 Oct;19(5):729–38. PMID:16253897
- 3141.** Stock N, Chibon F, Binh MB, et al. Adult-type rhabdomyosarcoma: analysis of 57 cases with clinicopathologic description, identification of 3 morphologic patterns and prognosis. *Am J Surg Pathol.* 2009 Dec;33(12):1850–9. PMID:19898221
- 3142.** Stocker JT, Ishak KG. Undifferentiated (embryonal) sarcoma of the liver: report of 31 cases. *Cancer.* 1978 Jul;42(1):335–40. PMID:208754
- 3143.** Stolte M. The new Vienna classification of epithelial neoplasia of the gastrointestinal tract: advantages and disadvantages. *Vrije Universiteit.* 2003 Feb;44(2):99–106. PMID:12595055
- 3144.** Stolzenberg-Solomon RZ, Schatzkin C, Moore S, et al. Lifetime adiposity and risk of pancreatic cancer in the NIH-AARP Diet and Health Study cohort. *Am J Clin Nutr.* 2010 Oct;92(4):1057–65. PMID:20985810
- 3145.** Stratakis CA, Carney JA. The triad of paragangliomas, gastric stromal tumors and pulmonary chondromas (Carney triad), another dyad of paragangliomas and gastric stromal sarcomas (Carney-Stratakis syndrome): molecular genetics and clinical implications. *J Intern Med.* 2009 Jul;266(1):43–52. PMID:19520014
- 3146.** Streubel B, Huber D, Wöhrel S, et al. Frequency of chromosomal aberrations involving MALT1 in mucosa-associated lymphoid tissue lymphoma in patients with Sjögren's syndrome. *Clin Cancer Res.* 2004 Jan 15;10(2):475–80. PMID:14760068
- 3147.** Streubel B, Lamprecht A, Dietmar M, et al. t(14;18)(q32;q21) involving IgH and MALT1 is a frequent chromosomal aberration in MALT lymphoma. *Blood.* 2003 Mar 15;101(5):2239–45. PMID:12406890
- 3148.** Streubel B, Seitz G, Stolte M, et al. MALT lymphoma associated genetic alterations occur at different frequencies in primary and secondary intestinal MALT lymphomas. *Gut.* 2006 Nov;55(11):1581–5. PMID:16960555
- 3149.** Streubel B, Vinatzer U, Lamprecht A, et al. t(3;14)(p14.1;q32) involving IgH and FOXP1 is a novel recurrent chromosomal aberration in MALT lymphoma. *Leukemia.* 2005 Apr;19(4):652–8. PMID:15703784
- 3150.** Strobel O, Hank T, Hinz U, et al. Pancreatic cancer surgery: the new 3D counts. *Ann Surg.* 2017 Mar;265(3):556–70. PMID:27918310
- 3151.** Strobel O, Hartwig W, Becham F, et al. Anaplastic pancreatic cancer: presentation, surgical management, and outcome. *Surgery.* 2011 Feb;149(2):200–8. PMID:21540231
- 3152.** Strobel O, Zgraggen K, Schmitt-Henthal FH, et al. Risk of malignancy in cystic neoplasms of the pancreas. *Digestion.* 2003;68(1):24–33. PMID:12949436
- 3153.** Strosberg JR, Coppola D, Kimura T, et al. The NANETS consensus guidelines for the diagnosis and management of non-differentiated (high-grade) esophageal neuroendocrine carcinomas. *Pancreas.* 2010 Aug;39(6):799–800. PMID:20664077
- 3154.** Sakamoto H, Yoshimura K, Saeki H, et al. Genetic variation in PSCA is associated with susceptibility to diffuse-type gastric cancer. *Nat Genet.* 2008 Jun;40(6):731–40. PMID:18488030
- 3155.** Stålborg P, Westin G, Thimell C. Genetics and epigenetics in small intestine neuroendocrine tumours. *J Intern Med.* 2016 Dec;280(6):584–94. PMID:27302680
- 3156.** Su GH, Bansal R, Murphy RK, et al. ACVR1B (ALK4, activin receptor type 1B) gene mutations in pancreatic carcinoma. *Proc Natl Acad Sci U S A.* 2001 Mar 13;98(6):3294–7. PMID:11248065
- 3157.** Su GH, Bansal R, Murphy RK, et al. Germline and somatic mutations of the STK11/LKB1 Peutz-Jeghers gene in pancreatic and biliary cancers. *Am J Pathol.* 1999 Jun;154(6):1835–40. PMID:10362509
- 3158.** Subramaniam K, Young D, Grunberg J, et al. Hepatosplenic T-cell lymphoma: non-suppressive agents and biological markers: the risks? *Intern Med J.* 2014 Mar;44(3):203–9. PMID:24621284

- 3160.** Suda K, Hirai S, Matsumoto Y, et al. Variant of intraductal carcinoma (with scant mucin production) is of main pancreatic duct origin: a clinicopathological study of four patients. *Am J Gastroenterol.* 1996 Apr;91(4):798–800. PMID:8677955
- 3161.** Sugai T, Sugimoto R, Habano W, et al. Genetic differences stratified by PCR-based microsatellite analysis in gastric intra-mucosal neoplasia. *Gastric Cancer.* 2017 Mar;20(2):286–96. PMID:27236438
- 3162.** Sugano K, Tack J, Kuipers EJ, et al. Kyoto global consensus report on Helicobacter pylori gastritis. *Gut.* 2015 Sep;64(9):1353–67. PMID:26187502
- 3163.** Sugarbaker PH, Chang D. Results of treatment of 385 patients with peritoneal surface spread of appendiceal malignancy. *Ann Surg Oncol.* 1999 Dec;6(8):727–31. PMID:10622499
- 3164.** Sugawara G, Yamaguchi A, Isogai M, et al. Small cell neuroendocrine carcinoma of the ampulla of Vater with foci of squamous differentiation: a case report. *J Hepatobiliary Pancreat Surg.* 2004;11(1):56–60. PMID:15747032
- 3164A.** Sugawara S, Hirai I, Watanabe T, et al. A case of mucinous cystic neoplasm of the gallbladder. *Clin J Gastroenterol.* 2018 Oct;11(5):428–32. PMID:29536429
- 3165.** Sugawara W, Haruta M, Sasaki F, et al. Promoter hypermethylation of the RASSF1A gene predicts the poor outcome of patients with hepatoblastoma. *Pediatr Blood Cancer.* 2007 Sep;49(3):240–9. PMID:16937357
- 3166.** Sugihara A, Nakasho K, Ikuta S, et al. Oncocytic non-functioning endocrine tumor of the pancreas. *Pathol Int.* 2006 Dec;56(12):755–9. PMID:17096734
- 3167.** Sugimoto S, Komatsu H, Morohoshi Y, et al. Recognition of and recent issues in hereditary diffuse gastric cancer. *J Gastroenterol.* 2015 Aug;50(8):831–43. PMID:26049741
- 3168.** Sugimoto S, Yamada H, Takahashi M, et al. Early-onset diffuse gastric cancer associated with a de novo large genomic deletion of CDH1 gene. *Gastric Cancer.* 2014 Oct;17(4):745–9. PMID:23812922
- 3169.** Sugiuira T, Uesaka K, Kanemoto H, et al. Serum CA19-9 is a significant predictor among preoperative parameters for early recurrence after resection of pancreatic adenocarcinoma. *J Gastrointest Surg.* 2012 May;16(5):977–85. PMID:22411488
- 3170.** Sugiyama M, Izumisato Y, Abe N, et al. Predictive factors for malignancy in intra-ductal papillary-mucinous tumours of the pancreas. *Br J Surg.* 2003 Oct;90(10):1244–9. PMID:14515294
- 3170A.** Sulas P, Di Tommaso L, Novello C, et al. A large set of miRNAs is dysregulated from the earliest steps of human hepatocellular carcinoma development. *Am J Pathol.* 2018 Mar;188(3):785–94. PMID:29248455
- 3171.** Sumazin P, Chen Y, Treviño LR, et al. Genomic analysis of hepatoblastoma identifies distinct molecular and prognostic subgroups. *Hepatology.* 2017 Jan;65(1):104–21. PMID:27775819
- 3172.** Sumiyama K. Past and current trends in endoscopic diagnosis for early stage gastric cancer in Japan. *Gastric Cancer.* 2017 Mar;20 Suppl 1:20–7. PMID:27734273
- 3173.** Sun J, Lu Z, Yang D, et al. Primary intestinal T-cell and NK-cell lymphomas: a clinicopathological and molecular study from China focused on type II enteropathy-associated T-cell lymphoma and primary intestinal NK-cell lymphoma. *Mod Pathol.* 2011 Jul;24(7):983–92. PMID:21423155
- 3174.** Sun J, Yang Q, Lu Z, et al. Distribution of lymphoid neoplasms in China: analysis of 4,638 cases according to the World Health Organization classification. *Am J Clin Pathol.* 2012 Sep;138(3):429–34. PMID:22912361
- 3175.** Sun P, Li YH, Wang W, et al. Malignancies of the anal canal: a multi-center retrospective analysis in South China population. *J BUON.* 2014 Jan-Mar;19(1):103–8. PMID:24659650
- 3176.** Sun Y, Deng D, You WC, et al. Methylation of p16 CpG islands associated with malignant transformation of gastric dysplasia in a population-based study. *Clin Cancer Res.* 2004 Aug 1;10(15):5087–93. PMID:15297411
- 3177.** Sun Y, Lu X, Xu Y, et al. Spontaneous rupture of a giant hepatobiliary serous cystadenoma: report of a case and literature review. *Hepatol Int.* 2010 Oct 12;5(1):603–6. PMID:21442059
- 3178.** Sundaram V, Schuster DP, Falko JM. Unusual manifestations of Cushing's syndrome in a multiple endocrine neoplasia type 1 kindred. *Endocr Pract.* 1998 Jul-Aug;4(4):190–4. PMID:15251731
- 3179.** Sundaresan S, Kang AJ, Merchant JL. Pathophysiology of gastric NETs: role of gastrin and menin. *Curr Gastroenterol Rep.* 2017 Jul;19(7):32. PMID:28608155
- 3180.** Sundin A, Villierme MP, Kaltsas G, et al. ENETS Consensus Guidelines for the Standards of Care in Neuroendocrine Tumors: radiological examinations. *Neuroendocrinology.* 2009;90(2):167–83. PMID:19077417
- 3181.** Sunesen KG, Nørgaard M, Thorlak-Ussing O, et al. Immunosuppressive disorders and risk of anal squamous cell carcinoma: a nationwide cohort study in Denmark, 1978–2005. *Int J Cancer.* 2010 Aug 1;127(3):675–84. PMID:19960431
- 3182.** Sung JK. Diagnosis and management of gastric dysplasia. *Korean J Intern Med.* 2016 Mar;31(2):201–9. PMID:26932397
- 3183.** Surveillance, Epidemiology, and End Results Program [Internet]. Bethesda (MD): National Cancer Institute; 2018. Cancer Stat Facts. Available from: <https://seer.cancer.gov/statfacts/>
- 3184.** Suster S, Huszar M, Herczeg E, et al. Adenosquamous carcinoma of the gallbladder with spindle cell features. A light microscopic and immunocytochemical study of a case. *Histopathology.* 1987 Feb;11(2):209–14. PMID:2437004
- 3185.** Suzuki Y, Atomi Y, Sugiyama M, et al. Cystic neoplasm of the pancreas: a Japanese multiinstitutional study of intraductal papillary mucinous tumor and mucinous cystic tumor. *Pancreas.* 2004 Apr;28(3):241–6. PMID:15084964
- 3186.** Suzuki Y, Mori T, Yokoyama M, et al. Hepatolithiasis: analysis of Japanese nationwide surveys over a period of 40 years. *J Hepatobiliary Pancreat Sci.* 2014 Sep;21(9):617–22. PMID:24824191
- 3187.** Sveen A, Bruun J, Eide PW, et al. Colorectal cancer consensus molecular subtypes translated to preclinical models uncover potentially targetable cancer cell dependencies. *Clin Cancer Res.* 2018 Feb 15;24(4):794–806. PMID:29242316
- 3188.** Svrcik M, Piton G, Cosnes J, et al. Small bowel adenocarcinomas complicating Crohn's disease are associated with dysplasia: a pathological and molecular study. *Inflamm Bowel Dis.* 2014 Sep;20(9):1584–92. PMID:25029614
- 3189.** Swerdlow SH, Campo E, Harris NL, et al, editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/556>
- 3190.** Swerdlow SH, Campo E, Pileri SA, et al. The 2016 revision of the World Health Organization classification of lymphoid neoplasms. *Blood.* 2016 May 19;127(20):2375–90. PMID:26980727
- 3191.** Swerdlow SH, Campo E, Seto M, et al. Mantle cell lymphoma. In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. pp. 285–90. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/556>
- 3192.** Swerdlow SH, Webber SA, Chadburn A, et al. Post-transplant lymphoproliferative disorders. In: Swerdlow SH, Campo E, Harris NL, et al., editors. WHO classification of tumours of haematopoietic and lymphoid tissues. Lyon (France): International Agency for Research on Cancer; 2017. pp. 453–62. (WHO classification of tumours series, 4th rev. ed.; vol. 2). <http://publications.iarc.fr/556>
- 3193.** Syngal S, Brand RE, Church JM, et al. ACG clinical guideline: genetic testing and management of hereditary gastrointestinal cancer syndromes. *Am J Gastroenterol.* 2015 Feb;110(2):223–62, quiz 263. PMID:25645574
- 3194.** Szucs Z, Thway K, Fisher C, et al. Molecular subtypes of gastrointestinal stromal tumors and their prognostic and therapeutic implications. *Future Oncol.* 2017 Jan;13(1):93–107. PMID:27600498
- 3195.** Szántó I, Szentirmay Z, Banai J, et al. [Squamous papilloma of the esophagus. Clinical and pathological observations based on 172 papillomas in 155 patients]. *Orv Hetil.* 2005 Mar 20;146(12):547–52. Hungarian. PMID:15853063
- 3196.** Tabatabaei SA, Moghadam NA, Ahmadinejad M, et al. Giant esophageal squamous papilloma: a case report. *J Dig Dis.* 2009 Aug;10(3):228–30. PMID:19659792
- 3197.** Tachimori Y, Ozawa S, Numasaki H, et al. Comprehensive registry of esophageal cancer in Japan, 2010. *Esophagus.* 2017;14(3):189–214. PMID:28725168
- 3198.** Tack GJ, van Wanrooij RL, Langerak AW, et al. Origin and immunophenotype of aberrant iEL in RCDII patients. *Mol Immunol.* 2012 Apr;50(4):262–70. PMID:22364936
- 3199.** Taddesse-Heath L, Meloni-Ehrig A, Scheerle J, et al. Plasmablastic lymphoma with MYC translocation: evidence for a common pathway in the generation of plasmablastic features. *Mod Pathol.* 2010 Jul;23(7):991–9. PMID:20348882
- 3200.** Tadevosian US, Feihl D, Miller KM, et al. A morphologic analysis of sessile serrated polyps observed during routine colonoscopy (with video). *Gastrointest Endosc.* 2011 Dec;74(6):1360–8. PMID:22018553
- 3201.** Taefi A, Matsukuma K, Chak E. Massive epithelioid hemangioendothelioma causing noncirrhotic portal hypertension. *Clin Gastroenterol Hepatol.* 2018 Mar 31;S1542-3565(18)30334-3. PMID:29609064
- 3202.** Taggart MW, Abraham SC, Overman MJ, et al. Goblet cell carcinoid tumor, mixed goblet cell carcinoid-adenocarcinoma, and adenocarcinoma of the appendix: comparison of clinicopathologic features and prognosis. *Arch Pathol Lab Med.* 2015 Jun;139(6):782–90. PMID:26030247
- 3203.** Taggart MW, Galbincea J, Mansfield PF, et al. High-level microsatellite instability in appendiceal carcinomas. *Am J Surg Pathol.* 2013 Aug;37(8):1192–200. PMID:23648460
- 3204.** Taghavi N, Biramijamal F, Sotoudeh M, et al. p16INK4a hypermethylation and p53, p16 and MDM2 protein expression in esophageal squamous cell carcinoma. *BMC Cancer.* 2010 Apr 13;10:138. PMID:20388212
- 3205.** Tai CC, Curtis JL, Szmulszkovicz JR, et al. Abdominal involvement in pediatric heart and lung transplant recipients with posttransplant lymphoproliferative disease increases the risk of mortality. *J Pediatr Surg.* 2008 Dec;43(12):2174–7. PMID:19040929
- 3206.** Taira N, Kawasaki H, Koja A, et al. Giant pedunculated lipoma of the esophagus: a case report. *Int J Surg Case Rep.* 2017;30:55–7. PMID:27902957
- 3207.** Tajima S. Intraductal tubulopapillary neoplasm of the pancreas suspected by endoscopic ultrasonography-fine-needle aspiration cytology: report of a case confirmed by surgical specimen histology. *Diagn Cytopathol.* 2015 Dec;43(12):1003–6. PMID:26390029
- 3208.** Tajiri T, Tate G, Inagaki T, et al. Intraductal tubular neoplasms of the pancreas: histogenesis and differentiation. *Pancreas.* 2005 Mar;30(2):115–21. PMID:15714133
- 3209.** Tajiri T, Tate G, Kunimura T, et al. Histologic and immunohistochemical comparison of intraductal tubular carcinoma, intraductal papillary-mucinous carcinoma, and ductal adenocarcinoma of the pancreas. *Pancreas.* 2004 Aug;29(2):116–22. PMID:15257103
- 3210.** Takahashi Y, Shimizu S, Ishida T, et al. Plexiform angiomyxoid myofibroblastic tumor of the stomach. *Am J Surg Pathol.* 2007 May;31(5):724–8. PMID:17460456
- 3211.** Takahashi Y, Suzuki M, Fukusato T. Plexiform angiomyxoid myofibroblastic tumor of the stomach. *World J Gastroenterol.* 2010 Jun 21;16(23):2835–40. PMID:20556828
- 3212.** Takano A, Hirotsu Y, Amemiya K, et al. Genetic basis of a common tumor origin in the development of pancreatic mixed acinar-neuroendocrine-ductal carcinoma: a case report. *Oncol Lett.* 2017 Oct;14(4):4428–32. PMID:29085438
- 3213.** Takashima M, Ueki T, Nagai E, et al. Carcinoma of the ampulla of Vater associated with or without adenoma: a clinicopathologic analysis of 198 cases with reference to p53 and Ki-67 immunohistochemical expressions. *Mod Pathol.* 2000 Dec;13(12):1300–7. PMID:11144926
- 3214.** Takata K, Miyata-Takata T, Sato Y, et al. Gastrointestinal follicular lymphoma: current knowledge and future challenges. *Pathol Int.* 2018 Jan;68(1):1–6. PMID:29292593
- 3215.** Takata K, Noujima-Harada M, Miyata-Takata T, et al. Clinicopathologic analysis of 6 lymphomatoid gastropathy cases: expanding the disease spectrum to CD4-CD8+ cases. *Am J Surg Pathol.* 2015 Sep;39(9):1259–66. PMID:25929350
- 3216.** Takata K, Okada H, Ohmiya N, et al. Primary gastrointestinal follicular lymphoma involving the duodenal second portion is a distinct entity: a multicenter, retrospective analysis in Japan. *Cancer Sci.* 2011 Aug;102(8):1532–6. PMID:21561531
- 3217.** Takata K, Sato Y, Nakamura N, et al. Duodenal and nodal follicular lymphomas are distinct: the former lacks activation-induced cytidine deaminase and follicular dendritic cells despite ongoing somatic hypermutations. *Mod Pathol.* 2009 Jul;22(7):940–9. PMID:1936151
- 3218.** Takata K, Sato Y, Nakamura N, et al. Duodenal follicular lymphoma lacks AID but expresses BACH2 and has memory B-cell characteristics. *Mod Pathol.* 2013 Jan;26(1):22–31. PMID:22899287
- 3219.** Takata K, Tanino M, Ennishi D, et al. Duodenal follicular lymphoma: comprehensive gene expression analysis with insights into pathogenesis. *Cancer Sci.* 2014 May;105(5):608–15. PMID:24602001
- 3220.** Takenaka A, Kaji I, Kasugai H, et al. Usefulness of diagnostic criteria for aspiration cytology of hepatocellular carcinoma. *Acta Cytol.* 1999 Jul-Aug;43(4):610–6. PMID:10432883
- 3221.** Takeno A, Takemasa I, Seno S, et al.

- Gene expression profile prospectively predicts peritoneal relapse after curative surgery of gastric cancer. *Ann Surg Oncol*. 2010 Apr;17(4):1033–42. PMID:20012501
3222. Takeuchi K, Yokoyama M, Ishizawa S, et al. Lymphomatoid gastropathy: a distinct clinicopathologic entity of self-limited pseudomalignant NK-cell proliferation. *Blood*. 2010 Dec 16;116(25):5631–7. PMID:20829373
3223. Takiff H, Calabria R, Yin L, et al. Mesenteric cysts and intra-abdominal cystic lymphangiomas. *Arch Surg*. 1985 Nov;120(11):1266–9. PMID:4051731
3224. Takubo K, Aida J, Sawabe M, et al. Early squamous cell carcinoma of the oesophagus: the Japanese viewpoint. *Histopathology*. 2007 Dec;51(6):733–42. PMID:17617215
3225. Takubo K, Nakagawa H, Tsuchiya S, et al. Seedling leiomyoma of the esophagus and esophagogastric junction zone. *Hum Pathol*. 1981 Nov;12(11):1006–10. PMID:7319487
3226. Talamonti MS, Goetz LH, Rao S, et al. Primary cancers of the small bowel: analysis of prognostic factors and results of surgical management. *Arch Surg*. 2002 May;137(5):564–70, discussion 570–1. PMID:11982470
3227. Talmon GA, Cohen SM. Mesenchymal hamartoma of the liver with an interstitial deletion involving chromosome band 19q13.4: a theory as to pathogenesis? *Arch Pathol Lab Med*. 2006 Aug;130(8):1216–8. PMID:16879027
3228. Tamura A, Ogasawara T, Fujii Y, et al. Glucagonoma with necrotic migratory erythema: metabolic profile and detection of biallelic inactivation of DAXX gene. *J Clin Endocrinol Metab*. 2018 Jul 1;103(7):2417–23. PMID:29688432
3229. Tamura K, Yu J, Hata T, et al. Mutations in the pancreatic secretory enzymes CPA1 and CPB1 are associated with pancreatic cancer. *Proc Natl Acad Sci U S A*. 2018 May 1;115(18):4767–72. PMID:29669919
3230. Tan D, Lynch HT, editors. *Principles of molecular diagnostics and personalized cancer medicine*. Philadelphia (PA): Lippincott Williams & Wilkins; 2013.
3231. Tan MC, Basturk O, Brannon AR, et al. GNAS and KRAS mutations define separate progression pathways in intraductal papillary mucinous neoplasm-associated carcinoma. *J Am Coll Surg*. 2015 May;220(5):845–54.e1. PMID:25840541
3232. Tan MH, Mester J, Peterson C, et al. A clinical scoring system for selection of patients for PTEN mutation testing is proposed on the basis of a prospective study of 3042 probands. *Am J Hum Genet*. 2011 Jan 7;88(1):42–56. PMID:21914675
3233. Tan MH, Mester JL, Ngeow J, et al. Lifetime cancer risks in individuals with germline PTEN mutations. *Clin Cancer Res*. 2012 Jan 15;18(2):400–7. PMID:22252256
3234. Tan P, Yeoh KG. Genetics and molecular pathogenesis of gastric adenocarcinoma. *Gastroenterology*. 2015 Oct;149(5):1153–62.e3. PMID:26073375
3235. Tan SY, Chuang SS, Tang T, et al. Type II EATL (epitheliotrophic intestinal T-cell lymphoma): a neoplasm of intra-epithelial T-cells with predominant CD8αα phenotype. *Leukemia*. 2013 Aug;27(8):1688–96. PMID:23399895
3236. Tan SY, Ooi AS, Ang MK, et al. Nuclear expression of MATK is a novel marker of type II enteropathy-associated T-cell lymphoma. *Leukemia*. 2011 Mar;25(3):555–7. PMID:21233830
3237. Tanabe S, Hirabayashi S, Oda I, et al. Gastric cancer treated by endoscopic submucosal dissection or endoscopic mucosal resection in Japan from 2004 through 2006: JGCA nationwide registry conducted in 2013. *Gastric Cancer*. 2017 Sep;20(5):834–42. PMID:28205058
3238. Tanaka M, Chari S, Adsay V, et al. International consensus guidelines for management of intraductal papillary mucinous neoplasms and mucinous cystic neoplasms of the pancreas. *Pancreatology*. 2006;6(1-2):17–32. PMID:16327281
3239. Tanaka M, Fernández-del Castillo C, Adsay V, et al. International consensus guidelines 2012 for the management of IPMN and MCN of the pancreas. *Pancreatology*. 2012 May-Jun;12(3):183–97. PMID:22687371
3240. Tanaka M, Fernández-Del Castillo C, Kamisawa T, et al. Revisions of international consensus Fukuoka guidelines for the management of IPMN of the pancreas. *Pancreatology*. 2017 Sep-Oct;17(5):738–53. PMID:28735806
3241. Tanaka M, Sawai H, Okada Y, et al. Clinicopathologic study of intraductal papillary-mucinous tumors and mucinous cystic tumors of the pancreas. *Hepatogastroenterology*. 2006 Sep-Oct;53(71):783–7. PMID:17086889
3242. Tanaka M, Wanless IR. Pathology of the liver in Budd-Chiari syndrome: portal vein thrombosis and the histogenesis of veno-centric cirrhosis, veno-portal cirrhosis, and large regenerative nodules. *Hepatology*. 1998 Feb;27(2):488–96. PMID:9462648
3243. Tanaka M. Intraductal papillary mucinous neoplasm of the pancreas as the main focus for early detection of pancreatic adenocarcinoma. *Pancreas*. 2018 May/Jun;47(5):544–50. PMID:29702531
3244. Tanaka T, Megahed N, Takata K, et al. A case of lymphomatoid gastropathy: an indolent CD56-positive atypical gastric lymphoid proliferation, mimicking aggressive NK/T cell lymphomas. *Pathol Res Pract*. 2011 Dec 15;207(12):786–9. PMID:22078056
3245. Tanaka Y, Ijiri R, Yamanaka S, et al. Pancreatoblastoma: optically clear nuclei in squamous corpuscles are rich in biotin. *Mod Pathol*. 1998 Oct;11(10):945–9. PMID:9796720
3246. Tanaka Y, Kato K, Notohara K, et al. Frequent beta-catenin mutation and cytoplasmic/nuclear accumulation in pancreatic solid-pseudopapillary neoplasm. *Cancer Res*. 2001 Dec 1;61(23):8401–4. PMID:11731417
3247. Tanaka Y, Kato K, Notohara K, et al. Significance of aberrant (cytoplasmic/nuclear) expression of beta-catenin in pancreatoblastoma. *J Pathol*. 2003 Feb;199(2):185–90. PMID:12533831
3248. Tanaka Y, Notohara K, Kato K, et al. Usefulness of beta-catenin immunostaining for the differential diagnosis of solid-pseudopapillary neoplasm of the pancreas. *Am J Surg Pathol*. 2002 Jun;26(6):818–20. PMID:12023593
3249. Tanas MR, Sboner A, Oliveira AM, et al. Identification of a disease-defining gene fusion in epithelioid hemangioendothelioma. *Sci Transl Med*. 2011 Aug 31;3(98):98ra82. PMID:21885404
3250. Tanase A, Schmitz N, Stein H, et al. Allogeneic and autologous stem cell transplantation for hepatosplenic T-cell lymphoma: a retrospective study of the EBMT Lymphoma Working Party. *Leukemia*. 2015 Mar;29(3):686–8. PMID:25234166
3251. Tanase H, Suda K, Yamasaki S, et al. Intraductal low papillary histological pattern of carcinoma component shows intraductal spread in invasive carcinoma of the pancreas. *J Hepatobiliary Pancreat Surg*. 2006;13(3):235–8. PMID:16708301
3252. Tang LH, Aydin H, Brennan MF, et al. Clinically aggressive solid pseudopapillary tumors of the pancreas: a report of two cases with components of undifferentiated carcinoma and a comparative clinicopathologic analysis of 34 conventional cases. *Am J Surg Pathol*. 2005 Apr;29(4):512–9. PMID:15767807
3253. Tang LH, Basturk O, Sue JJ, et al. A practical approach to the classification of WHO grade 3 (G3) well-differentiated neuroendocrine tumor (WD-NET) and poorly differentiated neuroendocrine carcinoma (PD-NEC) of the pancreas. *Am J Surg Pathol*. 2016 Sep;40(9):1192–202. PMID:27259015
3254. Tang LH, Contractor T, Clausen R, et al. Attenuation of the retinoblastoma pathway in pancreatic neuroendocrine tumors due to increased Cdk4/Cdk6. *Clin Cancer Res*. 2012 Sep 1;18(17):4612–20. PMID:22761470
3255. Tang LH, Shia J, Soslow RA, et al. Pathologic classification and clinical behavior of the spectrum of goblet cell carcinoid tumors of the appendix. *Am J Surg Pathol*. 2008 Oct;32(10):1429–43. PMID:18685490
3256. Tang LH, Utch BR, Reidy DL, et al. Well-differentiated neuroendocrine tumors with a morphologically apparent high-grade component: a pathway distinct from poorly differentiated neuroendocrine carcinomas. *Clin Cancer Res*. 2016 Feb 15;22(4):1011–7. PMID:26482044
3257. Tang M, Deng Z, Li B, et al. Circulating tumor DNA is effective for detection of KRAS mutation in colorectal cancer: a meta-analysis. *Int J Biol Markers*. 2017 Oct 31;32(4):e421–7. PMID:28885658
3258. Taniere P, Borghi-Scoazec G, Saurin JC, et al. Cytokeratin expression in adenocarcinomas of the esophagogastric junction: a comparative study of adenocarcinomas of the distal esophagus and of the proximal stomach. *Am J Surg Pathol*. 2002 Sep;26(9):1213–21. PMID:12218578
3259. Taniguchi K, Roberts LR, Aderca IN, et al. Mutational spectrum of beta-catenin, AXIN1, and AXIN2 in hepatocellular carcinomas and hepatoblastomas. *Oncogene*. 2002 Jul 18;21(31):4863–71. PMID:12101426
3260. Tamura A, Yamamoto H, Shibata H, et al. Carcinoma in heterotopic gastric pancreas. *Acta Pathol Jpn*. 1979 Mar;29(2):251–7. PMID:552797
3261. Tanno S, Obara T, Fujii T, et al. Alpha-fetoprotein-producing adenocarcinoma of the pancreas presenting focal hepatoid differentiation. *Int J Pancreatol*. 1999 Aug;26(1):43–7. PMID:10566157
3262. Tari A, Asaoku H, Takata K, et al. The role of “watch and wait” in intestinal follicular lymphoma in rituximab era. *Scand J Gastroenterol*. 2016 Mar;51(3):321–8. PMID:26382560
3263. Tari A, Kitadai Y, Mouri R, et al. Watch-and-wait policy versus rituximab-combined chemotherapy in Japanese patients with intestinal follicular lymphoma. *J Gastroenterol Hepatol*. 2018 Aug;33(8):1461–8. PMID:29377265
3264. Taruscio D, Paradisi S, Zamboni G, et al. Pancreatic acinar carcinoma shows a distinct pattern of chromosomal imbalances by comparative genomic hybridization. *Genes Chromosomes Cancer*. 2000 Jul;28(3):294–9. PMID:10862035
3265. Tateishi R, Taniguchi H, Wada A, et al. Argyrophil cells and melanocytes in esophageal mucosa. *Arch Pathol*. 1974 Aug;98(2):87–9. PMID:4134908
3266. Taylor PR, Abnet CC, Dawsey SM. Squamous dysplasia—the precursor lesion for esophageal squamous cell carcinoma. *Cancer Epidemiol Biomarkers Prev*. 2013 Apr;22(4):540–52. PMID:23549398
3267. Techavichit P, Masand PM, Himes RW, et al. Undifferentiated embryonal sarcoma of the liver (UESL): a single-center experience and review of the literature. *J Pediatr Hematol Oncol*. 2016 May;38(4):261–8. PMID:26925712
3268. Tekin K, Sungurtekin U, Aytetkin FO, et al. Ectopic prostatic tissue of the anal canal presenting with rectal bleeding: report of a case. *Dis Colon Rectum*. 2002 Jul;45(7):979–80. PMID:12130891
3269. Temellini F, Bavosi M, Lamarra M, et al. Pancreatic metastasis 25 years after nephrectomy for renal cancer. *Tumori*. 1989 Oct;75(5):503–4. PMID:2603224
3270. Terada T, Matsunaga Y, Maeta H, et al. Mixed ductal-endocrine carcinoma of the pancreas presenting as gastrinoma with Zollinger-Ellison syndrome: an autopsy case with a 24-year survival period. *Virchows Arch*. 1999 Dec;435(6):606–11. PMID:10628803
3271. Terada T, Ohta T, Kitamura Y, et al. Cell proliferative activity in intraductal papillary-mucinous neoplasms and invasive ductal adenocarcinomas of the pancreas: an immunohistochemical study. *Arch Pathol Lab Med*. 1999 Jan;122(1):42–6. PMID:9448015
3272. Terada T, Ohta T, Kanakuma Y. Expression of oncogene products, anti-oncogene products and oncofetal antigens in intraductal papillary-mucinous neoplasm of the pancreas. *Histopathology*. 1996 Oct;29(4):355–61. PMID:8910043
3273. Terada T. Epstein-Barr virus associated lymphoepithelial carcinoma of the esophagus. *Int J Clin Exp Med*. 2013;6(3):219–25. PMID:23573354
3274. Terada T. Primary combined adenocystic carcinoma, basaloid squamous cell carcinoma, and squamous cell carcinoma of the esophagus. *Endoscopy*. 2012;44 Suppl 2 UCTN:E102–3. PMID:22473577
3275. Terada T. Primary signet-ring cell carcinoma of the pancreas diagnosed by endoscopic retrograde pancreatic duct biopsy: a case report with an immunohistochemical study. *Endoscopy*. 2012;44 Suppl 2 UCTN:E141–2. PMID:22619039
3276. Terada T. Small cell carcinoma of the ileum that developed 10 years after total gastrectomy for gastric signet-ring cell carcinoma. *Appl Immunohistochem Mol Morphol*. 2012 Dec;20(6):618–9. PMID:22417855
3277. Terai T, Sugimoto M, Uozaki H, et al. Lymphomatoid gastropathy mimicking extranodal NK/T cell lymphoma, nasal type: a case report. *World J Gastroenterol*. 2012 May 7;18(17):2140–4. PMID:22563204
3278. Terashima M, Kitada K, Ochiai A, et al. Impact of expression of human epidermal growth factor receptors EGFR and ERBB2 on survival in stage II/III gastric cancer. *Clin Cancer Res*. 2012 Nov 1;18(21):5992–6000. PMID:22977193
3279. Terris B, Cavard C. Diagnosis and molecular aspects of solid-pseudopapillary neoplasms of the pancreas. *Semin Diagn Pathol*. 2014 Nov;31(6):484–90. PMID:25524568
3280. Terris B, Dubois S, Buisine MP, et al. Mucin gene expression in intraductal papillary-mucinous pancreatic tumours and related lesions. *J Pathol*. 2002 Aug;197(5):552–7. PMID:12210083
3281. Tessier Cloutier B, Costa FD, Tseelaar HD, et al. Aberrant expression of neuroendocrine markers in angioblasticoma: a potential diagnostic pitfall. *Hum Pathol*. 2014 Aug;45(8):1618–24. PMID:24846674
3282. Testini M, Gurrado A, Lissidini G, et al. Management of mucinous cystic neoplasms of the pancreas. *World J Gastroenterol*. 2010 Dec 7;16(45):5682–92. PMID:21128317
3283. Tezuka K, Yamakawa M, Jingi A, et al. An unusual case of undifferentiated carcinoma in situ with osteoclast-like giant cells of the pancreas. *Pancreas*. 2006 Oct;33(3):304–10. PMID:17003654
3284. Thai E, Dalla Valle R, Evaristi F, et al. A case of biliary adenofibroma with malignant transformation. *Pathol Res Pract*. 2016 May;212(5):468–70. PMID:26778388
3285. The Cancer of the Liver Italian Program

- (CLIP) investigators. A new prognostic system for hepatocellular carcinoma: a retrospective study of 435 patients. *Hepatology*. 1998 Sep;28(3):751–5. PMID:9731568
- 3286.** The Non-Hodgkin's Lymphoma Classification Project. A clinical evaluation of the International Lymphoma Study Group classification of non-Hodgkin's lymphoma. *Blood*. 1997 Jun 1;89(11):3909–18. PMID:9166827
- 3287.** The Paris endoscopic classification of superficial neoplastic lesions: esophagus, stomach, and colon: November 30 to December 1, 2002. *Gastrointest Endosc*. 2003 Dec;58(6 Suppl):S3–43. PMID:14652541
- 3288.** Theegarten D, Reinacher A, Graeven U, et al. Mixed malignant germ cell tumour of the liver. *Virchows Arch*. 1998 Jul;433(1):93–6. PMID:9692832
- 3289.** Thieblemont C, Bastion Y, Berger F, et al. Mucosa-associated lymphoid tissue gastrointestinal and nongastrointestinal lymphoma behavior: analysis of 108 patients. *J Clin Oncol*. 1997 Apr;15(4):1624–30. PMID:9193362
- 3290.** Thieblemont C, Berger F, Dumontet C, et al. Mucosa-associated lymphoid tissue lymphoma is a disseminated disease in one third of 158 patients analyzed. *Blood*. 2000 Feb 1;95(3):802–6. PMID:10648389
- 3291.** Thieblemont C, Bertoni F, Copie-Bergman C, et al. Chronic inflammation and extra-nodal marginal-zone lymphomas of MALT-type. *Semin Cancer Biol*. 2014 Feb;24:33–42. PMID:24333758
- 3292.** Thierry AR, Mouliere F, El Messaoudi S, et al. Clinical validation of the detection of KRAS and BRAF mutations from circulating tumor DNA. *Nat Med*. 2014 Apr;20(4):430–5. PMID:24658074
- 3293.** Thies S, Guldener L, Slotta-Huspenina J, et al. Impact of peritumoral and intratumoral budding in esophageal adenocarcinomas. *Hum Pathol*. 2016 Jun;52:1–8. PMID:26980046
- 3294.** Thies S, Langer R. Tumor regression grading of gastrointestinal carcinomas after neoadjuvant treatment. *Front Oncol*. 2013 Oct 7;3:262. PMID:24109590
- 3295.** Thirabianjasak D, Basturk O, Altinel D, et al. Is serous cystadenoma of the pancreas a model of clear-cell-associated angiogenesis and tumorigenesis? *Pancreatology*. 2009;9(1-2):182–8. PMID:19077470
- 3296.** Thirunavukarasu P, Sathaiah M, Singla S, et al. Medullary carcinoma of the large intestine: a population based analysis. *Int J Oncol*. 2010 Oct;37(4):901–7. PMID:20811712
- 3297.** Thomas de Montpréville V, Le Pavec J, Le Roy Ladurie F, et al. Lymphoproliferative disorders after lung transplantation: clinicopathological characterization of 16 cases with identification of very-late-onset forms. *Respiration*. 2015;90(6):451–9. PMID:26506523
- 3298.** Thomas M, Bienkowski R, Vandermeer TJ, et al. Malignant transformation in perianal fistulas of Crohn's disease: a systematic review of literature. *J Gastrointest Surg*. 2010 Jan;14(1):66–73. PMID:19826882
- 3299.** Thomas RM, Sobin LH. Gastrointestinal cancer. *Cancer*. 1995 Jan 1;75(1 Suppl):154–70. PMID:8000994
- 3300.** Thompson BA, Spurdle AB, Plazzer JP, et al. Application of a 5-tiered scheme for standardized classification of 2,360 unique mismatch repair gene variants in the InSiGHT locus-specific database. *Nat Genet*. 2014 Feb;46(2):107–15. PMID:24362816
- 3301.** Thompson K, Castelli MJ, Gattuso P. Metastatic papillary oncocytic carcinoma of the pancreas to the liver diagnosed by fine-needle aspiration. *Diagn Cytopathol*. 1998 Apr;18(4):291–6. PMID:9557266
- 3302.** Thompson LD, Becker RC, Przygodzki RM, et al. Mucinous cystic neoplasm (mucinous cystadenocarcinoma of the pancreas: a clinicopathologic study of 130 cases. Am J Surg Pathol. 1999 Jan;23(1):1–16. PMID:9888699
- 3303.** Thompson SM, Zendejas-Mummert B, Hartgering ML, et al. Malignant transformation of biliary adenofibroma: a rare biliary cystic tumor. *J Gastrointest Oncol*. 2016 Dec;7(6):E107–12. PMID:28078134
- 3304.** Thonhofer R, Siegel C, Trummer M, et al. Mastocytic enterocolitis as a rare cause of chronic diarrhea in a patient with rheumatoid arthritis. *Wien Klin Wochenschr*. 2011 May;123(9-10):297–8. PMID:21499916
- 3305.** Thrift AP. Barrett's esophagus and esophageal adenocarcinoma: how common are they really? *Dig Dis Sci*. 2018 Aug;63(8):1988–96. PMID:29671158
- 3306.** Thrift AP. The epidemic of oesophageal carcinoma: Where are we now? *Cancer Epidemiol*. 2016 Apr;41:88–95. PMID:26851752
- 3307.** Thurberg BL, Duray PH, Odze RD. Polypoid dysplasia in Barrett's esophagus: a clinicopathologic, immunohistochemical, and molecular study of five cases. *Hum Pathol*. 1999 Jul;30(7):745–52. PMID:10414492
- 3308.** Thway K, Fisher C. Diffuse ganglionuromatosis in small intestine associated with neurofibromatosis type 1. *Ann Diagn Pathol*. 2009 Feb;13(1):50–4. PMID:19118783
- 3309.** Tickoo SK, Zee SY, Obiekwe S, et al. Combined hepatocellular-cholangiocarcinoma: a histopathologic, immunohistochemical, and in situ hybridization study. *Am J Surg Pathol*. 2002 Aug;26(8):989–97. PMID:12170085
- 3310.** Tiemann K, Heiting U, Kosmahl M, et al. Solid pseudopapillary neoplasms of the pancreas show an interruption of the Wnt-signaling pathway and express gene products of 11q. *Mod Pathol*. 2007 Sep;20(9):955–60. PMID:17632456
- 3311.** Tierney RJ, Shannon-Lowe CD, Fitzsimmons L, et al. Unexpected patterns of Epstein-Barr virus transcription revealed by a high throughput PCR array for absolute quantification of viral mRNA. *Virology*. 2015 Jan 1;474:117–30. PMID:25463610
- 3312.** Tjon JM, Verbeek WH, Kooy-Winkelra YM, et al. Defective synthesis or association of T-cell receptor chains underlies loss of surface T-cell receptor-CD3 expression in enteropathy-associated T-cell lymphoma. *Blood*. 2008 Dec 15;112(13):5103–10. PMID:18815285
- 3313.** Toba T, Inoshita N, Kaise M, et al. Clinicopathological features of superficial non-ampullary duodenal epithelial tumor; gastric phenotype of histology correlates to higher malignant potency. *J Gastroenterol*. 2018 Jan;53(1):64–70. PMID:28321513
- 3314.** Todoroki T, Sano T, Yamada S, et al. Clear cell carcinoma of the distal common bile duct. *World J Surg Oncol*. 2007 Jan 17;5:6. PMID:17227590
- 3315.** Tohda G, Osawa T, Asada Y, et al. Gastric adenocarcinoma of fundic gland type: endoscopic and clinicopathological features. *World J Gastrointest Endosc*. 2016 Feb 25;8(4):244–51. PMID:26962407
- 3316.** Tomasetti C, Marchionni L, Nowak MA, et al. Only three driver gene mutations are required for the development of lung and colorectal cancers. *Proc Natl Acad Sci U S A*. 2015 Jan 6;112(1):118–23. PMID:25535351
- 3317.** Tomasetti C, Vogelstein B, Parmigiani G. Half or more of the somatic mutations in cancers of self-renewing tissues originate prior to tumor initiation. *Proc Natl Acad Sci U S A*. 2013 Feb 5;110(6):1999–2004. PMID:23345422
- 3318.** Tomioka H, Fukao Y, Lee Y, et al. Primary neuroendocrine carcinoma of the appendix: a case report and review of the literature. *Anticancer Res*. 2013 Jun;33(6):2635–8. PMID:23749920
- 3320.** Tomita S, Kikuti YY, Carreras J, et al. Genomic and immunohistochemical profiles of enteropathy-associated T-cell lymphoma in Japan. *Mod Pathol*. 2015 Oct;28(10):1286–96. PMID:26226842
- 3321.** Tomizawa M, Saisho H. Insulin-like growth factor (IGF)-II regulates CCAAT/enhancer binding protein alpha expression via phosphatidyl-inositol 3 kinase in human hepatoblastoma cell lines. *J Cell Biochem*. 2007 Sep 1;102(1):161–70. PMID:17372916
- 3322.** Tomlinson JS, Jain S, Bentrem DJ, et al. Accuracy of staging node-negative pancreas cancer: a potential quality measure. *Arch Surg*. 2007 Aug;142(8):767–73, discussion 773–4. PMID:17709731
- 3323.** Tomlinson JS, Jarnagin WR, DeMatteo RP, et al. Actual 10-year survival after resection of colorectal liver metastases defines cure. *J Clin Oncol*. 2007 Oct 10;25(29):4575–80. PMID:17925551
- 3324.** Topalian SL, Taube JM, Anders RA, et al. Mechanism-driven biomarkers to guide immune checkpoint blockade in cancer therapy. *Nat Rev Cancer*. 2016 May;16(5):275–87. PMID:27079802
- 3325.** Torbenson M. Fibrolamellar carcinoma: 2012 update. *Scientifica* (Cairo). 2012;2012:743790. PMID:24278737
- 3326.** Torbenson M. Hepatic adenomas: classification, controversies, and consensus. *Surg Pathol Clin*. 2018 Jun;11(2):351–66. PMID:29751879
- 3327.** Torbenson MS. Morphologic subtypes of hepatocellular carcinoma. *Gastroenterol Clin North Am*. 2017 Jun;46(2):365–91. PMID:28506370
- 3328.** Torlakovic E, Skovlund E, Snover DC, et al. Morphologic reappraisal of serrated colorectal polyps. *Am J Surg Pathol*. 2003 Jan;27(1):65–81. PMID:12502929
- 3329.** Torlakovic EE, Gomez JD, Driman DK, et al. Sessile serrated adenoma (SSA) vs. traditional serrated adenoma (TSA). *Am J Surg Pathol*. 2008 Jan;32(1):21–9. PMID:18162766
- 3330.** Tornesello ML, Biriyahwaho B, Downing R, et al. Human herpesvirus type 8 variants circulating in Europe, Africa and North America in classic, endemic and epidemic Kaposi's sarcoma lesions during pre-AIDS and AIDS era. *Virology*. 2010 Mar 15;398(2):280–9. PMID:20079510
- 3331.** Torre LA, Siegel RL, Ward EM, et al. Global cancer incidence and mortality rates and trends—an update. *Cancer Epidemiol Biomarkers Prev*. 2016 Jan;25(1):16–27. PMID:26667886
- 3331A.** Torrecilla S, Sia D, Harrington AN, et al. Trunk mutational events present minimal intra- and inter-tumoral heterogeneity in hepatocellular carcinoma. *J Hepatol*. 2017 Dec;67(6):1222–31. PMID:28843658
- 3332.** Toumi O, Ammar H, Korbi I, et al. Gastroblastoma, a biphasic neoplasm of stomach: a case report. *Int J Surg Case Rep*. 2017;39:72–6. PMID:28822310
- 3333.** Towbin AJ, Meyers RL, Woodley H, et al. 2017 PRETEXT: radiologic staging system for primary hepatic malignancies of childhood revised for the Paediatric Hepatic International Tumour Trial (PHITT). *Pediatr Radiol*. 2018 Apr;48(4):536–54. PMID:29427028
- 3334.** Tracey KJ, O'Brien MJ, Williams LF, et al. Signet ring carcinoma of the pancreas, a rare variant with very high CEA values. Immunohistoologic comparison with adenocarcinoma. *Dig Dis Sci*. 1984 Jun;29(6):573–6. PMID:6327210
- 3335.** Trakarsanga A, Gönen M, Shia J, et al. Comparison of tumor regression grade systems for locally advanced rectal cancer after multimodality treatment. *J Natl Cancer Inst*. 2014 Sep 22;106(10):dju248. PMID:25249540
- 3336.** Tran-Duy A, Spaetgens B, Hoes AW, et al. Use of proton pump inhibitors and risks of fundic gland polyps and gastric cancer: systematic review and meta-analysis. *Clin Gastroenterol Hepatol*. 2016 Dec;14(12):1706–19.e5. PMID:27211501
- 3337.** Trappe RU, Choquet S, Dierickx D, et al. International prognostic index, type of transplant and response to rituximab are key parameters to tailor treatment in adults with CD20-positive B cell PTLD: clues from the PTLD-1 trial. *Am J Transplant*. 2015 Apr;15(4):1091–100. PMID:25736912
- 3338.** Traverso LW, Peralta EA, Ryan JA Jr, et al. Intraductal neoplasms of the pancreas. *Am J Surg*. 1998 May;175(5):426–32. PMID:9600293
- 3339.** Travert M, Huang Y, de Leval L, et al. Molecular features of hepatosplenic T-cell lymphoma unravels potential novel therapeutic targets. *Blood*. 2012 Jun 14;119(24):5795–806. PMID:22510872
- 3340.** Trikudanathan G, Navaneethan U, Njei B, et al. Diagnostic yield of bile duct brushings for cholangiocarcinoma in primary sclerosing cholangitis: a systematic review and meta-analysis. *Gastrointest Endosc*. 2014 May;79(5):783–9. PMID:24140129
- 3341.** Tripathi M, Swanson PE. Rare tumors of esophageal squamous mucosa. *Ann NY Acad Sci*. 2016 Oct;1381(1):122–32. PMID:27310830
- 3342.** Trobaugh-Lozano AD, Tomlinson GE, Finegold MJ, et al. Small cell undifferentiated variant of hepatoblastoma: adverse clinical and molecular features similar to rhabdoid tumors. *Pediatr Blood Cancer*. 2009 Mar;52(3):328–34. PMID:18985717
- 3343.** Trovik CS, Bauer HC, Alvegard TA, et al. Surgical margins, local recurrence and metastasis in soft tissue sarcomas: 559 surgically-treated patients from the Scandinavian Sarcoma Group Register. *Eur J Cancer*. 2000 Apr;36(6):710–6. PMID:10762742
- 3344.** Truta B, Chen YY, Blanco AM, et al. Tumor histology helps to identify Lynch syndrome among colorectal cancer patients. *Fam Cancer*. 2008;7(3):267–74. PMID:18283560
- 3345.** Tsai DE, Bagley S, Reshef R, et al. The changing face of adult posttransplant lymphoproliferative disorder: changes in histology between 1999 and 2013. *Am J Hematol*. 2018 Jul;93(7):874–81. PMID:29659047
- 3346.** Tsai JH, Liu JY, Lin YL, et al. Traditional serrated adenoma has two pathways of neoplastic progression that are distinct from the sessile serrated pathway of colorectal carcinogenesis. *Mod Pathol*. 2014 Oct;27(10):1375–85. PMID:24603588
- 3347.** Tsai JH, Liu JY, Yuan CT, et al. RNF43 is an early and specific mutated gene in the serrated pathway, with increased frequency in traditional serrated adenoma and its associated malignancy. *Am J Surg Pathol*. 2016 Oct;40(10):1352–9. PMID:27305845
- 3348.** Tsai JH, Liu JY, Yuan CT, et al. RNF43 mutation frequently occurs with GNAS mutation and mucin hypersecretion in intraductal papillary neoplasms of the bile duct. *Histopathology*. 2017 Apr;70(5):756–65. PMID:27864998
- 3349.** Tsai JH, Yuan RH, Chen YL, et al. GNAS is frequently mutated in a specific subgroup of intraductal papillary neoplasms of the bile duct. *Am J Surg Pathol*. 2013 Dec;37(12):1862–70. PMID:24061513
- 3350.** Tsang ES, McConnell YJ, Schaeffer DF, et al. Prognostic factors for locoregional recurrence in neuroendocrine tumors of the rectum. *Dis Colon Rectum*. 2018 Feb;61(2):187–92. PMID:29337773
- 3351.** Tschang TP, Garza-Garza R, Kissane JM. Pleomorphic carcinoma of the

- pancreas: an analysis of 15 cases. *Cancer*. 1977 May;39(5):2114–26. PMID:870168
- 3352.** Tse E, Gill H, Loong F, et al. Type II enteropathy-associated T-cell lymphoma: a multicenter analysis from the Asia Lymphoma Study Group. *Am J Hematol*. 2012 Jul;87(7):663–8. PMID:22641357
- 3353.** Tseng HF, Morgenstern H, Mack TM, et al. Risk factors for anal cancer: results of a population-based case-control study. *Cancer Causes Control*. 2003 Nov;14(9):837–46. PMID:14682441
- 3354.** Tseng JF, Warshaw AL, Sahani DV, et al. Serous cystadenoma of the pancreas: tumor growth rates and recommendations for treatment. *Ann Surg*. 2005 Sep;242(3):413–9, discussion 419–21. PMID:16135927
- 3355.** Tsokos CG, Krings G, Yilmaz F, et al. Proliferative index facilitates distinction between benign biliary lesions and intrahepatic cholangiocarcinoma. *Hum Pathol*. 2016 Nov;57:61–7. PMID:27396933
- 3356.** Tsoukalas N, Chatzelli E, Rontogianni D, et al. Pancreatic carcinoids (serotonin-producing pancreatic neuroendocrine neoplasms): report of 5 cases and review of the literature. *Medicine (Baltimore)*. 2017 Apr;96(16):e6201. PMID:28422824
- 3357.** Tsuboniwa N, Miki T, Kuroda M, et al. Primary adenocarcinoma in an ileal conduit. *Int J Urol*. 1996 Jan;3(1):64–6. PMID:8646603
- 3358.** Tsuchiya K, Komuta M, Yasui Y, et al. Expression of keratin 19 is related to high recurrence of hepatocellular carcinoma after radiofrequency ablation. *Oncology*. 2011;80(3–4):278–88. PMID:21734420
- 3359.** Tsuda M, Asaka M, Kato M, et al. Effect on Helicobacter pylori eradication therapy against gastric cancer in Japan. *Helicobacter*. 2017 Oct;22(5). PMID:28771894
- 3360.** Tsui WM, Colombari R, Portmann BC, et al. Hepatic angiomyolipoma: a clinicopathologic study of 30 cases and delineation of unusual morphologic variants. *Am J Surg Pathol*. 1999 Jan;23(1):34–48. PMID:9888702
- 3361.** Tsui WM, Lam PW, Mak CK, et al. Fine-needle aspiration cytologic diagnosis of intrahepatic biliary papillomatosis (intraductal papillary tumor): report of three cases and comparative study with cholangiocarcinoma. *Diagn Cytopathol*. 2000 May;22(5):293–8. PMID:10790236
- 3362.** Tsui WM, Loo KT, Chow LT, et al. Biliary adenofibroma. A heretofore unrecognized benign biliary tumor of the liver. *Am J Surg Pathol*. 1993 Feb;17(2):186–92. PMID:8422113
- 3363.** Tsukashita S, Kushima R, Bamba M, et al. MUC gene expression and histogenesis of adenocarcinoma of the stomach. *Int J Cancer*. 2001 Oct 15;94(2):166–70. PMID:11668493
- 3364.** Tsutsui A, Bando Y, Sato Y, et al. Biliary adenofibroma with ominous features of imminent malignant changes. *Clin J Gastroenterol*. 2014 Oct;7(5):441–8. PMID:26184026
- 3365.** Tunçel D, Roa JC, Araya JC, et al. Poorly cohesive cell (diffuse-infiltrative/signet ring cell) carcinomas of the gallbladder: clinicopathological analysis of 24 cases identified in 628 gallbladder carcinomas. *Hum Pathol*. 2017 Feb;60:24–31. PMID:27666767
- 3366.** Turaga KK, Kvols LK. Recent progress in the understanding, diagnosis, and treatment of gastroenteropancreatic neuroendocrine tumors. *CA Cancer J Clin*. 2011 Mar-Apr;61(2):113–32. PMID:21388967
- 3367.** Turcot J, Despres JP, St Pierre F. Malignant tumors of the central nervous system associated with familial polyposis of the colon: report of two cases. *Dis Colon Rectum*. 1959 Sep-Oct;2:465–8. PMID:13839882
- 3368.** Turner JK, Williams GT, Morgan M, et al. Interobserver agreement in the reporting of colorectal polyp pathology among bowel cancer screening pathologists in Wales. *Histopathology*. 2013 May;62(6):916–24. PMID:23611360
- 3369.** Turner JR, Odze RD. Proliferative characteristics of differentiated cells in familial adenomatous polyposis-associated duodenal adenomas. *Hum Pathol*. 1996 Jan;27(1):63–9. PMID:8543313
- 3370.** Turner KO, Genta RM, Sonnenberg A. Oesophageal signet ring cell carcinoma as complication of gastro-oesophageal reflux disease. *Aliment Pharmacol Ther*. 2015 Nov;42(10):1222–31. PMID:26345286
- 3371.** Tustum F, Takeda FR, Uema RH, et al. Primary neuroendocrine neoplasm of the esophagus - report of 14 cases from a single institute and review of the literature. *Arg Gastroenterol*. 2017 Jan-Mar;54(1):4–10. PMID:28079231
- 3372.** Tuttle R, Kane JM 3rd. Biopsy techniques for soft tissue and bowel sarcomas. *J Surg Oncol*. 2015 Apr;111(5):504–12. PMID:25663366
- 3373.** Tyson GL, El-Serag HB. Risk factors for cholangiocarcinoma. *Hepatology*. 2011 Jul;54(1):173–84. PMID:21488076
- 3374.** Tyson GL, Ilyas JA, Duan Z, et al. Secular trends in the incidence of cholangiocarcinoma in the USA and the impact of misclassification. *Dig Dis Sci*. 2014 Dec;59(12):3103–10. PMID:25204668
- 3375.** Tzeng CW, Balachandran A, Ahmad M, et al. Serum carbohydrate antigen 19-9 represents a marker of response to neoadjuvant therapy in patients with borderline resectable pancreatic cancer. *HPB (Oxford)*. 2014 May;16(5):430–8. PMID:23991810
- 3376.** Ubiali A, Benetti A, Papotti M, et al. Genetic alterations in poorly differentiated endocrine colon carcinomas developing in tubulo-villous adenomas: a report of two cases. *Virchows Arch*. 2001 Dec;439(6):776–81. PMID:11787850
- 3377.** Uccella S, Blank A, Maragliano R, et al. Calcitonin-producing neuroendocrine neoplasms of the pancreas: clinicopathological study of 25 cases and review of the literature. *Endocr Pathol*. 2017 Dec;28(4):351–61. PMID:29063495
- 3378.** Uccella S, La Rosa S, Volante M, et al. Immunohistochemical biomarkers of gastrointestinal, pancreatic, pulmonary, and thymic neuroendocrine neoplasms. *Endocr Pathol*. 2018 Jun;29(2):150–68. PMID:29520563
- 3379.** Uchida N, Kamada H, Tsutsui K, et al. Utility of pancreatic duct brushing for diagnosis of pancreatic carcinoma. *J Gastroenterol*. 2007 Aug;42(8):657–62. PMID:17701129
- 3380.** Ueda T, Volinia S, Okumura H, et al. Relation between microRNA expression and progression and prognosis of gastric cancer: a microRNA expression analysis. *Lancet Oncol*. 2010 Feb;11(2):136–46. PMID:20022810
- 3381.** Ueno H, Mochizuki H, Hashiguchi Y, et al. Histological grading of colorectal cancer: a simple and objective method. *Ann Surg*. 2008 May;247(5):811–8. PMID:18438118
- 3382.** Ueo T, Kashima K, Daa T, et al. Immunohistochemical analysis of morules in colonic neoplasms: morules are morphologically and qualitatively different from squamous metaplasia. *Pathobiology*. 2005;72(5):269–78. PMID:16374071
- 3383.** Ueyama H, Matsumoto K, Nagahara A, et al. Gastric adenocarcinoma of the fundic gland type (chief cell predominant type). *Endoscopy*. 2014 Feb;46(2):153–7. PMID:24338239
- 3384.** Ueyama H, Yao T, Nakashima Y, et al. Gastric adenocarcinoma of fundic gland type (chief cell predominant type): proposal for a new entity of gastric adenocarcinoma. *Am J Surg Pathol*. 2010 May;34(5):609–19. PMID:20410811
- 3385.** Ueyama T, Nagai E, Yao T, et al. Vimentin-positive gastric carcinomas with rhabdoid features. A clinicopathologic and immunohistochemical study. *Am J Surg Pathol*. 1993 Aug;17(8):813–9. PMID:7687828
- 3385A.** UICC [Internet]. Geneva (Switzerland): Union for International Cancer Control; 2019. TNM Publications and Resources; updated 2019 Feb 4. Available from: <https://www.uicc.org/resources/tnm/publications-resources>
- 3385B.** Um TH, Kim H, Oh BK, et al. Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. *J Hepatol*. 2011 May;54(5):939–47. PMID:21145824
- 3386.** Umar SB, Fleischer DE. Esophageal cancer: epidemiology, pathogenesis and prevention. *Nat Clin Pract Gastroenterol Hepatol*. 2008 Sep;5(9):517–26. PMID:18679388
- 3387.** Uncu H, Erdem E, Kuterdem E. Lymphangiomas of the ileum: a report of two cases and a review of the literature. *Surg Today*. 1997;27(6):542–5. PMID:9306548
- 3388.** Urgancı N, Genc DB, Kose G, et al. Colorectal cancer due to constitutional mismatch repair deficiency mimicking neurofibromatosis I. *Pediatrics*. 2015 Oct;136(4):e1047–50. PMID:26391938
- 3389.** Uribe-Uribe NO, Jimenez-Garduno AM, Henson DE, et al. Paraneoplastic sensory neuropathy associated with small cell carcinoma of the gallbladder. *Ann Diagn Pathol*. 2009 Apr;13(2):124–6. PMID:19302962
- 3390.** Ushiku T, Arnason T, Ban S, et al. Very well-differentiated gastric carcinoma of intestinal type: analysis of diagnostic criteria. *Mod Pathol*. 2013 Dec;26(12):1620–31. PMID:23723017
- 3391.** Ushiku T, Arnason T, Fukayama M, et al. Extra-ampullary duodenal adenocarcinoma. *Am J Surg Pathol*. 2014 Nov;38(11):1484–93. PMID:2510836
- 3392.** Ushiku T, Arnason T, Fukayama M, et al. RHOA mutation in diffuse-type gastric cancer: a comparative clinicopathology analysis of 87 cases. *Gastric Cancer*. 2016 Apr;19(2):403–11. PMID:25823974
- 3393.** Ushiku T, Ishikawa S, Kakiuchi M, et al. RHOA mutation in diffuse-type gastric cancer: a comparative clinicopathology analysis of 87 cases. *Gastric Cancer*. 2016 Apr;19(2):403–11. PMID:25823974
- 3394.** Ushiku T, Matsusaka K, Iwasaki Y, et al. Gastric carcinoma with invasive micro-papillary pattern and its association with lymph node metastasis. *Histopathology*. 2011 Dec;59(6):1081–9. PMID:22175888
- 3395.** Ushiku T, Shinozaki A, Shibahara J, et al. SALL4 represents fetal gut differentiation of gastric cancer, and is diagnostically useful in distinguishing hepatoid gastric carcinoma from hepatocellular carcinoma. *Am J Surg Pathol*. 2010 Apr;34(4):533–40. PMID:20182341
- 3396.** Ushiku T, Shinozaki-Ushiku A, Maeda D, et al. Distinct expression pattern of claudin-6, a primitive phenotypic tight junction molecule, in germ cell tumours and visceral carcinomas. *Histopathology*. 2012 Dec;61(6):1043–56. PMID:22803571
- 3397.** Ushiku T, Uozaki H, Shinozaki A, et al. Glycan 3-expressing gastric carcinoma: distinct subgroup unifying hepatoid, clear-cell, and alpha-fetoprotein-producing gastric carcinomas. *Cancer Sci*. 2009 Apr;100(4):626–32. PMID:19243386
- 3398.** Utsunomiya T, Yao T, Masuda K, et al. Vimentin-positive adenocarcinomas of the stomach: co-expression of vimentin and cytokeratin. *Histopathology*. 1996 Dec;29(6):507–16. PMID:8971557
- 3399.** Vakiani E, Nandula SV, Subramanyam S, et al. Cytogenetic analysis of B-cell post-transplant lymphoproliferations validates the World Health Organization classification and suggests inclusion of florid follicular hyperplasia as a precursor lesion. *Hum Pathol*. 2007 Feb;38(2):315–25. PMID:17134734
- 3400.** Valente P, Garrido M, Gullo I, et al. Epithelial dysplasia of the stomach with gastric immunophenotype shows features of biological aggressiveness. *Gastric Cancer*. 2015 Oct;18(4):720–8. PMID:25146833
- 3401.** Valera A, Balagué O, Colomo L, et al. IgM/MYC rearrangements are the main cytogenetic alteration in plasmablastic lymphomas. *Am J Surg Pathol*. 2010 Nov;34(11):1686–94. PMID:20962620
- 3402.** Vallat-Decouvelaere AV, Dry SM, Fletcher CD. Atypical and malignant solitary fibrous tumors in extrathoracic locations: evidence of their comparability to intra-thoracic tumors. *Am J Surg Pathol*. 1998 Dec;22(12):1501–11. PMID:9850176
- 3403.** Valle L. Recent discoveries in the genetics of familial colorectal cancer and polyposis. *Clin Gastroenterol Hepatol*. 2017 Jun;15(6):809–19. PMID:27712984
- 3404.** Valsangkar NP, Morales-Oyanadie W, Thayer SP, et al. 851 resected cystic tumors of the pancreas: a 33-year experience at the Massachusetts General Hospital. *Surgery*. 2012 Sep;152(3 Suppl 1):S4–12. PMID:22770958
- 3405.** Van Baeten C, Van Dorpe J. Epstein-Barr virus-associated inflammatory pseudotumor. *Arch Pathol Lab Med*. 2017 May;141(5):722–7. PMID:28447898
- 3406.** Van Cutsem E, Bang YJ, Feng-Hi F, et al. HER2 screening data from ToGA: targeting HER2 in gastric and gastroesophageal junction cancer. *Gastric Cancer*. 2015 Jul;18(3):476–84. PMID:25038874
- 3407.** Van Cutsem E, Lenz HJ, Kohne CH, et al. Fluorouracil, leucovorin, and irinotecan plus cetuximab treatment and RAS mutations in colorectal cancer. *J Clin Oncol*. 2015 Mar;33(7):692–700. PMID:25605843
- 3408.** van de Wouw AJ, Janssen-Heijnen ML, Coebergh JW, et al. Epidemiology of unknown primary tumours: incidence and population-based survival of 1285 patients in Southeast Netherlands, 1984–1992. *Eur J Cancer*. 2002 Feb;38(3):409–13. PMID:11818207
- 3409.** van den Berg W, Tasclar M, Offerhaus CJ, et al. Pancreatic mucinous cystic neoplasms with sarcomatous stroma: molecular evidence for monoclonal origin with subsequent divergence of the epithelial and sarcomatous components. *Mod Pathol*. 2000 Jan;13(1):89–91. PMID:10658914
- 3410.** Van den Broeck A, Sergeant E, Etienne N, et al. Patterns of recurrence after complete resection of pancreatic ductal adenocarcinoma. *Eur J Surg Oncol*. 2009 Jun;35(6):601–4. PMID:19131205
- 3411.** van der Meer JW, Weening RS, Schellekens PT, et al. Colorectal cancer in patients with X-linked agammaglobulinemia. *Lancet*. 1995 Jun 5;341(8858):1439–40. PMID:7509140
- 3412.** van der Paart MP, Zagers ME, Beets-Tan RG, et al. Patients who undergo preoperative chemoradiotherapy for locally advanced rectal cancer restaged by using diagnostic MRI imaging: a systematic review and meta-analysis. *Radiology*. 2013 Oct;267(1):101–12. PMID:23801777
- 3413.** van der Post RS, Gullo I, Oliveira C, et al. Histopathological, molecular, and genetic profile of hereditary diffuse gastric cancer: current knowledge and challenges for the future. *Adv Exp Med Biol*. 2016;802:37–51. PMID:27573781
- 3414.** van der Post RS, Vogelaar IP, Camacho F, et al. Hereditary diffuse gastric cancer: updated clinical guidelines with an emphasis on germline CDH1 mutation carriers. *J Med Genet*. 2015 Jun;52(6):361–74. PMID:25576071
- 3415.** van der Post RS, Vogelaar IP, Nentwich

- P, et al. Accuracy of hereditary diffuse gastric cancer testing criteria and outcomes in patients with a germline mutation in CDH1. *Gastroenterology*. 2015 Oct;149(4):897–906.e19. PMID:26072394
- 3417.** van der Zee RP, Richel O, de Vries HJ, et al. The increasing incidence of anal cancer: can it be explained by trends in risk groups? *Neth J Med*. 2013 Oct;71(8):401–11. PMID:24127500
- 3418.** Van Dyke TJ, Johlin FC, Bellizzi AM, et al. Serous cystadenocarcinoma of the pancreas: clinical features and management of a rare tumor. *Dig Surg*. 2016;33(3):240–8. PMID:26998825
- 3419.** van Eeden S, de Leng WW, Offerhaus GJ, et al. Ductobular tumors of the pancreas: endocrine tumors with entrapped non-neoplastic ductules. *Am J Surg Pathol*. 2004 Jun;28(6):813–20. PMID:15166675
- 3420.** van Gils T, Nijeboer P, van Wanrooij RL, et al. Mechanisms and management of refractory coeliac disease. *Nat Rev Gastroenterol Hepatol*. 2015 Oct;12(10):572–9. PMID:26347156
- 3421.** van Hattem WA, Brosens LA, de Leng WW, et al. Large genomic deletions of SMAD4, BMPR1A and PTEN in juvenile polyposis. *Gut*. 2008 May;57(5):623–7. PMID:18178612
- 3422.** van Hattem WA, Langeveld D, de Leng WW, et al. Histologic variations in juvenile polyp phenotype correlate with genetic defect underlying juvenile polyposis. *Am J Surg Pathol*. 2011 Apr;35(4):530–6. PMID:21412070
- 3423.** van Herwaarden YJ, Verstegen MH, Dura P, et al. Low prevalence of serrated polyposis syndrome in screening populations: a systematic review. *Endoscopy*. 2015 Nov;47(11):1043–9. PMID:26126164
- 3424.** Van Leer-Greenberg B, Kole A, Chawla S. Hepatic Kaposi sarcoma: a case report and review of the literature. *World J Hepatol*. 2017 Feb 8;9(4):171–9. PMID:28217255
- 3425.** van Lier MG, Leenen CH, Wagner A, et al. Yield of routine molecular analyses in colorectal cancer patients ≤70 years to detect underlying Lynch syndrome. *J Pathol*. 2012 Apr;226(5):764–74. PMID:22081473
- 3426.** van Lier MG, Westerman AM, Wagner A, et al. High cancer risk and increased mortality in patients with Peutz-Jeghers syndrome. *Gut*. 2011 Feb;60(2):141–7. PMID:21205875
- 3427.** van Meerten E, Eskens FA, van Gameren EC, et al. First-line treatment with oxaliplatin and capecitabine in patients with advanced or metastatic oesophageal cancer: a phase II study. *Br J Cancer*. 2007 May;96(9):1348–52. PMID:17437008
- 3428.** van Putten PG, Hol L, van Dekken H, et al. Inter-observer variation in the histological diagnosis of polyps in colorectal cancer screening. *Histopathology*. 2011 May;58(6):974–81. PMID:21585430
- 3429.** van Rees BP, Rouse RW, de Wit MJ, et al. Molecular evidence for the same clonal origin of both components of an adenosquamous Barrett carcinoma. *Gastroenterology*. 2002 Mar;122(3):784–8. PMID:11875011
- 3430.** van Roessel S, Kasumova GG, Tabatabaie O, et al. Pathological margin clearance and survival after pancreaticoduodenectomy in a US and European pancreatic center. *Ann Surg Oncol*. 2018 Jun;25(6):1760–7. PMID:29651577
- 3431.** van Velthuysen ML, Groen EJ, van der Noort V, et al. Grading of neuroendocrine neoplasms: mitoses and Ki-67 are both essential. *Neuroendocrinology*. 2014;100(2-3):221–7. PMID:25358267
- 3432.** van Vugt LJ, van der Vleuten CJM, Flucke U, et al. The utility of GLUT1 as a diagnostic marker in cutaneous vascular anomalies: a review of literature and recommendations for daily practice. *Pathol Res Pract*. 2017 Jun;213(6):591–7. PMID:28552538
- 3433.** van Wanrooij RL, de Jong D, Langerak AW, et al. Novel variant of EATL evolving from mucosal γδ-T-cells in a patient with type I RCD. *BMJ Open Gastroenterol*. 2015 Jun 9;2(1):e000026. PMID:26462278
- 3434.** van Wanrooij RL, Müller DM, Neefjes-Borst EA, et al. Optimal strategies to identify aberrant intra-epithelial lymphocytes in refractory coeliac disease. *J Clin Immunol*. 2014 Oct;34(7):828–35. PMID:25062848
- 3435.** Vanacker L, Smeets D, Hoorens A, et al. Mixed adenoneuroendocrine carcinoma of the colon: molecular pathogenesis and treatment. *Anticancer Res*. 2014 Oct;34(10):5517–21. PMID:25275049
- 3436.** Vandebussche CJ, Allison DB, Graham MK, et al. Alternative lengthening of telomeres and ATRX/DAXX loss can be reliably detected in FNAs of pancreatic neuroendocrine tumors. *Cancer Cytopathol*. 2017 Jul;125(7):544–51. PMID:28371511
- 3437.** Vanoli A, Argenti F, Vinci A, et al. Hepatoid carcinoma of the pancreas with lymphoid stroma: first description of the clinical, morphological, immunohistochemical, and molecular characteristics of an unusual pancreatic carcinoma. *Virchows Arch*. 2015 Aug;467(2):237–45. PMID:25989715
- 3438.** Vanoli A, Di Sabatino A, Martino M, et al. Epstein-Barr virus-positive ileal carcinomas associated with Crohn's disease. *Virchows Arch*. 2017 Oct;471(4):549–52. PMID:28752215
- 3439.** Vanoli A, La Rosa S, Klersy C, et al. Four neuroendocrine tumor types and neuroendocrine carcinoma of the duodenum: analysis of 203 cases. *Neuroendocrinology*. 2017;104(2):112–25. PMID:26910321
- 3440.** Vanoli A, La Rosa S, Luinetti O, et al. Histologic changes in type A chronic atrophic gastritis indicating increased risk of neuroendocrine tumor development: the predictive role of dysplastic and severely hyperplastic enterochromaffin-like cell lesions. *Hum Pathol*. 2013 Sep;44(9):1827–37. PMID:23642738
- 3441.** Vanoli A, La Rosa S, Miceli E, et al. Prognostic evaluations tailored to specific gastric neuroendocrine neoplasms: analysis of 200 cases with extended follow-up. *Neuroendocrinology*. 2018;107(2):114–26. PMID:29895024
- 3442.** Vardaman C, Albores-Saavedra J. Clear cell carcinomas of the gallbladder and extrahepatic bile ducts. *Am J Surg Pathol*. 1995 Jan;19(1):91–9. PMID:7802141
- 3443.** Vargas-Parra GM, González-Acosta M, Thompson BA, et al. Elucidating the molecular basis of MSH2-deficient tumors by combined germline and somatic analysis. *Int J Cancer*. 2017 Oct 1;141(7):1365–80. PMID:28577310
- 3444.** Varghese S, Lao-Sirieix P, Fitzgerald RC. Identification and clinical implementation of biomarkers for Barrett's esophagus. *Gastroenterology*. 2012 Mar;142(3):435–41.e2. PMID:22266150
- 3445.** Varley JM, McGown G, Thornecroft M, et al. An extended Li-Fraumeni kindred with gastric carcinoma and a codon 175 mutation in TP53. *J Med Genet*. 1995 Dec;32(12):942–5. PMID:8825920
- 3446.** Varma JD, Hill MC, Harvey LA. Hemangioma of the small intestine manifesting as gastrointestinal bleeding. *Radiographics*. 1998 Jul-Aug;18(4):1029–33. PMID:9672985
- 3447.** Varnholt H, Vauthey JN, Dal Cin P, et al. Biliary adenofibroma: a rare neoplasm of bile duct origin with an indolent behavior. *Am J Surg Pathol*. 2003 May;27(5):693–8. PMID:12717255
- 3448.** Vasan HF, Blanco I, Aktan-Collan K, et al. Revised guidelines for the clinical management of Lynch syndrome (HNPCC): recommendations by a group of European experts. *Gut*. 2013 Jun;62(6):812–23. PMID:23408351
- 3449.** Vasan HF, Bülow S, Myrhøj T, et al. Decision analysis in the management of duodenal adenomatosis in familial adenomatous polyposis. *Gut*. 1997 Jun;40(6):716–9. PMID:9245923
- 3450.** Vasan HF, Ghorbanoghi Z, Bourdeaut F, et al. Guidelines for surveillance of individuals with constitutional mismatch repair-deficiency proposed by the European Consortium "Care for CMMR-D" (C4CMMR-D). *J Med Genet*. 2014 May;51(5):283–93. PMID:24556086
- 3451.** Vasan HF, Mösllein G, Alonso A, et al. Guidelines for the clinical management of familial adenomatous polyposis (FAP). *Gut*. 2008 May;57(5):704–13. PMID:18194984
- 3452.** Vega F, Chang CC, Schwartz MR, et al. Atypical NK-cell proliferation of the gastrointestinal tract in a patient with antigliadin antibodies but not celiac disease. *Am J Surg Pathol*. 2006 Apr;30(4):539–44. PMID:16625103
- 3453.** Vega F, Medeiros LJ, Bueso-Ramos C, et al. Hepatosplenic gamma/delta T-cell lymphoma in bone marrow. A sinusoidal neoplasm with blastic cytologic features. *Am J Clin Pathol*. 2001 Sep;116(3):410–9. PMID:11554170
- 3454.** Vega F, Medeiros LJ, Gaulard P. Hepatosplenic and other gammadelta T-cell lymphomas. *Am J Clin Pathol*. 2007 Jun;127(6):869–80. PMID:17509984
- 3455.** Velazquez I, Alter BP. Androgens and liver tumors: Fanconi's anemia and non-Fanconi's conditions. *Am J Hematol*. 2004 Nov;77(3):257–67. PMID:15495253
- 3456.** Venesio T, Balsamo A, Errichello E, et al. Oxidative DNA damage drives carcinogenesis in MUTYH-associated-polyposis by specific mutations of mitochondrial and MAPK genes. *Mod Pathol*. 2013 Oct;26(10):1371–81. PMID:23599153
- 3457.** Venkatesh S, Ordonez NG, Ajani J, et al. Islet cell carcinoma of the pancreas. A study of 98 patients. *Cancer*. 1990 Jan 15;65(2):354–7. PMID:2153046
- 3458.** Verbeek WH, Goerres MS, von Blomberg BM, et al. Flow cytometric determination of aberrant intra-epithelial lymphocytes predicts T-cell lymphoma development more accurately than T-cell clonality analysis in refractory celiac disease. *Clin Immunol*. 2008 Jan;126(1):48–56. PMID:18024205
- 3459.** Verbeek WH, von Blomberg BM, Coupe VM, et al. Aberrant T-lymphocytes in refractory coeliac disease are not strictly confined to a small intestinal intraepithelial localization. *Cytometry B Clin Cytom*. 2009 Nov;76(6):367–74. PMID:19444812
- 3460.** Verbeke CS, Gladhaug IP. Resection margin involvement and tumour origin in pancreatic head cancer. *Br J Surg*. 2012 Aug;99(8):1036–49. PMID:22517199
- 3461.** Verbeke SL, de Jong D, Bertoni F, et al. Array CGH analysis identifies two distinct subgroups of primary angiosarcoma of bone. *Genes Chromosomes Cancer*. 2015 Feb;54(2):72–81. PMID:25231439
- 3462.** Verdú M, Román R, Calvo M, et al. Clinicopathological and molecular characterization of colorectal micropapillary carcinoma. *Mod Pathol*. 2011 May;24(5):729–38. PMID:21336262
- 3463.** Vereide DT, Seto E, Chiu YF, et al. Epstein-Barr virus maintains lymphomas via its miRNAs. *Oncogene*. 2014 Mar 6;33(10):1258–64. PMID:23503461
- 3464.** Verhulst J, Ferdinand L, Demetter P, et al. Mucinous subtype as prognostic factor in colorectal cancer: a systematic review and meta-analysis. *J Clin Pathol*. 2012 May;65(5):381–8. PMID:22259177
- 3465.** Verkarre V, Asnafi V, Lecomte T, et al. Refractory coeliac sprue is a diffuse gastrointestinal disease. *Gut*. 2003 Feb;52(2):205–11. PMID:12524401
- 3466.** Verma M, Agarwal S, Mohta A. Primary mixed germ cell tumour of the liver—a case report. *Indian J Pathol Microbiol*. 2003 Oct;46(4):658–9. PMID:15025371
- 3467.** Verma R, Sharma PC. Next generation sequencing-based emerging trends in molecular biology of gastric cancer. *Am J Cancer Res*. 2018 Feb 1;8(2):207–25. PMID:29511593
- 3468.** Verner JV, Morrison AB. Islet cell tumor and a syndrome of refractory watery diarrhea and hypokalemia. *Am J Med*. 1958 Sep;25(3):374–80. PMID:13571250
- 3469.** Vernerey D, Huguet F, Vienot A, et al. Prognostic nomogram and score to predict overall survival in locally advanced untreated pancreatic cancer (PROLAP). *Br J Cancer*. 2016 Jul 26;115(3):281–9. PMID:27404456
- 3470.** Verschoor AJ, Bovée JGJM, Overbeek LIH, et al. The incidence, mutational status, risk classification and referral pattern of gastro-intestinal stromal tumours in the Netherlands: a nationwide pathology registry (PALGA) study. *Virchows Arch*. 2018 Feb;472(2):221–9. PMID:29308530
- 3471.** Verset L, Arvanitakis M, Loi P, et al. TTF-1 positive small cell cancers: Don't think they're always primary pulmonary! *World J Gastrointest Oncol*. 2011 Oct 15;3(10):144–7. PMID:22046491
- 3472.** Veteläinen R, Erdogan D, de Graaf W, et al. Liver adenomatosis: re-evaluation of aetiology and management. *Liver Int*. 2008 Apr;28(4):499–508. PMID:18339077
- 3473.** Vieira AR, Abar L, Chan DSM, et al. Foods and beverages and colorectal cancer risk: a systematic review and meta-analysis of cohort studies, an update of the evidence of the WCRF-AICR Continuous Update Project. *Ann Oncol*. 2017 Aug 1;28(8):1788–802. PMID:28407090
- 3474.** Vieth M, Kushner R, Borchard F, et al. Pyloric gland adenoma: a clinicopathological analysis of 90 cases. *Virchows Arch*. 2003 Apr;442(4):317–21. PMID:12715167
- 3475.** Vieth M, Kushner R, Mukaiishi K, et al. Immunohistochemical analysis of pyloric gland adenomas using a series of mucin 2, mucin 5ac, mucin 6, CD10, Ki67 and p53. *Virchows Arch*. 2010 Nov;457(5):529–36. PMID:20827489
- 3476.** Vieth M, Montgomery EA, Riddell RH. Observations of different patterns of dysplasia in barrett's esophagus - a first step to harmonize grading. *Cesk Patol*. 2016;52(3):154–63. PMID:27526016
- 3477.** Vieth M, Montgomery EA. Some observations on pyloric gland adenoma: an uncommon and long ignored entity! *J Clin Pathol*. 2014 Oct;67(10):883–90. PMID:25092673
- 3478.** Vinayek R, Capurso G, Larghi A. Grading of EUS-FNA cytologic specimens from patients with pancreatic neuroendocrine neoplasms: it is time move to tissue core biopsy? *Gland Surg*. 2014 Nov;3(4):222–5. PMID:25493252
- 3479.** Vinik AI, Strodel WE, Eckhauser FE, et al. Somatostatinomas, PPomas, neurotensinomas. *Semin Oncol*. 1987 Sep;14(3):263–81. PMID:2820062
- 3480.** Vishnevsky VA, Mohan VS, Pomelov VS, et al. Surgical treatment of giant cavernous hemangioma liver. *HPB Surg*. 1991 May;4(1):69–78, discussion 78–9. PMID:1911479
- 3481.** Vlajnic T, Brisse HJ, Aerts I, et al. Fine needle aspiration in the diagnosis and classification of hepatoblastoma: analysis of 21 new cases. *Diagn Cytopathol*. 2017 Feb;45(2):91–100. PMID:27933740
- 3482.** Vogelaar IP, van der Post RS, van Krieken JJJ, et al. Unraveling genetic

- predisposition to familial or early onset gastric cancer using germline whole-exome sequencing. *Eur J Hum Genet*. 2017 Nov;25(11):1246–52. PMID:28875981
- 3483.** Volante M, Brizzi MP, Faggiano A, et al. Somatostatin receptor type 2A immunohistochemistry in neuroendocrine tumors: a proposal of scoring system correlated with somatostatin receptor scintigraphy. *Mod Pathol*. 2007 Nov;20(11):1172–82. PMID:17873898
- 3484.** Volante M, Daniele L, Asioli S, et al. Tumor staging but not grading is associated with adverse clinical outcome in neuroendocrine tumors of the appendix: a retrospective clinical pathologic analysis of 138 cases. *Am J Surg Pathol*. 2013 Apr;37(4):606–12. PMID:23426123
- 3485.** Volante M, La Rosa S, Castellano I, et al. Clinico-pathological features of a series of 11 oncocytic endocrine tumours of the pancreas. *Virchows Arch*. 2006 May;448(5):545–51. PMID:16491376
- 3486.** Volante M, Monica V, Birocco N, et al. Expression analysis of genes involved in DNA repair or synthesis in mixed neuroendocrine/nonneuroendocrine carcinomas. *Neuroendocrinology*. 2015;101(2):151–60. PMID:25633872
- 3487.** Volkman Adsay N. Cystic lesions of the pancreas. *Mod Pathol*. 2007 Feb;20 Suppl 1:S71–93. PMID:17486054
- 3488.** Voltaggio L, Murray R, Lasota J, et al. Gastric schwannoma: a clinicopathologic study of 51 cases and critical review of the literature. *Hum Pathol*. 2012 May;43(5):650–9. PMID:22137423
- 3489.** von Horn H, Tally M, Hall K, et al. Expression levels of insulin-like growth factor binding proteins and insulin receptor isoforms in hepatoblastomas. *Cancer Lett*. 2001 Jan 26;162(2):253–60. PMID:11146233
- 3490.** von Roon AC, Reese G, Teare J, et al. The risk of cancer in patients with Crohn's disease. *Dis Colon Rectum*. 2007 Jun;50(6):839–55. PMID:17308939
- 3491.** von Salomé J, Liu T, Keihäs M, et al. Haplotype analysis suggest that the MLH1 c.2059C > T mutation is a Swedish founder mutation. *Fam Cancer*. 2018 Oct;17(4):531–7. PMID:29288294
- 3492.** Vonderheide RH. Tumor-promoting inflammatory networks in pancreatic neoplasia: another reason to loathe Kras. *Cancer Cell*. 2014 May 12;25(5):553–4. PMID:24823632
- 3493.** Voong KR, Davison J, Pawlik TM, et al. Resected pancreatic adenosquamous carcinoma: clinicopathologic review and evaluation of adjuvant chemotherapy and radiation in 38 patients. *Hum Pathol*. 2010 Jan;41(1):113–22. PMID:19801164
- 3494.** Voong KR, Rashid A, Crane CH, et al. Chemoradiation for high-grade neuroendocrine carcinoma of the rectum and anal canal. *Am J Clin Oncol*. 2017 Dec;40(6):555–60. PMID:26237193
- 3495.** Vormeyer AO, Lubensky IA, Fogt F, et al. Allelic deletion and mutation of the von Hippel-Lindau (VHL) tumor suppressor gene in pancreatic microcystic adenomas. *Am J Pathol*. 1997 Oct;151(4):951–6. PMID:9327728
- 3496.** Vormeyer AO, Lubensky IA, Merino MJ, et al. Concordance of genetic alterations in poorly differentiated colorectal neuroendocrine carcinomas and associated adenocarcinomas. *J Natl Cancer Inst*. 1997 Oct 1;89(19):1448–53. PMID:9326914
- 3497.** Vose J, Armitage J, Weisenburger D. International peripheral T-cell and natural killer/T-cell lymphoma study: pathology findings and clinical outcomes. *J Clin Oncol*. 2008 Sep 1;26(25):4124–30. PMID:18626005
- 3498.** Voss MH, Lunning MA, Maragulia JC, et al. Intensive induction chemotherapy followed by early high-dose therapy and hematopoietic stem cell transplantation results in improved outcome for patients with hepatosplenic T-cell lymphoma: a single institution experience. *Clin Lymphoma Myeloma Leuk*. 2013 Feb;13(1):8–14. PMID:23107915
- 3499.** Vrielink A, Bueno-de-Mesquita HB, Boschluizen HC, et al. Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*. 2010 May 15;126(10):2394–403. PMID:19790196
- 3500.** Waddell N, Pajic M, Patch AM, et al. Whole genomes redefine the mutational landscape of pancreatic cancer. *Nature*. 2015 Feb 26;518(7540):495–501. PMID:25719666
- 3501.** Wagner AJ, Remillard SP, Zhang YX, et al. Loss of expression of SDHA predicts SDHA mutations in gastrointestinal stromal tumors. *Mod Pathol*. 2013 Feb;26(2):289–94. PMID:22955521
- 3502.** Wagner PL, Chen YT, Yantiss RK. Immunohistochemical and molecular features of sporadic and FAP-associated duodenal adenomas of the ampillary and nonampillary mucosa. *Am J Surg Pathol*. 2008 Sep;32(9):1388–95. PMID:18670349
- 3503.** Wakabayashi H, Matsutani T, Fujita I, et al. A rare case of primary squamous cell carcinoma of the stomach and a review of the 56 cases reported in Japan. *J Gastric Cancer*. 2014 Mar;14(1):58–62. PMID:24765539
- 3504.** Wakasugi M, Tanemura M, Furukawa K, et al. Signet ring cell carcinoma of the ampulla of Vater: report of a case and a review of the literature. *Int J Surg Case Rep*. 2015;12:108–11. PMID:26057354
- 3505.** Walter FM, Mills K, Mendonça SC, et al. Symptoms and patient factors associated with diagnostic intervals for pancreatic cancer (SYMPTOM pancreatic study): a prospective cohort study. *Lancet Gastroenterol Hepatol*. 2016 Dec;1(4):298–306. PMID:28404200
- 3506.** Walter T, Hervieu V, Adam M, et al. Primary neuroendocrine tumors of the main pancreatic duct: a rare entity. *Virchows Arch*. 2011 May;458(5):537–46. PMID:21431402
- 3507.** Wan XS, Xu YY, Qian JY, et al. Intraductal papillary neoplasm of the bile duct. *World J Gastroenterol*. 2013 Dec 14;19(46):8595–604. PMID:24379576
- 3508.** Wang F, Liu DB, Zhao Q, et al. The genomic landscape of small cell carcinoma of the esophagus. *Cell Res*. 2018 Jul;28(7):771–4. PMID:29728688
- 3509.** Wang G, Ji L, Qu FZ, et al. Acinar cell cystadenoma of the pancreas: a retrospective analysis of ten-year experience from a single academic institution. *Pancreatology*. 2016 Jul-Aug;16(4):625–31. PMID:27086062
- 3510.** Wang GG, Yao JC, Worah S, et al. Comparison of genetic alterations in neuroendocrine tumors: frequent loss of chromosome 18 in ileal carcinoid tumors. *Mod Pathol*. 2005 Aug;18(8):1079–87. PMID:15920555
- 3511.** Wang GQ, Abnet CC, Shen Q, et al. Histological precursors of oesophageal squamous cell carcinoma: results from a 13 year prospective follow up study in a high risk population. *Gut*. 2005 Feb;54(2):187–92. PMID:15647178
- 3512.** Wang HH, Doria MI Jr, Purohit-Buchi S, et al. Barrett's esophagus. The cytology of dysplasia in comparison to benign and malignant lesions. *Acta Cytol*. 1992 Jan-Feb;36(1):60–4. PMID:1546513
- 3513.** Wang HH, Wu MS, Shun CT, et al. Lymphoepithelioma-like carcinoma of the stomach: a subset of gastric carcinoma with distinct clinicopathological features and high prevalence of Epstein-Barr virus infection. *Hepatogastroenterology*. 1999 Mar-Apr;46(26):1214–9. PMID:10370694
- 3514.** Wang J, Thway K. Clear cell sarcoma-like tumor of the gastrointestinal tract: an evolving entity. *Arch Pathol Lab Med*. 2015 Mar;139(3):407–12. PMID:25724038
- 3515.** Wang KL, Yang Q, Cleary KR, et al. The significance of neuroendocrine differentiation in adenocarcinoma of the esophagus and esophagogastric junction after preoperative chemoradiation. *Cancer*. 2006 Oct 1;107(7):1467–74. PMID:16955509
- 3516.** Wang L, Basturk O, Wang J, et al. A FISH assay efficiently screens for BRAF gene rearrangements in pancreatic acinar-type neoplasms. *Mod Pathol*. 2018 Jan;31(1):132–40. PMID:28884748
- 3517.** Wang L, Yang M, Zhang Y, et al. Prognostic validation of the WHO 2010 grading system in pancreatic insulinoma patients. *Neoplasma*. 2015;62(3):484–90. PMID:25866230
- 3518.** Wang LD, Yang HH, Fan ZM, et al. Cytological screening and 15 years' follow-up (1986–2001) for early esophageal squamous cell carcinoma and precancerous lesions in a high-risk population in Anyang County, Henan Province, Northern China. *Cancer Detect Prev*. 2005;29(4):317–22. PMID:16118042
- 3519.** Wang Q, Luan W, Villanueva GA, et al. Clinical prognostic variables in young patients (under 40 years) with hepatitis B virus-associated hepatocellular carcinoma. *J Dig Dis*. 2012 Apr;13(4):214–8. PMID:22435506
- 3520.** Wang T, Askan G, Adsay V, et al. Reappraisal of the clinical-pathological characteristics of intraductal oncocytic papillary neoplasms: an analysis of 25 cases. *Am J Surg Pathol*. Forthcoming 2019.
- 3521.** Wang Y, Liu YY, Han GP. Hepatoid adenocarcinoma of the extrahepatic duct. *World J Gastroenterol*. 2013 Jun 14;19(22):3524–7. PMID:23801851
- 3522.** Wang Y, Marino-Enriquez A, Bennett RR, et al. Dystrophin is a tumor suppressor in human cancers with myogenic programs. *Nat Genet*. 2014 Jun;46(6):601–6. PMID:24793134
- 3523.** Wangjam T, Zhang Z, Zhou XC, et al. Resected pancreatic ductal adenocarcinomas with recurrence limited in lung have a significantly better prognosis than those with other recurrence patterns. *Oncotarget*. 2015 Nov 3;6(34):36903–10. PMID:26372811
- 3524.** Wanless IR, Albrecht S, Bilbao J, et al. Multiple focal nodular hyperplasia of the liver associated with vascular malformations of various organs and neoplasia of the brain: a new syndrome. *Mod Pathol*. 1989 Sep;2(5):456–62. PMID:2813344
- 3525.** Wanless IR, Mawdsley C, Adams R. On the pathogenesis of focal nodular hyperplasia of the liver. *Hepatology*. 1985 Nov-Dec;5(6):1194–200. PMID:4065824
- 3526.** Wanless IR. Benign liver tumors. *Clin Liver Dis*. 2002 May;6(2):513–26, ix. PMID:12122868
- 3527.** Ward SC, Huang J, Tickoo SK, et al. Fibrolamellar carcinoma of the liver exhibits immunohistochemical evidence of both hepatocyte and bile duct differentiation. *Mod Pathol*. 2010 Sep;23(9):1180–90. PMID:20495535
- 3528.** Wardell CP, Fujita M, Yamada T, et al. Genomic characterization of biliary tract cancers identifies driver genes and predisposing mutations. *J Hepatol*. 2018 May;68(5):959–69. PMID:29360550
- 3529.** Warren M, Thompson KS. Two cases of primary yolk sac tumor of the liver in childhood: case reports and literature review. *Pediatr Dev Pathol*. 2009 Sep-Oct;12(5):410–6. PMID:19284801
- 3530.** Warthin AS. Classics in oncology. Hereditiy with reference to carcinoma as shown by the study of the cases examined in the pathological laboratory of the University of Michigan. 1895–1913. By Aldred Scott Warthin. 1913. *Cancer J Clin*. 1985 Nov-Dec;35(6):348–55. PMID:3931868
- 3532.** Wasel BA, Keough V, Huang WY, et al. Histological percutaneous diagnosis of stage III microcystic serous cystadenocarcinoma of the pancreas. *BMJ Case Rep*. 2013 Jan 30;2013. PMID:23370947
- 3533.** Washington K, McDonagh D. Secondary tumors of the gastrointestinal tract: surgical pathologic findings and comparison with autopsy survey. *Mod Pathol*. 1995 May;8(4):427–33. PMID:7567944
- 3534.** Washington K, Rourk MH Jr, McDonagh D, et al. Inflammatory cloacogenic polyp in a child: part of the spectrum of solitary rectal ulcer syndrome. *Pediatr Pathol*. 1995 Jul-Aug;13(4):409–14. PMID:8372025
- 3535.** Wassef M, Blei F, Adams D, et al. Vascular anomalies classification: recommendations from the International Society for the Study of Vascular Anomalies. *Pediatrics*. 2015 Jul;136(1):e203–14. PMID:26055853
- 3536.** Watanabe H, Enjoji M, Imai T. Gastrocarcinoma with lymphoid stroma. Its morphologic characteristics and prognostic correlations. *Cancer*. 1976 Jul;31(1):232–43. PMID:947939
- 3537.** Watanabe I, Kasai M, Suzuki S. Thymoma of the liver—report of a case and review of the literature. *Acta Hepatogastroenterol (Stuttg)*. 1978 Feb;25(1):40–4. PMID:625740
- 3538.** Waters AM, Der CJ. KRAS: the driver and therapeutic target for pancreatic cancer. *Cold Spring Harb Perspect Med*. 2011;4(8):a031435. PMID:29229669
- 3539.** Weaver JM, Ross-Innes CS, Shannon N, et al. Ordering of mutations in premalignant disease stages of esophageal carcinoma. *Nat Genet*. 2014 Aug;46(8):837–40. PMID:24952744
- 3540.** Webber SA. Post-transplant lymphoproliferative disorders: a preventable complication of solid organ transplantation? *Pediatr Transplant*. 1999 May;3(2):95–9. PMID:10389120
- 3541.** Wee A, Nilsson B. Combined hepatocellular-cholangiocarcinoma. Diagnostic challenge in hepatic fine needle aspiration biopsy. *Acta Cytol*. 1999 Mar-Apr;43(2):131–40. PMID:10097699
- 3542.** Weilert F, Bhat YM, Bimmoeller HE, et al. EUS-FNA is superior to ERCP-based tissue sampling in suspected malignant biliary obstruction: results of a prospective, single-center comparative study. *Gastrointest Endosc*. 2011 Jul;80(1):97–104. PMID:24559794
- 3543.** Weinberg BA, Xiu J, Hwang JJ, et al. Immuno-oncology biomarkers for gastrointestinal and gasto-esophageal junction adenocarcinoma: why pd-1 testing may not be enough. *Oncologist*. 2018 Oct;23(10):1171–7. PMID:30370798
- 3544.** Weisbrod AB, Zhang L, Jain M, et al. Altered PTEN, ATRX, CHGA, CHGB, and TP53 expression are associated with aggressive VHL-associated pancreatic neuroendocrine tumors. *Horm Cancer*. 2013 Jun;4(2):165–73. PMID:23361940
- 3545.** Wen KW, Grenert JP, Joseph RW, et al. Genomic profile of appendiceal primary carcinoid is distinct compared to appendiceal neuroendocrine tumor and conventional adenocarcinoma. *Hum Pathol*. 2018 Jun;73:156–63. PMID:29634977
- 3546.** Wen KW, Rabinovitch PS, Huang J, et al. Use of DNA flow cytometry in the diagnosis, risk stratification, and management of gastric epithelial dysplasia. *Natl Pathol*. 2010 Oct;31(10):1578–87. PMID:20975550
- 3547.** Wen X, Wu W, Wang B, et al. Squamous cell carcinoma of the ampulla of Vater: immunophenotype and differentiation. *Oncologist*. 2014 Oct;8(4):1687–92. PMID:25020392

- 3548.** Weren RD, Ligtenberg MJ, Geurts van Kessel A, et al. NTHL1 and MUTYH polyposis syndromes: two sides of the same coin? *J Pathol.* 2018 Feb;244(2):135–42. PMID:29105096
- 3549.** Weren RD, Ligtenberg MJ, Kets CM, et al. A germline homozygous mutation in the base-excision repair gene NTHL1 causes adenomatous polyposis and colorectal cancer. *Nat Genet.* 2015 Jun;47(6):668–71. PMID:25938944
- 3550.** Weren RDA, van der Post RS, Vogelaar IP, et al. Role of germline aberrations affecting CTNNA1, MAP3K6 and MYD88 in gastric cancer susceptibility. *J Med Genet.* 2018 Oct;55(10):669–74. PMID:29330337
- 3551.** Wermers RA, Fatourechi V, Wynne AG, et al. The glucagonoma syndrome. Clinical and pathologic features in 21 patients. *Medicine (Baltimore).* 1996 Mar;75(2):53–63. PMID:8606627
- 3552.** West NP, Morris EJ, Rotimi O, et al. Pathology grading of colon cancer surgical resection and its association with survival: a retrospective observational study. *Lancet Oncol.* 2008 Sep;9(9):857–65. PMID:18667357
- 3553.** West RB, Corless CL, Chen X, et al. The novel marker, DOG1, is expressed ubiquitously in gastrointestinal stromal tumors irrespective of KIT or PDGFRA mutation status. *Am J Pathol.* 2004 Jul;165(1):107–13. PMID:15215166
- 3554.** Westerman AM, Entius MM, de Baar E, et al. Peutz-Jeghers syndrome: 78-year follow-up of the original family. *Lancet.* 1999 Apr 10;353(9160):1211–5. PMID:10217080
- 3555.** Westra WH, Sturm P, Drillenburg P, et al. K-ras oncogene mutations in osteoclast-like giant cell tumors of the pancreas and liver: genetic evidence to support origin from the duct epithelium. *Am J Surg Pathol.* 1998 Oct;22(10):1247–54. PMID:9777987
- 3556.** Wey EA, Britton AJ, Serra JJ, et al. Gastroblastoma in a 28-year-old man with nodal metastasis: proof of the malignant potential. *Arch Pathol Lab Med.* 2012 Aug;136(8):961–4. PMID:22849746
- 3557.** Wheeler JM, Warren BF, Mortensen NJ, et al. An insight into the genetic pathway of adenocarcinoma of the small intestine. *Gut.* 2002 Feb;50(2):218–23. PMID:1178563
- 3558.** White R, D'Angelica M, Katai N, et al. Fate of the remnant pancreas after resection of noninvasive intraductal papillary mucinous neoplasm. *J Am Coll Surg.* 2007 May;204(5):987–93, discussion 993–5. PMID:17481526
- 3559.** Whitworth J, Skyyte AB, Sundt L, et al. Multilocular inherited neoplasia alleles syndrome: a case series and review. *JAMA Oncol.* 2016 Mar;2(3):373–9. PMID:26659639
- 3559A.** Wiegand S, Eivazi B, Barth PJ, et al. Pathogenesis of lymphangiomas. *Virchows Arch.* 2008 Jul;453(1):1–8. PMID:18500536
- 3560.** Wiland HO 4th, Shadrach B, Allende D, et al. Morphologic and molecular characterization of traditional serrated adenomas of the distal colon and rectum. *Am J Surg Pathol.* 2014 Sep;38(9):1290–7. PMID:25127095
- 3561.** Wilentz RE, Albores-Saavedra J, Zahurak M, et al. Pathologic examination accurately predicts prognosis in mucinous cystic neoplasms of the pancreas. *Am J Surg Pathol.* 1999 Nov;23(11):1320–7. PMID:10555000
- 3562.** Wilentz RE, Goggins M, Redston M, et al. Genetic, immunohistochemical, and clinical features of medullary carcinoma of the pancreas: a newly described and characterized entity. *Am J Pathol.* 2000 May;156(5):1641–51. PMID:10793075
- 3563.** Wilentz RE, Iacobuzio-Donahue CA, Argani P, et al. Loss of expression of Dpc4 in pancreatic intraepithelial neoplasia: evidence that DPC4 inactivation occurs late in neoplastic progression. *Cancer Res.* 2000 Apr 1;60(7):2002–6. PMID:10766191
- 3564.** Wilentz RE, Su GH, Dai JL, et al. Immunohistochemical labeling for dpc4 mirrors genetic status in pancreatic adenocarcinomas: a new marker of DPC4 inactivation. *Am J Pathol.* 2000 Jan;156(1):37–43. PMID:10623651
- 3565.** Wilhelm A, Müller SA, Steffen T, et al. Patients with adenocarcinoma of the small intestine with 9 or more regional lymph nodes retrieved have a higher rate of positive lymph nodes and improved survival. *J Gastrointest Surg.* 2016 Feb;20(2):401–10. PMID:26487334
- 3566.** Wilkinson JR, Morris EJ, Downing A, et al. The rising incidence of anal cancer in England 1990–2010: a population-based study. *Colorectal Dis.* 2014 Jul;16(7):O234–9. PMID:24410872
- 3567.** Willems S, Carneiro F, Geboes K. Gastric carcinoma with osteoclast-like giant cells and lymphoepithelioma-like carcinoma of the stomach: two of a kind? *Histopathology.* 2005 Sep;47(3):331–3. PMID:16115241
- 3568.** Williams RF, Fernandez-Pineda I, Gosain A. Pediatric sarcomas. *Surg Clin North Am.* 2016 Oct;96(5):1107–25. PMID:27542645
- 3569.** Wilson AL, Swerdlow SH, Przybylski GK, et al. Intestinal γδ T-cell lymphomas are most frequently of type II enteropathy-associated T-cell type. *Hum Pathol.* 2013 Jun;44(6):1131–45. PMID:23332928
- 3570.** Wilson PM, Labonte MJ, Lenz HJ. Molecular markers in the treatment of metastatic colorectal cancer. *Cancer J.* 2010 May-Jun;16(3):262–72. PMID:20526105
- 3571.** Wilson WH, Young RM, Schmitz R, et al. Targeting B cell receptor signaling with ibrutinib in diffuse large B cell lymphoma. *Nat Med.* 2015 Aug;21(8):922–6. PMID:26193343
- 3572.** Wimmer K, Kratz CP, Vasen HF, et al. Diagnostic criteria for constitutional mismatch repair deficiency syndrome: suggestions of the European consortium 'care for CMMRD'. *J Med Genet.* 2014 Jun;51(6):355–65. PMID:24737826
- 3573.** Win AK, Dowty JG, English DR, et al. Body mass index in early adulthood and colorectal cancer risk for carriers and non-carriers of germline mutations in DNA mismatch repair genes. *Br J Cancer.* 2011 Jun 28;105(1):162–9. PMID:21559014
- 3574.** Win AK, Jenkins MA, Dowty JG, et al. Prevalence and penetrance of major genes and polygenes for colorectal cancer. *Cancer Epidemiol Biomarkers Prev.* 2017 Mar;26(3):404–12. PMID:2779157
- 3575.** Win AK, Walters RJ, Buchanan DD, et al. Cancer risks for relatives of patients with serrated polyposis. *Am J Gastroenterol.* 2012 May;107(5):770–8. PMID:22525305
- 3576.** Winawer SJ, Zauber AG, Fletcher RH, et al. Guidelines for colonoscopy surveillance after polypectomy: a consensus update by the US Multi-Society Task Force on Colorectal Cancer and the American Cancer Society. *CA Cancer J Clin.* 2006 May-Jun;56(3):143–59, quiz 184–5. PMID:16737947
- 3577.** Wincewicz A, Kowalik A, Zięba S, et al. Morphology with immunohistochemical and genetic profiling of high-grade neuroendocrine carcinoma of colon - a case report with review of literature. *Rom J Morphol Embryol.* 2017;58(2):655–63. PMID:28730258
- 3578.** Winter JM, Cameron JL, Campbell KA, et al. 1423 pancreaticoduodenectomies for pancreatic cancer: a single-institution experience. *J Gastrointest Surg.* 2006 Nov;10(9):1199–210, discussion 1210–1. PMID:17114007
- 3579.** Winter JM, Tang LH, Klimstra DS, et al. Failure patterns in resected pancreas adenocarcinoma: lack of predicted benefit to SMAD4 expression. *Ann Surg.* 2013 Aug;258(2):331–5. PMID:23360922
- 3580.** Winter JM, Ting AH, Vilardell F, et al. Absence of E-cadherin expression distinguishes noncohesive from cohesive pancreatic cancer. *Clin Cancer Res.* 2008 Jan 15;14(2):412–8. PMID:18223216
- 3581.** Winter TC 3rd, Freney P. Hepatic teratoma in an adult. Case report with a review of the literature. *J Clin Gastroenterol.* 1993 Dec;17(4):308–10. PMID:8308217
- 3582.** Wistuba II, Gazdar AF, Roa I, et al. p53 protein overexpression in gallbladder carcinoma and its precursor lesions: an immunohistochemical study. *Hum Pathol.* 1996 Apr;27(4):360–5. PMID:8617479
- 3583.** Wistuba II, Miquel JF, Gazdar AF, et al. Gallbladder adenomas have molecular abnormalities different from those present in gallbladder carcinomas. *Hum Pathol.* 1999 Jan;30(1):21–5. PMID:9923922
- 3584.** Witte DP, Kissane JM, Askin FB. Hepatic teratomas in children. *Pediatr Pathol.* 1983 Jan-Mar;1(1):81–92. PMID:6208545
- 3585.** Witteman BJ, Janssens AR, Terpstra JL, et al. Villous tumors of the duodenum. Presentation of five cases. *Hepatogastroenterology.* 1991 Dec;38(6):550–3. PMID:1778589
- 3586.** Włodarska I, Martin-Garcia N, Achter R, et al. Fluorescence in situ hybridization study of chromosome 7 aberrations in hepatosplenic T-cell lymphoma: isochromosome 7q as a common abnormality accumulating in forms with features of cytologic progression. *Genes Chromosomes Cancer.* 2002 Mar;33(3):243–51. PMID:11807981
- 3587.** Woischke C, Schaaf CW, Yang HM, et al. In-depth mutational analyses of colorectal neuroendocrine carcinomas with adenoma or adenocarcinoma components. *Mod Pathol.* 2017 Jan;30(1):95–103. PMID:27586204
- 3588.** Wolf AM, Shirley LA, Winter JM, et al. Adenocarcinoma of the pancreas: report of three cases and literature review. *J Gastrointest Surg.* 2013 Jul;17(7):1322–6. PMID:23605178
- 3589.** Wolfgang CL, Herman JM, Laheru DA, et al. Recent progress in pancreatic cancer. *CA Cancer J Clin.* 2013 Sep;63(5):318–48. PMID:23856911
- 3590.** Wolpin BM, Chan AT, Hartge P, et al. ABO blood group and the risk of pancreatic cancer. *J Natl Cancer Inst.* 2009 Mar 18;101(6):424–31. PMID:19276450
- 3591.** Wong AK, Chan RC, Aggarwal N, et al. Human papillomavirus genotypes in anal intraepithelial neoplasia and anal carcinoma as detected in tissue biopsies. *Mod Pathol.* 2010 Jan;23(1):144–50. PMID:19838162
- 3592.** Wong AY, Rahilly MA, Adams W, et al. Mucinous anal gland carcinoma with perianal Pagetoid spread. *Pathology.* 1998 Feb;30(1):1–3. PMID:9534198
- 3593.** Wong MCS, Jiang JY, Liang M, et al. Global temporal patterns of pancreatic cancer and association with socioeconomic development. *Sci Rep.* 2017 Jun 9;7(1):3165. PMID:28600530
- 3594.** Wong MW, Bair MJ, Shih SC, et al. Using typical endoscopic features to diagnose esophageal squamous papilloma. *World J Gastroenterol.* 2016 Feb 21;22(7):2349–56. PMID:26900297
- 3595.** Wong NA, D'Costa H, Barry RE, et al. Primary yolk sac tumour of the liver in adulthood. *J Clin Pathol.* 1998 Dec;51(12):939–40. PMID:10070339
- 3596.** Wong NA, Gonzalez D, Salto-Tellez M, et al. RAS testing of colorectal carcinoma—a guidance document from the Association of Clinical Pathologists Molecular Pathology and Diagnostics Group. *J Clin Pathol.* 2014 Sep;67(9):751–7. PMID:24996433
- 3597.** Wong NA, Shirazi T, Hamer-Hodges DW, et al. Adenocarcinoma arising within a Crohn's-related anorectal fistula: a form of anal gland carcinoma? *Histopathology.* 2002 Mar;40(3):302–4. PMID:11895502
- 3598.** Wong P, Versella SJ, Garber JE, et al. Prevalence of early onset colorectal cancer in 397 patients with classic Li-Fraumeni syndrome. *Gastroenterology.* 2006 Jan;130(1):73–9. PMID:16401470
- 3599.** Wood BP, Putnam TC, Chacko AK. Infantile hepatic hemangiopericytomas associated with hemihypertrophy. *Pediatr Radiol.* 1977;5(4):242–5. PMID:263514
- 3600.** Wood LD, Heaphy CM, Daniel HD, et al. Chromophobe hepatocellular carcinoma with abrupt anaplasia: a proposal for a new subtype of hepatocellular carcinoma with unique morphological and molecular features. *Mod Pathol.* 2013 Dec;26(12):1586–93. PMID:23640129
- 3601.** Wood LD, Klimstra DS. Pathology and genetics of pancreatic neoplasms with acinar differentiation. *Semin Diagn Pathol.* 2014 Nov;31(6):491–7. PMID:25441307
- 3602.** Wood LD, Noë M, Hackeng W, et al. Patients with McCune-Albright syndrome have a broad spectrum of abnormalities in the gastrointestinal tract and pancreas. *Virchows Arch.* 2017 Apr;470(4):391–400. PMID:28188442
- 3603.** Wood LD, Parsons DW, Jones S, et al. The genomic landscapes of human breast and colorectal cancers. *Science.* 2007 Nov 16;318(5853):1108–13. PMID:17932254
- 3604.** Wood LD, Salaria SN, Cruise MW, et al. Upper GI tract lesions in familial adenomatous polyposis (FAP): enrichment of pyloric gland adenomas and other gastric and duodenal neoplasms. *Am J Surg Pathol.* 2014 Mar;38(3):389–93. PMID:24525509
- 3605.** Woodford-Richens K, Bevan S, Churchman M, et al. Analysis of genetic and phenotypic heterogeneity in juvenile polyposis. *Gut.* 2000 May;46(5):656–60. PMID:10764709
- 3606.** Woodford-Richens K, Williamson J, Bevan S, et al. Allelic loss at SMAD4 in polyps from juvenile polyposis patients and use of fluorescence in situ hybridization to demonstrate clonal origin of the epithelium. *Cancer Res.* 2000 May;1;60(9):2477–82. PMID:10811127
- 3607.** Worthley DL, Phillips KD, Wayte N, et al. Gastric adenocarcinoma and proximal polyposis of the stomach (GAPPS): a new autosomal dominant syndrome. *Gut.* 2012 May;61(5):774–9. PMID:21813476
- 3608.** Wotherspoon AC, Doglioni C, Diss TC, et al. Regression of primary low-grade B-cell gastric lymphoma of mucosa-associated lymphoid tissue type after eradication of Helicobacter pylori. *Lancet.* 1993 Sep 4;342(8871):575–7. PMID:8102719
- 3609.** Wotherspoon AC, Ortiz-Hidalgo C, Falzon MR, et al. Helicobacter pylori-associated gastritis and primary B-cell gastric lymphoma. *Lancet.* 1991 Nov 9;338(8776):1175–6. PMID:1682595
- 3610.** Wright DH. Burkitt's lymphoma: a review of the pathology, immunology, and possible etiologic factors. *Pathol Ann.* 1971;6:337–63. PMID:4342309
- 3611.** Wu AH, Yu MC, Mack TM. Smoking, alcohol use, dietary factors and risk of small intestinal adenocarcinoma. *Int J Cancer.* 1997 Mar 4;70(5):512–7. PMID:9052748
- 3612.** Wu CM, Fishman EK, Hruban RK, et al. Serous cystic neoplasm involving the pancreas and liver: an unusual clinical entity. *Abdom Imaging.* 1999 Jan-Feb;24(1):75–7. PMID:9933679
- 3613.** Wu F, Yuan G, Chen J, et al. Network analysis based on TCGA reveals hub genes in colon cancer. *Contemp Oncol (Pozn).* 2017;21(2):136–44. PMID:28947883
- 3615.** Wu H, Wasik MA, Przybylski G, et al.

- Hepatosplenic gamma-delta T-cell lymphoma as a late-onset posttransplant lymphoproliferative disorder in renal transplant recipients. *Am J Clin Pathol.* 2000 Apr;113(4):487–96. PMID:10761449
3616. Wu J, Jiao Y, Dal Molin M, et al. Whole-exome sequencing of neoplastic cysts of the pancreas reveals recurrent mutations in components of ubiquitin-dependent pathways. *Proc Natl Acad Sci U S A.* 2011 Dec 27;108(52):21188–93. PMID:22158988
3617. Wu J, Matthaei H, Maitra A, et al. Recurrent GNAS mutations define an unexpected pathway for pancreatic cyst development. *Sci Transl Med.* 2011 Jul 20;3(92):92ra66. PMID:21775669
3618. Wu SG, Zhang WW, He ZY, et al. Sites of metastasis and overall survival in esophageal cancer: a population-based study. *Cancer Manag Res.* 2017 Dec 6;9:781–8. PMID:2925373
3619. Wu X, Renuse S, Sahasrabuddhe NA, et al. Activation of diverse signalling pathways by oncogenic PIK3CA mutations. *Nat Commun.* 2014 Sep 23;5:4961. PMID:25247763
3620. Xia M, Singh AD, Dudley B, et al. Small bowel adenocarcinoma frequently exhibits Lynch syndrome-associated mismatch repair protein deficiency but does not harbor sporadic MLH1 deficiency. *Appl Immunohistochem Mol Morphol.* 2017 Jul;25(6):399–406. PMID:27258561
3621. Xiao C, Wu F, Jiang H, et al. Hepatoid adenocarcinoma of the stomach: nine case reports and treatment outcomes. *Oncol Lett.* 2015 Sep;10(3):1605–9. PMID:26622718
3622. Xiao HD, Yamaguchi H, Dias-Santagata D, et al. Molecular characteristics and biological behaviours of the oncocytic and pancreaticobiliary subtypes of intraductal papillary mucinous neoplasms. *J Pathol.* 2011 Aug;224(4):508–16. PMID:21547907
3623. Xiao Y, Qiu HZ, Zhou JL, et al. [Diagnosis and surgical treatment of colorectal cavernous hemangioma: a report of 4 cases and review of Chinese literatures]. *Zhonghua Wei Chang Wai Ke Za Zhi.* 2008 Jul;11(4):312–6. Chinese. PMID:18636349
3624. Xie J, Itzkowitz SH. Cancer in inflammatory bowel disease. *World J Gastroenterol.* 2008 Jan 21;14(3):378–89. PMID:18200660
3625. Xu AM, Gong SJ, Song WH, et al. Primary mixed germ cell tumor of the liver with sarcomatous components. *World J Gastroenterol.* 2010 Feb 7;16(5):652–6. PMID:20128038
3626. Xu-Monette ZY, Dabaja BS, Wang X, et al. Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. *Mod Pathol.* 2015 Dec;28(12):1555–73. PMID:26541272
3627. Xu-Monette ZY, Wu L, Visco C, et al. Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. *Blood.* 2012 Nov 8;120(19):3986–96. PMID:22955915
3628. Xue Y, Reid MD, Balci S, et al. Immunohistochemical classification of ampullary carcinomas: critical reappraisal fails to confirm prognostic relevance for recently proposed panels, and highlights MUC5AC as a strong prognosticator. *Am J Surg Pathol.* 2017 Jul;41(7):865–76. PMID:28505002
3629. Xue Y, Vanoli A, Balci S, et al. Non-ampullary-duodenal carcinomas: clinicopathologic analysis of 47 cases and comparison with ampullary and pancreatic adenocarcinomas. *Mod Pathol.* 2017 Feb;30(2):255–66. PMID:27739441
3630. Yabe M, Medeiros LJ, Daneshbod Y, et al. Hepatosplenic T-cell lymphoma arising in patients with immunodysregulatory disorders: a study of 7 patients who did not receive tumor necrosis factor- α inhibitor therapy and literature review. *Ann Diagn Pathol.* 2017 Feb;26:16–22. PMID:28038706
3631. Yachida S, Iacobuzio-Donahue CA. The pathology and genetics of metastatic pancreatic cancer. *Arch Pathol Lab Med.* 2009 Mar;133(3):413–22. PMID:19260747
3632. Yachida S, Vakiani E, White CM, et al. Small cell and large cell neuroendocrine carcinomas of the pancreas are genetically similar and distinct from well-differentiated pancreatic neuroendocrine tumors. *Am J Surg Pathol.* 2012 Feb;36(2):173–84. PMID:22251937
3633. Yadav D, Lowenfels AB. The epidemiology of pancreatitis and pancreatic cancer. *Gastroenterology.* 2013 Jun;144(6):1252–61. PMID:23622135
3634. Yadav R, Jain D, Mathur SR, et al. Cytomorphology of neuroendocrine tumors of the gallbladder. *Cytopathology.* 2016 Apr;27(2):97–102. PMID:25689921
3635. Yadav R, Jain D, Mathur SR, et al. Gallbladder carcinoma: an attempt of WHO histological classification on fine needle aspiration material. *Cytotissue.* 2013 Jun 18;10:12. PMID:23858322
3636. Yaeger R, Shah MA, Miller VA, et al. Genomic alterations observed in colitis-associated cancers are distinct from those found in sporadic colorectal cancers and vary by type of inflammatory bowel disease. *Gastroenterology.* 2016 Aug;151(2):278–87.e6. PMID:27063727
3637. Yamada M, Fukagawa T, Nakajima T, et al. Hereditary diffuse gastric cancer in a Japanese family with a large deletion involving CDH1. *Gastric Cancer.* 2014 Oct;17(4):750–6. PMID:24037103
3638. Yamada S, Ohira M, Horie H, et al. Expression profiling and differential screening between hepatoblastomas and the corresponding normal livers: identification of high expression of the PLK1 oncogene as a poor-prognostic indicator of hepatoblastomas. *Oncogene.* 2004 Aug 5;23(35):5901–11. PMID:15221005
3639. Yamada T, Yoshikawa T, Taguri M, et al. The survival difference between gastric cancer patients from the UK and Japan remains after weighted propensity score analysis considering all background factors. *Gastric Cancer.* 2016 Apr;19(2):479–89. PMID:25761964
3640. Yamaguchi H, Goldenring JR, Kaminski M, et al. Identification of spasmolytic polypeptide expressing metaplasia (SPEM) in remnant gastric cancer and surveillance postgastrectomy biopsies. *Dig Dis Sci.* 2002 Mar;47(3):573–8. PMID:11911345
3641. Yamaguchi H, Kuboki Y, Hatori T, et al. Somatic mutations in PIK3CA and activation of AKT in intraductal tubulopapillary neoplasms of the pancreas. *Am J Surg Pathol.* 2011 Dec;35(12):1812–7. PMID:21945955
3642. Yamaguchi H, Kuboki Y, Hatori T, et al. The discrete nature and distinguishing molecular features of pancreatic intraductal tubulopapillary neoplasms and intraductal papillary mucinous neoplasms of the gastric type, pyloric gland variant. *J Pathol.* 2013 Nov;231(3):335–41. PMID:23893889
3643. Yamaguchi H, Shimizu M, Ban S, et al. Intraductal tubulopapillary neoplasms of the pancreas distinct from pancreatic intraepithelial neoplasia and intraductal papillary mucinous neoplasms. *Am J Surg Pathol.* 2009 Aug;33(8):1164–72. PMID:19440145
3644. Yamaguchi K, Kanemitsu S, Hatori T, et al. Pancreatic ductal adenocarcinoma derived from IPMN and pancreatic ductal adenocarcinoma concomitant with IPMN. *Pancreas.* 2011 May;40(4):571–80. PMID:21499212
3645. Yamaguchi K, Ohchida J, Ohtsuka T, et al. Intraductal papillary-mucinous tumor of the pancreas concomitant with ductal carcinoma of the pancreas. *Pancreatology.* 2002;2(5):484–90. PMID:12378117
3646. Yamaguchi K, Tanaka M. Mucin-hypersecreting tumor of the pancreas with mucin extrusion through an enlarged papilla. *Am J Gastroenterol.* 1991 Jul;86(7):835–9. PMID:2058624
3647. Yamaguchi S, Fujii T, Izumi Y, et al. Identification and characterization of a novel adenomatous polyposis coli mutation in adult pancratoblastoma. *Oncotarget.* 2018 Jan 6;9(12):10818–27. PMID:29535845
3648. Yamamoto H, Handa M, Tobo T, et al. Clinicopathological features of primary leiomyosarcoma of the gastrointestinal tract following recognition of gastrointestinal stromal tumours. *Histopathology.* 2013 Aug;63(2):194–207. PMID:23763337
3649. Yamamoto H, Itoh F, Nakamura H, et al. Genetic and clinical features of human pancreatic ductal adenocarcinomas with widespread microsatellite instability. *Cancer Res.* 2001 Apr 1;61(7):3139–44. PMID:11306499
3650. Yamamoto H, Yoshida A, Taguchi K, et al. ALK, ROS1 and NTRK3 gene rearrangements in inflammatory myofibroblastic tumours. *Histopathology.* 2016 Jul;69(1):72–83. PMID:26647767
3651. Yamamoto J, Fujishima F, Ichinohasama R, et al. A case of benign natural killer cell proliferative disorder of the stomach (gastric manifestation of natural killer cell lymphomoid gastroenteropathy) mimicking extranodal natural killer/T-cell lymphoma. *Leuk Lymphoma.* 2011 Sep;52(9):1803–5. PMID:21649544
3652. Yamamoto M, Nakajo S, Miyoshi N, et al. Endocrine cell carcinoma (carcinoid) of the gallbladder. *Am J Surg Pathol.* 1989 Apr;13(4):292–302. PMID:2648878
3653. Yamanaka T, Oki E, Yamazaki K, et al. 12-gene recurrence score assay stratifies the recurrence risk in stage II/III colon cancer with surgery alone: the SUNRISE study. *J Clin Oncol.* 2016 Aug 20;34(24):2906–13. PMID:27325854
3654. Yamane L, Scapulatempo-Neto C, Reis RM, et al. Serrated pathway in colorectal carcinogenesis. *World J Gastroenterol.* 2014 Mar 14;20(10):2634–40. PMID:24627599
3655. Yamao K, Yanagisawa A, Takahashi K, et al. Clinicopathological features and prognosis of mucinous cystic neoplasm with ovarian-type stroma: a multi-institutional study of the Japan Pancreas Society. *Pancreas.* 2011 Jan;40(1):67–71. PMID:20924309
3656. Yamao T, Hayashi H, Higashi T, et al. Colon cancer metastasis mimicking intraductal papillary neoplasm of the extra-hepatic bile duct. *Int J Surg Case Rep.* 2015;10:91–3. PMID:25818370
3657. Yamashita K, Sakuramoto S, Katada N, et al. Diffuse type advanced gastric cancer showing dismal prognosis is characterized by deeper invasion and emerging peritoneal cancer cell: the latest comparative study to intestinal advanced gastric cancer. *Hepatogastroenterology.* 2009 Jan-Feb;56(89):276–81. PMID:19453074
3658. Yamashita K, Sakuramoto S, Watanabe M. Genomic and epigenetic profiles of gastric cancer: potential diagnostic and therapeutic applications. *Surg Today.* 2011 Jan;41(1):24–38. PMID:21191688
3659. Yamashita K, Kishino T, Takahashi T, et al. Genetic and epigenetic alterations in normal tissues have differential impacts on cancer risk among tissues. *Proc Natl Acad Sci U S A.* 2018 Feb 6;115(6):1328–33. PMID:29358395
3660. Yamazaki K, Eyden B, An immunohistochemical and ultrastructural study of pancreatic microcystic serous cyst adenoma with special reference to tumor-associated microvasculature and vascular endothelial growth factor in tumor cells. *Ultrastruct Pathol.* 2006 Jan-Feb;30(1):119–28. PMID:16517478
3661. Yamazawa S, Ushiku T, Shinozaki-Ushiku A, et al. Gastric cancer with primitive enterocyte phenotype: an aggressive subgroup of intestinal-type adenocarcinoma. *Am J Surg Pathol.* 2017 Jul;41(7):989–97. PMID:28505005
3662. Yan BC, Gong C, Song J, et al. Arginase-1: a new immunohistochemical marker of hepatocytes and hepatocellular neoplasms. *Am J Surg Pathol.* 2010 Aug;34(8):1147–54. PMID:20661013
3663. Yan HHN, Lai JCW, Ho SL, et al. RNF43 germline and somatic mutation in serrated neoplasia pathway and its association with BRAF mutation. *Gut.* 2017 Sep;66(9):1645–56. PMID:27329244
3664. Yan Z, Grenert JP, Joseph NM, et al. Hepatic angiomyolipoma: mutation analysis and immunohistochemical pitfalls in diagnosis. *Histopathology.* 2018 Jul;73(1):101–8. PMID:29512829
3665. Yanagisawa N, Mikami T, Saegusa M, et al. More frequent beta-catenin exon 3 mutations in gallbladder adenomas than in carcinomas indicate different lineages. *Cancer Res.* 2001 Jan 1;61(1):19–22. PMID:11396159
3666. Yanaru-Fujisawa R, Nakamura S, Miyayama T, et al. Familial fundic gland polyposis with gastric cancer. *Gut.* 2012 Jul;61(7):1103–4. PMID:22027476
3667. Yang A, Sisson R, Gupta A, et al. Germline APC mutations in hepatocarcinoma. *Pediatr Blood Cancer.* 2018 Apr;65(4). PMID:29251405
3668. Yang BL, Shao WJ, Sun GD, et al. Perianal mucinous adenocarcinoma arising from chronic anorectal fistulae: a review from single institution. *Int J Colorectal Dis.* 2009 Sep;24(9):1001–6. PMID:19205706
3669. Yang D, Duckworth LV, Dragani BA. More than meets the eye: esophageal invasive mucinous adenocarcinoma masquerading as submucosal lipoma on endoscopic ultrasound. *Endoscopy.* 2014;46 Suppl 1 UCTN0302-3. PMID:25314219
3670. Yang JF, Tang SJ, Lash RH, et al. Histologic distribution of sessile serrated adenoma/poly with and without cytologic dysplasia. *Am J Pathol.* 2015 Mar;189(3):389–93. PMID:25724036
3671. Yang K, Yun SP, Kim S, et al. Clinicopathological features and surgical outcomes of neuroendocrine tumors of ampulla of Vater - a rare disease at unusual location. *BMC Gastroenterol.* 2017 May 31;17(1):70. PMID:28569146
3672. Yang SJ, Ooyang CH, Wang SY, et al. Adenosquamous carcinoma of the ampulla of Vater - a rare disease at unusual location. *World J Surg Oncol.* 2013 May 30;10(1):102. PMID:23721111
3673. Yang X, Li A, Wu M. Hepatic angiomyolipoma: clinical, imaging and pathologic features in 178 cases. *Med Oncol.* 2010 Mar;30(1):416. PMID:22325271
3674. Yang Z, Klimstra DS, Hruban RH, et al. Immunohistochemical characterization of the origins of metastatic well-differentiated neuroendocrine tumors to the liver. *Am J Surg Pathol.* 2017 Jul;41(7):1959–61. PMID:28498280
3675. Yang Z, Tang LH, Klimstra DS. Effect of tumor heterogeneity on the assessment of labeling index in well-differentiated neuroendocrine tumors metastatic to the liver: implications for prognostic stratification. *Am J Surg Pathol.* 2011 Jun;35(6):853–60. PMID:21566103
3676. Yanik EL, Kaunitz MJ, Cotter TR, et al. Immunohistochemical and ultrastructural study of pancreatic microcystic serous cyst adenoma with special reference to tumor-associated microvasculature and vascular endothelial growth factor in tumor cells. *Ultrastruct Pathol.* 2006 Jan-Feb;30(1):119–28. PMID:16517478

- Association of HIV status with local immune response to anal squamous cell carcinoma: implications for immunotherapy. *JAMA Oncol.* 2017 Jul 1;3(7):974–8. PMID:28334399
- 3677.** Yano T, Ishikura H, Wada T, et al. Hepatoid adenocarcinoma of the pancreas. *Histopathology.* 1999 Jul;35(1):90–2. PMID:10383723
- 3678.** Yantiss RK, Chang HK, Farrey FA, et al. Prevalence and prognostic significance of acinar cell differentiation in pancreatic endocrine tumors. *Am J Surg Pathol.* 2002 Jul;26(7):893–901. PMID:12131156
- 3679.** Yantiss RK, Panczykowski A, Misdraji J, et al. A comprehensive study of nondysplastic and dysplastic serrated polyps of the veriform appendix. *Am J Surg Pathol.* 2007 Nov;31(11):1742–53. PMID:18059232
- 3680.** Yantiss RK, Shia J, Klimstra DS, et al. Prognostic significance of localized extra-appendiceal mucin deposition in appendiceal mucinous neoplasms. *Am J Surg Pathol.* 2009 Feb;33(2):248–55. PMID:18852679
- 3681.** Yantiss RK, Woda BA, Fanger GR, et al. KOC (K homology domain containing protein overexpressed in cancer): a novel molecular marker that distinguishes between benign and malignant lesions of the pancreas. *Am J Surg Pathol.* 2005 Feb;29(2):188–95. PMID:15644775
- 3682.** Yao FY, Xiao L, Bass NM, et al. Liver transplantation for hepatocellular carcinoma: validation of the UCSF-expanded criteria based on preoperative imaging. *Am J Transplant.* 2007 Nov;7(11):2587–96. PMID:17868066
- 3683.** Yao JC, Eisner MP, Leary C, et al. Population-based study of islet cell carcinoma. *Ann Surg Oncol.* 2007 Dec;14(12):3492–500. PMID:17896148
- 3684.** Yao JC, Hassan M, Phan A, et al. One hundred years after "carcinoid": epidemiology of and prognostic factors for neuroendocrine tumors in 35,825 cases in the United States. *J Clin Oncol.* 2008 Jun 20;26(18):3063–72. PMID:18565894
- 3685.** Yao K. Clinical application of magnifying endoscopy with narrow-band imaging in the stomach. *Clin Endosc.* 2015 Nov;48(6):481–90. PMID:26668793
- 3686.** Yao T, Kajiwara M, Kuroiwa S, et al. Malignant transformation of gastric hyperplastic polyps: alteration of phenotypes, proliferative activity, and p53 expression. *Hum Pathol.* 2002 Oct;33(10):1016–22. PMID:12395375
- 3687.** Yasuda H, Takada T, Amano H, et al. Surgery for mucin-producing pancreatic tumor. *Hepatogastroenterology.* 1998 Nov-Dec;45(24):2009–15. PMID:9951855
- 3688.** Yasuda K, Adachi Y, Shiraishi N, et al. Papillary adenocarcinoma of the stomach. *Gastric Cancer.* 2000 Aug 4;3(1):33–8. PMID:11984707
- 3689.** Yasui W, Oue N, Aung PP, et al. Molecular-pathological prognostic factors of gastric cancer: a review. *Gastric Cancer.* 2005;8(2):86–94. PMID:15864715
- 3690.** Yasui W, Oue N, Sentani K, et al. Transcriptome dissection of gastric cancer: identification of novel diagnostic and therapeutic targets from pathology specimens. *Pathol Int.* 2009 Mar;59(3):121–36. PMID:19261089
- 3691.** Yasui W, Sentani K, Sakamoto N, et al. Molecular pathology of gastric cancer: research and practice. *Pathol Res Pract.* 2011 Oct 15;207(10):608–12. PMID:22005013
- 3691A.** Yau T, Tang VY, Yao TJ, et al. Development of Hong Kong Liver Cancer staging system with treatment stratification for patients with hepatocellular carcinoma. *Gastroenterology.* 2014 Jun;146(7):1691–700.e3. PMID:24583061
- 3692.** Yeh CN, Jan YY, Yeh TS, et al. Hepatic resection of the intraductal papillary type of peripheral cholangiocarcinoma. *Ann Surg Oncol.* 2004 Jun;11(6):606–11. PMID:15172934
- 3693.** Yeh JM, Hur C, Ward Z, et al. Gastric adenocarcinoma screening and prevention in the era of new biomarker and endoscopic technologies: a cost-effectiveness analysis. *Gut.* 2016 Apr;65(4):563–74. PMID:25779597
- 3694.** Yeh YC, Lei HJ, Chen MH, et al. C-reactive protein (CRP) is a promising diagnostic immunohistochemical marker for intrahepatic cholangiocarcinoma and is associated with better prognosis. *Am J Surg Pathol.* 2017 Dec;41(12):1630–41. PMID:28945626
- 3695.** Yen JB, Kong MS, Lin JN. Hepatic mesenchymal hamartoma. *J Paediatr Child Health.* 2003 Nov;39(8):632–4. PMID:14629534
- 3696.** Yendumuri S, Huang M, Malhotra U, et al. Prognostic implications of signet ring cell histology in esophageal adenocarcinoma. *Cancer.* 2013 Sep 1;119(17):3156–61. PMID:23719932
- 3697.** Yendumuri S, Malhotra U, Hennon M, et al. Clinical characteristics of adenosquamous esophageal carcinoma. *J Gastrointest Oncol.* 2017 Feb;8(1):89–95. PMID:28280613
- 3698.** Yeong ML, Wood KP, Scott B, et al. Synchronous squamous and glandular neoplasia of the anal canal. *J Clin Pathol.* 1992 Mar;45(3):261–3. PMID:1313454
- 3699.** Yerci O, Sehitoglu I, Ugras N, et al. Somatostatin receptor 2 and 5 expressions in gastroenteropancreatic neuroendocrine tumors in Turkey. *Asian Pac J Cancer Prev.* 2015;16(10):4377–81. PMID:26028102
- 3700.** Yergiely O, Krishnamurti U, Mohanty A, et al. Fine needle aspiration cytology of acinar cell cystadenoma of the pancreas. *Acta Cytol.* 2014;58(3):297–302. PMID:24852936
- 3701.** Yesim G, Gupse T, Zafer U, et al. Mesenchymal hamartoma of the liver in adulthood: immunohistochemical profiles, clinical and histopathological features in two patients. *J Hepatobiliary Pancreat Surg.* 2005;12(6):502–7. PMID:16365828
- 3702.** Yettimis E, Trompetas V, Varsamidakis N, et al. Pathologic splenic rupture: an unusual presentation of pancreatic cancer. *Pancreas.* 2003 Oct;27(3):273–4. PMID:14508136
- 3703.** Ying H, Kimmelman AC, Lyssiotis CA, et al. Oncogenic Kras maintains pancreatic tumors through regulation of anabolic glucose metabolism. *Cell.* 2012 Apr 27;149(3):656–70. PMID:22541435
- 3704.** Ylagan LR, Liu LH, Maluf HM. Endoscopic bile duct brushing of malignant pancreatic biliary strictures: retrospective study with comparison of conventional smear and ThinPrep techniques. *Diagn Cytopathol.* 2003 Apr;28(4):196–204. PMID:12672095
- 3705.** Yokode M, Akita M, Fujikura K, et al. High-grade PanIN presenting with localised stricture of the main pancreatic duct: a clinicopathological and molecular study of 10 cases suggests a clue for the early detection of pancreatic cancer. *Histopathology.* 2018 Aug;73(2):247–58. PMID:29660164
- 3706.** Yokoyama A, Hirota T, Omori T, et al. Development of squamous neoplasia in esophageal iodine-unstained lesions and the alcohol and aldehyde dehydrogenase genotypes of Japanese alcoholic men. *Int J Cancer.* 2012 Jun 15;130(12):2949–60. PMID:21796615
- 3707.** Yoo S. GI-associated hemangiomas and vascular malformations. *Clin Colon Rectal Surg.* 2011 Sep;24(3):193–200. PMID:22942801
- 3708.** Yoon H, Kim N. Diagnosis and management of high risk group for gastric cancer. *Gut Liver.* 2015 Jan;9(1):5–17. PMID:25547086
- 3709.** Yoon HH, Khan M, Shi Q, et al. The prognostic value of clinical and pathologic factors in esophageal adenocarcinoma: a Mayo cohort of 796 patients with extended follow-up after surgical resection. *Mayo Clin Proc.* 2010 Dec;85(12):1080–9. PMID:21123634
- 3710.** Yoon WJ, Lee JK, Lee KH, et al. Cystic neoplasms of the exocrine pancreas: an update of a nationwide survey in Korea. *Pancreas.* 2008 Oct;37(3):254–8. PMID:18815545
- 3711.** Yoshida T, Tajika M, Tanaka T, et al. The features of colorectal tumors in a patient with Li-Fraumeni syndrome. *Intern Med.* 2017;56(3):295–300. PMID:28154273
- 3712.** Yoshida Y, Endo T, Tanaka E, et al. Oncocytic type intraductal papillary mucinous neoplasm of the pancreas with unusually low mucin production mimicking intraductal tubulopapillary neoplasm: a report of a case diagnosed by a preoperative endoscopic biopsy. *Intern Med.* 2017 Dec 1;56(23):3183–8. PMID:29021473
- 3713.** Yoshikawa D, Ojima H, Iwasaki M, et al. Clinicopathological and prognostic significance of EGFR, VEGF, and HER2 expression in cholangiocarcinoma. *Br J Cancer.* 2008 Jan 29;98(2):418–25. PMID:18087285
- 3714.** Yoshikawa K, Kinoshita A, Hirose Y, et al. Endoscopic submucosal dissection in a patient with esophageal adenoid cystic carcinoma. *World J Gastroenterol.* 2017 Dec 7;23(45):8097–103. PMID:29259386
- 3715.** Yoshimi N, Sugie S, Tanaka T, et al. A rare case of serous cystadenocarcinoma of the pancreas. *Cancer.* 1992 May 15;69(10):2449–53. PMID:1568167
- 3716.** Yoshizawa T, Toyoki Y, Hirai H, et al. Invasive micropapillary carcinoma of the extrahepatic bile duct and its malignant potential. *Oncol Rep.* 2014 Oct;32(4):1355–61. PMID:25109922
- 3717.** Young AL, Igami T, Senda Y, et al. Evolution of the surgical management of perihilar cholangiocarcinoma in a Western centre demonstrates improved survival with endoscopic biliary drainage and reduced use of blood transfusion. *HPB (Oxford).* 2011 Jul;13(7):483–93. PMID:21689232
- 3718.** Young JP, Win AK, Rosty C, et al. Rising incidence of early-onset colorectal cancer in Australia over two decades: report and review. *J Gastroenterol Hepatol.* 2015 Jan;30(1):6–13. PMID:25251195
- 3719.** Young RJ, Brown NJ, Reed MW, et al. Angiosarcoma. *Lancet Oncol.* 2010 Oct;11(10):983–91. PMID:20537949
- 3720.** Youssef H, Newman C, Chandrakumaran K, et al. Operative findings, early complications, and long-term survival in 456 patients with pseudomyxoma peritonei syndrome of appendiceal origin. *Dis Colon Rectum.* 2011 Mar;54(3):293–9. PMID:21304299
- 3721.** Yozu M, Johnnica ME, Srivastava A, et al. Histologic and outcome study supports reclassifying appendiceal goblet cell carcinoids as goblet cell adenocarcinomas, and grading and staging similarly to colonic adenocarcinomas. *Am J Surg Pathol.* 2018 Jul;42(7):898–910. PMID:29579011
- 3722.** Yu GH, Nayar R, Furth EE. Adenocarcinoma in colonic brushing cytology: high-grade dysplasia as a diagnostic pitfall. *Diagn Cytopathol.* 2001 May;24(5):364–8. PMID:11335971
- 3723.** Yu H, Fang C, Chen L, et al. Worse prognosis in papillary, compared to tubular, early gastric carcinoma. *J Cancer.* 2017 Jan 1;8(1):117–23. PMID:28123605
- 3724.** Yu Y, Demierre MF, Mahalingam M. Anaplastic Kaposi's sarcoma: an uncommon histologic phenotype with an aggressive clinical course. *J Cutan Pathol.* 2010 Oct;37(10):1088–91. PMID:19638066
- 3725.** Yuan H, Dong Q, Zheng B, et al. Lymphovascular invasion is a high risk factor for stage I/II colorectal cancer: a systematic review and meta-analysis. *Oncotarget.* 2017 Jul 11;8(28):46565–79. PMID:28430621
- 3726.** Yuan L, Luo X, Lu X, et al. Comparison of clinicopathological characteristics between cirrhotic and non-cirrhotic patients with intrahepatic cholangiocarcinoma: a large-scale retrospective study. *Mol Clin Oncol.* 2017 Oct;7(4):615–22. PMID:29046795
- 3727.** Yurgelun MB, Kulke MH, Fuchs CS, et al. Cancer susceptibility gene mutations in individuals with colorectal cancer. *J Clin Oncol.* 2017 Apr 1;35(10):1086–95. PMID:28135145
- 3728.** Zagari RM, Rabitti S, Greenwood DC, et al. Systematic review with meta-analysis: diagnostic performance of the combination of pepsinogen, gastrin-17 and anti-Helicobacter pylori antibodies serum assays for the diagnosis of atrophic gastritis. *Aliment Pharmacol Ther.* 2017 Oct;46(7):657–67. PMID:2872119
- 3729.** Zagars GK, Ballo MT, Pisters PW, et al. Prognostic factors for patients with localized soft-tissue sarcoma treated with conservation surgery and radiation therapy: an analysis of 1225 patients. *Cancer.* 2003 May 15;97(10):2530–43. PMID:12733153
- 3730.** Zaidel-Bar R, Cadherin adhesone at a glance. *J Cell Sci.* 2013 Jan 15;126(Pt 2):373–8. PMID:23547085
- 3731.** Zaman S, Mistry P, Hendrick C, et al. Cloacogenic polyps in an adolescent: a rare cause of rectal bleeding. *J Pediatr Surg.* 2013 Aug;48(8):e5–7. PMID:23932634
- 3732.** Zamboni G, Bonetti F, Scarpa A, et al. Expression of progesterone receptors in solid-cystic tumour of the pancreas: a clinicopathological and immunohistochemical study of ten cases. *Virchows Arch A Pathol Anat Histopathol.* 1993;423(6):425–31. PMID:8291215
- 3733.** Zamboni G, Scarpa A, Bogina G, et al. Mucinous cystic tumors of the pancreas: clinicopathological features, prognosis, and relationship to other mucinous cystic tumors. *Am J Surg Pathol.* 1999 Apr;23(4):410–22. PMID:10199470
- 3734.** Zamboni G, Terris B, Scarpa A, et al. Acinar cell cystadenoma of the pancreas: a new entity? *Am J Surg Pathol.* 2002 Jun;26(6):698–704. PMID:12023573
- 3735.** Zarandi A, Irani S, Savabkar S, et al. Evaluation of promoter methylation status of MLH1 gene in Iranian patients with colorectal tumors and adenoma polyps. *Gastroenterol Hepatol Bed Bench.* 2017 Winter;10(Suppl 1):S117–21. PMID:29511481
- 3736.** Zatkova A, Rouillard JM, Hartmann W, et al. Amplification and overexpression of the IGF2 regulator PLAG1 in hepatoblastoma. *Genes Chromosomes Cancer.* 2004 Feb;39(2):126–37. PMID:14695992
- 3737.** Zauber P, Berman E, Marotta S, et al. Ki-ras gene mutations are invariably present in low-grade mucinous tumors of the veriform appendix. *Scand J Gastroenterol.* 2011 Jul;46(7–8):869–74. PMID:21443421
- 3738.** Zavras N, Schizas D, Machairas N, et al. Carcinoid syndrome from a carcinoid tumor of the pancreas without liver metastases: a case report and literature review. *Oncol Lett.* 2017 Apr;13(4):2373–6. PMID:28454406
- 3739.** Zea-Iriarte WL, Sekine I, Itsuno M, et al. Carcinoma in gastric hyperplastic polyps. A phenotypic study. *Dig Dis Sci.* 1996 Feb;41(2):377–86. PMID:8601386
- 3740.** Zee SY, Hochwald SN, Conlon KC, et al. Pleomorphic pancreatic endocrine neoplasms: a variant commonly confused with adenocarcinoma. *Am J Surg Pathol.* 2005 Sep;29(9):1194–200. PMID:16096409
- 3741.** Zeiton MA, Knight BC, Khaled YN, et al. Carcinoma arising within an anal gland. *BMJ Case Rep.* 2011 Feb 15;2011. PMID:22707467
- 3742.** Zeki S, Fitzgerald RC. The use of molecular markers in predicting dysplasia and guiding treatment. *Best Pract Res Clin Gastroenterol.* 2015 Feb;29(1):113–24. PMID:25743460

- 3743.** Zen C, Zen Y, Mitry RR, et al. Mixed phenotype hepatocellular carcinoma after transarterial chemoembolization and liver transplantation. *Liver Transpl*. 2011 Aug;17(8):943–54. PMID:21491582
- 3744.** Zen Y, Adsay NV, Bardadin K, et al. Biliary intraepithelial neoplasia: an international interobserver agreement study and proposal for diagnostic criteria. *Mod Pathol*. 2007 Jun;20(6):701–9. PMID:17431410
- 3745.** Zen Y, Aishima S, Ajioka Y, et al. Proposal of histological criteria for intraepithelial atypical/proliferative biliary epithelial lesions of the bile duct in hepatolithiasis with respect to cholangiocarcinoma: preliminary report based on interobserver agreement. *Pathol Int*. 2005 Apr;55(4):180–8. PMID:15826244
- 3746.** Zen Y, Fujii T, Itatsu K, et al. Biliary papillary tumors share pathological features with intraductal papillary mucinous neoplasm of the pancreas. *Hepatology*. 2006 Nov;44(5):1333–43. PMID:17058219
- 3747.** Zen Y, Jang KT, Ahn S, et al. Intraductal papillary neoplasms and mucinous cystic neoplasms of the hepatobiliary system: demographic differences between Asian and Western populations, and comparison with pancreatic counterparts. *Histopathology*. 2014 Aug;65(2):164–73. PMID:24456415
- 3748.** Zen Y, Pedica F, Patcha VR, et al. Mucinous cystic neoplasms of the liver: a clinicopathological study and comparison with intraductal papillary neoplasms of the bile duct. *Mod Pathol*. 2011 Aug;24(8):1079–89. PMID:21516077
- 3749.** Zen Y, Sasaki M, Fujii T, et al. Different expression patterns of mucin core proteins and cytokeratins during intrahepatic cholangiocarcinogenesis from biliary intraepithelial neoplasia and intraductal papillary neoplasm of the bile duct—an immunohistochemical study of 110 cases of hepatolithiasis. *J Hepatol*. 2006 Feb;44(2):350–8. PMID:16360234
- 3750.** Zenali M, Overman MJ, Rashid A, et al. Clinicopathologic features and prognosis of duodenal adenocarcinoma and comparison with ampullary and pancreatic ductal adenocarcinoma. *Hum Pathol*. 2013 Dec;44(12):2792–8. PMID:24139211
- 3750A.** Zevallos Quiroz JC, Jiménez Agüero R, Garmendi Irizar M, et al. Mucinous cystic neoplasm of the gallbladder obstructing the common bile duct, a rare entity with a new name. *Cir Esp*. 2014 Oct;92(8):567–9. PMID:23827932
- 3751.** Zhang B, Xie QP, Gao SL, et al. Pancreatic somatostatinoma with obscure inhibitory syndrome and mixed pathological pattern. *J Zhejiang Univ Sci B*. 2010 Jan;11(1):22–6. PMID:20043348
- 3752.** Zhang G, Cai YZ, Xu GH. Diagnostic accuracy of MRI for assessment of T category and circumferential resection margin involvement in patients with rectal cancer: a meta-analysis. *Dis Colon Rectum*. 2016 Aug;59(8):789–99. PMID:27384098
- 3753.** Zhang GJ, Li RT, Zhou Y, et al. Solitary fibrous tumor of small bowel mesentery with postoperative bowel obstruction: a case report and review of literature. *Int J Clin Exp Pathol*. 2015 Sep 1;8(9):11691–7. PMID:26617912
- 3754.** Zhang L, Sanderson SO, Lloyd RV, et al. Pancreatic intraepithelial neoplasia in heterotopic pancreas: evidence for the progression model of pancreatic ductal adenocarcinoma. *Am J Surg Pathol*. 2007 Aug;31(8):1191–5. PMID:17667542
- 3754A.** Zhang L, Smyrk TC, Oliveira AM, et al. KIT is an independent prognostic marker for pancreatic endocrine tumors: a finding derived from analysis of islet cell differentiation markers. *Am J Surg Pathol*. 2009 Oct;33(10):1562–9. PMID:19574886
- 3755.** Zhang L, Smyrk TC, Young WF Jr, et al. Gastric stromal tumors in Carney triad are different clinically, pathologically, and behaviorally from sporadic gastric gastrointestinal stromal tumors: findings in 104 cases. *Am J Surg Pathol*. 2010 Jan;34(1):53–64. PMID:19935059
- 3756.** Zhang L, Zhou Y, Cheng C, et al. Genomic analyses reveal mutational signatures and frequently altered genes in esophageal squamous cell carcinoma. *Am J Hum Genet*. 2015 Apr 2;96(4):597–611. PMID:25839328
- 3757.** Zhang Q, Ming J, Zhang S, et al. Micropapillary component in gastric adenocarcinoma: an aggressive variant associated with poor prognosis. *Gastric Cancer*. 2015 Jan;18(1):93–9. PMID:24562421
- 3758.** Zhang W, Wang DH. Origins of metaplasia in Barrett's esophagus: is this an esophageal stem or progenitor cell disease? *Dig Dis Sci*. 2018 Aug;63(8):2005–12. PMID:29675663
- 3759.** Zhang X, Zhu H, Yang X, et al. Post-obstructive cyst formation in pancreas and cystic acinar transformation: Are they same? *Pathol Res Pract*. 2017 Aug;213(8):997–1001. PMID:28599853
- 3760.** Zhang XY, Zhang WH. An unusual case of aggressive systemic mastocytosis mimicking hepatic cirrhosis. *Cancer Biol Med*. 2014 Jun;11(2):134–8. PMID:25009756
- 3761.** Zhang Y, Guan DH, Bi RX, et al. Prognostic value of microRNAs in gastric cancer: a meta-analysis. *Oncotarget*. 2017 Jun 21;8(33):55489–510. PMID:28903436
- 3762.** Zhao H, Davydova L, Mandich D, et al. S100A4 protein and mesothelin expression in dysplasia and carcinoma of the extrahepatic bile duct. *Am J Clin Pathol*. 2007 Mar;127(3):374–9. PMID:17276942
- 3763.** Zhao Q, Rashid A, Gong Y, et al. Pathologic complete response to neoadjuvant therapy in patients with pancreatic ductal adenocarcinoma is associated with a better prognosis. *Ann Diagn Pathol*. 2012 Jan;16(1):29–37. PMID:22050964
- 3764.** Zhao S, Xue Q, Ye B, et al. Synchronous primary carcinosarcoma and adenosquamous carcinoma of the esophagus. *Ann Thorac Surg*. 2011 Mar;91(3):926–8. PMID:21353036
- 3765.** Zhao ZM, Wang J, Ugwuwo UC, et al. Primary hepatic neuroendocrine carcinoma: report of two cases and literature review. *BMC Clin Pathol*. 2018 Mar 1;18:3. PMID:29507528
- 3766.** Zhelnin K, Xue Y, Quigley B, et al. Nonmucinous biliary epithelium is a frequent finding and is often the predominant epithelial type in mucinous cystic neoplasms of the pancreas and liver. *Am J Surg Pathol*. 2017 Jan;41(1):116–20. PMID:27673548
- 3767.** Zheng DJ, Cooke DT. A survival comparison of mucin-producing adenocarcinoma of the esophagus to conventional adenocarcinoma after esophagectomy. *Am Surg*. 2013 Jan;79(1):49–53. PMID:23317610
- 3768.** Zheng H, Takahashi H, Murai Y, et al. Pathobiological characteristics of intestinal and diffuse-type gastric carcinoma in Japan: an immunostaining study on the tissue microarray. *J Clin Pathol*. 2007 Mar;60(3):273–7. PMID:16714395
- 3769.** Zheng HC, Li XH, Hara T, et al. Mixed-type gastric carcinomas exhibit more aggressive features and indicate the histogenesis of carcinomas. *Virchows Arch*. 2008 May;452(5):525–34. PMID:18266006
- 3770.** Zheng S, Zhu Y, Zhao Z, et al. Liver fluke infection and cholangiocarcinoma: a review. *Parasitol Res*. 2017 Jan;116(1):11–9. PMID:27718017
- 3771.** Zheng SL, Yip VS, Pedica F, et al. Intrahepatic bile duct mixed adenoneuroendocrine carcinoma: a case report and review of the literature. *Diagn Pathol*. 2015 Nov 20;10:204. PMID:26589730
- 3772.** Zhong L. Magnetic resonance imaging in the detection of pancreatic neoplasms. *J Dig Dis*. 2007 Aug;8(3):128–32. PMID:17650223
- 3773.** Zhou C, Dhall D, Nissen NN, et al. Homozygous P86S mutation of the human glucagon receptor is associated with hyperglucagonemia, alpha cell hyperplasia, and islet cell tumor. *Pancreas*. 2009 Nov;38(8):941–6. PMID:19657311
- 3774.** Zhou H, Schaefer N, Wolff M, et al. Carcinoma of the ampulla of Vater: comparative histologic/immunohistochemical classification and follow-up. *Am J Surg Pathol*. 2004 Jul;28(7):875–82. PMID:15223956
- 3775.** Zhou H, Shen Z, Zhao J, et al. [Distribution characteristics and risk factors of colorectal adenomas]. *Zhonghua Wei Chang Wai Ke Za Zhi*. 2018 Jun 25;21(6):678–84. Chinese. PMID:29686244
- 3776.** Zhou H, Wang H, Zhou D, et al. Hepatitis B virus-associated intrahepatic cholangiocarcinoma and hepatocellular carcinoma may hold common disease process for carcinogenesis. *Eur J Cancer*. 2010 Apr;46(6):1056–61. PMID:20202823
- 3777.** Zhou L, Rui JA, Wang SB, et al. Outcomes and prognostic factors of cirrhotic patients with hepatocellular carcinoma after radical major hepatectomy. *World J Surg*. 2007 Sep;31(9):1782–7. PMID:17610113
- 3778.** Zhou Y, Shao W, Lu W. Diagnostic value of endorectal ultrasonography for rectal carcinoma: a meta-analysis. *J Cancer Res Ther*. 2014 Dec;10 Suppl:319–22. PMID:25693944
- 3779.** Zhou Y, Zeng Y, Xiang J, et al. Adenoid cystic carcinoma of the cardia: report of a rare case and review of the Chinese literature. *Oncol Lett*. 2014 Aug;8(2):726–30. PMID:25013491
- 3780.** Zhu H, Qin L, Zhong M, et al. Carcinoma ex microcystic adenoma of the pancreas: a report of a novel form of malignancy in serous neoplasms. *Am J Surg Pathol*. 2012 Feb;36(2):305–10. PMID:22189969
- 3781.** Zhu L, Li Z, Wang Y, et al. Microsatellite instability and survival in gastric cancer: a systematic review and meta-analysis. *Mol Clin Oncol*. 2015 May;3(3):699–705. PMID:26137290
- 3782.** Zhuang Z, Vortmeyer AO, Pack S, et al. Somatic mutations of the MEN1 tumor suppressor gene in sporadic gastrinomas and insulinomas. *Cancer Res*. 1997 Nov 1;57(21):4682–6. PMID:9354421
- 3783.** Ziarkiewicz-Wroblewska B, Gornicka B, Suleiman W, et al. Primary lymphoma of the liver – morphological and clinical analysis of 6 cases. Success of aggressive treatment. *Neoplasma*. 2005;52(3):267–72. PMID:15875091
- 3784.** Zidari N, Langner C, Odar K, et al. Anal verrucous carcinoma is not related to infection with human papillomaviruses and should be distinguished from giant condyloma (Buschke-Löwenstein tumour). *Histopathology*. 2017 May;70(6):938–45. PMID:28012208
- 3785.** Zimmermann H, Babel N, Dierckx D, et al. Immunosuppression is associated with clinical features and relapse risk of B cell posttransplant lymphoproliferative disorder: a retrospective analysis based on the prospective, international, multicenter PTLD-1 trials. *Transplantation*. 2018 Nov;102(11):1914–23. PMID:29757894
- 3786.** Zlobec I, Lugli A. Epithelial-mesenchymal transition and tumor budding in aggressive colorectal cancer: tumor budding as onco-target. *Oncotarget*. 2010 Nov;1(7):651–61. PMID:21317460
- 3787.** Zou S, Li J, Zhou H, et al. Mutational landscape of intrahepatic cholangiocarcinoma. *Nat Commun*. 2014 Dec 15;5:5696. PMID:25526346
- 3788.** Zucca E, Bertoni F. The spectrum of MALT lymphoma at different sites: biological and therapeutic relevance. *Blood*. 2016 Mar 28;127(17):2082–92. PMID:26989205
- 3789.** Zucman-Rossi J, Jeannot E, Nhieu JT, et al. Genotype-phenotype correlation in hepatocellular adenoma: new classification and relationship with HCC. *Hepatology*. 2006 Mar;43(3):515–24. PMID:16496320
- 3790.** Zucman-Rossi J, Villanueva A, Nault JC, et al. Genetic landscape and biomarkers of hepatocellular carcinoma. *Gastroenterology*. 2015 Oct;149(5):1226–39.e4. PMID:26199527
- 3791.** Zuo M, Rashid A, Wang Y, et al. RNA sequencing-based analysis of gallbladder cancer reveals the importance of the liver X receptor and lipid metabolism in gallbladder cancer. *Oncotarget*. 2016 Jun 7;7(23):25302–12. PMID:27167107