

Literatura

- [1] Dormandy, J. A.: The red cell as a risk factor in circulatory diseases. Thrombosis and Cardiov. Diseases. Proc. 2nd Eur. Symp., Palermo, 5 - 8 Dec., New York, 1980, s. 393-397.
- [2] Kannel, W. B., Gordon, T., Wolf, P. A. a McNamara, P.: Haemoglobin and the risk of cerebral infarction. The Framingham Study, Stroke, 3, 1972, s. 490.
- [3] Zarda, P. R., Chien, S. a Skalak, R.: Elastic deformations of red blood cells. J. Biomechanics, 10, 1977, s. 211-221.
- [4] Skalak, R., Tozeren, A., Zarda, P. R. a Chien S.: Strain energy function of red blood cell membranes. Biophys. J., 13, 1973, s. 245-264.
- [5] Fung, Y. C. a Tong, P.: Theory of the spherling of red blood cells. Biophys. J., 8., 1968, s. 175-198.
- [6] Evans, E. A. a Fung, Y. C.: Improved measurements of the erythrocyte geometry. Microvasc. Res., 4, 1972, s. 335-347.
- [7] Evans, E. A.: Bending resistance and chemically induced moments in membrane bilayers. Biophys. J., 14, 1974, s. 923-931.
- [8] Schmid - Schönbein, H. a Wells, R.: Fluid drop - like transition of erythrocytes under shear. Science, 165, 1969, s. 288-294.
- [9] Goldsmith, H. L. a Marlow, J.: Flow behaviour of erythrocytes I. Rotation and deformation in dilute suspension. Proc. R. Soc. Lond. B182, 1972, s. 351-384.
- [10] Gaehtgens, P.: In vitro studies of blood rheology in microscopic tubes. In: The Rheology of Blood, Blood Vessels and Associated Tissues. Gros, D. R. and Hwang, N. H. C. eds., Sijthoff and Noordhoff Apphen aan den Rijn, 1981, s. 257-275.
- [11] Secomb, T. W. a Skalak, R.: A two - dimensional model for capillary flow of an asymmetric cell. Microvasc. Res., 24, 1982, s. 194-203.
- [12] Keller, S. R. a Skalak, R.: Motion of a tank - treading ellipsoidal particle in a shear flow. J. Fluid Mech., 120, 1982, s. 27-47.
- [13] Sugihara, M.: Motion and deformation of a red blood cell in a shear flow: a two - dimensional simulation of the wall effect. Biorheology, 22, 1985, s. 1-19.
- [14] Chien, S.: RBC membrane and hemolysis. Cardiovascular flow dynamics and measurements. Eds. Hwang, N. H. C. aj., Baltimore, University Park Press, 1977, s. 757-798.
- [15] Rand, R. P.: Mechanical properties of the red cell membrane II. Viscoelastic break down of the membrane. Biophys. J., 4, 1964, s. 303-309.
- [16] Roach, M. R.: Changes in arterial distensibility as a cause of poststenotic dilation. American Journal of Cardiology, 12, 1983, s. 537-551.
- [17] Roach, M. R. a Melech, E.: Effect of sonic vibration on isolated human iliac arteries. Can. Journal of Physiol. Pharm., 49, 1971, s. 288-291.

- [18] Niimi, H. a Sugihara, M.: Cyclic loading on the red cell membrane in a shear flow: possible cause of hemolysis. *Journal of Biomechanical Engineering*, 107, 1985, s. 91–95.
- [19] Evans, E. A. a Skalak, R.: Mechanics and Thermodynamics of Biomembranes. CRC Press, Boca Raton, Fla., 1980, s. 67–129.
- [20] Sutera, S. P.: Flow - induced trauma to blood cells. *Circulation Research*, 41, 1977, s. 2–8.
- [21] Hellums, J. D. a Brown, C. H.: Blood cell damage by mechanical forces. *Cardiovascular flow Dynamics and Measurements*. Hwang, N. H. C. (eds.) aj., Baltimore, University Park Press, 1977, s. 799–823.
- [22] Fisher, T. a Schmid - Schönbein, H.: Tank tread motion of red cell membranes in viscometric flow: Behaviour of intracellular and extracellular markers with film. *Blood Cells*, 3, 1977, s. 351–365.
- [23] Valenta, J. aj.: Biomechanika, Praha, Academia ČSAV, 1985, s. 98–107.
- [24] Schitzer, A. a Kleiner, M. K.: On the relationship between blood perfusion, metabolism and temperature in biological tissue heat balance. *ASME Journal of Biomechanical Engineering*, 102, 1980, s. 162–169.
- [25] Drochon, A., Barthes-Biesel, D., Lacombe, C. a Lelievre, J. C.: Determination of the red blood cell apparent membrane elastic modulus from viscometric measurements. *ASME Journal of Biomechanical Engineering*, 112, 1990, s. 241–249.
- [26] Halpern, D. a Secomb, T. W.: The squeezing of red blood cells through capillaries with near - minimal diameters. *J. Fluid Mech.*, 203, 1989, s. 381–400.
- [27] The Red Cell Membrane. Eds. Raess S. U. a Tunnicliff G.. Hermana Press Clifton, New Jersey, 1989.
- [28] Frattini, P. L. a McGraw, L. A.: Microscopic observations of blood cell deformation in uniaxial extensional flow. *Abstracts of the First World Congress of Biomechanics 1990*, University of California, San Diego, La Jolla, USA, Vol. II., s.168.
- [29] Hsu, R., Secomb, T. W.: Motion of nonaxisymmetric red blood cells in cylindrical capillaries. *Journal of Biomechanical Engineering*, 111, 1989, s. 147–151.
- [30] Clinical Hematology, 8th edition. Wintrible M. W. a spol. (eds.), Lea a Febiger, Philadelphia, PA 1981.
- [31] Koutsouris, D. a spol.: Determination of erythrocyte transit times through micropores. Influence of experimental and physicochemical factors. *Biorheology*, 26, 1989, s. 881–898.
- [32] Secomb, T. W., Gross, J. F.: Flow of red blood cells in narrow capillaries: Role of membrane tension. *Int. Journal of Microcirculation: Clinical and Experimental*, 2, 1983, s. 229–240.
- [33] Sutera, S. P. a spol.: Extensional recovery of an intact erythrocyte from a tank - treading motion. *Journal of Biomechanical Engineering*, 112, 1990, s. 250–256.
- [34] Hochmuth, R. M.: Properties of red blood cells. In: *Handbook of Bioengineering*. Skalak R., Chien S. (eds.), Chapter 12, McGraw-Hill Book Company, New York, 1987.
- [35] Cokelet, G. R., Meiselman, H. J.: Rheological comparision of hemoglobin solution and erythrocyte suspension. *Science*, 162, 1968, s. 275–277.
- [36] Evans, E., Fung, Y. C.: Improved measurements of the erythrocyte geometry. *Microvasc. Res.*, 4, 1972, s. 335–347.
- [37] Chen, P. C. Y., Fung, Y. C.: Extreme - value statistic of human red blood cells. *Microvasc. Res.*, 6, 1973, s. 32–43.
- [38] Skalak, R. a spol.: Strain energy function of red blood cell membranes. *Biophys. J.*, 13, 1973, s. 245–264.
- [39] Evans, E. a spol.: Static and dynamic rigidities of normal and sickle erythrocytes. Major influence of cell hemoglobin concentration. *J. Clin. Invest.*, 73, 1984, s. 477–488.
- [40] Liauh, C. T. a spol.: Estimating three - dimensional temperature fields during hyperthermia: studies of the optimal regularization parameter and time sampling period. *Journal of Biomechanical Engineering*, 113, 1991, s. 230–238.
- [41] Chato, J. C.: Thermal properties of tissues. In: *Handbook of Bioengineering*. Skalak R., Chien S. (eds.), Chapter 9, McGraw-Hill Book Company, New York, 1987.
- [42] Cooper, T. E. a Trezek, G. J.: Correlation of thermal properties of some human tissues with water content. *Aerosp. Med.*, 42, 1971, s. 24–27.
- [43] Patterson, A. M.: Transient heat transfer in the superficial tissues of the forearm after a step - change in surrounding air temperature. Research Report No. 71, School of Mechanical Engineering, University of the Witwatersrand, 1976.
- [44] Pennes, H. H.: Analysis of tissue and arterial blood temperatures in the resting human forearm. *Journal of Applied Physiology*, 1, 1948, s. 93–122.
- [45] Baish, J.W., Ayyaswamy, P. S. a Foster, K. R.: Small - scale temperature fluctuations in perfused tissue during local hyperthermia. *ASME Journal of Biomechanical Engineering*, 108, 1986, s. 246–250.
- [46] Chen, M. M. a Holmes, K. R.: Pulse - decay methody for measuring the thermal conductivity of living tissues. *ASME Journal of Biomechanical Engineering*, 103, 1981, s. 253–260.
- [47] Weinbaum, S., Jiji, L. M. a Lemons, D. E.: Theory and experiment for the effect of vascular microstructure on surface tissue heat transfer - Part I, II. *ASME Journal of Biomechanical Engineering*, 106, 1984, s. 312–341.
- [48] Chen, M. M. a Holmes, K. R.: Microvascular contribution in tissue heat transfer. *Annal of the New York Academy of Sciences*, 335, 1980, s. 137–154.
- [49] Weinbaum, S. a Jiji, L. M.: A new simplified bioheat equation for the effect of blood flow on local average tissue temperature. *ASME Journal of Biomechanical Engineering*, 107, 1985, s. 131–139.
- [50] Baish, J. W., Ayyaswamy, P. S. a Foster, K. R.: Heat transport mechanism in vascular tissues: A model comparison. *ASME Journal of Biomechanical Engineering*, 108, 1986, s. 324–331
- [51] Song, J. W., Weinbaum, S. a Jiji, M. J.: A theoretical model for peripheral tissue heat transfer using the bioheat equation of Weinbaum and Jiji. *ASME Journal of Biomechanical Engineering*, 109, 1987, s. 72–78.

- [52] Bligh, J.: Regulation of body temperature in man and other mammals. In: Heat transfer in medicine and biology. Ed. Shitzer, A. a Eberhart, R., Vol. 1, New York, Plenum Press, 1985, s. 15–51.
- [53] Rowell, L. B. a Wyss, C. R.: Temperature regulation and heat - stressed man. In: Heat Transfer in Medicine and Biology. Ed. Shitzer, A. a Eberhart, R., Vol. 1, New York, Plenum Press, 1985, s. 53–78.
- [54] Huckaba, C. E., Downey, J. A. a Darling, R. C.: A feedforward - feedback mechanism for human thermoregulation. Chemical Engineering Symposium, Series, 67, 1971, s. 1–7.
- [55] Klinger, H. C.: Transfer in perfused biological tissue II: The macroscopic temperature distribution in tissue. Bulletin of Mathematical Biology, 40, 1978, s. 183–199.
- [56] Mahanty, S. D., Roemer, R. B.: Thermal and circulatory response of tissue to localized pressure application. Archives of Physical Medicine and Rehabilitation, 61, 1980, s. 335–340.
- [57] Lanir, Y.: Skin mechanics. In: Handbook of Bioengineering. Skalak R., Chien S. (eds.), Chapter 11, McGraw-Hill Book Company, New York, 1987.