

Literatura

- [5] Abdullin A.M., Bafin D.B.: Čislennoje modelirovaniye lokalnogo teploobmena v topkach trubčatych pečej na osnove differencialnyh približenij dlja lučistogo perenosa tepla. Inženérno Fyz. Žurnal, 1991, s.291-297
- [1,2] Atkinson B., Smith J.M.: The characteristics of heat transfer to non-Newtonian fluids, in: Wärmebehandlung von Lebensmittel. Dechema Monographien, 56, 1965, pp.25-46
- [6] Ayappa,K.G., et al: Microwave heating: An evaluation of power formulation. Chemical Engineering Science, 46, 1991, č. 4, s.1005-1016
- [6] Ayappa,K.G., et.al: Microwave driven convection in a square cavity. AIChE J., Vol. 40, 1994, pp. 1268-1272
- [1] Azoory S., Bott T.R.: Local heat transfer coefficients in a model "Falling film" scraped surface exchanger. Canad.J.of Chemical Engineering, 48, 1970, pp. 373-377
- [4] Bartholomé, E. et al: Ullmanns Encyklopädie der technischen Chemie, Band 2, Verfahrenstechnik I (Grundoperationen). Weinheim, Verlag Chemie, 1972
- [5] Bell A.T. et al: Protecting the environment through catalysis. Chem. Eng. Progress, Vol. 91, 1995, No. 2, pp. 26 - 34.
- [1,2] Bergles A.E., Webb R.L.: Bibliography on augmentation of convective heat and mass transfer - Part 1 to Part 6. Previews of Heat and Mass Transfer, 4(2), 1978, pp. 61-73, 6(3), 1980, pp. 242-313
- [1] Bergles, A.E., Collier J.G., Delhaye J.M., Hewitt G.F., Mayinger F.: Two-Phase Flow and Heat Transfer in the Power and Process Industries. New York, Hemisphere, 1981
- [3] Billet,R.: Verdampfung und ihre technischen Anwendungen. Weinheim, Verlag Chemie, 1981
- [3] Bourgois J., Maguer M.: Modelling of Heat Transfer in a climbing film Evaporator, Part I.-III., Journal of Food Engineering, 2, 1983, pp.63-75, 225-237, 3, 1984, pp.39-50
- [3] Bourgois J., Maguer M.: Heat transfer Correlation for Upward Liquid Film Heat transfer with Phase Change: Application in the Optimization and Design of Evaporators. Journal of Food Engineering, 6, 1987, pp. 291-300.
- [2] Bowman R.A., Mueller A.C., Nagle.: Mean temperature difference in design, ASME Transaction, 62 1940, pp.283-294
- [4,5] Bratuta E.G., Zanočkin L.A.: Modificirovannyj sčetno impulsnyj metod issledovaniya dispersnogo sostava kapelných potokov. Izvestija AN SSSR, 1983, pp.82-85
- [4,5] Bratuta E.G., Jaroščenko T.I.: Rasčot vynosa kapelnoj vlagi iz bryzgatelnogo basejna AES. Izvestija AN SSSR, Energetika i transport, 1988, No.6, pp. 99-105
- [4,5] Bratuta E.G., Jaroščenko T.I.: Calculation of blowout of condensed moisture from the spray pond of a nuclear power plant. Izvestija AN SSSR, Energetika i transport, 1988, No.6, pp. 99-105 (1988 Alerton Press)
- [4,5] Bratuta E.G., Pereselkov A.P., Obobščenaja funkcija raspredelenija objema kapel po razmeram. Izvestija VUZ, Energetika, 1978, No.3, pp. 86-90
- [3] Bretschneider R., Svoboda E., Kadlec P.: Programování technologických výpočtů v cukrovarnictví.

- [1] Brown, C.K.; Gauvin W.H.; Combined free and forced convection. Part I.,II., Can.J.Chem.Eng., 43, 1965, pp. 306-313
- [3,4,5] Budaj F.: Průmyslové tepelné spotřebiče. Brno, VUT, 1990
- [3] Buriánek J.: Bilanční podklady pro projektování nových závodů. [Výzkumná zpráva R329-003-04], Praha, VVZ cukrovarnického průmyslu, 1981
- [5] Cavelli, M.; Milani,A.: Spark ignited wide stability gas burner for on/off continuous duty. IFRF HT Meeting, Milano, october 1986
- [2] 1997 CEP Software Directory. Supplement to Chemical Engineering Progress. 93, 1997, No.1, January.
- [5] Černý V.: Spalovací zařízení a výměníky tepla. Praha, skriptum ČVUT, 1988,240s.
- [5] Černý V. et al.: Technický průvodce - Parní kotle. Praha, SNTL, 1984
- [1] Chen S.J., MacDonald A.R.: Chem.Eng. 80, 1973, pp.105
- [1] Clausing, A.M.: Heat transfer at the interface of dissimilar metal - the influence of thermal strain. Int.J.Heat Mass Transfer, 9, 1966, pp.791-801
- [1] Collier J.G.: Convective Boiling and Condensation. J.Wiley, 1980
- [1] Cooper M.G., Mikic B.B., Yovanovich M.M.: Thermal Contact Conductance. Int.J.Heat Mass Transfer, Vol.12, 1969, pp. 279-300
- [1] Cybulski A., Werner K.: Static mixers - criteria for applications and selection. Int. Chemical Engineering, 1986,26, pp.171-180
- [1] Das A.K., Sandhai S.S.: The Effect of Interstitial Fluid on Thermal Constriction Resistance. Journal of Heat Transfer, Vol.114, 1992, pp. 1045-1048
- [6] Datta, A.K.; Liu, J.: Thermal time distribution in microwave and conventional heating of food. ASAE 1990 International Winter Meeting, Chicago, 18.-21.12.1990
- [6] Datta,A.K.: Heat and mass transfer in the microwave processing of foods. Chemical Engineering Progress, June 1990, s.47-53.
- [6] de Alwis, A.A.P., Fryer, P.J.:The use of direct resistance heating in the food industry. J. of Food Engineering, 15, 1992, pp. 21-48
- [6] de Alwis, A.A.P., Fryer, P.J.: Operability of the Ohmic Heating Process: Electrical conductivity effects. J. of Food Engineering, 15, 1992, pp. 21-48
- [6] Dolande,J.; Datta,A.: Temperature profiles in microwave heating of solids: a systematic study. Journal of Microwave Power and Electromagnetic Energy. Vol.28, No.2., 1993, pp.58-67
- [1,2] Dvořák Z.: Výměníky tepla (pro hydraulické a pneumatické stroje). Praha, skriptum ČVUT, 1992
- [1,2] Dvořák Z.: Chladicí technika II (výměníky pro chladicí zařízení), Praha, skriptum ČVUT, 1990
- [1,2] Dvořák Z.: Sdílení tepla a výměníky, Praha, skriptum ČVUT, 1994
- [1] Faris,G.N.; Viskanta,R.: An analysis of laminar combined forced and free convection heat transfer in

a horizontal tube. Int.J.Heat Mass Transfer, 12, 1969, pp. 1295-1309

- [6] Fleischman,G.; Torok, D.: Heat transfer in cold spots during conventional and microwave heating. Aseptic heating conference on food engineering. Chicago, 23.-24.2.1993
- [3] Filková I.: Tepelné pochody - příklady výpočtů I. Praha, ČVUT FS, 1988
- [4] Filková I.: Vybrané statě z potravinářské techniky. Praha, skriptum ČVUT, 1990
- [4] Filková I.: Tepelné pochody. Příklady výpočtů II. Praha, ČVUT, 1983
- [6] Fryer,P.J., et al: Ohmic processing of solid-liquid mixtures: heat generation and convection effects. Journal of Food Engineering, 18, 1993, s.101-125
- [6] Fryer,P.J., Alwis A.: Validation of the APV ohmic heating process. Chemistry & Industry, 2, 1989, s. 630-634
- [3] Ginzburg A.S., Gromov M.A., Krasovská G.I.: Termofyzikální vlastnosti potravinářských výrobků. Praha, SNTL, 1985
- [4] Ginzburg A.S., Savinová I.M.: Vlastnosti potravinářských výrobků pro sdílení vody. Praha, SNTL, 1989
- [5] Ginzburg D.B., et al: Pece a susárnny v silikátovém průmyslu, Praha, Průmyslové vydavatelství, 1952, 444 s.
- [5] Görber K., Dietz U.: Calculation of radiative exchange by the Monte-Carlo method. Theory and applications to industrial combustion systems. Int.Chem.Eng., Vol. 33, No.2, 1993, pp. 165-177
- [5] Gosman,A.D. Lockwood,F.C.: Incorporation of a Flux Model for Radiation into Finite Difference Procedure for Furnace Calculations. in: Proc. Fourteenth Symposium (Int.) on Combustion, The Combustion Institute, 1972, pp. 661-672.
- [1,2] Gregorig,R.: Wärmeaustauscher. Frankfurt am Main, Verlag H.R.Sauerländer&Co, 1959
- [6] Hařka: Teorie elektromagnetického pole. Praha, TKI, SNTL, 1980
- [6] Hassdenteufel J., Dubský J., Rapoš M., Šandera J.: Elektrotechnické materiály. Alfa Bratislava - SNTL Praha, 1987.
- [2] Hall S.G., Morgan S.W., Kellogg M.W.: Heat Exchanger Databases accelerate Process Design and Costing. Chemical Engineering, July 1994, pp.139-144
- [1] Hausen,H.: Gleichungen zur Berechnung des Wärmeübertragungs im Kreuzstrom an Rohrbündeln. Kältetechnik Klim., 23, 1971, pp. 86-89.
- [2] Heavner R.L., Kumar H., Wanniarachchi A.S.: Performance of an Industrial Plate Heat Exchanger, Effect of Chevron Angle. Heat Transfer Atlanta 1993, AIChE Symposium Series, Vol.89, No.295, pp.262-267
- [4] Hinze J.O.: Fundamentals of the Hydrodynamic Mechanism of Splitting in Dispersion Processes. AIChE J., Vol. 1, No.3, 1955, pp. 289-295
- [1,4] Hlavačka V., Valchář J., Viktorin Z.: Tepelně technické pochody v systémech plyn-tuhá částice. Praha, TKI, SNTL, 1980
- [2] Hlavačka V.: Standardní postupy pro výpočet výměníku tepla. MAPPRINT, Praha, Procesní inženýrství, 1995

- [5] Hottel H.C., Sarofim A.F.: Radiative Transfer. N.Y., McGraw-Hill, 1967
- [3] Houška M. et al: Milk, milk products and semiproducts. Prague, Inst. of Agric. and Food Information, 1994
- [6] Houšová J., Topinka P.: Monitorování teploty materiálu během mikrovlnného ohřevu. Potrav. Vědy, 11, 1993, str. 349-362.
- [1] Hsu Y.Y., Graham R.W.: Transport Processes in Boiling and Two-Phase Systems. American Nuclear Society, Illinois, 1986
- [5] Janeba B., Hrdlička F., Kolovratník M.: Průmyslová energetika. Praha, ČVUT, 1995
- [4,5] Jarcho A.A., Omelčenko M.P., Borščev V.A.: Optimalnoje centroběžnoje soplo. Električeskie stancii, 1990, No.2., pp. 24-27
- [4,5] Jones A.R.: Design Optimization of a large Pressure Jet Atomizer for Power Plant. Proceedings of the 2nd Int. Conf. on Liquid Atomization and Sprays, Madison Wis., 1982, pp. 181-185
- [4] Jumah R.Y., Mujumdar A.S., Raghavan G.S.V.: Batch Drying Kinetics of Corn in a Novel Rotating Jet Spouted bed. Canadian Journal of Chemical Engineering, Vo. 74, 1996, pp. 479-484
- [5] Kadrnožka J.: Teplné elektrárny a teplárny. Praha, SNTL, 1984
- [1,2] Kays W.M., Crawford M.E.: Convective Heat and Mass Transfer. New York, Mc Graw-Hill, 1980
- [2] Kays W.M., London A.L.: Compact heat exchangers, 2nd Edit., New Youk, McGraw-Hill, 1964
- [1] Kern D.Q., Kraus A.D.: Extended surface heat transfer. New York, McGraw-Hill, 1972
- [1] Kern D.Q., Seaton R.A.: A Theoretical Analysis of Thermal Surface Fouling. Brit.Chem.Eng., Vol.4, 1959, No.5, pp.258-262
- [4] Krasnikov V.V.: Konduktivnaja suška. Moskva, Energie, 1973.
- [4] Krischer,R.-Kast.W: Die wissenschaftlichen Grundlagen der Trocknungstechnik. Berlin, Springer Verlag, 1978 (3.vydání)
- [3] Kumar H.: Evaporation in Plate Heat Exchangers, AIChE Symposium Series, Vol. 89, No.295, Heat Transfer Atlanta 1993, pp. 211-222
- [6] Kuster-Thiel: Chemicko analytické výpočetní tabulky. 103 vydání, Praha, Academia, 1988. s.162.
- [6] Kyzlink,V.: Teoretické základy konzervace potravin. Praha, SNTL, 1988
- [5] Larson D.W.: Enclosed Radiation and Turbulent Natural Convection Induced by Fire, In: Lewis R.W. et al: Numerical methods in heat transfer, John Wiley&Sons, Chichester, 1981, pp.467-486.
- [5] Launder,B.E.; Spalding,D.B.: Lectures in mathematical models of turbulence. London, Academic Press, 1972.
- [5] Launder,B.E.; Spalding,D.B.: The numerical computations of turbulent flows. Computer Methods in Applied Mechanics and Engineering, Vol.3, 1974, pp.269
- [3] Lavis G.: Evaporators. How to make the right choice. Chemical Engineering, April 1994, pp. 92-102
- [1] Lemczyk T.F., Yovanovich M.M.: New Models and Methodology for predicting Thermal Contact

- Resistance in Compound Cylinders and Finned Tubes. Heat Transfer Engineering, Vol.8, No.2, 1987, pp.35-48
- [2] Lee J.H., Singh R.K.: Residence time distribution characteristics of particle flow in a vertical scraped surface heat exchanger. J.Food Engng, 18, 1993, No.4, pp.413-424
- [4,5] Lefebvre A.H.: Atomization and sprays. N.Y., Hemisphere Publ. Co., 1989
- [6] List V.: Elektrotechnika V. - Elektrické teplo. Technický Průvodce, Praha, SNTL, 1958
- [5] Luo M., Stanmore B.R.: Modelling combustion in a bagasse-fired furnace 1: formulation and testing of the model. Journal of the Inst. of Energy, Vol. 67, 1994, pp. 128-135
- [4,5] Mádr V.: Rozprašování a spalování kapalných paliv. Praha, Aleko, 1994
- [5] Magnussen B.F., Hjertager B.H.: On Mathematical Models of Turbulent Combustion with Special Emphasis on Soot Formation and Combustion. 16-th Int.Symp. on Combustion, Cambridge, MA, August 15-20, 1976
- [4] Masters,K.: Spray drying handbook.. Longman Scientific & Technical, Essex. 1991 (5.vydání)
- [6] Maznin A.N., Netušil A.V., Parini E.P.: Vysokofrekvenční ohřev dielektrik a polovodičů. Praha, SNTL, 1953
- [4,5] McCarthy M.J., Molloy N.A.: Review of Stability of Liquid Jets and the Influence of Nozzle Design. The Chemical Engineering J., Vol. 7, 1974, pp. 1-20
- [5] Mehrotra A.K., Karan K., Behie L.A.: Estimate Gas Emissivities for Equipment and Process Design. Chem.Eng.Progress, Sep. 1995, pp. 70-77
- [1] Metzner A.B.; Vaughn,R.D.; Houghton,G.L.: AIChE J., 3, 1957, pp.92
- [3] Minton P.E.: Handbook of evaporator technology. Noyes Publications, Park Ridge, N.J., 1986
- [5] Miller,J.A.; Bowman,C.T.: Mechanism and modeling of nitrogen chemistry in combustion. Progr. Energy Combust. Sci., Vol. 15, 1989, pp.287-338
- [1] Mitrovic J.: Wärmeübergang in Rohren mit Sternprofilen. Forschung im Ingenieurwesen, 58, 1992, pp. 257-265
- [1] Mori Y., Nakayama W.: Study on forced convective heat transfer in curved pipes. Int.J.Heat and Mass Transfer, 8, 1965, pp. 67-82
- [6] Mudgett,R.E.: Modelling microwave heating characteristics. Microwaves in the Food Processing Industry, ed. R.V.Decareau, Academic Press, London, 1985
- [2] Mueller A.C., in Rohsenow W.M. a Hartnett J.P.: Handbook of heat transfer, Sec.18, Heat exchangers, pp. 1-113, New York, McGraw-Hill, 1973
- [4] Edt. Mujumdar,A.S.-Roques,M.: Drying'89. New York, Hemisphere Publishing Corporation, 1990.
- [2] Mukherjee R.: Do not Let Baffling Baffle You. Chem.Eng.Progress, April 1996, p.72-79
- [1,2] Nauman E.B.: Enhancement of heat transfer and thermal homogeneity with motionless mixers. AIChE J., Vol. 25, 1979, pp. 141-148
- [1] Novák V., Rieger F., Vavro K.: Hydraulické pochody v chemickém a potravinářském průmyslu. Praha,

- SNTL, 1989.
- [5] Ochrana L.: Spalovací zařízení a výměníky tepla. Brno, učební text VUT, 1993
- [2] Oliveira S. et al: Optimum entropy, exergy and economics of a heat exchanger. International Chemical Engineering, 34, 1994, pp. 351-352
- [1,2] Özisik M.N., Topakoglu H.C.: Heat transfer for laminar flow in a curved pipe. Journal of Heat Transfer, 90, 1968, pp. 313-318
- [1,2] Özisik M.N.: Heat transfer (a basic approach). N.Y., Mc Graw Hill, 1985
- [6] Palmieri,L. et.al.: Residence time distribution of food suspensions containing large particles when flowing in tubular systems. Journal of Food Engineering, 17, No.3, 1992, s.225-239
- [1] Pahl, M.H., Muschelknautz, E.: Chem. Ing. Techn. 51,1979, No.5, pp. 347
- [1] Panchal C.B., Watkinson A.P.: Chemical Reaction Fouling Model for Single-Phase Heat Transfer. Heat Transfer Atlanta 1993, AIChE Symposium Series, Vol.89, No. 295, pp.323-334
- [5] Papadakis G., Bergeles G.: Prediction of staged coal combustion in three-dimensional furnaces. Journal of the Institute of Energy, Vol. 67, 1994, pp. 156-167
- [4] Papagiannes G.J.: Select the Right Dryer. Chem.Eng. Progress, Vol.88, 1992, December, pp. 20-27
- [3] Perry, Chilton: Chemical Engineers Handbook. 5th ed., N.Y., McGraw-Hill, 1973
- [5] Peters,A.A.F.; Weber,R.: Mathematical modeling of a 2.25 MW swirling natural gas flame. Submitted to Combustion Science and Technology 1994
- [6] Petržílka V., Šafrata P.: Elektřina a magnetizmus. Praha, NČSAV, 1956
- [6] Plch J.: Elektrické teplo. Brno, SNTL VUT, 1984
- [5] Ponevský N.: Spalovanie plynov. Košice, skriptum VŠT Košice, 1986, 195 s.
- [3] Power R.B.: Pump up your energy savings. Chemical Engineering, February 1994, pp. 120-126
- [3] Power R.B.: Steam jet ejectors for the process industries. N.Y., McGraw-Hill, 1994
- [1] Prisjakov, V.F.: Kipenije. Kijev, Naukovaja Dumka, 1988
- [4] Putnam A.: Integratable form of droplet drag coefficient. J. Am. Rocket Soc., 31, 1961, pp. 1467-1468.
- [4,5] Rayleigh Lord: On instability of jets. Proc. London Math Society, Vol. 10, 1878, pp. 4-13
- [4] Ranz W., Marshall W.: Evaporation from drops. Chemical Engineering Progress, 48, 1952, pp. 141-146, 137-180.
- [4,5] Radcliffe A.: Fuel injection. High Speed Aerodynamics and Jet Propulsion. Vol. XI. ser. D, Princeton Univ. Press, Princeton N.J. 1960
- [5] Rédr M., Příhoda M.: Základy tepelné techniky. Praha, SNTL, 1991, 677 s.
- [1] Rieger F. at al: Míchání a míchací zařízení, MAPPRINT 9, ČSChI, Praha 1995, p.47
- [4,5] Rizk N.K., Lefebvre A.H.: Internal Flow Characteristics of Simplex Swirl Atomizers. AIAA J. Propuls.

- Power, Vol.1, No. 3, 1985, pp. 193-199.
- [5] Rodi W.: Turbulence models and their application in hydraulics. Delft, IAHR, 1980, 104 s.
- [6] Rogačev, V.I., et al: Problemy sterilizacii piščevych produktov. Itogi nauki i techniki, Technologija Organičeskikh Veščestv. Moskva, VINITI, 1986. 121 s.
- [2] Roetzel,W., Spang,B.: Verbessertes Giagramm zur Berechnung von Wärmeübertragern, Wärme- und Stoffübertragung, 25, 1960, pp.259-264
- [1] Rohsenow W.M., Hartnett J.P.(edit): Handbook of heat transfer. Mc Graw Hill, 1973
- [5] Satou, M.; Tominaga, H.; Shinozaki, S.: Fluid flow and combustion modeling of an industrial-scale boiler. Fluent Application Sheet, SRN 627, 1994
- [5] Saxena S.C., Jotshi C.K.: Fluidized-bed incineration of waste materials. Progr. Energy Combust. Sci., Vol. 20, 1994, pp. 281-324
- [1,2] Sazima M., Kmoníček V., Schneller J. et al: Teplo, Technický průvodce 2. Praha, SNTL, 1989
- [1,2,5] Sazima M. a kol: Sdílení tepla, Technický průvodce 78. Praha, ČMT SNTL, 1993
- [2] Sborník: Moderní směry v navrhování výměníků tepla. Praha, DT ČSVTS, 1990
- [2] Schneller J., Hlavačka V.: Význam termické účinnosti při výpočtech jednoduchých i složitějších teplosměnných systémů. Strojírenství, 22, 1972, č.6, s. 346-352
- [4] Schultz P., Hilligardt K.: Vorgehen bei der Trocknerauswahl. Chem.Ing.Tech., Vol.65, 1993, pp.271-277
- [3] Schurter R.V.: Evaporators. Think thin Film. Chemical Engineering, April 1994, pp. 104-106
- [1,2] Shah R.K., London A.L.: Laminar flow: Forced convection in Ducts. New York, Academic Press, 1978
- [6] Simovjan,S.V.; Potapov,V.A.: SVČ nagrev izdelij konečnoj tolščiny. Izvestija vuzov, Piščevaja technologia, No.6, 1982, str. 61-65.
- [6] Simovjan,S. V.; Potapov,V.A.: Ocenka temperaturnoj neravnomernosti pri SVČ-nagreve izdelij konečnoj tolščiny. Izvestija vuzov, Piščevaja technologia, No.2, 1984, str. 75-78.
- [6] Singh K., Nelson P.: Advances in aseptic processing technologies. Essex, Elsevier Sci. Publ., 1992
- [5] Sivathann Y.R., Faeth G.M.: Generalized State Relationships for Scalar Properties in Non Premixed Hydrocarbon/Air Flames. Combustion Flame, Vol. 82, 1990, pp.211-230
- [5] Skála Z.: Termokinetika spalování. Brno, SNTL VUT, 1984, 116 s.
- [5] Skála Z.: Ekologie v energetice, Brno, učební text VUT, 1994
- [5] Spalding,D.B.: Numerical computation of practical combustion-chamber flows. AGARD Conf. Proceedings No. 164, 1974, pp. II/1-24
- [1] Sparrow,E.M.; Haji-Sheik,A.: Laminar heat transfer and pressure drop in isosceles triangular, right triangular and circular sector Duct. Trans. ASME, J.Heat Transfer, 87, 1965, pp. 426-427
- [1,2] Srinivasan V., Vafai K., Christensen R.N.: Analysis of heat transfer and fluid flow through a spirally fluted tube using porous substrate approach. J.Heat Transfer, 119, 1994, pp. 543-551

- [5] Stehlík P.: Significance of a Steam Reformer Furnace Mathematical Model for Plant Design and Operation. Technology Today, No.2. 1992, pp.49-55
- [5] Stehlík P.: Contribution to the Research and Development of Radiation Chambers in Steam Reforming. Influence of Selected Parameters on Main Characteristic Quantities. Collect. Czech Commun., Vol. 56, 1991, pp.831-846
- [2] Stehlík P.: Integrace procesů s využitím metody "pinch-technology" jako prostředek k úspore energie a snížení emisí. Chemický průmysl, 44, 1994, č.6, pp. 161-167
- [2] Stehlík P., Kohoutek J., Němčanský J.: Tepelné pochody - výpočet výměníků tepla. Brno, skripta VUT, 1991
- [1,2] Steinmeyer D.: Understand ΔP and ΔT in Turbulent Flow Heat Exchangers. Chem.Eng. Progress, 49, June 1996, pp.49-55
- [6] Stirling,R.: Ohmic heating - a new process for the food industry. Power Engineering J., 1987, 6, p.365
- [1] Strek F.: Míchání a míchací zařízení. Praha, SNTL, 1977.
- [5] Stultz S.C., Kitto J.B. edt.: Steam, its generation and use. Babcock&Wilcox, McDermott company, Barberton, Ohio, 1992
- [5] Styrikovič,M.A.; Katkovskaja,K.Ja; Serov, E.P.: Kotelnyje agregaty. Leningrad, Gos.Energ.Izdat., 1958, 487 s.
- [4] Šepitka, A.: Sušenie v potravinárskom priemysle. Bratislava, Alfa, 1984.
- [-]. Šesták J. et al: Transportní a termodynamická data. Praha, ČVUT FS, 1981
- [1] Šesták J., Rieger F.: Přenosové jevy I. Hydrodynamika a sdílení tepla. Praha, skripta ČVUT, 1972.
- [1] Šesták J., Rieger F.: Teoretické základy oboru..Přenos hybnosti a tepla. Praha, skripta ČVUT, 1988.
- [1] Šesták J., Rieger F.: Přenos hybnosti, tepla a hmoty. Praha, skripta ČVUT, 1993.
- [1] Šír J. et al.: Statické směšovače. Chemický průmysl, 1985, 35 (60), pp. 113-117
- [1] Taborek J. et al.: Predictive Methods for Fouling Behaviour. Chem. Eng. Progr., Vol.68, 1972, No.7, pp.69-72
- [2] Taborek J., in Schlünder,E.U.,(ed): HEDH-Heat exchanger design handbook, Sec.1.5, Charts for mean temperature difference in industrial heat exchanger configurations, New York, Hemisphere Publishing Co., 1983
- [5] Tesner P.A., Snegiriova T.D., Knorre V.G.: Kinetics of Dispersed Carbon Formation. Combust. Flame, Vol.17, 1971, p.253
- [1] Trup A.C.; Lau,A.C.Y.: Fully developed laminar heat transfer in circular sector ducts with isothermal walls. Trans. ASME, J.Heat Transfer, 106, 1984, pp. 467-469
- [1] Van Der Meer T.H., Hoogendoorn C.J.: Heat transfer coefficients for viscous fluids in a static mixer. Chemical Engineering Science, 1978, 33, pp. 1277-1282
- [1] VDI-Wärmeatlas. 6. erweiterte Auflage, VDI-Verlag Düsseldorf, 1991
- [1,2] VDI-Wärmeatlas,Berechnungsblätter für den Wärmeübergang. 7.Auflage, VDI-Verlag Düsseldorf, 1994

- [5] Visser, B.M. et al: Measurements and Predictions of Quarl Zone Properties of Swirling Pulverized Coal Flames. 23. Int. symposium on combustion, The Combustion institute 1990, pp. 949-955
- [4,5] Walzel P.: Liquid atomization. Int.Chem.Engineering, Vol.33, No.1, 1993, pp. 46-60
- [1] Wang C.Y.: Heat Transfer Across a Bilayer Composite Cylinder with Partial Debonding. Trans. of ASME, J.Heat Transfer, Vol. 117, 1995, pp.222-223
- [5] Weber,R.; Dugué,J.: Combustion accelerated swirling flows in high confinements. Prog. Energy Combust. Sci., Vol. 18, 1992, pp.349-367
- [5] Weber,R.; Visser,B.M.; Boysan,F.: Assessment of turbulence modeling for engineering prediction of swirling vortices in the near burner zone. Int.J. Heat and Fluid Flow, 1990, pp.225-235
- [3,4] Westergaard V.: Milk Powder Technology-Evaporation and Spray Drying. 4-th edition, NIRO A/S, Soeborg, 1994
- [1,2,3] Whalley P.B.: Boiling, condensation and gas-liquid flow. Oxford, Clarendon Press, 1990
- [1] Whitaker S.: Forced convection heat transfer correlations for flow in pipes, past flat plates, single cylinders, single spheres, and for flow in packed beds and tube bundles. AIChE J., 18, 1972, pp.361
- [5] Wilcox,D.C.: Turbulence modeling for CFD. Glendale, DCW Industries Inc., 1993.
- [3] Zahradník T.: Možnost úspor tepelné energie instalací deskových výměníků tepla a deskových odpařovacích těles. Listy cukrovarnické a řepařské, 111, 1995, č.3, pp.83-90
- [6] Zajíček M.: Odpovodný ohřev kapalin při proudění v trubce. Diplomová práce č. 95217, K218, FS ČVUT, Praha, 1995
- [2] Zhu X.X. et al: A new method for heat exchanger network synthesis using area targeting procedures. Computers Chem. Engng., 19, 1995, pp. 197-222
- [3] Zvoníček J.: Odparky. Praha, skripta ČVUT, 1982
- [4] Zvoníček J.: Sušárny. Praha, ČVUT, 1982
- [1] Žitný R., Střasák P., Šesták J.: Laminar flow invertors for RTD improvement and heat transfer enhancement. 12th Int. ChISA, Prague, 25-30 August 1996