

## Seznam literatury

- ABREU, H. C., REINERS, A. A., AZEVEDO, R. C., et al. Incidence and predicting factors of falls of older inpatients. *Revista de Saúde Pública (Public Health Practice Original Article)*, 2015, 49:37. DOI: 10.1590/S0034-8910.2015049005549. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4544589/>.
- ABREU, H. C., REINERS, A. A., AZEVEDO, R. C., et al. Urinary incontinence in the prediction of falls in hospitalized elderly. *Revista de Saúde Pública (Public Health Practice Original Article)*, 2014, vol. 48, no. 6, pp. 848–863. DOI: 10.1590/S0080-623420140000500011.
- ACKLEY, B. J., LADWIG, G. B., et al. *Nursing diagnosis handbook. An evidence-based guide to planning care*. 8th ed. Mosby Elsevier, 2008. 937 p. (pp. 339–346). ISBN 978-0-323-04826-2.
- AL TEHEWY, M. M., AMIN, G. E., NASSAR, N. W. A study of rate and predictors of fall among elderly patients in a university hospital. *Journal of patient safety*, 2015, vol. 11, no. 4, pp. 210–214. DOI: 10.1097/PTS.0000000000000117.
- ALBERT, M. L., KNOEFEL, J. E., et al. *Clinical Neurology of Aging*. 3rd ed. Oxford University Press Inc., 2011. 630 p. ISBN 978-0-19-536929-8.
- ALLALI, G., AYERS, E. I., HOLTZER, R., VERGHESE, J. The role of postural instability/gait difficulty and fear of falling in predicting falls in non-demented older adults. *Archives of Gerontology and Geriatrics*, 2017, vol. 69, pp. 15–20. DOI: 10.1016/j.archger.2016.09.008. Epub 2016 Nov 13.
- ALLAN, L. M., BALLARD, C. G., ROWAN, E. N., KENNY, R. A., Incidence and prediction of falls in dementia: A prospective study in older people. *PLoS ONE*, 2009, vol. 4, issue 5, pp. 1–8.
- ALLEN, N. E., SCHWARZEL, A. K., CANNING, C. G. Recurrent Falls in Parkinson's Disease: A systematic review. [online]. In *Parkinson's Disease*. 2013, vol. 2013, Article ID 906274, 16 p. [cit. 2017-09-21]. Dostupné z <http://www.hindawi.com/journals/pd/2013/906274/>.
- AMBLER, Z. *Základy neurologie*. 7. vyd. Praha: Galén, 2011. 351 s. ISBN 978-80-7262-707-3.
- AMBROSE, A. F., CRUZ, L., PAUL, G. Falls and fracture: A systematic approach to screening and prevention. *Maturitas*, 2015, vol. 82, no. 1, pp. 85–93. DOI: 10.1016/j.maturitas.2015.06.035. Epub 2015 Jun 26.

- ANANTHARAMA, N., RUMANTIR, G., JOMON, B., et al. Understanding risk factors of elderly inpatient falls using conceptual model. [online]. In PACIS 2016 Proceeding. 12 p. [cit. 2017-07-20]. Dostupné z <http://aisel.aisnet.org/pacis2016/21/>.
- ANG, E., MORDIFFI, S. Z., WONG, H. B. Evaluating the use of a targeted multiple intervention strategy in reducing patient falls in an acute care hospital: a randomized controlled study. *Journal of Advanced Nursing*, 2011, vol. 67, no. 5, pp. 1984–1992. DOI: 10.1111/j.1365-2648.2011.05646.x. Epub 2011 Apr 20.
- ARANDA-GALLARDO, M., MORALES-ASENCIO, J. M., CANCÁ-SANCHEZ, J. C., et al. Instruments for assessing the risk of falls in acute hospitalized patients: a systematic review and meta-analysis. *BMC Health Services Research*, 2013, no. 13, p. 122. Dostupné z <http://www.biomedcentral.com/1472-6963/13/122>.
- AXER, H., AXER, M., SAUER, H., et al. Falls and gait disorders in geriatric neurology. *Clinical neurology and neurosurgery*, 2010, vol. 12, no. 4, pp. 265–274. DOI: 10.1016/j.clineuro.2009.12.015.
- BARKER, A., KAMAR, J., GRACO, M., et al. Adding value the STRATIFY falls risk assessment in acute hospitals. *Journal of Advanced Nursing*, 2011, vol. 67, no. 2, pp. 450–457. DOI: 10.1111/j.1365-2648.2010.05503.x. Epub 2010 Nov 24.
- BARTKO, D., ČOMBOR, I., KUBOVIČOVÁ, K., GOMBOŠOVÁ, Z. Multiple sclerosis and cognitive disorders. What should neurologists advice patient with ms about his risk of developing dementia. *Activitas Nervosa Superior Rediviva*, 2012, vol. 54, no. 4, pp. 143–149. ISSN 1337-933X.
- BARTOŠ, V. Riziko pádu u nemocných s diabetem. *Praktický lékař*, 2009, roč. 89, č. 8, s. 428–430.
- BARTOŠ, R., NĚMCOVÁ, V., RADOVNICKÝ, T. Gliomy limbického a paralimbického systému, technika a výsledky resekcí. In *Česká a slovenská neurologie a neurochirurgie*, 2016, roč. 79/112, č. 2, s. 131–147. DOI: 10.14735/amcsnn2016131.
- BATCHELOR, F., HILL, K., MACKINTOSH, S., SAID, C. What works in falls prevention after stroke? A systematic review and meta-analysis. *Stroke*, 2010, vol. 41, pp. 1715–1722. DOI: 10.1161/STROKEAHA.109.570390. Dostupné z <https://pdfs.semanticscholar.org/7047/01f624bc00b06425dc82fff1c0a7d9c0b270.pdf>.
- BEDNAŘÍK, J., AMBLER, Z., RŮŽIČKA, E., et al. *Klinická neurologie – část speciální I*. Praha: TRITON, 2010. 707 s. ISBN 978-80-7387-389-9.

- BEMIS-DOUGHERTY, A., DELAUNE, M. F. Reducing Patient Falls in Inpatient Setting. *American Physical Therapy Association*, 2008, vol. 16, no. 5, pp. 36–42.
- BENETIN, J., CIBULČÍK, F., TURČÁNI, P., VALKOVIČ, P., ZLATOŠOVÁ, J. Ako žiť s Parkinsonovou chorobou – informácie pre pacientov a ich blízkych. [online]. 2. vyd. Lundbeck Slovensko, s.r.o., 2014. 68 s. [cit. 2017-06-06]. Dostupné z [https://www.lundbeck.com/upload/sk/files/pdf/ine/Ako-zit-s-PCH\\_2-vydanie\\_2014.pdf](https://www.lundbeck.com/upload/sk/files/pdf/ine/Ako-zit-s-PCH_2-vydanie_2014.pdf). ISBN 978-80-89434-23-7.
- BITTENCOURT, V. L. L., GRAUBE, S. L., STUMM, E. M. F., et al. Factors associated with the risk of falls in hospitalized adult patients. *Journal of school of nursing – University of Sao Paulo*, 2017, vol. 51: e03237. Print version ISSN 0080-6234. On-line version ISSN 1980-220X. DOI: <http://dx.doi.org/10.1590/S1980-220X2016037403237>.
- BÓRIKOVÁ, I., TOMAGOVÁ, M. Pády u hospitalizovaných pacientov – posudzovanie rizika. *Ošetrovateľstvo: teória – vzdelávanie – výskum*, 2016, roč. 6, č. 1, s. 26–31. ISSN 1338-6263. Dostupné z <http://www.osetrovateľstvo.eu/archiv/2016-ročnik-6/cislo-1/pady-u-hospitalizovaných-pacientov-posudzovanie-rizika>.
- BÓRIKOVÁ, I. *Aktivity denného života pre klinickú prax a ošetrovateľský výskum*. 1. vyd. Martin: Univerzita Komenského, Jesseniova lekárska fakulta, 2013. [CD-ROM] 123 s. ISBN 978-80-89544-53-0.
- BÓRIKOVÁ, I. Posudzovanie aktivít denného života. *Ošetrovateľství a porodní asistence*. 2010, roč. 1, č. 1, s. 24–30. Dostupné z [http://periodika.osu.cz/osetrovateľstviaporodniasistence/dok/2010-01/4\\_borikova.pdf](http://periodika.osu.cz/osetrovateľstviaporodniasistence/dok/2010-01/4_borikova.pdf).
- BÓRIKOVÁ, I., TOMAGOVÁ, M., ŽIAKOVÁ, K. Rizikové faktory pádu u hospitalizovaných pacientov. *Praktický lekař*, 2017, roč. 97, č. 1, s. 23–30.
- BÓRIKOVÁ, I. *Funkčný stav seniora*. 1. vyd. Martin: Jesseniova lekárska fakulta Univerzity Komenského v Martine, 2015. [CD-ROM] 124 s. ISBN 978-80-89544-80-6.
- BOULDIN, E. R., ANDRESEN, E. M., DUNTON, N. E., et al. Falls among adult patients hospitalized in the United States: prevalence and trends. *Journal of Patient Safety*, 2013, vol. 9, no. 1, pp. 13–17. DOI: 10.1097/PTS.0b013e3182699b64.
- BRADLEY, S. M., KARANI, R., McGINN, T., WISNIVESKY, J. Predictors of serious injury among hospitalized patients evaluated for falls. *Journal of Hospital Medicine*, 2010, vol. 5, no. 2, pp. 63–68. DOI: 10.1002/jhm.555.

- BROŽOVÁ, H. Psychogenní poruchy chůze. *Psychiatria pre prax*, 2015, roč. 16, č. 2, s. 11–14.
- BRUCE, J., RALHAN, S., SHERIDAN, R., WESTACOTT, K., WITHERS, E., et al. The design and development of a complex multifactorial falls assessment intervention for falls prevention: The prevention of falls injury trial (PreFIT). *BMC Geriatrics*, 2017, vol. 17, no. 1:116. DOI: 10.1186/s12877-017-0492-6. Dostupné z <https://bmccgeriatr.biomedcentral.com/articles/10.1186/s12877-017-0492-6>.
- BULÍKOVÁ, T. Akútne konfúzne stavy v záchrannej službe. *Via practica*, 2012, roč. 9, č. 2, s. 57–59. ISSN 1339-424X (online). ISSN 1336-4790 (tištěná verze).
- BURTON, E., CAVALHERI, V., ADAMS, R., et al. Effectiveness of exercise programs to reduce falls in older people with dementia living in the community: a systematic review and meta-analysis. *Clinical Interventions in Aging*, 2015, vol. 2015, no. 10, pp. 421–434. DOI: <https://doi.org/10.2147/CIA.S71691>.
- BUSSE, M. E., WILES, C. M., ROSSER, A. E. Mobility and falls in people with Huntington's disease. *Journal of Neurology, Neurosurgery and Psychiatry*, 2009, vol. 80, no. 1, pp. 88–90. DOI: 10.1136/jnnp.2008.147793.
- CALLIS, N. Falls prevention: Identification of predictive fall risk factors. *Applied Nursing Research*, 2016, vol. 29, pp. 53–58. DOI: 10.1016/j.apnr.2015.05.007. Epub 2015 May 22.
- CAMICIOLI, R. Falls in aging and neurological disease. In ALBERT, M. L., KNOEFEL, J. E. (eds.). *Clinical neurology of aging*. 3rd ed. New York: Oxford University Press, 2011, pp. 297–313. ISBN 978-0-19-536929-8.
- CASTELLINI, G., DEMARCHI, A., LANZONI, M., CASTALDI, S. Fall prevention: is the STRATIFY tool the right instrument in Italian hospital inpatient? A retrospective observational study. *BMC Health Services Research*. 2017, vol. 17: 656. DOI: 10.1186/s12913-017-2583-7.
- CEDERVALL, Y., HALVORSEN, K., ÅBERG, A. C. A longitudinal study of gait function and characteristics of gait disturbance in individuals with Alzheimer's disease. *Gait and posture*, 2014, vol. 39, no. 4, pp. 1022–1027. DOI: 10.1016/j.gaitpost.2013.12.026. Epub 2014 Jan 21.
- CETLOVÁ, L. Pád pacienta – nejčastěji nahlášená mimořádná událost/ nežádoucí událost v zdravotnickém zařízení. In *Jihočeská konference nelékařských zdravotnických pracovníků – Sborník přednášek*. České Budějovice: Nemocnice České Budějovice, 2010, s. 47–82. ISBN 978-80-254-7919-3.

- CIBULČÍK, F. Problematika bolesti pri neurologických ochoreniach a praktický lekár. *Ambulantná terapia*, 2008, roč. 2008, roč. 6, č. 1, s. 23–26. ISSN 1336-6750.
- CLYBURN, T. A., HEYDEMANN, J. A. Fall prevention in the elderly: analysis and comprehensive review of methods used in the hospital and in the home. *Journal of the American Academy of Orthopaedic Surgeons*, 2011, vol. 19, no. 7, pp. 402–409. ISSN Print: 1067-151X.
- COLLOCA, L., LUDMAN, T., BOUHASSIRA, D., BARON, R., DICKENSON, A. H., et al. Neuropathic pain. *Nature Reviews Disease Primers*, 2017, 3: 17002. DOI: 10.1038/nrdp.2017.2. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5371025/>.
- COOTE, S., SOSNOFF, J. J., GUNN, H. Fall incidence as the primary outcome in multiple sclerosis falls-prevention trials. Recommendation from the International MS Falls prevention research network. *MS Care*, 2014, vol. 16, no. 4, pp. 148–184. DOI: 10.7224/1537-2073.2014-059. Dostupné z <http://ijmsc.org/doi/pdf/10.7224/1537-2073.2014-059>.
- COSTA-DIAS, M. J., OLIVEIRA, S. A., MARTINS, T., et al. Medication fall risk in old hospitalized patients: A retrospective study. *Nurse Education Today*, 2014, vol. 34, no. 2, pp. 171–176. ISSN 0260-6917. DOI: 10.1016/j.nedt.2013.05.016. Epub 2013 Jun 14.
- CUMBLER, E. U., SIMPSON, J. R., ROSENTHAL, L. D., LIKOSKY, D. J. Inpatient falls: defining the problem and identifying possible solution. Part I: an evidence-based review. *The Neurohospitalist*, 2013, vol. 3, no. 3, pp. 135–143. DOI: 10.1177/1941874412470665.
- CUMBLER, E. U., SIMPSON, J. R., ROSENTHAL, L. D., LIKOSKY, D. J. Inpatient falls: defining the problem and identifying possible solutions. Part II: Application of quality improvement principles to hospital falls. *The Neurohospitalist*, 2013a, vol. 3, no. 4, pp. 203–208. DOI: 10.1177/1941874412470666.
- CUSTODIO, N., LIRA, D., HERRERA-PEREZ, E., MONTESINOS, R., et al. Predictive model for falling in Parkinson disease patients. *eNeurologicalSci*, 2016, vol. 5, pp. 20–24. doi.org/10.1016/j.ensci.2016.11.003. Dostupné z [http://ac.els-cdn.com/S2405650216300351/1-s2.0-S2405650216300351-main.pdf?\\_tid=6dc-9c18e-0cd7-11e8-a27a-00000aacb35e&acdnat=1518098183\\_188177de-0d86a652a2fda87b56ac413b](http://ac.els-cdn.com/S2405650216300351/1-s2.0-S2405650216300351-main.pdf?_tid=6dc-9c18e-0cd7-11e8-a27a-00000aacb35e&acdnat=1518098183_188177de-0d86a652a2fda87b56ac413b).
- Česká asociace sester. *Sledování pádu u hospitalizovaných pacientů v roce 2015. Ukončení projektu – závěrečná zpráva [online]*. Česká asociace sester, 2015. 5 s. [cit. 2018-05-06]. Dostupné z <http://www.cnna.cz/pady/>.

- DEANDRA, S., BRAVI, F., TURATI, F., et al. Risk factors for falls in older people in nursing homes and hospitals. A systematic review and Meta-analysis. *Archives of Gerontology and Geriatrics*, 2013, vol. 56, no. 3, pp. 407–415. DOI: 10.1016/j.archger.2012.12.006.
- DEGELAU, J., BELZ, M., BUNGUM, L., et al. Prevention of falls (Acute Care) – Health care protocol. Istitute for clinical system improvement, 2012. 43 p. [online]. [cit. 2018-03-03]. Dostupné z <https://iu.instructure.com/courses/1491754/files/56997226/download?wrap=1>.
- DEMOTT, T. K., RICHARDSON, J. K., THIES, S. B., ASTON-MILLER, J. A. Falls and gait characteristics among older persons with peripheral neuropathy. *American Journal of Physical Medicine and Rehabilitation / Association of Academic Physiatrists*, 2007, vol. 86, no. 2, pp. 125–132. ISSN Print: 0894-9115.
- DUFEK, J. Vyšetření prováděná u spasticity. In KAŇOVSKÝ, P., BAREŠ, M., DUFEK, J. (eds.). *Spasticita: mechanizmy, diagnostika a léčba*. Praha: Maxdorf, 2004. s. 104–110. ISBN 80-7345-042-9.
- DUPREE, E., MUSHENO, D. Anew approach to preventing falls with injuries. *Journal of Nursing care Quality*, 2014, vol. 29, no. 2, pp. 99–102. DOI: 10.1097/NCQ.0000000000000050.
- DVORÁK, M., HLUBEKOVÁ, A., CARTER, K., ŠIMO, M. Cervikálne vertigo. *Neurologie pro praxi*, 2009, roč. 10, č. 5, s. 314–319. ISSN 1803-5280 (online verze).
- DVOŘÁK, R., BETLACHOVÁ, M. Péče o pacienta s poruchou pohybu v domácím prostředí – 1. část. *Medicina pro praxi*, 2013, roč. 10, č. 1, s. 40–42. ISSN – 1803-5310 (online verze).
- DYKES, P. C., CARROLL, D. L., HURLEY, A. C., et al. Why do patients in acute care hospitals fall? Can falls be prevented? *Journal of Nursing Administration*, 2009, vol. 39, no. 6, pp. 299–304. DOI:10.1097/NNA.0b013e3181a7788a. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3107706/pdf/nihms259498.pdf>
- EHLER, E. Polyneuropatie. *Neurológia pre prax*, 2013, roč. 14, č. 1, s. 21–27. ISSN 1339-4223 (online).
- EHLER, E., KOPAL, A., MANDYSOVÁ, P., LATTA, J. Komplikace ischemické cévní mozkové příhody. *Neurologie pro praxi*, 2011, roč. 12, č. 2, s. 129–134. ISSN 1803-5280 (online verze).
- FEHLBERG, E. A., LUCERO, R. J., WEAVER, M. T., et al. Associations between hyponatraemia, volume depletion and the risk of falls in US hospitalised patients: a case-control study. *British Medical Journal Open*,

- 2017, vol. 7, s. e017045(1–5). DOI:10.1136/bmjopen-2017-017045.  
Dostupné z <http://bmjopen.bmjjournals.org/content/7/8/e017045>.
- FEKETEOVÁ, E., GDOVINOVÁ, Z. Hypersomnie centrálneho pôvodu: narkolepsia, rekurentná a idiopatická hypersomnia. *Via practica*, 2014, roč. 11, č. 2, s. 66–69. ISSN 1339-424X (online).
- FERREIRA, L. M., RAMOS JUNIOR, A. N., MENDES, E. P. Characterization of tinnitus in the elderly and its possible related disorders. *Brazilian Journal of Otorhinolaryngology*, 2009, vol. 75, vol. 2, pp. 249–255.
- FORWELL, S. J., BRUNHAM, S., TREMLETT, H., MORRISON, W., OGIER, J. Primary and nonprimary fatigue in multiple sclerosis. *International Journal of MS Care*, 2008, vol. 10, no. 1, pp. 14–20. doi.org/10.7224/1537-2073-10.1.14.
- FULMEKOVÁ, M., MASARYKOVÁ, L., LEHOCKÁ, L. Geriatrický pacient a kvalita života. In *Praktické lekárničstvo*, 2012, roč. 2, č. 1, s. 26–28. ISSN 1339-4185 (online).
- GANZ, D. A., HUANG, C., SALIBA, D., et al. Preventing falls in hospitals: a toolkit for improving quality of care [online]. Agency for Healthcare Research and Quality, January 2013. AHRQ Publication, No. 13-0015-EF. 190 p. [cit. 2017-05-15]. Dostupné z <http://www.ahrq.gov/sites/default/files/publications/files/fallpxtoolkit.pdf>.
- GERLACH, O. H., WINOGRODZKA, A., WEBER, W. E. Clinical problems in the hospitalized Parkinson's disease patient: systematic review. *Movement disorders*, 2011, vol. 26, issue 2, pp. 197–208. DOI: 10.1002/mds.23449. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3130138/pdf/mds0026-0197.pdf>.
- GOMES, E. C., MARGUES, A. P., LEAL, M. C., BARROS, B. P. Factors associated with the danger of accidental falls among institutionalized elderly individuals: an integrative review. *Ciencia and Saude Coletiva*, 2014, vol. 19, no. 8, pp. 3543–3551.
- GRAHAM, B. C. Examining evidence-based interventions to prevent inpatient falls. *MEDSURG Nursing*, 2012, vol. 21, no. 5, pp. 267–270.
- GRAY-MICELI, D., QUIGLEY, P. A. Falls prevention: Assessment, diagnoses, and intervention strategies. In BOLTZ, M., et al. (ed.). *Evidence-based geriatric Nursing Protocols for Best Practice*. 4th ed. New York: Springer Publishing Company, 2012. pp. 268–297. ISBN 13: 978-0826171283.
- GROWDON, M. E., SHORR, R. I., INOUVE, S. K. The tension between promoting mobility and preventing falls in the hospital. *JAMA*

- Internal Medicine*, 2017, vol. 177, no. 6, pp. 759–760. DOI: 10.1001/jamainternmed.2017.0840.
- GRUNDSTROM, A. C., GUSE, C. E., LAYDE, P. M. Risk factors for falls and fall-related injuries in adults 85 years of age and older. *Archives of Gerontology and Geriatrics*, 2012, vol. 54, no. 3, pp. 421–428. DOI: 10.1016/j.archger.2011.06.008. Epub 2011 Sep 8.
- GU, Y. Y., BALCEAN, K., NI, Y., et al. Review on prevention of falls in hospital settings. *Chinese Nursing Research*, 2016, vol. 3, no. 1, pp. 7–10. DOI: 10.1016/j.cnre.2015.11.002.
- GUILLAUME, D., CRAWFORD, S., QUIGLEY, P. Characteristics of the middle-age adult inpatient fall. *Applied Nursing Research*, 2016, vol. 31, pp. 65–71. Dostupné z <https://doi.org/10.1016/j.apnr.2016.01.003>.
- GUILLOCHON, A., CRINQUETTE, C., GAXATTE, C., et al. Neurological diseases detected in the Lille Multidisciplinary Falls Consultation. *Revue Neurology (Paris)*, 2010, vol. 166, no. 2, pp. 235–241. DOI: 10.1016/j.neurol.2009.05.007. Epub 2009 Jul 18.
- GUNN, H., CREANOR, S., HAAS, B., et al. Risk factors for fall in multiple sclerosis: an observational study. *Multiple Sclerosis Journal*, 2013, vol. 19, no. 14, pp. 1913–1922. DOI: 10.1177/1352458513488233. Epub 2013 Apr 30.
- GUNN, H., NEWELL, P., HAAS, B., et al. Identification of risk factors for falls in multiple sclerosis: a systematic review and meta-analysis. *Physical Therapy*, 2013a, vol. 93, no. 4, pp. 504–13. DOI: 10.2522/ptj.20120231. Epub 2012 Dec 13.
- HÄGGQVIST, B., STENVALL, M., FJELLMAN-WIKLUND, A., WESTERBERG, K., LUNDIN-OLSSON, L. „The balancing act“ – Licensed practical nurse experiences of falls and fall prevention: a qualitative study. *BMC Geriatrics*, 2012, vol. 12:62. Dostupné z <http://www.biomedcentral.com/1471-2318/12/62>.
- HAN, J., XU, L., ZHOU, CH., et al. Stratify, Hendrich II fall risk model and Morse fall scale used in predicting the risk of falling for elderly in-patients. *Biomedical Research*, 2017, vol. 28, issue: special, pp. S439–S442. Dostupné z <http://www.alliedacademies.org/articles-stratify-hendrich-ii-fall-risk-model-and-morse-fall-scale-used-in-predicting-the-risk-of-falling-for-elderly-inpatients.html>.
- HAVILEY, C. Stop patient falls with a nursing toolkit. *Strategies for nurse managers*, 2009, vol. 6, no. 5, pp. 7–8.
- HAYASHI, Y., GODAI, A., YAMADA, M., YOSHIKURA, N., HARADA, N., et al. Reduction in the numbers of frugs administered to elderly in-patients

- with polypharmacy by a multidisciplinary review of medication using electronic medical records. *Geriatrics and Gerontology International*, 2017, vol. 17, no. 4, pp. 653–658. DOI: 10.1111/ggi.12764. Epub 2016 May 2.
- HEALEY, F. A guide on how to prevent falls and injury in hospitals. *Nursing Older People*, 2010, vol. 22, no. 9, pp. 16–22. DOI: 10.7748/nop2010.11.22.9.16.c8060.
- HEMPEL, S., NEWBERRY, S., WANG, Z., et al. Hospital fall prevention: a systematic review of implementation, components, adherence, and effectiveness. *Journal of the American Geriatrics Society*, 2013, vol. 61, no. 4, pp. 483–484. DOI: 10.1111/jgs.12169. Epub 2013 Mar 25.
- HENDRICH, A., NYHUIS, A., KIPPENBROCK, T., SOJA, M. E. Hospital falls: development of a predictive model for clinical practice. *Applied Nursing Research*, 1995, vol. 8, no. 3, pp. 129–139.  
Dostupné z [http://dx.doi.org/10.1016/s0897-1897\(95\)80592-3](http://dx.doi.org/10.1016/s0897-1897(95)80592-3).
- HENDRICH, A. L., BENDER, P. S., NYHUIS, A. Validation of the Hendrich II Fall Risk Model: A large concurrent case/control study of hospitalized patients. *Applied Nursing Research*, 2003, vol. 16, no. 1, pp. 9–21.  
Dostupné z <http://dx.doi.org/10.1053/apnr.2003.YAPNR2>.
- HERDMAN, H., KAMITSURU, S., et al. *Nursing diagnoses definitions and classification 2018–2020*. 11<sup>th</sup> ed., New York: Thieme Publisher, 2018, pp. 390–391. ISBN 978-1-62623-929-6.
- HESLOP, L., LU, S. Nursing-sensitive indicators: a concept analysis. *Journal of Advanced Nursing*. 2014, vol. 70, no. 11, pp. 2469–2482. DOI: 10.1111/jan.12503.
- HICKEY, J. V. The clinical practice of neurological and neurosurgical nursing. 6th ed. Lippincott Williams and Wilkins, 2009. 768 p. ISBN 978-0-7817-9329-6.
- HOLMEROVÁ, I., JAROLÍMOVÁ, E., SUCHÁ, J., et al. *Péče o pacienty s kognitivní poruchou*. [online]. Praha: Gerontologické centrum, 2007. 149 s. [cit. 2017-11-22]. ISBN 978-80-254-0177-4. Dostupné z [http://www.geriatrie.cz/dokumenty/Pece\\_o\\_pacienty\\_s\\_kognitivni\\_poruchou\\_1.pdf](http://www.geriatrie.cz/dokumenty/Pece_o_pacienty_s_kognitivni_poruchou_1.pdf).
- HOMANN, B., PLASCHG, A., GRUNDNER, M., et al. The impact of neurological disorders in the risk for falls in the community dwelling elderly: a case-controlled study. [online]. *British Medical Journal Open*, 2013, vol. 3, no. 11, pp. 1–10. [2017-05-30]. Dostupné z <http://bmjopen.bmjjournals.com/content/bmjopen/3/11/e003367.full.pdf>. DOI: 10.1136/bmjopen-2013-003367.

- HONG, H. J., KIM, N. C., JIN, Y., PIAO, J., LEE, S. M. Trigger factors and outcomes of falls among korean hospitalized patients: analysis of electronic medical records. *Clinical Nursing Research*, 2015, vol. 24, no. 1, pp. 51–72. DOI: 10.1177/1054773814524225. Epub 2014 Mar 10.
- HRONOVSKÁ, L. Závratě, instabilita a pády ve stáří. *Interní medicína*, 2012, roč. 14, č. 12, pp. 470–472. ISSN 1212-7299 (tištěná verze), ISSN 1803-5256 (online verze).
- HUANG, Y., LUO, T., HUANG, L., ZHANG, L., TAO, H. Effectiveness of a fall prevention protocol for patients with ischemic stroke during hospitalization. *International Journal of Neurology and Neurotherapy*. 2016, vol. 3, no. 6, pp. 1–3. DOI: 10.23937/2378-3001/3/6/1063.
- HUNDERFUND, A. N., SWEENEY, C. M., MANDREKAR, J. N., et al. Effect of a multidisciplinary fall risk assessment on falls among neurology inpatients. *Mayo Clinic Proceedings*, 2011, vol. 86, no. 1, pp. 19–24. DOI: 10.4065/mcp.2010.0441. Feb 19.
- CHANG, V. C., DO, M. T. Risk factors for falls among seniors: implications of gender. *American Journal of Epidemiology*, 2015, vol. 181, no. 7, pp. 521–531. DOI: 10.1093/aje/kwu268. Epub 2015.
- CHAPMAN, J., BACHAND, D., HYRKÄS, K. Testing the sensitivity, specificity and feasibility of four falls risk assessment tools in a clinical setting. *Nursing Management*, 2011, vol. 19, no. 1, pp. 133–142. DOI: 10.1111/j.1365-2834.2010.01218.x.
- CHOI, Y. S., LAWLER, E., BOENECKE, C. A., et al. Developing a multi-systematic fall prevention model, incorporating the physical environment, the care process and technology: a systematic review. *Journal of Advanced Nursing*, 2011, vol. 67, no. 12, pp. 2501–2524. DOI: 10.1111/j.1365-2648.2011.05672.x. Epub 2011 May 6.
- JAKUBÍKOVÁ, H. Najčastejšie neurologické ochorenia vyžadujúce pa- liatívnu liečbu. *Paliatívna medicína a liečba bolesti*, 2009, roč. 2, č. 1, s. 37–41. ISSN 1337-6896.
- JANÁTOVÁ, M., TICHÁ, M., MELECKÝ, R., et al. Pilotní studie využití tenzometrické plošiny v domácí terapii poruch rovnováhy. In *Česká a slovenská neurologie a neurochirurgie*, 2016, roč. 79/112, č. 5, s. 591–594. ISSN 1210-7859 (tištěná verze), ISSN 1802-4041 (online verze).
- JAROŠOVÁ, D., MAJKUSOVÁ, K., ZELENÍKOVÁ, R., KOZÁKOVÁ, R., LÍČENÍK, R., STOLIČKA, M. *Prevence pádů a zranění způsobených pády u starších dospělých Klinický doporučený postup adaptovaný Prevention of falls and fall injuries in the older adult (2005)*, Supplement (2011), RNAO. [online]. Ústav ošetřovatelství a porodní asistence

- Lékařská fakulta, Ostravská univerzita v Ostravě, květen 2014. 85 s. [cit. 2017-05-10]. Dostupné z <http://dokumenty.osu.cz/lf/uom/uom-publikace/kdp-pady-plna-verze.pdf>.
- JAROŠOVÁ, D., MAJKUSOVÁ, K., KOZÁKOVÁ, R., ZELENÍKOVÁ, R. *Klinické doporučené postupy v ošetřovatelství*. 1. vyd. Praha: Grada Publishing, a.s., 2016. 144 s. ISBN 978-80-247-5426-0.
- JÁUREGUI-RENAUD, K. Postural balance and peripheral neuropathy. In SOUAYAH, N. (ed.). *Peripheral neuropathy – a new insight into the mechanism, evaluation and management of a complex disorder*. Rijeka, Croatia: InTech, 2013, pp. 125–146. ISBN 978-953-51-1060-6. Dostupné z <http://dx.doi.org/10.5772/55344>.
- JAVIER, J. S., ANG-MUNOZ, S. D., ABAD, L. R., et al. Incidence and risk factors of falls and fall-related injuries at the medical and surgical wards of the Philippine General Hospital. *Acta Medica Philippina*, 2016, vol. 50, no. 4, pp. 313–317.
- JIRÁK, R., et al. *Gerontopsychiatrie*. 1. vyd. Praha: Galén, 2013, s. 151–153. ISBN 978-80-7262-873-5.
- JOHNSON, M., GEORGE, A., TRAN, D. T. Analysis of falls incidents: Nurse and patient preventive behaviours. *International Journal of Nursing Practice*, 2011, vol. 17, no. 1, pp. 60–66. DOI: 10.1111/j.1440-172X.2010.01907.x.
- JOINT COMMISSION RESOURCES. *Prevence pádů ve zdravotnickém zařízení – cesta k dokonalosti a zvyšování kvality*. 1. vyd. Překlad: Radim Vyhánek. Praha: Grada Publishing, 2007. 171 s. ISBN 978-80-247-1715-9.
- KALVACH, Z., ZADÁK, Z., JIRÁK, R., ZAVÁZALOVÁ, H., HOLMEROVÁ, I., WEBER, P., a kol. *Geriatrické syndromy a geriatrický pacient*. 1 vyd. Praha: Grada Publishing, a.s., 2008. 336 s. ISBN 978-80-2471-4.
- KALVACH, Z., ČELEDOVÁ, L., HOLMEROVÁ, I., JIRÁK, R., ZAVÁZALOVÁ, H., WIJA, P., a kol. *Křehký pacient a primární péče*. Praha: Grada Publishing, a.s., 2011. 400 s. ISBN 978-80-247-4026-3.
- KAŇOVSKÝ, P. Poruchy chůze a pády ve stáří. *Interní medicína pro praxi*, 2004, č. 2, s. 85–88. ISSN 1212-7299 (tištěná verze), ISSN 1803-5256 (online verze).
- KELLER, O. Chronický únavový syndróm – existuje. *Neurológia pre prax*, 2013, roč. 14, č. 3, s. 169–170. ISSN 1335-9592 (tištěná verze), ISSN 1339-4223 (online verze).

- KENNY, R. A., ROMMERO-ORTUNO, R., KUMAR, P. Falls in older adults. [online]. *Medicine in older adults*, 2016, vol. 45, no. 1, pp. 28–33. [cit. 2017-09-21]. Dostupné z [http://www.medicinejournal.co.uk/article/S1357-3039\(16\)30228-6/pdf](http://www.medicinejournal.co.uk/article/S1357-3039(16)30228-6/pdf).
- KIM, S. R., YOO, S. H., SHIN, Y. S., et al. Comparison of the reliability and validity of fall risk assessment tools in patients with acute neurological disorders. *Korean Journal of Adult Nursing*, 2013, vol. 25, issue 1, pp. 24–32. DOI: 10.7475/kjan.2013.25.1.24. Dostupné z [https://www.researchgate.net/publication/272881348\\_Comparison\\_of\\_the\\_Reliability\\_and\\_Validity\\_of\\_Fall\\_Risk\\_Assessment\\_Tools\\_in\\_Patients\\_with\\_Acute\\_Neurological\\_Disorders](https://www.researchgate.net/publication/272881348_Comparison_of_the_Reliability_and_Validity_of_Fall_Risk_Assessment_Tools_in_Patients_with_Acute_Neurological_Disorders).
- KIM, K. S., KIM, J. A., CHOI, Y. K., et al. Comparative study of the validity of fall risk assessment scales in Korean hospitals. *Asian Nursing Research (Korean Soc Nurs Sci)*, 2011, vol. 5, no. 1, pp. 28–37. DOI: 10.1016/S1976-1317(11)60011-X.
- KITCHEREN, N., HASHEM, S., WAHBA, M., et al. *The flying publisher guide to critical care in neurology*. [online]. Flying Publisher and Camp, 2012. [cit. 2017-11-30]. p. 118. ISBN 978-3-942687-07-2. Dostupné z [http://pdf.flyingpublisher.com/FPG\\_007\\_CriticalCareinNeurology\\_2012.pdf](http://pdf.flyingpublisher.com/FPG_007_CriticalCareinNeurology_2012.pdf).
- KOBESOVÁ, A., MAZANEC, R. Pohybové aktivity pacientů trpících dědičnou polyneuropatií. *Česká a slovenská neurologie a neurochirurgie*, 2008, roč. 71/104, č. 3, s. 277–284.
- KOH, S. S., MANIAS, E., HUTCHINSON, A. M., JOHNSTON, L. Fall incidence and fall prevention practices at acute care hospitals in Singapore: A retrospective audit. *Journal of Evaluation in Clinical Practice*, 2007, vol. 13, no. 5, pp. 722–727. DOI: 10.1111/j.1365-2753.2006.00743.x. Dostupné z <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2753.2006.00743.x/pdf>.
- Koncepcia zdravotnej starostlivosti v odbore geriatria*. Vestník Ministerstva zdravotníctva Slovenskej republiky. Čiastka 1–5, z dňa 25. januára 2007, roč. 55.
- KRAJČÍK, Š. Pády a ich príčiny v starobe. *Via practica*, 2006, roč. 3, č. 7/8, s. 344–346. ISSN 336-4790 (tištěná verze).
- KRASULOVÁ, E., BLAHOVÁ DUŠÁNKOVÁ, J., HAVRDOVÁ, E. Roztroušená skleróza – psychoneuroimunologické onemocnění centrálního nervového systému. *Psychiatria pre prax*, 2009, roč. 10, č. 3, s. 121–125. ISSN 1335-9584 (tištěná verze).

- KROBOT, A., KOLÁŘOVÁ, B., KOLÁŘ, P., et al. Neurorehabilitace chůze po cévní mozkové příhodě. *Česká a slovenská neurologie a neurochirurgie*, 2017, roč. 80/113, č. 5, s. 521–526. ISSN 1210-7859 (tištěná verze), ISSN 1802-4041 (online verze).
- KROMBHLZ, R., DRÁSTOVÁ, H. Polypragmázie – neblahý fenomén nejen v gerontopsychiatrii. *Via practica*, 2014, roč. 11, č. 1, s. 23–26. ISSN 336-4790 (tištěná verze).
- KRONZER, V. L., JERRY, M. R., ABDALLAH, A. B., et al. Preoperative falls predict postoperative falls, functional decline, and surgical complications. *EBioMedicine*, 2016, vol. 12, pp. 302–308. Dostupné z <https://doi.org/10.1016/j.ebiom.2016.08.039>.
- KUBEŠOVÁ, H., GREPLOVÁ, K., POLCAROVÁ, V., ŠEVČÍK, J., ŠLAPÁK, J. Velké interdisciplinární syndromy v geriatrii – Intelektové poruchy, instabilita. *Postgraduální medicína*, 2007, roč. 9, č. 8, s. 828–834. ISSN 1212-4184.
- LAKATOS, B. E., CAPASSO, V., MITCHELL, M. T., et al. Falls in the general hospital: association with delirium, advanced age, and specific surgical procedures. *Psychosomatics: Journal of Consultation Liaison Psychiatry*, 2009, vol. 53, no. 3, pp. 218–226. DOI: 10.1176/appi.psy.50.3.218.
- LEBOUTHILLIER, D. M., THIBODEAU, M. A., ASMUNDSON, G. J. Severity of fall-based injuries, fear of falling, and activity restriction: sex differences in a population-based sample of older Canadian adults. *Journal of Aging and Health*, 2013, vol. 25, no. 8, pp. 1378–1387. DOI: 10.1177/0898264313507317. Epub 2013 Oct 22.
- LEE, J., GELLER, A. I., STRASSER, D. C. Analytical review: focus on fall screening assessments. *PM&R*, 2013, vol. 5, no. 7, pp. 609–621. DOI: 10.1016/j.pmrj.2013.04.001.
- LEE, H.-CH., CHANG, K.-CH., TSAUO, J.-Y., HUNG, J.-W., et al. Effects of a multifactorial fall prevention program on fall incidence and physical function in community-dwelling adults with risk of falls. *Archives of Physical Medicine and Rehabilitation*, 2013, vol. 94, pp. 606–615. Dostupné z <http://dx.doi.org/10.1016/j.apmr.2012.11.037>.
- LINDNER, E., DUFTNER, CH., DEJACO, CH., SCIRMER, M. Risk factors for falls and their impact on the severity of fall-related injuries. *Healthy Aging Research*, 2015, vol. 4, no. 33, pp. 1–5. DOI: <http://dx.doi.org/10.12715/har.2015.4.33>. Dostupné z <http://www.har-journal.com/archives/1451>.

- LISTON, M. B., BAMIOU, D.-A., MARTIN, F., et al. Peripheral vestibular dysfunction in prevalent in older adults experiencing multiple non-syncopal falls versus age-matched non-fallers: a pilot study. *Age and Ageing*, 2014, vol. 43, no. 1, pp. 38–43. DOI: 10.1093/ageing/aft129. Epub 2013 Sep 15.
- LOVALLO, C., ROLANDI, S., ROSSETTI, A. M., LUSIGNANI, M. Accidental falls in hospitals inpatients: evaluation of sensitivity and specificity of two risk assessment tools. *Journal of Advanced Nursing*, 2010, vol. 66, no. 3, pp. 690–696. DOI: 10.1111/j.1365-2648.2009.05231.x.
- LUZIA, M. DE F., VICTOR, M. A., LUCENA, ADE F. Nursing diagnosis risk for falls: prevalence and clinical profile of hospitalized patients. *Revista Latino-Americana de Enfermagem*, 2014, vol. 22, no. 2, pp. 262–268. DOI: 10.1590/0104-1169.3250.2411.
- MAHLKNECHT, P., KIECHL, S., BLOEM, B. R., et al. Prevalence and burden of gait disorders in elderly men and women aged 60–97 years: a population-based study. *Plos One*, 2013, vol. 8, issue 7, p. e69627(1–7). DOI: 10.1371/journal.pone.0069627. Print 2013.
- MAJKUSOVÁ, K., JAROŠOVÁ, D. Falls risk factors in an acute-care setting: a retrospective study. *Central European Journal of Nursing and Midwifery*, 2014, vol. 5, no. 2, pp. 47–53. ISSN 2336-3517. Dostupné z [http://periodicals.osu.eu/cejnm/5\\_30\\_falls-risk-factors-in-an-acute-care-setting-a-retrospective-study.html](http://periodicals.osu.eu/cejnm/5_30_falls-risk-factors-in-an-acute-care-setting-a-retrospective-study.html).
- MARCK, M. A. VAN DER, KLOK, M. P., OKUN, M. S., et al. Consensus-based clinical practice recommendations for the examination and management of falls in patients with Parkinson's disease. *Parkinsonism and related disorders*, 2014, vol. 20, no. 4, pp. 360–369. Dostupné z <https://doi.org/10.1016/j.parkreldis.2013.10.030>.
- MARSHALL, T. F. Approach to the elderly patient with gait disturbance. *Neurology Clinical Practice*, 2012, vol. 2, no. 2, pp. 103–111. DOI: 10.1212/CPJ.0b013e31825a7823.
- MARSHALL, T. F., PINTO ZIPP, G., BATTAGLIA, F., MOSS, R., BRYAN, S. Chemotherapy-induced-peripheral neuropathy, gait and fall risk in older adults following cancer treatment. *Journal of Cancer Research and Practice*, 2017, vol. 4, no. 4, pp. 134–138. Dostupné z <https://doi.org/10.1016/j.jcrpr.2017.03.005>.
- MASTÍK, J. Sekundární bolesti hlavy. In SKÁLA, B., et al. (ed.). *Bolesti pohybového aparátu obecně. Bolesti zad, bolesti hlavy – možnosti léčby. Doporučené diagnostické a terapeutické postupy pro všeobecného praktického lékaře*. [online]. Praha: Centrum doporučených postupů

- pro praktického lékaře, 2014. 37 s. [cit. 2017-09-02]. ISBN 978-80-86998-73-2. Dostupné z <https://www.svl.cz/files/files/Doporucene-postupy-od-2013/DP-Bolesti-pohyboveho-aparatu.pdf>.
- MATERESE, M., IVZIKU, D., BARTOLOZZI, F., et al. Systemtic review of fall risk screening tools for older patients in acute hospitals. *Journal of advaced nursing*, 2015, vol. 71, no. 6, pp. 1198–1209. DOI: 10.1111/jan.12542.
- MAZUNDER, R., MURCHISON, CH., BOURDETTE, D., CAMERON, M. Falls in people with multiple sclerosis compared with falls in healthy controls. *PLOS One*, 2014, vol. 9, no. 9, e107620 (p. 1–7). DOI:10.1371/journal.pone.0107620.
- MELUZÍNOVÁ, E., BORTLÍK, M. Dimethyl-fumarát v léčbě relabující-remitující formy roztroušené sklerózy. *Klinická farmakologie a farmacie*, 2015, roč. 29, č. 3, s. 119–122. Dostupné z <https://www.klinickafarmakologie.cz/pdfs/far/2015/03/09.pdf>. ISSN 1212-7973 (tištěná verze), ISSN 1803-5353 (online verze).
- Metodické usmernenie č. 3/2014 o zavádzaní systémov hlásení chýb, omylov a nežiaducich udalostí v ústavnej zdravotnej starostlivosti. Úrad pre dohľad nad zdravotnou starostlivosťou, Vestník č. 15/2014, s. 2–9.
- Metodický pokyn Ministerstva zdravotníctva Slovenskej republiky pre zber indikátorov kvality na hodnotenie poskytovania zdravotnej starostlivosti. In *Vestník Ministerstva zdravotníctva Slovenskej republiky*. Bratislava, 2013, roč. 60, s. 90–144.
- MIAKE-LYE, I. M., HEMPEL, S., GANZ, D. A., SHEKELLE, P. G. Inpatient fall prevention programs as a patient safety strategy. A systematic review. *Annals of Internal Medicine*, 2013, vol. 158, no. 5, pp. 390–396.
- MIJAJLOVIČ, M. D., PAVLOVIČ, A., BRAININ, M., et al. Poststroke dementia – a comprehensive review. *BMC Medicine*, 2017, 15:11. DOI 10.1186/s12916-017-0779-7. Dostupné z [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5241961/pdf/12916\\_2017\\_Article\\_779.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5241961/pdf/12916_2017_Article_779.pdf).
- MION, L. C., CHANDLER, A. M., WATERS, T. M., et al. Is it possible to identify risks for injurious falls in hospital patients? *The Joint Commission Journal on Quality and Patient Safety*, 2012, vol. 38, no. 9, pp. 408–413. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3547233/>.
- MORSE, J. *Preventing patient falls. Establishing a Fall Intervention Program*. 2nd ed. New York: Springer Publishing Company, LLC, 2009. 172 p. ISBN 978-082610389-5.

- MORSE, J. Enhancing the safety of hospitalization by reducing patient falls. *American Journal of Infection Control*, 2002, vol. 30, no. 6, pp. 376–380.
- MORSE, J. M., MORSE, R. M., TYLKO, S. J. Development of a scale to identify the fall-prone patient. *Canadian Journal of Aging*, 1989, vol. 8, pp. 366–377. Dostupné z <https://doi.org/10.1017/S0714980800008576>.
- MRAVEC, B. *Nervový systém: patofyziológia. Skriptum pre študentov lekárskych fakúlt*. [online]. Bratislava: SAP, 2013. 132 s. [cit. 2017-09-22]. ISBN 978-80-89607-08-2. Dostupné z [https://www.fmed.uniba.sk/fileadmin/lf/sluzby/akademicka\\_kniznica/PDF/Elektronicke\\_knihy\\_LF\\_UK/Nervovy\\_system\\_patofyziologia.pdf](https://www.fmed.uniba.sk/fileadmin/lf/sluzby/akademicka_kniznica/PDF/Elektronicke_knihy_LF_UK/Nervovy_system_patofyziologia.pdf).
- MUN TAN, K., PIN TAN, M. Stroke and falls – clash of the two titans in geriatrics. *Geriatrics*, 2016, vol. 1, no. 31, pp. 1–15. DOI:10.3390/geriatrics1040031.
- NASSAR, N., HELOU, N., MADI, CH. Predicting falls using two instruments (The Hendrich Fall Risk Scale and The Morse Fall Scale) in an Acute Care Setting in Lebanon. *Journal of Clinical Nursing*, 2014, vol. 23, issue 11–12, pp. 1620–1629. DOI: 10.1111/jocn.12278. Epub 2013 Oct 11.
- NEMCOVÁ, J., HLINKOVÁ, E. The efficacy of diabetic foot care education. *Journal of Clinical Nursing*, 2014, vol. 23, no. 5–6, p. 877–882. DOI: 10.1111/jocn.12290. Epub 2013 Jul 22.
- NÉMETH, F., DERŇÁROVÁ, L., HUDÁKOVÁ, A. *Komplexné geriatrické hodnotenie a ošetrovanie seniorov*. Prešov: Prešovská univerzita v Prešove, Fakulta zdravotníckych odborov, 2011. 216 s. ISBN 978-80-555-0381-3.
- NEŠPOR, K. Škodlivé užívání alkoholu a závislost na něm u duševně nemocných: krátká intervence a další možnosti. *Psychiatrie pro praxi*, 2012, roč. 13, č. 1, s. 7–9. ISSN 1213-0508 (tištěná verze), ISSN 1803-5272 (online verze).
- NEYENS, J., HALFENS, R., SPREEUWENBERG, M., et al. Malnutrition is associated with an increased risk of falls and impaired activity in elderly patients in Dutch residential long-term care (LTC): a cross-sectional study. *Archives of Gerontology and Geriatrics*, 2012, vol. 56, no. 1, pp. 265–269. DOI: 10.1016/j.archger.2012.08.005. Epub 2012 Aug 29.
- NICE. Falls: Assessment and prevention of fall in older people. NICE Clinical Guideline 161 [online]. Developed by the Centre for Clinical Practice at NICE, United Kingdom, 2013. 315 p. [cit. 2017-05-15]. Dostupné z <https://www.ncbi.nlm.nih.gov/pubmed/25506960>.

- NIE-VISSE, N. C. VAN, SCHOLS, J. M., MEESTERBERENDS, E., et al. An international prevalence measurement of care problems: study protocol. *Journal of Advance Nursing*, 2013, vol. 69, no. 9, pp. e18–29. DOI: 10.1111/jan.12190.
- NILSAGÅRD, Y., LUNDHOLM, C., DENISON, E., GUNNARSSON, L.-G. Predicting accidental falls in people with multiple sclerosis – a longitudinal study. *Clinical Rehabilitation*, 2009, vol. 23, pp. 259–269. DOI: 10.1177/0269215508095087.
- NOVÁK, V., SLONKOVÁ, J. Non-REM parasomnie. *Neurologie pro praxi*, 2008, roč. 9, č. 5, s. 284–286. ISSN 1213-1814 (tištěná verze).
- OLIVER, D., BRITTON, M., SEED, P., et al. Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: Case-control and cohort studies. *British Medical Journal*, 1997, vol. 315, no. 7115, pp. 1049–1053. Retrieved from ISIN://WOS:A1997YD44500018.
- OLIVER, D., HEALEY, F., HAINES, T. P. Preventing falls and fall-related injuries in hospitals. *Clinics in Geriatric Medicine*, 2010, vol. 26, no. 4, pp. 645–692. DOI: 10.1016/j.cger.2010.06.005.
- OVŠONKOVÁ, A. Ošetrovateľská starostlivosť o dieťa s detskou mozgovou obrnou. In MIERTOVÁ, M., KURČA, E., TOMAGOVÁ, M., a kol. (eds.). *Ošetrovateľstvo v neurológii*. [online]. Univerzita Komenského Bratislava, Jesseniova lekárska fakulta v Martine, 2014. Dostupné z <http://osevneu.jfmed.uniba.sk/>. ISBN 978-80-89544-71-4.
- OVŠONKOVÁ, A., MAHÚTOVÁ, Z. The quality of life for children with epilepsy. *Ošetrovateľství a porodní asistence*, 2014, roč. 5, č. 1, s. 9–14.
- PACK, A. M. Falls and fractures in patients with epilepsy: is there an increased risk? If so, why? *Neurology*, 2012, vol. 79, no. 2, pp. 119–120. DOI: 10.1212/WNL.0b013e31825f06f9. Epub 2012 Jun 13.
- PEČEŇÁK, J. Liečba delíria. *Neurológia pre prax*, 2011, roč. 12, č. 5, s. 300–303. ISSN 1339-4223 (online verze). Dostupné z <http://www.solen.sk/pdf/2163b8f587e95072c04fbce6bd4fd9b1.pdf>.
- PETRLENIČOVÁ, D. Najčastejšie chyby v diagnostike roztrúsenej sklerózy. *Via practica*, 2016, roč. 13, č. 1, s. 21–24. ISSN 336-4790 (tištěná verze).
- PIRKER, W., KATZENSCHLAGER, R. Gait disorders in adults and the elderly – a clinical guide. *The Central European Journal of Medicine*, 2017, vol. 129, pp. 81–95. DOI: 10.1007/s00508-016-1096-4.
- PLEVOVÁ, I., ADAMICOVÁ, K. Význam stanovení indikátorů kvality v poskytování ošetrovateľské péče. *Hygiena*, 2013, roč. 58, č. 4, s. 171–175. ISSN 1210-7840.

- POKORNÁ, A., et al. *Ošetřovatelství v geriatrii – hodnotící nástroje*. Praha: Grada Publishing, a.s., 2013. 200 s. + 2 obrazové přílohy. ISBN 978-80-247-4316-5.
- QUIGLEY, P. A. Clinical practice algorithm: Medication management to reduce fall risk in elderly. Part 1. *Journal of the American Academy of Nurse Practitioners*, 2007, vol. 19, no. 12, pp. 625–626. DOI: 10.1111/j.1745-7599.2007.00270.x.
- QUIGLEY, P. A. Redesigned fall and injury management of patients with stroke. *Stroke Journal*, 2016, vol. 47, no. 6, pp. e92–e94. DOI: 10.1161/STROKEAHA.116.012094. Dostupné z <http://stroke.ahajournals.org/content/strokeaha/early/2016/04/26/STROKEAHA.116.012094.full.pdf>.
- RAJEC, J. Špecifika a principy farmakoterapie v geriatrii. *Onkológia (Bratisl.)*, 2012, roč. 7, č. 5, s. 318–320. ISSN 1339-4215 (online verze).
- REKTOROVÁ, I. Demence u Parkinsonovy nemoci. *Česká geriatrická revue*, 2008, roč. 6, č. 4, s. 214–219. ISSN 1214–0732 (tištěná verze), ISSN 1801–8661 (online verze).
- REKTOROVÁ, I. Demence s Lewyho tělisky a demence u Parkinsonovy nemoci. *Neurologie pro praxi*, 2010, roč. 11, č. 5, s. 351–354. ISSN 1803-5280 (online verze).
- REMOR, C. P., CRUZ, C. B., URBANETTI, J. S. Analysis of fall risk factors in adults within the first 48 hours of hospitalization. *Revista Gaúcha de Enfermagem*, 2014, vol. 35, no. 4, pp. 28–34. DOI: <http://dx.doi.org/10.1590/1983-1447.2014.04.50716>.
- RENFRO, M., MARING, J., BAINBRIDGE, D., BLAIR, M. Fall risk among older adult high-risk populations: a review of current screening and assessment tools. *Current Geriatrics Reports*, 2016, vol. 5, issue 3, pp. 160–171. Dostupné z <https://link.springer.com/content/pdf/10.1007%2Fs13670-016-0181-x.pdf>.
- RESSNER, P., BÁRTOVÁ, P. Polékové kognitivní poruchy. *Neurologie pro praxi*, 2012, roč. 13, č. 2, s. 83–86. ISSN 1803-5280 (online verze).
- RISKOWSKI, J. L., QUACH, L., MANOR, B., et al. Idiopathic peripheral neuropathy increased falls risk in a population-based cohort study of older people adults. *Journal of foot and ankle research*, 2012, vol. 5, suppl. 1, pp. 1–2. DOI:10.1186/1757-1146-5-S1-P19. Dostupné z <http://www.jfootankleres.com/content/5/S1/P19>.
- ROMŽOVÁ, M., HURTOVÁ, M., PACOVSKÝ, J., BROĎÁK, M. Inkontinence moči u neurogenního močového měchýře. *Urologie pro praxi*, 2010, roč. 11, č. 5, s. 247–252. ISSN 1803-5299 (online verze).

- ROTH, J., KLEMPÍŘ, J., UHROVÁ, T. Současné terapeutické možnosti u Huntingtonovy nemoci. *Psychiatrie pro praxi*, 2009, roč. 10, č. 5, s. 205–208. ISSN 1803-5272 (online verze).
- RUDOLF, K., MALÝ, J. Kortikosteroidy a imunosupresíva v chronické léčbě. *Praktické lékárenství*, 2011, roč. 7, č. 5, s. 228–231.
- RUDZIŃSKA, M., BUKOWCZAN, S., BANASZKIEWICZ, K., et al. Causes and risk factors of falls in patients with Parkinson's disease. *Neurologia a Neurochirurgia Polska*, 2008, vol. 42, no. 3, pp. 216–222.
- RUDZIŃSKA, M., BUKOWCZAN, S., STOŽEK, J., et al. The incidence and risk factors of falls in Parkinson's disease: prospective study. *Neurologia a Neurochirurgia Polska*, 2013, vol. 47, no. 5, s. 431–437.
- RUSINA, R., MATĚJ, R. Vaskulární demence. *Neurologie pro praxi*, 2009, roč. 10, č. 4, s. 250–253. ISSN 1803-5280 (online verze).
- RŮŽIČKOVÁ, V., ZELENÍKOVÁ, R. Strach z pádu u seniorů ve zdravotnických a sociálních zařízeních. *Ošetrovateľstvo teória – výskum – vzdelávanie*, 2017, roč. 7, č. 1, s. 6–11. ISSN 1338-6263.
- SALAMEH, F., CASSUTO, N., OLIVEN, A. A simplified fall-risk assessment tool for patients hospitalized in medical wards. *Israel Medical Association Journal*, 2008, vol. 10, pp. 125–129. Dostupné z <https://www.ima.org.il/FilesUpload/IMAJ/0/42/21300.pdf>.
- SALEHPOOR, G., RAZAEI, S., HOSSEININEZHAD, M. Quality of life in multiple sclerosis (MS) and role of fatigue, depression, anxiety, and stress: A bicenter study from north of Iran. *Iran Journal of Nursing and Midwifery Research*, 2014, vol. 19, no. 6, pp. 593–599. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4280723/>.
- SANTESSO, N., CARRASCO-LABRA, A., BRIGNARDELLO-PETERSEN, R. Hip protectors for preventing hip fractures in older people (Review). [online]. *Cochrane Database of Systematic Reviews*. 2014, issue 3, 82 p. [cit. 2017-07-20]. Art. No.: CD001255. Dostupné z <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD001255.pub5/pdf>.
- SANTOS, S. S., DE SILVA, M. E., DE PINHO, L. B., et al. Risk of falls in the elderly: an integrative review based on the North American Nursing Diagnosis Association. *Revista da Escola de Enfermagem da UPS*, 2012, vol 46, no. 5, pp. 1227–1236.
- SARDO, P. M., SIMÕES, C. S., ALVARELHÃO, J. J., et al. Fall risk assessment: retrospective analysis of Morse Fall Scale scores in Portuguese hospitalized adult patients. *Applied Nursing Research*, 2016, vol. 31, pp. 34–40. Dostupné z <https://www.ncbi.nlm.nih.gov/pubmed/27397816>. DOI: 10.1016/j.apnr.2015.11.013.

- SCOTT, V., VOTOVA, K., SCANLAN, A., CLOSE, J. Multifactorial and functional mobility assessment tools for risk among older adults in community, home-support, long-term and acute care settings. *Age and Ageing*, 2007, vol. 36, no. 2, pp. 130–139. DOI: 10.1093/ageing/afl165.
- SERRANOVÁ, T., RŮŽIČKA, E., ROTH, J. Funkční poruchy hybnosti. *Česká a slovenská neurologie a neurochirurgie*, 2014, roč. 77/110, č. 3, s. 270–286. ISSN 1802-4041(online verze).
- SEVERO, I. M., ABREU, M., KUCHENBECKER, R., et al. Risk factors for falls in hospitalized adult patients: an integrative review. *Journal of the Nursing School of the University of São Paulo (Revista da Escola de Enfermagem da USP)*, 2014, vol. 48, no. 3, pp. 537–551. Dostupné z [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0080-62342014000300540&lng=en&nrm=iso&tlang=en](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0080-62342014000300540&lng=en&nrm=iso&tlang=en).
- SHAH, B. M., HAJJAR, E. R. Polypharmacy, adverse drug reactions, and geriatric syndromes. In *Clinics in Geriatric Medicine*, 2012, vol. 28, no. 2, pp. 173–186. Dostupné z <https://www.ncbi.nlm.nih.gov/pubmed/22500537>.
- SHAW, F. E. Prevention of falls in older people with dementia. *Journal of Neural Transmission*, 2007, vol. 114, pp. 1259–1264. DOI: 10.1007/s00702-007-0741-5.
- SCHRAG, A., CHOUDHURY, M., KASKI, D., GALLAGHER, D. A. Why do patients with Parkinson's disease fall? A cross-sectional analysis of possible causes of falls. [online]. *Nature Partner Journals Parkinson's disease*. 2015, 1, 15011. [cit. 2017-09-22]. DOI:10.1038/npjpark.2015.11. Published online 11 June 2015. Dostupné z <https://www.ncbi.nlm.nih.gov/pubmed/28409181>.
- SCHWENDIMANN, R., GEEST, S., MILISEN, K. Screening older patients at risk for falling during hospitalization. *International Journal of Injury Control and Safety Promotion*, 2007, vol. 14, no. 1, pp. 64–65. DOI: 10.1080/17457300600775536.
- SILA, P. Tinnitus v ordinaci praktického lékaře. *Medicina pro praxi*, 2011, roč. 8, č. 9, s. 386–390. ISSN 1803-5310 (online verze).
- SILVERSTEIN, B., ADAMS, D. Work-related musculoskeletal disorders of the neck, back, an upper extremity in Washington State, 1997–2005. [online]. Washington State Department of Labour and Industries, 2007. 86 p. [cit. 2017-11-13]. Dostupné z <http://www.lni.wa.gov/Safety/Research/Files/2007WmsdRpt.pdf>.
- SIMPSON, J. R., ROSENTHAL, L. D., CUMBLER, E. U., LIKOSKY, D. J. Inpatient falls: Defining the problem and identifying possible

- solutions. Part I: an evidence based review. *The Neurohospitalist*, 2013, vol. 3, no. 3, pp. 135–143. DOI: 10.1177/1941874412470666. Dostupné z <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3810825/>.
- SMIČKOVÁ, E. Možnosti identifikace poruch sebepéče u seniorů a jejich kompenzace. *Medicína pro praxi*, 2011, roč. 8, č. 9, s. 391–393. ISSN 1803-5310 (online verze).
- SOSNOFF, J. J., SOCIE, M. J., BOES, M. K., et al. Mobility, balance and falls in persons with multiple sclerosis. *PLoS ONE*, 2011, vol. 6, no. 11, p. e28021. DOI:10.1371/journal.pone.0028021.
- SPRÁVA KOMISIE RADE na základe správ členských štátov týkajúcich sa vykonávania odporúčania Rady (2009/C 151/01) o bezpečnosti pacienta vrátane prevencie a kontroly nemocničných infekcií. [online]. Brusel: Európska komisia, 13. 11. 2012. COM(2012) 658 final. 16 s. [cit. 2018]. Dostupné z [https://ec.europa.eu/health/patient\\_safety/docs/council\\_2009\\_report\\_sk.pdf](https://ec.europa.eu/health/patient_safety/docs/council_2009_report_sk.pdf).
- SRIKANTH, V., BEARE, R., BLIZZARD, L., et al. Cerebral white lesion, gait and risk of incident falls: A prospective population-based study. *Stroke*, 2009, vol. 40, no. 1, pp. 175–180. DOI: 10.1161/STROKEAHA.108.524355. Epub 2008 Oct 16.
- STANTON, B. R. The neurology of old age. *Clinical Medicine*, 2011, vol. 11, no. 1, pp. 54–56. DOI: 10.7861/clinmedicine.11-1-5. Dostupné z <http://www.clinmed.rcpjournals.org/content/11/1/54.long>.
- STOLZE, H., KLEBE, S., ZECHLIN, CH., et al. Falls in frequent neurological diseases. Prevalence, risk factors and aetiology. *Journal of Neurology*, 2004, vol. 251, no. 1, pp. 79–84. DOI: 10.1007/s00415-004-0276-8.
- STRUPEIT, S., BUSS, A., WOLF-OSTERMANN, K. Assessing Risk of Falling in Older Adults – Comparison of Three Methods. *Worldviews on Evidence-Based Nursing*, 2016, vol. 13, no. 5, pp. 349–355. DOI: 10.1111/wvn.12174. Epub 2016 Sep 13.
- SUCHÝ, D., HROMÁDKA, M. Příspěvek k problematice geriatrické farmakoterapie. *Praktické lékárenství*, 2011, roč. 7, č. 3, s. 111–114. ISSN – 1803-5329 (online verze).
- SUMAN, S. *Assessment and management of falls*. [online]. Medway Drugs and Therapeutics Committee, 17<sup>th</sup> Dec 2014, review date: Dec 2016. 3 p. [cit. 2017-08-22]. Dostupné z [http://www.medwayswaleformulary.co.uk/userfiles/file/High%20risk%20medications\\_Risk%20of%20Falls\\_Oct2014.pdf](http://www.medwayswaleformulary.co.uk/userfiles/file/High%20risk%20medications_Risk%20of%20Falls_Oct2014.pdf).
- SUNG, Y. H., CHO, M. S., KWON, I. G., et al. Evaluation of falls by inpatients in acute care hospital in Korea using the Morse Fall Scale.

- International Journal of Nursing Practice*, 2014, vol. 20, no. 5, pp. 510–517. DOI: 10.1111/ijn.12192.
- SVOBODOVÁ, D., JURÁSKOVÁ, D. Sledování pádů hospitalizovaných pacientů v České republice. *Florence*, 2010, roč. 6, č. 9, s. 29–33. ISSN:1801-464X.
- SVOBODOVÁ, D. *Sledování pádů u hospitalizovaných pacientů v letech 2011–2012. Závěrečná zpráva*. [online]. Praha, 20. únor 2013. [cit. 2018-01-02]. Dostupné z [http://www.cnna.cz/docs/tiskoviny/zaverecna\\_zprava\\_2011\\_2012-91b6f.pdf](http://www.cnna.cz/docs/tiskoviny/zaverecna_zprava_2011_2012-91b6f.pdf).
- SVOBODOVÁ, D. *Sledování pádů u hospitalizovaných pacientů v roce 2015. Závěrečná zpráva*. [online]. 6 s. [cit. 2018-03-03]. Dostupné z [http://www.cnna.cz/docs/tiskoviny/zaverecna\\_zprava\\_pady\\_2015.pdf](http://www.cnna.cz/docs/tiskoviny/zaverecna_zprava_pady_2015.pdf).
- SWARTZELL, K. L., FULTON, J. S., FRIESTH, B. M. Relationship between occurrence of falls and fall-risk score in an acute care setting using the Hendrich II fall risk model. *Medsurg Nursing*, 2013, vol. 22, no. 3, pp. 180–187.
- ŠEBLOVÁ, J., ŠKULEC, R. Diferenciální diagnostika kolapsových stavů a přechodných poruch vědomí. *Medicina pro praxi*, 2011, roč. 8, č. 6, s. 265–267. ISSN 1803-5310 (online verze).
- ŠPALEK, P. Intravenózny imunoglobulín v liečbe neurologických ochorení: súčasné poznatky a odporúčania pre prax. *Neurológia pre prax*, 2008, roč. 6, s. 338–343. ISSN 1339-4223 (online verze).
- ŠTĚTKÁŘOVÁ, I., HORÁČEK, J. Deprese u vybraných neurologických onemocnění. *Česká a slovenská neurologie a neurochirurgie*, 2016, roč. 79/112, č. 6, s. 626–638. ISSN 1802-4041 (online verze).
- ŠTOURAČ, P. Autoimunitní syndromy mozkového kmene a mozečku. *Neurologie pro praxi*, 2015, roč. 16, č. 6, s. 324–326. ISSN 1803-5280 (online verze).
- TESAŘ, T. V klinickej praxi je pri kombinovanej farmakoterapii dôležitá predvíďavosť potenciálnych liekových interakcií. [online]. *Zdravotnícke noviny*, 2011, č. 9, s. 9. [cit. 2017-06-16]. Dostupné z file:///C:/Users/User/Desktop/Polypragmazia\_MUDr.Lacka.pdf.
- THE NATIONAL DATABASE OF NURSING QUALITY INDICATORS. *Guidelines for data collection on the American nurses association's National Quality Forum Endorsed Measures: Nursing care hours per patient day skill mix, falls, falls with injury*. [online]. NDNQI, May 2010. 21 s. [cit. 2017-08-25]. Dostupné z [http://www.k-hen.com/Portals/16/Topics/Falls/ANAsNQ\\_Fspecs.pdf](http://www.k-hen.com/Portals/16/Topics/Falls/ANAsNQ_Fspecs.pdf).

- THIJS, R. D., BLOEM, B. R., DIJK, J. G. VAN. Falls, faints, fits and funny turns. *Journal of Neurology*, 2009, vol. 256, no. 2, pp. 155–167. DOI: 10.1007/s00415-009-0108-y. Epub 2009 Mar 6.
- THOMPSON, P. D., NUTT, J. G. Higher level gait disorders. *Journal of Neurol Transmission (Vienna, Austria, 1996)*, 2007, vol. 114, no. 10, pp. 1305–1307. DOI: 10.1007/s00702-007-0749-x.
- THURMAN, D. J., STEVENS, J. A., RAO, J. K. Practice parameter: assessing patients in a neurology practice for risk of falls (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*, 2008, vol. 70, no. 6, pp. 473–479. DOI: 10.1212/01.wnl.0000299085.18976.20.
- TIAN, Q., CHASTAN, N., BAIR, W. N., RESNICK, S. M., FERRUCCI, L. The brain map of gait variability in aging, cognitive impairment and dementia – A systematic review. *In Neurosci Biobehav Rev*, 2017, vol. 74, Part A, pp. 149–162. DOI: 10.1016/j.neubiorev.2017.01.020. Epub 2017 Jan 20.
- TIEDEMANN, A., LORD, S. R., SHERRINGTON, C. The development and validation of a brief performance-based fall risk assessment tool for use in primary care. *The Journals of Gerontology Series A Biological Sciences and Medical Sciences*, 2010, vol. 65, no. 8, pp. 896–903. DOI: 10.1093/gerona/glp067. Epub 2010 Jun 3.
- TIMAR, B., TIMAR, R., GAITĀ, L., et al. The impact of diabetic neuropathy on balance and on the risk of falls in patients with type 2 diabetes mellitus: a cross-sectional study. *PloS One*, 2016, vol. 11, no. 4, p. e0154654 (1–11). DOI: 10.1371/journal.pone.0154654.
- TOMAGOVÁ, M. Ošetrovateľská starostlivosť o pacienta s demenciou. In MIERTOVÁ, M., KURČA, E., TOMAGOVÁ, M. (eds.). Ošetrovateľstvo v neurológii. [online]. Univerzita Komenského Bratislava, Jesseniova lekárska fakulta v Martine, 2014. Dostupné z <http://osevneu.jfmed.uniba.sk/>. ISBN 978-80-89544-71-4.
- TOMAGOVÁ, M. Benefity meracích nástrojov v ošetrovateľskej starostlivosti o pacienta s demenciou. *Ošetřovatelství a porodní asistence*, 2010, roč. 1, č. 4, s. 132–138.
- TOMAGOVÁ, M. Nástroje Štandardizovaný test psychických funkcií a Dotazník funkčného stavu v posudzovaní seniora – pilotná štúdia. *Ošetřovatelství a porodní asistence*, 2010a, roč. 1, č. 1, s. 31–36.
- TOMAGOVÁ, M. Vybrané meracie nástroje v posudzovaní kognitívnych funkcií seniora v ošetrovateľskej starostlivosti. *Kontakt*, 2009, roč. 11, č. 2, s. 310–319.

- TSAI, L.-Y., TSAY, S.-L., HSIEH, R.-K., et al. Fall injuries and related factors of elderly patients at the medical center in Taiwan. *International Journal od Gerontology*, 2014, vol. 8, no. 4, pp. 203–208. Dostupné z <https://doi.org/10.1016/j.ijge.2013.10.007>.
- TZENG, H. M. Triangulating the extrinsic risk factors for inpatient falls from the fall incident reports and nurse's and patient's perspective. *Applied Nursing Research*, 2011, vol. 24, no. 3, pp. 161–170. DOI: 10.1016/j.apnr.2009.06.005.
- TZENG, H. M., HU, H. M., YIN, C. Y. The relationship of the hospital-acquired injurious fall rates with the quality profile of a hospital's care delivery and nursing staff patterns. *Nursing Economics*, 2011, vol. 29, no. 6, pp. 299–306.
- TZENG, H. M., YIN, C. Y. Nurses' response time to call lights and fall occurrences. *Medsurg Nursing*, 2010, vol. 19, no. 5, pp. 266–272.
- TZENG, H. M., YIN, C. Y., GRUNAWALT, J. Effective assessment of use of sitters by nurses in inpatient care setting. *Journal of Advanced Nursing*, 2008, vol. 64, no. 2, pp. 176–183.
- UHROVÁ MÉSZÁROSOVÁ, A., MAZANEC, R., SEEMAN, P. Hereditární spastické paraparézy: klinické a genetické aspekty. *Neurológia pre prax*, 2016, roč. 17, č. 6, s. 329–332. ISSN 1339-4223 (online verze).
- VALKOVIČ, B. Posturálna instabilita u pacientov s Parkinsonovou chorobou a jej liečba. *Neurologie pro praxi*, 2009, roč. 10, č. 6, s. 363–368. ISSN 1803-5280 (online verze).
- VALKOVIČ, P., KOŠUTZKÁ, Z., SCHMIDT, F. Posturálna instabilita, poruchy chôdze a pády pri Parkinsonovej chorobe. *Česká a slovenská neurologie a neurochirurgie*, 2012, roč. 75/108, č. 2, s. 141–153. ISSN 1802-4041 (online verze).
- VALKOVIČ, P., RŮŽIČKA, E. Klasifikácia porúch chôdze. *Neurológia pre prax*, 2013, roč. 4, č. 4, s. 186–188. ISSN 1339-4223 (online verze).
- VERGHESE, J., AMBROSE, A. F., LIPTON, R. B., WANG, C. Neurological gait abnormalities and risk of falls in older adults. *Journal of Neurology*, 2010, vol. 257, no. 3, pp. 392–398. DOI: 10.1007/s00415-009-5332-y. Epub 2009 Sep 26.
- VERHEYDEN, G. S., WEERDESTYN, V., PICKERING, R. M., et al. Interventions for preventing falls in people after stroke. *The Cochrane Database of Systematic Reviews*, 2013, vol. 31, no. 5, CD008728. DOI: 10.1002/14651858.CD008728.pub2. Dostupné z <http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD008728.pub2/pdf>.

- Věstník Ministerstva zdravotnictví České republiky. [online]. Ministerstvo zdravotnictví České republiky, 2015. Ročník 2015, Částka 16, z 26. října 2015. 32 s. [cit. 2018-03-02]. Dostupné z [https://www.mzcr.cz/legislativa/dokumenty/vestnik-c16/2015\\_10927\\_3242\\_11.html](https://www.mzcr.cz/legislativa/dokumenty/vestnik-c16/2015_10927_3242_11.html).
- VRRIES, O. J. DE, PEETERS, G. M., ELDERS, P. J., et al. Multifactorial intervention to reduce falls in older people at high risk of recurrent falls. A randomized controlled trial. In *Archives of Internal Medicine*, 2010, vol. 170, no. 13, pp. 1110–1117. DOI: 10.1001/archinternmed.2010.169.
- VYSKOTOVÁ, J., ČICHOŇ, R. *Kompenzační pomůcky a přístroje v reabilitaci*. [online]. Ostrava, 2013. 112 s. [cit. 2017-06-19]. Dostupné z [http://projekty.osu.cz/svp/opory/LF\\_Vyskotova\\_Cichon.pdf](http://projekty.osu.cz/svp/opory/LF_Vyskotova_Cichon.pdf).
- WANG, Y. C., LIN, F. G., YU, C. P., et al. Depression as a predictor of falls amongst institutionalized elders. *Aging and Mental Health*, 2012, vol. 16, no. 6, pp. 763–770. DOI: 10.1080/13607863.2012.678479.
- WEBER, P. Polymorbidní senior z pohledu internisty – geriatra. In *Medicina pro praxi*, 2012, roč. 9, Suppl. A10. ISSN 1803-5310 (online verze).
- WEBSTER, J., COURTNEY, M., MARSH, N., GALE, C., ABBOTT, B., et al. The STRATIFY tool and clinical judgment were poor predictors of falling in an acute hospital setting. *Journal of Clinical Epidemiology*, 2010, vol. 63, no. 1, pp. 109–113. DOI: 10.1016/j.jclinepi.2009.02.003. Epub 2009 Apr 23.
- WEERDESTYEN, V., NIET, M. DE, DUIJNHOVEN, H. J. R. VAN, GEURTS, A. C. H. Falls in individuals with stroke. *Journal of Rehabilitation Research and Development*, 2008, vol. 45, no. 8, pp. 1195–1213. Dostupné z <https://www.rehab.research.va.gov/jour/08/45/8/Weerdesteyn.html>.
- WILLIAMS, T. A., KING, G., HILL, A. M., et al. Evaluation of falls prevention programme in an acute tertiary care hospital. *Journal of Clinical Nursing*, 2007, vol. 16, no. 5, pp. 316–324. DOI: 10.1111/j.1365-2702.2005.01410.x.
- WOOLCOTT, J. C., RICHARDSON, K. J., WIENS, M. O., et al. Meta-analysis of the impact of 9 medication classes on falls in elderly persons. *Archives of Internal Medicine*, 2009, vol. 169, no. 21, pp. 1952–1960. DOI: 10.1001/archinternmed.2009.35.
- YATES, K. M., CREECH TART, R. Acute care patients falls: evaluation of a revised fall prevention program following comparative analysis of psychiatric and medical patient falls. *Applied Nursing Research*, 2012, vol. 25, no. 2, pp. 68–74. DOI: 10.1016/j.apnr.2010.06.003. Epub 2010

Aug 4. Dostupné z <https://www.sciencedirect.com/science/article/pii/S0897189710000583?via%3Dihub>.

YOO, S.-H., KIM, S. R., SHIN, Y. S. A prediction model of falls for patients with neurological disorder in acute care hospital. *Journal of the Neurological Sciences*, 2015, vol. 356, no. 1–2, pp. 113–117. DOI: 10.1016/j.jns.2015.06.027. Epub 2015 Jun 16.

Zákon číslo 372/2011 Sb., o zdravotních službách a podmírkách jejich poskytování (platný v České republice) [online]. [cit. 2018-01-16]. Dostupné z <https://www.zakonyprolidi.cz/cs/2011-372>.

ZELENÍKOVÁ, R., JAROŠOVÁ, D. *Stupnice pádu Morse – česká verze (MFS-CZ)*. Ústav ošetřovatelství a porodní asistence, Lékařská fakulta, Ostravská univerzita 2014. [online]. [cit. 2018-02-02]. Dostupné z <http://dokumenty.osu.cz/lf/uom/uom-publikace/morse-cz.pdf>.

ZHANG, C., WU, X., LIN, S., JIA, Z., CAO, J. Evaluation of Reliability and Validity of the Hendrich II Fall Risk Model in a Chinese hospital population. *PLOS One*, vol. 10, no. 11, e0142395. DOI:10.1371/journal.pone.0142395.

ZRUBÁKOVÁ, K., KRAJČÍK, Š., et al. *Farmakoterapie v geriatrii*. 1. vyd. Praha: Grada Publishing, a.s., 2016. 224 s. ISBN 978-80-247-5229-6.