

## Bibliography

- Abbeel, P., D. Koller, and A. Ng (2006, August). Learning factor graphs in polynomial time & sample complexity. *Journal of Machine Learning Research* 7, 1743–1788.
- Ackley, D., G. Hinton, and T. Sejnowski (1985). A learning algorithm for Boltzmann machines. *Cognitive Science* 9, 147–169.
- Aji, S. M. and R. J. McEliece (2000). The generalized distributive law. *IEEE Trans. Information Theory* 46, 325–343.
- Akaike, H. (1974). A new look at the statistical identification model. *IEEE Transactions on Automatic Control* 19, 716–723.
- Akashi, H. and H. Kumamoto (1977). Random sampling approach to state estimation in switching environments. *Automatica* 13, 429–434.
- Allen, D. and A. Darwiche (2003a). New advances in inference by recursive conditioning. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 2–10.
- Allen, D. and A. Darwiche (2003b). Optimal time-space tradeoff in probabilistic inference. In *Proc. 18th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 969–975.
- Altun, Y., I. Tsochantaridis, and T. Hofmann (2003). Hidden Markov support vector machines. In *Proc. 20th International Conference on Machine Learning (ICML)*.
- Andersen, S., K. Olesen, F. Jensen, and F. Jensen (1989). HUGIN—a shell for building Bayesian belief universes for expert systems. In *Proc. 11th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1080–1085.
- Anderson, N. (1974). Information integration theory: A brief survey. In *Contemporary developments in Mathematical Psychology*, Volume 2, pp. 236–305. San Francisco, California: W.H. Freeman and Company.
- Anderson, N. (1976). How functional measurement can yield validated interval scales of mental quantities. *Journal of Applied Psychology* 61(6), 677–692.
- Andreassen, S., F. Jensen, S. Andersen, B. Falck, U. Kjærulff, M. Woldbye, A. R. Sørensen, A. Rosenfalck, and F. Jensen (1989). MUNIN — an expert EMG assistant. In J. E. Desmedt (Ed.), *Computer-Aided Electromyography and Expert Systems*, Chapter 21. Amsterdam: Elsevier Science Publishers.
- Anguelov, D., D. Koller, P. Srinivasan, S. Thrun, H.-C. Pang, and J. Davis (2004). The correlated correspondence algorithm for unsupervised registration of nonrigid surfaces. In *Proc. 18th Conference on Neural Information Processing Systems (NIPS)*.
- Arnould, A. and P. Nicole (1662). Port-royal logic.

- Arnborg, S. (1985). Efficient algorithms for combinatorial problems on graphs with bounded, decomposability—a survey. *BIT* 25(1), 2–23.
- Arnborg, S., D. Corneil, and A. Proskurowski (1987). Complexity of finding embeddings in a k-tree. *SIAM J. Algebraic Discrete Methods* 8(2), 277–284.
- Attias, H. (1999). Inferring parameters and structure of latent variable models by variational Bayes. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 21–30.
- Avriel, M. (2003). *Nonlinear Programming: Analysis and Methods*. Dover Publishing.
- Bacchus, F. and A. Grove (1995). Graphical models for preference and utility. In *Proc. UAI-95*, pp. 3–10.
- Bach, F. and M. Jordan (2001). Thin junction trees. In *Proc. 15th Conference on Neural Information Processing Systems (NIPS)*.
- Balke, A. and J. Pearl (1994a). Counterfactual probabilities: Computational methods, bounds and applications. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 46–54.
- Balke, A. and J. Pearl (1994b). Probabilistic evaluation of counterfactual queries. In *Proc. 10th Conference on Artificial Intelligence (AAAI)*, pp. 230–237.
- Bar-Shalom, Y. (Ed.) (1992). *Multitarget multisensor tracking: Advanced applications*. Norwood, Massachusetts: Artech House.
- Bar-Shalom, Y. and T. Fortmann (1988). *Tracking and Data Association*. New York: Academic Press.
- Bar-Shalom, Y., X. Li, and T. Kirubarajan (2001). *Estimation with Application to Tracking and Navigation*. John Wiley and Sons.
- Barash, Y. and N. Friedman (2002). Context-specific Bayesian clustering for gene expression data. *Journal of Computational Biology* 9, 169–191.
- Barber, D. and W. Wiegnerinck (1998). Tractable variational structures for approximating graphical models. In *Proc. 12th Conference on Neural Information Processing Systems (NIPS)*, pp. 183–189.
- Barbu, A. and S. Zhu (2005). Generalizing Swendsen-Wang to sampling arbitrary posterior probabilities. *IEEE Trans. on Pattern Analysis and Machine Intelligence* 27(8), 1239–1253.
- Barnard, S. (1989). Stochastic stereo matching over scale. *International Journal of Computer Vision* 3, 17–32.
- Barndorff-Nielsen, O. (1978). *Information and Exponential Families in Statistical Theory*. Wiley.
- Barron, A., J. Rissanen, and B. Yu (1998). The minimum description length principle in coding and modeling. *IEEE Transactions on Information Theory* 44(6), 2743–2760.
- Bartlett, M. (1935). Contingency table interactions. *Journal of the Royal Statistical Society, Series B* 2, 248–252.
- Bauer, E., D. Koller, and Y. Singer (1997). Update rules for parameter estimation in Bayesian networks. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 3–13.
- Bayes, T. (1763). An essay towards solving a problem in the doctrine of chances. *Philosophical Transactions of the Royal Society of London* 53, 370–418.
- Beal, M. and Z. Ghahramani (2006). Variational Bayesian learning of directed graphical models with hidden variables. *Bayesian Analysis* 1, 793–832.
- Becker, A., R. Bar-Yehuda, and D. Geiger (1999). Random algorithms for the loop cutset problem. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 49–56.
- Becker, A. and D. Geiger (1994). The loop cutset problem. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 60–68.
- Becker, A. and D. Geiger (2001). A sufficiently fast algorithm for finding close to optimal clique

- trees. *Artificial Intelligence* 125(1-2), 3-17.
- Becker, A., D. Geiger, and C. Meek (2000). Perfect tree-like Markovian distributions. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 19-23.
- Becker, A., D. Geiger, and A. Schäffer (1998). Automatic selection of loop breakers for genetic linkage analysis. *Human Heredity* 48, 49-60.
- Beeri, C., R. Fagin, D. Maier, and M. Yannakakis (1983). On the desirability of acyclic database schemes. *Journal of the Association for Computing Machinery* 30(3), 479-513.
- Beinlich, L., H. Suermondt, R. Chavez, and G. Cooper (1989). The ALARM monitoring system: A case study with two probabilistic inference techniques for belief networks. In *Proceedings of the Second European Conference on Artificial Intelligence in Medicine*, pp. 247-256. Springer Verlag.
- Bell, D. (1982). egret in decision making under uncertainty. *Operations Research* 30, 961-981.
- Bellman, R. E. (1957). *Dynamic Programming*. Princeton, New Jersey: Princeton University Press.
- Ben-Tal, A. and A. Charnes (1979). A dual optimization framework for some problems of information theory and statistics. *Problems of Control and Information Theory* 8, 387-401.
- Bentham, J. (1789). An introduction to the principles of morals and legislation.
- Berger, A., S. Della-Pietra, and V. Della-Pietra (1996). A maximum entropy approach to natural language processing. *Computational Linguistics* 16(2).
- Bernardo, J. and A. Smith (1994). *Bayesian Theory*. New York: John Wiley and Sons.
- Bernoulli, D. (1738). Specimen theoriae novae de mensura sortis (exposition of a new theory on the measurement of risk). English Translation by L. Sommer, *Econometrica*, 22:23-36, 1954.
- Berrou, C., A. Glavieux, and P. Thitimajshima (1993). Near Shannon limit error-correcting coding: Turbo codes. In *Proc. International Conference on Communications*, pp. 1064-1070.
- Bertelé, U. and F. Brioschi (1972). *Nonserial Dynamic Programming*. New York: Academic Press.
- Bertsekas, D. (1999). *Nonlinear Programming* (2nd ed.). Athena Scientific.
- Bertsekas, D. P. and J. N. Tsitsiklis (1996). *Neuro-Dynamic Programming*. Athena Scientific.
- Besag, J. (1977a). Efficiency of pseudo-likelihood estimation for simple Gaussian fields. *Biometrika* 64(3), 616-618.
- Besag, J. (1977b). Spatial interaction and the statistical analysis of lattice systems. *Journal of the Royal Statistical Society, Series B* 36, 192-236.
- Besag, J. (1986). On the statistical analysis of dirty pictures (with discussion). *Journal of the Royal Statistical Society, Series B* 48, 259-302.
- Bethe, H. A. (1935). Statistical theory of superlattices. in *Proceedings of the Royal Society of London A*, 552.
- Bidyuk, B. and R. Dechter (2007). Cutset sampling for bayesian networks. *Journal of Artificial Intelligence Research* 28, 1-48.
- Bilmes, J. and C. Bartels (2003). On triangulating dynamic graphical models. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Bilmes, J. and C. Bartels (2005, September). Graphical model architectures for speech recognition. *IEEE Signal Processing Magazine* 22(5), 89-100.
- Binder, J., D. Koller, S. Russell, and K. Kanazawa (1997). Adaptive probabilistic networks with hidden variables. *Machine Learning* 29, 213-244.
- Binder, J., K. Murphy, and S. Russell (1997). Space-efficient inference in dynamic probabilistic networks. In *Proc. 15th International Joint Conference on Artificial Intelligence (IJCAI)*.
- Bishop, C. (2006). *Pattern Recognition and Machine Learning*. Information Science and Statistics

- (M. Jordan, J. Kleinberg, and B. Schökopf, editors). New York: Springer-Verlag.
- Bishop, C., N. Lawrence, T. Jaakkola, and M. Jordan (1997). Approximating posterior distributions in belief networks using mixtures. In *Proc. 11th Conference on Neural Information Processing Systems (NIPS)*.
- Blalock, Jr., H. (1971). *Causal Models in the Social Sciences*. Chicago, Illinois: Aldine-Athens.
- Blum, B., C. Shelton, and D. Koller (2006). A continuation method for nash equilibria in structured games. *Journal of Artificial Intelligence Research* 25, 457–502.
- Bodlaender, H., A. Koster, F. van den Eijhof, and L. van der Gaag (2001). Pre-processing for triangulation of probabilistic networks. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 32–39.
- Boros, E. and P. Hammer (2002). Pseudo-Boolean optimization. *Discrete Applied Mathematics* 123(1-3).
- Bouckaert, R. (1993). Probabilistic network construction using the minimum description length principle. In *Proc. European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty*, pp. 41–48.
- Boutilier, C. (2002). A POMDP formulation of preference elicitation problems. In *Proc. 18th Conference on Artificial Intelligence (AAAI)*, pp. 239–46.
- Boutilier, C., F. Bacchus, and R. Brafman (2001). UCP-Networks: A directed graphical representation of conditional utilities. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 56–64.
- Boutilier, C., T. Dean, and S. Hanks (1999). Decision theoretic planning: Structural assumptions and computational leverage. *Journal of Artificial Intelligence Research* 11, 1 – 94.
- Boutilier, C., R. Dearden, and M. Goldszmidt (1989). Exploiting structure in policy construction. In *Proc. 14th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1104–1111.
- Boutilier, C., R. Dearden, and M. Goldszmidt (2000). Stochastic dynamic programming with factored representations. *Artificial Intelligence* 121(1), 49–107.
- Boutilier, C., N. Friedman, M. Goldszmidt, and D. Koller (1996). Context-specific independence in Bayesian networks. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 115–123.
- Boyd, S. and L. Vandenberghe (2004). *Convex Optimization*. Cambridge University Press.
- Boyer, X., N. Friedman, and D. Koller (1999). Discovering the hidden structure of complex dynamic systems. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 91–100.
- Boyer, X. and D. Koller (1998a). Approximate learning of dynamic models. In *Proc. 12th Conference on Neural Information Processing Systems (NIPS)*.
- Boyer, X. and D. Koller (1998b). Tractable inference for complex stochastic processes. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 33–42.
- Boyer, X. and D. Koller (1999). Exploiting the architecture of dynamic systems. In *Proc. 15th Conference on Artificial Intelligence (AAAI)*.
- Boykov, Y., O. Veksler, and R. Zabih (2001). Fast approximate energy minimization via graph cuts. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 23(11), 1222–1239.
- Braziunas, D. and C. Boutilier (2005). Local utility elicitation in GAI models. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 42–49.
- Breese, J. and D. Heckerman (1996). Decision-theoretic troubleshooting: A framework for repair and experiment. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp.

124-132.

- Breese, J., D. Heckerman, and C. Kadie (1998). Empirical analysis of predictive algorithms for collaborative filtering. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 43-52.
- Breiman, L., J. Friedman, R. Olshen, and C. Stone (1984). *Classification and Regression Trees*. Monterey, CA: Wadsworth & Brooks.
- Buchanan, B. and E. Shortliffe (Eds.) (1984). *Rule-Based Expert Systems: The MYCIN Experiments of the Stanford Heuristic Programming Project*. Reading, MA: Addison-Wesley.
- Bui, H., S. Venkatesh, and G. West (2001). Tracking and surveillance in wide-area spatial environments using the Abstract Hidden Markov Model. *International Journal of Pattern Recognition and Artificial Intelligence*.
- Buntine, W. (1991). Theory refinement on Bayesian networks. In *Proc. 7th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 52-60.
- Buntine, W. (1993). Learning classification trees. In D. J. Hand (Ed.), *Artificial Intelligence Frontiers in Statistics*, Number III in AI and Statistics. Chapman & Hall.
- Buntine, W. (1994). Operations for learning with graphical models. *Journal of Artificial Intelligence Research* 2, 159-225.
- Buntine, W. (1996). A guide to the literature on learning probabilistic networks from data. *IEEE Transactions on Knowledge and Data Engineering* 8, 195-210.
- Caffo, B., W. Jank, and G. Jones (2005). Ascent-based Monte Carlo Expectation-Maximization. *Journal of the Royal Statistical Society, Series B*.
- Cannings, C., E. A. Thompson, and H. H. Skolnick (1976). The recursive derivation of likelihoods on complex pedigrees. *Advances in Applied Probability* 8(4), 622-625.
- Cannings, C., E. A. Thompson, and M. H. Skolnick (1978). Probability functions on complex pedigrees. *Advances in Applied Probability* 10(1), 26-61.
- Cano, J., L.D., Hernández, and S. Moral (2006). Importance sampling algorithms for the propagation of probabilities in belief networks. *International Journal of Approximate Reasoning* 15(1), 77-92.
- Carreira-Perpignan, M. and G. Hinton (2005). On contrastive divergence learning. In *Proc. 11th Workshop on Artificial Intelligence and Statistics*.
- Casella, G. and R. Berger (1990). *Statistical Inference*. Wadsworth.
- Castillo, E., J. Gutiérrez, and A. Hadi (1997a). *Expert Systems and Probabilistic Network Models*. New York: Springer-Verlag.
- Castillo, E., J. Gutiérrez, and A. Hadi (1997b). Sensitivity analysis in discrete Bayesian networks. *IEEE Transactions on Systems, Man and Cybernetics* 27, 412-23.
- Chajewska, U. (2002). *Acting Rationally with Incomplete Utility Information*. Ph.D. thesis, Stanford University.
- Chajewska, U. and D. Koller (2000). Utilities as random variables: Density estimation and structure discovery. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 63-71.
- Chajewska, U., D. Koller, and R. Parr (2000). Making rational decisions using adaptive utility elicitation. In *Proc. 16th Conference on Artificial Intelligence (AAAI)*, pp. 363-369.
- Chan, H. and A. Darwiche (2002). When do numbers really matter? *Journal of Artificial Intelligence Research* 17, 265-287.
- Chávez, T. and M. Henrion (1994). Efficient estimation of the value of information in Monte Carlo

- models. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 119–127.
- Cheeseman, P., J. Kelly, M. Self, J. Stutz, W. Taylor, and D. Freeman (1988). Autoclass: a Bayesian classification system. In *Proc. 5th International Conference on Machine Learning (ICML)*.
- Cheeseman, P., M. Self, J. Kelly, and J. Stutz (1988). Bayesian classification. In *Proc. 4th Conference on Artificial Intelligence (AAAI)*, Volume 2, pp. 607–611.
- Cheeseman, P. and J. Stutz (1995). Bayesian classification (AutoClass): Theory and results. In *Proceedings of the First International Conference on Knowledge Discovery and Data Mining (KDD-95)*. AAAI Press.
- Chen, L., M. Wainwright, M. Cetin, and A. Willsky (2003). Multitarget-multisensor data association using the tree-reweighted max-product algorithm. In *Proceedings SPIE Aerosense Conference*, Orlando, Florida.
- Chen, R. and S. Liu (2000). Mixture Kalman filters. *Journal of the Royal Statistical Society, Series B*.
- Cheng, J. and M. Druzdzel (2000). AIS-BN: An adaptive importance sampling algorithm for evidential reasoning in large Bayesian networks. *Journal of Artificial Intelligence Research* 13, 155–188.
- Cheng, J., R. Greiner, J. Kelly, D. Bell, and W. Liu (2002). Learning bayesian networks from data: An information-theory based approach. *Artificial Intelligence*.
- Chesley, G. (1978). Subjective probability elicitation techniques: A performance comparison. *Journal of Accounting Research* 16(2), 225–241.
- Chickering, D. (1996a). Learning Bayesian networks is NP-Complete. In D. Fisher and H. Lenz (Eds.), *Learning from Data: Artificial Intelligence and Statistics V*, pp. 121–130. Springer-Verlag.
- Chickering, D. (2002a, February). Learning equivalence classes of Bayesian-network structures. *Journal of Machine Learning Research* 2, 445–498.
- Chickering, D., D. Geiger, and D. Heckerman (1995, January). Learning Bayesian networks: Search methods and experimental results. In *Proceedings of the Fifth International Workshop on Artificial Intelligence and Statistics*, pp. 112–128.
- Chickering, D., C. Meek, and D. Heckerman (2003). Large-sample learning of Bayesian networks is hard. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 124–133.
- Chickering, D. and J. Pearl (1997). A clinician's tool for analyzing non-compliance. *Computing Science and Statistics* 29, 424–31.
- Chickering, D. M. (1995). A transformational characterization of equivalent Bayesian network structures. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 87–98.
- Chickering, D. M. (1996b). Learning equivalence classes of Bayesian network structures. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 150–157.
- Chickering, D. M. (2002b, November). Optimal structure identification with greedy search. *Journal of Machine Learning Research* 3, 507–554.
- Chickering, D. M. and D. Heckerman (1997). Efficient approximations for the marginal likelihood of Bayesian networks with hidden variables. *Machine Learning* 29, 181–212.
- Chickering, D. M., D. Heckerman, and C. Meek (1997). A Bayesian approach to learning Bayesian networks with local structure. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 80–89.
- Chow, C. K. and C. N. Liu (1968). Approximating discrete probability distributions with dependence trees. *IEEE Transactions on Information Theory* 14, 462–467.
- Collins, M. (2002). Discriminative training methods for hidden Markov models: Theory and experiments with perceptron algorithms. In *Proc. Conference on Empirical Methods in Natural*

*Language Processing (EMNLP).*

- Cooper, G. (1990). Probabilistic inference using belief networks is NP-hard. *Artificial Intelligence* 42, 393-405.
- Cooper, G. and E. Herskovits (1992). A Bayesian method for the induction of probabilistic networks from data. *Machine Learning* 9, 309-347.
- Cooper, G. and C. Yoo (1999). Causal discovery from a mixture of experimental and observational data. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 116-125.
- Cooper, G. F. (1988). A method for using belief networks as influence diagrams. In *Proceedings of the Fourth Workshop on Uncertainty in Artificial Intelligence (UAI)*, pp. 55-63.
- Cormen, T. H., C. E. Leiserson, R. L. Rivest, and C. Stein (2001). *Introduction to Algorithms*. Cambridge, Massachusetts: MIT Press. 2nd Edition.
- Covaliu, Z. and R. Oliver (1995). Representation and solution of decision problems using sequential decision diagrams. *Management Science* 41(12), 1860-81.
- Cover, T. M. and J. A. Thomas (1991). *Elements of Information Theory*. John Wiley & Sons.
- Cowell, R. (2005). Local propagation in conditional gaussian Bayesian networks. *Journal of Machine Learning Research* 6, 1517-1550.
- Cowell, R. G., A. P. Dawid, S. L. Lauritzen, and D. J. Spiegelhalter (1999). *Probabilistic Networks and Expert Systems*. New York: Springer-Verlag.
- Cox, R. (2001). *Algebra of Probable Inference*. The Johns Hopkins University Press.
- Cozman, F. (2000). Credal networks. *Artificial Intelligence* 120, 199-233.
- Csiszàr, I. (1975). I-divergence geometry of probability distributions and minimization problems. *The Annals of Probability* 3(1), 146-158.
- Culotta, A., M. Wick, R. Hall, and A. McCallum (2007). First-order probabilistic models for coreference resolution. In *Proc. Conference of the North American Association for Computational Linguistics*.
- D. Rusakov, D. G. (2005). Asymptotic model selection for naive Bayesian networks. *Journal of Machine Learning Research* 6, 1-35.
- Dagum, P. and M. Luby (1993). Approximating probabilistic inference in Bayesian belief networks in NP-hard. *Artificial Intelligence* 60(1), 141-153.
- Dagum, P. and M. Luby (1997). An optimal approximation algorithm for Bayesian inference. *Artificial Intelligence* 93(1-2), 1-27.
- Daneshkhah, A. (2004). Psychological aspects influencing elicitation of subjective probability. Technical report, University of Sheffield.
- Darroch, J. and D. Ratcliff (1972). Generalized iterative scaling for log-linear models. *Annals of Mathematical Statistics* 43, 1470-1480.
- Darwiche, A. (1993). Argument calculus and networks. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 420-27.
- Darwiche, A. (2001a). Constant space reasoning in dynamic Bayesian networks. *International Journal of Approximate Reasoning* 26, 161-178.
- Darwiche, A. (2001b). Recursive conditioning. *Artificial Intelligence* 125(1-2), 5-41.
- Darwiche, A. (2003). A differential approach to inference in Bayesian networks. *Journal of the ACM* 50(3), 280-305.
- Darwiche, A. and M. Goldszmidt (1994). On the relation between Kappa calculus and probabilistic reasoning. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Dasgupta, S. (1997). The sample complexity of learning fixed-structure Bayesian networks. *Ma-*

*chine Learning* 29, 165–180.

- Dasgupta, S. (1999). Learning polytrees. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 134–141.
- Dawid, A. (1979). Conditional independence in statistical theory (with discussion). *Journal of the Royal Statistical Society, Series B* 41, 1–31.
- Dawid, A. (1980). Conditional independence for statistical operations. *Annals of Statistics* 8, 598–617.
- Dawid, A. (1984). Statistical theory: The prequential approach. *Journal of the Royal Statistical Society, Series A* 147(2), 278–292.
- Dawid, A. (1992). Applications of a general propagation algorithm for probabilistic expert system. *Statistics and Computing* 2, 25–36.
- Dawid, A. (2002). Influence diagrams for causal modelling and inference. *International Statistical Review* 70, 161–189. Corrections p437.
- Dawid, A. (2007, September). Fundamentals of statistical causality. Technical Report 279, RSS/EPSRC Graduate Training Programme, University of Sheffield.
- Dawid, A., U. Kjærulff, and S. Lauritzen (1995). Hybrid propagation in junction trees. In *Advances in Intelligent Computing*, Volume 945. Springer-Verlag.
- de Bombal, F., D. Leaper, J. Staniland, A. McCann, and J. Harrocks (1972). Computer-aided diagnosis of acute abdominal pain. *British Medical Journal* 2, 9–13.
- de Finetti, B. (1937). Foresight: Its logical laws, its subjective sources. *Annals Institute H. Poincaré* 7, 1–68. Translated by H. Kyburg in Kyburg et al. (1980).
- de Freitas, N., P. Højen-Sørensen, M. Jordan, and S. Russell (2001). Variational MCMC. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 120–127.
- Dean, T. and K. Kanazawa (1989). A model for reasoning about persistence and causation. *Computational Intelligence* 5(3), 142–150.
- Dechter, R. (1997). Mini-Buckets: A general scheme for generating approximations in automated reasoning. In *Proc. 15th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1297–1303.
- Dechter, R. (1999). Bucket elimination: A unifying framework for reasoning. *Artificial Intelligence* 113(1–2), 41–85.
- Dechter, R. (2003). *Constraint Processing*. Morgan Kaufmann.
- Dechter, R., K. Kask, and R. Mateescu (2002). Iterative join-graph propagation. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 128–136.
- Dechter, R. and I. Rish (1997). A scheme for approximating probabilistic inference. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- DeGroot, M. H. (1989). *Probability and Statistics*. Reading, MA: Addison Wesley.
- Della Pietra, S., V. Della Pietra, and J. Lafferty (1997). Inducing features of random fields. *IEEE Trans. on Pattern Analysis and Machine Intelligence* 19(4), 380–393.
- Dellaert, F., S. Seitz, C. Thorpe, and S. Thrun (2003). EM, MCMC, and chain flipping for structure from motion with unknown correspondence. *Machine Learning* 50(1–2), 45–71.
- Deming, W. and F. Stephan (1940). On a least squares adjustment of a sampled frequency table when the expected marginal totals are known. *Annals of Mathematical Statistics* 11, 427–444.
- Dempster, A., N. M. Laird, and D. Rubin (1977). Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, Series B* 39(1), 1–22.
- Deng, K. and A. Moore (1989). Multiresolution instance-based learning. In *Proc. 14th International*



- Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1233–1239.
- Deshpande, A., M. Garofalakis, and M. Jordan (2001). Efficient stepwise selection in decomposable models. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 128–135.
- Diez, F. (1993). Parameter adjustment in Bayes networks: The generalized noisy OR-gate. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 99–105.
- Dittmer, S. L. and F. V. Jensen (1997). Myopic value of information in influence diagrams. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 142–149.
- Doucet, A. (1998). On sequential simulation-based methods for Bayesian filtering. Technical Report CUED/FINFENG/TR 310, Department of Engineering, Cambridge University.
- Doucet, A., N. de Freitas, and N. Gordon (Eds.) (2001). *Sequential Monte Carlo Methods in Practice*. New York: Springer-Verlag.
- Doucet, A., N. de Freitas, K. Murphy, and S. Russell (2000). Rao-Blackwellised particle filtering for dynamic Bayesian networks. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Doucet, A., S. Godsill, and C. Andrieu (2000). On sequential Monte Carlo sampling methods for Bayesian filtering. *Statistics and Computing* 10(3), 197–208.
- Drummond, M., B. O'Brien, G. Stoddart, and G. Torrance (1997). *Methods for the Economic Evaluation of Health Care Programmes, 2nd Edition*. Oxford, UK: Oxford University Press.
- Druzdzel, M. (1993). *Probabilistic Reasoning in Decision Support Systems: From Computation to Common Sense*. Ph.D. thesis, Carnegie Mellon University.
- Dubois, D. and H. Prade (1990). Inference in possibilistic hypergraphs. In *Proc. of the 6th Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems*.
- Duchi, J., D. Tarlow, G. Elidan, and D. Koller (2006). Using combinatorial optimization within max-product belief propagation. In *Proc. 20th Conference on Neural Information Processing Systems (NIPS)*.
- Duda, R., J. Gaschnig, and P. Hart (1979). Model design in the PROSPECTOR consultant system for mineral exploration. In D. Michie (Ed.), *Expert Systems in the Microelectronic Age*, pp. 153–167. Edinburgh, Scotland: Edinburgh University Press.
- Duda, R. and P. Hart (1973). *Pattern Classification and Scene Analysis*. New York: John Wiley & Sons.
- Duda, R., P. Hart, and D. Stork (2000). *Pattern Classification, Second Edition*. Wiley.
- Dudík, M., S. Phillips, and R. Schapire (2004). Performance guarantees for regularized maximum entropy density estimation. In *Proc. Conference on Computational Learning Theory (COLT)*.
- Durbin, R., S. Eddy, A. Krogh, and G. Mitchison (1998). *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids*. Cambridge: Cambridge University Press.
- Dykstra, R. and J. Lemke (1988). Duality of I projections and maximum likelihood estimation for log-linear models under cone constraints. *Journal of the American Statistical Association* 83(402), 546–554.
- El-Hay, T. and N. Friedman (2001). Incorporating expressive graphical models in variational approximations: Chain-graphs and hidden variables. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 136–143.
- Elfadel, I. (1995). Convex potentials and their conjugates in analog mean-field optimization. *Neural Computation* 7, 1079–1104.
- Elidan, G. and N. Friedman (2005). Learning hidden variable networks: The information bottleneck approach. *Journal of Machine Learning Research* 6, 81–127.

- Elidan, G., I. McGraw, and D. Koller (2006). Residual belief propagation: Informed scheduling for asynchronous message passing. In *Proc. 22nd Conf. on Uncertainty in Artificial Intelligence*.
- Elidan, G., N. Lotner, N. Friedman, and D. Koller (2000). Discovering hidden variables: A structure-based approach. In *Proc. 14th Conf. on Neural Information Processing Systems (NIPS)*.
- Elidan, G., I. Nachman, and N. Friedman (2007). "Ideal Parent" structure learning for continuous variable networks. *Journal of Machine Learning Research* 8, 1799–1833.
- Elidan, G., M. Ninio, N. Friedman, and D. Schuurmans (2002). Data perturbation for escaping local maxima in learning. In *Proc. 18th National Conference on Artificial Intelligence (AAAI)*.
- Ellis, B. and W. Wong (2008). Learning causal Bayesian network structures from experimental data. *Journal of the American Statistical Association* 103, 778–789.
- Elston, R. C. and J. Stewart (1971). A general model for the analysis of pedigree data. *Human Heredity* 21, 523–542.
- Ezawa, K. (1994). Value of evidence on influence diagrams. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 212–220.
- Feller, W. (1970). *An Introduction to Probability Theory and Its Applications* (third ed.), Volume I. New York: John Wiley & Sons.
- Felzenszwalb, P. and D. Huttenlocher (2006, October). Efficient belief propagation for early vision. *International Journal of Computer Vision* 70(1).
- Fertig, K. and J. Breese (1989). Interval influence diagrams. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Fine, S., Y. Singer, and N. Tishby (1998). The hierarchical Hidden Markov Model: Analysis and applications. *Machine Learning* 32, 41–62.
- Fishburn, P. (1967). Interdependence and additivity in multivariate, unidimensional expected utility theory. *International Economic Review* 8, 335–42.
- Fishburn, P. (1970). *Utility Theory for Decision Making*. New York: Wiley.
- Fishelson, M. and D. Geiger (2003). Optimizing exact genetic linkage computations. In *Proc. International Conf. on Research in Computational Molecular Biology (RECOMB)*, pp. 114–121.
- Fishman, G. (1976, July). Sampling from the gamma distribution on a computer. *Communications of the ACM* 19(7), 407–409.
- Fishman, G. (1996). *Monte Carlo — Concept, Algorithms, and Applications*. Series in Operations Research. Springer.
- Fox, D., W. Burgard, and S. Thrun (1999). Markov localization for mobile robots in dynamic environments. *Journal of Artificial Intelligence Research* 11, 391–427.
- Freund, Y. and R. Schapire (1998). Large margin classification using the perceptron algorithm. In *Proc. Conference on Computational Learning Theory (COLT)*.
- Frey, B. (2003). Extending factor graphs so as to unify directed and undirected graphical models. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 257–264.
- Frey, B. and A. Kannan (2000). Accumulator networks: suitors of local probability propagation. In *Proc. 14th Conference on Neural Information Processing Systems (NIPS)*.
- Frey, B. and D. MacKay (1997). A revolution: Belief propagation in graphs with cycles. In *Proc. 11th Conference on Neural Information Processing Systems (NIPS)*.
- Frey, B. J. (1998). *Graphical Models for Machine Learning and Digital Communication*. Cambridge, Massachusetts: MIT Press.
- Friedman, N. (1997). Learning belief networks in the presence of missing values and hidden variables. In *Proc. 14th International Conference on Machine Learning (ICML)*, pp. 125–133.

- Friedman, N. (1998). The Bayesian structural em algorithm. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 129–138.
- Friedman, N., D. Geiger, and M. Goldszmidt (1997). Bayesian network classifiers. *Machine Learning* 29, 131–163.
- Friedman, N., D. Geiger, and N. Lotner (2000). Likelihood computations using value abstraction. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Friedman, N., L. Getoor, D. Koller, and A. Pfeffer (1999). Learning probabilistic relational models. In *Proc. 16th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1300–1307.
- Friedman, N. and M. Goldszmidt (1996). Learning Bayesian networks with local structure. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 252–262.
- Friedman, N. and M. Goldszmidt (1998). Learning Bayesian networks with local structure. See Jordan (1998), pp. 421–460.
- Friedman, N. and D. Koller (2003). Being Bayesian about Bayesian network structure: A Bayesian approach to structure discovery in Bayesian networks. *Machine Learning* 50(1–2), 95–126.
- Friedman, N., K. Murphy, and S. Russell (1998). Learning the structure of dynamic probabilistic networks. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Friedman, N. and I. Nachman (2000). Gaussian process networks. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 211–219.
- Friedman, N. and Z. Yakhini (1996). On the sample complexity of learning Bayesian networks. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Frognier, C. and A. Pfeffer (2007). Discovering weakly-interacting factors in a complex stochastic process. In *Proc. 21st Conference on Neural Information Processing Systems (NIPS)*.
- Frydenberg, J. (1990). The chain graph Markov property. *Scandinavian Journal of Statistics* 17, 790–805.
- Fudenberg, D. and J. Tirole (1991). *Game Theory*. MIT Press.
- Fung, R. and K. C. Chang (1989). Weighting and integrating evidence for stochastic simulation in Bayesian networks. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, San Mateo, California. Morgan Kaufmann.
- Fung, R. and B. del Favero (1994). Backward simulation in Bayesian networks. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 227–234.
- Galles, D. and J. Pearl (1995). Testing identifiability of causal models. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 185–95.
- Gamerman, D. and H. Lopes (2006). *Markov Chain Monte Carlo: Stochastic Simulation for Bayesian Inference*. Chapman & Hall, CRC.
- Ganapathi, V., D. Vickrey, J. Duchi, and D. Koller (2008). Constrained approximate maximum entropy learning. In *Proc. 24th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Garcia, L. D. (2004). Algebraic statistics in model selection. In *Proc. 20th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 177–18.
- Geiger, D. and D. Heckerman. A characterization of the bivariate normal-Wishart distribution. *Probability and Mathematical Statistics* 18, 119–131.
- Geiger, D. and D. Heckerman (1994). Learning gaussian networks. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 235–243.
- Geiger, D. and D. Heckerman (1996). Knowledge representation and inference in similarity networks and Bayesian multinets. *Artificial Intelligence* 82(1-2), 45–74.
- Geiger, D., D. Heckerman, H. King, and C. Meek (2001). Stratified exponential families: Graphical

- models and model selection. *Annals of Statistics* 29, 505–529.
- Geiger, D., D. Heckerman, and C. Meek (1996). Asymptotic model selection for directed networks with hidden variables. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 283–290.
- Geiger, D. and C. Meek (1998). Graphical models and exponential families. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 156–165.
- Geiger, D., C. Meek, and Y. Wexler (2006). A variational inference procedure allowing internal structure for overlapping clusters and deterministic constraints. *Journal of Artificial Intelligence Research* 27, 1–23.
- Geiger, D. and J. Pearl (1988). On the logic of causal models. In *Proc. 4th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 3–14.
- Geiger, D. and J. Pearl (1993). Logical and algorithmic properties of conditional independence and graphical models. *Annals of Statistics* 21(4), 2001–21.
- Geiger, D., T. Verma, and J. Pearl (1989). d-separation: From theorems to algorithms. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 139–148.
- Geiger, D., T. Verma, and J. Pearl (1990). Identifying independence in Bayesian networks. *Networks* 20, 507–534.
- Gelfand, A. and A. Smith (1990). Sampling based approaches to calculating marginal densities. *Journal of the American Statistical Association* 85, 398–409.
- Gelman, A., J. B. Carlin, H. S. Stern, and D. B. Rubin (1995). *Bayesian Data Analysis*. London: Chapman & Hall.
- Gelman, A. and X.-L. Meng (1998). Simulating normalizing constants: From importance sampling to bridge sampling to path sampling. *Statistical Science* 13(2), 163–185.
- Gelman, A. and D. Rubin (1992). Inference from iterative simulation using multiple sequences. *Statistical Science* 7, 457–511.
- Geman, S. and D. Geman (1984, November). Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images. *IEEE Trans. on Pattern Analysis and Machine Intelligence* 6(6), 721–741.
- Getoor, L., N. Friedman, D. Koller, A. Pfeffer, and B. Taskar (2007). Probabilistic relational models. See Getoor and Taskar (2007).
- Getoor, L., N. Friedman, D. Koller, and B. Taskar (2002). Learning probabilistic models of link structure. *Journal of Machine Learning Research* 3(December), 679–707.
- Getoor, L. and B. Taskar (Eds.) (2007). *Introduction to Statistical Relational Learning*. MIT Press.
- Geweke, J. (1989). Bayesian inference in econometric models using Monte Carlo integration. *Econometrica* 57, 1317–1339.
- Geyer, C. and E. Thompson (1992). Constrained Monte Carlo maximum likelihood for dependent data. *Journal of the Royal Statistical Society, Series B*.
- Geyer, C. and E. Thompson (1995). Annealing Markov chain Monte Carlo with applications to ancestral inference. *Journal of the American Statistical Association* 90(431), 909–920.
- Geyer, C. J. (1991). Markov chain Monte Carlo maximum likelihood. In *Computing Science and Statistics: Proceedings of 23rd Symposium on the Interface Interface Foundation*, pp. 156–163. Fairfax Station.
- Ghahramani, Z. (1994). Factorial learning and the em algorithm. In *Proc. 8th Conference on Neural Information Processing Systems (NIPS)*, pp. 617–624.
- Ghahramani, Z. and M. Beal (2000). Propagation algorithms for variational Bayesian learning. In

- Proc. 14th Conference on Neural Information Processing Systems (NIPS).*
- Ghahramani, Z. and G. Hinton (1998). Variational learning for switching state-space models. *Neural Computation* 12(4), 963–996.
- Ghahramani, Z. and M. Jordan (1993). Supervised learning from incomplete data via an EM approach. In *Proc. 7th Conference on Neural Information Processing Systems (NIPS)*.
- Ghahramani, Z. and M. Jordan (1997). Factorial hidden Markov models. *Machine Learning* 29, 245–273.
- Gibbs, J. (1902). *Elementary Principles of Statistical Mechanics*. New Haven, Connecticut: Yale University Press.
- Gidas, B. (1988). Consistency of maximum likelihood and pseudo-likelihood estimators for Gibbsian distributions. In W. Fleming and P.-L. Lions (Eds.), *Stochastic differential systems, stochastic control theory and applications*. Springer, New York.
- Gilks, W. (1992). Derivative-free adaptive rejection sampling for Gibbs sampling. In J. Bernardo, J. Berger, A. Dawid, and A. Smith (Eds.), *Bayesian Statistics 4*, pp. 641–649. Oxford, UK: Clarendon Press.
- Gilks, W., N. Best, and K. Tan (1995). Adaptive rejection Metropolis sampling within Gibbs sampling. *Annals of Statistics* 44, 455–472.
- Gilks, W., S. Richardson, and D. Spiegelhalter (Eds.) (1996). *Markov Chain Monte Carlo in Practice*. Chapman & Hall, London.
- Gilks, W., A. Thomas, and D. Spiegelhalter (1994). A language and program for complex Bayesian modeling. *The Statistician* 43, 169–177.
- Gilks, W. and P. Wild (1992). Adaptive rejection sampling for Gibbs sampling. *Annals of Statistics* 41, 337–348.
- Giudici, P. and P. Green (1999, December). Decomposable graphical Gaussian model determination. *Biometrika* 86(4), 785–801.
- Globerson, A. and T. Jaakkola (2007a). Convergent propagation algorithms via oriented trees. In *Proc. 23rd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Globerson, A. and T. Jaakkola (2007b). Fixing max-product: Convergent message passing algorithms for MAP LP-relaxations. In *Proc. 21st Conference on Neural Information Processing Systems (NIPS)*.
- Glover, F. and M. Laguna (1993). Tabu search. In C. Reeves (Ed.), *Modern Heuristic Techniques for Combinatorial Problems*, Oxford, England. Blackwell Scientific Publishing.
- Glymour, C. and G. F. Cooper (Eds.) (1999). *Computation, Causation, Discovery*. Cambridge: MIT Press.
- Godsill, S., A. Doucet, and M. West (2000). Methodology for Monte Carlo smoothing with application to time-varying autoregressions. In *Proc. International Symposium on Frontiers of Time Series Modelling*.
- Golumbic, M. (1980). *Algorithmic Graph Theory and Perfect Graphs*. London: Academic Press.
- Good, I. (1950). *Probability and the Weighing of Evidence*. London: Griffin.
- Goodman, J. (2004). Exponential priors for maximum entropy models. In *Proc. Conference of the North American Association for Computational Linguistics*.
- Goodman, L. (1970). The multivariate analysis of qualitative data: Interaction among multiple classification. *Journal of the American Statistical Association* 65, 226–56.
- Gordon, N., D. Salmond, and A. Smith (1993). Novel approach to nonlinear/non-Gaussian Bayesian state estimation. *IEE Proceedings-F* 140(2), 107–113.

- Gorry, G. and G. Barnett (1968). Experience with a model of sequential diagnosis. *Computers and Biomedical Research* 1, 490–507.
- Green, P. (1995). Reversible jump Markov chain Monte Carlo computation and Bayesian model determination. *Biometrika* 82, 711–732.
- Green, P. J. (1990). On use of the EM algorithm for penalized likelihood estimation. *Journal of the Royal Statistical Society, Series B* 52(3), 443–452.
- Greig, D., B. Porteous, and A. Seheult (1989). Exact maximum a posteriori estimation for binary images. *Journal of the Royal Statistical Society, Series B* 51(2), 271–279.
- Greiner, R. and W. Zhou (2002). Structural extension to logistic regression: Discriminant parameter learning of belief net classifiers. In *Proc. 18th Conference on Artificial Intelligence (AAAI)*.
- Guestrin, C. E., D. Koller, R. Parr, and S. Venkataraman (2003). Efficient solution algorithms for factored MDPs. *Journal of Artificial Intelligence Research* 19, 399–468.
- Guyon, X. and H. R. Künsch (1992). Asymptotic comparison of estimators in the Ising model. In *Stochastic Models, Statistical Methods, and Algorithms in Image Analysis, Lecture Notes in Statistics*, Volume 74, pp. 177–198. Springer, Berlin.
- Ha, V. and P. Haddawy (1997). Problem-focused incremental elicitation of multi-attribute utility models. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 215–222.
- Ha, V. and P. Haddawy (1999). A hybrid approach to reasoning with partially elicited preference models. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 263–270.
- Haberman, S. (1974). *The General Log-Linear Model*. Ph.D. thesis, Department of Statistics, University of Chicago.
- Halpern, J. Y. (2003). *Reasoning about Uncertainty*. MIT Press.
- Hammer, P. (1965). Some network flow problems solved with pseudo-Boolean programming. *Operations Research* 13, 388–399.
- Hammersley, J. and P. Clifford (1971). Markov fields on finite graphs and lattices. Unpublished manuscript.
- Handschin, J. and D. Mayne (1969). Monte Carlo techniques to estimate the conditional expectation in multi-stage non-linear filtering. *International Journal of Control* 9(5), 547–559.
- Hartemink, A., D. Gifford, T. Jaakkola, and R. Young (2002, March/April). Bayesian methods for elucidating genetic regulatory networks. *IEEE Intelligent Systems* 17, 37–43. special issue on Intelligent Systems in Biology.
- Hastie, T., R. Tibshirani, and J. Friedman (2001). *The Elements of Statistical Learning*. Springer Series in Statistics.
- Hazan, T. and A. Shashua (2008). Convergent message-passing algorithms for inference over general graphs with convex free energies. In *Proc. 24th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Heckerman, D. (1990). *Probabilistic Similarity Networks*. MIT Press.
- Heckerman, D. (1993). Causal independence for knowledge acquisition and inference. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 122–127.
- Heckerman, D. (1998). A tutorial on learning with Bayesian networks. See Jordan (1998).
- Heckerman, D. and J. Breese (1996). Causal independence for probability assessment and inference using Bayesian networks. *IEEE Transactions on Systems, Man, and Cybernetics* 26, 826–831.
- Heckerman, D., J. Breese, and K. Rommelse (1995, March). Decision-theoretic troubleshooting.

*Communications of the ACM* 38(3), 49–57.

Heckerman, D., D. M. Chickering, C. Meek, R. Rounthwaite, and C. Kadie (2000). Dependency networks for inference, collaborative filtering, and data visualization. *jmlr* 1, 49–75.

Heckerman, D. and D. Geiger (1995). Learning Bayesian networks: a unification for discrete and Gaussian domains. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 274–284.

Heckerman, D., D. Geiger, and D. M. Chickering (1995). Learning Bayesian networks: The combination of knowledge and statistical data. *Machine Learning* 20, 197–243.

Heckerman, D., E. Horvitz, and B. Nathwani (1992). Toward normative expert systems: Part I. The Pathfinder project. *Methods of Information in Medicine* 31, 90–105.

Heckerman, D. and H. Jimison (1989). A Bayesian perspective on confidence. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 149–160.

Heckerman, D., A. Mamdani, and M. Wellman (1995). Real-world applications of Bayesian networks. *Communications of the ACM* 38.

Heckerman, D. and C. Meek (1997). Embedded Bayesian network classifiers. Technical Report MSR-TR-97-06, Microsoft Research, Redmond, WA.

Heckerman, D., C. Meek, and G. Cooper (1999). A Bayesian approach to causal discovery. See Glymour and Cooper (1999), pp. 141–166.

Heckerman, D., C. Meek, and D. Koller (2007). Probabilistic entity-relationship models, PRMs, and plate models. See Getoor and Taskar (2007).

Heckerman, D. and B. Nathwani (1992a). An evaluation of the diagnostic accuracy of Pathfinder. *Computers and Biomedical Research* 25(1), 56–74.

Heckerman, D. and B. Nathwani (1992b). Toward normative expert systems. II. Probability-based representations for efficient knowledge acquisition and inference. *Methods of Information in Medicine* 31, 106–16.

Heckerman, D. and R. Shachter (1994). A decision-based view of causality. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 302–310. Morgan Kaufmann.

Henrion, M. (1986). Propagation of uncertainty in Bayesian networks by probabilistic logic sampling. In *Proc. 2nd Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 149–163.

Henrion, M. (1991). Search-based algorithms to bound diagnostic probabilities in very large belief networks. In *Proc. 7th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 142–150.

Hernández, L. and S. Moral (1997). Mixing exact and importance sampling propagation algorithms in dependence graphs. *International Journal of Intelligent Systems* 12, 553–576.

Heskes, T. (2002). Stable fixed points of loopy belief propagation are minima of the Bethe free energy. In *Proc. 16th Conference on Neural Information Processing Systems (NIPS)*, pp. 359–366.

Heskes, T. (2004). On the uniqueness of loopy belief propagation fixed points. *Neural Computation* 16, 2379–2413.

Heskes, T. (2006). Convexity arguments for efficient minimization of the Bethe and Kikuchi free energies. *Journal of Machine Learning Research* 26, 153–190.

Heskes, T., K. Albers, and B. Kappen (2003). Approximate inference and constrained optimization. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 313–320.

Heskes, T., M. Opper, W. Wiegnerinck, O. Winther, and O. Zoeter (2005). Approximate inference techniques with expectation constraints. *Journal of Statistical Mechanics: Theory and Experiment*.

Heskes, T. and O. Zoeter (2002). Expectation propagation for approximate inference in dynamic

- Bayesian networks. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Heskes, T. and O. Zoeter (2003). Generalized belief propagation for approximate inference in hybrid Bayesian networks. In *Proceedings of the Ninth International Workshop on Artificial Intelligence and Statistics*.
- Heskes, T., O. Zoeter, and W. Wiegerinck (2003). Approximate expectation maximization. In *Proc. 17th Conference on Neural Information Processing Systems (NIPS)*, pp. 353–360.
- Higdon, D. M. (1998). Auxiliary variable methods for Markov chain Monte Carlo with applications. *Journal of the American Statistical Association* 93, 585–595.
- Hinton, G. (2002). Training products of experts by minimizing contrastive divergence. *Neural Computation* 14, 1771–1800.
- Hinton, G., S. Osindero, and Y. Teh (2006). A fast learning algorithm for deep belief nets. *Neural Computation* 18, 1527–1554.
- Hinton, G. and R. Salakhutdinov (2006). Reducing the dimensionality of data with neural networks. *Science* 313, 504–507.
- Hinton, G. and T. Sejnowski (1983). Optimal perceptual inference. In *Proceedings of the IEEE conference on Computer Vision and Pattern Recognition*, pp. 448–453.
- Hinton, G. E., P. Dayan, B. Frey, and R. M. Neal (1995). The wake-sleep algorithm for unsupervised neural networks. *Science* 268, 1158–1161.
- Höffgen, K. (1993). Learning and robust learning of product distributions. In *Proc. Conference on Computational Learning Theory (COLT)*, pp. 77–83.
- Hofmann, R. and V. Tresp (1995). Discovering structure in continuous variables using bayesian networks. In *Proc. 9th Conference on Neural Information Processing Systems (NIPS)*.
- Horn, G. and R. McEliece (1997). Belief propagation in loopy bayesian networks: experimental results. In *Proceedings of IEEE International Symposium on Information Theory*, pp. 232.
- Horvitz, E. and M. Barry (1995). Display of information for time-critical decision making. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 296–305.
- Horvitz, E., J. Breese, and M. Henrion (1988). Decision theory in expert systems and artificial intelligence. *International Journal of Approximate Reasoning* 2, 247–302. Special Issue on Uncertainty in Artificial Intelligence.
- Horvitz, E., H. Suermondt, and G. Cooper (1989). Bounded conditioning: Flexible inference for decisions under scarce resources. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 182–193.
- Howard, R. (1970). Decision analysis: Perspectives on inference, decision, and experimentation. *Proceedings of the IEEE* 58, 632–643.
- Howard, R. (1977). Risk preference. In R. Howard and J. Matheson (Eds.), *Readings in Decision Analysis*, pp. 429–465. Menlo Park, California: Decision Analysis Group, SRI International.
- Howard, R. and J. Matheson (1984a). Influence diagrams. See Howard and Matheson (1984b), pp. 721–762.
- Howard, R. and J. Matheson (Eds.) (1984b). *The Principle and Applications of Decision Analysis*. Menlo Park, CA, USA: Strategic Decisions Group.
- Howard, R. A. (1966). Information value theory. *IEEE Transactions on Systems Science and Cybernetics* SSC-2, 22–26.
- Howard, R. A. (1989). Microrisks for medical decision analysis. *International Journal of Technology Assessment in Health Care* 5, 357–370.
- Huang, C. and A. Darwiche (1996). Inference in belief networks: A procedural guide. *International*



- Journal of Approximate Reasoning* 15(3), 225–263.
- Huang, F. and Y. Ogata (2002). Generalized pseudo-likelihood estimates for Markov random fields on lattice. *Annals of the Institute of Statistical Mathematics* 54, 1–18.
- Ihler, A. (2007). Accuracy bounds for belief propagation. In *Proc. 23rd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Ihler, A. T., J. W. Fisher, and A. S. Willsky (2003). Message errors in belief propagation. In *Proc. 17th Conference on Neural Information Processing Systems (NIPS)*.
- Ihler, A. T., J. W. Fisher, and A. S. Willsky (2005). Loopy belief propagation: Convergence and effects of message errors. *Journal of Machine Learning Research* 6, 905–936.
- Imoto, S., S. Kim, T. Goto, S. Aburatani, K. Tashiro, S. Kuhara, and S. Miyano (2003). Bayesian network and nonparametric heteroscedastic regression for nonlinear modeling of genetic network. *Journal of Bioinformatics and Computational Biology* 1, 231–252.
- Indyk, P. (2004). Nearest neighbors in high-dimensional spaces. In J. Goodman and J. O'Rourke (Eds.), *Handbook of Discrete and Computational Geometry* (2nd ed.). CRC Press.
- Isard, M. (2003). PAMPAS: Real-valued graphical models for computer vision. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 613–620.
- Isard, M. and A. Blake (1998a). Condensation — conditional density propagation for visual tracking. *International Journal of Computer Vision* 29(1), 5–28.
- Isard, M. and A. Blake (1998b). A smoothing filter for condensation. In *Proc. European Conference on Computer Vision (ECCV)*, Volume 1, pp. 767–781.
- Isham, V. (1981). An introduction to spatial point processes and Markov random fields. *International Statistical Review* 49, 21–43.
- Ishikawa, H. (2003). Exact optimization for Markov random fields with convex priors. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 25(10), 1333–1336.
- Ising, E. (1925). Beitrag zur theorie des ferromagnetismus. *Z. Phys.* 31, 253–258.
- Jaakkola, T. (2001). Tutorial on variational approximation methods. In M. Opper and D. Saad (Eds.), *Advanced mean field methods*, pp. 129–160. Cambridge, Massachusetts: MIT Press.
- Jaakkola, T. and M. Jordan (1996a). Computing upper and lower bounds on likelihoods in intractable networks. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 340–348.
- Jaakkola, T. and M. Jordan (1996b). Recursive algorithms for approximating probabilities in graphical models. In *Proc. 10th Conference on Neural Information Processing Systems (NIPS)*, pp. 487–93.
- Jaakkola, T. and M. Jordan (1997). A variational approach to bayesian logistic regression models and their extensions. In *Proc. 6th Workshop on Artificial Intelligence and Statistics*.
- Jaakkola, T. and M. Jordan (1998). Improving the mean field approximation via the use of mixture models. See Jordan (1998).
- Jaakkola, T. and M. Jordan (1999). Variational probabilistic inference and the QMR-DT network. *Journal of Artificial Intelligence Research* 10, 291–322.
- Jarzynski, C. (1997, Apr). Nonequilibrium equality for free energy differences. *Physical Review Letters* 78(14), 2690–2693.
- Jaynes, E. (2003). *Probability Theory: The Logic of Science*. Cambridge University Press.
- Jensen, F., F. V. Jensen, and S. L. Dittmer (1994). From influence diagrams to junction trees. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 367–73.
- Jensen, F. and M. Vomlelová (2003). Unconstrained influence diagrams. In *Proc. 19th Conference*

on *Uncertainty in Artificial Intelligence (UAI)*, pp. 234–41.

Jensen, F. V. (1995). Cautious propagation in Bayesian networks. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 323–328.

Jensen, F. V. (1996). *An introduction to Bayesian Networks*. London: University College London Press.

Jensen, F. V., K. G. Olesen, and S. K. Andersen (1990, August). An algebra of Bayesian belief universes for knowledge-based systems. *Networks* 20(5), 637–659.

Jerrum, M. and A. Sinclair (1997). The Markov chain Monte Carlo method. In D. Hochbaum (Ed.), *Approximation Algorithms for NP-hard Problems*. Boston: PWS Publishing.

Ji, C. and L. Seymour (1996). A consistent model selection procedure for Markov random fields based on penalized pseudolikelihood. *Annals of Applied Probability*.

Jimison, H., L. Fagan, R. Shachter, and E. Shortliffe (1992). Patient-specific explanation in models of chronic disease. *AI in Medicine* 4, 191–205.

Jordan, M., Z. Ghahramani, T. Jaakkola, and L. K. Saul (1998). An introduction to variational approximations methods for graphical models. See Jordan (1998).

Jordan, M. I. (Ed.) (1998). *Learning in Graphics Models*. Cambridge, MA: The MIT Press.

Julier, S. (2002). The scaled unscented transformation. In *Proceedings of the American Control Conference*, Volume 6, pp. 4555–4559.

Julier, S. and J. Uhlmann (1997). A new extension of the Kalman filter to nonlinear systems. In *Proc. of AeroSense: The 11th International Symposium on Aerospace/Defence Sensing, Simulation and Controls*.

Kahneman, D., P. Slovic, and A. Tversky (Eds.) (1982). *Judgment under Uncertainty: Heuristics and Biases*. Cambridge: Cambridge University Press.

Kalman, R. and R. Bucy (1961). New results in linear filtering and prediction theory. *Trans. ASME, Series D, Journal of Basic Engineering*.

Kalman, R. E. (1960). A new approach to linear filtering and prediction problems. *Transactions of the ASME—Journal of Basic Engineering* 82(Series D), 35–45.

Kanazawa, K., D. Koller, and S. Russell (1995). Stochastic simulation algorithms for dynamic probabilistic networks. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 346–351.

Kass, R. and A. Raftery (1995). Bayes factors. *Journal of the American Statistical Association* 90(430), 773–795.

Kearns, M., M. L. Littman, and S. Singh (2001). Graphical models for game theory. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 253–260.

Kearns, M. and Y. Mansour (1998). Exact inference of hidden structure from sample data in noisy-or networks. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 304–31.

Kearns, M., Y. Mansour, and A. Ng (1997). An information-theoretic analysis of hard and soft assignment methods for clustering. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 282–293.

Keeney, R. L. and H. Raiffa (1976). *Decisions with Multiple Objectives: Preferences and Value Tradeoffs*. John Wiley & Sons, Inc.

Kersting, K. and L. De Raedt (2007). Bayesian logic programming: Theory and tool. See Getoor and Taskar (2007).

Kikuchi, R. (1951). A theory of cooperative phenomena. *Physical Review Letters* 81, 988–1003.

- Kim, C.-J. and C. Nelson (1998). *State-Space Models with Regime-Switching: Classical and Gibbs-Sampling Approaches with Applications*. MIT Press.
- Kim, J. and J. Pearl (1983). A computational model for combined causal and diagnostic reasoning in inference systems. In *Proc. 7th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 190–193.
- Kirkpatrick, S., C. Gelatt, and M. Vecchi (1983). Optimization by simulated annealing. *Science* 220, 671–680.
- Kitagawa, G. (1996). Monte Carlo filter and smoother for non-Gaussian nonlinear state space models. *Journal of Computational and Graphical Statistics* 5(1), 1–25.
- Kjærulff, U. (1990, March). Triangulation of graph — Algorithms giving small total state space. Technical Report R90-09, Aalborg University, Denmark.
- Kjærulff, U. (1992). A computational scheme for reasoning in dynamic probabilistic networks. In *Proc. 8th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 121–129.
- Kjærulff, U. (1995a). dHugin: A computational system for dynamic time-sliced Bayesian networks. *International Journal of Forecasting* 11, 89–111.
- Kjærulff, U. (1995b). HUGS: Combining exact inference and Gibbs sampling in junction trees. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 368–375.
- Kjærulff, U. (1997). Nested junction trees. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 294–301.
- Kjærulff, U. and L. van der Gaag (2000). Making sensitivity analysis computationally efficient. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 317–325.
- Koivisto, M. and K. Sood (2004). Exact Bayesian structure discovery in Bayesian networks. *Journal of Machine Learning Research* 5, 549–573.
- Kok, J., M. Spaan, and N. Vlassis (2003). Multi-robot decision making using coordination graphs. In *Proc. International Conference on Advanced Robotics (ICAR)*, pp. 1124–1129.
- Kok, J. and N. Vlassis (2005). Using the max-plus algorithm for multiagent decision making in coordination graphs. In *RoboCup-2005: Robot Soccer World Cup IX*, Osaka, Japan.
- Koller, D. and R. Fratkin (1998). Using learning for approximation in stochastic processes. In *Proc. 15th International Conference on Machine Learning (ICML)*, pp. 287–295.
- Koller, D., U. Lerner, and D. Anguelov (1999). A general algorithm for approximate inference and its application to hybrid Bayes nets. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 324–333.
- Koller, D. and B. Milch (2001). Multi-agent influence diagrams for representing and solving games. In *Proc. 17th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1027–1034.
- Koller, D. and B. Milch (2003). Multi-agent influence diagrams for representing and solving games. *Games and Economic Behavior* 45(1), 181–221. Full version of paper in IJCAI '03.
- Koller, D. and R. Parr (1999). Computing factored value functions for policies in structured MDPs. In *Proc. 16th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1332–1339.
- Koller, D. and A. Pfeffer (1997). Object-oriented Bayesian networks. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 302–313.
- Kolmogorov, V. (2006). Convergent tree-reweighted message passing for energy minimization. *IEEE Transactions on Pattern Analysis and Machine Intelligence*.
- Kolmogorov, V. and C. Rother (2006). Comparison of energy minimization algorithms for highly connected graphs. In *Proc. European Conference on Computer Vision (ECCV)*.
- Kolmogorov, V. and M. Wainwright (2005). On the optimality of tree reweighted max-product

- message passing. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Kolmogorov, V. and R. Zabih (2004). What energy functions can be minimized via graph cuts? *IEEE Transactions on Pattern Analysis and Machine Intelligence* 26(2).
- Komarek, P. and A. Moore (2000). A dynamic adaptation of AD-trees for efficient machine learning on large data sets. In *Proc. 17th International Conference on Machine Learning (ICML)*, pp. 495–502.
- Komodakis, N., N. Paragios, and G. Tziritas (2007). MRF optimization via dual decomposition: Message-passing revisited. In *Proc. International Conference on Computer Vision (ICCV)*.
- Komodakis, N. and G. Tziritas (2005). A new framework for approximate labeling via graph-cuts. In *Proc. International Conference on Computer Vision (ICCV)*.
- Komodakis, N., G. Tziritas, and N. Paragios (2007). Fast, approximately optimal solutions for single and dynamic MRFs. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*.
- Kong, A. (1991). Efficient methods for computing linkage likelihoods of recessive diseases in inbred pedigrees. *Genetic Epidemiology* 8, 81–103.
- Korb, K. and A. Nicholson (2003). *Bayesian Artificial Intelligence*. CRC Press.
- Koster, J. (1996). Markov properties of non-recursive causal models. *The Annals of Statistics* 24(5), 2148–77.
- Kočka, T., R. Bouckaert, and M. Studený (2001). On characterizing inclusion of Bayesian networks. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 261–68.
- Kozlov, A. and D. Koller (1997). Nonuniform dynamic discretization in hybrid networks. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 314–325.
- Krause, A. and C. Guestrin (2005a). Near-optimal nonmyopic value of information in graphical models. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Krause, A. and C. Guestrin (2005b). Optimal nonmyopic value of information in graphical models: Efficient algorithms and theoretical limits. In *Proc. 19th International Joint Conference on Artificial Intelligence (IJCAI)*.
- Kreps, D. (1988). *Notes on the Theory of Choice*. Boulder, Colorado: Westview Press.
- Kschischang, F. and B. Frey (1998). Iterative decoding of compound codes by probability propagation in graphical models. *IEEE Journal on Selected Areas in Communications* 16, 219–230.
- Kschischang, F., B. Frey, and H.-A. Loeliger (2001a). Factor graphs and the sum-product algorithm. *IEEE Transactions on Information Theory* 47, 498–519.
- Kschischang, F., B. Frey, and H.-A. Loeliger (2001b). Factor graphs and the sum-product algorithm. *IEEE Trans. Information Theory* 47, 498–519.
- Kullback, S. (1959). *Information Theory and Statistics*. New York: John Wiley & Sons.
- Kumar, M., V. Kolmogorov, and P. Torr (2007). An analysis of convex relaxations for MAP estimation. In *Proc. 21st Conference on Neural Information Processing Systems (NIPS)*.
- Kumar, M., P. Torr, and A. Zisserman (2006). Solving Markov random fields using second order cone programming relaxations. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 1045–1052.
- Kuppermann, M., S. Shiboski, D. Feeny, E. Elkin, and A. Washington (1997, Jan–Mar). Can preference scores for discrete states be used to derive preference scores for an entire path of events? An application to prenatal diagnosis. *Medical Decision Making* 17(1), 42–55.
- Kyburg, H., , and H. Smokler (Eds.) (1980). *Studies in Subjective Probability*. New York: Krieger.
- La Mura, P. (2000). Game networks. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence*

(UAI), pp. 335–342.

La Mura, P. and Y. Shoham (1999). Expected utility networks. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 366–73.

Lacoste-Julien, S., B. Taskar, D. Klein, and M. Jordan (2006, June). Word alignment via quadratic assignment. In *Proceedings of the Human Language Technology Conference of the NAACL, Main Conference*, pp. 112–119.

Lafferty, J., A. McCallum, and F. Pereira (2001). Conditional random fields: Probabilistic models for segmenting and labeling sequence data. In *Proc. 18th International Conference on Machine Learning (ICML)*.

Lam, W. and F. Bacchus (1993). Using causal information and local measures to learn Bayesian networks. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 243–250.

Lange, K. and R. C. Elston (1975). Extensions to pedigree analysis. I. Likelihood calculations for simple and complex pedigrees. *Human Heredity* 25, 95–105.

Laskey, K. (1995). Sensitivity analysis for probability assessments in Bayesian networks. *IEEE Transactions on Systems, Man, and Cybernetics* 25(6), 901 – 909.

Lauritzen, S. (1982). *Lectures on contingency tables* (2 ed.). Aalborg: Denmark: University of Aalborg Press.

Lauritzen, S. (1992). Propagation of probabilities, means, and variances in mixed graphical association models. *Journal of the American Statistical Association* 87(420), 1089–1108.

Lauritzen, S. (1996). *Graphical Models*. New York: Oxford University Press.

Lauritzen, S. and D. Nilsson (2001). Representing and solving decision problems with limited information. *Management Science* 47(9), 1235–51.

Lauritzen, S. L. (1995). The EM algorithm for graphical association models with missing data. *Computational Statistics and Data Analysis* 19, 191–201.

Lauritzen, S. L. and F. Jensen (2001). Stable local computation with conditional Gaussian distributions. *Statistics and Computing* 11, 191–203.

Lauritzen, S. L. and D. J. Spiegelhalter (1988). Local computations with probabilities on graphical structures and their application to expert systems. *Journal of the Royal Statistical Society, Series B* 50(2), 157–224.

Lauritzen, S. L. and N. Wermuth (1989). Graphical models for associations between variables, some of which are qualitative and some quantitative. *Annals of Statistics* 17, 31–57.

LeCun, Y., S. Chopra, R. Hadsell, R. Marc'Aurelio, and F.-J. Huang (2007). A tutorial on energy-based learning. In G. Bakir, T. Hofmann, B. Schölkopf, A. Smola, B. Taskar, and S. Vishwanathan (Eds.), *Predicting Structured Data*. MIT Press.

Lee, S.-I., V. Ganapathi, and D. Koller (2006). Efficient structure learning of Markov networks using L1-regularization. In *Proc. 20th Conference on Neural Information Processing Systems (NIPS)*.

Lehmann, E. and J. Romano (2008). *Testing Statistical Hypotheses*. Springer Texts in Statistics.

Leisink, M. A. R. and H. J. Kappen (2003). Bound propagation. *Journal of Artificial Intelligence Research* 19, 139–154.

Lerner, U. (2002). *Hybrid Bayesian Networks for Reasoning about Complex Systems*. Ph.D. thesis, Stanford University.

Lerner, U., B. Moses, M. Scott, S. McIlraith, and D. Koller (2002). Monitoring a complex physical system using a hybrid dynamic Bayes net. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 301–310.

- Lerner, U. and R. Parr (2001). Inference in hybrid networks: Theoretical limits and practical algorithms. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 310–318.
- Lerner, U., R. Parr, D. Koller, and G. Biswas (2000). Bayesian fault detection and diagnosis in dynamic systems. In *Proc. 16th Conference on Artificial Intelligence (AAAI)*, pp. 531–537.
- Lerner, U., E. Segal, and D. Koller (2001). Exact inference in networks with discrete children of continuous parents. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 319–328.
- Li, S. (2001). *Markov Random Field Modeling in Image Analysis*. Springer.
- Liang, P. and M. Jordan (2008). An asymptotic analysis of generative, discriminative, and pseudolikelihood estimators. In *Proc. 25th International Conference on Machine Learning (ICML)*.
- Little, R. J. A. (1976). Inference about means for incomplete multivariate data. *Biometrika* 63, 593–604.
- Little, R. J. A. and D. B. Rubin (1987). *Statistical Analysis with Missing Data*. New York: John Wiley & Sons.
- Liu, D. and J. Nocedal (1989). On the limited memory method for large scale optimization. *Mathematical Programming* 45(3), 503–528.
- Liu, J., W. Wong, and A. Kong (1994). Covariance structure of the Gibbs sampler with applications to the comparisons of estimators and sampling schemes. *Biometrika* 81, 27–40.
- Loomes, G. and R. Sugden (1982). Regret theory: An alternative theory of rational choice under uncertainty. *The Economic Journal* 92, 805–824.
- MacEachern, S. and L. Berliner (1994, August). Subsampling the Gibbs sampler. *The American Statistician* 48(3), 188–190.
- MacKay, D. J. C. (1997). Ensemble learning for hidden markov models. Unpublished manuscripts, <http://wol.ra.phy.cam.ac.uk/mackay>.
- MacKay, D. J. C. and R. M. Neal (1996). Near shannon limit performance of low density parity check codes. *Electronics Letters* 32, 1645–1646.
- Madigan, D., S. Andersson, M. Perlman, and C. Volinsky (1996). Bayesian model averaging and model selection for Markov equivalence classes of acyclic graphs. *Communications in Statistics: Theory and Methods* 25, 2493–2519.
- Madigan, D. and E. Raftery (1994). Model selection and accounting for model uncertainty in graphical models using Occam's window. *Journal of the American Statistical Association* 89, 1535–1546.
- Madigan, D. and J. York (1995). Bayesian graphical models for discrete data. *International statistical Review* 63, 215–232.
- Madsen, A. and D. Nilsson (2001). Solving influence diagrams using HUGIN, Shafer-Shenoy and lazy propagation. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 337–45.
- Malioutov, D., J. Johnson, and A. Willsky (2006). Walk-sums and belief propagation in Gaussian graphical models. *Journal of Machine Learning Research* 7, 2031–64.
- Maneva, E., E. Mossel, and M. Wainwright (2007, July). A new look at survey propagation and its generalizations. *Journal of the ACM* 54(4), 2–41.
- Manning, C. and H. Schuetze (1999). *Foundations of Statistical Natural Language Processing*. MIT Press.
- Marinari, E. and G. Parisi (1992). Simulated tempering: A new Monte Carlo scheme. *Europhysics Letters* 19, 451.

- Marinescu, R., K. Kask, and R. Dechter (2003). Systematic vs. non-systematic algorithms for solving the MPE task. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Marthi, B., H. Pasula, S. Russell, and Y. Peres (2002). Decayed MCMC filtering. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Martin, J. and K. VanLehn (1995). Discrete factor analysis: Learning hidden variables in Bayesian networks. Technical report, Department of Computer Science, University of Pittsburgh.
- McCallum, A. (2003). Efficiently inducing features of conditional random fields. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 403–10.
- McCallum, A., C. Pal, G. Druck, and X. Wang (2006). Multi-conditional learning: Generative/discriminative training for clustering and classification. In *Proc. 22nd Conference on Artificial Intelligence (AAAI)*.
- McCallum, A. and B. Wellner (2005). Conditional models of identity uncertainty with application to noun coreference. In *Proc. 19th Conference on Neural Information Processing Systems (NIPS)*, pp. 905–912.
- McCullagh, P. and J. Nelder (1989). *Generalized Linear Models*. London: Chapman & Hall.
- McEliece, R., D. MacKay, and J.-F. Cheng (1998, February). Turbo decoding as an instance of Pearl's "belief propagation" algorithm. *IEEE Journal on Selected Areas in Communications* 16(2).
- McEliece, R. J., E. R. Rodemich, and J.-F. Cheng (1995). The turbo decision algorithm. In *Proc. 33rd Allerton Conference on Communication Control and Computing*, pp. 366–379.
- McLachlan, G. J. and T. Krishnan (1997). *The EM Algorithm and Extensions*. Wiley Interscience.
- Meek, C. (1995a). Causal inference and causal explanation with background knowledge. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 403–418.
- Meek, C. (1995b). Strong completeness and faithfulness in Bayesian networks. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 411–418.
- Meek, C. (1997). *Graphical Models: Selecting causal and statistical models*. Ph.D. thesis, Carnegie Mellon University.
- Meek, C. (2001). Finding a path is harder than finding a tree. *Journal of Artificial Intelligence Research* 15, 383–389.
- Meek, C. and D. Heckerman (1997). Structure and parameter learning for causal independence and causal interaction models. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 366–375.
- Meila, M. and T. Jaakkola (2000). Tractable Bayesian learning of tree belief networks. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Meila, M. and M. Jordan (2000). Learning with mixtures of trees. *Journal of Machine Learning Research* 1, 1–48.
- Meltzer, T., C. Yanover, and Y. Weiss (2005). Globally optimal solutions for energy minimization in stereo vision using reweighted belief propagation. In *Proc. International Conference on Computer Vision (ICCV)*, pp. 428–435.
- Metropolis, N., A. Rosenbluth, M. Rosenbluth, A. Teller, and E. Teller (1953). Equation of state calculation by fast computing machines. *Journal of Chemical Physics* 21, 1087–1092.
- Meyer, J., M. Phillips, P. Cho, I. Kalet, and J. Doctor (2004). Application of influence diagrams to prostate intensity-modulated radiation therapy plan selection. *Physics in Medicine and Biology* 49, 1637–53.
- Middleton, B., M. Shwe, D. Heckerman, M. Henrion, E. Horvitz, H. Lehmann, and G. Cooper (1991). Probabilistic diagnosis using a reformulation of the INTERNIST-1/QMR knowledge base.

- II. Evaluation of diagnostic performance. *Methods of Information in Medicine* 30, 256–67.
- Milch, B., B. Marthi, and S. Russell (2004). BLOG: Relational modeling with unknown objects. In *ICML 2004 Workshop on Statistical Relational Learning and Its Connections to Other Fields*.
- Milch, B., B. Marthi, S. Russell, D. Sontag, D. Ong, and A. Kolobov (2005). BLOG: Probabilistic models with unknown objects. In *Proc. 19th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1352–1359.
- Milch, B., B. Marthi, S. Russell, D. Sontag, D. Ong, and A. Kolobov (2007). BLOG: Probabilistic models with unknown objects. See Getoor and Taskar (2007).
- Miller, R., H. Pople, and J. Myers (1982). Internist-1, an experimental computer-based diagnostic consultant for general internal medicine. *New England Journal of Medicine* 307, 468–76.
- Minka, T. (2005). Discriminative models, not discriminative training. Technical Report MSR-TR-2005-144, Microsoft Research.
- Minka, T. and J. Lafferty (2002). Expectation propagation for the generative aspect model. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Minka, T. P. (2001a). Algorithms for maximum-likelihood logistic regression. Available from <http://www.stat.cmu.edu/~minka/papers/logreg.html>.
- Minka, T. P. (2001b). Expectation propagation for approximate Bayesian inference. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 362–369.
- Møller, J. M., A. Pettitt, K. Berthelsen, and R. Reeves (2006). An efficient Markov chain Monte Carlo method for distributions with intractable normalisation constants. *Biometrika* 93(2), 451–458.
- Montemerlo, M., S. Thrun, D. Koller, and B. Wegbreit (2002). FastSLAM: A factored solution to the simultaneous localization and mapping problem. In *Proc. 18th Conference on Artificial Intelligence (AAAI)*, pp. 593–598.
- Monti, S. and G. F. Cooper (1997). Learning Bayesian belief networks with neural network estimators. In *Proc. 11th Conference on Neural Information Processing Systems (NIPS)*, pp. 579–584.
- Mooij, J. M. and H. J. Kappen (2007). Sufficient conditions for convergence of the sum-product algorithm. *IEEE Trans. Information Theory* 53, 4422–4437.
- Moore, A. (2000). The anchors hierarchy: Using the triangle inequality to survive high-dimensional data. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 397–405.
- Moore, A. and W.-K. Wong (2003). Optimal reinsertion: A new search operator for accelerated and more accurate bayesian network structure learning. In *Proc. 20th International Conference on Machine Learning (ICML)*, pp. 552–559.
- Moore, A. W. and M. S. Lee (1997). Cached sufficient statistics for efficient machine learning with large datasets. *Journal of Artificial Intelligence Research* 8, 67–91.
- Morgan, M. and M. Henrion (Eds.) (1990). *Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis*. Cambridge University Press.
- Motwani, R. and P. Raghavan (1995). *Randomized Algorithms*. Cambridge University Press.
- Muramatsu, M. and T. Suzuki (2003). A new second-order cone programming relaxation for max-cut problems. *Journal of Operations Research of Japan* 43, 164–177.
- Murphy, K. (1999). Bayesian map learning in dynamic environments. In *Proc. 13th Conference on Neural Information Processing Systems (NIPS)*.
- Murphy, K. (2002). Dynamic Bayesian Networks: A tutorial. Technical report, Mas-



- sachusetts Institute of Technology. Available from <http://www.cs.ubc.ca/~murphyk/Papers/dbnchapter.pdf>.
- Murphy, K. and M. Paskin (2001). Linear time inference in hierarchical HMMs. In *Proc. 15th Conference on Neural Information Processing Systems (NIPS)*.
- Murphy, K. and Y. Weiss (2001). The factored frontier algorithm for approximate inference in DBNs. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Murphy, K. P. (1998). Inference and learning in hybrid Bayesian networks. Technical Report UCB/CSD-98-990, University of California, Berkeley.
- Murphy, K. P., Y. Weiss, and M. Jordan (1999). Loopy belief propagation for approximate inference: an empirical study. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 467–475.
- Murray, I. and Z. Ghahramani (2004). Bayesian learning in undirected graphical models: Approximate MCMC algorithms. In *Proc. 20th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Murray, I., Z. Ghahramani, and D. MacKay (2006). MCMC for doubly-intractable distributions. In *Proc. 22nd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Myers, J., K. Laskey, and T. Levitt (1999). Learning Bayesian networks from incomplete data with stochastic search algorithms. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 476–485.
- Narasimhan, M. and J. Bilmes (2004). PAC-learning bounded tree-width graphical models. In *Proc. 20th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Ndilikilikesha, P. (1994). Potential influence diagrams. *International Journal of Approximate Reasoning* 10, 251–85.
- Neal, R. (1996). Sampling from multimodal distributions using tempered transitions. *Statistics and Computing* 6, 353–366.
- Neal, R. (2001). Annealed importance sampling. *Statistics and Computing* 11(2), 25–139.
- Neal, R. (2003). Slice sampling. *Annals of Statistics* 31(3), 705–767.
- Neal, R. M. (1992). Asymmetric parallel Boltzmann machines are belief networks. *Neural Computation* 4(6), 832–834.
- Neal, R. M. (1993). Probabilistic inference using Markov chain Monte Carlo methods. Technical Report CRG-TR-93-1, University of Toronto.
- Neal, R. M. and G. E. Hinton (1998). A new view of the EM algorithm that justifies incremental and other variants. See Jordan (1998).
- Neapolitan, R. E. (2003). *Learning Bayesian Networks*. Prentice Hall.
- Ng, A. and M. Jordan (2000). Approximate inference algorithms for two-layer Bayesian networks. In *Proc. 14th Conference on Neural Information Processing Systems (NIPS)*.
- Ng, A. and M. Jordan (2002). On discriminative vs. generative classifiers: A comparison of logistic regression and naive Bayes. In *Proc. 16th Conference on Neural Information Processing Systems (NIPS)*.
- Ng, B., L. Peshkin, and A. Pfeffer (2002). Factored particles for scalable monitoring. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 370–377.
- Ngo, L. and P. Haddawy (1996). Answering queries from context-sensitive probabilistic knowledge bases. *Theoretical Computer Science*.
- Nielsen, J., T. Kočka, and J. M. Peña (2003). On local optima in learning Bayesian networks. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 435–442.

- Nielsen, T. and F. Jensen (1999). Welldefined decision scenarios. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 502–11.
- Nielsen, T. and F. Jensen (2000). Representing and solving asymmetric Bayesian decision problems. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 416–25.
- Nielsen, T., P.-H. Wuillemin, F. Jensen, and U. Kjærulff (2000). Using robdds for inference in Bayesian networks with troubleshooting as an example. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 426–35.
- Nilsson, D. (1998). An efficient algorithm for finding the M most probable configurations in probabilistic expert systems. *Statistics and Computing* 8(2), 159–173.
- Nilsson, D. and S. Lauritzen (2000). Evaluating influence diagrams with LIMIDs. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 436–445.
- Nodelman, U., C. R. Shelton, and D. Koller (2002). Continuous time Bayesian networks. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 378–387.
- Nodelman, U., C. R. Shelton, and D. Koller (2003). Learning continuous time Bayesian networks. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Norman, J., Y. Shahar, M. Kuppermann, and B. Gold (1998). Decision-theoretic analysis of prenatal testing strategies. Technical Report SMI-98-0711, Stanford University, Section on Medical Informatics.
- Normand, S.-L. and D. Tritchler (1992). Parameter updating in a Bayes network. *Journal of the American Statistical Association* 87, 1109–1115.
- Nummelin, E. (1984). *General Irreducible Markov Chains and Non-Negative Operators*. Cambridge University Press.
- Nummelin, E. (2002). Mc's for mcmc'ists. *International Statistical Review* 70(2), 215–240.
- Olesen, K. G., U. Kjærulff, F. Jensen, B. Falck, S. Andreassen, and S. Andersen (1989). A Munin network for the median nerve — A case study on loops. *Applied Artificial Intelligence* 3, 384–403.
- Oliver, R. M. and J. Q. Smith (Eds.) (1990). *Influence Diagrams, Belief Nets and Decision Analysis*. New York: John Wiley & Sons.
- Olmsted, S. (1983). *On Representing and Solving Influence Diagrams*. Ph.D. thesis, Stanford University.
- Opper, M. and O. Winther (2005). Expectation consistent free energies for approximate inference. In *Proc. 19th Conference on Neural Information Processing Systems (NIPS)*.
- Ortiz, L. and L. Kaelbling (1999). Accelerating em: An empirical study. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 512–521.
- Ortiz, L. E. and L. P. Kaelbling (2000). Adaptive importance sampling for estimation in structured domains. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 446–454.
- Osborne, M. and A. Rubinstein (1994). *A Course in Game Theory*. The MIT Press.
- Ostendorf, M., V. Digalakis, and O. Kimball (1996). From HMMs to segment models: A unified view of stochastic modeling for speech recognition. *IEEE Transactions on Speech and Audio Processing* 4(5), 360–378.
- Pakzad, P. and V. Anantharam (2002). Minimal graphical representation of Kikuchi regions. In *Proc. 40th Allerton Conference on Communication Control and Computing*, pp. 1585–1594.
- Papadimitriou, C. (1993). *Computational Complexity*. Addison Wesley.
- Parisi, G. (1988). *Statistical Field Theory*. Reading, Massachusetts: Addison-Wesley.
- Park, J. (2002). MAP complexity results and approximation methods. In *Proc. 18th Conference on*

- Uncertainty in Artificial Intelligence (UAI)*, pp. 388–396.
- Park, J. and A. Darwiche (2001). Approximating MAP using local search. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 403–410.
- Park, J. and A. Darwiche (2003). Solving MAP exactly using systematic search. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Park, J. and A. Darwiche (2004a). Complexity results and approximation strategies for MAP explanations. *Journal of Artificial Intelligence Research* 21, 101–133.
- Park, J. and A. Darwiche (2004b). A differential semantics for jointree algorithms. *Artificial Intelligence* 156, 197–216.
- Parter, S. (1961). The user of linear graphs in Gauss elimination. *SIAM Review* 3, 119–130.
- Paskin, M. (2003a). Sample propagation. In *Proc. 17th Conference on Neural Information Processing Systems (NIPS)*.
- Paskin, M. (2003b). Thin junction tree filters for simultaneous localization and mapping. In *Proc. 18th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 1157–1164.
- Pasula, H., B. Marthi, B. Milch, S. Russell, and I. Shpitser (2002). Identity uncertainty and citation matching. In *Proc. 16th Conference on Neural Information Processing Systems (NIPS)*, pp. 1401–1408.
- Pasula, H., S. Russell, M. Ostland, and Y. Ritov (1999). Tracking many objects with many sensors. In *Proc. 16th International Joint Conference on Artificial Intelligence (IJCAI)*.
- Patrick, D., J. Bush, and M. Chen (1973). Methods for measuring levels of well-being for a health status index. *Health Services Research* 8, 228–45.
- Pearl, J. (1986a). A constraint-propagation approach to probabilistic reasoning. In *Proc. 2nd Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 357–370.
- Pearl, J. (1986b). Fusion, propagation and structuring in belief networks. *Artificial Intelligence* 29(3), 241–88.
- Pearl, J. (1987). Evidential reasoning using stochastic simulation of causal models. *Artificial Intelligence* 32, 245–257.
- Pearl, J. (1988). *Probabilistic Reasoning in Intelligent Systems*. San Mateo, California: Morgan Kaufmann.
- Pearl, J. (1995). Causal diagrams for empirical research. *Biometrika* 82, 669–710.
- Pearl, J. (2000). *Causality: Models, Reasoning, and Inference*. Cambridge Univ. Press.
- Pearl, J. and R. Dechter (1996). Identifying independencies in causal graphs with feedback. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 420–26.
- Pearl, J. and A. Paz (1987). GRAPHOIDS: A graph-based logic for reasoning about relevance relations. In B. Du Boulay, D. Hogg, and L. Steels (Eds.), *Advances in Artificial Intelligence*, Volume 2, pp. 357–363. Amsterdam: North Holland.
- Pearl, J. and T. S. Verma (1991). A theory of inferred causation. In *Proc. Conference on Knowledge Representation and Reasoning (KR)*, pp. 441–452.
- Pe'er, D., A. Regev, G. Elidan, and N. Friedman (2001). Inferring subnetworks from perturbed expression profiles. *Bioinformatics* 17, S215–S224.
- Peng, Y. and J. Reggia (1986). Plausibility of diagnostic hypotheses. In *Proc. 2nd Conference on Artificial Intelligence (AAAI)*, pp. 140–45.
- Perkins, S., K. Lacker, and J. Theiler (2003, March). Grafting: Fast, incremental feature selection by gradient descent in function space. *Journal of Machine Learning Research* 3, 1333–1356.
- Peterson, C. and J. R. Anderson (1987). A mean field theory learning algorithm for neural

- networks. *Complex Systems 1*, 995–1019.
- Pfeffer, A., D. Koller, B. Milch, and K. Takusagawa (1999). SPOOK: A system for probabilistic object-oriented knowledge representation. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 541–550.
- Poh, K. and E. Horvitz (2003). Reasoning about the value of decision-model refinement: Methods and application. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 174–182.
- Poland, W. (1994). *Decision Analysis with Continuous and Discrete Variables: A Mixture Distribution Approach*. Ph.D. thesis, Department of Engineering-Economic Systems, Stanford University.
- Poole, D. (1989). Average-case analysis of a search algorithm for estimating prior and posterior probabilities in Bayesian networks with extreme probabilities. In *Proc. 13th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 606–612.
- Poole, D. (1993a). Probabilistic Horn abduction and Bayesian networks. *Artificial Intelligence 64*(1), 81–129.
- Poole, D. (1993b). The use of conflicts in searching Bayesian networks. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 359–367.
- Poole, D. and N. Zhang (2003). Exploiting causal independence in Bayesian network inference. *Journal of Artificial Intelligence Research 18*, 263–313.
- Poon, H. and P. Domingos (2007). Joint inference in information extraction. In *Proc. 23rd Conference on Artificial Intelligence (AAAI)*, pp. 913–918.
- Pradhan, M. and P. Dagum (1996). Optimal Monte Carlo estimation of belief network inference. In *Proc. 12th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 446–453.
- Pradhan, M., M. Henrion, G. Provan, B. Del Favero, and K. Huang (1996). The sensitivity of belief networks to imprecise probabilities: An experimental investigation. *Artificial Intelligence 85*, 363–97.
- Pradhan, M., G. M. Provan, B. Middleton, and M. Henrion (1994). Knowledge engineering for large belief networks. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 484–490.
- Puterman, M. L. (1994). *Markov Decision Processes: Discrete Stochastic Dynamic Programming*. John Wiley and Sons, New York.
- Qi, R., N. Zhang, and D. Poole (1994). Solving asymmetric decision problems with influence diagrams. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 491–497.
- Qi, Y., M. Szummer, and T. Minka (2005). Bayesian conditional random fields. In *Proc. 11th Workshop on Artificial Intelligence and Statistics*.
- Rabiner, L. R. (1989). A tutorial on Hidden Markov Models and selected applications in speech recognition. *Proceedings of the IEEE 77*(2), 257–286.
- Rabiner, L. R. and B. H. Juang (1986, January). An introduction to hidden Markov models. *IEEE ASSP Magazine*, 4–15.
- Ramsey, F. (1931). *The Foundations of Mathematics and other Logical Essays*. London: Kegan, Paul, Trench, Trubner & Co., New York: Harcourt, Brace and Company. edited by R.B. Braithwaite.
- Rasmussen, C. and C. Williams (2006). *Gaussian Processes for Machine Learning*. MIT Press.
- Rasmussen, C. E. (1999). The infinite gaussian mixture model. In *Proc. 13th Conference on Neural Information Processing Systems (NIPS)*, pp. 554–560.
- Ravikumar, P. and J. Lafferty (2006). Quadratic programming relaxations for metric labelling and Markov random field MAP estimation. In *Proc. 23rd International Conference on Machine*

- Learning (ICML).*
- Renooij, S. and L. van der Gaag (2002). From qualitative to quantitative probabilistic networks. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 422–429.
- Richardson, M. and P. Domingos (2006). Markov logic networks. *Machine Learning* 62, 107–136.
- Richardson, T. (1994). Properties of cyclic graphical models. Master's thesis, Carnegie Mellon University.
- Riezler, S. and A. Vasserman (2004). Incremental feature selection and  $l_1$  regularization for relaxed maximum-entropy modeling. In *Proc. Conference on Empirical Methods in Natural Language Processing (EMNLP)*.
- Ripley, B. D. (1987). *Stochastic Simulation*. New York: John Wiley & Sons.
- Rissanen, J. (1987). Stochastic complexity (with discussion). *Journal of the Royal Statistical Society, Series B* 49, 223–265.
- Ristic, B., S. Arulampalam, and N. Gordon (2004). *Beyond the Kalman Filter: Particle Filters for Tracking Applications*. Artech House Publishers.
- Robert, C. and G. Casella (1996). Rao-Blackwellisation of sampling schemes. *Biometrika* 83(1), 81–94.
- Robert, C. and G. Casella (2005). *Monte Carlo Statistical Methods* (2nd ed.). Springer Texts in Statistics.
- Robins, J. M. and L. A. Wasserman (1997). Estimation of effects of sequential treatments by reparameterizing directed acyclic graphs. In *Proc. 13th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 409–420.
- Rose, D. (1970). Triangulated graphs and the elimination process. *Journal of Mathematical Analysis and Applications* 32, 597–609.
- Ross, S. M. (1988). *A First Course in Probability* (third ed.). London: Macmillan.
- Rother, C., S. Kumar, V. Kolmogorov, and A. Blake (2005). Digital tapestry. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*.
- Rubin, D. (1974). Estimating causal effects of treatments in randomized and nonrandomized studies. *Journal of Educational Psychology* 66(5), 688–701.
- Rubin, D. R. (1976). Inference and missing data. *Biometrika* 63, 581–592.
- Rusmevichientong, P. and B. Van Roy (2001). An analysis of belief propagation on the turbo decoding graph with Gaussian densities. *IEEE Transactions on Information Theory* 48(2).
- Russell, S. and P. Norvig (2003). *Artificial Intelligence: A Modern Approach* (2 ed.). Prentice Hall.
- Rustagi, J. (1976). *Variational Methods in Statistics*. New York: Academic Press.
- Sachs, K., O. Perez, D. Pe'er, D. Lauffenburger, and G. Nolan (2005, April). Causal protein-signaling networks derived from multiparameter single-cell data. *Science* 308(5721), 523–529.
- Sakurai, J. J. (1985). *Modern Quantum Mechanics*. Reading, Massachusetts: Addison-Wesley.
- Santos, A. (1994). A linear constraint satisfaction approach to cost-based abduction. *Artificial Intelligence* 65(1), 1–28.
- Santos, E. (1991). On the generation of alternative explanations with implications for belief revision. In *Proc. 7th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 339–347.
- Saul, L., T. Jaakkola, and M. Jordan (1996). Mean field theory for sigmoid belief networks. *Journal of Artificial Intelligence Research* 4, 61–76.
- Saul, L. and M. Jordan (1999). Mixed memory Markov models: Decomposing complex stochastic processes as mixture of simpler ones. *Machine Learning* 37(1), 75–87.
- Saul, L. K. and M. I. Jordan (1996). Exploiting tractable substructures in intractable networks. In

*Proc. 10th Conference on Neural Information Processing Systems (NIPS).*

- Savage, L. (1951). The theory of statistical decision. *Journal of the American Statistical Association* 46, 55-67.
- Savage, L. J. (1954). *Foundations of Statistics*. New York: John Wiley & Sons.
- Schäffer, A. (1996). Faster linkage analysis computations for pedigrees with loops or unused alleles. *Human Heredity*, 226-235.
- Scharstein, D. and R. Szeliski (2003). High-accuracy stereo depth maps using structured light. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*, Volume 1, pp. 195-202.
- Schervish, M. (1995). *Theory of Statistics*. Springer-Verlag.
- Schlesinger, M. (1976). Sintaksicheskiy analiz dvumernykh zritelnykh signalov v usloviyakh pomekh (syntactic analysis of two-dimensional visual signals in noisy conditions). *Kibernetika* 4, 113-130.
- Schlesinger, M. and V. Giginyak (2007a). Solution to structural recognition (max,+)-problems by their equivalent transformations (part 1). *Control Systems and Computers* 1, 3-15.
- Schlesinger, M. and V. Giginyak (2007b). Solution to structural recognition (max,+)-problems by their equivalent transformations (part 2). *Control Systems and Computers* 2, 3-18.
- Schwarz, G. (1978). Estimating the dimension of a model. *The Annals of Statistics* 6(2), 461-464.
- Segal, E., D. Pe'er, A. Regev, D. Koller, and N. Friedman (2005, April). Learning module networks. *Journal of Machine Learning Research* 6, 557-588.
- Segal, E., B. Taskar, A. Gasch, N. Friedman, and D. Koller (2001). Rich probabilistic models for gene expression. *Bioinformatics* 17(Suppl 1), S243-52.
- Settimi, R. and J. Smith (2000). Geometry, moments and conditional independence trees with hidden variables. *Annals of Statistics*.
- Settimi, R. and J. Q. Smith (1998a). On the geometry of Bayesian graphical models with hidden variables. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 472-479.
- Settimi, R. and J. Q. Smith (1998b). On the geometry of Bayesian graphical models with hidden variables. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 472-479.
- Shachter, R. (1988, July-August). Probabilistic inference and influence diagrams. *Operations Research* 36, 589-605.
- Shachter, R. (1999). Efficient value of information computation. In *Proc. 15th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 594-601.
- Shachter, R., S. K. Andersen, and P. Szolovits (1994). Global conditioning for probabilistic inference in belief networks. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 514-522.
- Shachter, R. and D. Heckerman (1987). Thinking backwards for knowledge acquisition. *Artificial Intelligence Magazine* 8, 55 - 61.
- Shachter, R. and C. Kenley (1989). Gaussian influence diagrams. *Management Science* 35, 527-550.
- Shachter, R. and P. Ndilikilikesha (1993). Using influence diagrams for probabilistic inference and decision making. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 276-83.
- Shachter, R. D. (1986). Evaluating influence diagrams. *Operations Research* 34, 871-882.
- Shachter, R. D. (1989). Evidence absorption and propagation through evidence reversals. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 173-190.
- Shachter, R. D. (1998). Bayes-ball: The rational pastime. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 480-487.

- Shachter, R. D., B. D'Ambrosio, and B. A. Del Favero (1990). Symbolic probabilistic inference in belief networks. In *Proc. 6th Conference on Artificial Intelligence (AAAI)*, pp. 126–131.
- Shachter, R. D. and M. A. Peot (1989). Simulation approaches to general probabilistic inference on belief networks. In *Proc. 5th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 221–230.
- Shachter, R. D. and M. A. Peot (1992). Decision making using probabilistic inference methods. In *Proc. 8th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 276–83.
- Shafer, G. and J. Pearl (Eds.) (1990). *Readings in Uncertain Reasoning*. Representation and Reasoning. San Mateo, California: Morgan Kaufmann.
- Shafer, G. and P. Shenoy (1990). Probability propagation. *Annals of Mathematics and Artificial Intelligence* 2, 327–352.
- Shannon, C. (1948). A mathematical theory of communication. *Bell System Technical Journal* 27, 379–423; 623–656.
- Shawe-Taylor, J. and N. Cristianini (2000). *Support Vector Machines and other kernel-based learning methods*. Cambridge University Press.
- Shenoy, P. (1989). A valuation-based language for expert systems. *International Journal of Approximate Reasoning* 3, 383–411.
- Shenoy, P. (2000). Valuation network representation and solution of asymmetric decision problems. *European Journal of Operational Research* 121(3), 579–608.
- Shenoy, P. and G. Shafer (1990). Axioms for probability and belief-function propagation. In *Proc. 6th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 169–198.
- Shenoy, P. P. (1992). Valuation-based systems for Bayesian decision analysis. *Operations Research* 40, 463–484.
- Shental, N., A. Zomet, T. Hertz, and Y. Weiss (2003). Learning and inferring image segmentations using the GBP typical cut algorithm. In *Proc. International Conference on Computer Vision*.
- Shimony, S. (1991). Explanation, irrelevance and statistical independence. In *Proc. 7th Conference on Artificial Intelligence (AAAI)*.
- Shimony, S. (1994). Finding MAPs for belief networks in NP-hard. *Artificial Intelligence* 68(2), 399–410.
- Shoikhet, K. and D. Geiger (1997). A practical algorithm for finding optimal triangulations. In *Proc. 13th Conference on Artificial Intelligence (AAAI)*, pp. 185–190.
- Shwe, M. and G. Cooper (1991). An empirical analysis of likelihood-weighting simulation on a large, multiply connected medical belief network. *Computers and Biomedical Research* 24, 453–475.
- Shwe, M., B. Middleton, D. Heckerman, M. Henrion, E. Horvitz, H. Lehmann, and G. Cooper (1991). Probabilistic diagnosis using a reformulation of the INTERNIST-1/QMR knowledge base. I. The probabilistic model and inference algorithms. *Methods of Information in Medicine* 30, 241–55.
- Silander, T. and P. Myllymaki (2006). A simple approach for finding the globally optimal Bayesian network structure. In *Proc. 22nd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Singh, A. and A. Moore (2005). Finding optimal bayesian networks by dynamic programming. Technical report, Carnegie Mellon University.
- Sipser, M. (2005). *Introduction to the Theory of Computation* (Second ed.). Course Technology.
- Smith, A. and G. Roberts (1993). Bayesian computation via the Gibbs sampler and related Markov chain Monte Carlo methods. *Journal of the Royal Statistical Society, Series B* 55, 3–23.

- Smith, J. (1989). Influence diagrams for statistical modeling. *Annals of Statistics* 17(2), 654–72.
- Smith, J., S. Holtzman, and J. Matheson (1993). Structuring conditional relationships in influence diagrams. *Operations Research* 41(2), 280–297.
- Smyth, P., D. Heckerman, and M. Jordan (1997). Probabilistic independence networks for hidden Markov probability models. *Neural Computation* 9(2), 227–269.
- Sontag, D. and T. Jaakkola (2007). New outer bounds on the marginal polytope. In *Proc. 21st Conference on Neural Information Processing Systems (NIPS)*.
- Sontag, D., T. Meltzer, A. Globerson, T. Jaakkola, and Y. Weiss (2008). Tightening LP relaxations for MAP using message passing. In *Proc. 24th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Speed, T. and H. Kiiveri (1986). Gaussian Markov distributions over finite graphs. *The Annals of Statistics* 14(1), 138–150.
- Spetzler, C. and C.-A. von Holstein (1975). Probabilistic encoding in decision analysis. *Management Science*, 340–358.
- Spiegelhalter, D. and S. Lauritzen (1990). Sequential updating of conditional probabilities on directed graphical structures. *Networks* 20, 579–605.
- Spiegelhalter, D. J., A. P. Dawid, S. L. Lauritzen, and R. G. Cowell (1993). Bayesian analysis in expert systems. *Statistical Science* 8, 219–283.
- Spirtes, P. (1995). Directed cyclic graphical representations of feedback models. In *Proc. 11th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 491–98.
- Spirtes, P., C. Glymour, and R. Scheines (1991). An algorithm for fast recovery of sparse causal graphs. *Social Science Computer Review* 9, 62–72.
- Spirtes, P., C. Glymour, and R. Scheines (1993). *Causation, Prediction and Search*. Number 81 in Lecture Notes in Statistics. New York: Springer-Verlag.
- Spirtes, P., C. Meek, and T. Richardson (1999). An algorithm for causal inference in the presence of latent variables and selection bias. See Glymour and Cooper (1999), pp. 211–52.
- Srebro, N. (2001). Maximum likelihood bounded tree-width Markov networks. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Srinivas, S. (1993). A generalization of the noisy-or model. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 208–215.
- Srinivas, S. (1994). A probabilistic approach to hierarchical model-based diagnosis. In *Proc. 10th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Studený, M. and R. Bouckaert (1998). On chain graph models for description of conditional independence structures. *Annals of Statistics* 26.
- Sudderth, E., A. Ihler, W. Freeman, and A. Willsky (2003). Nonparametric belief propagation. In *Proc. Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 605–612.
- Sutton, C. and T. Minka (2006). Local training and belief propagation. Technical Report MSR-TR-2006-121, Microsoft Research.
- Sutton, C. and A. McCallum (2004). Collective segmentation and labeling of distant entities in information extraction. In *ICML Workshop on Statistical Relational Learning and Its Connections to Other Fields*.
- Sutton, C. and A. McCallum (2005). Piecewise training of undirected models. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Sutton, C. and A. McCallum (2007). An introduction to conditional random fields for relational learning. In L. Getoor and B. Taskar (Eds.), *Introduction to Statistical Relational Learning*. MIT



Press.

- Sutton, C., A. McCallum, and K. Rohanimanesh (2007, March). Dynamic conditional random fields: Factorized probabilistic models for labeling and segmenting sequence data. *Journal of Machine Learning Research* 8, 693–723.
- Suzuki, J. (1993). A construction of Bayesian networks from databases based on an MDL scheme. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 266–273.
- Swendsen, R. and J. Wang (1987). Nonuniversal critical dynamics in Monte Carlo simulations. *Physical Review Letters* 58(2), 86–88.
- Swendsen, R. H. and J.-S. Wang (1986, Nov). Replica Monte Carlo simulation of spin-glasses. *Physical Review Letters* 57(21), 2607–2609.
- Szeliski, R., R. Zabih, D. Scharstein, O. Veksler, V. Kolmogorov, A. Agarwala, M. Tappen, and C. Rother (2008, June). A comparative study of energy minimization methods for Markov random fields with smoothness-based priors. *IEEE Trans. on Pattern Analysis and Machine Intelligence* 30(6), 1068–1080. See <http://vision.middlebury.edu/MRF> for more detailed results.
- Szolovits, P. and S. Pauker (1992). Pedigree analysis for genetic counseling. In *Proceedings of the Seventh World Congress on Medical Informatics (MEDINFO '92)*, pp. 679–683. North-Holland.
- Tanner, M. A. (1993). *Tools for Statistical Inference*. New York: Springer-Verlag.
- Tarjan, R. and M. Yannakakis (1984). Simple linear-time algorithms to test chordality of graphs, test acyclicity of hypergraphs, and selectively reduce acyclic hypergraphs. *SIAM Journal of Computing* 13(3), 566–579.
- Taskar, B., P. Abbeel, and D. Koller (2002). Discriminative probabilistic models for relational data. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 485–492.
- Taskar, B., P. Abbeel, M.-F. Wong, and D. Koller (2007). Relational Markov networks. See Getoor and Taskar (2007).
- Taskar, B., V. Chatalbashev, and D. Koller (2004). Learning associative Markov networks. In *Proc. 21st International Conference on Machine Learning (ICML)*.
- Taskar, B., C. Guestrin, and D. Koller (2003). Max margin Markov networks. In *Proc. 17th Conference on Neural Information Processing Systems (NIPS)*.
- Tatikonda, S. and M. Jordan (2002). Loopy belief propagation and Gibbs measures. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Tatman, J. A. and R. D. Shachter (1990). Dynamic programming and influence diagrams. *IEEE Transactions on Systems, Man and Cybernetics* 20(2), 365–379.
- Teh, Y. and M. Welling (2001). The unified propagation and scaling algorithm. In *Proc. 15th Conference on Neural Information Processing Systems (NIPS)*.
- Teh, Y., M. Welling, S. Osindero, and G. Hinton (2003). Energy-based models for sparse over-complete representations. *Journal of Machine Learning Research* 4, 1235–1260. Special Issue on ICA.
- Teyssier, M. and D. Koller (2005). Ordering-based search: A simple and effective algorithm for learning bayesian networks. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 584–590.
- Thiele, T. (1880). *Sur la compensation de quelques erreurs quasisystematiques par la methode des moindres carrees*. Copenhagen: Reitzel.
- Thiesson, B. (1995). Accelerated quantification of Bayesian networks with incomplete data. In *Proceedings of the First International Conference on Knowledge Discovery and Data Mining (KDD-*

- 95), pp. 306–311. AAAI Press.
- Thiesson, B., C. Meek, D. M. Chickering, and D. Heckerman (1998). Learning mixtures of Bayesian networks. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Thomas, A., D. Spiegelhalter, and W. Gilks (1992). BUGS: A program to perform Bayesian inference using Gibbs sampling. In J. Bernardo, J. Berger, A. Dawid, and A. Smith (Eds.), *Bayesian Statistics 4*, pp. 837–842. Oxford, UK: Clarendon Press.
- Thrun, S., W. Burgard, and D. Fox (2005). *Probabilistic Robotics*. Cambridge, MA: MIT Press.
- Thrun, S., D. Fox, W. Burgard, and F. Dellaert (2000). Robust Monte Carlo localization for mobile robots. *Artificial Intelligence* 128(1–2), 99–141.
- Thrun, S., Y. Liu, D. Koller, A. Ng, Z. Ghahramani, and H. Durrant-Whyte (2004). Simultaneous localization and mapping with sparse extended information filters. *International Journal of Robotics Research* 23(7/8).
- Thrun, S., C. Martin, Y. Liu, D. Hähnel, R. Emery-Montemerlo, D. Chakrabarti, and W. Burgard (2004). A real-time expectation maximization algorithm for acquiring multi-planar maps of indoor environments with mobile robots. *IEEE Transactions on Robotics* 20(3), 433–443.
- Thrun, S., M. Montemerlo, D. Koller, B. Wegbreit, J. Nieto, and E. Nebot (2004). FastSLAM: An efficient solution to the simultaneous localization and mapping problem with unknown data association. *Journal of Machine Learning Research*.
- Tian, J. and J. Pearl (2002). On the testable implications of causal models with hidden variables. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 519–527.
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B* 58(1), 267–288.
- Tierney, L. (1994). Markov chains for exploring posterior distributions. *Annals of Statistics* 22(4), 1701–1728.
- Tong, S. and D. Koller (2001a). Active learning for parameter estimation in Bayesian networks. In *Proc. 15th Conference on Neural Information Processing Systems (NIPS)*, pp. 647–653.
- Tong, S. and D. Koller (2001b). Active learning for structure in Bayesian networks. In *Proc. 17th International Joint Conference on Artificial Intelligence (IJCAI)*, pp. 863–869.
- Torrance, G., W. Thomas, and D. Sackett (1972). A utility maximization model for evaluation of health care programs. *Health Services Research* 7, 118–133.
- Tsochantaridis, I., T. Hofmann, T. Joachims, and Y. Altun (2004). Support vector machine learning for interdependent and structured output spaces. In *Proc. 21st International Conference on Machine Learning (ICML)*.
- Tversky, A. and D. Kahneman (1974). Judgment under uncertainty: Heuristics and biases. *Science* 185, 1124–1131.
- van der Merwe, R., A. Doucet, N. de Freitas, and E. Wan (2000a, Aug.). The unscented particle filter. Technical Report CUED/F-INFENG/TR 380, Cambridge University Engineering Department.
- van der Merwe, R., A. Doucet, N. de Freitas, and E. Wan (2000b). The unscented particle filter. In *Proc. 14th Conference on Neural Information Processing Systems (NIPS)*.
- Varga, R. (2000). *Matrix Iterative Analysis*. Springer-Verlag.
- Verma, T. (1988). Causal networks: Semantics and expressiveness. In *Proc. 4th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 352–359.
- Verma, T. and J. Pearl (1988). Causal networks: Semantics and expressiveness. In *Proc. 4th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 69–76.

- Verma, T. and J. Pearl (1990). Equivalence and synthesis of causal models. In *Proc. 6th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 255–269.
- Verma, T. and J. Pearl (1992). An algorithm for deciding if a set of observed independencies has a causal explanation. In *Proc. 8th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 323–330.
- Vickrey, D. and D. Koller (2002). Multi-agent algorithms for solving graphical games. In *Proceedings of the Eighteenth National Conference on Artificial Intelligence (AAAI-02)*, pp. 345–351.
- Vishwanathan, S., N. Schraudolph, M. Schmidt, and K. Murphy (2006). Accelerated training of conditional random fields with stochastic gradient methods. In *Proc. 23rd International Conference on Machine Learning (ICML)*, pp. 969–976.
- Viterbi, A. (1967, April). Error bounds for convolutional codes and an asymptotically optimum decoding algorithm. *IEEE Transactions on Information Theory* 13(2), 260–269.
- von Neumann, J. and O. Morgenstern (1944). *Theory of games and economic behavior* (first ed.). Princeton, NJ: Princeton Univ. Press.
- von Neumann, J. and O. Morgenstern (1947). *Theory of games and economic behavior* (second ed.). Princeton, NJ: Princeton Univ. Press.
- von Winterfeldt, D. and W. Edwards (1986). *Decision Analysis and Behavioral Research*. Cambridge, UK: Cambridge University Press.
- Vorobev, N. (1962). Consistent families of measures and their extensions. *Theory of Probability and Applications* 7, 147–63.
- Wainwright, M. (2006). Estimating the “wrong” graphical model: Benefits in the computation-limited setting. *Journal of Machine Learning Research* 7, 1829–1859.
- Wainwright, M., T. Jaakkola, and A. Willsky (2003a). Tree-based reparameterization framework for analysis of sum-product and related algorithms. *IEEE Transactions on Information Theory* 49(5).
- Wainwright, M., T. Jaakkola, and A. Willsky (2003b). Tree-reweighted belief propagation and approximate ML estimation by pseudo-moment matching. In *Proc. 9th Workshop on Artificial Intelligence and Statistics*.
- Wainwright, M., T. Jaakkola, and A. Willsky (2004, April). Tree consistency and bounds on the performance of the max-product algorithm and its generalizations. *Statistics and Computing* 14, 143–166.
- Wainwright, M., T. Jaakkola, and A. Willsky (2005). MAP estimation via agreement on trees: Message-passing and linear programming. *IEEE Transactions on Information Theory*.
- Wainwright, M., T. Jaakkola, and A. S. Willsky (2001). Tree-based reparameterization for approximate estimation on loopy graphs. In *Proc. 15th Conference on Neural Information Processing Systems (NIPS)*.
- Wainwright, M., T. Jaakkola, and A. S. Willsky (2002a). Exact map estimates by (hyper)tree agreement. In *Proc. 16th Conference on Neural Information Processing Systems (NIPS)*.
- Wainwright, M., T. Jaakkola, and A. S. Willsky (2002b). A new class of upper bounds on the log partition function. In *Proc. 18th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Wainwright, M. and M. Jordan (2003). Graphical models, exponential families, and variational inference. Technical Report 649, Department of Statistics, University of California, Berkeley.
- Wainwright, M. and M. Jordan (2004). Semidefinite relaxations for approximate inference on graphs with cycles. In *Proc. 18th Conference on Neural Information Processing Systems (NIPS)*.
- Wainwright, M., P. Ravikumar, and J. Lafferty (2006). High-dimensional graphical model selection using  $\ell_1$ -regularized logistic regression. In *Proc. 20th Conference on Neural Information*

*Processing Systems (NIPS)*.

- Warner, H., A. Toronto, L. Veasey, and R. Stephenson (1961). A mathematical approach to medical diagnosis — application to congenital heart disease. *Journal of the American Medical Association* 177, 177–184.
- Weiss, Y. (1996). Interpreting images by propagating bayesian beliefs. In *Proc. 10th Conference on Neural Information Processing Systems (NIPS)*, pp. 908–914.
- Weiss, Y. (2000). Correctness of local probability propagation in graphical models with loops. *Neural Computation* 12, 1–41.
- Weiss, Y. (2001). Comparing the mean field method and belief propagation for approximate inference in MRFs. In M. Opper and D. Saad (Eds.), *Advanced mean field methods*, pp. 229–240. Cambridge, Massachusetts: MIT Press.
- Weiss, Y. and W. Freeman (2001a). Correctness of belief propagation in Gaussian graphical models of arbitrary topology. *Neural Computation* 13.
- Weiss, Y. and W. Freeman (2001b). On the optimality of solutions of the max-product belief propagation algorithm in arbitrary graphs. *IEEE Transactions on Information Theory* 47(2), 723–735.
- Weiss, Y., C. Yanover, and T. Meltzer (2007). MAP estimation, linear programming and belief propagation with convex free energies. In *Proc. 23rd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Welling, M. (2004). On the choice of regions for generalized belief propagation. In *Proc. 20th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Welling, M., T. Minka, and Y. Teh (2005). Structured region graphs: Morphing EP into GBP. In *Proc. 21st Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Welling, M. and S. Parise (2006a). Bayesian random fields: The Bethe-Laplace approximation. In *Proc. 22nd Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Welling, M. and S. Parise (2006b). Structure learning in Markov random fields. In *Proc. 20th Conference on Neural Information Processing Systems (NIPS)*.
- Welling, M. and Y.-W. Teh (2001). Belief optimization for binary networks: a stable alternative to loopy belief propagation. In *Proc. 17th Conference on Uncertainty in Artificial Intelligence (UAI)*.
- Wellman, M. (1985). Reasoning about preference models. Technical Report MIT/LCS/TR-340, Laboratory for Computer Science, MIT.
- Wellman, M., J. Breese, and R. Goldman (1992). From knowledge bases to decision models. *Knowledge Engineering Review* 7(1), 35–53.
- Wellman, M. and J. Doyle (1992). Modular utility representation for decision-theoretic planning. In *Proce. First International Conference on AI Planning Systems*, pp. 236–42. Morgan Kaufmann.
- Wellman, M. P. (1990). Fundamental concepts of qualitative probabilistic networks. *Artificial Intelligence* 44, 257–303.
- Wellner, B., A. McCallum, F. Peng, and M. Hay (2004). An integrated, conditional model of information extraction and coreference with application to citation matching. In *Proc. 20th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 593–601.
- Wermuth, N. (1980). Linear recursive equations, covariance selection and path analysis. *Journal of the American Statistical Association* 75, 963–975.
- Werner, T. (2007). A linear programming approach to max-sum problem: A review. *IEEE Trans. on Pattern Analysis and Machine Intelligence* 29(7), 1165–1179.
- West, M. (1993). Mixture models, Monte Carlo, Bayesian updating and dynamic models. *Comput-*

- ing Science and Statistics* 24, 325–333.
- Whittaker, J. (1990). *Graphical Models in Applied Multivariate Statistics*. Chichester, United Kingdom: John Wiley and Sons.
- Wiegerinck, W. (2000). Variational approximations between mean field theory and the junction tree algorithm. In *Proc. 16th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 626–636.
- Wold, H. (1954). Causality and econometrics. *Econometrica* 22, 162–177.
- Wood, F., T. Griffiths, and Z. Ghahramani (2006). A non-parametric bayesian method for inferring hidden causes. In *Proc. 22nd Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 536–543.
- Wright, S. (1921). Correlation and causation. *Journal of Agricultural Research* 20, 557–85.
- Wright, S. (1934). The method of path coefficients. *Annals of Mathematical Statistics* 5, 161–215.
- Xing, E., M. Jordan, and S. Russell (2003). A generalized mean field algorithm for variational inference in exponential families. In *Proc. 19th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 583–591.
- Yanover, C., T. Meltzer, and Y. Weiss (2006, September). Linear programming relaxations and belief propagation — an empirical study. *Journal of Machine Learning Research* 7, 1887–1907.
- Yanover, C., O. Schueler-Furman, and Y. Weiss (2007). Minimizing and learning energy functions for side-chain prediction. In *Proc. International Conference on Research in Computational Molecular Biology (RECOMB)*, pp. 381–395.
- Yanover, C. and Y. Weiss (2003). Finding the M most probable configurations using loopy belief propagation. In *Proc. 17th Conference on Neural Information Processing Systems (NIPS)*.
- Yedidia, J., W. Freeman, and Y. Weiss (2005). Constructing free-energy approximations and generalized belief propagation algorithms. *IEEE Trans. Information Theory* 51, 2282–2312.
- Yedidia, J. S., W. T. Freeman, and Y. Weiss (2000). Generalized belief propagation. In *Proc. 14th Conference on Neural Information Processing Systems (NIPS)*, pp. 689–695.
- York, J. (1992). Use of the Gibbs sampler in expert systems. *Artificial Intelligence* 56, 115–130.
- Yuille, A. L. (2002). CCCP algorithms to minimize the Bethe and Kikuchi free energies: Convergent alternatives to belief propagation. *Neural Computation* 14, 1691–1722.
- Zhang, N. (1998). Probabilistic inference in influence diagrams. In *Proc. 14th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 514–522.
- Zhang, N. and D. Poole (1994). A simple approach to Bayesian network computations. In *Proceedings of the 10th Biennial Canadian Artificial Intelligence Conference*, pp. 171–178.
- Zhang, N. and D. Poole (1996). Exploiting contextual independence in probabilistic inference. *Journal of Artificial Intelligence Research* 5, 301–328.
- Zhang, N., R. Qi, and D. Poole (1993). Incremental computation of the value of perfect information in stepwise-decomposable influence diagrams. In *Proc. 9th Conference on Uncertainty in Artificial Intelligence (UAI)*, pp. 400–407.
- Zhang, N. L. (2004). Hierarchical latent class models for cluster analysis. *Journal of Machine Learning Research* 5, 697–723.
- Zoeter, O. and T. Heskes (2006). Deterministic approximate inference techniques for conditionally Gaussian state space models. *Statistical Computing* 16, 279–292.
- Zweig, G. and S. J. Russell (1998). Speech recognition with dynamic Bayesian networks. In *Proc. 14th Conference on Artificial Intelligence (AAAI)*, pp. 173–180.