

LITERATURA K 1. KAPITOLE

- [1] BRONOWSKI,J.: Vzestup člověka. Praha, Odeon 1985, 446 s.
- [2] HUMMEL,R.E.: Understanding Materials Science: History, Properties, Applications. New York, Springer-Verlag 1998, 407 p.
- [3] BÖTTGER,W.: Kultura ve staré Číně. Praha, Panorama 1984, 223 s.
- [4] JOHNSON,P.: Nepřátelé společnosti. Řevnice, Rozmluvy 1999, 242 s.
- [5] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.
- [6] VASILČENKO,G.S. - KOŠELEV,P.F.: Praktičeskoje primenenije mechaniky razrušeniya dlja ocenki pročnosti konstrukcij. Moskva, Izdatel'stvo Nauka 1974, 148 s.
- [7] SMITH,R.A.: Fatigue Crack Growth. Oxford, Pergamon Press 1986, 146 p.
- [8] KUSUMOTO,S. - UCHIDA,T. - KIMURA,N. - OCHI,T.: Effect of Test Conditions on the Fracture Toughness of Fresh-Water Ice. In: Fracture Mechanics. Current Japanese Materials Research – Vol. 8. Eds. H.Okamura, and K.Ogura. London and New York, Elsevier Appl. Sci. 1991, pp.43-63.
- [9] TAIT,R.B. - GARRETT,G.G.: Fracture and Fracture Mechanics. Case Studies. (Proc. 2<sup>nd</sup> Nat. Conf. on Fracture.) 1<sup>st</sup> Ed. Oxford, Pergamon Press 1985, 343 p.
- [10] Anon.: Fracture Costs US Industry \$ 119 000 Million Every Year. Int. J. Fatigue, 5, 1983, No.3, p.176.

LITERATURA K 2. KAPITOLE

- [1] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Fraktografická analýza únavových lomů náhodně zatěžovaných tyčí z oceli 11 600. (Výzkumná zpráva V-KMAT-106/82.) Praha, ČVUT-FJFI-KMAT 1982, 35 s.
- [2] WHITESON,B.V. - PHILLIPS,A. - KERLINS,V.: Electron Fractographic Techniques. In: Techniques of Metals Research. Ed. R.F.Bunshah, Vol. II, New York, Interscience Publishers 1968, pp.445-497.
- [3] KARLÍK,M. - SIEGL,J. - KRATOCHVÍL,P. - HAUŠILD,P.: Mechanical Properties and Fracture of an Intermetallic Alloy Fe-28Al-4Cr-0.1Ce (at.%). Acta Polytechnica – Journal of Advanced Engineering, 2000, No.4 (to be published).
- [4] KUNZ,J. - NEDBAL,I.: Výsledky orientační fraktografické analýzy lomových ploch litých vzorků ze slitin typu Fe-Cr-Ti. (Výzkumná zpráva V-KMAT-65/79.) Praha, ČVUT-FJFI-KMAT 1979, 27 s.
- [5] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.

## LITERATURA KE 3. KAPITOLE

- [1] DVOŘÁK, J.: Základy teoretické pružnosti. (Skripta ČVUT-FTJF.) Praha, SNTL 1965, 130 s.
- [2] OLIVA, V.: Aplikovaná mechanika kontinua I. Elastomechanika. (Skripta ČVUT-FJFI.) Praha, ES ČVUT 1982, 175 s.
- [3] FENNER, R.T.: Engineering Elasticity. Application of Numerical and Analytical Techniques. Chichester, Ellis Horwood Limited 1986, 434 p.
- [4] HERTZBERG, R.W.: Deformation and Fracture Mechanics of Engineering Materials. 2nd Ed. New York, John Wiley and Sons 1983, 700 p.
- [5] FÜRBAACHER, I. - MACEK, K. - STEIDL, J. a kol.: Lexikon technických materiálů. Praha, Verlag Dashöfer 1998.
- [6] NEUBER, H.: Kerbspannungslehre. 1. Auflage. Berlin-Heidelberg, Springer-Verlag 1937. 2. Auflage. Berlin-Heidelberg, Springer-Verlag 1958. 3. völlig neubearbeitete und erweiterte Auflage. Berlin, Akademie-Verlag 1985. Anglický překlad: Theory of Notch Stresses. London, J.W. Edwards 1946. Ruský překlad: Koncentracija naprjaženij. Moskva, Gostechizdat 1947.
- [7] SCHIJVE, J.: Stress Gradients around Notches. Fatigue Engng Mater. Struct., 3, 1980, No.4, pp.325-338.
- [8] HERTEL, H.: Ermüdungsfestigkeit der Konstruktionen. Berlin-Heidelberg-New York, Springer-Verlag 1969, 660 s.
- [9] MAREK, P.: Vybrané stati z ocelových konstrukcí. (Aplikace mechaniky lomu.) III. díl. (Skripta ČVUT-FS.) Praha, Vydavatelství ČVUT 1973, 104 s.
- [10] NODA, N. - NISITANI, H.: Stress Concentration of a Strip with a Single Edge Notch. Engng Fracture Mech., 28, 1987, No.2, pp.223-238.
- [11] NISITANI, H. - NODA, N.: Stress Concentration of a Strip with Double Edge Notches under Tension or In-Plane Bending. Engng Fracture Mech., 23; 1986, No.6, pp.1051-1065.
- [12] SHIN, C.S. - SMITH, R.A.: Fatigue Crack Growth from Sharp Notches. Int. J. Fatigue, 7, 1985, No.2, pp.87-93.
- [13] SCHIJVE, J.: A Brief Note on the Estimation of Stress Concentration Factors of Sharp Notches. (Technical Note.) Int. J. Fatigue, 8, 1986, No.2, pp.95-97.
- [14] MAUGIS, D.: Stresse and Displacements around Cracks and Elliptical Cavities: Exact Solutions. Engng Fracture Mech., 43, 1992, No.2, pp.217-255.
- [15] BĚŤÁK, V.: Diagramy tvarových činitelů k výpočtu koncentrace napětí strojních částí a konstrukcí. Technické příručky sv.1. Praha - Běchovice, SVÚSS 1975.
- [16] PETERSON, R.E.: Stress Concentration Factors. New York, John Wiley and Sons 1974. Ruský překlad: Koefficienty koncentracii naprjaženij. Moskva, Izdatelstvo Mir 1977, 304 s.
- [17] TIMOSHENKO, S. - GOODIER, J.N.: Theory of Elasticity. 2nd Ed. New York, McGraw-Hill 1951.

- [18] GLINKA,G. - NEWPORT,A.: Universal Features of Elastic Notch - Tip Stress Fields. Int. J. Fatigue, 9, 1987, No.3, pp.143-150.
- [19] BROEK,D.: The Practical Use of Fracture Mechanics. Dordrecht, Kluwer Academic Publishers 1988, 600 p.
- [20] MUSCHELIŠVILI,N.I.: Někotoryje osnovnyje zadači matěmatičeskoj teorii uprugosti. Moskva, Izdatatělstvo Nauka 1966. Anglický překlad: Some Basic Problems of Mathematical Theory of Elasticity. Groningen, P. Nordhoff and Co. 1953.
- [21] OWEN,D.R.J. - FAWKES,A.J.: Engineering Fracture Mechanics. Numerical Methods and Applications. Swansea, Pineridge Press Ltd. 1983, 305 p.
- [22] WESTERGAARD,H.M.: Bearing Pressures and Cracks. Trans. ASME, J. Appl. Mech., 6, 1939, No.2, pp. A49-A53.
- [23] SIH,G.C.: On the Westergaard Method of Crack Analysis. Int. J. Fracture Mech., 2, 1966, pp.628-631.
- [24] EFTIS,J. - LIEBOWITZ,H.: On the Modified Westergaard Equations for Certain Plane Crack Problems. Int. J. Fracture Mech., 8, 1972, pp.383-392.
- [25] KNOTT,J.F.: Fundamentals of Fracture Mechanics. London, Butterworth 1973, 267 p.
- [26] SMITH,R.A.: On the Short Crack Limitations of Fracture Mechanics. Int. J. Fracture, 13, 1977, No.5, pp.717-720.

#### 4. DEFINICE MEZNÍHO STAVU A VÝBĚR PARAMETRU CHARAKTERIZUJÍCÍHO LOMOVÝ PROCES

---

### LITERATURA KE 4. KAPITOLE

- [1] ONDRÁČEK,E. - FARLÍK,A.: Mezní stavy v pevnostních výpočtech. Praha, SNTL 1973, 313 s.
- [2] ČSN O1 0102. Názvosloví spolehlivosti v technice. 1979.
- [3] KROUPA,F.: Lomová mechanika. Čs. čas. fyz., A 28, 1978, č.2, s.101-123.

## LITERATURA K 5. KAPITOLE

- [1] KNOTT,J.F.: Fundamentals of Fracture Mechanics. London, Butterworth 1973, 267 p.
- [2] ZEMÁNKOVÁ,J.: Technická mechanika I. Úvod do lomové mechaniky. (Skripta ČVUT-FJFI.) Praha, ES ČVUT 1981, 123 s.
- [3] SIH,G.C.. Handbook of Stress Intensity Factors. Bethlehem, PA., Lehigh University 1973.
- [4] OWEN,D.R.J. - FAWKES,A.J.: Engineering Fracture Mechanics. Numerical Methods and Applications. Swansea, Pineridge Press Ltd. 1983, 305 p.
- [5] CHAN,S.K. - TUBA,I.S. - WILSON,W.K.: On the Finite Element Method in Linear Fracture Mechanics. Engng Fracture Mech., 2, 1970, No.1 pp.1-17.
- [6] TRACEY,D.M.: Finite Elements for Determination of Crack Tip Elastic Stress Intensity Factors. Engng Fracture Mech., 3, 1971, No.3, pp.255-265.
- [7] CARPENTER,W.C.: Extrapolation Techniques for Determining Stress Intensity Factors. Engng Fracture Mech., 18, 1983, No.2, pp.325-332.
- [8] WALSH,P.F.: Linear Fracture Mechanics Solutions for Zero and Right Angle Notches. CSIRO Aust. Div. Bldg Res. Tech. Pap. (Second Series), 1974, No.2, pp.1-16.
- [9] KNĚSL,Z.: Stanovení hodnot faktoru intenzity napětí při kombinovaném namáhání pomocí hnací síly trhliny. Strojírnoství, 38, 1988, č.3, s.163-166.
- [10] SUBRAMANIAN,A. - CHANDRA,R. - MURTHY,M.V.V. - RAO,A.K.: Photoelastic Determination of Stress Intensity Factors in Patched Cracked Plates. Engng Fracture Mech., 18, 1983, No.2, pp.305-313.
- [11] OLADIMEJI,M.K.: Photoelastic Analysis of Practical Mode I Fracture Test Specimens. Engng Fracture Mech., 19, 1984, No.4, pp.717-738.
- [12] MURTHY,N.S. - RAO,P.R.: Photoelastic Parametric Studies of Mode I Stress Intensity Factors. Engng Fracture Mech., 22, 1985, No.3, pp.527-532.
- [13] WANG,W.CH. - CHEN,T.L.: Half-Fringe Photoelastic Determination of Opening Mode Stress Intensity Factor for Edge Cracked Strips. Engng Fracture Mech., 32, 1989, No.1, pp.111-122.
- [14] KAZEMI,A.D.A. - MURTHY,N.S.: Stress Intensity Factor Determination of Radially Cracked Circular Rings Subjected to Tension Using Photoelastic Technique. Engng Fracture Mech., 32, 1989, No.3, pp.403-408.
- [15] JAYARAMA RAO,G. - NARAYANAN,R.: Photoelastic Analysis of Mode I Stress Intensity Factor by Two-Parameter Method. Engng Fracture Mech., 33, 1989, No.5, pp.733-744.
- [16] SHUKLA,A. - AGARWAL,B.D. - BHUSHAH,B.: Determination of Stress Intensity Factor in Orthotropic Composite Materials Using Strain Gages. Engng Fracture Mech., 32, 1989, No.3, pp.469-477.
- [17] MIYAKE,S. - NAWA,Y. - KONDO,Y. - ENDO,T.: Application of the "K-Gage" to Aircraft Structural Testing. In: Aeronautical Fatigue in the Electronic Era (Proc. 15<sup>th</sup> ICAF, Jerusalem). Ed. A.Berkovits. Cradley Heath, EMAS 1989, pp.369-394.
- [18] KONDO,Y.: Stress Intensity Factor Measurement under Service Conditions Using the "K-gauge". In: Fracture Mechanics. Current Japanese Materials Research – Vol.8. Eds.

- H.Okamura, and K.Ogura. London and New York, Elsevier Appl. Sci. 1991, pp.255-267.
- [19] KUANG,J.H. - CHEN,L.S.: A Single Strain Gage Method for  $K_I$  Measurement. Technical Note. Engng Fracture Mech., 51, 1995, No.5, pp.871-878.
- [20] SOMMER,E.: Experimental Methods for the Determination of Stress Intensity Factors under Various Loading Conditions. In: Prospects of Fracture Mechanics. Ed. Sih, Elst and Broek. Leyden, Noordhoff Intern. Publ. 1974, pp.593-607.
- [21] HUNG,P.-CH. - VOLOSHIN,A.S.: Experimental Determination of Stress Intensity Factors for Plane Strain and Plane Stress. In: Recent Advanced in Experimental Mechanics. Eds. S.Gomes et al. Rotterdam, Balkema 1994, pp.263-267.
- [22] HADRBOLETZ,A. - CHEN,D.L. - WEISS,B. - STICKLER,R.: Experimental K-calibration of Elliptical Surface Cracks Under Bending. Engng Fracture Mech., 44, 1993, No.3, pp.437-448.
- [23] HADRBOLETZ,A. - CHEN,D.L. - WEISS,B. - STICKLER,R.: Experimental K-calibration for Surface Flaws Under Bending for Different Materials and Stress Ratios. Engng Fracture Mech., 49, 1994, No.3, pp.473-485.
- [24] SCHIJVE,J.: Comparison between Empirical and Calculated Stress Intensity Factors of Hole Edge Cracks. Engng Fracture Mech., 22, 1985, No.1, pp.49-58.
- [25] RŮŽEK,R.: Tvarová funkce pro výpočet součinitele intenzity napětí v tělese s jednostrannou okrajovou trhlinou uchyceném v pevných čelistech zkušebního stroje AMSLER (Výzkumná zpráva). Praha, VZLÚ 1991, 52 s.
- [26] TADA,H. - PARIS,P. - IRWIN,G.: The Stress Analysis of Crack Handbook. Hellertown, PA., Del Research Co. 1973.
- [27] ROOKE,D.P. - CARTWRIGHT,D.J. Compendium of Stress Intensity Factors. London, Her Majesty's Stationery Office 1976.
- [28] MURAKAMI,Y.: Stress Intensity Factors Handbook. Oxford, Pergamon Press 1987, 1456 p.
- [29] ASTM Standard E 647-91. Standard Test Method for Measurement of Fatigue Crack Growth Rates. 1991. In: Annual Book of ASTM Standards, pp.654-681.
- [30] ISIDA,M.: Effect of Width and Length on Stress Intensity Factors of Internally Cracked Plates under Various Boundary Conditions. Int. J. Fracture Mech., 7, 1971, No.3, pp.301-316.
- [31] KARLSSON,A. - BÄKLUND,J.: Summary of SIF Design Graphs for Cracks Emanating from Circular Holes. Int. Journ.of Fracture, 14, 1978, No.6, pp.585-596.
- [32] WAN,K.C. - CHEN,G.S. - GAO,M. - WEI,R.P.: On the Conventional  $K$  Calibration Equations for Single-Edge-Cracked Tension Specimens. Technical Note. Engng Fracture Mech., 54, 1996, No.2, pp.301-305.
- [33] HARRIS,D.O.: Stress Intensity Factors for Hollow Circumferentially Notched Round Bars. J. Bas. Engng, Trans. ASME, Series D, B9, 1967, No.1, pp.49-54.
- [34] PERL,M. - ORE,E.: Effect of Geometry and Poisson Ratio on Stress-Intensity Factors in a SEN Specimen under Fixed-Grip Conditions. Engng Fracture Mech., 23, 1986, No.5, pp.843-849.

- [35] SHMUELY, M. - PERL, M.: The SMF2D Code for Proper Simulation of Crack Propagation. Crack Arrest Methodology and Applications, ASTM STP 711. ASTM 1980, pp.54-69.
- [36] TORVIK, P.J.: On the Determination of Stresses, Displacements, and Stress-Intensity Factors in Edge-Cracked Sheets with Mixed Boundary Conditions. Trans. ASME, J. Appl. Mech., 46, 1979, Sept., pp.611-617.
- [37] MARCHAND, N. - PARKS, D.M. - PELLOUX, R.M.:  $K_I$ -Solutions for Single Edge Notch Specimens under Fixed End Displacements. Int. J. Fracture, 31, 1986, pp.53-65.
- [38] NALLATHAMBI, P. - KARIHALOO, B.L.: Stress Intensity Factor and Energy Release Rate for Three-Point Bend Specimens. Engng Fracture Mech., 25, 1986, No.3, pp.315-321.
- [39] WOOD, H.A. - ENGLE, R.M.Jr.. USAF Damage Tolerant Design Handbook. Guidelines for the Analysis and Design of Damage Tolerant Aircraft. (Technical Report AFFDL-TR-79-3021.) Air Force Flight Dynamic Laboratory (AFFDL/FBE), Wright Patterson AFB, Ohio 45433, 1979.
- [40] KUNZ, J. - SIEGL, J. - NEDBAL, I.: Sledování vlivu materiálových a geometrických faktorů na hodnotu lomové houževnatosti oceli jakosti R7T. (Výzkumná zpráva V-KMAT-379/93.) Praha, ČVUT-FJFI-KMAT 1993, 30 s.
- [41] HERTZBERG, R.W.: Deformation and Fracture Mechanics of Engineering Materials. 2nd Ed. New York, John Wiley and Sons 1983, 700 p.
- [42] BROWN, K.R.: Factors Influencing the Fracture Toughness of High Strength Aluminium Alloys. In: Strength of Metals and Alloys. (Proc. ICSMA 6, Melbourne.) Ed. R.C.Gifkins, Vol.3, Oxford, Pergamon Press 1982, pp.765-771.
- [43] KAUFMAN, J.G. - NELSON, F.G. - WYGONIK, R.H.: Large Scale Fracture Toughness Tests of Thick 5083-0 Plate and 5183 Welded Panels at Room Temperature, -260 and -320°F. Fatigue and Fracture Toughness – Cryogenic Behavior. ASTM STP 556. ASTM 1974, pp.125-158.
- [44] FUCHS, H.O. - STEPHENS, R.I.: Metal Fatigue in Engineering. 1<sup>st</sup> Ed. New York, John Wiley and Sons 1980, 318 p.
- [45] WALLIN, K.: The Size Effect in  $K_{Ic}$  Results. Engng Fracture Mech., 22, 1985, No.1, pp.149-163.
- [46] BURIAN, P.: Vliv stavu napjatosti na odolnost hliníkové slitiny ČSN 42 4203 proti porušení "křehkým" lomem. Zpravodaj VZLÚ, 1981, č.6 (150), s.285-294.
- [47] LAI, M.O. - FERGUSON, W.G.: Effect of Specimen Thickness on Fracture Toughness. Engng Fracture Mech., 23, 1986, No.4, pp.649-659.
- [48] NEVALAINEN, M. - WALLIN, K.: The Effect of Crack Depth and Absolute Thickness on Fracture Toughness of 3PB Specimens. In: Structural Integrity: Experiments-Models-Applications. (Proc. ECF 10, Berlin). Eds. K.-H.Schwalbe and C.Berger, Vol.II, Cradley Heath, EMAS 1994, pp.997-1006.
- [49] GURUMOORTHY, B. - KIRCHNER, H.O.K. - PRINZ, F.B. - SINCLAIR, G.B.: Thickness Effects May Not Do What You Think They Do. Engng Fracture Mech., 29, 1988, No.6, pp.637-640.



- [50] SULLIVAN,A.M. - STOOP,J. - FREED,C.N.: The Influence of Sheet Thickness upon the Fracture Resistance of Structural Aluminum Alloys. Washington, Naval Research Laboratory 1972, 11 p.
- [51] LI,Q. - HU,S. - PAN,X.: Effects of Crack Depth and Shape on Fracture Toughness in a Spring Steel. Engng Fracture Mech., 36, 1990, No.1, pp.1-7.
- [52] ZHANG,D.Z. - XIAO,Y.J. - JU,Q.H.: On the Effect of the Ratio  $a/W$  on the Value of  $K_{Ic}$  in a High Strength Steel. Technical Note. Engng Fracture Mech., 36, 1990, No.5, pp.795-796.
- [53] LI,Q. - HU,S. - ZHONG,B. - WEI,J.: A Further Study About the Crack Depth and Shape On Fracture Toughness. Engng Fracture Mech., 39, 1991, No.2, pp.219-227.
- [54] SINCLAIR,G.B. - CHAMBERS,A.E.: Strength Size Effects and Fracture Mechanics. What Does the Physical Evidence Say? Engng Fracture Mech., 26, 1987, No.2, pp.279-310.
- [55] MUNZ,D.: Letter to the Editor. Comment on Strength Size Effects and Fracture Mechanics. What Does the Physical Evidence Say? Engng Fracture Mech., 31, 1988, No.3, pp.553-554.
- [56] PETROSKI,H.J.: Size Effects in Fracture Mechanics. Implications for Fast Reactor Subassembly Analysis and Safety. Theoret. Appl. Fract. Mech., 1, 1984, No.1, pp.95-102.
- [57] CAMPBELL,J.E.: Fracture Toughness of High Strength Alloys at Low Temperature – A Review. Fatigue and Fracture Toughness – Cryogenic Behavior. ASTM STP 556. ASTM 1974, pp.3-25.
- [58] LI YU-DE: Technical Note. An Explanation of the Relationship of Fracture Toughness to Temperature in the Range from Upper Shelf to First Phase Transformation. Engng Fracture Mech., 43, 1992, No.2, pp.305-311.
- [59] HOLZMANN,M.: Současný stav a nové poznatky při statickém a dynamickém zatěžování těles s trhlinami. In: Pokroky v aplikaci lomové mechaniky II. Brno, Čs. věd. spol. pro nauku o kovech ČSAV 1989, s.1.1-1.5.
- [60] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.
- [61] NĚMEC,J. - ZEMÁNKOVÁ,J. - MACHOVÁ,A. - BREPTA,R.: Dynamika lomu. Studie ČSAV č.9/86. Praha, Academia 1986, 120 s.
- [62] ČSN 42 0347 Návrh. Zkoušení kovů. Zkouška lomové houževnatosti  $K_{Ic}$  při rovinné deformaci. 1975.
- [63] ASTM Standard E 399-90. Standard Test Method for Plane-Strain Fracture Toughness of Metallic Materials. 1991. In: Annual Book of ASTM Standards, pp.485-515.
- [64] ASTM Standard E 1304-89. Standard Test Method for Plane-Strain (Chevron Notch) Fracture Toughness of Metallic Materials. 1991. In: Annual Book of ASTM Standards, pp.940-950.
- [65] ASTM Standard B 645-91. Standard Practice for Plane-Strain Fracture Toughness Testing of Aluminum Alloys. 1991. In: Annual Book of ASTM Standards, pp.74-76.
- [66] ASTM Standard B 646-87. Standard Practice for Fracture Toughness of Aluminum Alloys. 1991. In: Annual Book of ASTM Standards, pp.77-81.

- [67] ASTM Standard E 1820-99. Standard Test Method for Measurement of Fracture Toughness. 1999. In: Annual Book of ASTM Standards, pp.972-1005.
- [68] STEFFEN,A.A. - PACKMAN,P.F. - DAWES,M.G.: The Effect of Precracking Variables  $R$  and  $K_{fmax}$  on Fracture Toughness. In: Advances in Fracture Research Proc. ICF 7, Houston.) Eds. K.Salama et al., Vol.2, Oxford, Pergamon Press 1989, pp.1445-1452.
- [69] KUNZ,J.: Fraktografické studium šíření únavových trhlin. (Kandidátská disertační práce.) Praha, ČVUT - fakulta jaderná a fyzikálně inženýrská 1983, 228 s.
- [70] FORSYTH,P.J.E.: A Unified Description of Micro and Macroscopic Fatigue Crack Behaviour. Int.J.Fatigue, 5, 1983, No.1, pp.3-14.
- [71] BHATTACHARYA,S. - KUMAR,A.N.: A Study on the Offset Measurement Numbers for Average Crack Size Estimation in Elliptical Crack Front. Engng Fracture Mech., 49, 1994, No.1, pp.85-94.
- [72] FARAHMAND,B. - BOCKRATH,G.E.: A Theoretical Approach for Evaluating the Plane Strain Fracture Toughness of Ductile Metals. Engng Fracture Mech., 53, 1996, No.6, pp.975-990.
- [73] HUNG-KUK OH: Determination of Fracture Toughness by Uniaxial Tensile Test. Engng Fracture Mech., 55, 1996, No.5, pp.865-868.
- [74] Anon.: New Test Cuts Cost of Measuring  $K_{Ic}$ . Advanced materials & Processes, 141, 1992, No.3, p.9.

## LITERATURA K 6. KAPITOLE

- [1] IRWIN,G.R.: Fracture. In: Encyklopedia of Physics, Vol.VI, Berlin-Heidelberg, Springer 1958, pp.551-590.
- [2] IRWIN,G.R.: Plastic Zone Near a Crack and Fracture Toughness. In: Sagamore Res. Ord. Materials (Proc. 7th Conf.) 1960, pp.IV-63.
- [3] IRWIN,G.R.: Linear Fracture Mechanics, Fracture Transition, and Fracture Control. Engng Fracture Mech., 1, 1968, No.2, pp.241-257.
- [4] DUGDALE,D.S.: Yielding of Steel Sheets Containing Slits. J. Mech. Phys. Solid., 8, 1960, pp.100-108.
- [5] LU,T.J. - CHOW,C.L.: A Modified Dugdale Model for Crack Tip Plasticity and Its Related Problems. Engng Fracture Mech., 37, 1990, No.3, pp.551-568.
- [6] BARRENBLOTT,G.I.: The Mathematical Theory of Equilibrium of Cracks in Brittle Fracture. Advances in Appl. Mech., 7, 1962, pp.55-129.
- [7] HAHN,G.T. - ROSENFELD,A.R.: Experimental Determination of Plastic Constraint ahead of a Sharp Crack under Plane-Strain Conditions. ASM Trans., 59, 1966, pp.909-919.
- [8] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.

- [9] NATHAN,A. - BENOUALID,D. - BROT,A.: The Effect of Thickness on Crack Growth Rate. In: New Materials and Fatigue Resistant Aircraft Design (14<sup>th</sup> ICAF Symposium, Ottawa). Ed. D.L.Simpson. Cradley Heath, EMAS 1987, pp.283-296.
- [10] KRÖBL,L. - NEDBAL,I.: Experimentální studium charakteristik plastické zóny na čele únavové trhliny. (Výzkumná zpráva V-KMAT-143/84.) Praha, ČVUT-FJFI-KMAT 1984, 151 s.
- [11] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Vliv čistoty slitin typu AlCuMg na kinetiku únavového porušování. [Výzkumná zpráva V-KMAT-113/82.] Praha, ČVUT-FJFI-KMAT 1982, 75 s.
- [12] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Some Remarks on Fatigue Fracture Marking. In: Fatigue '99 (Beijing). Vol. 4/4. Eds. X.R.Wu, and Z.G.Wang. Beijing - Cradley Heath, HEP - EMAS 1999, pp.2373-2378.
- [13] SAXENA,A. - ANTOLOVICH,S.D.. Low Cycle Fatigue, Fatigue Crack Propagation and Substructures in a Series of Polycrystalline Cu-Al Alloys. Met. Trans., 6A, 1975, No.9, pp.1975-1809.
- [14] IKEDA,S. - IZUMI,Y. - FINE,M.E.: Plastic Work during Fatigue Crack Propagation in a High Strength Low Alloy Steel and in 7050 Al-Alloy. Engng Fracture Mech., 9, 1977, No.1, pp.123-136.
- [15] FINE,M.E.: Fatigue Resistance of Metals. Met. Trans., 11A, 1980, No.3, pp.365-379.
- [16] NUNOMURA,S. - HIGO,Y. - SETO,K.: Direct Measurement of Plastic Zones in Side Grooved Fracture Toughness Specimens. In: Fracture 1977 (Proc. ICF 4, Waterloo). Ed. D.M.R.Taplin, Vol.3, pp.573-581.
- [17] CSIZMAZIA,A. - CZOBOLY,E.: Determination of Plastic Zones in Compact Specimens of Aluminium. Theor. Appl. Fracture Mech., 8, 1987, No.1; pp.11-19.
- [18] GUANGXIA,L. - XIPING,L. - CHANGCHUN,L. - SHUYUN,C.: A Micro and Macro Analysis of Strain at Crack Tip. Engng Fracture Mech., 32, 1989, No.4, pp.499-508.
- [19] NICOLETTO,G.: Fatigue Crack Tip Strains in 7075-T6 Aluminum Alloy. Fatigue Fract. Engng Mat. Struct., 10, 1987, No.1, pp.37-49.
- [20] CHANANI,G.R.: Effect of Thickness on Retardation Behavior of 7075 and 2024 Aluminum Alloys. In: Flaw Growth and Fracture, ASTM STP 631. Ed. J.M.Barsom. Philadelphia, ASTM 1977, pp.365-387.
- [21] YUNLIN,L.: A New Method for Measuring the Shape and Size of the Plastic Zones around Slit Ends - Direct Showing Method. Engng Fracture Mech., 26, 1987, No.3, pp.383-392.
- [22] MISHRA,S.C. - PARIDA,B.K.: Determination of the Size of Crack-Tip Plastic Zone in a Thin Sheet under Unaxial Loading. Engng Fracture Mech., 22, 1985, No.3, pp.351-357.
- [23] DAVIDSON,D.L.: The Distribution of Strain within Crack Tip Plastic Zones. Engng Fracture Mech., 25, 1986, No.1, pp.123-132.
- [24] VAVŘÍK,D.: Optická identifikace povrchového tvaru a velikosti plastické zóny na čele trhliny. (Doktorská disertační práce.) Praha, ČVUT - fakulta jaderná a fyzikálně inženýrská 1999, 77 s.

## LITERATURA K 7. KAPITOLE

- [1] KROUPA,F.: Lomová mechanika. Čs. čas. fyz., A 28, 1978, č.2, s.101-123.
- [2] ROSSMANITH,H.P.: Fracture Mechanics and Materials Testing: Forgotten Pioneers of the Early 20<sup>th</sup> Century. Fatigue Fract. Engng Mater. Struct., 22, 1999, No.9, pp.781-797.
- [3] ROSSMANITH,H.P.: An Introduction to K. Wieghardt's Historical Paper "On Splitting and Cracking of Elastic bodies". Fatigue Fract. Engng Mater. Struct., 18, 1995, No.12, pp.1367-1369.
- [4] WIEGHARDT,K.: Über das Spalten und Zerreißen elastischer Körper. Z. Mathematik Physik, 55, 1907, pp.60-103.
- [5] ROSSMANITH,H.P.: English Translation of [4]. Fatigue Fract. Engng Mater. Struct., 18, 1995, No.12, pp.1371-1405.

## 7. HNACÍ SÍLA TRHLINY (RYCHLOST UVOLŇOVÁNÍ DEFORMAČNÍ ENERGIE)

---

- [6] GRIFFITH,A.A.: The Phenomenon of Rupture and Flow in Solids. Phil. Trans. Royal Soc., A 221, 1921, pp.163-197.
- [7] INGLIS,C.E.: Stresses in a Plate Due to the Presence of Cracks and Sharp Corners. Trans. Inst. Naval Archit., 55, 1913, No.1, pp.219-241.
- [8] SIH,G.C. - LIEBOWITZ,H.: Mathematical Theories of Brittle Fracture. In: Fracture. Ed. H.Liebowitz. Vol.II, New York and London, Academic Press 1968, pp.67-190.
- [9] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.
- [10] EWALDS,H.L. - WANHILL,R.J.H.: Fracture Mechanics. London, Edward Arnold 1989, 304 p.
- [11] BROEK,D.: The Practical Use of Fracture Mechanics. Kluwer Academic Publishers 1988, 600 p.

LITERATURA K 8. KAPITOLE

- [1] SIH,G.C.: Introductory Chapter: A Special Theory of Crack Propagation. In: Mechanics of Fracture 1. Methods of Analysis and Solutions of Crack Problems. Ed. G.C.Sih, Leyden, Noordhoff International Publishing 1973, pp.XXI-XLV.
- [2] SIH,G.C.: Some Basic Problems in Fracture Mechanics and New Concepts. Engng Fracture Mech., 5, 1973, No.2, pp.365-377.
- [3] SIH,G.C.: Handbook of Stress Intensity Factors. Bethlehem, PA., Lehigh University 1973.
- [4] DVOŘÁK,J.: Základy teoretické pružnosti. (Skripta ČVUT-FTJF.) Praha, SNTL 1965, 130 s.
- [5] OLIVA,VI.: Aplikovaná mechanika kontinua I. Elastomechanika. (Skripta ČVUT-FJFI.) Praha, ES ČVUT 1982, 175 s.
- [6] EFTIS,J. - SUBRAMONIAN,N.: The Inclined Crack Under Biaxial Load. Engng Fracture Mech., 10, 1978, No.1, pp.43-67.
- [7] MAITI,S.K. - SMITH,R.A.: Criteria for Brittle Fracture in Biaxial Tension. Engng Fracture Mech., 19, 1984, No.5, pp.793-804.
- [8] SMITH,R.N.L.: Second-Order Terms and Strain Energy Density for the Angled Crack Problem. Engng Fracture Mech., 26, 1987, No.3, pp.463-469.
- [9] SIH,G.C. - MADENCLE,E.: Fracture Initiation Under Gross Yielding. Strain Energy Density Criterion. Engng Fracture Mech., 18, 1983, No.3, pp.667-677.

## LITERATURA K 9. KAPITOLE

- [1] DUGDALE, D.S.: Yielding of Steel Sheets Containing Slits. *J. Mech. Phys. Solid.*, 8, 1960, pp.100-108.
- [2] PRATAP, C.R. - PANDEY, R.K.: A New Approach to Determination of *CTOD* and Axis of Rotation in Small Scale Yielding Situation. *Engng Fracture Mech.*, 19, 1984, No.6, pp.1139-1150.
- [3] PRATAP, C.R. - PANDEY, R.K.: Studies of Constraint Factors in *K-CTOD* and *K-R* Relationships: Effect of Specimen, Loading Geometry and Material. *Engng Fracture Mech.*, 34, 1989, No.1, pp.233-243.
- [4] ZEMÁNKOVÁ, J.: Technická mechanika I. Úvod do lomové mechaniky. (Skripta ČVUT-FJFI.) Praha, ES ČVUT 1981, 123 s.
- [5] BROEK, D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.
- [6] RICHTER, M.A. - WAGNER, J.W.: Experimental Evaluation of Hinge Phenomenon in Notched Three Point Bend Bars Using Laser Speckle Metrology. *Engng Fracture Mech.*, 30, 1988, No.6, pp.819-826.
- [7] PANDEY, R.K. - PRATAP, C.R. - CHINADURAI, R.: Significance of Rotational Factor *r* in *CTOD* Determination and the Effect of Material and Loading Geometry on *r*. *Engng Fracture Mech.*, 31, 1988, No.1, pp.105-118.
- [8] KOLEDNIK, O.: On the Calculation of *COD* from the Clip-Gauge Displacement in *CT* and Bend Specimens. *Engng Fracture Mech.*, 29, 1988, No.2, pp.173-188.
- [9] KOLEDNIK, O.: An Improved Procedure for Calculating *COD* in Bend and *CT* Specimens. *Engng Fracture Mech.*, 33, 1989, No.5, pp.813-826.
- [10] BHATTACHARYA, S. - KUMAR, A.N.: Rotational Factor Using Bending Moment Approach Under Elasto-Plastic Situation - I. Notch *3PB* Geometry. *Engng Fracture Mech.*, 50, 1995, No.4, pp.493-505.
- [11] BHATTACHARYA, S. - KUMAR, A.N.: Rotational Factor Using Bending Moment Approach Under Elasto-Plastic Situation - II. Notch *3PB* Geometry. *Engng Fracture Mech.*, 50, 1995, No.4, pp.507-517.
- [12] LI, Z. - ZHANG, L. - DONG, G. - LIU, X. - ZHONG, B. - WEI, J.: Effect of Several Variables on *J-COD* Relationship and Plastic Rotational Factor  $r_p$ . *Engng Fracture Mech.*, 53, 1996, No.3, pp.473-480.
- [13] ROBINSON, J.N. - TETELMAN, A.S.: Measurement of  $K_{Ic}$  on Small Specimens Using Critical Crack Tip Opening Displacement. *Fracture Toughness and Slow-Stable Cracking*, ASTM STP 559, Part I, Philadelphia, ASTM 1974, pp.139-158.
- [14] ZHANG, D.Z. - WANG, H.: On the Effect of the Ratio  $a/W$  on the Values  $\delta_i$  and  $J_i$  in a Structural Steel. *Engng Fracture Mech.*, 26, 1987, No.2, pp.247-250.
- [15] ZHANG, D.Z. - ZHU, S.F.: Use of Double Clip Gauge Method to Measure the Plastic Rotational Factor *r*. *Engng Fracture Mech.*, 31, 1988, No.6, pp.917-921.
- [16] KÁLNA, K.: Odolnosť zvaraných konštrukcií proti krehkému porušeniu. In: *Mezní stavy a spolehlivost mechanických systémů*. Praha, ČKD Praha a Škoda Plzeň 1981, s.69-79.



- [17] VASILČENKO,G.S. - KOŠELEV,P.F.: Praktičeskoje primenenije mehaniky razrušeniya dlja ocenki pročnosti konstrukcij. Moskva, Izdatel'stvo Nauka 1974, 148 s.
- [18] VEERMAN,C.C. - MULLER,T.: The Location of the Apparent Rotation Axis in Notched Bend Testing. Engng Fracture Mech., 4, 1972, No.1, pp.25-32.
- [19] SHANG-XIAN,W.: Plastic Rotational Factor and *J-COD* Relationship of Three Point Bend Specimen. Engng Fracture Mech., 18, 1983, No.1, pp.83-95.
- [20] LAI,M.O.: Use of *COD* in  $K_{Ic}$  Determination. Engng Fracture Mech., 24, 1986, No.2, pp.307-313.
- [21] LUO,L.G. - QUARRINGTON,A.I. - EMBURY,J.D.: Effect of Specimen Geometry on Ductile Initiation  $CTOD_{in}$  Using a Direct Method. Engng Fracture Mech., 31, 1988, No.2, pp.349-356.
- [22] ASTM Standard E 1290-89. Standard Test Method for Crack-Tip Opening Displacement (*CTOD*) Fracture Toughness Measurement. 1991. In: Annual Book of ASTM Standards, pp.924-939.
- [23] ASTM Standard E 1820-99. Standard Test Method for Measurement of Fracture Toughness. 1999. In: Annual Book of ASTM Standards, pp.972-1005.
- [24] SCHWALBE,K.-H.: Fracture Mechanics testing Standards. Communication from Subcommittee 1.4. ESIS Newsletter, 1991, Nr.16, p.5.
- [25] LI,Q. - ZHOU,L. - LI,S.: Technical Note. The Effect of  $a/W$  Ratio on Crack Initiation Values of *COD* and *J*-integral. Engng Fracture Mech., 23, 1986, No.5, pp.925-928.
- [26] MATSOUKAS,G. - COTTERELL,B. - MAI,Y.W.: Effect of Geometry on the Crack Opening Displacement of a Low Carbon Steel. Engng Fracture Mech., 23, 1986, No.4, pp.661-665.
- [27] MACHIDA,K. - KIKUCHI,M. - MIYAMOTO,H.: The Thickness Effects of the *CT* and *CCT* Specimens. Resent Research on Mechanical Behavior of Solids. (Bulletin of Fracture Mechanics Laboratory, Science University of Tokyo.), 3, 1984, pp.29-43.
- [28] KOERS,R.W.J. - BRAAM,H. - BAKKER,A.: Investigation into the Effect of Thickness on Three- and Four-Point Single Edge Notch Bend Specimens Using Two- and Three-Dimensional Elastic-Plastic Stress Analysis. In: Advances in Fracture Research (Proc. ICF 7, Houston). Eds. K.Salama et al., Vol.1, Oxford, Pergamon Press 1989, pp.379-389.
- [29] KOLEDNIK,O. - KUTLEŠA,P.: On the Influence of Specimen Geometry on the Critical Crack-Tip-Opening Displacement. Engng Fracture Mech., 33, 1989, No.2, pp.215-223.
- [30] LIU,H.W.: On the Fundamental Basis of Fracture Mechanics. Engng Fracture Mech., 17, 1983, No.5, pp.425-438.

## LITERATURA K 10. KAPITOLE

- [1] ESHELBY, J.D.: Stress Analysis of Cracks. ISI Publication, 121, 1968, pp.13-48.
- [2] RICE, J.R.: A Path Independent Integral and the Approximate Analysis of Strain Concentrations by Notches and Cracks. J. Appl. Mech., 35, 1968, pp.379-386.
- [3] RICE, J.R.: Mathematical Analysis in the Mechanics of Fracture. In: Fracture. Ed. H.Liebowitz, Vol.II, New York and London, Academic Press 1968, pp.191-311.
- [4] NĚMEC, J. - ZEMÁNKOVÁ, J. - BRUMOVSKÝ, M.: Křehké porušování plastických hmot z hlediska lineární lomové mechaniky. (Příručka pro techniky ve výzkumu a v průmyslu.) Praha, ČVUT-FJFI-KMAT Praha a ZJE Škoda Plzeň 1975, 114 s.
- [5] KROUPA, F.: Lomová mechanika. Čs. čas. fyz., A 28, 1978, č.2, s.101-123.
- [6] SIH, G.C.: Handbook of Stress Intensity Factors. Bethlehem, Lehigh University 1973.
- [7] TADA, H. - PARIS, P. - IRWIN, G.: The Stress Analysis of Crack Handbook. Hellertown, PA., Del Research Co. 1973.
- [8] ROOKE, D.P. - CARTWRIGHT, D.J.: Compendium of Stress Intensity Factors. London, Her Majesty's Stationery Office 1976.
- [9] MURAKAMI, Y.: Stress Intensity Factors Handbook. Oxford, Pergamon Press 1987, 1 456 p.
- [10] OLIVA, V.I.: Aplikovaná mechanika kontinua I. Elastomechanika. (Skripta ČVUT-FJFI.) Praha, ES ČVUT 1982, 175 s.
- [11] LIEBOWITZ, H. - EFTIS, J.: On Nonlinear Effects in Fracture Mechanics. Engng Fracture Mech., 3, 1971, No.3, pp.267-281.
- [12] BROEK, D.: J Astray and Back to Normalcy. In: Fracture Control of Engineering Structures. (Proc. ECF 6, Amsterdam). Eds. H.C.van Elst and A.Bakker, Vol.II, Cradley Heath, EMAS 1986, pp.745-759.
- [13] FREDIANI, A.: Experimental Measurement of the  $J$ -integral. Engng Fracture Mech., 19, 1984, No.6, pp.1105-1137.
- [14] KIM, B.H. - LOE, C.R.: On the Ratio ( $\Phi$ ) of the  $J$ -integral to the Total Work Done per Unit Uncracked Area. Engng Fracture Mech., 32, 1989, No.6, pp.953-963.
- [15] SRAWLEY, J.E.: On the Relation of  $J_1$  to Work Done per Unit Uncracked Area: Total or Component Due to Crack. Int. J. Fracture, 12, 1976, pp.470-474.
- [16] SCHWALBE, K.H. - NEALE, B.K. - INGHAM, T.: Draft EGF Recommendations for Determining the Fracture Resistance of Ductile Materials. EGF Procedure EGF P1-87D. Fatigue Fract. Engng Mater. Struct., 11, 1988, No.6, pp.409-420.
- [17] ZHANG, D.Z. - LIN, J.: A General Formula for Three-Point Bend Specimen  $J$ -Integral Calculation. Engng Fracture Mech., 36, 1990, No.5, pp.789-793.
- [18] ASTM Standard E 813-89. Standard Test Method for  $J_{Ic}$ , A Measure of Fracture Toughness. 1991. In: Annual Book of ASTM Standards, pp.713-727.
- [19] ASTM Standard E 1152-87. Standard Test Method for Determining  $J$ - $R$  Curves. 1991. In: Annual Book of ASTM Standards, pp.825-835.
- [20] ASTM Standard E 1820-99. Standard Test Method for Measurement of Fracture Toughness. 1999. In: Annual Book of ASTM Standards, pp.972-1005.

- [21] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Značkování lomových ploch při únavových zkouškách těles a konstrukcí. In: Sborník VIII. Celoštatna fraktografická konferencia. Tatranské Matliare, ÚEM SAV Košice 1985, s.207-211.
- [22] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Využití kvantitativní fraktografie při výzkumu únavového porušování konstrukcí. Strojrenství, 38, 1988, č.11, s.669-684.
- [23] BROEK,D.: Elementary Engineering Fracture Mechanics. 4th Ed. Dordrecht, Martinus Nijhoff Publishers 1987, 516 p.
- [24] SCHINDLER,H.J.: On the Relationship between *J*-integral and Crack Opening Displacement. Engng Fracture Mech., 20, 1984, No.2, pp.281-287.
- [25] PEREZ IPIÑA,J.E. - TOLOY,H.L.: Effect of Several Physical and Mechanical Variables on the Relation between *COD* and *J*. Engng Fracture Mech., 24, 1986, No.1, pp.1-9.
- [26] EWALDS,H.L. - WANHILL,R.J.H.: Fracture Mechanics. London, Edward Arnold 1989, 304 p.
- [27] LI,Z. - ZHANG,L. - DONG,G. - LIU,X. - ZHONG,B. - WEI,J.: Effect of Several Variables on *J-COD* Relationship and Plastic Rotational Factor  $r_p$ . Engng Fracture Mech., 53, 1996, No.3, pp.473-480.
- [28] LAI,Z.-H. - MA,CH.-X.: Technical Note. Comparison of Several Methods of  $J_{Ic}$  Determination. Engng Fracture Mech., 22, 1985, No.6, pp.1117-1119.
- [29] CHEN,B.Y. - SHI,Y.W.: A Comparison of Various Dynamic Elastoplastic Fracture Toughness Evaluating Procedure by Instrumented Impact Test. Engng Fracture Mech., 36, 1990, No.1, pp.17-26.
- [30] KROMPHOLZ,K. - ULLRICH,G.: Determination of *J*-integral *R* Curves for the Pressure Vessel Material A533 B1 Using the Potential-Drop Technique and the Multispecimen Method. Engng Fracture Mech., 23, 1986, No.5, pp.803-820.
- [31] HOPKINS,P. - JOLLEY,G.: Technical Note. Limitations of the Crack Tip Blunting Line Used in the  $J_{Ic}$  Test Procedure. Engng Fracture Mech., 18, 1983, No.1, pp.239-242.
- [32] YIN,S.-W. - GERBRANDS,R.A. - HARTEVELT,M.: An Investigation of the Blunting Line. Engng Fracture Mech., 18, 1983, No.5, pp.1025-1036.
- [33] DOING,P. - SMITH,R.F. - FLEWITT,P.E.J.: The Use of Stretch Zone Width Measurements in the Determination of Fracture Toughness of Low Strength Steels. Engng Fracture Mech., 19, 1984, No.4, pp.653-664.
- [34] HEERENS,J. - CORNEC,A. - SCHWALBE,K.-H.: Results of a Round Robin on Stretch Zone Width Determination. Fatigue Fract. Engng Mater. Struct., 11, 1988, No.1, pp.19-29.
- [35] KUNZ,J. - SIEGL,J. - NEDBAL,I.: Sledování vlivu materiálových a geometrických faktorů na hodnotu lomové houževnatosti oceli jakosti R7T. (Výzkumná zpráva V-KMAT-379/93.) Praha, ČVUT-FJFI-KMAT 1993, 30 s.
- [36] LEREIM,J. - EMBURY,J.D.: A Simple Method for the Determination of *J*-integral Values. Engng Fracture Mech., 11, 1979, No.1, pp.161-164.
- [37] LEREIM,J. - LOHNE,P.W.: A Single Specimen  $J_{Ic}$  Test Method. Int. J. Fracture, 16, 1980, pp. R223-R228.

- 
- [38] LAI,Z.H. - CHEN,L.J. - CHANG,C.M. - MA,C.S. - CHAO,C.S.: A New Method of Determining  $J_{Ic}$  of Steel by Means of Single Specimen. Engng Fracture Mech., 17, 1983, No.5, pp.395-403.
- [39] KIM,B.H. - JOE,C.R.: Single Specimen Test Method for Determining Fracture Energy ( $J_c$ ) of Highly Deformable Materials. Engng Fracture Mech., 32, 1989, No.1, pp.155-161.
- [40] NING,X.G. - LAI,Z.H.: Realization of Single Specimen Analytical Method of  $J_{Ic}$  Determination by Using Compact Tension Loading. Engng Fracture Mech., 34, 1989, No.5/6, pp.1013-1021.
- [41] GIBSON,G.P.: The Use of Alternating Current Potential Drop for Determining  $J$ -Crack Resistance Curves. Engng Fracture Mech., 26, 1987, No.2, pp.213-222.
- [42] BLANCHETTE,Y. - DICKSON,J.I. - BASSIM,M.N.: The Use of Acoustic Emission to Evaluate Critical Values of  $K$  and  $J$  in 7075-T7651 Aluminum Alloy. Engng Fracture Mech., 20, 1984, No.2, pp.359-371.
- [43] BAYOUMI,M.R. - BASSIM,M.N.: Effect of Microstructure on Relationship Between Fracture Toughness and Ductility. Engng Fracture Mech., 24, 1986, No.1, pp.111-120.
- [44] NAKAJIMA,Y. - IINO,Y. - SUZUKI,M.: Fracture Toughness Behaviour of Service-Exposed Type 321 Stainless Steel at Room and Elevated Temperature Under Normal and Low Straining Rates. Engng Fracture Mech., 33, 1989, No.2, pp.295-307.
- [45] MILLS,W.J.: Fracture Toughness of Two Ni-Fe-Cr Alloys. Engng Fracture Mech., 26, 1987, No.2, pp.223-238.
- [46] BASSIM,M.N. - BAYOUMI,M.R. - SHUM,D.: Technical Note. Study of the Variation of Fracture Toughness with Loading Rate Using Compact Tension Specimens. Engng Fracture Mech., 26, 1987, No.4, pp.619-623.
- [47] MACHIDA,K. - KIKUCHI,M. - MIYAMOTO,H.: The Thickness Effects of the  $CT$  and  $CCT$  Specimens. Recent Research on Mechanical Behavior of Solids. (Bulletin of Fracture Mechanics Laboratory, Science University of Tokyo.), 3, 1984, pp.29-43.
- [48] GIBSON,G.P. - DRUCE,C.G.: Progress in Understanding Specimen Size and Geometry Effects on Ductile Fracture. In: Advances in Fracture Research (Proc. ICF 7, Houston). Eds. K.Salama et al., Vol.1, Oxford, Pergamon Press 1989, pp.181-188.
- [49] ROUSSELIER,G. - DEVESA,G. - BETNMONT,M.: Effect of Specimen Geometry on  $J$ -Resistance Curves in Near Small-Scale Yielding Conditions. In: Advances in Fracture Research (Proc. ICF 7, Houston). Eds. K.Salama et al., Vol.1, Oxford, Pergamon Press 1989, pp.249-258.
- [50] NEVALAINEN,M. - WALLIN,K.: The Effect of Crack Depth and Absolute Thickness on Fracture Toughness of  $3PB$  Specimens. In: Structural Integrity: Experiments-Models-Applications. (Proc. ECF 10, Berlin). Eds. K-H.Schwalbe and C.Berger, Vol.II, Cradley Heath, EMAS 1994, pp.997-1006.
- [51] ZHANG,D.Z. - WANG,H.: On the Effect of the Ratio  $a/W$  on the Values  $\delta_i$  and  $J_i$  in a Structural Steel. Engng Fracture Mech., 26, 1987, No.2, pp.247-250.
- [52] KIM,B.H. - JOE,C.R.: The Effect of Remote Energy Absorption in Determining  $J_c$  Value. Engng Fracture Mech., 32, 1989, No.2, pp.225-232.

## 10. $J$ -INTEGRÁL

---

- [53] SCHWALBE, K.-H.: Fracture Mechanics testing Standards. Communication from Subcommittee 1.4. ESIS Newsletter, 1991, Nr.16, p.5.
- [54] KÁLNA, K.: Odolnosť zvaraných konštrukcií proti krehkému porušeniu. In: Mezní stavy a spolehlivost mechanických systémů. Praha, ČKD Praha a Škoda Plzeň 1981, s.69-79.

## LITERATURA K 11. KAPITOLE

- [1] BÍLÝ, M. - IVANOVA, M.S. - TERENCEV, V.F.: Pevnosť súčastí pri premennom zaťažení. Bratislava, VEDA 1976, 448 s.
- [2] KLESNIL, M. - LUKÁŠ, P.: Únava kovových materiálov při mechanickém namáhání. Praha, Academia 1976, 222 s.
- [3] FORSYTH, P.J.E.: Fatigue Problems in Service. Aircraft Structures. Metal Science, 11, 1977, No.8, pp.293-302.
- [4] FINE, M.E.: Fatigue Resistance of Metals. Met. Trans., 11A, 1980, No.3, pp.365-379.
- [5] CAMPBELL, G.S.: A Note on Fatal Aircraft Accidents Involving Metal Fatigue. Int. J. Fatigue, 3, 1981, No.4, pp.181-185.

- [6] GARRETT,G.G.: Failure by Fatigue. In: Engineering Applications of Fracture Analysis (Proc. First Nat. Conf. on Fracture, Johannesburg). Eds. G.G.Garrett and D.L.Marriott. Oxford, Pergamon Press 1980, pp.79-93.
- [7] SCHIJVE,J.: Four Lectures on Fatigue Crack Growth. (Report LR-254.) Delft, Delft University of Technology - Department of Aerospace Engineering 1977, 83 s. Též: Engng Fracture Mech., 11, 1979, No.1, pp.167-221.
- [8] KUNZ,J. - NEDBAL,I. - SIEGL,J. - PÁRTL,O.: Vliv kvality povrchu na únavové porušování těles a konstrukcí. In: Sborník 6. konference Přínos metalografie pro řešení výrobních problémů. Mariánské Lázně, ČVTS ŠKODA VÝZKUM Plzeň 1993, s.191-194.
- [9] KUNZ,J.: Sledování vlivu strukturních nehomogenit a experimentálních podmínek na iniciaci a rozvoj únavových trhlin na tyčích z oceli 22K. (Výzkumná zpráva V-KMAT-63/79.) ČVUT-FJFI-KMAT 1979, 40 s.
- [10] KUNZ,J. - NEDBAL,I. - SIEGL,J.: Analýza poruch vrtáků. (Výzkumná zpráva V-KMAT-321/91.) Praha, ČVUT-FJFI-KMAT 1991, 37 s.
- [11] HARRISON,J.D.: Damage Tolerant Design. In: Fatigue Crack Growth. 30 Years of Progress. (Proc. Conf. Fatigue Crack Growth, Cambridge). Ed. R.A.Smith. Oxford, Pergamon Press 1984, pp.117-131.
- [12] SWIFT,T.: Damage Tolerance in Pressurized Fuselages. In: New Materials and Fatigue Resistant Aircraft Design. (Proc. 14th ICAF Symposium, Ottawa). Ed. D.L.Simpson. Cradley Heath, EMAS 1987, s.1-77.
- [13] WOOD,H.A. - ENGLE,R.M.Jr.: USAF Damage Tolerant Design Handbook. Guidelines for the Analysis and Design of Damage Tolerant Aircraft. (Technical Report AFFDL-TR-79-3021.) Air Force Flight Dynamic Laboratory (AFFDL/FBE), Wright Patterson AFB, Ohio 45433, 1979.
- [14] TROSHCHENKO,V.T. - PROKOPENKO,A.V. - POKROVSKY,V.V.: Cyclic Loading and Fracture Toughness of Steels. Fatigue Engng Mat. Struct., 1, 1979, No.2, pp.247-266.
- [15] WEI,R.P.: Fracture Mechanics Approach to Fatigue Analysis in Design. J. Engng Mat. Tech., Trans. ASME, 100, 1978, April, pp.113-120.
- [16] HOEPPNER,D.W. - KRUPP,W.E.: Prediction of Component Life by Application of Fatigue Crack Growth Knowledge. Engng Fracture Mech., 6, 1974, No.1, pp.47-70.
- [17] WÄSTBERG,S.: Fatigue Crack Propagation Laws - A Review. (Rapport 13.) Stockholm, The Royal Institute of Technology 1975, 10 p.
- [18] ROMVARI,P. - TOTH,L. - NAGY,G.: Analiz zakonomernostej rasprostranjenija ustalostykh treschin v metallach. Problemy prochnosti, 1980, No.12, s.18-28.
- [19] CHAND,S. - GARG,B.L.: Crack Propagation Under Constant Amplitude Loading. Engng Fracture Mech., 21, 1985, No.1, pp.1-30.
- [20] SMITH,R.A.: Thirty Years of Fatigue Crack Growth - an Historical Review. In: Fatigue Crack Growth. 30 Years of Progress. (Proc. Conf. Fatigue Crack Growth, Cambridge). Ed. R.A.Smith. Oxford, Pergamon Press 1984, pp.1-16.
- [21] ELBER,W.: The Significance of Fatigue Crack Closure. Damage Tolerance in Aircraft Structures, ASTM STP 486, Philadelphia, ASTM 1971, pp.230-242.

- [22] KOBAYASHI,H. - MURAKAMI,R. - NAKAZAWA,N.: The Influence of Microstructure and Microscopic Fracture Mechanisms on Fatigue Crack Growth Rates in High Strength Steels. In: Fracture Mechanics and Technology. Eds. G.C.Sih and C.L.Chow. Vol.I, Alphen aan den Rijn, Sijthoff and Noordhoff Int. Publ. 1977, pp.205-219.
- [23] SCHIJVE,J.: Some Formulas for the Crack Opening Stress Level. Engng Fracture Mech., 14, 1981, No.3, pp.461-465.
- [24] LAM,Y.C. - LIAN,K.S.: The Effect of Residual Stress and Its Redistribution on Fatigue Crack Growth. Theor. Appl. Fracture Mech., 12, 1989, No.1, pp.59-66.
- [25] ZHANG,S. - MARISSSEN,R. - SCHULTE,K. - TRAUTMANN,K.K. - PJOWACK,H. - SCHIJVE,J.: Crack Propagation Studies on Al 7475 on the Basis of Constant Amplitude and Selective Variable Amplitude Loading Histories. Fatigue Fract. Engng Mater. Struct., 10, 1987, No.4, pp.315-332.
- [26] MUSUVA,J.K. - RADON,J.C.: The Effect of Stress Ratio and Frequency on Fatigue Crack Growth. Fatigue Engng Mat. Struct., 1, 1979, No.4, pp.457-470.
- [27] KURIHARA,M. - KATOH,A. - KAWAHARA,M.: Effects of Stress Ratio and Step Loading on Fatigue Crack Propagation Rate. In: Current Research on Fatigue Cracks. Eds. T.Tanaka et al. London and New York, Elsevier 1987, pp.247-265.
- [28] NEWMAN,J.C.Jr.: A Crack-Closure Model for Predicting Fatigue Crack Growth Under Aircraft Spectrum Loading. Methods for Predicting Fatigue Crack Growth under Random Loading. ASTM STP 748, Eds. J.B.Chang and C.M.Hudson. ASTM 1981, pp.53-84.
- [29] WANHILL,R.J.H.: Low Stress Intensity Fatigue Crack Growth in 2024-T3 and T351. Engng Fracture Mech., 30, 1988, No.2, pp.233-260.
- [30] KATCHER,M. - KAPLAN,M.: Effects of R-Factor and Crack Closure on Fatigue Crack Growth for Aluminum and Titanium Alloys. Fracture Toughness and Slow-Stable Cracking, ASTM STP 559, Part I, ASTM 1974, pp.264-282.
- [31] MADDOX,S.J. - CURNEY,T.R. - MUMMEY,A.M. - BOOTH,G.S.: An Investigation of the Influence of Applied Stress Ratio on Fatigue Crack Propagation In Structural Steels. (Research Report 72/1978). Welding Institute 1978.
- [32] KUMAR,R. - SINGH,K.: Influence of Stress Ratio on Fatigue Crack Growth in Mild Steel. Engng Fracture Mech., 50, 1995, No.3, pp.377-384.
- [33] FINNEY,J.M. - DEIRMENDJIAN,G.: Delta -K-Effective: Which Formula? Fatigue Fract. Mater. Struct., 15, 1992, No.2, pp.151-158.
- [34] ALLEN,R.J. - BOOTH,G.S. - JUTLA,T.: A Review of Fatigue Crack Growth Characterisation by Linear Elastic Fracture Mechanics (LEFM). Part II - Advisory Documents and Applications Within National Standards. Fatigue Fract. Engng Mater. Struct., 11, 1988, No.2, pp.71-108.
- [35] MILLS,W.J. - JAMES,L.A.: Effect of Temperature on the Fatigue-Crack Propagation Behaviour of Inconel X-750. Fatigue Engng Mat. Struct., 3, 1980, No.2, pp.159-175.
- [36] BILIR,Ö.G. - HARUN,M.: Effect of Stress Ratio on the Rate of Growth of Fatigue Cracks in 1100 Al-alloy. Engng Fracture Mech., 30, 1988, č.2, s.233-260.



- [37] WALKER, K.: The Effect of Stress Ratio During Crack Propagation and Fatigue for 2024-T3 and 7075-T6 Aluminium. Effects of Environment and Complex Load History on Fatigue Life, ASTM STP 462, ASTM 1970, pp.1-14.
- [38] ZHENG, J. - POWELL, B.E.: Effect of Stress Ratio and Test Methods on Fatigue Crack Growth rate for Nickel Based Superalloy Udimet 720. Technical Note. Int. J. Fatigue, 21, 1999, No.5, pp.507-513.
- [39] BACHMANN, V. - MUNZ, D.: Crack Closure in Fatigue of a Titanium Alloy. Int. J. Fracture, 11, 1975, pp.713-716.
- [40] STOFANAK, R.J. - HERTZBERG, R.W. - MILLER, G. - JACCARD, R. - DONALD, K.: On The Cyclic Behavior of Cast and Extruded Aluminum Alloys. Part A. Fatigue Crack Propagation. Engng Fracture Mech., 17, 1983, No.6, pp.527-539.
- [41] SRIVASTAVA, Y.P. - GARG, S.B.L.: Influence of R on Effective Stress Range Ratio and Crack Growth. Engng Fracture Mech., 22, 1985, No.6, pp.915-926.
- [42] HUDAK, S.J.Jr. - DAVIDSON, Q.L.: The Dependence of Crack Closure on Fatigue Loading Variables. Mechanics of Closure. ASTM STP 982. Eds. J.C.Newman and W.Elber. ASTM 1988, pp.121-138.
- [43] DAVIDSON, D.L.: Fatigue Crack Closure. Engng Fracture Mech., 38, 1991, No.6, pp.393-402.
- [44] SHIH, T.T. - WEI, R.P.: A Study of Crack Closure in Fatigue. Engng Fracture Mech., 6, 1974, No.1, pp.19-32.
- [45] CHAND, S. - GARG, S.B.L.: Crack Closure Studies Under Constant Amplitude Loading. Engng Fracture Mech., 18, 1983, No.2, pp.333-347.
- [46] CHAND, S. - GARG, S.B.L.: Crack Propagation Under Constant Amplitude Loading. Engng Fracture Mech., 21, 1985, No.1, pp.1-30.
- [47] GUO, W. - WANG, C.H. - ROSE, L.R.F.: The Influence of Cross-Sectional Thickness on Fatigue Crack Growth. Fatigue Fracture Engng Mat. Struct., 21, 1999, No.5, pp.437-444.
- [48] KUMAR, R.: Review on Crack Closure for Constant Amplitude Loading in Fatigue. Engng Fracture Mech., 42, 1992, No.2, pp.389-400.
- [49] NAGAI, A. - TOYOSANA, M. - OKAMOTO, T.: A Study on the Fatigue Crack Growth in 9% Ni Steel Plate (Growth Rate of Surface Crack in a Plate Under Arbitrary Combined Tension and Bending). Engng Fracture Mech., 7, 1975, No.3, pp.481-490.
- [50] PAPIRNO, R. - PARKER, B.S.: An Automatic Flash Photomicrographic System for Fatigue Crack Initiation Studies. Cyclic Stress-Strain Behavior-Analysis, Experimentation, and Failure Prediction, ASTM STP 519, ASTM 1973, pp.98-108.
- [51] DEANS, W.F. - RICHARDS, C.E.: A Simple and Sensitive Method of Monitoring Crack and Load in Compact Fracture Mechanics Specimens Using Strain Gauges. J. Test. Eval., 7, 1979, No.3, pp.147-154.
- [52] DEANS, W.F. - RICHARDS, C.E.: A Technique for Measuring Crack Length and Load in Compact Fracture Mechanics Specimens Using Strain Gauges. In: Advances in Fracture Research (ICF 5, Cannes). Eds. D.Francois et al., Vol.4, Oxford, Pergamon Press 1981, pp.1989-1996.

- [53] MAYES,I.C. - BAKER,T.J.: An Understanding of Fatigue Thresholds Through the Influence of Non-Metallic Inclusions in Steel. *Fatigue Engng Mat. Struct.*, 4, 1981, No.1, pp.79-96.
- [54] DONAHUE,R.J. - CLARK,H.McI. - ATANMO,P. - KUMBLE,R. - McEVILLY,A.J.: Crack Opening Displacement and the Rate of Fatigue Crack Growth. *Int. Fracture Mech.*, 8, 1972, No.2, pp.209-219.
- [55] SULLIVAN,A.M. - CROOKER,T.W.: Crack-Opening-Displacement Technique for Crack Length Measurement in Fatigue Crack Growth Rate Testing - Development and Evaluation. *Engng Fracture Mech.*, 9, 1977, No.1, pp.159-166.
- [56] EFTIS,J. - LIEBOWITZ,H.: On the Modified Westergaard Equations for Certain Plane Crack Problems. *Int. J. Fracture Mech.*, 4, 1972, No.4, pp.383-391.
- [57] SAXENA,A. - HUDAK,S.J.Jr.: Review and Extension of Compliance Information for Common Crack Growth Specimens. *Int. J. Fracture Mech.*, 14, 1978, No.5, pp.453-468.
- [58] SIH,G.C.: *Handbook of Stress Intensity Factors*. Bethlehem, Lehigh University 1973.
- [59] TADA,H. - PARIS,P. - IRWIN,G.: *The Stress Analysis of Crack Handbook*. Hellertown, PA., Del Research Co. 1973.
- [60] ROOKE,D.P. - CARTWRIGHT,D.J.: *Compendium of Stress Intensity Factors*. London, Her Majesty's Stationery Office 1976.
- [61] MURAKAMI,Y.: *Stress Intensity Factors Handbook*. Oxford, Pergamon Press 1987, 1 456 p.
- [62] SCHWALBE,K.-H. - HELLMANN,D.: Application of the Electrical Potential Method to Crack Length Measurements Using Johnson's Formula. *Journal of Testing and Evaluation*, JTEVA, 9, 1981, No.3, pp.218-221.
- [63] CLARKE,C.K. - CASSATT,G.C.: A Study of Fatigue Crack Closure Using Electric Potential and Compliance Techniques. *Engng Fracture Mech.*, 9, 1977, No.3, pp.675-688.
- [64] TAIRA,S. - TANAKA,K.: Thickness Effect of Notched Metal Sheets on Deformation and Fracture Under Tension. *Engng Fracture Mech.*, 11, 1979, No.2, pp.231-249.
- [65] GAPJGLOFF,R.P.: Electrical Potential Monitoring of Crack Formation and Subcritical Growth from Small Defects. *Fatigue Engng Mat. Struct.*, 4, 1981, No.1, pp.15-33.
- [66] HAY,E. - BROWN,M.V.: A D.C. Potential Drop Method to Monitor Crack Growth in Notches Subjected to Torsion. *Fatigue Engng Mat. Struct.*, 4, 1981, No.3, pp.287-290.
- [67] RITTER,M.A. - RITCHIE,R.O.: On the Calibration, Optimization and the Use of d.c. Electrical Potential Methods for Monitoring Mode III Crack Growth in Torsionally-Loaded Samples. *Fatigue Engng Mat. Struct.*, 5, 1982, No.1, pp.91-99.
- [68] ÖBERG,H.: *An Electrical Impedance Method for Determination of Crack Growth*. (Raport 14.) Stockholm, Dept of Strength of Materials and Solid Mechanics. The Royal Institute of Technology 1975, 14 p.
- [69] VERPOEST,I. - AERNOUDT,E. - DERUYTTERE,A. - NEYRINCK,M.: An Improved A.C. Potential Drop Method for Detecting Surface Microcracks During Fatigue Tests of Unnotched Specimens. *Fatigue Engng Mat. Struct.*, 3, 1981, No.3, pp.203-217.

- [70] BAUDIN,G. - POLICELLA,H.: Progress in Potential Drop Technique. Application to Three-Dimensional Crack Fronts. In: Advances in Fracture Research (ICF 5, Cannes). Eds. D.Francois et al. Vol.4, Oxford, Pergamon Press 1981, pp.1957-1964.
- [71] DOVER,W.D. - CHARLESWORTH,F.D.W. - TAYLOR,K.A.: A.C. Field Measurements. A New Method for Detecting and Measuring Fatigue Cracks. In: Advances in Fracture Research (ICF 5, Cannes). Eds. D.Francois et al. Vnl.4, Oxford, Pergamon Press 1981, pp.1965-1973.
- [72] WHITESON,B.V. - PHILLIPS,A. - KERLINS,V. - RAVE,R.A.: Special Fractographic Techniques for Failure Analysis. ASTM STP 436, ASTM 1968, pp.151-178.
- [73] BOROBEV,A.Z. - DOCENKO,A.M. - KORDONSKIJ,CH.B. - MARTYNOV,JU.A.: Razvitije treščiny ustalosti. Zavodskaja laboratorija, 36, 1970, s.714.
- [74] BUCK,O.: Characterization of Propagating Crack by Ultrasonic Techniques. Int. J. Fracture Mech., 8, 1972, No.1, pp.121-124.
- [75] KASALICKÝ,P.: Moderní metody mechanického zkoušení kovů. In: Lomy ocelových výrobků. III.díl, Plzeň, ÚVZÚ Škoda 1978, s.334-352.
- [76] DESAI,J.D. - GERBERICH,W.W.: Analysis of Incremental Cracking by the Stress-Wave Emission Technique. Engng Fracture Mech., 7, No.1, 1975, pp.153-165.
- [77] PŘEVOROVSKÝ,Z. - HAVLÍČEK,V.: Hodnocení charakteristik akustické emise při studiu mechanismů šíření trhlin. (Výzkumná zpráva.) Praha, Ústav termomechaniky ČSAV, 15 s.
- [78] CRHA,J.: Měření emise napětových vln u velkých těles. In: Sylaby přednášek pro den výměny zkušeností na téma "Měření lomové houževnatosti". Praha, Výzkumné zkušební středisko 080 VŽKG Ostrava 1975, s.16-23.
- [79] DUNEGAN,H.L. - HARRIS,D.G. - TATRO,C.A.: Fracture Analysis by Use of Acoustic Emission. Engng Fracture Mech., 1, 1968, No.1, pp.105-122.
- [80] MORTON,T.M. - HARRINGTON,R.M. - BJELETICH,J.G.: Acoustic Emissions of Fatigue Crack Growth. Engng Fracture Mech., 5, 1973, No.3, pp.691-697.
- [81] HAMEL,F. - BAILON,J.P. - BASSIM,M.N.: Acoustic Emission Mechanisms During High-Cycle Fatigue. Engng Fracture Mech., 14, 1981, No.4, pp.853-860.
- [82] MASOUNAVE,J. - LANTEIGNE,J. - BASSIM,H.N. - HAY,D.R.: Acoustic Emission and Fracture of Ductile Materials. Engng Fracture Mech., 8, 1976, No.4, pp.701-709.
- [83] GREEN,G. - McINTYRE,P.: A Study of Stress Corrosion Cracking in Nigh Strength Steels Using Acoustic Emission Techniques. In: Advances in Fracture Research (ICF 5, Cannes). Eds. D.Francois et al. Vol.4, Oxford, Pergamon Press 1981, pp.2049-2057.
- [84] YATES,J.R.: Crack Growth Monitoring Techniques. (Paper presented at Course on Metal Fatigue.) University of Sheffield 1991.
- [85] ASTM Standard E 647-91. Standard Test Method for Measurement of Fatigue Crack Growth Rates. 1991. In: Annual Book of ASTM Standards, pp.654-681.
- [86] NEDBAL,I. - SIEGL,J. - KUNZ,J.: Fractographic Study of Fatigue Crack Kinetics in Bodies and Structures. In: Advances in Fracture Research 84' (ICF 6, New Delhi). Eds. S.R.Valluri et al., Vol.III, Oxford, Pergamon Press 1984, pp.2033-2040.
- [87] NEDBAL,I. - KUNZ,J.- SIEGL,J.: Využití kvantitativní fraktografie při výzkumu únavového porušování konstrukcí. Strojírnoství, 38, 1988, č.11, s.669-684.

- [88] SIEGL,J. - NEDBAL,I. - KUNZ,J.: Fraktografické aspekty růstu únavových trhlin při programovém zatěžování těles ze slitiny EI 437 B. (Výzkumná zpráva V-KMAT-312/91.) Praha, ČVUT-FJFI-KMAT 1991, 60 s.
- [89] NEDBAL,I. - SIEGL,J. - KUNZ,J.: Relation Between Striation Spacing and Fatigue Crack Growth Rate in Al-Alloy Sheets. In: Advances in Fracture Research (ICF 7, Houston). Eds. K.Salama et al.. Vol.5, Oxford, Pergamon Press 1989, pp.3483-3491.
- [90] KUNZ,J. - NEDBAL,I. - SIEGL,J.: Application of Fractography in Full-Scale Tests of Aircraft Structure Parts. In: Fracture Behaviour and Design of Materials and Structures (Proc. ECF 8, Torino). Ed. D.Firrao. Vol.III. Cradley Heath, EMAS 1990, pp.1662-1669.
- [91] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Some Remarks on Fatigue Fracture Marking. In: Fatigue '99 (Proc. 7<sup>th</sup> Int. Fatigue Congress, Beijing). Vol. 4/4. Eds. X.R.Wu, and Z.G.Wang. Beijing - Cradley Heath, HEP - EMAS 1999, pp.2373-2378.
- [92] NEDBAL,I. - SIEGL,J. - KUNZ,J.: Využití značkování trhlin při únavové zkoušce letounu. In: Sborník 8. konference Přínos metalografie pro řešení výrobních problémů (Mariánské Lázně). Ostrava, TANGER 1999, s.173-176.
- [93] TAYLOR,D.: A Compendium of Fatigue Thresholds and Growth Rates. Cradley Heath, EMAS 1985, 380 p.
- [94] NIAN,L. - BAI-PING,D.: The Effect of Low-Stress High-Cycle Fatigue on the Microstructure and Fatigue Threshold of a 40Cr Steel. Int. J. Fatigue, 17, 1995, No.1, pp.43-48.
- [95] PIPPAN,R. - STÜWE,H.P.- GOLOS,K.: A Comparison of Different Methods to Determine the Threshold of Fatigue Crack Propagation. Int. J. Fatigue, 16, 1994, No.8, pp.579-582.
- [96] TAYLOR,D.: Fatigue Review. Fatigue Thresholds: Their Applicability to Engineering Situations. Int. J. Fatigue, 10, 1988, No.2, pp.67-79.
- [97] KLESNIL,M. - LUKÁŠ,P.: Influence of Strength and Stress History on Growth and Stabilisation of Fatigue Cracks. Engng Fracture mech., 4, 1972, No.1, pp.77-92.
- [98] CHIANG,C.R.: Threshold Stress Intensity Factor of Fatigue Cracks. Engng Fracture Mech., 49, 1994, No.1, pp.29-33.
- [99] SURESH,S. - RITCHIE,R.O.: On the Influence of Environment on the Load Ratio Dependence of Fatigue Thresholds in Pressure Vessel Steel. Engng Fracture Mech., 18, 1983, No.4, pp.785-800.
- [100] KLESNIL,M. - LUKÁŠ,P.: The Effect of Stress Cycle Asymmetry on Fatigue Crack Growth. Mater. Sci. Engng, 9, 1972, pp.231-239.
- [101] KLESNIL,M. - LUKÁŠ,P.: Vliv asymetrie cyklu na rozvoj únavových trhlin. Strojírnoství, 23, 1973, č.1, s.34-40.
- [102] OHTA,A. - SASAKI,E.: Influence of Stress Ratio on the Threshold Level for Fatigue Crack Propagation in High Strength Steels. Engng Fracture Mech., 9, 1977, No.2, pp.307-315.
- [103] COOKE,R.J. - IRVING,P.E. - BOOTH,G.S. - BEEVERS,C.J.: The Slow Fatigue Crack Growth and Threshold Behaviour of a Medium Carbon Alloy Steel in Air and Vacuum. Engng Fracture Mech., 7, 1975, No.1, pp.69-77.

- [104] HERTZBERG, R.W.: Deformation and Fracture Mechanics of Engineering Materials. 2nd Ed. New York, John Wiley and Sons 1983, 700 p.
- [105] STOFANAK, R.J. - HERTZBERG, R.W. - MILLER, G. - JACCARD, R. - DONALD, K.: On the Cyclic Behavior of Cast and Extruded Aluminum Alloys. Part A: Fatigue Crack Propagation. Engng Fracture Mech., 17, 1983, No.6, pp.527-539.
- [106] VOSIKOVSKY, O.: The Effect of Stress Ratio on Fatigue Crack Growth Rates in Steels. Engng Fracture Mech., 11, 1979, No.3, pp.595-602.
- [107] ALLEN, R.J. - BOOTH, G.S. - JUTLA, T.: A Review of Fatigue Crack Growth Characterisation by Linear Elastic Fracture Mechanics (LEFM). Part I - Principles and Methods of Data Generation. Fatigue Fracture Engng Mater. Struct., 11, 1988, No.1, pp.45-69.
- [108] LAL, D.N. - NAMBOODHIRI, T.K.G.: A Model for the Effect of the Mean Stress on the Threshold Condition for Fatigue Crack Propagation. Mater. Sci. Engng, A 130, 1990, pp.37-49.
- [109] KUJAWSKI, D. - ELLYIN, F.: A Unified Approach to Mean Stress Effect on Fatigue Threshold Conditions. Int. J. Fatigue, 17, 1995, No.8, pp.101-106.
- [110] LINDLEY, T.C. - NIX, K.J.: Metallurgical Aspects of Fatigue Crack Growth. In: Fatigue Crack Growth. 30 Years of Progress. Ed. R.A.Smith. Oxford, Pergamon Press 1986, pp.53-74.
- [111] GERBERICH, W.W. - MOODY, N.R.: A Review of Fatigue Fracture Topology Effects on Threshold and Growth Mechanisms. Fatigue Mechanisms, ASTM STP 675, Ed. J.T. Fong, ASTM 1979, s.292-341.
- [112] KENDALL, J.M. - KNOTT, J.F.: Near-Threshold Fatigue Crack Growth in Air and Vacuum. Basic Questions in Fatigue. Vol.II. ASTM STP 924, ASTM 1988, pp.103-114.
- [113] BEEVERS, C.J.: Some Aspects of Fatigue Crack Growth in Metals and Alloys. In: Fracture 1977 (ICF 4, Waterloo). Ed. D.M.R.Taplin. Vol.1. Waterloo, University of Waterloo Press 1977, pp.239-260.
- [114] MASOUNAVE, J. - BAILON, J.P.: The Effect of Grain Size on the Threshold Stress Intensity Factor in Fatigue of a Ferritic Steel. Scripta Metal., 10, 1976, s.165-170.
- [115] YODER, G.R. - COOLEY, L.A. - CROOKER, T.W.: A Critical Analysis of Grain Size and Yield Strength Dependence of Near-Threshold Fatigue Crack Growth in Steels. Fracture Mechanics. 14<sup>th</sup> Symposium. Volume I: Theory and Analysis. ASTM STP 791, Eds. J.C.Lewis and G.Sines. ASTM 1983, pp.I-348-I-365.
- [116] YOKOBORI, J.R. - YOKOBORI, A.T.: On Micro- nad Macro-mechanics of Fatigue Thresholds. In: Proc. Int. Conf. Fatigue Thresholds 1 (Stockholm). Vol.1. Cradley Heath, EMAS 1981, pp.171-189.
- [117] WASÉN, J. - HEIER, E.: Fatigue Crack Growth Thresholds – the Influence of Young's Modulus and Fracture Surface Roughness. Int. J. Fatigue, 20, 1998, No.10, pp.737-742.
- [118] MURAKAMI, Y. - ENDO, M.: Prediction for  $\Delta K_{th}$  of Various Metals Containing Small Defects in terms of the Vickers Hardness ( $H_V$ ) and Square Root of the Projected Area of Defects ( $\sqrt{area}$ ). In: Fracture Mechanics. Current Japanese Materials Research – Vol.8. Eds. H.Okamura, and K.Ogura. London and New York, Elsevier Appl. Sci. 1991, pp.105-124.

- [119] BEEVERS,C.J. - WARD-CLOSE,C.P.:  $\Delta K$  Thresholds in Titanium Alloys - the Role of Microstructure, Temperature and Environment. In: Fatigue Environment and Temperature Effects. Sagamore Army Materials Research Conference Proceedings 27. Eds. J.J.Burke and V.Weiss. New York and London, Plenum Press 1983, pp.83-102.
- [120] OBABUEKI,A.O. - LEE,C.H. - TANAKA,T. - MILLER,A.K.: A Unified Model for Fatigue Crack Initiation, Short Crack Growth, Long Crack Propagation, and Closure Effects. In: Fatigue 87. Eds. R.O.Ritchie and E.A.Starke, Jr. Vol. I, Cradley Heath, EMAS 1987, pp.381-391.
- [121] LANKFORD,J.: The Growth of Small Fatigue Cracks in 7075-T6 Aluminum. Fatigue Engng Mat. Struct., 5, 1982, No.3, pp.233-248.
- [122] HOBSON,P.D.: The Formulation of a Crack Equation for Short Cracks. Fatigue Engng Mat. Struct., 5, 1982, No.4, pp.323-327.
- [123] MURTAZA,G. - AKID,R.: Modelling Short Fatigue Crack Growth in a Heat Treated Low Alloy Steel. Int. J. Fatigue, 17, 1995, No.3, pp.207-214.
- [124] SEED,G.M. - MURPHY,G.S.: The Applicability of Neural Networks in Modelling the Growth of Short Fatigue Cracks. Fatigue Fracture Engng Mat. Struct., 21, 1998, No.2, pp.183-190.
- [125] LUKÁŠ,P. - KUNZ,L.: Prahové hodnoty pro šíření krátkých i dlouhých únavových trhlin v Cr-Mo oceli. Strojírnoství, 39, 1989, č.3, s.171-175.
- [126] KITAGAWA,H. - TAKAHASHI,S.: Applicability of Fracture Mechanics to Very Small Cracks or the Cracks in the Early Stage. In: Proc.2nd Int. Conf. on Mech. Behavior of Materials (ICM II). Boston, pp.627-631.
- [127] SMITH,R.A.: On the Short Crack Limitations of Fracture Mechanics. Int. J. Fracture, 13, 1977, No.5, pp.717-720.
- [128] TAYLOR,D. - KNOTT,J.F.: Fatigue Crack Propagation Behaviour of Short Cracks; The Effect of Microstructure. Fatigue Engng Mat. Struct., 4, 1981, No.2, pp.147-155.
- [129] FLORIANOVÁ,J.: Listové pružiny TATRA - současný stav poznatků, perspektivní směry dalšího vývoje. (Zpráva č. 08.01.815-63.) Kopřivnice, Tatra, Kombinát Kopřivnice 1990, 27 s.
- [130] KUNČAR,Z.: Únavové zkoušky segmentů listových per různého provedení. (Zpráva č. 08.01.815-56.) Kopřivnice, Tatra, Kombinát Kopřivnice 1984, 25 s.
- [131] KUNZ,J. - NEDBAL,I.: Analýza poruch segmentů listových pružin. (Výzkumná zpráva V-KMAT-309/91.) ČVUT-FJFI-KMAT 1991, 41 s.
- [132] KUNZ,J. - NEDBAL,I. - SIEGL,J.: Využití fraktografie a lomové mechaniky při analýze poruch listových pružin nákladních automobilů. In: Sbornik Fraktografie 91 (11.CFK, Herl'any). Košice, ÚEM SAV 1991, s.361-367.
- [133] CVITANOVIČOVÁ,J. et al.: Listové pružiny pro nákladní automobily. (Zpráva pro kontrolní den.) VÚHŽ Dobrá, říjen 1990, 13 s.
- [134] PARIS,P.C. - ERDOGAN,F.: A Critical Analysis of Crack Propagation Laws. J. Basic Engng, 85, 1963, No.4, pp.528-534.
- [135] RITCHIE,R.O. - KNOTT,J.F.: Mechanisms of Fatigue Crack Growth in Low Alloy Steel. Acta Metallurgica, 21, 1973, No.5, pp.639-648.

- [136] YUEN,A. - HOPKINS,S.W. - LEVERANT,G.R. - RAU,C.A.: Correlations Between Fracture Surface and Fracture Mechanics Parameters for Stage II Fatigue Crack Propagation in Al-6Al-4V. *Met. Trans.*, 5, 1974, No.4, pp.1833-1842.
- [137] YOKOBORI,T. - SATO,K.: The Effect of Frequency on Fatigue Crack Propagation Rate and Striation Spacing in 2024-T3 Aluminium Alloy and SM-50 Steel. *Engng Fracture Mech.*, 8, 1976, No.1, pp.81-88.
- [138] JAMES,A.: The Effect of Frequency Upon the Fatigue Crack Growth of Type 304 Stainless Steel at 1000°F. *Stress Analysis and Crack Growth. ASTM STP 513, ASTM 1972*, s.218-229.
- [139] SAXENA,A.: A Model for Predicting the Effect of Frequency on Fatigue Crack Growth Behavior at Elevated Temperature. *Fatigue Engng Mat. Struct.*, 3, 1981, No.3, pp.247-255.
- [140] SCHUCHTAR,E. - PLUMTREE,A.: Temperature and Frequency Effects on Fatigue Crack Propagation. In: *Failure Analysis - Theory and Practice. (ECF 7, Budapest.)* Ed. E.Czoboly. Vol.II, Cradley Heath, EMAS 1988, pp.1081-1086.
- [141] TONG,J. - BYRNE,J.: Effects of Frequency on Fatigue Crack Growth at Elevated Temperature. *Fatigue Fracture Engng Mat. Struct.*, 22, 1999, No.3, pp.185-193.
- [142] BROEK,O. - SCHIJVE,J.: The Influence of Sheet Thickness on Crack Propagation. *Aircraft Engineering*, 38, Nov. 1966, pp.31-33.
- [143] BUBENÍČEK,M. - KUNZ,J.: Vliv periodicky se opakujícího přetěžování na šíření únavových trhlin v tělesech z hliníkové slitiny ČSN 42 4202. (Výzkumná zpráva V-KMAT-345/92.) Praha, ČVUT-FJFI-KMAT 1992, 122 s.
- [144] FLECK,N.A.: Fatigue Crack Growth - the Complications. In: *Fatigue Crack Growth. 30 Years of Progress.* Ed. R.A.Smith. Oxford, Pergamon Press 1986, pp.75-88.
- [145] HARRIS,S.J. - NOBLE,B. - DINSDALE,K.: Fatigue Crack Growth Characteristics of Al-Li Based Alloys. In: *Fatigue 84.* Ed. C.J.Beevers. Vol.I, Cradley Heath, EMAS 1984, pp.361-369.
- [146] ANTQLOVICH,S.D. - JAYARAMAN,N.: The Effect of Microstructure on the Fatigue Behavior of Ni Base Superalloys. In: *Fatigue Environment and Temperature Effects.* Eds. J.J.Burke and V.Weiss. New York and London, Plenum Press 1983, pp.119-144.
- [147] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Vliv čistoty AlCu4Mg1 na kinetiku únavového porušování. *Kovové materiály*, 23, 1985, č.6, s.725-737.
- [148] McGOWAN,J.J. - LIU,H.W.: A Kinetic Model of High Temperature Fatigue Crack Growth. In: *Fatigue Environment and Temperature Effects.* Eds. J.J.Burke and V.Weiss. New York and London, Plenum Press 1983, pp.377-390.
- [149] FORD,F.P.: Corrosion Fatigue Crack Propagation. In: *Fatigue Environment and Temperature Effects.* Eds. J.J.Burke and V.Weiss. New York and London, Plenum Press 1983, pp.41-57.
- [150] RUPPEN,J.A. - HOFFMANN,C.L. - RADHAKRISHNAN,V.M. - McEVILLY,A.J.: The Effect of Environment and Temperature on the Fatigue Behavior of Titanium Alloys. In: *Fatigue Environment and Temperature Effects.* Eds. J.J.Burke and V.Weiss. New York and London 1983, pp.265-300.

- [151] KUNZ,J.: Vliv některých charakteristik zatěžovacího spektra na proces únavového porušování konstrukčních slitin. Kovové materiály, 20, 1982, č.3, s.301-312.
- [152] HERTZBERG,R.W. - VON EUW,E.F.J.: Crack Closure and Fatigue Striations in 2024-T3 Aluminum Alloy. Met. Trans., 4, 1973, No.3, pp.887-889.
- [153] ROMAN,I. - JINCHUK,D.: Fatigue Crack Growth in a Sintered Tungsten Alloy. Fatigue Engng Mat. Struct., 5, 1982, No.1, pp.71-76.
- [154] KUNZ,J.- NEDBAL,I.- SIEGL,J.: Fraktografické studium kinetiky únavového porušování. In: Sborník VI. CFK (Zlatá Idka). ÚEM SAV Košice 1981, s.291-297.
- [155] NEDBAL,I. - KUNZ,J. - SIEGL,J.: Quantitative Fractography - Possibilities and Applications in Aircraft Research. In: Basic Mechanisms in Fatigue of Metals (Proc. Int. Colloq., Brno). Eds. P.Lukáš and J.Polák. Praha/Amsterdam, Academia/Elsevier 1988, pp.393-403.
- [156] LIU,H.W. - KOBAYASHI,H.: Stretch Zone Width and Striation Spacing - The Comparison of Theories and Experiments. Scripta Metal., 14, 1980, No.5, pp.525-530.
- [157] McEVILY,A.J.: On the Quantitative Analysis of Fatigue Crack Propagation. Fatigue Mechanisms. Advances in Quantitative Measurement of Physical Damage, ASTM STP 811, ASTM 1983, pp.283-312.
- [158] BAILON,J.P. - ANTOLOVICH,S.D.: Effect of Microstructure on Fatigue Crack Propagation. A Review of Existing Models and Suggestions for Further Research. Fatigue Mechanisms. Advances in Quantitative Measurement of Physical Damage, ASTM STP 811, ASTM 1983, pp.313-349.
- [159] POLÁK,J.: Cyklická plasticita a nízkocyklová únavová odolnost kovových materiálů. Studie ČSAV. Praha, Academia 1986, 136 s.
- [160] ROVEN,H.J. - LANGØY,M.A. - NES,A.: Striations and the Fatigue Growth Mechanism in a Micro Alloyed Steel. In: Fatigue 87. Eds. R.O.Ritchie and E.A.Starke. Vol.I, Cradley Heath, EMAS 1987, pp.175-184.
- [161] CORTIE,M.B. - GARRETT,G.G.: On the Correlation Between the  $C$  and  $m$  in the Paris Equation for Fatigue Crack Propagation. Engng Fracture Mech., 30, 1988, No.1, pp.49-58.
- [162] CORTIE,M.B.: Technical Note. The Irrepressible Relationship between the Paris Law Parameters. Engng Fracture Mech., 40, 1991, No.3, pp.681-682.
- [163] HICKERSON,P. - HERTZBERG,R.W.: The Role of Mechanical Properties in Low-Stress Fatigue Crack Propagation. Met. Trans., 3, 1972, No.1, pp.179-189.
- [164] NICCOLLS,E.H.: A Correlation for Fatigue Crack Growth Rate. Scripta Metallurgica, 10, 1976, pp.295-298.
- [165] BAFLON,J.P. - MASOUNAVE,J. - BATHIAS,C.: On the Relationship Between the Parameters of Paris' Law for Fatigue Crack Growth in Aluminium Alloys. Scripta Metallurgica, 11, 1977, pp.1101-1106.
- [166] TANAKA,K. - MATSUOKA,S.: Tentative Explanation for Two Parameters,  $C$  and  $m$ , in Paris Equation of Fatigue Crack Growth. Int. J. Fracture, 13, 1977, No.5, pp.563-583.
- [167] BENSON,J.P. - EDMONDS,D.V.: The Relationship Between the Parameters  $C$  and  $m$  of Paris' Law for Fatigue Crack Growth in Low-Alloy Steel. Scripta Metallurgica, 12, 1978, pp.645-647.



- [168] ISHII,H. - YUKAWA,K.: The Role of Dislocation Substructure in Fatigue Crack Propagation in Copper and Alpha Brass. *Met. Trans.*, 10A, 1979, No.12, pp.1881-1887.
- [169] RAOHAKRISHNAN,V.M.: Quantifying the Parameters in Fatigue Crack Propagation. *Engng Fracture Mech.*, 13, 1980, No.1, pp.129-141.
- [170] GRINBERG,N.M.: Stage II Fatigue Crack Growth. *Int. J. Fatigue*, 6, 1984, No.4, pp.229-242.
- [171] GRINBERG,N.M.: Physical Base for the Fatigue Crack Growth Parameters and Their Change at Low Temperature. In: *Basic Mechanisms in Fatigue of Metals*. Eds. P.Lukáš and J.Polák. Prague/Amsterdam, Academia/Elsevier 1988, pp.255-262.
- [172] TANAKA,K. - MASUDA,C. - NISHIJIMA,S.: The Generalized Relationship Between the Parameters  $C$  and  $m$  of Paris' Law for Fatigue Crack Growth. *Scripta Metallurgica*, 15, 1981, No.3, pp.259-264.
- [173] LEE,J.B. - LEE,D.N.: Correlation of Two Constants in the Paris Equation for Fatigue Crack Propagation Rate in Region II. In: *Advances in Fracture Research (ICF 6, New Delhi)*. Eds. S.R.Valluri et al. Vol.3. Oxford, Pergamon Press 1984, pp.1727-1733.
- [174] KRASOWSKY,A.J. - KRAMARENKO,I.V. - KALAJDA,V.V.: Fracture Toughness of Nodular Graphite Cast Irons Under Static, Impact and Cyclic Loading. *Fatigue Fracture Engng Mater. Struct.*, 10, 1987, No.3, pp.223-237.
- [175] TÓTH,L. - NAGY,Gy. - ROMVARI,P.: Application of the ASPEF Concept for Estimation of Material Behaviour Under Cyclic Loading. In: *Failure Analysis - Theory and Practice (ECF 7, Budapest)*. Ed. E.Czoboly. Vol.II. Cradley Heath, EMAS 1988, pp.649-655.
- [176] BILIR,Ö.: Technical Note. The Relationship between the Parameters  $C$  and  $n$  of Paris' Law for Fatigue Crack Growth in a SAE 1010 Steel. *Engng Fracture Mech.*, 36, 1990, No.2, pp.361-364.
- [177] IOST,A. - LESAGE,J.: On the Existence of a Pivot Point for Stage II Fatigue Crack Growth. *Engng Fracture Mech.*, 36, 1990, No.4, pp.585-596.
- [178] VESIER,L.S. - ANTOLOVICH,S.D.: Fatigue Crack Propagation in Ti-6242 as a Function of Temperature and Waveform. *Engng Fracture Mech.*, 37, 1990, No.4, pp.753-775.
- [179] SINCLAIR,G.B. - PIERI,R.V.: On Obtaining Fatigue Crack Growth Parameters from the Literature. *Int. J. Fatigue*, 12, 1990, No.1, pp.57-62.
- [180] KRAUSZ,K. - KRAUSZ,A.S.: On the Physical Meaning of the Power-Function Type Fatigue Equations. *Int. J. Fracture*, 47, 1991, pp.R37-R42.
- [181] FORMAN,R.G. - KEARNEY,V.E. - ENGLE,R.M.: Numerical Analysis of Crack Propagation in a Cyclic-Loaded Structure. *J. Basic Engng, Trans. ASME*, 89D, 1967, No.3, pp.459-464.
- [182] FORMAN,R.G. - HU,T.: Application of Fracture Mechanics on the Space Shuttle. *Damage Tolerance of Metallic Structures: Analysis Methods and Applications*, ASTM STP 842, ASTM 1984, pp.108-133.
- [183] KOHOUT,J.: A New Function Describing Fatigue Crack Growth Curves. *Int. J. Fatigue*, 21, 1999, No.8, pp.813-821.

## 11. VYUŽITÍ LOMOVÉ MECHANIKY PŘI STUDIU ŠÍŘENÍ ÚNAVOVÝCH TRHLIN

---

- [184] NAKAGAKI, M. - ATLURI, S.N.: Fatigue Crack Closure and Delay Effects under Mode I Spectrum Loading: An Efficient Elastic-Plastic Analysis Procedure. *Fatigue Engng Mat. Struct.*, 1, 1979, No.4, pp.421-429.
- [185] POOK, L.P.: *Linear Elastic Fracture Mechanics for Engineers: Theory and Applications*. Southampton, Boston, WIT Press 2000, 154 p.