

Bibliography

- Abrams, P. A. (1993). Effect of increased productivity on the abundances of trophic levels. *American Naturalist* **141**: 351-371.
- Abrams, P. A., and Roth, J. (1994a). The responses of unstable food chains to enrichment. *Evolutionary Ecology* **8**: 150-171.
- Abrams, P. A., and Roth, J. D. (1994b). The effects of enrichment on three-species food chains with nonlinear functional responses. *Ecology* **75**: 1118-1130.
- Anderson, R. M., Jackson, H. C., May, R. M., and Smith, A. M. (1981). Population dynamics of fox rabies in Europe. *Nature* **289**: 765-771.
- Andral, L., Artois, M., Aubert, A., and Blancou, J. (1982). Radio-tracking of rabid foxes. *Comparative Immunology, Microbiology and Infectious Diseases* **5**: 285-291.
- Armstrong, R. A., and McGehee, R. (1980). Competitive exclusion. *American Naturalist* **115**: 151-170.
- Bailey, V. A., Nicholson, A. J., and Williams, E. (1962). Interaction between hosts and parasitoids when some host individuals are harder to find than others. *Journal of Theoretical Biology* **3**: 1-18.
- Begon, M., Harper, J. L., and Townsend, C. R. (1986). *Ecology: Individuals, Populations and Communities*. Blackwell, Oxford, UK.
- Begon, M., and Mortimer, M. (1981). *Population Ecology: A Unified Study of Animals and Plants*. Sinauer Associates, Sunderland, MA.
- Beiras, R., and His, E. (1995). Effects of dissolved mercury on embryogenesis, survival and growth of *Mytilus galloprovincialis* mussel larvae. *Marine Ecology Progress Series* **126**: 185-189.
- Bence, J. R., and Nisbet, R. M. (1989). Space limited recruitment in open systems: The importance of time delays. *Ecology* **70**: 1434-1441.
- Brown, J. H. (1995). *Macroecology*. University of Chicago Press, Chicago, IL.
- Brown, R. L. (1991). *Introduction to the Mathematics of Demography*. ACTEX Inc., Winsted CT.
- Bulmer, M. (1994). *Theoretical Evolutionary Ecology*. Sinauer Associates, Sunderland, MA.
- Carpenter, S. R., and Kitchell, J. F. (1993). *The Trophic Cascade in Lakes*. Cambridge University Press, Cambridge, UK.
- Caswell, H. (1989). *Matrix Population Models*. Sinauer Associates, Sunderland, MA.
- Charlesworth, B. (1980). *Evolution in Age Structured Population*. Cambridge University Press, Cambridge, UK.

- Chesson, P. L. (1994). Multispecies competition in variable environments. *Theoretical Population Biology* **45**: 227-276.
- Chesson, P. L., and Murdoch, W. W. (1986). Aggregation of risk: Relationships among host-parasitoid models. *American Naturalist* **127**: 696-715.
- Constantino, R. F., Cushing, J. M., Dennis, B., and Desharnais, R. A. (1995). Experimentally induced transitions in the dynamics of insect populations. *Nature* **375**: 227-230.
- Constantino, R. F., Desharnais, R. A., Cushing, J. M., and Dennis, B. (1997). Chaotic dynamics in an insect population. *Science* **275**: 389-391.
- Cunningham, A., and Maas, P. (1978). Time lag and nutrient storage effects in the transient growth response of *Chlamydomonas reinhardtii* in nitrogen limited batch and continuous culture. *Journal of General Microbiology* **104**: 227-231.
- Cushing, J. M., and Li, J. (1989). On Ebenman's model for the dynamics of a population with competing juveniles and adults. *Bulletin of Mathematical Biology* **51**: 687-713.
- Cushing, J. M., and Li, J. (1992). Intra-specific competition and density dependent juvenile growth. *Bulletin of Mathematical Biology* **54**: 503-519.
- DeAngelis, D. L. (1992). *Dynamics of Nutrient Cycling and Food Webs*. Chapman and Hall, London, UK.
- DeAngelis, D. L., and Gross, L. J. (1992). *Individual-Based Models and Approaches in Ecology*. Routledge, Chapman and Hall, New York.
- Dennis, B., Munholland, P. L., and Scott, J. M. (1991). Estimation of growth and extinction parameters for endangered species. *Ecological Monographs* **61**: 115-143.
- de Roos, A. M. (1997). A gentle introduction to physiologically structured population models. In Tuljapurkar, S., and Caswell, H. (Eds.), *Structured-population Models in Marine, Terrestrial, and Freshwater Systems*, pp. 119-204. Chapman and Hall, New York.
- de Roos, A. M., McCauley, E., Nisbet, R. M., Gurney, W. S. C., and Murdoch, W. W. (1997). Relating individual life histories and population dynamics in food-limited *Daphnia pulex* populations. Submitted.
- de Roos, A. M., McCauley, E., and Wilson, W. G. (1991). Mobility-versus density-limited predator-prey dynamics on different spatial scales. *Proceedings of the Royal Society of London (B)* **246**: 117-122.
- Diehl, S. (1995). Direct and indirect effects of omnivory in a lake community. *Ecology* **76**: 1727-1740.
- Diekmann, O., van Gils, S. A., Lunel, S. M. V., and Walther, H. O. (1995). *Delay Equations: Functional, Complex, and Nonlinear Analysis*. Springer-Verlag, New York.
- Droop, M. R. (1973). Some thoughts on nutrient limitation in algae. *Journal of Phycology* **9**: 264-272.
- Durrett, R., and Levin, S. A. (1994). Stochastic spatial models — A user's guide to ecological applications. *Philosophical Transactions of the Royal Society of London (B)* **343**: 329-350.

- Edelstein-Keshet, L. (1989). *Mathematical Models in Biology*. Random House, New York.
- Ellner, S., and Turchin, P. (1995). Chaos in a noisy world: New methods and evidence from time series analysis. *American Naturalist* **145**: 343-375.
- Ellner, S. P., Kendall, B. E., Wood, S. N., McCauley, E., and Briggs, C. J. (1997). Inferring mechanisms from time series data: Delay differential equations. *Physica D*, in press.
- Gage, J., and Tyler, P. (1985). Growth and recruitment of the deep-sea urchin *Echinus affinis*. *Marine Biology* **114**: 607-616.
- Gaines, S., and Roughgarden, J. (1985). Larval settlement rate: A leading determinant of structure in an ecological community of the marine intertidal zone. *Proceedings of the National Academy of Sciences of the United States of America* **82**: 3707-3711.
- Godfray, H. C. J., and Hassell, M. P. (1989). Discrete and continuous insect populations in tropical environments. *Journal of Animal Ecology* **58**: 153-174.
- Goel, N. S., and Richter-Dyn, N. (1974). *Stochastic Models in Biology*. Academic Press, New York.
- Goh, B. S. (1977). Global stability in many-species systems. *American Naturalist* **111**: 135-143.
- Gotelli, N. J. (1995). *A Primer of Ecology*. Sinauer Associates, Sunderland MA.
- Goulden, C. E., Henry, L. L., and Tessier, A. J. (1982). Body size, energy reserves, and competitive ability in three species of *Cladocera*. *Ecology* **63**: 1780-1789.
- Guckenheimer, J., Oster, G. F., and Ipaktchi, A. (1977). The dynamics of density-dependent population models. *Journal of Mathematical Biology* **4**: 101-147.
- Gurney, W. S. C., Blythe, S. P., and Nisbet, R. M. (1980). Nicholson's blowflies revisited. *Nature* **287**: 17-21.
- Gurney, W. S. C., Nisbet, R. M., and Lawton, J. H. (1983). The systematic formulation of tractable single-species population models incorporating age structure. *Journal of Animal Ecology* **52**: 479-495.
- Gyori, I., and Ladas, G. (1991). *Oscillation Theory of Delay Differential Equations: With Applications*. Oxford University Press, New York.
- Hanski, I., and Gilpin, M. E. (Eds.) (1991). *Metapopulation Biology: Ecology, Genetics, and Evolution*. Academic Press, San Diego, CA.
- Hassell, M. P., Comins, H., and May, R. M. (1991a). Spatial structure and chaos in insect population dynamics. *Nature* **353**: 255-258.
- Hassell, M. P., May, R. M., Pacala, S. W., and Chesson, P. L. (1991b). The persistence of host-parasitoid associations in patchy environments. 1. A general criterion. *American Naturalist* **138**: 568-583.
- Hastings, A. (1996). *Population Biology: Concepts and Models*. Springer-Verlag, New York.
- Hastings, A., Hom, C. L., Ellner, S., and Turchin, P. (1993). Chaos in ecology: Is mother nature a strange attractor? *Annual Review of Ecology and Systematics* **24**: 1-33.

- Hogeweg, P. (1988). Cellular automata as a paradigm for ecological modelling. *Applied Mathematics and Computation* **27**: 81-100.
- Holling, C. S. (1959). Some characteristics of simple types of predation and parasitism. *The Canadian Entomologist* **91**: 385-389.
- Holyoak, M. (1993). The frequency of detection of density dependence in insect orders. *Ecological Entomology* **18**: 339-347.
- Hsu, S. B., Hubbell, S. P., and Waltman, P. (1978). A contribution to the theory of competing predators. *Ecological Monographs* **48**: 337-349.
- Jones, C., and Lawton, J. H. (Eds.) (1995). *Linking Species and Ecosystems*. Chapman and Hall, New York.
- Kaplan, D., and Glass, L. (1995). *Understanding Nonlinear Dynamics*. Springer-Verlag, New York.
- Kendall, B. E. (1997). Estimating the magnitude of environmental stochasticity in survivorship data. *Ecological Applications*, in press.
- Kendall, B. E., Briggs, C. J., Murdoch, W. W., Turchin, P., Ellner, S. P., McCauley, E., Nisbet, R. M., and Wood, S. N. (1997). Complex population dynamics: a synthetic approach to understanding mechanisms. Submitted.
- Kessler, A., and Brand, D. B. (1994). Localisation of the sites of action of cadmium on oxydative phosphorylation in potato tuber mitochondria using top-down elasticity analysis. *European Journal of Biochemistry* **225**: 897-906.
- Kooijman, S. A. L. M. (1993). *Dynamic Energy Budgets in Biological Systems*. Cambridge University Press, New York.
- Kooijman, S. A. L. M., and Bedaux, J. J. M. (1996). *The Analysis of Aquatic Toxicity Data*. VU University Press, Amsterdam, the Netherlands.
- Kot, M., and Schaffer, W. M. (1984). The effects of seasonality on discrete models of population growth. *Theoretical Population Biology* **26**: 340-360.
- Kot, M., Lewis, M. A., and van den Dreissche, P. (1996) Dispersal data and the spread of invading organisms. *Ecology* **77**: 2027-2042.
- Kuang, Y. (1993). *Delay Differential Equations: With Applications in Population Dynamics*. Academic Press, Boston.
- Lande, R. (1993). Risks of population extinction from demographic and environmental stochasticity and random catastrophes. *American Naturalist* **142**: 911-927.
- Le Boeuf, B. J., and Laws, R. M. (1994). *Elephant Seals: Population Ecology, Behavior, and Physiology*. University of California Press, Berkeley.
- Levins, R. (1969a). Coexistence in a variable environment. *American Naturalist* **114**: 765-783.
- Levins, R. (1969b). Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America* **15**: 237-240.
- Ludwig, D., Jones, D. D., and Holling, C. S. (1978). Qualitative analysis of insect outbreak systems: The spruce budworm and forest. *Journal of Animal Ecology* **47**: 315-332.

- MacDonald, N. (1989). *Biological Delay Systems: Linear Stability Theory*. Cambridge University Press, New York.
- Mangel, M., and Clark, C. W. (1988). *Dynamic Modelling in Behavioral Ecology*. Princeton University Press, Princeton, NJ.
- Mangel, M., and Tier, C. (1994). Four facts every ecologist should know about persistence. *Ecology* **75**: 607-614.
- May, R. M. (1976). Simple mathematical models with very complicated dynamics. *Nature* **261**: 459-467.
- May, R. M. (1978) Host-parasitoid systems in patchy environments: A phenomenological model. *Journal of Animal Ecology* **47**: 833-843.
- McCauley, E., and Murdoch, W. W. (1987). Cyclic and stable populations: Plankton as paradigm. *The American Naturalist* **129**: 97-121.
- McCauley, E., Nisbet, R. M., de Roos, A. M., Murdoch, W. W., and Gurney, W. S. C. (1996). Structured population models of herbivorous zooplankton. *Ecological Monographs* **66**: 479-501.
- McNamara, J. M., and Houston, A. I. (1996). State-dependent life histories. *Nature* **380**: 215-221.
- Metz, J. A. J., and Diekmann, O. (1986). *The Dynamics of Physiologically Structured Populations*. Springer-Verlag, Berlin.
- Middleton, D. A. J., and Nisbet, R. M. (1997). Population persistence time: Estimates, models and mechanisms. *Ecological Applications* **7**: 107-117.
- Middleton, D. A. J., Gurney, W. S. C., and Gage, J. D. (1997). Growth and allocation in the deep-sea urchin *Echinus affinis*: Applying an individual-based model in the deep sea. *Marine Ecology Progress Series*, in press.
- Mittelbach, G. G., and Chesson, P. L. (1987). Predation risk: Indirect effects on fish populations. In Kerfoot, W. C. and Sih, A. (Eds.) *Predation: Direct and Indirect Effects on Aquatic Communities*. New England Press, Hannover, NH.
- Mollison, D. (1991). Dependence of epidemic and population velocities on basic parameters. *Mathematical Biosciences* **107**: 255-287
- Moran, P. A. P. (1953). The statistical analysis of the Canadian lynx cycle I. Structure and prediction. *Australian Journal of Zoology* **1**: 163-173.
- Muller, E. B., and Nisbet, R. M. (1997). Sublethal effects of toxic compounds on dynamic energy budgets; theory and applications. Submitted.
- Murdoch, W. W. (1994). Population regulation in theory and practice. *Ecology* **75**: 271-287.
- Murdoch, W. W., and McCauley, E. (1985). Three distinct types of dynamic behavior shown by a single planktonic system. *Nature* **316**: 628-630.
- Murdoch, W. W., Nisbet, R. M., Blythe, S. P., and Gurney, W. S. C. (1987). An invulnerable age class and stability in delay-differential parasitoid-host models. *American Naturalist* **129**: 263-282.
- Murdoch, W. W., Nisbet, R. M., McCauley, E., de Roos, A. M., and Gurney, W. S. C. (1998). Plankton abundance and dynamics across nutrient levels: Tests of hypotheses. *Ecological Monographs*, in press.

- Murray, J. D. (1989). *Mathematical Biology*. Springer-Verlag, Heidelberg, Germany.
- Murray, J. D., Stanley, E. A., and Brown, D. L. (1986). On the spread of rabies among foxes. *Proceedings of the Royal Society of London (B)* **229**: 111-150.
- Nicholson, A. J. (1954). An outline of the dynamics of animal populations. *Australian Journal of Ecology* **2**: 9-65.
- Nicholson, A. J. (1957). The self-adjustment of populations to change. *Cold Spring Harbor Symposia* **22**: 153-173.
- Nicholson, A. J., and Bailey, V. A. (1935). The balance of animal populations. *Proceedings of the Zoological Society of London* **3**: 551-598.
- Nisbet, R. M. (1997). Delay-differential equations for structured populations. In Tuljapurkar, S., and Caswell, H. (Eds.) *Structured-Population Models in Marine, Terrestrial, and Freshwater Systems*, pp. 89-118. Chapman & Hall, New York.
- Nisbet, R. M., Diehl, S., Wilson, W. G., Cooper, S. D., Donalson, D. D., and Kratz, K. (1997a). Primary productivity gradients and short-term population dynamics in open systems. *Ecological Monographs* **67**: 535-553.
- Nisbet, R. M., and Gurney, W. S. C. (1982). *Modelling Fluctuating Populations*. Wiley, Chichester, UK.
- Nisbet, R. M., and Gurney, W. S. C. (1983). The systematic formulation of population models for insects with dynamically varying instar duration. *Theoretical Population Biology* **23**: 114-135.
- Nisbet, R. M., McCauley, E., Gurney, W. S. C., Murdoch, W. W., and de Roos, A. M. (1997b). Simple representations of biomass dynamics in structured populations. In Othmer, H. G., Adler, F. R., Lewis, M. A., and Dallon, J. C. (Eds.), *Case Studies in Mathematical Modeling—Ecology, Physiology, and Cell Biology*, pp. 61-79. Prentice Hall, Upper Saddle River, NJ.
- Nisbet, R. M., Muller, E. B., Brooks, A. J., and Hosseini, P. (1997c). Models relating individual and population response to contaminants. *Environmental Modeling and Assessment* **2**: 7-12.
- Nisbet, R. M., Murdoch, W. W., and Stewart-Oaten, A. (1996). Consequences for adult fish stocks of human-induced mortality of immatures. In Osenberg, C., and Schmitt, R. J. (Eds.), *Environmental Impact Assessment*, pp. 257-277. Academic Press, San Diego, CA.
- Nisbet, R. M., and Onyiah, L. C. (1994). Population dynamic consequences of competition within and between age classes. *Journal of Mathematical Biology* **32**: 329-344.
- Oksanen, L., Fretwell, S. D., Arruda, J., and Niemela, P. (1981). Exploitation ecosystems in gradients of primary productivity. *American Naturalist* **118**: 240-261.
- Okubo, A. (1980). *Diffusion and Ecological Problems: Mathematical Models*. Springer-Verlag, Berlin.
- Pacala, S. W., and Hassell, M. P. (1991). The persistence of host-parasitoid associations in patchy environments. 1. Evaluation of field data. *American Naturalist* **138**: 584-605.

- Paloheimo, J. E., Crabtree, S. J., and Taylor, W. D. (1982). Growth model of *Daphnia*. *Canadian Journal of Fisheries and Aquatic Sciences* **39**: 598-606.
- Persson, L., Diehl, S., Johansson, L., Andersson, G., and Hamrin, S. F. (1992). Trophic interactions in temperate lake systems: A test of food chain theory. *American Naturalist* **140**: 59-84.
- Peters, R. H. (1983). *The Ecological Implications of Body Size*. Cambridge University Press, Cambridge, UK.
- Polis, G. A., and Holt, R. D. (1992). Intraguild predation: The dynamics of complex trophic interactions. *Trends in Ecology and Evolution* **7**: 151-154.
- Polis, G. A., and Winemiller, K. O. (Eds.) (1996). *Food Webs: Integration of Pattern and Dynamics*. Chapman and Hall, New York.
- Possingham, H., Tuljapurkar, S., Roughgarden, J., and Wilks, M. (1994). Population cycling in space-limited organisms subject to density-dependent predation. *American Naturalist* **143**: 563-582.
- Readshaw, J. L., and Cuff, W. R. (1980). A model of Nicholson's blowfly cycles and its relevance to predation theory. *Journal of Animal Ecology* **49**: 1005-1010.
- Readshaw, J. L., and van Gerwen (1983). Age-specific survival, fecundity and fertility of the adult blowfly *Lucillia cuprina*, in relation to crowding, protein food and population cycles. *Journal of Animal Ecology* **52**: 879-887.
- Renshaw, E. (1991). *Modelling Biological Populations in Space and Time*. Cambridge University Press, Cambridge, UK.
- Rodriguez, D. J. (1988). Models of growth with density dependence in more than one stage. *Theoretical Population Biology* **34**: 93-119.
- Rohani, P., Godfray, H. C. J., and Hassell, M. P. (1994). Aggregation and the dynamics of host-parasitoid systems: A discrete generation model with within-generation redistribution. *American Naturalist* **144**: 491-509.
- Rosenzweig, M. L., and MacArthur, R. H. (1963). Graphical representation and stability conditions for predator-prey interactions. *American Naturalist* **97**: 209-223.
- Ross, A. H., Gurney, W. S. C., and Heath, M. R. (1993a). Ecosystem models of Scottish sea lochs for assessing the impact of nutrient enrichment. *ICES Journal of Marine Science* **50**: 359-367.
- Ross, A. H., Gurney, W. S. C., Heath, M. R., Hay, S. J., and Henderson, E. W. (1993b). A strategic simulation model of a fjord ecosystem. *Limnology and Oceanography* **38**: 128-153.
- Ross, A. H., Gurney, W. S. C., and Heath, M. R. (1994). A comparative study of the ecosystem dynamics of four fjords. *Limnology and Oceanography* **39**: 318-343.
- Roughgarden, J., Iwasa, Y., and Baxter, C. (1985). Demographic theory for an open marine population with space-limited recruitment. *Ecology* **66**: 54-67.
- Royama, T. (1992). *Analytical Population Dynamics*. Chapman and Hall, London and New York.
- Saila, S. B., Chen, X., Erzini, K., and Martin, B. (1987). Compensatory mechanisms in fish populations: Literature reviews. Vol. 1: Critical evaluation

- of case histories of fish populations experiencing chronic exploitation or impact. Report prepared for Electric Power Research Institute, EA-5200, Vol. 1. Research Project 1633-6.
- Schmitt, R. J., and Osenberg, C. (1995). *Detecting Ecological Impacts: Concepts and Applications in Coastal Habitats*. Academic Press, San Diego, CA.
- Shaffer, M. L. (1983). Determining minimum viable population sizes for the grizzly bear. *International Conference on Bear Research and Management* 5: 133-139.
- Shigesada, N., and Kawasaki, K. (1997). *Biological Invasions: Theory and Practice*. Oxford University Press, Oxford, UK.
- Smith, F. E. (1969). Effects of enrichment in mathematical models. In *Eutrophication: Causes, Consequences, Correctives*, pp. 631-645. National Academy of Sciences, Washington, DC.
- Smith, H. L., and Waltman, P. (1995). *The Dynamics of the Chemostat: Dynamics of Microbial Competition*. Cambridge University Press, Cambridge, UK.
- Stacey, P. B., and Taper, M. (1992). Environmental variation and the persistence of small populations. *Ecological Applications* 2: 18-29.
- Stewart, B. S., Yochem, P. K., Huber, H. R., DeLong, R. L., Jameson, R. J., Sydeman, W. J., Allen, S. G., and Le Boeuf, B. J. (1994). History and present status of the northern elephant seal population. In Le Boeuf, B. J., and Laws, R. M. (Eds.), *Elephant Seals: Population Ecology, Behavior, and Physiology*, pp. 29-48. University of California Press, Berkeley.
- Taylor, A. D. (1990). Metapopulations, dispersal and predator-prey dynamics: An overview. *Ecology* 71: 429-433.
- Taylor, A. D. (1994). Heterogeneity in host-parasitoid interactions — Aggregation of risk and the CV(2) greater-than 1 rule. *Trends in Ecology and Evolution* 8: 400-405.
- Taylor, F. (1981). Ecology and evolution of physiological time in insects. *American Naturalist* 117: 1-23.
- Townsend, C. R., and Calow, P. (1981). *Physiological Ecology: An Evolutionary Approach to Resource Use*. Sinauer Associates, Sunderland, MA.
- Tuljapurkar, S., and Caswell, H. (1997). *Structured-Population Models in Marine, Terrestrial, and Freshwater Systems*. Chapman & Hall, New York.
- Turchin, P. (1995). Population regulation: Old results and a new synthesis. In Cappuccino, N., and Price, P. W. (Eds.), *Population Dynamics: New Approaches and Synthesis*, pp. 19-40. Academic Press, San Diego, CA.
- van den Bosch, F., Hengeveld, R., and Metz, J. A. J. (1992). Analysing the velocity of animal range expansion. *Journal of Biogeography* 19: 135-150.
- van der Meijden, E., Crawley, M. J., and Nisbet, R. M. (1998). The dynamics of a herbivore-plant interaction, the cinnabar moth and ragwort. In Dempster, J. P., and McLean, I. F. G. (Eds.), *Insect Populations: in Theory and in Practice*. Chapman and Hall, London.
- Walker, C. H., Hopkin, S. P., Sibly, R. M., and Peakall, D. B. (1996). *Principles of Ecotoxicology*. Taylor and Francis, London, UK.

- Widdows, J., and Donkin, P. (1991). Role of physiological energetics in ecotoxicology. *Comparative Biochemistry & Physiology* **100C**: 69-75.
- Widdows, J., Donkin, P., Brinsley, M. D., Evans, S. V., Salkeld, P. N., Franklin, A., Law, R. J., and Waldock, M. J. (1995). Scope for growth and contaminant levels in North Sea mussels *Mytilus edulis*. *Marine Ecology Progress Series* **127**: 131-148.
- Wootton, J. T., and Power, M. E. (1993). Productivity, consumers, and the structure of a river food chain. *Proceedings of the National Academy of Sciences of the United States of America* **90**: 1384-1387.