

References

- Aczél J (1966) Lectures on Functional Equations and their Applications. Academic Press, New York
- Ali MM, Mikhail NN, Haq MS (1978) A class of bivariate distributions including the bivariate logistic. *J Multivariate Anal* 8:405-412
- Alsina C (1981) Some functional equations in the space of uniform distribution functions. *Aequationes Math* 22:153-164
- Alsina C, Schweizer B (1988) Mixtures are not derivable. *Found Phys Lett* 1:171-174
- Alsina C, Frank MJ, Schweizer B (2005) Associative Functions on Intervals: A Primer of Triangular Norms. World Scientific, Hackensack, in press
- Alsina C, Nelsen RB, Schweizer B (1993) On the characterization of a class of binary operations on distribution functions. *Statist Probab Lett* 17:85-89
- Armstrong M (2003) Copula Catalogue, Part 1: Bivariate Archimedean Copulas. URL: <http://www.cerna.ensmp.fr/Documents/MA-CopulaCatalogue.pdf>
- Barlow, RE, Proschan F (1981) Statistical Theory of Reliability and Life Testing. To Begin With, Silver Spring, MD
- Barnett V (1980) Some bivariate uniform distributions. *Comm Statist A—Theory Methods* 9:453-461
- Beneš V, Štěpán J eds (1997) Distributions with Given Marginals and Moment Problems. Kluwer, Dordrecht
- Bertino S (1968) Su di una sottoclasse della classe di Fréchet. *Statistica* 25:511-542
- Bertino S (1977) Sulla dissomiglianza tra mutabili cicliche. *Metron* 35:53-88
- Block HW, Savits T, Shaked M (1982) Some concepts of negative dependence. *Ann Probab* 10:765-772
- Block HW, Ting M-L (1981) Some concepts of multivariate dependence. *Comm Statist A—Theory Methods* 10:749-762
- Block HW, Costigan T, Sampson AR (1997) A review of orthant probability bounds. In: Johnson NL, Balakrishnan N (eds) Advances in the Theory and Practice of Statistics: A Volume in Honor of Samuel Kotz. Wiley, New York, pp 535-550
- Blomqvist N (1950) On a measure of dependence between two random variables. *Ann Math Statist* 21:593-600
- Blum JR, Kiefer J, Rosenblatt M (1961) Distribution-free tests of independence based on the sample distribution function. *Ann Math Statist* 32:485-498

- Brindley EC, Thompson Jr WA (1972) Dependence and aging aspects of multivariate survival. *J Amer Statist Assoc* 67:822-830
- Campanis S (1977) Some properties and generalizations of multivariate Eyraud-Gumbel-Morgenstern distributions. *J Multivariate Anal* 7:551-559
- Campanis S, Simons G, Stout W (1976) Inequalities for $E_k(X, Y)$ when the marginals are fixed. *Z Wahrscheinlichkeitstheorie und verw Gebiete* 36:285-294
- Capéraà P, Fougères AL, Genest C (1997) A non-parametric estimation procedure for bivariate extreme value copulas. *Biometrika* 84:567-577
- Capéraà P, Genest C (1993) Spearman's ρ is larger than Kendall's τ for positively dependent random variables. *J Nonparametr Statist* 2:183-194
- Carriere JF (1994) A large sample test for one-parameter families of copulas. *Comm Statist Theory Methods* 23:1311-1317
- Chakak A, Koehler KJ (1995) A strategy for constructing multivariate distributions. *Comm Statist Simulation Comput* 24:537-550
- Clayton DG (1978) A model for association in bivariate life tables and its application in epidemiological studies of familial tendency in chronic disease incidence. *Biometrika* 65:141-151
- Clemen R, Jouini M (1996) Copula models for aggregating expert opinions. *Operations Research* 44:444-457
- Conti PL (1993) On some descriptive aspects of measures of monotone dependence. *Metron* 51:43-60
- Conway DA (1979) Multivariate Distributions with Specified Marginals. (Technical Report 145, Stanford University)
- Conway DA (1983) Farlie-Gumbel-Morgenstern distributions. In: Kotz S, Johnson NL (eds) *Encyclopedia of Statistical Sciences*, Vol 3. Wiley, New York, pp 28-31
- Conway DA (1986) Plackett family of distributions. In: Kotz S, Johnson NL (eds) *Encyclopedia of Statistical Sciences*, Vol 7. Wiley, New York, pp 1-5
- Cook RD, Johnson ME (1981) A family of distributions for modeling non-elliptically symmetric multivariate data. *J Roy Statist Soc Ser B* 43:210-218
- Cook RD, Johnson ME (1986) Generalized Burr-Pareto-logistic distributions with applications to a uranium exploration data set. *Technometrics* 28:123-131
- Cox DR, Oakes D (1984) *Analysis of Survival Data*. Chapman and Hall, London
- Cuadras CM (1992) Probability distributions with given multivariate marginals and given dependence structure. *J Multivariate Anal* 42:51-66
- Cuadras CM, Augé J (1981) A continuous general multivariate distribution and its properties. *Comm Statist A—Theory Methods* 10:339-353
- Cuadras CM, Fortiana J, Rodríguez-Lallena JA eds (2002) *Distributions with Given Marginals and Statistical Modelling*. Kluwer, Dordrecht
- Cuculescu I, Theodorescu R (2001) Copulas: diagonals, tracks. *Rev Roumaine Math Pures Appl* 46:731-742
- Dall'Aglio G (1956) Sugli estremi dei momenti delle funzioni de ripartizione doppia. *Ann Scuola Norm Sup Pisa Cl Sci (3)* 10:35-74

- Dall'Aglio G (1960) Les fonctions extrêmes de la classe de Fréchet à 3 dimensions. *Publ Inst Statist Univ Paris* 9:175-188
- Dall'Aglio G (1972) Fréchet classes and compatibility of distribution functions. *Sympos Math* 9:131-150
- Dall'Aglio G (1991) Fréchet classes: the beginnings. In: Dall'Aglio G, Kotz S, Salinetti G (eds) *Advances in Probability Distributions with Given Marginals*. Kluwer, Dordrecht, pp 1-12
- Dall'Aglio G (1997a) Joint distribution of two uniform random variables when the sum and the difference are independent. In: Beneš V, Štěpán J (eds) *Distributions with Given Marginals and Moment Problems*. Kluwer, Dordrecht, pp 117-120
- Dall'Aglio G (1997b) The distribution of a copula when the sum and the difference of the univariate random variables are independent. In: Johnson NL, Balakrishnan N (eds) *Advances in the Theory and Practice of Statistics: A Volume in Honor of Samuel Kotz*. Wiley, New York, pp 517-533
- Dall'Aglio G, Kotz S, Salinetti G eds (1991) *Advances in Probability Distributions with Given Marginals*. Kluwer, Dordrecht
- Daniels HE (1950) Rank correlation and population models. *J Roy Statist Soc Ser B* 12:171-181
- Darsow WF, Nguyen B, Olsen ET (1992) Copulas and Markov processes. *Illinois J Math* 36:600-642
- Deheuvels P (1978) Caractérisation complète des lois extrêmes multivariées et de la convergence des types extrêmes. *Publ Inst Statist Univ Paris* 23:1-37
- Deheuvels P (1979) La fonction de dépendance empirique et ses propriétés. Un test non paramétrique d'indépendance. *Acad Roy Belg Bul Cl Sci* (5) 65:274-292
- Deheuvels P (1981a) A Kolmogorov-Smirnov type test for independence and multivariate samples. *Rev Roumaine Math Pures Appl* 26:213-226
- Deheuvels P (1981b) A non parametric test for independence. *Publ Inst Statist Univ Paris* 26:29-50
- Deheuvels P (1981c) Multivariate tests of independence. In: *Analytical Methods in Probability* (Oberwolfach, 1980) Lecture Notes in Mathematics 861. Springer, Berlin, pp 42-50
- Devroye L (1986) *Non-Uniform Random Variate Generation*. Springer, New York
- Drouet Mari D, Kotz S (2001) *Correlation and Dependence*. Imperial College Press, London
- Durante F (2005) A new class of symmetric bivariate copulas. *J Nonparametr Statist*. In press
- Durante F, Sempi C (2003) Copulæ and Schur-concavity. *Int Math J* 3:893-905
- Durante F, Sempi C (2005) Copula and semi-copula transforms. *Int J Math Math Sci*. In press
- Durbin J, Stuart A (1951) Inversions and rank correlations. *J Roy Statist Soc Ser B* 13:303-309
- Edwardes MD deB (1993) Kendall's τ is equal to the correlation coefficient for the BVE distribution. *Statist Probab Lett* 17:415-419

- Embrechts P, Lindskog F, McNeil A (2003) Modelling dependence with copulas and applications to risk management. In: Rachev S (ed) *Handbook of Heavy Tailed Distributions in Finance*. Elsevier, New York, pp. 329-384
- Esary JD, Proschan F (1972) Relationships among some concepts of bivariate dependence. *Ann Math Statist* 43:651-655
- Eyraud H (1938) Les principes de la mesure des corrélations. *Ann Univ Lyon Series A* 1:30-47
- Fang K-T, Fang H-B, von Rosen D (2000) A family of bivariate distributions with non-elliptical contours. *Comm Statist Theory Methods* 29:1885-1898
- Farlie DJG (1960) The performance of some correlation coefficients for a general bivariate distribution. *Biometrika* 47:307-323
- Feller W (1971) *An Introduction to Probability Theory and Its Applications*, Vol II 2nd edn. Wiley, New York
- Ferguson TS (1995) A class of symmetric bivariate uniform distributions. *Statist Papers* 36:31-40
- Féron R (1956) Sur les tableaux de corrélation dont les marges sont données, cas de l'espace à trois dimensions. *Publ Inst Statist Univ Paris* 5:3-12
- Fisher NI (1997) Copulas. In: Kotz S, Read CB, Banks DL (eds) *Encyclopedia of Statistical Sciences*, Update Vol 1. Wiley, New York, pp 159-163
- Fisher NI, Sen PK eds (1994) *The Collected Works of Wassily Hoeffding*. Springer, New York
- Frank MJ (1979) On the simultaneous associativity of $F(x,y)$ and $x + y - F(x,y)$. *Aequationes Math* 19:194-226
- Frank MJ (1981) The solution of a problem of Alsina, and its generalization. *Aequationes Math* 21:37-38
- Frank MJ, Nelsen RB, Schweizer B (1987) Best-possible bounds for the distribution of a sum—a problem of Kolmogorov. *Probab Theory Related Fields* 74:199-211
- Fréchet M (1951) Sur les tableaux de corrélation dont les marges sont données. *Ann Univ Lyon Sect A* 9:53-77
- Fréchet M (1958) Remarques au sujet de la note précédente. *C R Acad Sci Paris Sér I Math* 246:2719-2720.
- Fredricks GA, Nelsen RB (1997a) Copulas constructed from diagonal sections. In: Beneš V, Štěpán J (eds) *Distributions with Given Marginals and Moment Problems*. Kluwer, Dordrecht, pp 129-136
- Fredricks GA, Nelsen RB (1997b) Diagonal copulas. In: Beneš V, Štěpán J (eds) *Distributions with Given Marginals and Moment Problems*. Kluwer, Dordrecht, pp 121-128
- Fredricks GA, Nelsen RB (2002) The Bertino family of copulas. In: Cuadras CM, Fortiana J, Rodríguez Lallena JA (eds) *Distributions with Given Marginals and Statistical Modelling*. Kluwer, Dordrecht, pp 81-92
- Frees EW, Valdez EA (1998) Understanding relationships using copulas. *N Am Actuar J* 2:1-25

- Galambos J (1978) The Asymptotic Theory of Extreme Order Statistics. Wiley, New York
- Genest C (1987) Frank's family of bivariate distributions. *Biometrika* 74:549-555
- Genest C, Ghoudi K (1994) Une famille de lois bidimensionnelles insolite. *C R Acad Sci Paris Sér I Math* 318:351-354
- Genest C, MacKay J (1986a) Copules archimédiennes et familles de lois bidimensionnelles dont les marges sont données. *Canad J Statist* 14:145-159
- Genest C, MacKay J (1986b) The joy of copulas: Bivariate distributions with uniform marginals. *Amer Statist* 40:280-285
- Genest C, Rivest L-P (1989) A characterization of Gumbel's family of extreme value distributions. *Statist Probab Lett* 8:207-211
- Genest C, Rivest L-P (1993) Statistical inference procedures for bivariate Archimedean copulas. *J Amer Statist Assoc* 88:1034-1043
- Genest C, Rivest L-P (2001) On the multivariate probability integral transform. *Statist Probab Lett* 53:391-399
- Genest C, Quesada Molina JJ, Rodríguez Lallena JA (1995) De l'impossibilité de construire des lois à marges multidimensionnelles données à partir de copules. *C R Acad Sci Paris Sér I Math* 320:723-726
- Genest C, Quesada Molina JJ, Rodríguez Lallena JA, Sempi C (1999) A characterization of quasi-copulas. *J Multivariate Anal* 69:193-205
- Gideon RA, Hollister RA (1987) A rank correlation coefficient resistant to outliers. *J Amer Statist Assoc* 82:656-666
- Gnedenko BV (1962) The Theory of Probability. Chelsea, New York
- Gumbel EJ (1960a) Bivariate exponential distributions. *J Amer Statist Assoc* 55:698-707
- Gumbel EJ (1960b) Distributions des valeurs extrêmes en plusieurs dimensions. *Publ Inst Statist Univ Paris* 9:171-173
- Gumbel EJ (1961) Bivariate logistic distributions. *J Amer Statist Assoc* 56:335-349
- Hoeffding W (1940) Masstabvariante Korrelationstheorie. *Schriften des Mathematischen Instituts und des Instituts für Angewandte Mathematik der Universität Berlin* 5 Heft 3:179-233 [Reprinted as Scale-invariant correlation theory. In: Fisher NI, Sen PK (eds) *The Collected Works of Wassily Hoeffding*. Springer, New York pp 57-107]
- Hoeffding W (1941) Masstabvariante Korrelationsmasse für diskontinuierliche Verteilungen. *Arkiv für mathematischen Wirtschaften und Sozialforschung* 7:49-70 [Reprinted as Scale-invariant correlation measures for discontinuous distributions. In: Fisher NI, Sen PK (eds) *The Collected Works of Wassily Hoeffding*. Springer, New York pp 109-133]
- Hollander M, Wolfe DA (1973) Nonparametric Statistical Methods. Wiley, New York
- Hougaard P (1986) A class of multivariate failure time distributions. *Biometrika* 73:671-678

- Hürlimann W (2003) Hutchinson-Lai's conjecture for bivariate extreme value copulas. *Statist Probab Lett* 61:191-198
- Hutchinson TP, Lai CD (1990) Continuous Bivariate Distributions, Emphasising Applications. Rumsby Scientific Publishing, Adelaide
- Joe H (1990) Multivariate concordance. *J Multivariate Anal* 35:12-30
- Joe H (1993) Parametric families of multivariate distributions with given margins. *J Multivariate Anal* 46:262-282
- Joe H (1996) Families of m -variate distributions with given margins and $m(m-1)/2$ bivariate dependence parameters. In: Rüschorf L, Schweizer B, Taylor, MD (eds) *Distributions with Fixed Marginals and Related Topics*. Institute of Mathematical Statistics, Hayward, CA, pp 120-141
- Joe H (1997) Multivariate Models and Dependence Concepts. Chapman & Hall, London
- Jogdeo K (1982) Concepts of dependence. In: Kotz S, Johnson NL (eds) *Encyclopedia of Statistical Sciences*, Vol 1. Wiley, New York, pp 324-334
- Johnson ME (1987) *Multivariate Statistical Simulation*. Wiley, New York
- Johnson NL, Kotz S (1972) *Distributions in Statistics: Continuous Multivariate Distributions*. Wiley, New York
- Kamiński A, Sherwood H, Taylor, MD (1987-88) Doubly stochastic measures with mass on the graphs of two functions. *Real Anal Exchange* 13:253-257
- Karlin S (1968) *Total Positivity*. Stanford University Press, Stanford
- Kellerer HG (1964) Verteilungsfunktionen mit gegebenen Marginalverteilungen. *Z Wahrscheinlichkeitstheorie und verw Gebiete* 3:247-270
- Kimberling CH (1974) A probabilistic interpretation of complete monotonicity. *Aequationes Math* 10:152-164
- Kimeldorf G, Sampson A (1975a) One-parameter families of bivariate distributions with fixed marginals. *Comm Statist A—Theory Methods* 4:293-301
- Kimeldorf G, Sampson A (1975b) Uniform representations of bivariate distributions. *Comm Statist A—Theory Methods* 4:617-627
- Kimeldorf G, Sampson A (1978) Monotone dependence. *Ann Statist* 6:895-903
- Kimeldorf G, Sampson A (1987) Positive dependence orderings. *Ann Inst Statist Math* 39:113-128
- Kimeldorf G, Sampson A (1989) A framework for positive dependence. *Ann Inst Statist Math* 41:31-45
- Klement EP, Mesiar R, Pap, E (2004) Transformations of copulas and quasi-copulas. In: López-Díaz M, Gil MÁ, Grzegorzewski P, Hryńiewicz O, Lawry J (eds) *Soft Methodology and Random Information Systems*. Springer, Berlin, pp. 181-188
- Kotz S, Johnson NL (1977) Propriétés de dépendance des distributions itérées, généralisées à deux variables Farlie-Gumbel-Morgenstern. *C R Acad Sci Paris Sér I Math* 285:277-280
- Kowalski CJ (1973) Non-normal bivariate distributions with normal marginals. *Amer Statist* 27:103-106

- Kruskal WH (1958) Ordinal measures of association. *J Amer Statist Assoc* 53:814-861
- Lai TL, Robbins H (1976) Maximally dependent random variables. *Proc Nat Acad Sci USA* 73:286-288
- Lancaster HO (1963) Correlation and complete dependence of random variables. *Ann Math Statist* 34:1315-1321
- Lancaster HO (1982) Measures and indices of dependence. In: Kotz S, Johnson NL (eds) *Encyclopedia of Statistical Sciences*, Vol 2. Wiley, New York, pp 334-339
- Lawless JF (1982) *Statistical Models and Methods for Lifetime Data*. Wiley, New York
- Lee M-LT (1996) Properties and applications of the Sarmanov family of bivariate distributions. *Comm Statist Theory Methods* 25:1207-1222
- Lehmann EL (1966) Some concepts of dependence. *Ann Math Statist* 37:1137-1153.
- Lehmann EL (1975) *Nonparametrics: Statistical Methods Based on Ranks*. Holden-Day, San Francisco
- Li H, Scarsini M, Shaked M (1996a) Bounds for the distribution of a multivariate sum. In: Rüschorf L, Schweizer B, Taylor MD (eds) *Distributions with Fixed Marginals and Related Topics*. Institute of Mathematical Statistics, Hayward, CA, pp 198-212
- Li H, Scarsini M, Shaked M (1996b) Linkages: a tool for the construction of multivariate distributions with given nonoverlapping multivariate marginals. *J Multivariate Anal* 56:20-41
- Li X, Mikusiński P, Sherwood H, Taylor MD (1997) On approximations of copulas. In: Beneš V, Štěpán J (eds) *Distributions with Given Marginals and Moment Problems*. Kluwer, Dordrecht, pp 107-116
- Li X, Mikusiński P, Sherwood H, Taylor MD (2002) Some integration-by-parts formulas involving 2-copulas. In: Cuadras CM, Fortiana J, Rodríguez Lallena JA (eds) *Distributions with Given Marginals and Statistical Modelling*, Kluwer, Dordrecht, pp 153-159
- Lin GD (1987) Relationships between two extensions of Farlie-Gumbel-Morgenstern distributions. *Ann Inst Statist Math* 39:129-140
- Ling C-H (1965) Representation of associative functions. *Publ Math Debrecen* 12:189-212
- Long D, Krzysztofowicz R (1996) Geometry of a correlation coefficient under a copula. *Comm Statist Theory Methods* 25:1397-1404
- López-Díaz M, Gil MÁ, Grzegorzewski P, Hryniewicz O, Lawry J eds (2004) *Soft Methodology and Random Information Systems*. Springer, Berlin
- Lu J-C, Bhattacharyya GK (1990) Some new constructions of bivariate Weibull models. *Ann Inst Statist Math* 42:543-559
- Makarov GD (1981) Estimates for the distribution function of a sum of two random variables when the marginal distributions are fixed. *Theory Probab Appl* 26:803-806

- Marco JM, Ruiz-Rivas C (1992) On the construction of multivariate distributions with given nonoverlapping multivariate marginals. *Statist Probab Lett* 15:259-265
- Mardia KV (1967) Families of Bivariate Distributions. Griffin, London
- Marshall AW (1989) A bivariate uniform distribution. In: Gleser LJ, Perlman MD, Press SJ, Sampson AR (eds) Contributions to Probability and Statistics. Springer, New York, pp 99-106
- Marshall AW (1996) Copulas, marginals, and joint distributions. In: Rüschenhof L, Schweizer B, Taylor MD (eds) Distributions with Fixed Marginals and Related Topics. Institute of Mathematical Statistics, Hayward, CA, pp 213-222
- Marshall AW, Olkin I (1967a) A generalized bivariate exponential distribution. *J Appl Probability* 4:291-302
- Marshall AW, Olkin I (1967b) A multivariate exponential distribution. *J Amer Statist Assoc* 62:30-44
- Marshall AW, Olkin I (1988) Families of multivariate distributions. *J Amer Statist Assoc* 83:834-841
- Melnick EL, Tennenbein A (1982) Misspecifications of the normal distribution. *Amer Statist* 36:372-373
- Menger K (1942) Statistical metrics. *Proc Natl Acad Sci USA* 28:535-537
- Menger K (1956) Random variables from the point of view of a general theory of variables. In: Proceedings of the Third Berkeley Symposium on Mathematical Statistics and Probability Vol II. University of California Press
- Mikusiński P, Sherwood H, Taylor MD (1991) Probabilistic interpretations of copulas and their convex sums. In: Dall'Aglio G, Kotz S, Salinetti G (eds) Advances in Probability Distributions with Given Marginals. Kluwer, Dordrecht, pp 95-112
- Mikusiński P, Sherwood H, Taylor MD (1991-92) The Fréchet bounds revisited. *Real Anal Exchange* 17:759-764
- Mikusiński P, Sherwood H, Taylor MD (1992) Shuffles of Min. *Stochastica* 13:61-74
- Moore DS, Spruill MC (1975) Unified large-sample theory of general chi-squared statistics for tests of fit. *Ann Statist* 3:599-616
- Morgenstern D (1956) Einfache Beispiele Zweidimensionaler Verteilungen. *Mitteilungsblatt für Mathematische Statistik* 8:234-235
- Muliere P, Scarsini M (1987) Characterization of a Marshall-Olkin type class of distributions. *Ann Inst Statist Math* 39 (2) A:429-441
- Nelsen RB (1986) Properties of a one-parameter family of bivariate distributions with specified marginals. *Comm Statist Theory Methods* 15:3277-3285
- Nelsen RB (1991) Copulas and association. In: Dall'Aglio G, Kotz S, Salinetti G (eds) Advances in Probability Distributions with Given Marginals. Kluwer, Dordrecht, pp 51-74
- Nelsen RB (1992) On measures of association as measures of positive dependence. *Statist Probab Lett* 14:269-274

- Nelsen RB (1993) Some concepts of bivariate symmetry. *J Nonparametr Statist* 3:95-101
- Nelsen RB (1995) Copulas, characterization, correlation, and counterexamples. *Math Mag* 68:193-198
- Nelsen RB (1996) Nonparametric measures of multivariate association. In: Rüschorf L, Schweizer B, Taylor MD (eds) *Distributions with Fixed Marginals and Related Topics*. Institute of Mathematical Statistics, Hayward, CA, pp 223-232
- Nelsen RB (1997) Dependence and order in families of Archimedean copulas. *J Multivariate Anal* 60:111-122
- Nelsen RB (2002) Concordance and copulas: A survey. In: Cuadras CM, Fortiana J, Rodríguez Lallena JA (eds) *Distributions with Given Marginals and Statistical Modelling*, Kluwer, Dordrecht, pp. 169-177
- Nelsen RB, Schweizer B (1991) Bounds for distribution functions of sums of squares and radial errors. *Int J Math Math Sci* 14:561-570
- Nelsen RB, Úbeda Flores M (2004) A comparison of bounds on sets of joint distribution functions derived from various measures of association. *Comm Statist Theory Methods* 33:2299-2305
- Nelsen RB, Úbeda Flores M (2005) The lattice-theoretic structure of sets of bivariate copulas and quasi-copulas. *C R Acad Sci Paris Ser I*. In press
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA (1997) Bivariate copulas with cubic sections. *J Nonparametr Statist* 7:205-220
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2001a) Distribution functions of copulas: A class of bivariate probability integral transforms. *Statist Probab Lett* 54:277-282
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2001b) Bounds on bivariate distribution functions with given margins and measures of association. *Comm Statist Theory Methods* 30:1155-1162
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2002a) Multivariate Archimedean quasi-copulas. In: Cuadras CM, Fortiana J, Rodríguez Lallena JA (eds) *Distributions with Given Marginals and Statistical Modelling*, Kluwer, Dordrecht, pp. 179-185
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2002b) Some new properties of quasi-copulas. In: Cuadras CM, Fortiana J, Rodríguez Lallena JA (eds) *Distributions with Given Marginals and Statistical Modelling*, Kluwer, Dordrecht, pp. 187-194
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2003) Kendall distribution functions. *Statist Probab Lett* 65:263-268
- Nelsen RB, Quesada Molina JJ, Rodríguez Lallena, JA, Úbeda Flores M (2004) Best-possible bounds on sets of bivariate distribution functions. *J Multivariate Anal* 90:348-358
- Nelsen RB, Quesada Molina JJ, Schweizer B, Sempi C (1996) Derivability of some operations on distribution functions. In: Rüschorf L, Schweizer B,

- Taylor MD (eds) Distributions with Fixed Marginals and Related Topics. Institute of Mathematical Statistics, Hayward, CA, pp 233-243
- Oakes D (1982) A model for association in bivariate survival data. *J Roy Statist Soc Ser B* 44:414-422
- Oakes D (1986) Semiparametric inference in a model for association in bivariate survival data. *Biometrika* 73:353-361
- Oakes D (1994) Multivariate survival distributions. *J Nonparametr Statist* 3:343-354
- Olsen ET, Darsow WF, Nguyen B (1996) Copulas and Markov operators. In: Rüschorf L, Schweizer B, Taylor MD (eds) Distributions with Fixed Marginals and Related Topics. Institute of Mathematical Statistics, Hayward, CA, pp 244-259.
- Plackett RL (1965) A class of bivariate distributions. *J Amer Statist Assoc* 60:516-522
- Quesada Molina JJ, Rodríguez Lallena JA (1994) Some advances in the study of the compatibility of three bivariate copulas. *J Ital Statist Soc* 3:397-417
- Quesada Molina JJ, Rodríguez Lallena JA (1995) Bivariate copulas with quadratic sections. *J Nonparametr Statist* 5:323-337
- Raftery AE (1984) A continuous multivariate exponential distribution. *Comm Statist A—Theory Methods* 13:947-965
- Raftery AE (1985) Some properties of a new continuous bivariate exponential distribution. *Statist Decisions Supplement Issue No. 2*, 53-58
- Randles RH, Wolfe DA (1979) Introduction to the Theory of Nonparametric Statistics. Wiley, New York
- Rényi A (1959) On measures of dependence. *Acta Math Acad Sci Hungar* 10:441-451
- Roberts A, Varberg DE (1973) Convex Functions. Academic Press, New York
- Rüschorf L (1982) Random variables with maximum sums. *Adv Appl Probab* 14:623-632
- Rüschorf L (1985) Construction of multivariate distributions with given marginals. *Ann Inst Statist Math* 37 Part A:225-233.
- Rüschorf L, Schweizer B, Taylor MD eds (1996) Distributions with Fixed Marginals and Related Topics. Institute of Mathematical Statistics, Hayward, CA
- Sarmanov IO (1974) New forms of correlation relationships between positive quantities applied in hydrology. In: Mathematical Models in Hydrology. International Association of Hydrological Sciences, Paris, pp 104-109
- Scarsini M (1984) On measures of concordance. *Stochastica* 8:201-218
- Schmitz V (2004) Revealing the dependence structure between $X_{(1)}$ and $X_{(n)}$. *J Statist Plann Inference* 123:41-47
- Schweizer B (1991) Thirty years of copulas. In: Dall'Aglio G, Kotz S, Salinetti G (eds) Advances in Probability Distributions with Given Marginals. Kluwer, Dordrecht, pp 13-50

- Schweizer B, Sklar A (1974) Operations on distribution functions not derivable from operations on random variables. *Studia Math* 52:43-52
- Schweizer B, Sklar A (1983) Probabilistic Metric Spaces. North-Holland, New York
- Schweizer B, Wolff EF (1981) On nonparametric measures of dependence for random variables. *Ann Statist* 9:879-885
- Seeley RT (1961) Fubini implies Leibniz implies $F_{yx}=F_{xy}$. *Am Math Monthly* 68:56-57
- Shaked M (1977) A family of concepts of dependence for bivariate distributions. *J Amer Statist Assoc* 72:642-650
- Shea GA (1983) Hoeffding's lemma. In: Kotz S, Johnson NL (eds) Encyclopedia of Statistical Sciences, Vol 3. Wiley, New York, pp 648-649
- Sherwood H, Taylor MD (1988) Doubly stochastic measures with hairpin support. *Probab Theory Related Fields* 78:617-626
- Shih JH, Louis TA (1995) Inferences on the association parameter in copula models for bivariate survival data. *Biometrics* 51:1384-1399
- Sklar A (1959) Fonctions de répartition à n dimensions et leurs marges. *Publ Inst Statist Univ Paris* 8:229-231
- Sklar A (1973) Random variables, joint distributions, and copulas. *Kybernetika* 9:449-460.
- Sklar A (1996) Random variables, distribution functions, and copulas—a personal look backward and forward. In: Rüschorf L, Schweizer B, Taylor MD (eds) Distributions with Fixed Marginals and Related Topics. Institute of Mathematical Statistics, Hayward, CA, pp 1-14
- Sklar A (1998) personal communication
- Tong YL (1980) Probability Inequalities in Multivariate Distributions. Academic Press, New York
- Vaswani SP (1947) A pitfall in correlation theory. *Nature* 160:405-406
- Vitale RA (1978) Joint vs. individual normality. *Math Mag* 51:123
- Vitale RA (1990) On stochastic dependence and a class of degenerate distributions. In: Block HW, Sampson AR, Savits TH (eds) Topics in Statistical Dependence, Institute of Mathematical Statistics, Hayward, CA, pp 459-469
- Wald A (1947) Sequential Analysis. Wiley, New York
- Whitt W (1976) Bivariate distributions with given marginals. *Ann Statist* 4:1280-1289
- Widder DV (1941) The Laplace Transform. Princeton University Press, Princeton
- Wolff EF (1977) Measures of Dependence Derived from Copulas. Ph.D. thesis, University of Massachusetts, Amherst
- Wolff EF (1981) N -dimensional measures of dependence. *Stochastica* 4:175-188