

Literatura

- Abel, T., Nguyen, P. V., Barad, M., Deuel, T. A., Kandel, E. R., Bourtchouladze, R. (1997). Genetic demonstration of a role for PKA in the late phase of LTP and in hippocampus-based long-term memory. *Cell*; 88: 615–626.
- Adamec, R. E., Burton, P., Shallow, T., Budgell, J. (1999a). NMDA receptors mediate lasting increases in anxiety-like behavior produced by the stress of predator exposure – implications for anxiety associated with posttraumatic stress disorder. *Physiol Behav*; 65: 723–737.
- Adamec, R. E., Burton, P., Shallow, T., Budgell, J. (1999b). Unilateral block of NMDA receptors in the amygdala prevents predator stress-induced lasting increases in anxiety-like behavior and unconditioned startle – effective hemisphere depends on the behavior. *Physiol Behav*; 65: 739–751.
- Ader, R., Cohen, N. (1975). Behaviorally conditioned immunosuppression. *Psychosom Med*; 37: 333–340.
- Ader, R., Cohen, N. (1982). Behaviorally conditioned immunosuppression and murine systemic lupus erythematosus. *Science*; 215: 1534–1536.
- Adler, R. H. (1996). Schmerz. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. E., Uexküll, T. v., Wesiack, W. (Hrsg). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 262–276.
- Adolphs, R., Gosselin, F., Buchanan, T. W., Tranel, D., Schyns, P., Damasio, A. R. (2005). A mechanism for impaired fear recognition after amygdala damage. *Nature*; 433: 68–72.
- Aeppli, E. (1947). *Psychologie des Bewussten und Unbewussten*. Zürich: Werner Classen Verlag.
- Akert, K. (1987). Rede des Rektors: Gedanken über die psychische Energie. In: *Jahresbericht der Universität Zürich 1986/87*; 3–14.
- Akil, H., Campeau, S., Cullinan, W. E., Lechan, R. M., Toni, R., Watson, S. J., Moore, R. Y. (1999). Neuroendocrine systems I: Overview – thyroid and adrenal axes. In: Zigmond, M. J., Bloom, F. E., Landis, S. C., Roberts, J. L., Squire, L. R. (eds.). *Fundamental Neuroscience*. San Diego, London, Boston, New York, Sydney, Tokyo, Toronto: Academic Press; 1127–1150.
- Aksentijevich, S., Whitfield, H. J. Jr, Young, W. S., Wilder, R. L., Chrousos, G. P., Gold, P. W., Sternberg, E. M. (1992). Arthritis-susceptible Lewis rats fail to emerge from the stress hyporesponsive period. *Brain Res Dev Brain Res*; 65: 115–118.

- Amat, J., Matus-Amat, P., Watkins, L. R., Maier, S. F. (1998). Escapable and inescapable stress differentially alter extracellular levels of 5-HT in the basolateral amygdala of the rat. *Brain Res*; 812: 113–120.
- Amelang, M., Hasselbach, P., Stürmer, T. (2004). Personality, cardiovascular disease, and cancer: First results from the Heidelberg Cohort Study of the elderly. *Z Gesundheitspsychologie*; 12: 102–115.
- Anderson, M. C., Green, C. (2001). Suppressing unwanted memories by executive control. *Nature*; 410: 366–369.
- Anderson, M. C., Ochsner, K. N., Kuhl, B., Cooper, J., Robertson, E., Gabrieli, S. W., Glover, G. H., Gabrieli, J. D. (2004). Neural systems underlying the suppression of unwanted memories. *Science*; 303: 232–235.
- Andrade, J., Kavanagh, D., Baddeley, A. (1997). Eye-movements and visual imagery: a working memory approach to the treatment of post-traumatic stress disorder. *Br J Clin Psychol*; 36(2): 209–223.
- Andreasen, N. C. (2001). *Brave new Brain: Conquering Mental Illness in the Era of the Genome*. Oxford: Oxford University Press.
- Ansermet, F., Magistretti, P. (2007). *Biology of Freedom. Neural Plasticity, Experience, and the Unconscious*. London: Karnac Books Ltd.
- Ansoorge, M. S., Zhou, M., Lira, A., Hen, R., Gingrich, J. A. (2004). Early-life blockade of the 5-HTT transporter alters emotional behavior in adult mice. *Science*; 306: 879–881.
- Antoni, M. H., Baggett, L., Ironson, G., La Perriere, A., August, S., Klimas, N., Schneiderman, N., Fletcher, M. A. (1991). Cognitive-behavioral stress management intervention buffers distress responses and immunologic changes following notification of HIV-1 seropositivity. *J Consult Clin Psychol*; 59: 906–915.
- Antonovsky, A. (1997). *Salutogenese. Zur Entmystifizierung der Gesundheit*. Tübingen: Dgvt-Verlag.
- Appel, L. J., Moore, T. J., Obarzanek, E., Vollmer, W. M., Svetkey, L. P., Sacks, F. M., Bray, G. A., Vogt, T. M., Cutler, J. A., Windhauser, M. M., Lin, P. H., Karanja, N. (1997). A clinical trial of the effects of dietary patterns on blood pressure. DASH Collaborative Research Group. *N Engl J Med*; 336: 1117–1124.
- Arnet, I., Schoenenberger, R. A., Spiegel, R., Haefeli, W. E. (1999). Überzeugung als Fundament der Compliance und Techniken zur Compliance-Optimierung. *Schweiz Med Wochenschr*; 129: 1477–1486.
- Ashton-Jones, G., Foote, S. L., Bloom, F. E. (1984). Anatomy and physiology of the locus coeruleus neurons: functional implications. In: Ziegler, M. G., Lake, C. R. (eds.). *Norepinephrine. Frontiers of Clinical Neuroscience. Vol. 2*. Baltimore: Williams and Wilkins; 92–116.
- Bacon, S. J., Smith, A. D. (1993). A monosynaptic pathway from an identified vasomotor centre in the medial prefrontal cortex to an autonomic area in the thoracic spinal cord. *Neuroscience*; 54: 719–728.
- Baddeley, A. D., Andrade, J. (2000). Working memory and the vividness of imagery. *J Exp Psychol Gen*; 129: 126–145.
- Bale, T. L., Contarino, A., Smith, G. W., Chan, R., Gold, L. H., Sawchenko, P. E., Koob, G. F., Vale, W. W., Lee, K. F. (2000). Mice deficient for corticotropin-releasing hormone receptor-2 display anxiety-like behaviour and are hypersensitive to stress. *Nature Genetics*; 24: 410–414.

- Balint, M. (1957). *Der Arzt, sein Patient und die Krankheit*. Stuttgart: Ernst Klett Verlag.
- Barad, M., Gean, P. W., Lutz, B. (2006). The role of the amygdala in the extinction of conditioned fear. *Biol Psychiatry*; 60: 322–328.
- Barinaga, M. (1992). How scary things get that way. *Science*; 258: 887–888.
- Barros, D. M., Pereira, P., Medina, J. H., Izquierdo, I. (2002). Modulation of working memory and of long- but not short-term memory by cholinergic mechanisms in the basolateral amygdala. *Behav Pharmacol*; 13: 163–167.
- Bartfai, T. (2001). Telling the brain about pain. *Nature*; 410: 425–427.
- Basbaum, A. I., Jessell, T. M. (2000). The perception of pain. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science*. New York: McGraw-Hill (Health Professions Division); 472–491.
- Bates, E., Elman, J. (1996). Learning rediscovered. *Science*; 274: 1849–1850.
- Baudoin, D. (1996). Curious dissociation between cerebral imaging and clinical findings. *Lancet*; 347: 965.
- Bauer, A. W. (1988). Die naturwissenschaftliche Methode in der Medizin: Möglichkeiten und Grenzen. *Ruperto Carola*; 78: 21–26.
- Bauer, A. W. (1998). Naturwissenschaftliche und hermeneutische Methode in der wissenschaftlichen Medizin: Unvereinbarer Gegensatz oder fruchtbarer Dialog? In: Haux, R., Bauer, A. W., Eich, W., Herzog, W., Rüegg, J. C., Windeler, J. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil II: Physiologie und Psychosomatik. Versuche einer Annäherung*. Frankfurt a. M.: VAS; 5–38.
- Bauer, A. W. (2001). Gesunder Leib und kranker Körper. Das sich wandelnde Bild vom Menschen in der Geschichte der Medizin und sein Beitrag zur Philosophie der Biowissenschaften. In: Maio, G., Roelcke, V. (Hrsg). *Medizin und Kultur. Ärztliches Denken und Handeln im Dialog zwischen Natur- und Geisteswissenschaften. Festschrift für Dietrich von Engelhardt*. Stuttgart, New York: Schattauer Verlag; 77–95.
- Bauer, J. (2002). *Das Gedächtnis des Körpers. Wie Beziehungen und Lebensstile unsere Gene steuern*. Frankfurt a. Main: Eichborn.
- Baxter, L. R. Jr, Schwartz, J. M., Bergman, K. S., Szuba, M. P., Guze, B. H., Mazziotta, J. C., Alazraki, A., Selin, C. E., Ferng, H. K., Munford, P., Phelps, M. E. (1992). Caudate glucose metabolic rate changes with both drug and behavior therapy for obsessive-compulsive disorder. *Arch Gen Psychiatry*; 49: 681–689.
- Becker, K., Schirmer, A. B., Schirmer, H. (1998). Malaria und Psyche. In: Haux, R., Bauer, A. W., Eich, W., Herzog, W., Rüegg, J. C., Windeler, J. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil II: Physiologie und Psychosomatik. Versuche einer Annäherung*. Frankfurt a. M.: VAS; 39–59.
- Begley, S. (2007). *Train your mind, change your brain. How a new science reveals the extraordinary potential to transform ourselves*. New York: Ballantine books.
- Benedetti, F., Mayberg, H. S., Wager, T. D., Stohler, C. S., Zubieta, J. K. (2005). Neurobiological mechanisms of the placebo effect. *J Neurosci*; 25: 10390–10402.
- Bennett, A. J., Lesch, K. P., Heils, A., Long, J. C., Lorenz, J. G., Shoaf, S. E., Champoux, M., Suomi, S. J., Linnoila, M. V., Higley, J. D. (2002). Early experience and serotonin transporter gene variation interact to influence primate CNS function. *Mol Psychiatry*; 7: 118–122.

- Bennett, E. J., Evans, P., Scott, A. M., Badcock, C. A., Shuter, B., Hoschl, R., Tennant, C. C., Kellow, J. E. (2000). Psychological and sex features of delayed gut transit in functional gastrointestinal disorders. *Gut*; 46: 83–87.
- Benschop, R. J., Jacobs, R., Sommer, B., Schurmeyer, T. H., Raab, J. R., Schmidt, R. E., Schedlowski, M. (1996). Modulation of the immunologic response to acute stress in humans by beta-blockade or benzodiazepines. *FASEB J*; 10: 517–524.
- Benschop, R. J., Nieuwenhuis, E. E., Tromp, E. A., Godaert, G. L., Ballieux, R. E., van Doornen, L. J. (1994). Effects of beta-adrenergic blockade on immunologic and cardiovascular changes induced by mental stress. *Circulation*; 89: 762–769.
- Bergson, H. (1991). *Materie und Gedächtnis. Eine Abhandlung über die Beziehung zwischen Körper und Geist*. Hamburg: Felix Meiner Verlag.
- Berman, R. M., Sanacora, G., Anand, A., Roach, L. M., Fasula, M. K., Finkelstein, C. O., Wachen, R. M., Oren, D. A., Heninger, G. R., Charney, D. S. (2002). Monoamine depletion in unmedicated depressed subjects. *Biol Psychiatry*; 51: 469–473.
- Berson, D. M., Dunn, F. A., Takao, M. (2002). Phototransduction by retinal ganglion cells that set the circadian clock. *Science*; 295: 1070–1073.
- Berthele, A., Schadrack, J., Castro-Lopes, J. M., Conrad, B., Zieglgänsberger, W., Tölle, T. R. (2000). Neuroplasticity in the spinal cord of monoarthritic rats: from metabolic changes to the detection of interleukin-6 using mRNA differential display. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 191–203.
- Besedovsky, H., del Rey, A., Sorkin, E., Dinarello, C. A. (1986). Immunoregulatory feedback between interleukin-1 and glucocorticoid hormones. *Science*; 233: 652–654.
- Birbaumer, N. (1984). Psychologische Analyse und Behandlung von Schmerzzuständen. In: Zimmermann, M., Handwerker, H. O. (Hrsg.). *Schmerz, Konzepte und ärztliches Handeln*. Berlin, Heidelberg, New York: Springer; 124–151.
- Birbaumer, N., Schmidt, R. F. (1990). *Biologische Psychologie*. Berlin, Heidelberg, New York: Springer.
- Birch, S., Jamison, R. N. (1998). Controlled trial of Japanese acupuncture for chronic myofascial neckpain: assessment of specific and nonspecific effects of treatment. *Clin J Pain*; 14: 248–255.
- Bishop, N. A., Lu, T., Yankner, B. A. (2010). Neural mechanisms of ageing and cognitive decline. *Nature*; 464: 529–535.
- Black, I. B. (1993). *Symbole, Synapsen und Systeme. Die molekulare Biologie des Geistes*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag.
- Black, J. E., Greenough, W. T. (1991). Development approaches to the memory process. In: Martinez, J. L., Kesner, R. P. (eds.). *Learning and Memory*. San Diego: Academic Press; 61–92.
- Blair, H. T., Schafe, G. E., Bauer, E. P., Rodrigues, S. M., Le-Doux, J. E. (2001). Synaptic plasticity in the lateral amygdala: a cellular hypothesis of fear conditioning. *Learn Mem*; 8: 229–242.
- Bland, S. T., Hargrave, D., Pepin, J. L., Amat, J., Watkins, L. R., Maier, S. F. (2003). Stressor controllability modulates stress-induced dopamine and serotonin efflux and morphine-induced serotonin efflux in the medial prefrontal cortex. *Neuropsychopharmacology*; 28: 1589–1596.

- Blanquer, A., Veyrat, J. G. (1995). Le corps malade du psychotique. Balancement entre symptômes psychiatriques et maladies somatiques chez les patients psychotiques. *Ann Méd Psychol*; 153: 1–18.
- Blumenthal, J. A., Babyak, M. A., Doraiswamy, P. M., Watkins, L., Hoffman, B. M., Barbour, K. A., Herman, S., Craighead, W. E., Brosse, A. L., Waugh, R., Hinderliter, A., Sherwood, A. (2007). Exercise and pharmacotherapy in the treatment of major depressive disorder. *Psychosom Med*; 69: 587–596.
- Blumenthal, J. A., Jiang, W., Babyak, M. A., Krantz, D. S., Frid, D. J., Coleman, R. E., Waugh, R., Hanson, M., Appelbaum, M., O'Connor, C., Morris, J. J. (1997). Stress management and exercise training in cardiac patients with myocardial ischemia. Effects on prognosis and evaluation of mechanisms. *Arch Intern Med*; 157: 2213–2223.
- Borovikova, L. V., Ivanova, S., Zhang, M., Yang, H., Botchkina, G. I., Watkins, L. R., Wang, H., Abumrad, N., Eaton, J. W., Tracey, K. J. (2000). Vagus nerve stimulation attenuates the systemic inflammatory response to endotoxin. *Nature*; 405: 458–462.
- Botteron, K. N., Raichle, M. E., Drevets, W. C., Heath, A. C., Todd, R. D. (2002). Volumetric reduction in left subgenual prefrontal cortex in early onset depression. *Biol Psychiatry*; 51: 342–344.
- Bowlby, J. (2001). *Frühe Bindung und kindliche Entwicklung*. München: Ernst Reinhardt Verlag.
- Brain, S. D. (2000). New feelings about the role of sensory nerves in inflammation. *Nature Medicine*; 6: 134–135.
- Brefczynski-Lewis, J. A., Lutz, A., Schaefer, H. S., Levinson, D. B., Davidson, R. J. (2007). Neural correlates of attentional expertise in long-term meditation practitioners. *Proc Natl Acad Sci USA*; 104: 11483–11488.
- Bremner, J. D. (2002). Neuroimaging of childhood trauma. *Semin Clin Neuropsychiatry*; 7: 104–112.
- Bremner, J. D., Innis, R. B., Ng, C. K., Staib, L. H., Salomon, R. M., Bronen, R. A., Duncan, J., Southwick, S. M., Krystal, J. H., Rich, D., Zubal, G., Dey, H., Soufer, R., Charney, D. S. (1997a). Positron emission tomography measurement of cerebral metabolic correlates of yohimbine administration in combat-related posttraumatic stress disorder. *Arch Gen Psychiatry*; 54: 246–254.
- Bremner, J. D., Innis, R. B., White, T., Fujita, M., Silbersweig, D., Goddard, A. W., Staib, L., Stern, E., Capiello, A., Woods, S., Baldwin, R., Charney, D. S. (2000a). SPECT [I-123] iomazenil measurement of the benzodiazepine receptor in panic disorder. *Biol Psychiatry*; 47: 96–106.
- Bremner, J. D., Krystal, J. H., Southwick, S. M., Charney, D. S. (1996). Noradrenergic mechanisms in stress and anxiety. *Synapse*; 23: 28–51.
- Bremner, J. D., Licinio, J., Darnell, A., Krystal, J. H., Owens, M. J., Southwick, S. M., Nemeroff, C. B., Charney, D. S. (1997b). Elevated corticotropin-releasing factor concentrations in posttraumatic stress disorder. *Am J Psychiatry*; 154: 624–629.
- Bremner, J. D., Narayan, M. (1998). The effects of stress on memory and the hippocampus throughout the life cycle: implications for childhood development and aging. *Dev Psychopathol*; 10: 871–885.
- Bremner, J. D., Narayan, M., Anderson, E. R., Staib, L. H., Miller, H. L., Charney, D. S. (2000b). Hippocampal volume reduction in major depression. *Am J Psychiatry*; 157: 115–118.

- Bremner, J. D., Narayan, M., Staib, L. H., Southwick, S. M., McGlashan, T., Charney, D. S. (1999). Neural correlates of memories of childhood sexual abuse in women with and without posttraumatic stress disorder. *Am J Psychiatry*; 156: 1787–1795.
- Bremner, J. D., Randall, P., Scott, T. M., Bronen, R. A., Seibyl, J. P., Southwick, S. M., Delaney, R. C., McCarthy, G., Charney, D. S., Innis, R. B. (1995). MRI-based measurement of hippocampal volume in patients with combat-related posttraumatic stress disorder. *Am J Psychiatry*; 152: 973–981.
- Bremner, J. D., Vythilingam, M., Vermetten, E., Nazeer, A., Adil, J., Khan, S., Staib, L. H., Charney, D. S. (2002). Reduced volume of orbitofrontal cortex in major depression. *Biol Psychiatry*; 51: 273–279.
- Bremner, J. D., Vythilingam, M., Vermetten, E., Southwick, S. M., McGlashan, T., Nazeer, A., Khan, S., Vaccarino, L. V., Soufer, R., Garg, P. K., Ng, C. K., Staib, L. H., Duncan, J. S., Charney, D. S. (2003). MRI and PET study of deficits in hippocampal structure and function in women with childhood sexual abuse and posttraumatic stress disorder. *Am J Psychiatry*; 160: 924–932.
- Brisch, K. H., Trübel, K. (2002). Akuter und chronischer Stress beim kindlichen Asthma. *Monatsschrift Kinderheilkunde*; 150: 1395–1396.
- Brody, A. L., Saxena, S., Schwartz, J. M., Stoessel, P. W., Maidment, K., Phelps, M. E., Baxter, L. R. Jr (1998). FDGPET predictors of response to behavioral therapy and pharmacotherapy in obsessive compulsive disorder. *Psychiatry Res*; 84: 1–6.
- Brody, A. L., Saxena, S., Silverman, D. H., Alborzian, S., Fairbanks, L. A., Phelps, M. E., Huang, S. C., Wu, H. M., Maidment, K., Baxter, L. R. Jr (1999). Brain metabolic changes in major depressive disorder from pre- to post-treatment with paroxetine. *Psychiatry Res*; 91: 127–139.
- Brody, A. L., Saxena, S., Stoessel, P., Gillies, L. A., Fairbanks, L. A., Alborzian, S., Phelps, M. E., Huang, S. C., Wu, H. M., Ho, M. L., Ho, M. K., Au, S. C., Maidment, K., Baxter, L. R. Jr (2001). Regional brain metabolic changes in patients with major depression treated with either paroxetine or interpersonal therapy: preliminary findings. *Arch Gen Psychiatry*; 58: 631–640.
- Brozoski, T. J., Brown, R. M., Rosvold, H. E., Goldman, P. S. (1979). Cognitive deficit caused by regional depletion of dopamine in prefrontal cortex of rhesus monkey. *Science*; 205: 929–932.
- Bruchfeld, A., Goldstein, R. S., Chavan, S., Patel, N. B., Rosas-Ballina, M., Kohn, N., Qureshi, A. R., Tracey, K. J. (2010). Whole blood cytokine attenuation by cholinergic agonists ex vivo and relationship to vagus nerve activity in rheumatoid arthritis. *J Intern Med*. [Epub ahead of print] PMID: 20337855.
- Brunet, A., Orr, S. P., Tremblay, J., Robertson, K., Nader, K., Pitman, R. K. (2008). Effect of post-retrieval propranolol on psychophysiologic responding during subsequent script-driven traumatic imagery in post-traumatic stress disorder. *J Psychiatric Res*; 42: 503–506.
- Brunner, H. G., Nelen, M., Breakefield, X. O., Ropers, H. H., van Oost, B. A. (1993). Abnormal behavior associated with a point mutation in the structural gene for monoamine oxidase A. *Science*; 262: 578–580.
- Buccino, G., Binkofski, F., Fink, G. R., Fadiga, L., Fogassi, L., Gallese, V., Seitz, R. J., Zilles, K., Rizzolatti, G., Freund, H. J. (2001). Action observation activates premotor and parietal areas in a somatotopic manner: an fMRI study. *Eur J Neurosci*; 13: 400–404.

- Büchel, C., Dolan, R. J. (2000). Classical fear conditioning in functional neuroimaging. *Curr Opin Neurobiol*; 10: 219–223.
- Buchheim, A. (2002). Bindung und Psychopathologie im Erwachsenenalter. In: Strauß, B., Buchheim, A., Kächele, H. (Hrsg). *Klinische Bindungsforschung. Theorien – Methoden – Ergebnisse*. Stuttgart, New York: Schattauer Verlag; 214–230.
- Buchheim, A., Kächele, H., Cierpka, M., Münte, T. F., Kessler, H., Wiswede, D., Taubner, S., Bruns, G., Roth, G. (2008). Psychoanalyse und Neurowissenschaften. Neurobiologische Veränderungsprozesse bei psychoanalytischen Behandlungen von depressiven Patienten. *Nervenheilkunde*; 27: 441–445.
- Buchholz, K., Schachinger, H., Wagner, M., Schorr, U., Sharma, A. M., Deter, H. C. (2001). Enhanced affective startle modulation in salt-sensitive subjects. *Hypertension*; 38: 1325–1329.
- Buske-Kirschbaum, A., Jobst, S., Psych, D., Wustmans, A., Kirschbaum, C., Rauh, W., Hellhammer, D. (1997). Attenuated free cortisol response to psychosocial stress in children with atopic dermatitis. *Psychosom Med*; 59: 419–426.
- Buss, K. A., Schumacher, J. R., Dolski, I., Kalin, N. H., Goldsmith, H. H., Davidson, R. J. (2003). Right frontal brain activity, cortisol, and withdrawal behavior in 6-month-old infants. *Behav Neurosci*; 117: 11–20.
- Cahill, L., Pham, C. A., Setlow, B. (2000). Impaired memory consolidation in rats produced with beta-adrenergic blockade. *Neurobiol Learn Mem*; 74: 259–266.
- Cahill, L., Prins, B., Weber, M., McGaugh, J. L. (1994). Beta-adrenergic activation and memory for emotional events. *Nature*; 371: 702–704.
- Caldji, C., Tannenbaum, B., Sharma, S., Francis, D., Plotsky, P. M., Meaney, M. J. (1998). Maternal care during infancy regulates the development of neural systems mediating the expression of fearfulness in the rat. *Proc Natl Acad Sci USA*; 95: 5335–5340.
- Calhoun, D. A., Mutinga, M. L., Collins, A. S., Wyss, J. M., Oparil, S. (1993). Normotensive blacks have heightened sympathetic response to cold pressor test. *Hypertension*; 22: 801–805.
- Calhoun, D. A., Oparil, S. (1996). Primary hypertension and sympathetic nervous activity. In: Robertson, D., Low, P. A., Polinsky, R. J. (eds.). *Primer on the Autonomic Nervous System*. London: Academic Press Limited; 143–149.
- Campbell, L. V., Aushwell, S. M., Borkman, M., Chisholm, D. J. (1992). White coat hyperglycemia: disparity between diabetes clinic and home blood glucose concentrations. *Brit Med J*; 305: 1194–1196.
- Canli, T., Zhao, Z., Brewer, J., Gabriel, J. D., Cahill, L. (2000). Event related activation in the human amygdala associates with later memory for individual emotional experience. *J Neurosci*; 20: 99.
- Cannon, W. B. (1939). *The Wisdom of the Body*. New York: Norton.
- Cannon, W. B. (1945). *The Way of an Investigator*. New York: Hafner Publishing Company Inc.
- Cannon, W. B., Shol, A. T., Wright, W. S. (1911). Emotional glycosuria. *Am J Physiol*; 29: 280–287.
- Carstens, E., Yokota, T., Zimmermann, M. (1979). Inhibition of spinal neuronal responses to noxious skin heating by stimulation of mesencephalic periaqueductal gray in the cat. *J Neurophysiol*; 42: 558–568.
- Casey, K. L. (1999). Forebrain mechanisms of nociception and pain: analysis through imaging. *Proc Natl Acad Sci USA*; 96: 7668–7674.

- Caspi, A., McClay, J., Moffitt, T. E., Mill, J., Martin, J., Craig, I. W., Taylor, A., Poulton, R. (2002). Role of genotype in the cycle of violence in maltreated children. *Science*; 297: 851–854.
- Caspi, A., Sugden, K., Moffitt, T. E., Taylor, A., Craig, I. W., Harrington, H., McClay, J., Mill, J., Martin, J., Braithwaite, A., Poulton, R. (2003). Influence of life stress on depression: moderation by a polymorphism in the 5-HTT gene. *Science*; 301: 386–389.
- Cechetto, D. F., Chen, S. J. (1990). Subcortical sites mediating sympathetic responses from insular cortex in rats. *Am J Physiol*; 258: 245–255.
- Charney, D. S. (1998). Monoamine dysfunction and the pathophysiology and treatment of depression. *J Clin Psychiatry*; 59, Suppl 14: S11–14.
- Cheng, R. S., Pomeranz, B. (1980). A combined treatment with D-amino acids and electroacupuncture produces a greater analgesia than either treatment alone; naloxone reverses these effects. *Pain*; 8: 231–236.
- Chklovskii, D. B., Mel, B. W., Svoboda, K. (2004). Cortical rewiring and information storage. *Nature*; 431: 782–788.
- Christophe, A., Morton, J. (1994). Comprehending baby-think. *Nature*; 370: 250–251.
- Clark, D. M., Salkowskis, P. M., Hackmann, A., Middleton, H., Anastasiades, P., Gelder, M. (1994). A comparison of cognitive therapy, applied relaxation and imipramine in the treatment of panic disorder. *Br J Psychiatry*; 164: 759–769.
- Clark, R. E., Squire, L. R. (1998). Classical conditioning and brain systems: the role of awareness. *Science*; 280: 77–81.
- Cleland, C. L., Ritter, S. M., Hawkins, A. R., Broghammer, A. M., Gebhart, G. F. (2000). Neonatal inflammation causes permanent dose-dependent changes in thermal pain sensitivity in rats. *Proceedings World Congress on Pain*. Seattle: IAPS Press.
- Cohen, S., Tyrrell, D. A., Smith, A. P. (1991). Psychological stress and susceptibility to the common cold. *N Engl J Med*; 325: 606–612.
- Conway, M. A. (2001). Repression revisited. *Nature*; 410: 319–320.
- Cooper, M. J., Clarc, D. M., Fairburn, C. G. (1993). An experimental study of the relationship between thoughts and eating behaviour in bulimia nervosa. *Behav Res Ther*; 31: 749–757.
- Coplan, J. D., Andrews, M. W., Rosenblum, L. A., Owens, M. J., Friedman, S., Gorman, J. M., Nemeroff, C. B. (1996). Persistent elevations of cerebrospinal fluid concentrations of corticotropin-releasing factor in adult nonhuman primates exposed to early-life stressors: implications for the pathophysiology of mood and anxiety disorders. *Proc Nat Acad Sci USA*; 93: 1619–1623.
- Corti, R., Fuster, V., Badimon, J. J. (2003). Pathogenetic concepts of acute coronary syndromes. *J Am Coll Cardiol*; 41 (4 Suppl S): 7S–14S.
- Crick, F. (1994). *Was die Seele wirklich ist. Die naturwissenschaftliche Erforschung des Bewußtseins*. München, Zürich: Artemis und Winkler.
- Critchley, H. D., Corfield, D. R., Chandler, M. P., Mathias, C. J., Dolan, R. J. (2000b). Cerebral correlates of autonomic cardiovascular arousal: a functional neuroimaging investigation in humans. *J Physiol*; 523, Pt 1: 259–270.
- Critchley, H. D., Elliott, R., Mathias, C. J., Dolan, R. J. (2000a). Neural activity relating to generation and representation of galvanic skin conductance responses: a functional magnetic imaging study. *J Neurosci*; 20: 3033–3040.

- Cummings, J. A., Mulkey, R. M., Nicoll, R. A., Malenka, R. C. (1996). Ca²⁺ signaling requirements for longterm depression in the hippocampus. *Neuron*; 16: 825–833.
- Curtis, A. L., Lechner, S. M., Pavcovich, L. A., Valentino, R. J. (1997). Activation of the Locus coeruleus noradrenergic system by intracoerulear microinfusion of corticotropin-releasing factor: effects on discharge rate, cortical norepinephrine levels, and cortical electroencephalographic activity. *J Pharmacol Exp Ther*; 281: 163–172.
- Czeh, B., Michaelis, T., Watanabe, T., Frahm, J., de Biurrun, G., van Kampen, M., Bartolomucci, A., Fuchs, E. (2001). Stress-induced changes in cerebral metabolites, hippocampal volume, and cell proliferation are prevented by antidepressant treatment with tianeptine. *Proc Natl Acad Sci USA*; 98: 12796–12801.
- Czura, C. J., Friedman, S. G., Tracey, K. J. (2003). Neural inhibition of inflammation: the cholinergic anti-inflammatory pathway. *J Endotoxin Res*; 9: 409–413.
- Czura, C. J., Tracey, K. J. (2005). Autonomic neural regulation of immunity. *J Int Med*; 257: 156–166.
- Damasio, A. R. (2002). *Descartes' Irrtum. Fühlen, Denken und das menschliche Gehirn*. München: Taschenbuch Verlag.
- Damasio, A. (2005). Brain trust. *Nature*; 435: 571–572.
- Davidson, R. J., Kabat-Zinn, J., Schumacher, J., Rosenkranz, M., Muller, D., Santorelli, S. F., Urbanowski, F., Harrington, A., Bonus, K., Sheridan, J. F. (2003). Alterations in brain and immune function produced by mindfulness meditation. *Psychosom Med*; 65: 564–570.
- Davis, M. (1992). The role of the amygdala in fear and anxiety. *Ann Rev Neurosci*; 15: 353–375.
- de Boer, S. F., de Beun, R., Slangen, J. L., van der Gugten, J. (1990). Dynamics of plasma catecholamine and corticosterone concentrations during reinforced and extinguished operant behavior in rats. *Physiol Behav*; 47: 691–698.
- de Quervain, D. J., Roozendaal, B., McGaugh, J. L. (1998). Stress and glucocorticoids impair retrieval of long term spatial memory. *Nature*; 394: 787–790.
- de Quervain, D. J., Roozendaal, B., Nitsch, R. M., McGaugh, J. L., Hock, C. (2000). Acute cortisone administration impairs retrieval of long-term declarative memory in humans. *Nature Neurosci*; 3: 313–314.
- Deak, T., Nguyen, K. T., Ehrlich, A. L., Watkins, L. R., Spencer, R. L., Maier, S. F., Licinio, J., Wong, M. L., Chrousos, G. P., Webster, E., Gold, P. W. (1999). The impact of the nonpeptide corticotropin-releasing hormone antagonist antalarmin on behavioral and endocrine responses to stress. *Endocrinology*; 140: 79–86.
- Debiec, J., LeDoux, J. E. (2004). Disruption of reconsolidation but not consolidation of auditory fear conditioning by noradrenergic blockade in the amygdala. *Neuroscience*; 129: 267–272.
- deCharms, R. C., Maeda, F., Glover, G. H., Ludlow, D., Pauly, J. M., Soneji, D., Gabrieli, J. D., Mackey, S. C. (2005). Control over brain activation and pain learned by using real-time functional MRI. *Proc Natl Acad Sci*; 102: 18626–18631.
- Dehaene-Lambertz, G., Dehaene, S. (1994). Speed and cerebral correlates of syllable discrimination in infants. *Nature*; 370: 292–295.
- DeLong, M. R. (2000). The basal ganglia. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science*. New York: McGraw-Hill (Health Professions Division); 853–867.

- Demetrikopoulos, M., Keller, S., Schleifer, S. (1996). Stresseffekte auf Immunfunktionen bei Nagetieren. In: Schedlowski, M., Tewes, U. (Hrsg). *Psychoneuroimmunologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 335–355.
- Denton, D., Shade, R., Zamarippa, F., Egan, G., Blair-West, J., McKinley, M., Lancaster, J., Fox, P. (1999). Neuroimaging of genesis and satiation of thirst and an interoceptor-driven theory of origins of primary consciousness. *Proc Natl Acad Sci USA*; 96: 5304–5309.
- Descartes, R. (1969). Über den Menschen (1632). *Nach der ersten französischen Ausgabe von 1664 übersetzt und mit einer historischen Einleitung und Anmerkungen versehen von Karl E. Rothschuh*. Heidelberg: Verlag Lambert Schneider.
- Descartes, R. (1984). *Die Leidenschaften der Seele*. Hamburg: Felix Meiner Verlag.
- Devinsky, O., Morrell, M. J., Vogt, B. A. (1995). Contribution of anterior cingulate cortex to behaviour. *Brain*; 118: 279–306.
- Diamond, A., Goldman-Rakic, P. S. (1989). Comparison of human infants and rhesus monkeys on Piaget's AB task: evidence for dependence on dorsolateral prefrontal cortex. *Exp Brain Res*; 74: 24–40.
- Diehl, D. L., Eisenberg, D. (2000). Complementary and alternative medicine (CAM): epidemiology and implications for research. In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 445–477.
- Dietz, N. M., Rivera, J. M., Eggenger, S. E., Fix, R. T., Warner, D. O., Joyner, M. J. (1994). Nitric oxide contributes to the rise in forearm bloodflow during mental stress in humans. *J Physiol*; 480: 361–368.
- Dimberg, U., Thunberg, M., Elmehed, K. (2000). Unconscious facial reactions to emotional facial expressions. *Psychol Sci*; 11: 86–89.
- DiSebastiano, P., Fink, T., di Mola, F. F., Weihe, E., Innocenti, P., Friess, H., Buchler, M. W. (1999). Neuroimmune appendicitis. *Lancet*; 354: 461–466.
- Dolan, R. Y., Fletcher, P., Frith, C. D., Friston, K. J., Frackowiak, R. S., Grasby, P. M. (1995). Dopaminergic modulation of impaired cognitive activation in the anterior cingulate cortex in schizophrenia. *Nature*; 378: 180–182.
- Draganski, B., Gaser, C., Busch, V., Schuierer, G., Bogdahn, U., May, A. (2004). Neuroplasticity: changes in grey matter induced by training. *Nature*; 427: 311–312.
- Drevets, W. C. (1999). Obsessive-compulsive disorder. In: Zigmond, M. J., Bloom, F. E., Landis, S. C., Roberts, J. L., Squire, L. R. (eds.). *Fundamental Neuroscience*. San Diego, London, Boston, New York, Sidney, Tokyo, Toronto: Academic Press; 963–964.
- Drevets, W. C., Frank, E., Price, J. C., Kupfer, D. J., Greer, P. J., Mathias, C. (2000). Serotonin type-1A receptor imaging in depression. *Nucl Med Biol*; 27: 499–507.
- Drevets, W. C., Price, J. L., Simpson, J. R. Jr, Todd, R. D., Reich, T., Vannier, M., Raichle, M. E. (1997). Subgenual prefrontal cortex abnormalities in mood disorders. *Nature*; 386: 824–827.
- Drevets, W. C., Videen, T. O., McLeod, A. K., Haller, J. W., Raichle, M. E. (1992). PET Images of blood flow during anxiety: Correction. *Science*; 256: 1696.
- Drossman, D. A. (1998). Presidential address: gastrointestinal illness and the biopsychosocial model. *Psychosom Med*; 60: 258–267.

- Ducros, A., Denier, C., Joutel, A., Cecillon, M., Lescoat, C., Vahedi, K., Darcel, F., Vicaut, E., Bousser, M. G., Tournier-Lasserre, E. (2001). The clinical spectrum of familial hemiplegic migraine associated with mutations in a neural calcium channel. *N Engl J Med*; 345: 17–24.
- Dudai, Y. (2000). The shaky trace. *Nature*; 406: 686–687.
- Duffy, L. S., Greenberg, D. M., Younger, J., Ferraro, M. G. (1999). Iatrogenic acute estrogen deficiency and psychiatric syndromes in breast cancer patients. *Psychosomatics*; 40: 304–308.
- Dunmore, E., Clark, D. M., Ehlers, A. (2001). A prospective investigation of the role of cognitive factors in persistent posttraumatic stress disorder (PTSD) after physical or sexual assault. *Behav Res Ther*; 39: 1063–1084.
- Eadie, B. D., Redila, V. A., Christie, B. R. (2005). Voluntary exercise alters the cytoarchitecture of the adult dentate gyrus by increasing cellular proliferation, dendritic complexity, and spine density. *J Comp Neurol*; 486: 39–47.
- Egle, U. T. (1993). Psychosomatische Auffassungen von Schmerz. Historische Entwicklung, gegenwärtiger Stand und empirische Belege. *Nervenarzt*; 64: 289–302.
- Ehlers, A., Clark, D. M. (2000). A cognitive model of posttraumatic stress disorder. *Behav Res Ther*; 38: 319–345.
- Eich, W. (1999). Begründung von Leitlinien in der Psychosomatik: science-based, evidence-based, dialogue-based? In: Eich, W., Windeler, J., Bauer, A. W., Herzog, W., Rüegg, J. C. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil III: Von der klinischen Erfahrung zur Evidence-Based Medicine*. Frankfurt a. M.: VAS; 181–191.
- Eippert, F., Finsterbusch, J., Bingel, U., Büchel, C. (2009). Direct evidence for spinal cord involvement in placebo analgesia. *Science*; 326: 404.
- Ekman, P. (1992). Facial expressions of emotions: New findings, new questions. *Psychol Sci*; 3: 34–38.
- Ekman, P., Davidson, R. (1993). Voluntary smiling changes regional brain activity. *Psychol Sci*; 4: 342–345.
- Ekman, P., Davidson, R. J., Friesen, W. V. (1990). The Duchenne smile: emotional expression and brain physiology. II. *J Pers Soc Psychol*; 58: 342–353.
- Elbert, T., Pantev, C., Wienbruch, C., Rockstroh, B., Taub, E. (1995). Increased cortical representation of the fingers of the left hand in string players. *Science*; 270: 305–307.
- Elenkov, I. J., Chrousos, G. P. (2002). Stress hormones, proinflammatory and antiinflammatory cytokines, and autoimmunity. *Ann NY Acad Sci*; 966: 290–293.
- Elenkov, I. J., Hoffman, J., Wilder, R. L. (1997). Does differential neuroendocrine control of cytokine production govern the expression of autoimmune diseases in pregnancy and the postpartum period? *Mol Med Today*; 3: 379–383.
- Elenkov, I. J., Papanicolaou, D. A., Wilder, R. L., Chrousos, G. P. (1996). Modulatory effects of glucocorticoids and catecholamines on human interleukin-12 and interleukin-10 production: clinical implications. *Proc Assoc Am Physicians*; 108: 374–381.
- Elenkov, I. J., Webster, E. L., Torpy, D. J., Chrousos, G. P. (1999). Stress, corticotropin-releasing hormone, glucocorticoids, and the immune/inflammatory response: acute and chronic effects. *Ann NY Acad Sci*; 876: 1–13.
- Elenkov, I. J., Wilder, R. L., Chrousos, G. P., Vizi, E. S. (2000). The sympathetic nerve – an integrative interface between two supersystems: the brain and the immune system. *Pharmacol Rev*; 52: 595–638.

- Endres, H. G., Böwing, G., Diener, H. C., Lange, S., Maier, C., Molsberger, A., Zenz, M., Vickers, A. J., Tegenthoff, M. (2007). Acupuncture for tension-type headache: a multicentre, sham-controlled, patient- and observer-blinded, randomised trial. *J Headache Pain*; 8: 306–314.
- Engel, G. L. (1959). „Psychogenic“ pain and the pain prone patient. *Am J Med*; 26: 899–918.
- Engel, G. L. (1977). The need for a new medical model: a challenge for biomedicine. *Science*; 196: 129–136.
- Esler, M., Kaye, D., Lambert, G., Jennings, G. (1996). Congestive heart failure. In: Robertson, D., Low, P. A., Polinsky, R. J. (eds.). *Primer on the Autonomic Nervous System*. London: Academic Press Limited; 164–170.
- Evans, N. (1995). *Der Pferdeflüsterer*. München: Goldmann.
- Exton, M. S., Schult, M., Donath, S., Strubel, T., Bode, U., del Rey, A., Westermann, J., Schedlowski, M. (1999). Conditioned immunosuppression makes subtherapeutic cyclosporin effective via splenic innervation. *Am J Physiol*; 276: 1710–1717.
- Falck, B., Hillarp, N. A., Thieme, G., Thorp, A. (1962). Fluorescence of catecholamines and related compounds condensed with formaldehyde. *J Histochem Cytochem*; 10: 348–354.
- Fanconi, G. (1950). Die Pathologie der Pubertät und Adoleszenz. In: Fanconi, G., Wallgren, A. (Hrsg). *Lehrbuch der Pädiatrie*. Basel: Benno Schwabe Verlag; 249–270.
- Farah, M. J., Wilson, K. D., Drain, M., Tanaka, J. N. (1998). What is „special“ about face perception? *Psychol Rev*; 105: 482–498.
- Fawzy, F. I., Fawzy, N. W., Hyun, C. S., Elashoff, R., Guthrie, D., Fahey, J. L., Morton, D. L. (1993). Malignant melanoma. Effects of an early structured psychiatric intervention, coping, and affective state on recurrence and survival 6 years later. *Arch Gen Psychiatry*; 50: 681–689.
- Fazekas, C. (2006). *Psychosomatische Intelligenz. Spüren und Denken – ein Doppelleben*. Wien, New York: Springer.
- Feldmeier, H. (2001) Jetlag – mehr als nur Müdigkeit. Maßnahmen bei einer verstellten inneren Uhr. *Neue Zürcher Zeitung (Forschung und Technik)* vom 14. Nov. 2001, S. 53.
- Finn, P. R., Zeitouni, N. C., Pihl, R. O. (1990). Effects of alcohol on psycho-physiological hyperreactivity to nonaversive and aversive stimuli in men at high risk for alcoholism. *J Abnorm Psychol*; 99: 79–85.
- Fischer, H. (1962). *Arzt und Humanismus. Das humanistische Weltbild in Naturwissenschaft und Medizin*. Zürich, Stuttgart: Artemis Verlag.
- Fitzgerald, M. (1995). Developmental neurobiology of pain. In: Wall, P. D., Melzack, R. (eds.). *Textbook of Pain*. Edinburgh, London: Churchill Livingstone; 235–251.
- Fleming, D. G. (1969). Humoral and metabolic factors in the regulation of food and water intake. Food intake studies in parabiotic rats. *Ann NY Acad Sci*; 157: 985–1002.
- Flor, H. (2000). The functional organisation of the brain in chronic pain. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 313–322.
- Flor, H. (2003). Wie verlernt das Gehirn den Schmerz? Verletzungsbezogene und therapeutisch induzierte neuroplastische Veränderungen des Gehirns bei Schmerz und psychosomatischen Störungen. In: Schiepek, G. (Hrsg). *Neurobiologie der Psychotherapie*. Stuttgart, New York: Schattauer Verlag; 213–223.

- Flor, H., Braun, C., Elbert, T., Birbaumer, N. (1997). Extensive reorganisation of primary somatosensory cortex in chronic back pain patients. *Neurosci Lett*; 224: 5–8.
- Flor, H., Denke, C., Schaefer, M., Gruesser, S. (2001). Effect of sensory discrimination training on cortical reorganisation and phantom limb pain. *Lancet*; 357: 1763–1764.
- Flor, H., Elbert, T., Knecht, S., Wienbruch, C., Pantev, C., Birbaumer, N., Larbig, W., Taub, E. (1995). Phantom-limb pain as a perceptual correlate of cortical reorganization following arm amputation. *Nature*; 375: 482–484.
- Florence, S. L., Taub, H. B., Kaas, J. H. (1998). Large-scale sprouting of cortical connections after peripheral injury in adult macaque monkeys. *Science*; 282: 1117–1121.
- Folkow, B. S. (1982). Physiological aspects of primary hypertension. *Physiol Rev*; 62: 347–504.
- Francis, D. D., Young, L. J., Meaney, M. J., Insel, T. R. (2002) Naturally occurring differences in maternal care are associated with the expression of oxytocin and vasopressin (V1a) receptors: gender differences. *Neuroendocrinol*; 14: 349–353.
- Frasure-Smith, N., Lesperance, F. (2003). Depression and other psychological risks following myocardial infarction. *Arch Gen Psychiatry*; 60: 627–636.
- Frasure-Smith, N., Lesperance, F., Juneau, M., Talajic, M., Bourassa, M. G. (1999). Gender, depression, and one-year prognosis after myocardial infarction. *Psychosom Med*; 61: 26–37.
- Frasure-Smith, N., Lesperance, F., Talajic, M. (1993). Depression following myocardial infarction. Impact on 6-month survival. *JAMA*; 270: 1819–1825.
- Fries, A. B., Ziegler, T. E., Kurian, J. R., Jacoris, S., Pollak, S. D. (2005). Early experience in humans is associated with changes in neuropeptides critical for regulating social behavior. *Proc Natl Acad Sci USA*; 102: 17237–17240.
- Furmark, T., Tillfors, M., Marteinsdottir, I., Fischer, H., Pissiota, A., Langstrom, B., Fredrikson, M. (2002). Common changes in cerebral blood flow in patients with social phobia treated with citalopram or cognitive-behavioral therapy. *Arch Gen Psychiatry*; 59: 425–433.
- Gage, F. H. (2002). Neurogenesis in the adult brain. *J Neurosci*; 22: 612–613.
- Gahr, M. (1996). Neurale Grundlagen von Motivation und Emotion. In: Dudel, J., Menzel, R., Schmidt, R. F. (Hrsg). *Neurowissenschaft. Vom Molekül zur Kognition*. Berlin, Heidelberg, New York: Springer; 463–484.
- Gallese, V., Buccino, G. (2010). Wir und die anderen. Von den Spiegelneuronen zum Mitgefühl. In: Spitzer, M., Bertram, W. (Hrsg). *Hirnforschung für Neu(ro)gierige. Braintertainment 2.0*. Stuttgart: Schattauer Verlag; 43–59.
- Galovski, T. E., Blanchard, E. B. (1998). The treatment of irritable bowel syndrome with hypnotherapy. *Appl Psychophysiol Biofeedback*; 23: 219–232.
- Gauci, M., Husband, A. J., Saxarra, H., King, M. G. (1994). Pavlovian conditioning of nasal tryptase release in human subjects with allergic rhinitis. *Physiol Behav*; 55: 823–825.
- Gehde, E., Emrich, H. M. (1998). Kontext und Bedeutung: Psychobiologie der Subjektivität im Hinblick auf psychoanalytische Theoriebildungen. *Psyche*; 52: 963–1003.
- Genoux, D., Haditsch, U., Knobloch, M., Michalon, A., Storm, D., Mansuy, I. M. (2002). Protein phosphatase 1 is a molecular constraint on learning and memory. *Nature*; 418: 970–975.
- Genuth, S. M. (1988). The endocrine system. In: Berne, R. M., Levy, M. N. (eds.). *Physiology*. St. Louis, Washington, DC, Toronto: *The C.V. Mosby Company*; 819–1024.

- George, M. S., Ketter, T. A., Gill, D. S., Haxby, J. V., Ungerleider, L. G., Herscovich, P., Post, R. M. (1993). Brain regions involved in recognizing facial emotion or identity: an oxygen-15 PET study. *J Neuropsychiatry Clin Neurosci*; 5: 384–394.
- George, M. S., Nahas, Z., Molloy, M., Speer, A. M., Oliver, N. C., Li, X. B., Arana, G. W., Risch, S. C., Ballenger, J. C. (2000). A controlled trial of daily left prefrontal cortex TMS for treating depression. *Biol Psychiatry*; 48: 962–970.
- Gerber, G., Youn, D. H., Hsu, C. H., Isaev, D., Randic, M. (2000). Spinal dorsal horn synaptic plasticity: involvement of group I metabotropic glutamate receptors. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 115–134.
- Gerber, W. D., Schoenen, J. (1998). Behavioral correlates in migraine: the role of hypersensitivity and information-processing dysfunction. *Cephalalgia*; 18, Suppl 21: S5–11.
- Giang, D. W., Goodman, A. D., Schiffer, R. B., Mattson, D. H., Petrie, M., Cohen, N., Ader, R. (1996). Conditioning of cyclophosphamide-induced leukopenia in humans. *J Neuropsychiatry Clin Neurosci*; 8: 194–201.
- Gibbs, R. A., Caskey, C. T. (1987). Identification and localization of mutations at the Lesh-Nyhan locus by ribonuclease A cleavage. *Science*; 236: 303–305.
- Gibbs, W. W. (1998). Übergewicht: ein Zivilisationsproblem? In: Güntürkin, O. (Hrsg.). *Biopsychologie*. Heidelberg, Berlin: Spektrum Akademischer Verlag; 70–79.
- Giraux, P., Sirigu, A., Schneider, F., Dubernard, J. M. (2001). Cortical reorganisation in motor cortex after graft of both hands. *Nat Neurosci*; 4: 691–692.
- Goddard, A. W., Charney, D. S. (1997). Toward an integrated neurobiology of panic disorder. *J Clin Psychiatry*; 58, Suppl 2: S4–11.
- Goebel, M. U., Trebst, A. E., Steiner, J., Xie, Y. F., Exton, M. S., Frede, S., Canbay, A. E., Michel, M. C., Heemann, U., Schedlowski, M. (2002). Behavioral conditioning of immunosuppression is possible in humans. *FASEB J*; 16: 1869–1873.
- Goehler, L. E., Gaykema, R. P., Nguyen, K. T., Lee, J. E., Tilders, F. J., Maier, S. F., Watkins, L. R. (1999). Interleukin-1 beta in immune cells of the abdominal vagus nerve: a link between the immune and nervous systems? *J Neurosci*; 19: 2799–2806.
- Gold, P. W., Chrousos, G. P. (1999). The endocrinology of melancholic and atypical depression: relation to neurocircuitry and somatic consequences. *Proc Assoc Am Physicians*; 111: 22–34.
- Gold, P. W., Goodwin, F. K., Chrousos, G. P. (1988). Clinical and biochemical manifestations of depression. Relation to the neurobiology of stress. *N Engl J Med*; 319: 413–420.
- Goldapple, K., Segal, Z., Garson, C., Lau, M., Bieling, P., Kennedy, S., Mayberg, H. (2004). Modulation of cortical-limbic pathways in major depression: treatment-specific effects of cognitive behavior therapy. *Arch Gen Psychiatry*; 61: 34–41.
- Goldman-Rakic, P. S. (1995). Cellular basis of working memory. *Neuron*; 14: 477–485.
- Goleman, D. (1996). *Emotionale Intelligenz*. München, Wien: Carl Hanser Verlag.
- Goleman, D. (1998). *Die heilende Kraft der Gefühle. Gespräche mit dem Dalai Lama über Achtsamkeit, Emotion und Gesundheit*. München: Deutscher Taschenbuch Verlag.
- Goleman, D. (2004). *Destructive emotions – How can we overcome them? A scientific Dialogue with the Dalai Lama, narrated by Daniel Goleman*. New York: Bantam Dell, Random House.

- Gomez, F., Lahmame, A., de Kloet, E. R., Armario, A. (1996). Hypothalamic-pituitary-adrenal response to chronic stress in five inbred rat strains: differential responses are mainly located at the adrenocortical level. *Neuroendocrinology*; 63: 327–337.
- Gorman, J. M., Kent, J. M., Sullivan, G. M., Coplan, J. D. (2000). Neuroanatomical hypothesis of panic disorder, revised. *Am J Psychiatry*; 157: 493–505.
- Gottwald, C. (2006). Neurobiologische Perspektiven zur Körperpsychotherapie. In: Marlock, G., Weiss, H. (Hrsg). *Handbuch der Körperpsychotherapie*. Stuttgart, New York: Schattauer Verlag; 119–137.
- Gould, E., Gross, C. G. (2002). Neurogenesis in adult mammals: some progress and problems. *J Neurosci*; 22: 619–623.
- Grahn, R. E., Will, M. J., Hammack, S. E., Maswood, S., Mc-Queen, M. B., Watkins, L. R., Maier, S. F. (1999). Activation of serotonin-immunoreactive cells in the dorsal raphe nucleus in rats exposed to an uncontrollable stressor. *Brain Res*; 826: 35–43.
- Grawe, K. (2004). *Neuropsychotherapie*. Göttingen, Bern: Hogrefe-Verlag.
- Greenfield, A. D. M. (1951). An emotional faint. *The Lancet*; 260 (I): 1302–1303.
- Greer, S., Moorey, S., Baruch, J. D. R., Watson, M., Robertson, B. M., Mason, A., Rowden, L., Law, M. G., Bliss, J. M. (1992). Adjuvant psychological therapy for patients with cancer: a prospective randomised trial. *BMJ*; 304: 675–680.
- Grochowicz, P. M., Schedlowski, M., Husband, A. J., King, M. G., Hibberd, A. D., Bowen, K. M. (1991). Behavioral conditioning prolongs heart allograft survival in rats. *Brain Behav Immun*; 5: 349–356.
- Gross, C., Zhuang, X., Stark, K., Ramboz, S., Oosting, R., Kirby, L., Santarelli, L., Beck, S., Hen, R. (2002). Serotonin_{1A} receptor acts during development to establish normal anxiety-like behaviour in the adult. *Nature*; 416: 396–400.
- Grutzendler, J., Kasthuri, N., Gan, W. B. (2002). Longterm dendritic spine stability in the adult cortex. *Nature*; 420: 812–816.
- Gurguis, G. N., Vitton, B. J., Uhde, T. W. (1997). Behavioral, sympathetic, and adrenocortical responses to yohimbine in panic disorder patients and normal controls. *Psychiatry Res*; 71: 27–39.
- Gurvits, T. V., Shenton, M. E., Hokama, H., Ohta, H., Lasko, N. B., Gilbertson, M. W., Orr, S. P., Kikinis, R., Jolesz, F. A., McCarley, R. W., Pitman, R. K. (1996). Magnetic resonance imaging study of hippocampal volume in chronic, combat-related posttraumatic stress disorder. *Biol Psychiatry*; 40: 1091–1099.
- Guthrie, E., Creed, F., Dawson, D., Thomenson, B. (1993). A randomised controlled trial of psychotherapy in patients with refractory irritable bowel syndrome. *Br J Psychiatry*; 163: 315–321.
- Gwee, K. A., Leong, Y. L., Graham, C., McKendrick, M. W., Collins, S. M., Walters, S. J., Underwood, J. E., Read, N. W. (1999). The role of psychological and biological factors in postinfective gut dysfunction. *Gut*; 44: 400–406.
- Haake, M., Müller, H. H., Schade-Brittinger, C., Basler, H. D., Schäfer, H., Maier, C., Endres, H. G., Trampisch, H. J., Molsberger, A. (2007). German Acupuncture Trials (GERAC) for chronic low back pain: randomized, multicenter, blinded, parallel-group trial with 3 groups. *Arch Intern Med*; 167: 1892–1898.

- Hagen, G. (1997). Wenn der Schrecken im Gedächtnis haftet. *Frankfurter Allgemeine Zeitung*, 26. 3. 1997: N 4.
- Haggard, P., Eimer, M. (1999). On the relation between brain potentials and the awareness of voluntary movements. *Exp Brain Res*; 126: 128–133.
- Hahn, P. (1990). Patienten mit Angstsymptomatik in der internistisch-psychosomatischen Sprechstunde. *Med Welt*; 41: 432–438.
- Hahnloser, R. H., Sarpeshkar, R., Mahowald, M. A., Douglas, R. J., Seung, H. S. (2000). Digital selection and analogue amplification coexist in a cortex inspired silicon circuit. *Nature*; 405: 947–951.
- Haken, H. (2003). Synergetik der Hirnfunktionen. In: Schiepek, G. (Hrsg). *Neurobiologie der Psychotherapie*. Stuttgart, New York: Schattauer Verlag; 80–103.
- Hall, J. E., Zappe, D. H., Alonso-Galicia, M., Granger, J. P., Brands, M. W., Kassab, S. E. (1996). Mechanisms of obesity-induced hypertension. *NIPS*; 11: 255–261.
- Hamill, O. P., Marty, A., Neher, E., Sakmann, B., Sigworth, F. J. (1981). Improved patch-clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pflügers Arch*; 391: 85–100.
- Handwerker, H. O., Kopal, G. (1993). Psychophysiology of experimentally induced pain. *Physiol Rev*; 73: 639–671.
- Hane, A. A., Fox, N. A. (2006). Ordinary variations in maternal caregiving influence human infants' stress reactivity. *Psychol Sci*; 17: 550–556.
- Hanesch, U. (1996). Neuropeptides in dural fine sensory nerve endings – involvement in neurogenic inflammation? *Prog Brain Res*; 113: 299–317.
- Hardt, J. K., Kamiya, J. (1978). Anxiety change through electroencephalographic alpha feedback seen only in high anxiety subjects. *Science*; 201: 79–81.
- Hariri, A. R., Mattay, V. S., Tessitore, A., Kolachana, B., Fera, F., Goldman, D., Egan, M. F., Weinberger, D. R. (2002). Serotonin transporter genetic variation and the response of the human amygdala. *Science*; 297: 400–403.
- Harlow, H. F. (1959). Love in infant monkey. *Scient Am*; 200: 68–74.
- Hartmann, B., Ahmadi, S., Heppenstall, P. A., Lewin, G. R., Schott, C., Borchardt, T., Seeburg, P. H., Zeilhofer, H. U., Sprengel, R., Kuner, R. (2004). The AMPA receptor subunits GluR-A and GluR-B reciprocally modulate spinal synaptic plasticity and inflammatory pain. *Neuron*; 44: 637–650.
- Hasenbring, M. (2000). Attentional control of pain and the process of chronification. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 525–534.
- Havranek, E. P., Ware, M. G., Lowes, B. D. (1999). Prevalence of depression in congestive heart failure. *Am J Cardiol*; 84: 348–350, A9.
- Heim, C., Nemeroff, C. B. (1999). The impact of early adverse experiences on brain systems involved in the pathophysiology of anxiety and affective disorders. *Biol Psychiatry*; 46: 1509–1522.
- Heim, C., Nemeroff, C. B. (2001). The role of childhood trauma in the neurobiology of mood and anxiety disorders: preclinical and clinical studies. *Biol Psychiatry*; 49: 1023–1039.
- Heim, C., Newport, D. J., Heit, S., Graham, Y. P., Wilcox, M., Bonsall, R., Miller, A. H., Nemeroff, C. B. (2000). Pituitary-adrenal and autonomic responses to stress in women after sexual and physical abuse in childhood. *JAMA*; 284: 592–597.

- Heinl, H., Heinl, P. (2004). *Körperschmerz – Seelenschmerz. Die Psychosomatik des Bewegungssystems. Ein Leitfaden*. München: Kösel-Verlag.
- Heinz, A., Braus, D. F., Smolka, M. N., Wrase, J., Puls, I., Hermann, D., Klein, S., Grusser, S. M., Flor, H., Schumann, G., Mann, K., Buchel, C. (2005). Amygdala-prefrontal coupling depends on a genetic variation of the serotonin transporter. *Nat Neurosci*; 8: 20–21.
- Hemingway, H., Marmot, M. (1999). Psychosocial factors in the aetiology and prognosis of coronary heart disease: systematic review of prospective cohort studies. *BMJ*; 318: 1460–1467.
- Henry, J. P. (1993). Biological basis of the stress response. *NIPS*; 8: 69–73.
- Herrmann, J. M., Geigges, W., Schonecke, O. W. (1996a). Fibromyalgie. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. W., Uexküll, T. v., Wesiack, W. (Hrsg.). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 731–736.
- Herrmann, J. M., Rassek, M., Schäfer, N., Schmidt, T. H., Uexküll, T. v., Wesiack, W. (1996b). Essentielle Hypertonie. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. W., Uexküll, T. v., Wesiack, W. (Hrsg.). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 743–768.
- Hess, W. R. (1948). *Die funktionelle Organisation des vegetativen Nervensystems*. Basel: Benno Schwabe Verlag.
- Hess, W. R. (1949). *Das Zwischenhirn. Syndrome, Lokalisationen, Funktionen*. Basel: Benno Schwabe Verlag.
- Heuss, C. (2000). Chip mit Hirn. *Neue Zürcher Zeitung (Forschungsbeilage)*, 5. 7. 2000; 72.
- Hilbrecht, H. (2010). *Meditation und Gehirn*. Stuttgart: Schattauer Verlag.
- Hilton, S. M. (1975). Ways of viewing the central nervous control of the circulation – old and new. *Brain Res*; 87: 213–219.
- Hirschhausen, E. v. (2007). Ein Epilog. In: Spitzer, M., Bertram, W. (Hrsg.). *Braintertainment. Expeditionen in die Welt von Geist & Gehirn*. Stuttgart, New York: Schattauer Verlag; 196–212.
- Hobson, J. A. (1999). Sleep and Dreaming. In: Zigmond, M. J., Bloom, F. E., Landis, S. C., Roberts, J. L., Squire, L. R. (eds.) *Fundamental Neuroscience*. San Diego, London, Boston, New York, Sydney, Tokyo, Toronto: Academic Press; 1207–1227.
- Hofer, S., Eisenbach, C., Lukic, I. K., Schneider, L., Bode, K., Brueckmann, M., Mautner, S., Wente, M. N., Encke, J., Werner, J., Dalpke, A. H., Stremmel, W., Nawroth, P. P., Martin, E., Krammer, P. H., Bierhaus, A., Weigand, M. A. (2008). Pharmacologic cholinesterase inhibition improves survival in experimental sepsis. *Crit Care Med*; 36: 404–408.
- Hollon, S. D. (1998). What is cognitive behavioural therapy and how does it work? *Curr Opin Neurobiol*; 8: 289–292.
- Holsboer, F. (1999). The rationale for corticotropinreleasing hormone receptor (CRH-R) antagonists to treat depression and anxiety. *J Psychiatr Res*; 33: 181–214.
- Holst, D. v (1972). Renal failure as the cause of death in *Tupaia belangeri* exposed to persistent psychosocial stress. *J Comp Physiol*; 78: 236–273.
- Holtmaat, A., Wilbrecht, L., Knott, G. W., Welker, E., Svoboda, K. (2006). Experience-dependent and cell type-specific spine growth in the neocortex. *Nature*; 441: 979–983.
- Hrobjartsson, A., Gotzsche, P. C. (2001). Is the placebo powerless? An analysis of clinical trials comparing placebo with no treatment. *N Engl J Med*; 344: 1594–1602.

- Hsu, S. Y., Hsueh, A. J. (2001). Human stresscopin and stresscopin-related peptide are selective ligands for the type 2 corticotropin-releasing hormone receptor. *Nature Medicine*; 7: 605–611.
- Huang, Y. Y., Kandel, E. R. (1998). Postsynaptic induction and PKA-dependent expression of LTP in the lateral amygdala. *Neuron*; 21: 169–178.
- Hubel, D. H., Wiesel, T. N. (1962). Receptive fields, binocular interaction, and functional architecture in the cat's visual cortex. *J Physiol*; 160: 106–154.
- Hubel, D. H., Wiesel, T. N. (1968). Receptive fields and functional architecture of monkey striate cortex. *J Physiol*; 195: 215–243.
- Hubel, D. H., Wiesel, T. N., LeVay, S. (1977). Plasticity of ocular dominance columns in monkey striate cortex. *Philos Trans R Soc Lond B Biol Sci*; 278: 377–409.
- Huether, G., Doering, S., Rüger, U., Rütther, E., Schüßler, G. (1996). Psychische Belastungen und neuronale Plastizität. Ein erweitertes Modell des Streß-Reaktions-Prozesses als Grundlage für das Verständnis zentralnervöser Anpassungsprozesse. *Z psychosom Med*; 42: 107–127.
- Hufeland, C. W. (1824). Vorwort des Herausgebers. In: Kant, I. (1824). *Von der Macht des Gemüths, durch den blossen Vorsatz seiner krankhaften Gefühle Meister zu sein*. Buchdrucker Fachklasse an den technischen Lehranstalten zu Offenbach a. M.; 3–5.
- Hughes, J., Smith, T. W., Kosterlitz, H. W., Fothergill, L. A., Morgan, B. A., Morris, H. R. (1975). Identification of two related pentapeptides from the brain with potent opiate agonist activity. *Nature*; 258: 577–580.
- Hunsberger, J. G., Newton, S. S., Bennett, A. H., Duman, C. H., Russell, D. S., Salton, S. R., Duman, R. S. (2007). Antidepressant actions of the exercise-regulated gene VGF. *Nat Med*; 13: 1476–1482.
- Hunt, S. P., Pini, A., Evan, G. (1987). Induction of c-foslike protein in spinal cord neurons following sensory stimulation. *Nature*; 328: 632–634.
- Hurlemann, R., Walter, H., Rehme, A. K., Kukulja, J., Santoro, S. C., Schmidt, C., Schnell, K., Musshoff, F., Keysers, C., Maier, W., Kendrick, K. M., Onur, O. A. (2010). Human amygdala reactivity is diminished by the beta-noradrenergic antagonist propranolol. *Psychol Med*. 2010 Jan 27: 1–10 [Epub ahead of print]. doi: 10.1017/S0033291709992376.
- Huston, J. M., Ochani, M., Rosas-Ballina, M., Liao, H., Ochani, K., Pavlov, V. A., Gallowitsch-Puerta, M., Ashok, M., Czura, C. J., Foxwell, B., Tracey, K. J., Ulloa, L. (2006). Splenectomy inactivates the cholinergic antiinflammatory pathway during lethal endotoxemia and polymicrobial sepsis. *J Exp Med*; 203: 1623–1628.
- Huxley, L. A. (1963). *You Are not the Target*. New York: Farrar, Straus & Co.
- Insel, T. R., Young, L. (2001). The neurobiology of attachment. *J Nat Rev Neurosci*; 2: 129–136.
- Irwin, M. (1996). Depression und Immunfunktionen. In: Schedlowski, M., Tewes, U. (Hrsg). *Psychoneuroimmunologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 423–437.
- Irwin, M. (1999). Immune correlates of depression. *Adv Exp Med Biol*; 461: 1–24.
- Irwin, M., Hauger, R., Brown, M. (1992). Central corticotropin-releasing hormone activates the sympathetic nervous system and reduces immune function: increased responsivity of the aged rat. *Endocrinology*; 131: 1047–1053.
- Iversen, S., Iversen, L., Saper, C. B. (2000). The autonomic nervous system and the hypothalamus. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science*. New York: McGraw-Hill (Health Professions Division); 960–997.

- Jacobs, B. L., Praag, H., Gage, F. H. (2000). Adult brain neurogenesis and psychiatry: a novel theory of depression. *Mol Psychiatry*; 5: 262–269.
- Jacobs, W. J., Nadel, L. (1999). The first panic attack: a neurobiological theory. *Can J Exp Psychol*; 53: 92–107.
- Jansen, A. S. P., Nguyen, X. V., Karpitskiy, V., Mettenleiter, T. C., Loewy, A. D. (1995). Central command neurons of the sympathetic nervous system: Basis of the fight-or-flight response. *Science*; 270: 644–646.
- Jerry, M. (1996). Psychoneuroimmunologie. In: Greger, R., Windhorst, U. (eds.). *Comprehensive Human Physiology. From cellular mechanisms to integration. Vol. 2.* Berlin, Heidelberg, New York: Springer; 1731–1745.
- Jonas, B. S., Lando, J. F. (2000). Negative affect as a prospective risk factor for hypertension. *Psychosom Med*; 62: 188–196.
- Juenger, J., Schellberg, D., Kraemer, S., Haunstetter, A., Zugck, C., Herzog, W., Haass, M. (2002). Health related quality of life in patients with congestive heart failure: comparison with other chronic diseases and relation to functional variables. *Heart*; 87: 235–241.
- Julius, S., Majahalme, S. (2000). The changing face of sympathetic overactivity in hypertension. *Ann Med*; 32: 365–370.
- Julius, S., Nesbitt, S. (1996). Sympathetic overactivity in hypertension. A moving target. *Am J Hypertens*; 9, Suppl: S113–120.
- Jung, C. G. (1963). Zur Psychologie westlicher und östlicher Religionen. In: *GW 11. Psychologie und Religion.* Olten, Freiburg i. Br.: Walter-Verlag 1972.
- Jung, C. G. (1989). *Von Mensch und Gott. Ein Lesebuch. Ausgewählt von Franz Alt.* Olten, Freiburg i. Br.: Walter-Verlag.
- Jung, W., Irwin, M. (1999). Reduction of natural killer cytotoxic activity in major depression: interaction between depression and cigarette smoking. *Psychosom Med*; 61: 263–270.
- Kalin, N. H., Shelton, S. E., Davidson, R. J. (2000). Cerebrospinal fluid corticotropin-releasing hormone levels are elevated in monkeys with patterns of brain activity associated with fearful temperament. *Biol Psychiatry*; 47: 579–585.
- Kandel, E. R. (1979). Psychotherapy and the single synapse. The impact of psychiatric thought on neurobiologic research. *N Engl J Med*; 301: 1028–1037.
- Kandel, E. R. (1991). Cellular mechanisms of learning and the biological basis of individuality. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science.* New York, Amsterdam, London, Tokyo: Elsevier; 1009–1031.
- Kandel, E. R. (1999). Biology and the future of psychoanalysis, a new intellectual framework for psychiatry revisited. *Am J Psychiatry*; 156: 505–524.
- Kandel, E. R. (2000a). Cellular mechanisms of learning and the biological basis of individuality. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science.* New York: McGraw-Hill (Health Profession Division); 1247–1277.
- Kandel, E. R. (2000b). Disorders of mood: depression, mania, and anxiety disorders. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science.* New York: McGraw-Hill (Health Professions Division); 1209–1226.
- Kandel, E. R. (2005). *Psychiatry, Psychoanalysis, and the New Biology of Mind.* Washington DC: American Psychiatric Publishing Inc.

- Kandel, E. R. (2006). *Auf der Suche nach dem Gedächtnis. Die Entstehung einer neuen Wissenschaft des Geistes*. München: Siedler-Verlag.
- Kant, I. (1797). Von der Macht des Gemüts des Menschen, über seine krankhaften Gefühle durch den blossen Vorsatz Meister zu sein. *Hufelands Journal der praktischen Heilkunde*; 97(II): 6–22 (Nachdruck in: *Werke in 6 Bänden. Bd. 6*. Darmstadt: Wissenschaftliche Buchgesellschaft 1998; 371–393).
- Kapp, B. S., Frysinger, R. C., Gallagher, M., Haselton, J. R. (1979). Amygdala central nucleus lesions: effect on heart rate conditioning in the rabbit. *Physiol Behav*; 23: 1109–1117.
- Karl, A., Birbaumer, N., Lutzenberger, W., Cohen, L. G., Flor, H. (2001). Reorganization of motor and somatosensory cortex in upper extremity amputees with phantom limb pain; *J Neurosci*; 21: 3609–3618.
- Kast, V. (1994). *Vater-Töchter, Mutter-Söhne – Wege zur eigenen Identität aus Vater- und Mutterkomplexen*. Stuttgart: Kreuz Verlag.
- Katsuragi, S., Kunugi, H., Sano, A., Tsutsumi, T., Isogawa, K., Nanko, S., Akiyoshi, J. (1999). Association between serotonin transporter gene polymorphism and anxiety-related traits. *Biol Psychiatry*; 45: 368–370.
- Kaufman, J., Plotsky, P. M., Nemeroff, C. B., Charney, D. S. (2000). Effects of early adverse experiences on brain structure and function: clinical implications. *Biol Psychiatry*; 48: 778–790.
- Kawachi, I., Sparrow, D., Spiro, A. 3rd, Vokonas, P., Weiss, S. T. (1996). A prospective study of anger and coronary heart disease. The normative aging study. *Circulation*; 94: 2090–2095.
- Keck, M. E., Welt, T., Wigger, A., Renner, U., Engelmann, M., Holsboer, F., Landgraf, R. (2001). The anxiolytic effect of the CRH(1) receptor antagonist R121919 depends on innate emotionality in rats. *Eur J Neurosci*; 13: 373–380.
- Keel, P. J., Bodoky, C., Gerhard, U., Müller, W. (1998). Comparison of integrated group therapy and group relaxation training for fibromyalgia. *Clin J Pain*; 14: 232–238.
- Keller, S. E., Schleifer, S. J., Liotta, A. S., Bond, R. N., Farhoody, N., Stein, M. (1988). Stress-induced alterations of immunity in hypophysectomized rats. *Proc Natl Acad Sc USA*; 85: 9297–9301.
- Kelly, D. D. (1991). Disorders of sleep and consciousness. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neural Science*. New York, Amsterdam, London, Tokyo: Elsevier; 805–819.
- Kiecolt-Glaser, J. K., Glaser, R., Gravenstein, S., Malarkey, W. B., Sheridan, J. (1996). Chronic stress alters the immune response to influenza virus vaccine in older adults. *Proc Natl Acad Sci USA*; 93: 3043–3047.
- Kiecolt-Glaser, J. K., Glaser, R., Strain, E. C., Stout, J. C., Tarr, K. L., Holliday, J. E., Speicher, C. E. (1986). Modulation of cellular immunity in medical students. *J Behav Med*; 9: 5–21.
- Kiecolt-Glaser, J. K., Marucha, P. T., Atkinson, C., Glaser, R. (2001). Hypnosis as a modulator of cellular immune dysregulation during acute stress. *J Consult Clin Psychol*; 69: 674–682.
- Kiecolt-Glaser, J. K., Marucha, P. T., Malarkey, W. B., Mercado, A. M., Glaser, R. (1995). Slowing of wound healing by psychological stress. *Lancet*; 346: 1194–1196.
- Kiecolt-Glaser, J. K., Preacher, K. J., MacCallum, R. C., Atkinson, C., Malarkey, W. B., Glaser, R. (2003). Chronic stress and age-related increases in the proinflammatory cytokine IL-6. *Proc Natl Acad Sci USA*; 100: 9090–9095.

- Kienle, G. S. (1995). *Der sogenannte Placeboeffekt*. Stuttgart, New York: Schattauer Verlag.
- Kirsch, P., Esslinger, C., Chen Q, Mier, D., Lis, S., Siddhanti, S., Gruppe, H., Mattay, V. S., Gallhofer, B., Meyer-Lindenberg, A. (2005). Oxytocin modulates neural circuitry for social cognition and fear in humans. *J Neurosci*; 25: 11489–11493.
- Kischka, U., Kammer, T., Meier, S., Weisbrod, M., Thimm, M., Spitzer, M. (1996). Dopaminergic modulation of semantic network activation. *Neuropsychologia*; 34: 1107–1113.
- Klein, K. B., Spiegel, D. (1989). Modulation of gastric acid secretion by hypnosis. *Gastroenterology*; 96: 1383–1387.
- Klosterhalfen, W., Klosterhalfen, S. (1983). Pavlovian conditioning of immunosuppression modifies adjuvant arthritis in rats. *Behav Neurosci*; 97: 663–666.
- Kluger, M. J., Kozak, W., Leon, L. R., Soszynski, D., Conn, C. A. (1995). Cytokines and fever. *Neuroimmunomodulation*; 2: 216–223.
- Knost, D., Flor, H., Birbaumer, N., Schugens, M. M. (1999). Learned maintenance of pain: muscle tension reduces central nervous system processing of painful stimulation in chronic and subchronic pain patients. *Psychophysiology*; 36: 755–764.
- Knott, G. W., Quairiaux, C., Genoud, C., Welker, E. (2002). Formation of dendritic spines with GABAergic synapses induced by whisker stimulation in adult mice. *Neuron*; 34: 265–273.
- Kodama, A., Horikawa, T., Suzuki, T., Ajiki, W., Takashima, T., Harada, S., Ichihashi, M. (1999). Effect of stress on atopic dermatitis: investigation in patients after the great hanshin earthquake. *J Allergy Clin Immunol*; 104: 173–176.
- Koella, W. P. (1986). Psycho- und neuropharmakologische Wirkungen und Wirkungsmechanismen von Anxiolytika vom Benzodiazepin- und Beta-Rezeptorenblocker-Typ. In: Janke, W., Netter, P. (Hrsg.). *Angst und Psychopharmaka*. Stuttgart: Kohlhammer; 73–90.
- Koella, W. P. (1988). *Die Physiologie des Schlafes. Eine Einführung*. Stuttgart, New York: Gustav Fischer Verlag.
- Koester, R. (1996). *Das gute Gespräch: Gesunden und Wohlbefinden im Dialog*. Göttingen, Zürich: Vandenhoeck & Ruprecht.
- König, M., Zimmer, A. M., Steiner, H., Holmes, P. V., Crawley, J. N., Brownstein, M. J., Zimmer, A. (1996). Pain responses, anxiety, and aggression in mice deficient in pre-proenkephalin. *Nature*; 303: 535–538.
- Koob, G. F., Maldonado, R., Stinus, L. (1992). Neural substrates of opiate withdrawal. *Trends Neurosci*; 15: 186–191.
- Kornhuber, H. H., Deecke, L. (1965). Hirnpotentialänderungen bei Willkürbewegungen und passiven Bewegungen des Menschen: Bereitschaftspotential und reafferente Potentiale. *Pflügers Arch Ges Physiol*; 284: 1–17.
- Kosfeld, M., Heinrichs, M., Zak, P. J., Fischbacher, U., Fehr, E. (2005). Oxytocin increases trust in humans. *Nature*; 435: 673–676.
- Kosslyn, S. M., Thompson, W. L., Alpert, N. M. (1997). Neural systems shared by visual imagery and visual perception: a positron emission tomography study. *Neuroimage*; 6: 320–334.
- Kosterlitz, H. W., Hughes, J. (1977). Peptides with morphine-like action in the brain. *Br J Psychiatry*; 130: 298–304.

- Koyama, T., McHaffie, J. G., Laurenti, P. J., Coghill, R. C. (2005). The subjective experience of pain: where expectations become reality. *Proc Natl Acad Sci USA*; 102: 12950–12955.
- Kozak, W., Kluger, M. J., Soszynski, D., Conn, C. A., Rudolph, K., Leon, L. R., Zheng, H. (1998). IL-6 and IL-1 beta in fever. Studies using cytokine-deficient (knockout) mice. *Ann NY Acad Sci*; 856: 33–47.
- Krainick, U., Schmidt, R. F. (1991). Nozizeption und Schmerz. In: Schmidt, R. F., Hierholzer, K. (Hrsg). *Pathophysiologie des Menschen*. Weinheim: VCH-Verlag; 29.1–29.23.
- Krantz, D. S., Kop, W. J., Santiago, H. T., Gottdiener, J. S. (1996). Mental stress as a trigger of myocardial ischemia and infarction. *Cardiol Clin*; 14: 271–287.
- Krantz, D. S., McCeney, M. K. (2002). Effects of psychological and social factors on organic disease: a critical assessment of research on coronary heart disease. *Annu Rev Psychol*; 53: 341–369.
- Kuhn, C. M., Shanberg, S. M. (1998). Responses to maternal separation: mechanisms and mediators. *Int J Dev Neurosci*; 16: 261–270.
- Kupferberg, G., Heckers, S. (2000). Schizophrenia and cognitive function. *Curr Opin Neurobiol*; 10: 205–209.
- Kupfermann, I. (1991). Localization of higher cognitive and affective functions: the association cortices. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neuroscience*. New York, Amsterdam, London, Tokyo: Elsevier; 821–838.
- Kutas, M., Hillyard, S. A. (1980). Reading senseless sentences: brain potentials reflect semantic incongruity. *Science*; 207: 203–205.
- LaBar, K. S., Gatenby, J. C., Gore, J. C., LeDoux, J. E., Phelps, E. A. (1998). Human amygdala activation during conditioned fear acquisition and extinction: a mixed-trial fMRI study. *Neuron*; 20: 937–945.
- Ladd, C. O., Rebecca, L., Huot, R. L., Thirivikraman, K. V., Nemeroff, C. B., Meaney, M. J., Plotsky, P. M. (2000). Long-term behavioural and neurocrine adaptations to adverse early experience. In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 81–103.
- Landgraf, R. (2001). Neuropeptides and anxiety-related behavior. *Endocr J*; 48: 517–533.
- Landgraf, R., Wigger, A. (2002). High vs low anxiety-related behavior rats: an animal model of extremes in trait anxiety. *Behav Genetics*; 32: 301–314.
- Lane, R. D., Waldstein, S. R., Critchley, H. D., Derbyshire, S. W., Drossman, D. A., Wager, T. D., Schneiderman, N., Chesney, M. A., Jennings, J. R., Lovallo, W. R., Rose, R. M., Thayer, J. F., Cameron, O. G. (2009). The rebirth of neuroscience in psychosomatic medicine, Part II: clinical applications and implications for research. *Psychosom Med.*; 71(2): 135–151.
- Lang, E. V., Benotsch, E. G., Fick, L. J., Lutgendorf, S., Berbaum, M. L., Berbaum, K. S., Logan, H., Spiegel, D. (2000). Adjunctive non-pharmacological analgesia for invasive medical procedures. A randomised trial. *Lancet*; 355: 1486–1490.
- Larkum, M. E., Zhu, J. J., Sakmann, B. (1999). A new cellular mechanism for coupling inputs arriving at different cortical layers. *Nature*; 398: 338–341.
- Larkum, M. E., Zhu, J. J., Sakmann, B. (2001). Dendritic mechanisms underlying the coupling of the dendritic with the axonal action potential initiation zone of adult rat layer 5 pyramidal neurons. *J Physiol*; 533.2: 447–466.

- Lau, H. C., Rogers, R. D., Haggard, P., Passingham, R. E. (2004). Attention to intention. *Science*; 303: 1208–1210.
- Laudenslager, M. L., Fleshner, M., Hofstadter, P., Held, P. E., Simons, L., Maier, S. F. (1988). Suppression of specific antibody production by inescapable shock: stability under varying conditions. *Brain Behav Immun*; 2: 92–101.
- Laudenslager, M. L., Ryan, S. M., Drugan, R. C., Hyson, R. L., Maier, S. F. (1983). Coping and immunosuppression: inescapable but not escapable shock suppresses lymphocyte proliferation. *Science*; 221: 568–570.
- Leah, J. D., Sandkühler, J., Herdegen, T., Murashov, A., Zimmermann, M. (1992). Potentiated expression of FOS protein in the rat spinal cord following bilateral noxious cutaneous stimulation. *Neuroscience*; 48: 525–532.
- LeDoux, J. E. (1994). Emotion, memory, and the brain. *Sci Am*; 270 (6): 32–39.
- LeDoux, J. E. (1998). Das Gedächtnis für Angst. In: Güntürkün, O. (Hrsg). *Biopsychologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 96–103.
- Leibowitz, S. F., Alexander, J. T. (1998). Hypothalamic serotonin in control of eating behaviour, meal size, and body weight. *Biol Psychiatry*; 44: 851–864.
- Leimbach, W. N. Jr, Wallin, B. G., Victor, R. G., Aylward, P. E., Sundlof, G., Mark, A. L. (1986). Direct evidence from intraneural recordings for increased central sympathetic outflow in patients with heart failure. *Circulation*; 73: 913–919.
- Leknes, S., Tracey, I. (2008). A common neurobiology for pain and pleasure. *Nature Reviews Neuroscience*; 9: 314–320.
- Lenz, F. A., Lee, J. I., Garonzik, I. M., Rowland, L. H., Dougherty, P. M., Hua, S. E. (2000). Plasticity of pain-related neuronal activity in the human thalamus. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 259–273.
- Lenz, F. A., Rios, M., Zirh, A., Chau, D., Krauss, G., Lesser, R. P. (1998). Painful stimuli evoke potentials recorded over the human anterior cingulate gyrus. *J Neurophysiol*; 79: 2231–2234.
- Lesch, K. P., Bengel, D., Heils, A., Sabol, S. Z., Greenberg, B. D., Petri, S., Benjamin, J., Müller, C. R., Hamer, D. H., Murphy, D. L. (1996). Association of anxiety-related traits with a polymorphism in the serotonin transporter gene regulatory region. *Science*; 274: 1527–1531.
- Leuchter, A. F., Cook, I. A., Witte, E. A., Morgan, M., Abrams, M. (2002). Changes in brain function of depressed subjects during treatment with placebo. *Am J Psychiatry*; 159: 122–129.
- Lever, C., Wills, T., Cacucci, F., Burgess, N., O'Keefe, J. (2002). Long-term plasticity in hippocampal place-cell representation of environmental geometry. *Nature*; 416: 90–94.
- Levick, J. R. (1995). *An Introduction to Cardiovascular Physiology*. Oxford: Butterworth-Heinemann.
- Levine, S., Wiener, S. G., Coe, C. L. (1993). Temporal and social factors influencing behavioral and hormonal responses to separation in mother and infant squirrel monkeys. *Psychoneuroendocrinology*; 18: 297–306.
- Libert, C. (2003). Inflammation: A nervous connection. *Nature*; 421: 328–329.
- Liberzon, I., Taylor, S. F., Amdur, R., Jung, T. D., Chamberlain, K. R., Minoshima, S., Koeppe, R. A., Fig, L. M. (1999). Brain activation in PTSD in response to trauma-related stimuli. *Biol Psychiatry*; 45: 817–826.

- Libet, B. (1985). Unconscious cerebral initiative and the role of conscious will in voluntary action. *Behav Brain Sci*; 8: 529–566.
- Libet, B. (2004). Haben wir einen freien Willen? In: Geyer, C. (Hrsg). *Hirnforschung und Willensfreiheit. Zur Deutung der neuesten Experimente*. Frankfurt a. M.: Suhrkamp; 268–289.
- Lin, C. H., Yeh, S. H., Leu, T. H., Chang, W. C., Wang, S. T., Gean, P. W. (2003). Identification of calcineurin as a key signal in the extinction of fear memory. *J Neurosci*; 23: 1574–1579.
- Linden, D. E. (2006). How psychotherapy changes the brain – the contribution of functional neuroimaging. *Mol Psychiatry*; 11: 528–538.
- Linthorst, A. C., Flachskamm, C., Hopkins, S. J., Hoadley, M. F., Labeur, M. S., Holsboer, F., Reul, J. M. (1997). Long-term intracerebroventricular infusion of corticotropin-releasing hormone alters neuroendocrine, neurochemical, autonomic, behavioral, and cytokine responses to a systemic inflammatory challenge. *J Neurosci*; 17: 4448–4460.
- Linton, S. J., Halldén, K. (1998). Can we screen for problematic back pain? A screening questionnaire for predicting outcome in acute and subacute back pain. *Clin J Pain*; 14: 209–215.
- Lints-Martindale, A. C., Hadjistavropoulos, T., Barber, B., Gibson, S. J. (2007). A psychophysical investigation of the facial action coding system as an index of pain variability among older adults with and without Alzheimer's disease. *Pain Med*; 8: 678–689.
- Lisman, J. (1998). What makes the brain's tickers tock. *Nature*; 394: 132–133.
- Liu, D., Diorio, J., Tannenbaum, B., Caldji, C., Francis, D., Freedman, A., Sharma, S., Pearson, D., Plotsky, P. M., Meaney, M. J. (1997). Maternal care, hippocampal glucocorticoid receptors, and hypothalamic-pituitary-adrenal responses to stress. *Science*; 277: 1659–1662.
- Liu, X. G., Sandkühler, J. (1995). Long term potentiation of C-fibre-evoked potentials in the rat spinal dorsal horn is prevented by spinal N-Methyl-DAspartic Acid receptor blockade. *Neurosci Lett*; 191: 43–46.
- Livingstone, D. (1857). *Missionary Travels and Researches in South Africa*. London: Murray.
- Logothetis, N. K. (2002). The neural basis of the bloodoxygen-level-dependent functional magnetic resonance imaging signal. *Philos Trans R Soc Lond B Biol*; 357: 1003–1037.
- Lotze, M., Flor, H., Grodd, W., Larbig, W., Birbaumer, N. (2001). Phantom movements and pain. An fMRI study in upper limb amputees. *Brain*; 124 (Pt 11): 2268–2277.
- Lundberg, U., Frankenhäuser, M. (1978). Psychophysiological reactions to noise as modified by personal control over noise intensity. *Biol Psychol*; 6: 51–59.
- Lundberg, U., Frankenhäuser, M. (1980). Pituitary-adrenal and sympathetic-adrenal correlates of distress and effort. *J Psychosom Res*; 24: 125–130.
- Lüthi, T. (2000). „Blackout“ – wenn das Gedächtnis versagt. Stresshormon Cortisol stört Abrufen gespeicherter Information. *Neue Zürcher Zeitung (Forschung und Technik)* vom 29. März 2000, S. 73.
- Lutz, A., Greischar, L. L., Rawlings, N. B., Ricard, M., Davidson, R. J. (2004). Long-term meditators selfinduce high-amplitude gamma synchrony during mental practice. *Proc Natl Acad Sci USA*; 101: 16369–16373.
- Ma, S. H., Teasdale, J. D. (2004). Mindfulness-based cognitive therapy for depression: replication and exploration of differential relapse prevention effects. *J Consult Clin Psychol*; 72: 31–40.
- Madden, K. S., Felten, D. L. (1995). Experimental basis for neural-immune interactions. *Physiol Rev*; 75: 77–106.

- Madison, D. V., Nicoll, R. A. (1986a). Actions of noradrenaline recorded intracellularly in rat hippocampal CA 1 pyramidal neurones in vitro. *J Physiol*; 372: 221–244.
- Madison, D. V., Nicoll, R. A. (1986b). Cyclic adenosine 3',5'-monophosphate mediates beta-receptor actions of noradrenaline in rat hippocampal pyramidal cells. *J Physiol*; 372: 245–259.
- Maes, M., Lin, A. H., Delmeire, L., Van Gastel, A., Kenis, G., De Jongh, R., Bosmans, E. (1999). Elevated serum interleukin-6 (IL-6) and IL-6 receptor concentrations in posttraumatic stress disorder following accidental man-made traumatic events. *Biol Psychiatry*; 45: 833–839.
- Maes, M., Vandoolaeghe, E., Ranjan, R., Bosmans, E., Bermans, R., Desnyder, R. (1995). Increased serum interleukin-1-receptor-antagonist concentrations in major depression. *J Affect Disord*; 36: 29–36.
- Maguire, E. A., Frackowiak, R. S., Frith, C. D. (1997). Recalling routes around London: activation of the right hippocampus in taxi drivers. *J Neurosci*; 17: 7103–7110.
- Maguire, E. A., Gadian, D. G., Johnsrude, I. S., Good, C. D., Ashburner, J., Frackowiak, R. S., Frith, C. D. (2000). Navigation-related structural change in the hippocampi of taxi drivers. *Proc Natl Acad Sci USA*; 97: 4398–4403.
- Mahncke, H. W., Bronstone, A., Merzenich, M. M. (2006a). Brain plasticity and functional losses in the aged: scientific bases for a novel intervention. *Prog Brain Res*; 157: 81–109.
- Mahncke, H. W., Connor, B. B., Appelman, J., Ahsanuddin, O. N., Hardy, J. L., Wood, R. A., Joyce, N. M., Boniske, T., Atkins, S. M., Merzenich, M. M. (2006b). Memory enhancement in healthy older adults using a brain plasticity-based training program: a randomized, controlled study. *Proc Natl Acad Sci USA*; 103: 12523–12528.
- Maier, S. F. (1984). Learned helplessness and animal models of depression. *Prog Neuropsychopharmacol Biol Psychiatry*; 8: 435–446.
- Maier, S. F., Goehler, L. E., Fleshner, M., Watkins, L. R. (1998). The role of the vagus nerve in cytokine-to-brain communication. *Ann NY Acad Sci*; 840: 289–300.
- Maier, S. F., Sherman, J. E., Lewis, J. W., Terman, G. W., Liebeskind, J. C. (1983). The opioid/nonopioid nature of stress-induced analgesia and learned helplessness. *J Exp Psychol Anim Behav Proc*; 9: 80–90.
- Malenka, R. C., Nicoll, R. A. (1997). Learning and memory. Never fear, LTP is here. *Nature*; 390: 552–553.
- Malison, R. T., Price, L. H., Berman, R., van Dyk, C. H., Pelton, G. H., Carpenter, L., Sanacora, G., Owens, M. J., Nemeroff, C. B., Rajeevan, N., Baldwin, R. M., Seibyl, J. P., Innis, R. B., Charney, D. S. (1998). Reduced brain serotonin transporter availability in major depression as measured by (123 I)-2 beta-carbomethoxy-3 beta-(4-iodophenyl) tropane and single photon emission computed tomography. *Biol Psychiatry*; 44: 1090–1098.
- Malizia, A. L., Cunningham, V. J., Bell, C. J., Liddle, P. F., Jones, T., Nutt, D. J. (1998). Decreased brain GABA(A)-benzodiazepine receptor binding in panic disorder: preliminary results from a quantitative PET study. *Arch Gen Psychiatry*; 55: 715–720.
- Malleret, G., Haditsch, U., Genoux, D., Jones, M. W., Bliss, T. V., Vanhose, A. M., Weitlauf, C., Kandel, E. R., Winder, D. G., Mansuy, I. M. (2001). Inducible and reversible enhancement of learning, memory, and long-term potentiation by genetic inhibition of calcineurin. *Cell*; 104: 675–686.

- Mancia, G., Grassi, G., Parati, G., Daffonchio, A. (1993). Evaluating sympathetic activity in human hypertension. *J Hypertens*; 11, Suppl 5: S13–19.
- Manji, H. K., Drevets, W. C., Charney, D. S. (2001). The cellular neurobiology of depression. *Nature Medicine*; 7: 541–547
- Manji, H. K., Moore, G. J., Rajkowska, G., Chen, G. (2000). Neuroplasticity and cellular resilience in mood disorders. *Mol Psychiatry*; 5: 578–593.
- Mann, T. (1952). *Der Zauberberg, ein Roman*. Bd. 1. Frankfurt a. M.: Fischer Taschenbuch.
- Mansuy, I. M., Bujard, H. (2000). Tetracycline-regulated gene expression in the brain. *Curr Opin Neurobiol*; 10: 593–596.
- Mansvelder, H. D., McGehee, D. S. (2000). Long-term potentiation of excitatory inputs to brain reward areas by nicotine. *Neuron*; 27: 349–357.
- Markl, H. (1997). Language and the evolution of the human mind. *Eur Rev*; 5: 1–21.
- Markowitsch, H. J. (1998). Neuropsychologie des menschlichen Gedächtnisses. In: Güntürkün, O. (Hrsg). *Biopsychologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 104–113.
- Marsicano, G., Wotjak, C. T., Azad, S. C., Bisogno, T., Rammes, G., Cascio, M. G., Hermann, H., Tang, J., Hofmann, C., Zieglgansberger, W., Di Marzo, V., Lutz, B. (2002). The endogenous cannabinoid system controls extinction of aversive memories. *Nature*; 418: 530–540.
- Martin, L. J., Spicer, D. M., Lewis, M. H., Gluck, J. P., Cork, L. C. (1991). Social deprivation of infant rhesus monkeys alters the chemoarchitecture of the brain: I. Subcortical regions. *J Neurosci*; 11: 3344–3358.
- Marucha, P. T., Kiecolt-Glaser, J. K., Favagehi, M. (1998). Mucosal wound healing is impaired by examination stress. *Psychosom Med*; 60: 362–365.
- Matsuzaki, M., Honkura, N., Ellis-Davies, G. C., Kasai, H. (2004). Structural basis of long-term potentiation in single dendritic spines. *Nature*; 429: 761–766.
- Mattanza, G., Meier, I., Schlegel, M. (Hrsg) (2006). *Seele und Forschung. Ein Brückenschlag in der Psychotherapie*. Basel: Karger; 178–198.
- Mayberg, H. S., Silva, J. A., Brannan, S. K., Tekell, J. L., Mahurin, R. K., McGinnis, S., Jerabek, P. A. (2002). The functional neuroanatomy of the placebo effect. *Am J Psychiatry*; 159: 728–737.
- Mayberg, H. S., Lozano, A. M., Voon, V., McNeely, H. E., Seminowicz, D., Hamani, C., Schwab, J. M., Kennedy, S. H. (2005). Deep brain stimulation for treatment-resistant depression. *Neuron*; 45: 651–660.
- Mayer, E. A., Fanselow, M. S. (2003). Dissecting the components of the central response to stress. *Nature Neuroscience*; 6: 1011–1012.
- Mayer, E. A., Naliboff, B., Munakata, J. (2000). The evolving neurobiology of gut feelings. In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 195–206.
- Mayford, M., Bach, M. E., Huang, Y. Y., Wang, L., Hawkins, R. D., Kandel, E. R. (1996). Control of memory formation through regulated expression of a CaMKII transgene. *Science*; 274: 1678–1683.
- McEwen (1996). Hormones modulate environmental control of a changing brain. In: Greger, R., Windhorst, U. (eds.). *Comprehensive Human Physiology*. Berlin, Heidelberg, New York: Springer; 473–493.

- McGowan, P. O., Sasaki, A., D'Alessio, A. C., Dymov, S., Labonté, B., Szyf, M., Turecki, G., Meaney, M. J. (2009). Epigenetic regulation of the glucocorticoid receptor in human brain associates with childhood abuse. *Nat Neurosci*; 12: 342–348.
- McKernan, M. G., Shinnick-Gallagher, P. (1997). Fear conditioning induces a lasting potentiation of synaptic currents in vitro. *Nature*; 390: 607–611.
- Meaney, M. J., Bhatnagar, S., Larocque, S., McCormick, C., Shanks, N., Sharma, S., Smythe, J., Viau, V., Plotsky, P. (1993). Individual differences in the hypothalamic-pituitary-adrenal stress response and the hypothalamic CRF system. *Ann NY Acad Sci*; 697: 70–85.
- Medina, J. F., Nores, W. L., Mauk, M. D. (2002). Inhibition of climbing fibres is a signal for the extinction of conditioned eyelid responses. *Nature*; 416: 330–333.
- Melchner, L. v., Pallas, S. L., Sur, M. (2000). Visual behaviour mediated by projections directed to the auditory pathway. *Nature*; 404: 871–876.
- Mellet, E., Tzourio-Mazoyer, N., Bricogne, S., Mazoyer, B., Kosslyn, S. M., Denis, M. (2000). Functional anatomy of high-resolution visual mental imagery. *J Cogn Neurosci*; 12: 98–109.
- Melzack, R., Wall, P. D. (1965). Pain mechanisms: a new theory. *Science*; 150: 971–979.
- Mense, S., Stahnke, M. (1983). Responses in muscle afferent fibres of slow conduction velocity to contractions and ischaemia in the cat. *J Physiol*; 342: 383–397.
- Menzel, R. (1996). Neuronale Plastizität, Lernen und Gedächtnis. In: Dudel, J., Menzel, R., Schmidt, R. F. (Hrsg). *Neurowissenschaft. Vom Molekül zur Kognition*. Berlin, Heidelberg, New York: Springer; 485–518.
- Mercuri, L. G., Olson, R. E., Laskin, D. M. (1979). The specificity of response to experimental stress in patients with myofascial pain dysfunction syndrome. *J Dent Res*; 58: 1866–1871.
- Merzenich, M. M., de Charms, R. C. (1996). Neural representations, experience and change. In: Llinas, R., Churchland, P. S. (Hrsg). *The mind-brain continuum*. Cambridge, MA: The MIT Press; 61–81.
- Messlinger, K., Hanesch, U., Kurosawa, M., Pawlak, M., Schmidt, R. F. (1995). Calcitonin gene related peptide released from dural nerve fibers mediates increase of meningeal blood flow in the rat. *Can J Physiol Pharmacol*; 73: 1020–1024.
- Meyer-Lindenberg, A. (2010). Behavioural neuroscience: Genes and the anxious brain. *Nature*; 466: 827–828.
- Milad, M. R., Quirk, G. J. (2002). Neurons in medial prefrontal cortex signal memory for fear extinction. *Nature*; 420: 70–74.
- Misiewicz, B., Poltorak, M., Raybourne, R. B., Gomez, M., Listwak, S., Sternberg, E. M. (1997). Intracerebroventricular transplantation of embryonic neuronal tissue from inflammatory resistant into inflammatory susceptible rats suppresses specific components of inflammation. *Exp Neurol*; 146: 305–314.
- Mitscherlich, A. (1963). *Auf dem Weg zur vaterlosen Gesellschaft. Ideen zur Sozialpsychologie*. München: Piper.
- Mittleman, M. A., Maclure, M., Sherwood, J. B., Mulry, R. P., Tofler, G. H., Jacobs, S. C., Friedman, R., Benson, H., Muller, J. E. (1995). Triggering of acute myocardial infarction onset by episodes of anger. Determinants of myocardial infarction onset study investigators. *Circulation*; 92: 1720–1725.

- Montoya, P., Ritter, K., Huse, E., Larbig, W., Braun, C., Topfner, S., Lutzenberger, W., Grodd, W., Flor, H., Birbaumer, N. (1998). The cortical somatotopic map and phantom phenomena in subjects with congenital limb atrophy and traumatic amputees with phantom limb pain. *Eur J Neurosci*; 10: 1095–1102.
- Moore, G. J., Bechuk, J. M., Wilds, I. B., Chen, G., Manji, H. K. (2000). Lithium-induced increase in human brain grey matter. *Lancet*; 356: 1241–1242.
- Morris, J. S., Frith, C. D., Perret, D. I., Rowland, D., Young, A. W., Calder, A. J., Dolan, R. J. (1996). A differential neural response in the human amygdala to fearful and happy facial expressions. *Nature*; 383: 812–815.
- Moskowitz, M. A., Buzzi, M. G. (1991). Neuroeffector functions of sensory fibres: implications for headache mechanisms and drug actions. *J Neurol*; 238, Suppl 1: S18–22.
- Moutoussis, K., Zeki, S. (2002). The relationship between cortical activation and perception investigated with invisible stimuli. *Proc Natl Acad Sci USA*; 99: 9527–9532.
- Mulkey, R. M., Endo, S., Shenolikar, S., Malenka, R. C. (1994). Involvement of a calcineurin/inhibitor-1 phosphatase cascade in hippocampal long-term depression. *Nature*; 369: 486–488.
- Muller, M. B., Zimmermann, S., Sillaber, I., Hagemeyer, T. P., Deussing, J. M., Timpl, P., Kormann, M. S., Droste, S. K., Kuhn, R., Reul, J. M., Holsboer, F., Wurst, W. (2003). Limbic corticotropin-releasing hormone receptor 1 mediates anxiety-related behavior and hormonal adaptation to stress. *Nat Neurosci*; 6: 1100–1107.
- Müller, M. J., Netter, P. (1992). Unkontrollierbarkeit und Leistungsmotivation. Einflüsse auf Cortisol- und Testosteronkonzentrationsänderungen während einer mental-leistungsbezogenen und einer psychisch-aversiven Belastungssituation. *Z Med Psychol*; 1: 103–113.
- Müller-Werdan, U., Werdan, K. (1999). Septic cardiomyopathy. *Curr Opin Critic Care*; 415–420.
- Myers, K. M., Ressler, K. J., Davis, M. (2006). Different mechanisms of fear extinction dependent on length of time since fear acquisition. *Learn Mem*; 13: 216–223.
- Nader, K. (2003). Memory traces unbound. *Trends Neurosci*; 26: 65–72.
- Nader, K., Schafe, G. E., LeDoux, J. E. (2000). Fear memories require protein synthesis in the amygdala for reconsolidation after retrieval. *Nature*; 406: 722–726.
- Nager, F. (1993). *Das Herz als Symbol*. Basel: Éditiones Roche.
- Nase, G., Weishaupt, J., Stern, P., Singer, W., Monyer, H. (1999). Genetic and epigenetic regulation of NMDA receptor expression in the rat visual cortex. *Eur J Neurosci*; 11: 4320–4326.
- Neto, F. L., Schadrack, J., Ableitner, A., Casto-Lopes, J. M., Bartenstein, P., Zieglgansberger, W., Tolle, T. R. (1999). Supraspinal metabolic activity changes in the rat during adjuvant monoarthritis. *Neuroscience*; 94: 607–621.
- Neugebauer, V., Lücke, T., Schaible, H. G. (1993). N-Methyl-D-Aspartate (NMDA) and non-NMDA receptor antagonists block the hyperexcitability of dorsal horn neurons during development of acute arthritis in rat's knee joint. *J Neurophysiol*; 70: 1365–1377.
- Neumeister, A., Bain, E., Nugent, A. C., Carson, R. E., Bonne, O., Luckenbaugh, D. A., Eckelman, W., Herscovitch, P., Charney, D. S., Drevets, W. C. (2004). Reduced serotonin type 1A receptor binding in Panic disorder. *J Neurosci*; 24: 589–591.

- Newport, D. J., Nemeroff, C. B. (2000). Neurobiology of posttraumatic stress disorder. *Curr Opin Neurobiol*; 10: 211–218.
- Nguyen, K. T., Deak, T., Owens, S. M., Kohno, T., Fleshner, M., Watkins, L. R., Maier, S. F. (1998). Exposure to acute stress induces brain interleukin-1 beta protein in the rat. *J Neurosci*; 18: 2239–2246.
- Nieuwenhuys, R., Voogd, J., van Huijzen, C. (1988). *The Human Central Nervous System: Synopsis and Atlas*. Berlin, Heidelberg, New York: Springer.
- Nisenbaum, L. K., Abercrombie, E. D. (1992). Enhanced tyrosine hydroxylation in hippocampus of chronically stressed rats upon exposure to a novel stressor. *J Neurochem*; 58: 276–281.
- Nisenbaum, L. K., Abercrombie, E. D. (1993). Presynaptic alterations associated with enhancement of evoked release and synthesis of norepinephrine in hippocampus of chronically cold-stressed rats. *Brain Res*; 608: 280–287.
- Nisenbaum, L. K., Zigmond, M. J., Sved, A. F., Abercrombie, E. D. (1991). Prior exposure to chronic stress results in enhanced synthesis and release of hippocampal norepinephrine in response to a novel stressor. *J Neurosci*; 11: 1478–1484.
- Nolan, J., Batin, P. D., Andrews, R., Lindsay, S. J., Brooksby, P., Mullen, M., Baig, W., Flapan, A. D., Cowley, A., Prescott, R. J., Neilson, J. M., Fox, K. A. (1998). Prospective study of heart rate variability and mortality in chronic heart failure: results of the United Kingdom heart failure evaluation and assessment of risk trial (UK-heart). *Circulation*; 98: 1510–1516.
- Noll, G., Wenzel, R. R., Binggeli, C., Corti, C., Luscher, T. F. (1998). Role of sympathetic nervous system in hypertension and effects of cardiovascular drugs. *Eur Heart J*; 19, Suppl F: F32–38.
- Oberbeck, R., Kromm, A., Exton, M. S., Schade, U., Schedlowski, M. (2003). Pavlovian conditioning of endotoxin-tolerance in rats. *Brain Behav Immun*; 17: 20–27.
- Ochsner, K. N., Ray, R. D., Cooper, J. C., Robertson, E. R., Chopra, S., Gabrieli, J. D., Gross, J. J. (2004). For better or for worse: neural systems supporting the cognitive down- and up-regulation of negative emotion. *Neuroimage*; 23: 483–499.
- Olds, J., Milner, P. (1954). Positive reinforcement produced by electrical stimulation of the septal area and other regions of the rat brain. *J Comp Physiol Psychol*; 47: 419–427.
- Olf, M. (1999). Stress, depression, and immunity: the role of defense and coping styles. *Psychiatry Res*; 85: 7–15.
- Olness, K., Ader, R. (1992). Conditioning as an adjunct in the pharmacotherapy of lupus erythematosus. *J Dev Behav Pediatr*; 13: 124–125.
- Olness, K., Hall, H., Rozniecki, J. J., Schmidt, W., Theoharides, T. C. (1999). Mast cell activation in children with migraine before and after training in selfregulation. *Headache*; 39: 101–107.
- Olson, A. K., Eadie, B. D., Ernst, C., Christie, B. R. (2006). Environmental enrichment and voluntary exercise massively increase neurogenesis in the adult hippocampus via dissociable pathways. *Hippocampus*; 16: 250–260.
- Opie, L. H. (1997). *The Heart. Physiology, from Cell to Circulation*. Philadelphia: Lippincott-Raven.
- Ornish, D., Scherwitz, L. W., Billings, J. H., Gould, K. L., Merritt, T. A., Sparler, S., Armstrong, W. T., Ports, T. A., Kirkeeide, R. L., Kogeboom, C., Brand, R. J. (1998). Intensive lifestyle changes for reversal of coronary heart disease. *JAMA*; 280: 2001–2007.
- Osborn, J. L., Plato, C. F., Gordin, E., He, X. R. (1997). Longterm increases in renal sympathetic nerve activity and hypertension. *Clin Exp Pharmacol Physiol*; 24: 72–76.

- Ostir, G. V., Ottenbacher, K. J., Markides, K. S. (2004). Onset of frailty in older adults and the protective role of positive affect. *Psychol Aging*; 19: 402–408.
- Pacheco-López, G., Engler, H., Niemi, M. B., Schedlowski, M. (2006). Expectations and associations that heal: Immunomodulatory placebo effects and its neurobiology. *Brain Behav Immun*; 20: 430–446.
- Paquette, V., Levesque, J., Mensour, B., Leroux, J. M., Beaudoin, G., Bourgouin, P., Beaugard, M. (2003). „Change the mind and you change the brain“: effects of cognitive-behavioral therapy on the neural correlates of spider phobia. *Neuroimage*; 18: 401–409.
- Parkes, C. M., Benjamin, B., Fitzgerald, R. G. (1969). A broken heart: a statistical study of increased mortality among widowers. *Br Med J*; 1: 740–743.
- Pascual-Leone, A., Nguyet, D., Cohen, L. G., Brasil-Neto, J. P., Cammarota, A., Hallett, M. (1995). Modulation of muscle responses evoked by transcranial magnetic stimulation during the acquisition of new fine motor skills. *J Neurophysiol*; 74: 1037–1045.
- Pascual-Leone, A., Amedi, A., Fregni, F., Merabet, L. B. (2005). The plastic human brain cortex. *Annu Rev Neurosci*; 28: 377–401.
- Pauling, L., Itano, H. A., Singer, S. J., Wells, I. C. (1949). Sickle cell anemia: a molecular disease. *Science*; 110: 543–548.
- Pavcovich, L. A., Cancela, L. M., Volosin, M., Molina, V. A., Ramirez, O. A. (1990). Chronic stress-induced changes in locus coeruleus neuronal activity. *Brain Res Bull*; 24: 293–296.
- Pavlov, V. A., Ochani, M., Gallowitsch-Puerta, M., Ochani, K., Huston, J. M., Czura, C. J., Al-Abed, Y., Tracey, K. J. (2006). Central muscarinic cholinergic regulation of the systemic inflammatory response during endotoxemia. *Proc Natl Acad Sci*; 103: 5219–5223.
- Payne, A., Blanchard, E. B. (1995). A controlled comparison of cognitive therapy and self-help support groups in the treatment of irritable bowel syndrome. *J Consult Clin Psychol*; 63: 779–786.
- Peets, J. M., Pomeranz, B. (1978). CXBK mice deficient in opiate receptors show poor electroacupuncture analgesia. *Nature*; 273: 675–676.
- Penev, P. D., Zee, P. C., Turek, F. W. (1997). Serotonin in the spotlight. *Nature*; 385: 123.
- Pennisi, E. (1997). Tracing molecules that make the brain-body connection. *Science*; 275: 930–931.
- Pereira, A. C., Huddleston, D. E., Brickman, A. M., Sosunov, A. A., Hen, R., McKhann, G. M., Sloan, R., Gage, F. H., Brown, T. R., Small, S. A. (2007). An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus. *Proc Natl Acad Sci USA*; 104: 5638–5643.
- Pert, C. B., Dreher, H. E., Ruff, M. R. (1998). The psychosomatic network: foundations of mind-body medicine. *Altern Ther Health Med*; 4: 30–41.
- Pert, C. B., Snowman, A. M., Snyder, S. H. (1974). Localization of opiate receptor binding in synaptic membranes of the rat brain. *Brain Res*; 70: 184–188.
- Pezawas, L., Meyer-Lindenberg, A., Drabant, E. M., Verchinski, B. A., Munoz, K. E., Kolachana, B. S., Egan, M. F., Mattay, V. S., Hariri, A. R., Weinberger, D. R. (2005). 5-HTTLPR polymorphism impacts human cingulate-amygdala interactions: a genetic susceptibility mechanism for depression. *Nat Neurosci*; 8: 828–834.
- Pinker, S. (1995). *The language instinct. How the mind creates language*. New York: Harper Perennial (A division of Harper Collins Publishers).

- Platon (1993). *Sämtliche Dialoge. Bd. 3*. Hamburg: Felix Meiner Verlag.
- Plotsky, P. M., Owens, M. J., Nemeroff, C. B. (1998). Psychoneuroendocrinology of depression. Hypothalamic-pituitary-adrenal axis. *Psychiatr Clin North Am*; 21: 293–307.
- Polk, T. A., Farah, M. J. (1998). The neural development and organization of letter recognition: evidence from functional neuroimaging, computational modeling, and behavioral studies. *Proc Natl Acad Sci USA*; 95: 847–852.
- Pöppel, E. (1995). *Lust und Schmerz. Über den Ursprung der Welt im Gehirn*. München: Goldmann.
- Pöppel, E. (1998). *Das Glück in der Kniekehle. Warum Psychotherapie nicht funktionieren kann*. Neue Zürcher Zeitung, NZZ FOLIO; 11: 59–62.
- Popper, K. R., Eccles, J. C. (1990). Dialog V. In: Popper, K. R., Eccles, J. C. *Das Ich und sein Gehirn*. München: Piper; 558–573.
- Posner, M. I., Raichle, M. E. (1996). *Bilder des Geistes: Hirnforscher auf den Spuren des Denkens*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag.
- Post, R. M. (1992). Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. *Am J Psychiatry*; 149: 999–1010.
- Powley, T. L. (1999). Central control of autonomic functions. The organization of the autonomic nervous system. In: Zigmond, M. J., Bloom, F. E., Landis, S. C., Roberts, J. L., Squire, L. R. (eds.). *Fundamental Neuroscience*. San Diego, London, Boston, New York, Sydney, Tokyo, Toronto: Academic Press; 1028.
- Quirk, G. J., Mueller, D. (2008). Neural mechanisms of extinction learning and retrieval. *Neuropsychopharmacology*; 33: 56–72.
- Quirk, G. J., Likhtik, E., Pelletier, J. G., Pare, D. (2003). Stimulation of medial prefrontal cortex decreases the responsiveness of central amygdala output neurons. *J Neurosci*; 23: 8800–8807.
- Rainville, P., Carrier, B., Hofbauer, R. K., Bushnell, M. C., Duncan, G. H. (1999). Dissociation of sensory and affective dimensions of pain using hypnotic modulation. *Pain*; 82: 159–171.
- Rainville, P., Duncan, G. H., Price, D. D., Carrier, B., Bushnell, M. C. (1997). Pain affect encoded in human anterior cingulate but not somatosensory cortex. *Science*; 277: 968–971.
- Raja, S. N., Campbell, J. N., Meyer, R. A. (1984). Evidence for different mechanisms of primary and secondary hyperalgesia following heat injury to the glabrous skin. *Brain*; 107: 1179–1188.
- Rajkowska, G., Halaris, A., Selemon, L. D. (2001). Reductions in neuronal and glial density characterize the dorsolateral prefrontal cortex in bipolar disorder. *Biol Psychiatry*; 49: 741–752.
- Rakhmilevich, A. L., Turner, J., Ford, M. J., McCabe, D., Sun, W. H., Sondel, P. M., Grota, K., Yang, N. (1996). Gene gun-mediated skin transfection with interleukin-12 gene results in regression of established primary and metastatic murine tumors. *Proc Natl Acad Sci*; 93: 6291–6296.
- Ramachandran, V. S. (1993). Behavioral and magnetoencephalographic correlates of plasticity in the adult human brain. *Proc Natl Acad Sci USA*; 90: 10413–10420.
- Ramachandran, V. S., Blakeslee, S. (2001). *Die blinde Frau, die sehen kann. Rätselhafte Phänomene unseres Bewusstseins*. Reinbek: Rowohlt; 57–83.
- Randic, M. (1996). Plasticity of excitatory synaptic transmission in the spinal cord dorsal horn. *Prog Brain Res*; 113: 463–506.

- Randic, M., Jiang, M. C., Cerne, R. (1993). Long-term potentiation and long-term depression of primary afferent neurotransmission in the rat spinal cord. *J Neurosci*; 13: 5228–5241.
- Raspe, H. H. (1996). Chronische Polyarthritits. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. W., Uexküll, T. v., Wesiack, W. (Hrsg). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 867–880.
- Rauch, S. L., Whalen, P. J., Curran, T., Shin, L. M., Coffey, B. J., Savage, C. R., McInerney, S. C., Baer, L., Jenike, M. A. (2001). Probing striato-thalamic function in obsessive-compulsive disorder and Tourette syndrome using neuroimaging methods. *Adv Neurol*; 85: 207–224.
- Rauchhaus, M., Müller-Werdan, U. (2001). Zytokine bei Herzerkrankungen. *Internist*; 42: 75–84.
- Read, N. W. (2000). Bridging the gap between mind and body: do cultural and psychoanalytic concepts of visceral disease have an explanation in contemporary neuroscience? In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 425–443.
- Recanzone, G. H., Merzenich, M. M., Jenkins, W. M., Grajski, K. A., Dinse, H. R. (1992). Topographic reorganization of the hand representation in cortical area 3b owl monkeys trained in a frequency-discrimination task. *J Neurophysiol*; 67: 1031–1056.
- Recanzone, G. H., Schreiner, C. E., Merzenich, M. M. (1993). Plasticity in the frequency representation of primary auditory cortex following discrimination training in adult owl monkeys. *J Neurosci*; 13: 87–103.
- Reddemann, L. (2001). *Imagination als heilsame Kraft. Zur Behandlung von Traumafolgen mit ressourcenorientierten Verfahren*. Stuttgart: Pfeiffer bei Klett Cotta.
- Reiche, E. M., Morimoto, H. K., Nunes, S. M. (2005). Stress and depression-induced immune dysfunction: implications for the development and progression of cancer. *Int Rev Psychiatry*; 17: 515–527.
- Resch, F. (1999). *Entwicklungspsychopathologie des Kindes- und Jugendalters*. Weinheim: Beltz Psychologie Verlags Union.
- Ressler, K. J., Mayberg, H. S. (2007). Targeting abnormal neural circuits in mood and anxiety disorders: from the laboratory to the clinic. *Nat Neurosci*; 10: 1116–1124.
- Richter, S. D., Schurmeyer, T. H., Schedlowski, M., Hadlicke, A., Tewes, U., Schmidt, R. E., Wagner, T. O. (1996). Time kinetics of endocrine response to acute psychological stress. *J Clin Endocrinol Metab*; 81: 1956–1960.
- Ridder, S., Chourbaji, S., Hellweg, R., Urani, A., Zacher, C., Schmid, W., Zink, M., Hörtnagl, H., Flor, H., Henn, F. A., Schütz, G., Gass, P. (2005). Mice with genetically altered glucocorticoid receptor expression show altered sensitivity for stress-induced depressive reactions. *J Neurosci*; 25: 6243–6250.
- Rimmele, U., Zellweger, B. C., Marti, B., Seiler, R., Mohiyeddini, C., Ehlert, U., Heinrichs, M. (2007). Trained men show lower cortisol, heart rate and psychological responses to psychosocial stress compared with untrained men. *Psychoneuroendocrinology*; 32: 627–635.
- Risch, N., Herrell, R., Lehner, T., Liang, K. Y., Eaves, L., Hoh, J., Griem, A., Kovacs, M., Ott, J., Merikangas, K. R. (2009). Interaction between the serotonin transporter gene (5-HTTLPR), stressful life events, and risk of depression: a meta-analysis. *JAMA*; 301: 2462–2471.
- Rogan, M. T., LeDoux, J. E. (1995). LTP is accompanied by commensurate enhancement of auditory-evoked responses in a fear conditioning circuit. *Neuron*; 15: 127–136.

- Rogan, M. T., Leon, K. S., Perez, D. L., Kandel, E. R. (2005). Distinct neural signatures for safety and danger in the amygdala and striatum of the mouse. *Neuron*; 46: 309–320.
- Rogan, M. T., Staubli, U. V., LeDoux, J. E. (1997). Fear conditioning induces associative long-term potentiation in the amygdala. *Nature*; 390: 604–607.
- Rogers, R. C., Hermann, G. E. (1987). Oxytocin, oxytocin antagonist, TRH, and hypothalamic paraventricular nucleus stimulation effects on gastric motility. *Peptides*; 8: 505–513.
- Roland, P. E. (1985). Cortical organization of voluntary behaviour in men. *Hum Neurobiol*; 4: 155–167.
- Rosenkranz, M. A., Jackson, D. C., Dalton, K. M., Dolski, I., Ryff, C. D., Singer, B. H., Muller, D., Kalin, N. H., Davidson, R. J. (2003). Affective style and in vivo immune response: neurobehavioral mechanisms. *Proc Natl Acad Sci USA*; 100: 11148–11152.
- Rotenberg, A., Mayford, M., Hawkins, R. D., Kandel, E. R., Muller, R. U. (1996). Mice expressing activated CaMKII lack low frequency LTP and do not form stable place cells in the CA1 region of the hippocampus. *Cell*; 87: 1351–1361.
- Roth, G. (2000). Wovon Freud nur träumte. *Bild der Wissenschaft*; 6/2000: 30–31.
- Rozanski, A., Blumenthal, J. A., Kaplan, J. (1999). Impact of psychological factors on the pathogenesis of cardiovascular disease and implications for therapy. *Circulation*; 99: 2192–21217.
- Rudolf, G. (1995). Der Beitrag der Psychosomatik zur Theorie und Praxis der Medizin. In: Bauer, A. (Hrsg). *Theorie der Medizin. Dialoge zwischen Grundlagenfächern und Klinik*. Heidelberg, Leipzig: Johann Ambrosius Barth Verlag; 112–125.
- Rudolf, G. (1998). Neuronale Plastizität und Psychosomatik (2). In: Haux, R., Bauer, A. W., Eich, W., Herzog, W., Rüegg, J. C., Windeler, J. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil II: Physiologie und Psychosomatik. Versuche einer Annäherung*. Frankfurt a. M.: VAS; 121–130.
- Rudolf, G. (2000). *Psychotherapeutische Medizin und Psychosomatik*. Stuttgart, New York: Georg Thieme Verlag.
- Rudolf, G. (2004). *Strukturbezogene Psychotherapie*. Stuttgart, New York: Schattauer Verlag.
- Rüegg, J. C. (1995). Molekularphysiologie und Medizin. In: Bauer, A. (Hrsg). *Theorie der Medizin. Dialoge zwischen Grundlagenfächern und Klinik*. Heidelberg, Leipzig: Johann Ambrosius Barth Verlag; 102–11.
- Rüegg, J. C. (1998). Neuronale Plastizität und Psychosomatik (1). In: Haux, R., Bauer, A. W., Eich, W., Herzog, W., Rüegg, J. C., Windeler, J. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil II: Physiologie und Psychosomatik. Versuche einer Annäherung*. Frankfurt a. M.: VAS; 82–120.
- Rüegg, J. C. (2003). Psychoimmunologie – die reziproke Beziehung zwischen Gehirn und Immunsystem. *Psychologische Medizin*; 14. Jahrgang, 4: 3–8.
- Rüegg, J. C. (2004). Psychosomatik, Psychotherapie und neuronale Plastizität – wie Worte wirken. *Wien Med Wochenschr*; 154: 347–352.
- Rüegg, J. C. (2009). Traumagedächtnis und Neurobiologie, Konsolidierung, Rekonsolidierung, Extinktion. *Trauma & Gewalt*; 3(1): 6–17.
- Rüegg, J. C. (2010). *Mind & Body. Wie unser Gehirn die Gesundheit beeinflusst*. Stuttgart: Schattauer Verlag.
- Sacchetti, B., Baldi, E., Lorenzini, C. A., Bucherelli, C. (2002). Cerebellar role in fear-conditioning consolidation. *Proc Natl Acad Sci USA*; 99: 8406–8411.

- Sacks, O. (1989). *Awakenings, Zeit des Erwachens*. Weinheim: VCH-Verlagsgesellschaft mbH.
- Sacks, O. (2002). *Onkel Wolfram. Erinnerungen*. Reinbek: Rowohlt.
- Sadato, N., Pascual-Leone, A., Grafman, J., Ibanez, V., Deiber, M. P., Dold, G., Hallett, M. (1996). Activation of the primary visual cortex by Braille reading in blind subjects. *Nature*; 380: 526–528.
- Saffran, J. R., Aslin, R. N., Newport, E. L. (1996). Statistical learning by 8-month old infants. *Science*; 274: 1926–1928.
- Samad, T. A., Moore, K. A., Sapirstein, A., Billet, S., Allchorne, A., Poole, S., Bonventre, J. V., Woolf, C. J. (2001). Interleukin-1b-mediated induction of Cox-2 in the CNS contributes to inflammatory pain hypersensitivity. *Nature*; 410: 471–475.
- Sandkühler, J. (2000). Learning and memory in pain pathways. *Pain*; 88: 113–118.
- Sandkühler, J., Benrath, J., Brechtel, C., Ruscheweyh, R., Heinke, B. (2000). Synaptic mechanisms of hyperalgesia. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.; 81–100.
- Sandkühler, J., Liu, X. G. (1998). Induction of long term potentiation at spinal synapses by noxious stimulation or nerve injury. *Eur J Neurosci*; 10: 2476–2480.
- Santarelli, L., Saxe, M., Gross, C., Surget, A., Battaglia, F., Dulawa, S., Weisstaub, N., Lee, J., Duman, R., Arancio, O., Belzung, C., Hen, R. (2003). Requirement of hippocampal neurogenesis for the behavioural effects of antidepressants. *Science*; 301: 805–809.
- Santini, E., Ge, H., Ren, K., Pena de Ortiz, S., Quirk, G. J. (2004). Consolidation of fear extinction requires protein synthesis in the medial prefrontal cortex. *J Neurosci*; 24: 5704–5710.
- Sapolsky, R. M. (1985). Stress-induced suppression of testicular function in the wild baboon: role of glucocorticoids. *Endocrinology*; 116: 2273–2278.
- Sapolsky, R. M. (1996). Why stress is bad for your brain. *Science*; 273: 749–750.
- Sapolsky, R. M. (1998). *Why Zebras Don't Get Ulcers: An Updated Guide to Stress, Stress-Related Diseases, and Coping*. New York: W. H. Freeman and Company.
- Sapolsky, R. M. (2000). Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Arch Gen Psychiatry*; 57: 925–935.
- Sapolsky, R. M., Alberts, S. C., Altmann, J. (1997). Hypercortisolism associated with social isolation among wild baboons. *Arch Gen Psychiatry*; 54: 1137–1143.
- Sapolsky, R. M., Krey, L. C., McEwen, B. S. (1983). Corticosterone receptors decline in a site-specific manner in the aged rat. *Brain Res*; 289: 235–240.
- Sapolsky, R. M., Krey, L. C., McEwen, B. S. (1984). Stress down-regulates corticosterone receptors in a sitespecific manner in the brain. *Endocrinology*; 114: 287–292.
- Saxena, S., Brody, A. L., Ho, M. L., Alborzian, S., Maidment, K. M., Zohrabi, N., Ho, M. K., Huang, S. C., Wu, H. M., Baxter, L. R. Jr (2002). Differential cerebral metabolic changes with paroxetine treatment of obsessive-compulsive disorder vs major depression. *Arch Gen Psychiatry*; 59: 250–261.
- Saxena, S., Gorbis, E., O'Neill, J., Baker, S. K., Mandelkern, M. A., Maidment, K. M., Chang, S., Salamon, N., Brody, A. L., Schwartz, J. M., London, E. D. (2009). Rapid effects of brief intensive cognitive-behavioral therapy on brain glucose metabolism in obsessive-compulsive disorder. *Mol Psychiatry*; 14(2): 197–205.

- Schaefer, A., Scherer, P., Kleinebeckel, D., Pfitzer, G., Köhle, K. (2001). Psychophysiologie der Prüfungsangst – eine interdisziplinäre Unterrichtseinheit im vorklinischen „Praktikum Physiologie“. *Med Ausbild*; 18: 49–50.
- Schaefer, H. (1990). *Das Prinzip Psychosomatik*. Heidelberg: Verlag für Medizin Dr. Ewald Fischer.
- Schafe, G. E., LeDoux, J. E. (2000). Memory consolidation of auditory pavlovian fear conditioning requires protein synthesis and proteinkinase A in the Amygdala. *J Neurosci*; 20: RC 96, 1–5.
- Schäfer, H. (1991). Bedeutung der medizinischen Biometrie für die Therapie, Diagnostik und Prognostik allergischer Erkrankungen. *Allergologie*; 14: 345–351.
- Schäfer, H. (1997). Anforderungen an eine patientenorientierte klinisch-therapeutische Forschung. *Dtsch Med Wochenschr*; 122: 1531–1536.
- Schedlowski, M., Fluge, T., Richter, S., Tewes, U., Schmidt, R. E., Wagner, T. O. (1995). Beta-endorphin, but not substance-P, is increased by acute stress in humans. *Psychoneuroendocrinology*; 20: 103–110.
- Schedlowski, M., Tewes, U. (Hrsg) (1996). *Psychoneuroimmunologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag.
- Schiepek, G. (2003). *Neurobiologie der Psychotherapie*. Stuttgart, New York: Schattauer Verlag.
- Schiffelholz, T., Aldenhoff, J. (2001). Neuronale Plastizität – das Geheimnis der Gedächtnisbildung? *Nervenheilkunde*; 20: 189–193.
- Schiller, D., Monfils, M. H., Raio, C. M., Johnson, D. C., Ledoux, J. E., Phelps, E. A. (2010). Preventing the return of fear in humans using reconsolidation update mechanisms. *Nature*; 463: 49–53.
- Schipperges, H. (1994). *Gute Besserung. Ein Lesebuch über Gesundheit und Heilkunst*. München: C. H. Beck.
- Schlegel, M. (2006). Das Sinnerlebnis in der Analytischen Psychologie – Psychotherapie und Sinnfindung im Spannungsfeld zwischen Erklärung und Ergriffenheit. In: Mattanza, G., Meier, I., Schlegel, M. (Hrsg). *Seele und Forschung. Ein Brückenschlag in der Psychotherapie*. Basel: Karger; 178–198.
- Schmelz, M., Schmidt, R., Bickel, A., Handwerker, H. O., Torebjork, H. E. (1997). Specific C-receptors for itch in human skin. *J Neurosci*; 17: 8003–8008.
- Schmidt, R. E. (2004). Hatte Freud doch Recht? Die neuronalen Grundlagen der Verdrängung. *Neue Zürcher Zeitung (Forschung und Technik)* vom 25. Februar 2004, S. 58.
- Schmidt, R. F., Schaible, H. G. (2001). *Neuro- und Sinnesphysiologie*. Berlin, Heidelberg, New York: Springer.
- Schmidt-Hieber, C., Jonas, P., Bischofberger, J. (2004). Enhanced synaptic plasticity in newly generated granule cells of the adult hippocampus. *Nature*; 429: 184–187.
- Schneider, H., Pitossi, F., Balschun, D., Wagner, A., del Rey, A., Besedovsky, H. O. (1998). A neuromodulatory role of interleukin-1 beta in the hippocampus. *Proc Natl Acad Sci USA*; 95: 7778–7783.
- Schonecke, O. W., Herrmann, J. M. (1996). Funktionelle Herz-Kreislaufstörungen. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. E., Uexküll, T. v., Wesiack, W. (Hrsg). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 670–685.
- Schuld, A., Pollmächer, T. (2004). Wirkungen inflammatorischer Zytokine auf Affekt und Kognition. *Nervenheilkunde*; 23: 110–115.

- Schwartz, J. H., Kandel, E. R. (1991). Synaptic transmission mediated by second messengers. In: Kandel, E. R., Schwartz, J. H., Jessell, T. M. (eds.). *Principles of Neuroscience*. New York, Amsterdam, London, Tokyo: Elsevier; 173–193.
- Schwartz, J. M., Begley, S. (2003). *The Mind and the Brain. Neuroplasticity and the power of mental force*. New York: Regan Books, Harper Collins Publishers.
- Schwartz, J. M., Stoessel, P. W., Baxter, L. R. Jr, Martin, K. M., Phelps, M. E. (1996). Systematic changes in cerebral glucose metabolic rate after successful behaviour modification treatment of obsessive-compulsive disorder. *Arch Gen Psychiatry*; 53: 109–113.
- Schwartz, M. W., Woods, S. C., Porte, D. Jr, Seeley, R. J., Baskin, D. G. (2000). Central nervous system control of food intake. *Nature*; 404: 661–671.
- Seemann, H. (1999). Psychophysische Balance. In: Verres, R., Schweitzer, J., Jonasch, K., Süßdorf, B. (Hrsg). *Heidelberger Lesebuch Medizinische Psychologie*. Göttingen: Vandenhoeck & Ruprecht; 113–118.
- Seligman, M. E. P. (1979). *Gelernte Hilflosigkeit*. München, Wien, Baltimore: Urban & Schwarzenberg.
- Seller, H., Czachurski, J., Zanzinger, J. (1999). Sympathoinhibitory effects of clonidine are transmitted by the caudal ventrolateral medulla in cats. *J Cardiovasc Pharmacol*; 33: 521–526.
- Selye, H. (1950). *The physiology and pathology of exposure to stress*. Montreal, Canada: Acta, Inc. Medical Publishers.
- Selye, H. (1984). *Stress – Mein Leben. Erinnerungen eines Forschers*. Frankfurt a. M.: Fischer Taschenbuch Verlag.
- Sesso, H. D., Kawachi, I., Vokonas, P. S., Sparrow, D. (1998). Depression and the risk of coronary heart disease in the Normative Aging Study. *Am J Cardiol*; 82: 851–856.
- Shakespeare, W. (1943). Macbeth. In: *Shakespeares dramatische Werke*, übers. v. Schlegel, A. W. v., Tieck L. Bd. 2. Basel: Birkhäuser.
- Shapiro, F. (1995). *Eye Movement Desensitization and Reprocessing*. New York: Guilford.
- Sharma, J., Angelucci, A., Sur, M. (2000). Induction of visual orientation modules in auditory cortex. *Nature*; 404: 841–847.
- Sharkey, S. W., Lesser, J. R., Zenovich, A. G., Maron, M. S., Lindberg, J., Longe, T. F., Maron, B. J. (2005). Acute and reversible cardiomyopathy provoked by stress in women from the United States. *Circulation*; 111: 472–479.
- Shavit, Y., Depaulis, A., Martin, F. C., Terman, G. W., Pechnick, R. N., Zane, C. J., Gale, R. P., Liebeskind, J. C. (1986). Involvement of brain opiate receptors in the immune-suppressive effect of morphine. *Proc Natl Acad Sci USA*; 83: 7114–7117.
- Sheline, Y. I., Gado, M. H., Kraemer, H. C. (2003). Untreated depression and hippocampal volume loss. *Am J Psychiatry*; 160: 1516–1518.
- Sheline, Y. I., Wang, P. W., Gado, M. H., Csernansky, J. G., Vannier, M. W. (1996). Hippocampal atrophy in recurrent major depression. *Proc Natl Acad Sci USA*; 93: 3908–3913.
- Sheps, D. S., McMahon, R. P., Becker, L., Carney, R. M., Freedland, K. E., Cohen, J. D., Sheffield, D., Goldberg, A. D., Ketterer, M. W., Pepine, C. J., Raczyński, J. M., Light, K., Krantz, D. S., Stone, P. H., Knatterud, G. L., Kaufmann, P. G. (2002). Mental stress-induced ischemia and all-cause mortality in patients with coronary artery disease: Results from the Psychophysiological Investigations of Myocardial Ischemia study. *Circulation*; 105: 1780–1784.

- Shirayama, Y., Chen, A. C., Nakagawa, S., Russell, D. S., Duman, R. S. (2002). Brain-derived neurotrophic factor produces antidepressant effects in behavioural models of depression. *J Neurosci*; 22: 3251–3261.
- Shorter, E. (1997). Somatization and chronic pain in historic perspective. *Clin Orthop*; 336: 52–60.
- Siegle, G. J., Steinhauer, S. R., Thase, M. E., Stenger, V. A., Carter, C. S. (2002). Can't shake that feeling: event-related fMRI assessment of sustained amygdala activity in response to emotional information in depressed individuals. *Biol Psychiatry*; 51: 693–707.
- Silbersweig, D. A., Stern, E., Frith, C., Cahill, C., Holmes, A., Grootenck, S., Seaward, J., McKenna, P., Chua, S. E., Schnorr, L., Jones, T., Frackowiak, R. S. J. (1995). A functional neuroanatomy of hallucinations in schizophrenia. *Nature*; 378: 176–179.
- Simonton, O. C., Simonton, S., Creighton, J. (1982). *Wieder gesund werden. Eine Anleitung zur Aktivierung der Selbstheilungskräfte für Krebspatienten und ihre Angehörigen*. Reinbek bei Hamburg: Rowohlt Verlag.
- Singer, T., Seymour, B., O'Doherty, J., Kaube, H., Dolan, R. J., Frith, C. D. (2004). Empathy for pain involves the affective but not sensory components of pain. *Science*; 303: 1157–1162.
- Singer, W. (1994). Putative functions of temporal correlations in neocortical processing. In: Koch, L., Davies, J. (eds.). *Large scale neuronal theories of the brain*. Boston: MIT Press.
- Singer, W. (1996). Hirnentwicklung – neuronale Plastizität – Lernen. In: Klinke, R., Silbernegel, S. (Hrsg). *Lehrbuch der Physiologie*. Stuttgart, New York: Thieme; 709–720.
- Singer, W. (1999). Neuronal synchrony: a versatile code for the definition of relations? *Neuron*; 24: 49–65.
- Singer, W., Ricard, M. (2008). *Hirnforschung und Meditation. Ein Dialog*. Frankfurt a. M.: Suhrkamp.
- Sinha, R., Lovallo, W. R., Parsons, O. A. (1992). Cardiovascular differentiation of emotions. *Psychosom Med*; 54: 422–435.
- Skinner, J. E. (1996). Cerebral autonomic regulation underlying cardiovascular disease. In: Robertson, D., Low, P. A., Polinsky, R. J. (eds.). *Primer on the Autonomic Nervous System*. London: Academic Press Limited; 153–156.
- Smaglik, P. (2000). Placebos could improve link between medical outlooks. *Nature*; 408: 394.
- Solberg, W. K., Clark, G. T., Rugh, J. D. (1975). Nocturnal electromyographic evaluation of bruxing patients undergoing short-term splint therapy. *J Oral Rehabil*; 2: 215–223.
- Solms, M., Turnbull, O. (2009). *Das Gehirn und die innere Welt. Neurowissenschaft und Psychoanalyse*. Düsseldorf: Patmos Verlag.
- Song, H. J., Stevens, C. F., Gage, F. H. (2002a). Neural stem cells from adult hippocampus develop essential properties of functional CNS neurons. *Nat Neurosci*; 5: 438–445.
- Song, H. J., Stevens, C. F., Gage, F. H. (2002b). Astroglia induce neurogenesis from adult neural stem cells. *Nature*; 417: 39–44.
- Soon, C. S., Brass, M., Heinze, H. J., Haynes, J. D. (2008). Unconscious determinants of free decisions in the human brain. *Nat Neurosci*; 11: 543–545.
- Soufer, R., Bremner, J. D., Arrighi, J. A., Cohen, I., Zaret, B. L., Burg, M. M., Goldman-Rakic, P. (1998). Cerebral cortical hyperactivation in response to mental stress in patients with coronary artery disease. *Proc Natl Acad Sci USA*; 95: 6454–6459.

- Southwick, S. M., Krystal, J. H., Bremner, J. D., Morgan, C. A., Nicolaou, A. L., Nagy, L. M., Johnson, D. R., Heninger, G. R., Charney, D. S. (1997). Noradrenergic and serotonergic function in posttraumatic stress disorder. *Arch Gen Psychiatry*; 54: 749–758.
- Spiegel, D., Bloom, J. R., Kraemer, H. C., Gottheil, E. (1989). Effect of psychosocial treatment on survival of patients with metastatic breast cancer. *Lancet*; 2: 888–891.
- Spitz, R. A. (1945). Hospitalism: an inquiry into the genesis of psychiatric conditions in early childhood. *Psychoanal Study Child*; 1: 53–74.
- Spitzer, M. (1996). *Geist im Netz. Modelle für Lernen, Denken und Handeln*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag.
- Spitzer, M. (2001). *Ketchup und das kollektive Unbewusste*. Stuttgart, New York: Schattauer Verlag.
- Spitzer, M. (2003). Wechselwirkungen: Stress mit Serotonin. *Nervenheilkunde*; 22: 482–486.
- Spyer, K. M. (1994). Central nervous mechanisms contributing to cardiovascular control. *J Physiol*; 474: 1–19.
- Starkman, M. N., Gebarski, S. S., Berent, S., Schteingart, D. E. (1992). Hippocampal formation volume, memory dysfunction, and cortisol levels in patients with Cushing's syndrome. *Biol Psychiatry*; 32: 756–765.
- Starkman, M. N., Giordani, B., Berent, S., Schork, M. A., Schteingart, D. E. (2001). Elevated cortisol levels in Cushing's disease are associated with cognitive decrements. *Psychosom Med*; 63: 985–993.
- Starkman, M. N., Giordani, B., Gebarski, S. S., Berent, S., Schork, M. A., Schteingart, D. E. (1999). Decrease in cortisol reverses human hippocampal atrophy following treatment of Cushing's disease. *Biol Psychiatry*; 46: 1595–1602.
- Stent, G. S. (1987). Programmatic phenomena, hermeneutics, and neurobiology. In: Yates, F. E. (ed). *Self-Organizing Systems. The Emergence of Order*. New York. London: Plenum Press; 339–345.
- Sternberg, E. M., Glowa, J. R., Smith, M. A., Calogero, A. E., Listwak, S. J., Aksentijevich, S., Chrousos, G. P., Wilder, R. L., Gold, P. W. (1992). Corticotropin releasing hormone related behavioral and neuroendocrine responses to stress in Lewis and Fischer rats. *Brain Res*; 570: 54–60.
- Stone, P. H., Krantz, D. S., McMahon, R. P., Goldberg, A. D., Becker, L. C., Chaitman, B. R., Taylor, H. A., Cohen, J. D., Freedland, K. E., Bertolet, B. D., Coughlan, C., Pepine, C. J., Kaufmann, P. G., Sheps, D. S. (1999). Relationship among mental stress-induced ischemia and ischemia during daily life and during exercise: the Psychophysiological Investigations of Myocardial Ischemia (PIMI) study. *J Am Coll Cardiol*; 33: 1476–1484.
- Suchman, A. L., Ader, R. (1992). Classic conditioning and placebo effects in crossover studies. *Clin Pharmacol Ther*; 52: 372–377.
- Svensson, P., Minoshima, S., Beydoun, A., Morrow, T. J., Casey, K. L. (1997). Cerebral processing of acute skin and muscle pain in humans. *J Neurophysiol*; 78: 450–460.
- Taddio, A., Katz, J., Illersich, A. L., Koren, G. (1997). Effect of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet*; 349: 599–603.
- Tang, Y. Y., Ma, Y., Wang, J., Fan, Y., Feng, S., Lu, Q., Yu, Q., Sui, D., Rothbart, M. K., Fan, M., Posner, M. I. (2007). Short-term meditation training improves attention and self-regulation. *Proc Natl Acad Sci USA*; 104: 17152–17156.

- Tashiro, A., Sandler, V. M., Toni, N., Zhao, C., Gage, F. H. (2006). NMDA-receptor-mediated, cell-specific integration of new neurons in adult dentate gyrus. *Nature*; 442: 929–933.
- Tataranni, P. A., Larson, D. E., Snitker, S., Young, J. B., Flatt, J. P., Ravussin, E. (1996). Effects of glucocorticoids on energy metabolism and food intake in humans. *Am J Physiol*; 271: 317–325.
- Tato, C. M., O’Shea, J. J. (2006). Immunology: what does it mean to be just 17? *Nature*; 441: 166–168.
- Terman, G. W., Shavit, Y., Lewis, J. W., Cannon, J. T., Liebeskind, J. C. (1984). Intrinsic mechanisms of pain inhibition: activation by stress. *Science*; 226: 1270–1277.
- Terwindt, G. M., Ophoff, R. A., Haan, J., Sandkuijl, L. A., Frants, R. R., Ferrari, M. D. (1998). Migraine, ataxia, and epilepsy: a challenging spectrum of genetically determined calcium channelopathies. Dutch Migraine Genetics Research Group. *Eur J Hum Genet*; 6: 297–307.
- Thomas, D., Zhang, W., Karle, C. A., Kathofer, S., Schols, W., Kubler, W., Kiehn, J. (1999). Deletion of protein kinase A phosphorylation sites in the HERG potassium channel inhibits activation shift by protein kinase A. *Biol Chem*; 274: 27457–27462.
- Tölle, T. R. (1997). Chronischer Schmerz. In: Herdegen, T., Tölle, T. R., Bähr, M. (Hrsg). *Klinische Neurobiologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 307–336.
- Tracey, K. J. (2002). The inflammatory reflex. *Nature*; 420: 853–859.
- Trachtenberg, J. T., Chen, B. E., Knott, G. W., Feng, G., Sanes, J. R., Welker, E., Svoboda, K. (2002). Longterm in vivo imaging of experience-dependent synaptic plasticity in adult cortex. *Nature*; 420: 788–794.
- Tranel, D. (2000). Non-conscious brain processing indexed by psycho-physiological measures. In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 317–332.
- Travell, J. G., Simons, D. G. (1983). *Myofascial P and Dysfunction, the Trigger Point Manual*. Baltimore: Williams and Wilkins.
- Trepel, M. (1995). *Neuroanatomie: Struktur und Funktion*. München, Wien, Baltimore: Urban & Schwarzenberg.
- Tsvetkov, E., Carlezon, W. A., Benes, F. M., Kandel, E. R., Bolshakov, V. Y. (2002). Fear conditioning occludes LTP-induced presynaptic enhancement of synaptic transmission in the cortical pathway to the lateral amygdala. *Neuron*; 34: 289–300.
- Tully, T. (1998). Towards a molecular biology of memory: the light’s coming on. *Nature Neurosci*; 1: 543–545.
- Tulving, E., Schacter, D. L. (1990). Priming and human memory systems. *Science*; 247: 301–306.
- Turrin, N. P., Rivest, S. (2004). Unraveling the molecular details involved in the intimate link between the immune and neuroendocrine systems. *Exp Biol Med* (Maywood); 229: 996–1006.
- Uexküll, T. v. (1986). Geleitwort. In: Verres, R. *Krebs und Angst. Subjektive Theorien von Laien über Entstehung, Vorsorge, Früherkennung, Behandlung und die psychosozialen Folgen von Krebserkrankungen*. Berlin, Heidelberg, New York: Springer; V–XIII.
- Uexküll, T. v., Fuchs, M., Müller-Braunschweig, H., Johnen, R. (Hrsg) (1997). *Subjektive Anatomie: Theorie und Praxis körperbezogener Psychotherapie*. Stuttgart, New York: Schattauer Verlag.
- Uexküll, T. v., Wesiack, W. (1996). Wissenschaftstheorie: ein bio-psycho-soziales Modell. In: Adler, R. H., Herrmann, J. M., Köhle, K., Schonecke, O. M., Uexküll, T. v., Wesiack, W. (Hrsg). *Psychosomatische Medizin*. München, Wien, Baltimore: Urban & Schwarzenberg; 13–52.

- Valentino, R. J., Foote, S. L., Ashton-Jones, G. (1983). Corticotropin-releasing factor activates noradrenergic neurons of the locus coeruleus. *Brain Res*; 270: 363–367.
- van Praag, H., Schinder, A. F., Christie, B. R., Toni, N., Palmer, T. D., Gage, F. H. (2002). Functional neurogenesis in the adult hippocampus. *Nature*; 415: 1030–1034.
- van Westerloo, D. J., Giebelen, I. A., Florquin, S., Daalhuisen, J., Bruno, M. J., de Vos, A. F., Tracey, K. J., van der Poll, T. (2005). The cholinergic anti-inflammatory pathway regulates the host response during septic peritonitis. *J Infect Dis*; 191: 2138–2148.
- van Westerloo, D. J., Giebelen, I. A., Florquin, S., Bruno, M. J., Larosa, G. J., Ulloa, L., Tracey, K. J., van der Poll, T. (2006). The vagus nerve and nicotinic receptors modulate experimental pancreatitis severity in mice. *Gastroenterology*; 130: 1822–1830.
- Vandenberghe, R., Price, C., Wise, R., Josephs, O., Frackowiak, R. S. J. (1996). Functional anatomy of a common semantic system for words and pictures. *Nature*; 383: 254–256.
- Varela, F., Lachaux, J. P., Rodriguez, E., Martinerie, J. (2001). The brainweb: phase synchronization and largescale integration. *Nat Rev Neurosci*; 2: 229–239.
- Vedhara, K., Cox, N. K., Wilcock, G. K., Perks, P., Hunt, M., Anderson, S., Lightman, S. L., Shanks, N. M. (1999). Chronic stress in elderly carers of dementia patients and antibody response to influenza vaccination. *Lancet*; 353: 627–631.
- Verres, R. (1986). *Krebs und Angst. Subjektive Theorien von Laien über Entstehung, Vorsorge, Früherkennung, Behandlung und die psychosozialen Folgen von Krebserkrankungen*. Berlin, Heidelberg, New York: Springer.
- Verrier, R. L., Dickerson, L. W. (1991). Autonomic nervous system and coronary blood flow changes related to emotional activation and sleep. *Circulation*; 83, Suppl 4: S81–89.
- Verrier, R. L., Mittleman, M. A. (1996). Life-threatening cardiovascular consequences of anger in patients with coronary heart disease. *Cardiol Clin*; 14: 289–307.
- Verrier, R. L., Mittleman, M. A. (2000). The impact of emotions on the heart. In: Mayer, E. A., Saper, C. B. (eds.). *The Biological Basis for Mind Body Interactions. Progress in Brain Research*; 122. Amsterdam: Elsevier Science B.V.; 369–380.
- Vissing, S. F., Hjortso, E. M. (1996). Central motor command activates sympathetic outflow to the cutaneous circulation in humans. *J Physiol*; 492: 931–939.
- Vogel, G. (2000). Neuroscience. Death triggers regrowth of zebra finch neurons. *Science*; 287: 1381.
- von Ditfurth, H. (1993). *Innenansichten eines Artgenossen*. Meine Bilanz. München: dtv.
- von Känel, R., Mills, P. J., Fainman, C., Dimsdale, J. E. (2001). Effects of psychological stress and psychiatric disorders on blood coagulation and fibrinolysis: a biobehavioral pathway to coronary artery disease? *Psychosom Med*; 63: 531–544.
- Vythilingam, M., Anderson, E. R., Goddard, A., Woods, S. W., Staib, L. H., Charney, D. S., Bremner, J. D. (2000). Temporal lobe volume in panic disorder – a quantitative magnetic resonance imaging study. *Psychiatry Res*; 99: 75–82.
- Wadman, M. (1997). „Mind body“ claims put NIH on defensive. *Nature*; 390: 108.
- Wager, T. D., Rilling, J. K., Smith, E. E., Sokolik, A., Casey, K. L., Davidson, R. J., Kosslyn, S. M., Rose, R. M., Cohen, J. D. (2004). Placebo-induced changes in FMRI in the anticipation and experience of pain. *Science*; 303: 1162–1167.
- Wagner, U., Gais, S., Haider, H., Verleger, R., Born, J. (2004). Sleep inspires insight. *Nature*; 427: 352–355.

- Waibel, M. J., Petzold, H. G. (2009). Integrative Ausdauertherapie bei depressiven Erkrankungen. In: Waibel, M. J., Jakob-Krieger, C. (Hrsg). *Integrative Bewegungstherapie. Störungsspezifische und ressourcenorientierte Praxis*. Stuttgart: Schattauer Verlag; 81–97.
- Waite, H. E. (1990). *Helen Keller, Anne Sullivan*. Öffne mir das Tor zur Welt! München: dtv.
- Walker, M. P., Brakefield, T., Hobson, J. A., Stickgold, R. (2003). Dissociable stages of human memory consolidation and reconsolidation. *Nature*; 425: 616–620.
- Walker, M. P., Stickgold, R. (2004). Sleep-dependent learning and memory consolidation. *Neuron*; 44: 121–133.
- Wang, H., Yu, M., Ochani, M., Amella, C. A., Tanovic, M., Susarla, S., Li, J. H., Wang, H., Yang, H., Ulloa, L., Al-Abed, Y., Czura, C. J., Tracey, K. J. (2003). Nicotinic acetylcholine receptor alpha7 subunit is an essential regulator of inflammation. *Nature*; 421: 328–329.
- Warner-Schmidt, J. L., Duman, R. S. (2007). VEGF is an essential mediator of the neurogenic and behavioral actions of antidepressants. *Proc Natl Acad Sci USA*; 104: 4647–4652.
- Watson, M., Haviland, J. S., Greer, S., Davidson, J., Bliss, J. M. (1999). Influence of psychological response on survival in breast cancer: a population-based cohort study. *Lancet*; 354: 1331–1336.
- Weaver, I. C., Cervoni, N., Champagne, F. A., D'Alessio, A. C., Sharma, S., Seckl, J. R., Dymov, S., Szyf, M., Meaney, M. J. (2004). Epigenetic programming by maternal behavior. *Nat Neurosci*; 7: 847–854.
- Weaver, I. C., Meaney, M. J., Szyf, M. (2006). Maternal care effects on the hippocampal transcriptome and anxiety-mediated behaviors in the offspring that are reversible in adulthood. *Proc Natl Acad Sci USA*; 103: 3480–3485.
- Webster, E. L., Elenkov, I. J., Chrousos, G. P. (1997). The role of corticotropin-releasing hormone in neuroendocrine-immune interactions. *Mol Psychiatry*; 2: 368–372.
- Wehner-v. Segesser, S. (2002). Und es erneuert sich doch ... Wurde das Selbstheilungspotenzial des erwachsenen Gehirns unterschätzt? *Neue Zürcher Zeitung (Forschung und Technik)* vom 17. 4. 2002, S. 49.
- Wehr, T. A., Duncan, W. C. Jr, Sher, L., Aeschbach, D., Schwartz, P. J., Turner, E. H., Postolache, T. T., Rosenthal, N. E. (2001). A circadian signal of change of season in patients with seasonal affective disorder. *Arch Gen Psychiatry*; 58: 1108–1114.
- Weibel, E. R. (1997). Forschungsbedarf der Medizin und ärztlichen Praxis. *Neue Zürcher Zeitung*, 4. 1. 1997, S. 14.
- Weihe, E., Bette, M., Fink, T., Schäfer, M. K. H. (1996). Molekularanatomische Grundlagen von Wechselbeziehungen zwischen Nervensystem und Immunsystem in Gesundheit und Krankheit. In: Schedlowski, M., Tewes, U. (Hrsg). *Psychoneuroimmunologie*. Heidelberg, Berlin, Oxford: Spektrum Akademischer Verlag; 221–240.
- Weiss, J. M. (1970). Somatic effects of predictable and unpredictable shock. *Psychosom Med*; 32: 397–408.
- Weizsäcker, V. v. (1951). *Der kranke Mensch. Eine Einführung in die medizinische Anthropologie*. Stuttgart: K. F. Koehler Verlag.
- Wessa, M., Flor, H. (2002). Posttraumatische Belastungsstörungen und Traumagedächtnis. *Z Psychosom Med Psychother*; 48: 28–37.
- Weuve, J., Kang, J. H., Manson, J. E., Breteler, M. M., Ware, J. H., Grodstein, F. (2004). Physical activity, including walking, and cognitive function in older women. *JAMA*; 292: 1454–1461.

- Whitlock, J. R., Heynen, A. J., Shuler, M. G., Bear, M. F. (2006). Learning induces long-term potentiation in the hippocampus. *Science*; 313: 1093–1097.
- Wiesel, T. N., Hubel, D. H. (1963). Single-cell responses in striate cortex of kittens deprived of vision in one eye. *J Neurophysiol*; 26: 1003–1017.
- Wild, B., Rodden, F. A., Rapp, A., Erb, M., Grodd, W., Ruch, W. (2006). Humor and smiling: cortical regions selective for cognitive, affective, and volitional components. *Neurology*; 66: 887–893.
- Wilder, R. L., Elenkov, I. J. (1999). Hormonal regulation of tumor necrosis factor-alpha, interleukin-12, and interleukin-10 production by activated macrophages. A disease-modifying mechanism in rheumatoid arthritis and systemic lupus erythematosus? *Ann NY Acad Sci*; 876: 14–31.
- Wilder-Smith, O. H. G. (2000). Pre-emptive analgesia and surgical pain. In: Sandkühler, J., Bromm, B., Gebhart, G. F. (eds.). *Nervous System Plasticity and Chronic Pain. Progress in Brain Research*; 129. Amsterdam: Elsevier Science B.V.: 505–524.
- Wilensky, A. E., Schafe, G. E., LeDoux, J. E. (2000). The amygdala modulates memory consolidation of fear-motivated inhibitory avoidance learning but not classical fear conditioning. *J Neurosci*; 20: 7059–7066.
- Williams, R. B., Barefoot, J. C., Califf, R. M., Haney, T. L., Saunders, W. B., Pryor, D. B., Hlatky, M. A., Siegler, I. C., Mark, D. B. (1992). Prognostic importance of social and economic resources among medically treated patients with angiographically documented coronary artery disease. *JAMA*; 267: 520–524.
- Williams, R. S., Cheng, L., Mudge, A. W., Harwood, A. J. (2002). A common mechanism of action for three mood-stabilizing drugs. *Nature*; 417: 292–295.
- Wilson, E. O. (1998). *Die Einheit des Wissens*. Berlin: Siedler.
- Windeler, J. (1998). Alles Einbildung? Bemerkungen zum Placebo-Effekt. In: Haux, R., Bauer, A. W., Eich, W., Herzog, W., Rüegg, J. C., Windeler, J. (Hrsg). *Wissenschaftlichkeit in der Medizin. Teil II: Physiologie und Psychosomatik. Versuche einer Annäherung*. Frankfurt a. M.: VAS; 60–81.
- Winnicott, D. W. (1965). *The Maturation Processes and the Facilitating Environment*. London: Hogarth.
- Wittstein, I. S., Thiemann, D. R., Lima, J. A., Baughman, K. L., Schulman, S. P., Gerstenblith, G., Wu, K. C., Rade, J. J., Bivalacqua, T. J., Champion, H. C. (2005). Neurohumoral features of myocardial stunning due to sudden emotional stress. *N Engl J Med*; 352: 539–548.
- Wong, D. F., Harris, J. C., Naidu, S., Yokoi, F., Marenso, S., Dannals, R. F., Ravert, H. T., Yaster, M., Evans, A., Rousset, O., Bryan, R. N., Gjedde, A., Kuhar, M. J., Breese, G. R. (1996). Dopamine transporters are markedly reduced in Lesh Nyhan disease in vivo. *Proc Natl Acad Sci USA*; 93: 5539–5543.
- Woods, S. C. (1995). Insulin and the brain: A mutual dependency. *Prog Psychobiol Physiol Psychol*; 16: 53–81.
- Xu, T., Yu, X., Perlik, A. J., Tobin, W. F., Zweig, J. A., Tennant, K., Jones, T., Zuo, Y. (2009). Rapid formation and selective stabilization of synapses for enduring motor memories. *Nature*; 462: 915–919.
- Yuste, R., Bonhoeffer, T. (2001). Morphological changes in dendritic spines associated with long-term synaptic plasticity. *Annu Rev Neurosci* 2001; 24: 1071–1089.

- Zakharenko, S. S., Zablow, L., Siegelbaum, S. A. (2001). Visualization of changes in presynaptic function during long-term synaptic plasticity. *Nat Neurosci*; 4: 711–717.
- Zanchetti, A., Mancia, G. (1991). Cardiovascular reflexes and hypertension. *Hypertension*; 18, Suppl 5: S13–21.
- Zarevics, P., Setler, P. E. (1979). Simultaneous rate-independent and rate-dependent assessment of intracranial self-stimulation: evidence for the direct involvement of dopamine on brain reinforcement mechanisms. *Brain Res*; 169: 499–512.
- Zehelein, J., Thomas, D., Khalil, M., Wimmer, A. B., Koenen, M., Licka, M., Wu, K., Kiehn, J., Brockmeier, K., Kreye, V. A., Karle, C. A., Katus, H. A., Ulmer, H. E., Schoels, W. (2004). Identification and characterisation of a novel KCNQ1 mutation in a family with Romano-Ward syndrome. *Biochim Biophys Acta*; 1690: 185–192.
- Zhang, S. J., Zou, M., Lu, L., Lau, D., Ditzel, D. A., Delucinge-Vivier, C., Aso, Y., Descombes, P., Bading, H. (2009). Nuclear calcium signaling controls expression of a large gene pool: identification of a gene program for acquired neuroprotection induced by synaptic activity. *PLoS Genet*; 5(8): e1000604.
- Zigmond, R. E., Schwarzschild, M. A., Rittenhouse, A. R. (1989). Acute regulation of tyrosine hydroxylase by nerve activity and by neurotransmitters via phosphorylation. *Ann Rev Neurosci*; 12: 415–461.
- Zimmermann, M. (1995). Neue Konzepte der Schmerzbehandlung. In: Bauer, A. (Hrsg). *Theorie der Medizin*. Heidelberg, Leipzig: Johann Ambrosius Barth Verlag; 46–59.
- Zipfel, S., Lowe, B., Reas, D. L., Deter, H. C., Herzog, W. (2000). Long-term prognosis in anorexia nervosa: lessons from a 21-year follow-up study. *Lancet*; 355: 721–722.
- Zobel, A. W., Nickel, T., Kunzel, H. E., Ackl, N., Sonntag, A., Ising, M., Holsboer, F. (2000). Effects of the high affinity corticotropin-releasing hormone receptor 1 antagonist R121919 in major depression: the first 20 patients treated. *J Psychiatr Res*; 34: 171–181.
- Zonta, M., Angulo, M. C., Gobbo, S., Rosengarten, B., Hossmann, K. A., Pozzan, T., Carmignoto, G. (2003). Neuron-to-astrocyte signaling is central to the dynamic control of brain microcirculation. *Nat Neurosci*; 6: 43–50.
- Zubieta, J. K., Bueller, J. A., Jackson, L. R., Scott, D. J., Xu, Y., Koeppe, R. A., Nichols, T. E., Stohler, C. S. (2005). Placebo effects mediated by endogenous opioid activity on mu-opioid receptors. *J Neurosci*; 25: 7754–7762.