
References

- Albert, J. (2009). *Bayesian Computation with R*, second edition. Springer-Verlag, New York.
- Beaumont, M., Zhang, W., and Balding, D. (2002). Approximate Bayesian computation in population genetics. *Genetics*, 162:2025–2035.
- Berger, J., Philippe, A., and Robert, C. (1998). Estimation of quadratic functions: reference priors for non-centrality parameters. *Statistica Sinica*, 8(2):359–375.
- Besag, J. and Clifford, P. (1989). Generalized Monte Carlo significance tests. *Biometrika*, 76:633–642.
- Booth, J. and Hobert, J. (1999). Maximizing generalized linear mixed model likelihoods with an automated Monte Carlo EM algorithm. *Journal of the Royal Statistical Society Series B*, 61:265–285.
- Boyles, R. (1983). On the convergence of the EM algorithm. *Journal of the Royal Statistical Society Series B*, 45:47–50.
- Brooks, S. and Roberts, G. (1998). Assessing convergence of Markov chain Monte Carlo algorithms. *Statistics and Computing*, 8:319–335.
- Cappé, O., Douc, R., Guillin, A., Marin, J.-M., and Robert, C. (2008). Adaptive importance sampling in general mixture classes. *Statistics and Computing*, 18:447–459.
- Casella, G. (1996). Statistical theory and Monte Carlo algorithms (with discussion). *TEST*, 5:249–344.
- Casella, G. and Berger, R. (2001). *Statistical Inference*, second edition. Wadsworth, Belmont, CA.
- Casella, G. and George, E. (1992). An introduction to Gibbs sampling. *The American Statistician*, 46:167–174.
- Casella, G. and Robert, C. (1996). Rao-Blackwellisation of sampling schemes. *Biometrika*, 83(1):81–94.
- Casella, G. and Robert, C. (1998). Post-processing accept-reject samples: recycling and rescaling. *J. Comput. Graph. Statist.*, 7(2):139–157.
- Chen, M., Shao, Q., and Ibrahim, J. (2000). *Monte Carlo Methods in Bayesian Computation*. Springer-Verlag, New York.

- Chib, S. (1995). Marginal likelihood from the Gibbs output. *Journal of the American Statistical Association*, 90:1313–1321.
- Cowles, M. and Carlin, B. (1996). Markov chain Monte Carlo convergence diagnostics: a comparative study. *Journal of the American Statistical Association*, 91:883–904.
- Crawley, M. (2007). *The R Book*. John Wiley, New York.
- Dalgaard, P. (2002). *Introductory Statistics with R*. Springer-Verlag, New York.
- Del Moral, P. and Miclo, L. (1999). On the convergence and applications of generalized simulated annealing. *SIAM Journal on Control and Optimization*, 37(4):1222–1250.
- Dempster, A., Laird, N., and Rubin, D. (1977). Maximum likelihood from incomplete data via the EM algorithm (with discussion). *Journal of the Royal Statistical Society Series B*, 39:1–38.
- Dickey, J. (1968). Three multidimensional integral identities with Bayesian applications. *Annals Mathematical Statistics*, 39:1615–1627.
- Doucet, A., Godsill, S., and Robert, C. (2002). Marginal maximum a posteriori estimation using Markov chain Monte Carlo. *Statistics and Computing*, 12:77–84.
- Efron, B. and Morris, C. (1975). Data analysis using Stein's estimator and its generalizations. *Journal of the American Statistical Association*, 70:311–319.
- Efron, B. and Tibshirani, R. (1993). *An Introduction to the Bootstrap*. Chapman and Hall, New York.
- Evans, M. and Swartz, T. (2000). *Approximating Integrals via Monte Carlo and Deterministic Methods*. Oxford University Press, Oxford.
- Feller, W. (1971). *An Introduction to Probability Theory and its Applications*, volume 2. John Wiley, New York.
- Flegal, J., Haran, M., and Jones, G. (2008). Markov chain Monte Carlo: can we trust the third significant figure? *Statistical Science*, 23(2):250–260.
- Gaetan, C. and Yao, J.-F. (2003). A multiple-imputation Metropolis version of the EM algorithm. *Biometrika*, 90:643–654.
- Gaver, D. and O'Muircheartaigh, I. (1987). Robust empirical Bayes analysis of event rates. *Technometrics*, 29:1–15.
- Gelfand, A. and Dey, D. (1994). Bayesian model choice: asymptotics and exact calculations. *Journal of the Royal Statistical Society Series B*, 56:501–514.
- Gelfand, A. and Smith, A. (1990). Sampling based approaches to calculating marginal densities. *Journal of the American Statistical Association*, 85:398–409.
- Gelman, A. and Hill, J. (2006). *Data Analysis Using Regression and Multi-level/Hierarchical Models*. Cambridge University Press, Cambridge.
- Gelman, A. and Rubin, D. (1992). Inference from iterative simulation using multiple sequences (with discussion). *Statistical Science*, 7:457–511.

- Geman, S. and Geman, D. (1984). Stochastic relaxation, Gibbs distributions and the Bayesian restoration of images. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 6:721–741.
- Gentle, J. E. (2002). *Elements of Computational Statistics*. Springer-Verlag, New York, New York.
- Genz, A. and Azzalini, A. (2009). *mnormt: The multivariate normal and t distributions*. R package version 1.3-3.
- Geweke, J. (1992). Evaluating the accuracy of sampling-based approaches to the calculation of posterior moments (with discussion). In Bernardo, J., Berger, J., Dawid, A., and Smith, A., editors, *Bayesian Statistics 4*, pages 169–193. Oxford University Press, Oxford.
- Geyer, C. and Thompson, E. (1992). Constrained Monte Carlo maximum likelihood for dependent data (with discussion). *Journal of the Royal Statistical Society Series B*, 54:657–699.
- Glynn, P. W. and Whitt, W. (1992). The asymptotic validity of sequential stopping rules for stochastic simulations. *Annls of Applied Probability*, 2:180–198.
- Haario, H. and Sacksman, E. (1991). Simulated annealing in general state space. *Advances in Applied Probability*, 23:866–893.
- Haario, H., Saksman, E., and Tamminen, J. (1999). Adaptive proposal distribution for random walk Metropolis algorithm. *Computational Statistics*, 14(3):375–395.
- Hàjek, B. (1988). Cooling schedules for optimal annealing. *Mathematics of Operations Research*, 13:311–329.
- Hastings, W. (1970). Monte Carlo sampling methods using Markov chains and their application. *Biometrika*, 57:97–109.
- Heidelberger, P. and Welch, P. (1983). A spectral method for confidence interval generation and run length control in simulations. *Communications of the Association for Computing Machinery*, 24:233–245.
- Hesterberg, T. (1995). Weighted average importance sampling and defensive mixture distributions. *Technometrics*, 37:185–194.
- Jacquier, E., Johannes, M., and Polson, N. (2007). MCMC maximum likelihood for latent state models. *Journal of Econometrics*, 137(2):615–640.
- Jeffreys, H. (1939). *Theory of Probability*. The Clarendon Press, Oxford.
- Jelinek, F. (1999). *Statistical Methods for Speech Recognition*. The MIT Press, Cambridge, MA.
- Johnson, R. and Wichern, D. (1988). *Applied Multivariate Statistical Analysis*, second Edition. Prentice-Hall, Englewood Cliffs, NJ.
- Jones, G., Haran, M., Caffo, B., and Neath, R. (2006). Fixed-width output analysis for Markov Chain Monte Carlo. *Journal of the American Statistical Association*, 101(476):1537–1547.
- Kallenberg, O. (2002). *Foundations of Modern Probability*. Springer-Verlag, New York.

- Kendall, W., Marin, J.-M., and Robert, C. (2007). Confidence bands for Brownian motion and applications to Monte Carlo simulations. *Statistics and Computing*, 17(1):1–10.
- Kirkpatrick, S., Gelatt, C., and Vecchi, M. (1983). Optimization by simulated annealing. *Science*, 220:671–680.
- Kong, A., McCullagh, P., Meng, X.-L., Nicolae, D., and Tan, Z. (2003). A theory of statistical models for Monte Carlo integration (with discussion). *Journal of the Royal Statistical Society Series B*, 65(3):585–618.
- Lehmann, E. and Casella, G. (1998). *Theory of Point Estimation*, revised edition. Springer-Verlag, New York.
- Lele, S., Dennis, B., and Lutscher, F. (2007). Data cloning: easy maximum likelihood estimation for complex ecological models using Bayesian Markov chain Monte Carlo methods. *Ecology Letters*, 10:551–563.
- Liu, J. (1996). Metropolized independent sampling with comparisons to rejection sampling and importance sampling. *Statistics and Computing*, 6:113–119.
- Liu, J., Wong, W., and Kong, A. (1994). Covariance structure of the Gibbs sampler with applications to the comparisons of estimators and sampling schemes. *Biometrika*, 81:27–40.
- Lunn, D., Thomas, A., Best, N., and Spiegelhalter, D. (2000). WinBUGS – a Bayesian modelling framework: concepts, structure, and extensibility. *Statistics and Computing*, 10:325–337.
- Marin, J.-M. and Robert, C. (2007). *Bayesian Core*. Springer-Verlag, New York.
- Matthews, P. (1993). A slowly mixing Markov chain with implications for Gibbs sampling. *Statistics and Probability Letters*, 17:231–236.
- McCullagh, P. and Nelder, J. (1989). *Generalized Linear Models*. Chapman and Hall, New York.
- McCulloch, C. (1997). Maximum likelihood algorithms for generalized linear mixed models. *Journal of the American Statistical Association*, 92:162–170.
- Metropolis, N., Rosenbluth, A., Rosenbluth, M., Teller, A., and Teller, E. (1953). Equations of state calculations by fast computing machines. *Journal of Chemical Physics*, 21(6):1087–1092.
- Meyn, S. and Tweedie, R. (1993). *Markov Chains and Stochastic Stability*. Springer-Verlag, New York.
- Murrell, P. (2005). *R Graphics*. Lecture Notes in Statistics. Chapman and Hall, New York.
- Neal, R. (1999). *Bayesian Learning for Neural Networks*, volume 118 of *Lecture Notes in Statistics*. Springer-Verlag, New York, New York.
- Neal, R. (2003). Slice sampling (with discussion). *Annals Statistics*, 31:705–767.
- Newton, M. and Raftery, A. (1994). Approximate Bayesian inference by the weighted likelihood bootstrap (with discussion). *Journal of the Royal Statistical Society Series B*, 56:1–48.

- Ó Ruanaidh, J. and Fitzgerald, W. (1996). *Numerical Bayesian Methods Applied to Signal Processing*. Springer-Verlag, New York.
- Owen, A. and Zhou, Y. (2000). Safe and effective importance sampling. *Journal of the American Statistical Association*, 95:135–143.
- Peskun, P. (1973). Optimum Monte Carlo sampling using Markov chains. *Biometrika*, 60:607–612.
- Plummer, M., Best, N., Cowles, K., and Vines, K. (2006). CODA: convergence diagnosis and output analysis for MCMC. *R News*, 6(1):7–11.
- Pritchard, J., Seielstad, M., Perez-Lezaun, A., and Feldman, M. (1999). Population growth of human Y chromosomes: a study of Y chromosome microsatellites. *Molecular Biology and Evolution*, 16:1791–1798.
- Raftery, A. and Lewis, S. (1992). How many iterations in the Gibbs sampler? In Bernardo, J., Berger, J., Dawid, A., and Smith, A., editors, *Bayesian Statistics 4*, pages 763–773. Oxford University Press, Oxford.
- Robert, C. (1993). Prior feedback: a Bayesian approach to maximum likelihood estimation. *Journal of Computational Statistics*, 8:279–294.
- Robert, C. (1995a). Convergence control techniques for MCMC algorithms. *Statistical Science*, 10(3):231–253.
- Robert, C. (1995b). Simulation of truncated Normal variables. *Statistics and Computing*, 5:121–125.
- Robert, C. (2001). *The Bayesian Choice*, second edition. Springer-Verlag, New York.
- Robert, C. and Casella, G. (2004). *Monte Carlo Statistical Methods*, second edition. Springer-Verlag, New York.
- Roberts, G., Gelman, A., and Gilks, W. (1997). Weak convergence and optimal scaling of random walk Metropolis algorithms. *Annls of Applied Probability*, 7:110–120.
- Roberts, G. and Rosenthal, J. (1998). Markov chain Monte Carlo: some practical implications of theoretical results (with discussion). *Canadian Journal of Statistics*, 26:5–32.
- Roberts, G. and Rosenthal, J. (2009). Examples of adaptive mcmc. *Journal of Computational and Graphical Statistics*, 18(2):349–367.
- Rosenthal, J. (2007). Amcm: an R interface for adaptive MCMC. *Computational Statistics and Data Analysis*, 51:5467–5470.
- Rubinstein, R. (1981). *Simulation and the Monte Carlo Method*. John Wiley, New York.
- Smith, A. and Gelfand, A. (1992). Bayesian statistics without tears: a sampling-resampling perspective. *The American Statistician*, 46:84–88.
- Spall, J. C. (2003). *Introduction to Stochastic Search and Optimization*. John Wiley, New York.
- Spector, P. (2009). *Data Manipulation with R*. Springer-Verlag, New York.
- Stigler, S. (1986). *The History of Statistics*. Belknap, Cambridge, MA.
- Strawderman, R. (1996). Discussion of Casella's article. *TEST*, 5:325–329.
- Tanner, M. (1996). *Tools for Statistical Inference: Observed Data and Data Augmentation Methods*, third edition. Springer-Verlag, New York.

- Tanner, M. and Wong, W. (1987). The calculation of posterior distributions by data augmentation. *Journal of the American Statistical Association*, 82:528–550.
- Thisted, R. (1988). *Elements of Statistical Computing: Numerical Computation*. Chapman and Hall, New York.
- Tufte, E. (1990). *Envisioning Information*. Graphics Press, Cheshire, CT.
- Tufte, E. (2001). *The Visual Display of Quantitative Information*, second edition. Graphics Press, Cheshire, CT.
- Van Laarhoven, P. and Aarts, E. (1987). *Simulated Annealing: Theory and Applications*, CWI Tract 51. Reidel, Amsterdam.
- Venables, W. and Ripley, B. (1999). *Modern Applied Statistics with S-PLUS*, third edition. Springer-Verlag, New York, New York.
- Wei, G. and Tanner, M. (1990). A Monte Carlo implementation of the EM algorithm and the poor man's data augmentation algorithm. *Journal of the American Statistical Association*, 85:699–704.
- Wu, C. (1983). On the convergence properties of the EM algorithm. *Annals Statistics*, 11:95–103.
- Zellner, A. (1986). On assessing prior distributions and Bayesian regression analysis with g -prior distribution regression using Bayesian variable selection. In *Bayesian Inference and Decision Techniques: Essays in Honor of Bruno de Finetti*, pages 233–243. North-Holland/Elsevier, Amsterdam.