

1 <i>Introduction</i>	1
The daisy; the hierarchy of systematic categories; the concept of relationships in systematics	1
Evolution and phylogeny: the symbiosis theory	2
Evolution and phylogeny: the fan-shaped phylogenetic tree	5
The importance of phylogenetic (evolutionary) theories in systematics	8
What are algae and what is their place in the system?	9
The main groups of algae and their characteristics	15
2 <i>Cyanophyta (= Cyanobacteria)</i>	16
The principal characteristics of the Cyanophyta	18
Size and distribution of the division	20
Structure and characteristics of the Cyanophyta	24
The systematics of the Cyanophyta	32
Reflections on the phylogeny of the Cyanophyta (Cyanobacteria)	34
3 <i>Prochlorophyta</i>	42
The principal characteristics of the Prochlorophyta	42

4 <i>Glaucophyta</i>	45
The principal characteristics of the Glaucophyta	45
General remarks	46
Two examples	47
5 <i>Rhodophyta (red algae)</i>	48
The principal characteristics of the Rhodophyta	48
Size and distribution of the division	48
Structure and properties of red algae	49
Subdivision of the Rhodophyta into classes and orders	62
Rhodophyta: Class 1. Bangiophyceae	62
Rhodophyta: Class 2. Florideophyceae	70
Phylogenetic reflections on the Rhodophyta	95
6 <i>Heterokontophyta: Classes</i>	102
<i>(1) Chrysophyceae, (2) Parmophyceae,</i>	
<i>and (3) Sarcinochrysidophyceae</i>	
The principal features of the Heterokontophyta	102
The principal characteristics of the Chrysophyceae	103
Size and distribution of the class	104
<i>Ochromonas</i> : a typical member of the Chrysophyceae	105
Sexual reproduction in the Chrysophyceae	115
Nutrition	116
The various levels of organization present in the Chrysophyceae	117
The subdivision of the Chrysophyceae into orders	119
Some marine relatives of the Chrysophyceae: the genus <i>Pelagococcus</i> and the orders Parmales (class Parmophyceae) and Sarcinochrysidales (class Sarcinochrysidophyceae)	121
7 <i>Heterokontophyta: Class</i>	123
<i>Xanthophyceae</i>	
The principal characteristics of the Xanthophyceae	123
Size and distribution of the class	124
The zoospore of <i>Tribonema</i> : a typical flagellate xanthophycean cell	124
Reproduction	126
The various levels of organization in the Xanthophyceae	126
The subdivision of the Xanthophyceae into orders	129

8	<i>Heterokontophyta: Class</i>	130
	<i>Eustigmatophyceae</i>	
	The principal characteristics of the Eustigmatophyceae	130
	Some examples of Eustigmatophyceae	131
9	<i>Heterokontophyta: Class</i>	133
	<i>Bacillariophyceae (= Diatomophyceae; the diatoms)</i>	
	The principal characteristics of the Bacillariophyceae	133
	Size and distribution of the class	134
	The characteristics of diatoms	137
	Classification within the Bacillariophyceae	148
	Order Pennales: the life cycle of <i>Eunotia arcus</i> and examples	148
	Order Centrales: the life cycle of <i>Stephanopyxis turris</i> and examples	152
10	<i>Heterokontophyta: Class</i>	160
	<i>Raphidophyceae</i>	
	The principal characteristics of the Raphidophyceae	160
	Size and distribution of the class	161
	Some examples of Raphidophyceae	162
11	<i>Heterokontophyta: Class</i>	163
	<i>Dictyochophyceae</i>	
	The principal characteristics of the Dictyochophyceae	163
12	<i>Heterokontophyta: Class</i>	165
	<i>Phaeophyceae (brown algae)</i>	
	The principal characteristics of the Phaeophyceae	165
	Size and distribution of the class	166
	Features of the brown algae	167
	The subdivision of the class Phaeophyceae	175
13	<i>Reflections on the phylogeny of the Heterokontophyta</i>	210
	Heterotrophic Heterokontophyta	210
	The origin of the heterokontophyte chloroplast as a eukaryotic endosymbiont	211

Evidence from macromolecules for the phylogenetic coherence ('naturalness') of the Heterokontophyta	211
The fossil record	212
A speculative phylogenetic tree of the Heterokontophyta, based on comparative morphology	213
Speculations about the phylogeny of the Phaeophyceae (brown algae)	213
14 <i>Haptophyta</i> (= <i>Prymnesiophyta</i>)	219
The principal characteristics of the Haptophyta	219
General observations	223
Size and distribution of the division	226
Some examples of Haptophyta	230
The subdivision of the Haptophyceae into orders	234
15 <i>Cryptophyta</i>	235
The principal characteristics of the Cryptophyta	235
General observations	240
Size and distribution of the class	241
16 <i>Dinophyta</i>	244
The principal characteristics of the Dinophyta	244
Size and distribution of the division	246
General features of the Dinophyta	247
Levels of organization in the Dinophyta	276
Subdivision of the class Dinophyceae	277
Phylogeny	281
17 <i>Euglenophyta</i>	287
The principal characteristics of the Euglenophyta	287
Size and distribution of the division	289
<i>Euglena</i> : the 'archetype' of the Euglenophyta	290
<i>Astasia</i> : a colourless member of the Euglenophyta	295
The subdivision of the Euglenophyceae into orders	295
18 <i>Chlorarachniophyta</i>	297
The principal characteristics of the Chlorarachniophyta	297

19 Chlorophyta (green algae)	300
The principal characteristics of the Chlorophyta	300
Size and distribution of the division	301
The structure and characteristics of the Chlorophyta: their use for the separation of classes	302
Types of flagellate cell architecture in the Chlorophyta I. The cruciate 1 o'clock – 7 o'clock type: <i>Chlamydomonas</i> , a free-living unicellular flagellate chlorophyte	302
Types of flagellate cell architecture in the Chlorophyta II. The cruciate prasinophycean type: <i>Pyramimonas</i> , another free-living unicellular flagellate	313
Types of flagellate cell architecture in the Chlorophyta III. The cruciate 11 o'clock – 5 o'clock type: the biflagellate gamete of the multicellular chlorophyte <i>Acrosiphonia</i>	320
Types of flagellate cell architecture in the Chlorophyta IV. The unilateral type: the biflagellate zoospore of the unicellular chlorophyte <i>Chaetosphaeridium</i>	321
Types of mitosis and cytokinesis in the Chlorophyta I. <i>Pyramimonas</i> , a unicellular flagellate: open mitosis with a persistent telophase spindle; cytokinesis effected by a cleavage furrow	323
Types of mitosis and cytokinesis in the Chlorophyta II. <i>Chlamydomonas</i> , another unicellular flagellate: closed mitosis with a non-persistent telophase spindle; cytokinesis effected by a cleavage furrow operating within a phycoplast	325
Types of mitosis and cytokinesis in the Chlorophyta III. <i>Cylindrocapsa</i> , an example of the order Chlorococcales: closed mitosis with a non- persistent telophase spindle; cytokinesis effected by a cell plate of smooth endoplasmic reticulum (ER) vesicles within a phycoplast	327
Types of mitosis and cytokinesis in the Chlorophyta IV. <i>Uronema</i> , an example of the order Chaetophorales: closed mitosis with a non- persistent telophase spindle; cytokinesis effected by a cell plate of golgi-derived vesicles within a phycoplast	328
Types of mitosis and cytokinesis in the Chlorophyta V. <i>Ulothrix</i> , an example of the class Ulvophyceae with uninucleate cells: closed mitosis with a persistent telophase spindle; cytokinesis effected by a cleavage furrow, to which golgi-derived vesicles are added	330

Types of mitosis and cytokinesis in the Chlorophyta VI. <i>Valonia</i> , an example of the class Cladophorophyceae with multinucleate cells: closed mitosis with a prominent persistent telophase spindle, which gives the telophase nucleus a characteristic dumbbell shape; mitosis not immediately followed by cytokinesis	332
Types of mitosis and cytokinesis in the Chlorophyta VII. <i>Klebsormidium</i> , an example of the class Klebsormidiophyceae (order Klebsormidiales): open mitosis with a prominent persistent telophase spindle; cytokinesis effected by a cleavage furrow	333
Types of mitosis and cytokinesis in the Chlorophyta VIII. <i>Coleochaete</i> , a second example of the class Klebsormidiophyceae (order Coleochaetales): open mitosis with a prominent persistent telophase spindle; cytokinesis effected through the formation of a cell plate of golgi vesicles in a phragmoplast	334
Levels of organization of the chlorophyte thallus	334
Pigments and chloroplasts	337
Storage products	338
Cell wall structure	338
Types of life history in green algae	339
Subdivision of the Chlorophyta into classes and orders	340
Note added in proof	340
20 Chlorophyta: Class 1. Prasinophyceae	342
The principal characteristics of the Prasinophyceae	342
Size and distribution of the class	343
Examples of Prasinophyceae	344
The subdivision of the Prasinophyceae into orders	348
21 Chlorophyta: Class 2. Chlorophyceae	349
The principal characteristics of the Chlorophyceae	349
Size and distribution of the class	350
Order Volvocales	350
Order Chlorococcales	360
Order Chaetophorales <i>sensu stricto</i>	378
Order Oedogoniales	382
22 Chlorophyta: Class 3. Ulvophyceae	391
The principal characteristics of the Ulvophyceae	391
Size and distribution of the class	392

Order Codiolales	392
Order Ulvales	402
23 <i>Chlorophyta: Class 4.</i>	408
<i>Cladophorophyceae</i>	
The principal characteristics of the <i>Cladophorophyceae</i>	408
Examples of the class <i>Cladophorophyceae</i>	413
24 <i>Chlorophyta: Class 5.</i>	419
<i>Bryopsidophyceae</i>	
The principal characteristics of the <i>Bryopsidophyceae</i>	419
Order <i>Bryopsidales</i>	426
Order <i>Halimadales</i>	431
25 <i>Chlorophyta: Class 6.</i>	436
<i>Dasycladophyceae</i>	
The principal characteristics of the <i>Dasycladophyceae</i>	436
Examples of the order <i>Dasycladales</i>	439
26 <i>Chlorophyta: Class 7.</i>	445
<i>Trentepohliophyceae</i>	
The principal characteristics of the <i>Trentepohliophyceae</i>	445
27 <i>Chlorophyta: Class 8.</i>	448
<i>Pleurastrorphyceae, and the order</i> <i>Prasiolales (Appendix to the classes</i> <i>with an 11 o'clock – 5 o'clock</i> <i>configuration of the basal bodies)</i>	
Class 8. <i>Pleurastrorphyceae</i> : one order (<i>Pleurastrales</i>)	449
Order <i>Prasiolales</i> (classification of this group at the class level is as yet impossible)	452
28 <i>Chlorophyta: Class 9.</i>	455
<i>Klebsormidiophyceae</i>	
The principal characteristics of the <i>Klebsormidiophyceae</i>	455

Order Klebsormidiales	457
Order Coleochaetales	460
29 <i>Chlorophyta: Class 10.</i>	461
<i>Zygnematophyceae</i>	
The principal characteristics of the Zygnematophyceae	461
Size and distribution of the class	463
Order Zygnematales	463
Order Desmidiiales	468
30 <i>Chlorophyta: Class 11. Charophyceae</i>	474
The principal characteristics of the Charophyceae	474
Size and distribution of the class	476
Five examples of the order Charales	477
31 <i>Reflections on the phylogeny of the</i>	483
<i>Chlorophyta</i>	
Traditional classifications of the Chlorophyta	483
A new classification of the Chlorophyta	483
Fossil evidence	489

Macromolecular evidence	489
Chloroplast genomes in green plants	491
Single copy DNA–DNA hybridization	493
Conclusions	494
32 <i>Phylogenetic reflections on the algae</i>	496
The fossil record	496
An 18S rRNA phylogenetic tree	497
A 28S rRNA phylogenetic tree	499
The endosymbiont hypothesis	503
The origin of chloroplasts: monophyletic or polyphyletic?	504
Synthesis: an integrated phylogenetic tree for eukaryotes and chloroplasts	506
<i>Glossary</i>	513
<i>References</i>	532
<i>Species index</i>	609
<i>General index</i>	614