

Contents

| | |
|---|-----|
| Executive summary | xv |
| 1. Introduction | 1 |
| 2. Methodology | 3 |
| 2.1 Design of the WHO Multicentre Growth Reference Study | 3 |
| 2.2 Anthropometry methods | 3 |
| 2.3 Sample description | 4 |
| 2.4 Data cleaning procedures and exclusions | 5 |
| 2.5 Statistical methods for constructing the growth curves | 6 |
| 3. Construction of the head circumference-for-age standards | 7 |
| 3.1 Indicator-specific methodology | 7 |
| 3.2 Head circumference-for-age for boys | 7 |
| 3.2.1 Sample size | 7 |
| 3.2.2 Model selection and results | 7 |
| 3.2.3 WHO standards | 20 |
| Charts | 21 |
| Tables | 23 |
| 3.3 Head circumference-for-age for girls | 31 |
| 3.3.1 Sample size | 31 |
| 3.3.2 Model selection and results | 31 |
| 3.3.3 WHO standards | 43 |
| Charts | 44 |
| Tables | 46 |
| 3.4 Comparisons between boys and girls | 54 |
| 3.4.1 WHO | 55 |
| 4. Construction of the arm circumference-for-age standards | 57 |
| 4.1 Indicator-specific methodology | 57 |
| 4.2 Arm circumference-for-age for boys | 57 |
| 4.2.1 Sample size | 57 |
| 4.2.2 Model selection and results | 57 |
| 4.2.3 WHO standards | 72 |
| Charts | 73 |
| Tables | 75 |
| 4.3 Arm circumference-for-age for girls | 81 |
| 4.3.1 Sample size | 81 |
| 4.3.2 Model selection and results | 81 |
| 4.3.3 WHO standards | 96 |
| Charts | 97 |
| Tables | 99 |
| 4.4 Comparisons between boys and girls | 105 |
| 4.4.1 WHO | 106 |
| 5. Construction of the triceps skinfold-for-age standards | 107 |
| 5.1 Indicator-specific methodology | 107 |
| 5.2 Triceps skinfold-for-age for boys | 107 |
| 5.2.1 Sample size | 107 |
| 5.2.2 Model selection and results | 107 |
| 5.2.3 WHO standards | 122 |
| Charts | 123 |
| Tables | 125 |
| 5.3 Triceps skinfold-for-age for girls | 131 |
| 5.3.1 Sample size | 131 |

| | |
|--|-----|
| 5.3.2 Model selection and results | 131 |
| 5.3.3 WHO standards | 145 |
| Charts | 146 |
| Tables | 148 |
| 5.4 Comparisons between boys and girls | 154 |
| 5.4.1 WHO | 155 |
| 6. Construction of the subscapular skinfold-for-age standards | 157 |
| 6.1 Indicator-specific methodology | 157 |
| 6.2 Subscapular skinfold-for-age for boys | 157 |
| 6.2.1 Sample size..... | 157 |
| 6.2.2 Model selection and results | 157 |
| 6.2.3 WHO standards | 172 |
| Charts | 173 |
| Tables | 175 |
| 6.3 Subscapular skinfold-for-age for girls..... | 181 |
| 6.3.1 Sample size..... | 181 |
| 6.3.2 Model selection and results | 181 |
| 6.3.3 WHO standards | 198 |
| Charts | 199 |
| Tables | 201 |
| 6.4 Comparisons between boys and girls | 207 |
| 6.4.1 WHO | 208 |
| 7. Computation of centiles and z-scores for head circumference-for-age, arm circumference -for-age, triceps skinfold-for-age, subscapular skinfold-for-age..... | 209 |
| 8. Conclusion..... | 213 |
| 9. Bibliography..... | 215 |
| Appendix A. Model specifications of the WHO child growth standards..... | 217 |