

THE IMPORTANCE AND HISTORY OF FISHERY IN OPEN WATERS

J. Vostradovský

13

| | |
|---|----|
| 2.1. Archival documents and fishery exhibits that are to be found in museums in the Czech Republic as well as in neighbouring countries | 16 |
| 2.2. The beginning of domestication of wild fish | 16 |
| 2.3. Fish depicted in symbols and legends | 17 |
| 2.4. Historical importance of fish | 18 |
| 2.5. Development of fishing on Czech rivers | 19 |
| 2.6. Atlantic salmon in Bohemia | 22 |
| 2.7. Historical methods of fishing in open waters | 24 |
| 2.8. Expansion of artificial reproduction, stocking and introduction of fish | 25 |
| 2.9. The end of capture fisheries in the Czech territory | 26 |
| 2.10. Angling (sport, recreational fishing) | 27 |
| 2.11. Organization and angling associations, the beginning of legislation | 28 |

OPEN WATERS AND THEIR CHARACTERISTICS

J. Kubečka, P. Horký, M. Prchalová, T. Jůza, D. Boukal, O. Slavík

31

| | |
|--|----|
| 3.1. Basic division of open waters (<i>J. Kubečka</i>) | 33 |
| 3.1.1. Running waters | 33 |
| 3.1.2. Lentic waters created by geological river activity (river pools) | 38 |
| 3.1.3. Draining and irrigation channels | 39 |
| 3.1.4. Lentic waters | 39 |
| 3.2. Fish communities in open waters (<i>P. Horký</i>) | 41 |
| 3.2.1. Variability of fish communities | 41 |
| 3.2.2. Hypotheses explaining variability within composition of communities | 41 |
| 3.2.3. Parameters suitable for typology of fish communities in the Czech Republic | 42 |
| 3.2.4. Typical fish communities | 43 |
| 3.3. The Water Framework Directive (2000/60/EC) and its impact on fishery management within running surface waters (<i>P. Horký</i>) | 52 |
| 3.3.1. History and development of the Water Framework Directive | 52 |
| 3.3.2. Scope of the Water Framework Directive | 52 |
| 3.3.3. The fundamental procedures of the Water Framework Directive – running waters | 53 |
| 3.3.4. Impact of the Water Framework Directive on fishery management | 54 |
| 3.4. The Water Framework Directive (2000/60/EC) and its impact on fishery management within lentic surface waters (<i>M. Prchalová, J. Kubečka, J. Peterka, T. Jůza</i>) | 56 |
| 3.4.1. Typology of lentic waters | 56 |
| 3.4.2. Ecological quality of lentic waters – anthropogenic stressors and quality enhancement | 61 |
| 3.4.3. Assessment of fish communities in lentic waters | 63 |
| 3.5. Formation of new aquatic ecosystems – reservoirs, post-mining lakes (<i>J. Peterka, J. Kubečka</i>) | 70 |
| 3.5.1. Succession – natural development | 70 |
| 3.5.2. Lakes (mostly artificial in the Czech territory) | 72 |
| 3.5.3. Valley reservoirs | 75 |

| | |
|---|-----|
| 3.6. Fish population dynamics (<i>D. Boukal, J. Kubečka</i>) | 82 |
| 3.6.1. Population dynamics: basic principles and factors affecting population size | 82 |
| 3.6.2. Basic characteristics and processes influencing population size | 82 |
| 3.6.3. Individual growth | 84 |
| 3.6.4. Fecundity and reproduction | 85 |
| 3.6.5. Survival and mortality | 88 |
| 3.6.6. Population dynamics: models based on total abundance | 90 |
| 3.6.7. Population dynamics: age- and size-structured models | 91 |
| 3.6.8. Biomass dynamics and production: year-class models | 92 |
| 3.6.9. Population dynamics of harvested populations | 94 |
| 3.6.10. Ecological and evolutionary impacts of fishing | 96 |
| 3.7. Spatial distribution of fish in running waters (<i>O. Slavík</i>) | 100 |
| 3.7.1. Home range, core area and territory | 100 |
| 3.7.2. The abundance of fish in a stream | 101 |
| 3.7.3. A phenomenon called shelter | 102 |
| 3.7.4. Fish movement activity | 103 |
| 3.8. Fish migrations and fishways (<i>O. Slavík</i>) | 108 |
| 3.8.1. Definition of migration and its reasons | 108 |
| 3.8.2. An example of variability of brown trout migrations | 109 |
| 3.8.3. Migrations of other fish species | 110 |
| 3.8.4. Fishways and their monitoring | 111 |
| 3.8.5. Diadromy, potamodromy and the concept of river network restoration in the Czech Republic | 120 |

FISHERY MANAGEMENT IN OPEN WATERS

P. Horký, J. Kubečka, T. Jůza, M. Prchalová, O. Slavík, M. Hladík, D. Boukal, T. Randák,
M. Vašek, Z. Adámek, J. Andreji, P. Dvořák, J. Turek, J. Musil

4 127

| | |
|--|-----|
| 4.1. The basic analyses of populations of fish communities in streams (P. Horký) | 129 |
| 4.1.1. Data collection | 129 |
| 4.1.2. Basic analyses | 131 |
| 4.1.3. Ecological status assessment according to the Water Framework Directive | 131 |
| 4.1.4. The applied use of analyses of fish communities | 133 |
| 4.2. The basic analyses of populations and spatial distribution of fish communities in lakes and reservoirs (J. Kubečka, T. Jůza, M. Prchalová) | 137 |
| 4.2.1. Methods for determining the amount of fish, estimation of fish stocks | 137 |
| 4.2.2. Typology of lentic water habitats | 144 |
| 4.2.3. Species diversity and dominance | 146 |
| 4.2.4. Sex, size and age composition | 148 |
| 4.2.5. Relative abundance and biomass | 151 |
| 4.3. Fish stocking and fishery management (O. Slavík) | 154 |
| 4.3.1. Stocking of hatchery-reared fish | 154 |
| 4.3.2. "Dear enemy" theory, kinship, and familiarity | 155 |
| 4.3.3. Efficient support of wild fish populations by means of fishery management | 156 |
| 4.4. Principles of management in fishing grounds (M. Hladík) | 158 |
| 4.4.1. Legal aspect of management in fishing grounds | 158 |
| 4.4.2. Organization of management in fishing grounds | 160 |

| | |
|--|-----|
| 4.5. Fishery management in non-salmonid fishing grounds (<i>J. Kubečka, D. Boukal, M. Hladík</i>) | 170 |
| 4.5.1. Limnological basis of management in standing waters | 170 |
| 4.5.2. Current fishery management in non-salmonid grounds | 171 |
| 4.6. Fishery management in salmonid fishing grounds (<i>T. Randák</i>) | 178 |
| 4.6.1. Methods of current fishery management in salmonid waters | 180 |
| 4.6.2. The causes of decrease in brown trout and grayling populations | 182 |
| 4.6.3. Stabilization and support of native salmonid species in salmonid grounds | 189 |
| 4.7. Food-web manipulation by fish stock management (<i>M. Vašek, Z. Adámek, J. Kubečka</i>) | 206 |
| 4.7.1. Biomanipulation | 206 |
| 4.7.2. Nutrient loading and limits of successful biomanipulation | 206 |
| 4.7.3. Fish stock status | 208 |
| 4.7.4. Methods of fish stock management | 209 |
| 4.7.5. Supporting biomanipulation measures | 214 |
| 4.7.6. Biomelioration | 216 |
| 4.8. Breeding of stocks for open waters and their stocking (<i>J. Andrejí, P. Dvořák, T. Randák, J. Turek</i>) | 219 |
| 4.8.1. Brown trout (<i>Salmo trutta m. fario</i>) and European grayling (<i>Thymallus thymallus</i>) | 219 |
| 4.8.2. Rainbow trout (<i>Oncorhynchus mykiss</i>) and brook trout (<i>Salvelinus fontinalis</i>) | 221 |
| 4.8.3. Asp (<i>Aspius aspius</i>) | 222 |
| 4.8.4. Pikeperch (<i>Sander lucioperca</i>) | 223 |
| 4.8.5. Common bream (<i>Abramis brama</i>) | 225 |
| 4.8.6. Gudgeon (<i>Gobio gobio</i>) | 226 |
| 4.8.7. Ide (<i>Leuciscus idus</i>) | 227 |
| 4.8.8. Chub (<i>Squalius cephalus</i>) | 228 |
| 4.8.9. Common carp (<i>Cyprinus carpio</i>) | 229 |
| 4.8.10. Tench (<i>Tinca tinca</i>) | 230 |
| 4.8.11. Burbot (<i>Lota lota</i>) | 231 |
| 4.8.12. European perch (<i>Perca fluviatilis</i>) | 233 |
| 4.8.13. Largemouth black bass (<i>Micropterus salmoides</i>) | 234 |
| 4.8.14. Common nase (<i>Chondrostoma nasus</i>) | 234 |
| 4.8.15. Barbel (<i>Barbus barbus</i>) | 236 |
| 4.8.16. Rudd (<i>Scardinius erythrophthalmus</i>) | 238 |
| 4.8.17. Vimba bream (<i>Vimba vimba</i>) | 238 |
| 4.8.18. Eurasian minnow (<i>Phoxinus phoxinus</i>) | 239 |
| 4.8.19. Wels catfish (<i>Silurus glanis</i>) | 240 |
| 4.8.20. Northern pike (<i>Esox lucius</i>) | 241 |
| 4.8.21. Silver carp (<i>Hypophthalmichthys molitrix</i>) | 242 |
| 4.8.22. Bighead carp (<i>Hypophthalmichthys nobilis</i>) | 242 |
| 4.8.23. Grass carp (<i>Ctenopharyngodon idella</i>) | 243 |
| 4.8.24. European eel (<i>Anguilla anguilla</i>) | 244 |
| 4.9. Protection of fish and lampreys in Europe and in the Czech Republic (<i>J. Musil</i>) | 250 |
| 4.9.1. Species diversity | 250 |
| 4.9.2. The most significant anthropogenic pressures endangering freshwater fish | 252 |
| 4.9.3. The Red list of endangered species | 265 |
| 4.9.4. Legislative framework relating to the conservation of freshwater fish | 270 |
| 4.9.5. International Action plans for important diadromous species | 275 |

| | |
|---|-----|
| 4.10. Marking fish (<i>J. Turek</i>) | 285 |
| 4.10.1. Use of differences in morphological traits | 285 |
| 4.10.2. Amputation (perforation) of fins | 286 |
| 4.10.3. The cryogenic method (marking by liquid nitrogen) | 286 |
| 4.10.4. Attached tags, discs, etc. | 286 |
| 4.10.5. Visible implant elastomer (VIE) tags | 286 |
| 4.10.6. Visible implant alpha (VIA) tags | 288 |
| 4.10.7. Coded wire tags (CWT) | 289 |
| 4.10.8. Radio frequency identification systems (RFID) | 289 |
| 4.10.9 Radio telemetry | 290 |

ADVERSE HUMAN IMPACTS UPON FISH COMMUNITIES IN OPEN WATERS AND THE POSSIBILITIES OF THEIR ELIMINATION

5

293

Z. Adámek, P. Dvořák, J. Andrejí, T. Randák

| | |
|--|-----|
| 5.1. Hydrotechnical interventions into biological processes in open waters (Z. Adámek) | 295 |
| 5.1.1. Alterations of the hydrologic regime in streams | 295 |
| 5.1.2. Impact of water constructions | 300 |
| 5.2. Restoration of damaged aquatic ecosystems (Z. Adámek) | 310 |
| 5.2.1. Determination of ecologically acceptable minimum discharges and alterations to hydrologic regime | 310 |
| 5.2.2. Restoration of outflow rates | 311 |
| 5.3. Protection of migrating fish (P. Dvořák, J. Andrejí) | 314 |
| 5.3.1. Impact of operation of hydroelectric power stations on fish | 314 |
| 5.3.2. Fish barriers and their function | 315 |
| 5.4. Piscivorous predators and their impact on fish populations in fishing grounds (Z. Adámek) | 328 |
| 5.4.1. Great cormorant (<i>Phalacrocorax carbo sinensis</i>) | 328 |
| 5.4.2. European otter (<i>Lutra lutra</i>) | 334 |
| 5.4.3. American mink (<i>Mustela vison</i>) | 337 |
| 5.4.4. Common kingfisher (<i>Alcedo atthis</i>) | 338 |
| 5.4.5. Black stork (<i>Ciconia nigra</i>) | 338 |
| 5.4.6. Assessment and compensation for damage caused by piscivorous predators | 338 |
| 5.5. Pollution of aquatic environment and its impact on fish (T. Randák) | 341 |
| 5.5.1. Toxic metals | 343 |
| 5.5.2. Polychlorine biphenyls (PCB) and organochlorine pesticides (OCP) | 344 |
| 5.5.3. Extraneous substances in fish meat in important fishing grounds in the territory of the Czech Republic | 345 |
| 5.5.4. Impact of common municipal sources of environmental pollution on fish | 350 |
| 5.5.5. Accidental pollution | 353 |

FISH CAPTURE METHODS IN OPEN WATERS

J. Turek, M. Kratochvíl, T. Jůza, J. Kubečka, M. Prchalová, J. Peterka

6**359**

| | |
|--|-----|
| 6.1. Electrofishing (J. Turek, M. Kratochvíl) | 361 |
| 6.1.1. Importance and use of electrofishing | 361 |
| 6.1.2. The legislation of electrofishing | 361 |
| 6.1.3. Basic components of the electrofishing gear and the types of used devices | 362 |
| 6.1.4. Occupational safety while electrofishing | 363 |
| 6.1.5. Effect of electric current on fish | 363 |
| 6.1.6. Electrofishing – wading and fishing from the bank | 364 |
| 6.1.7. Electrofishing in running and lentic waters with boats | 368 |
| 6.2. Fish sampling using nets (T. Jůza, J. Kubečka, M. Prchalová, J. Peterka) | 375 |
| 6.2.1. Active fishing tools | 375 |
| 6.2.2. Passive fishing tools | 385 |

ORGANISATION OF ANGLING

M. Hladík

393**INDEX****8****407****ACKNOWLEDGEMENT AND ABSTRACT****9****417****AUTHORS****10****421**