

## CONTENTS

### POINT OF VIEW

- 717 Ecologically realistic modalities in arthropod supercooling point distributions — T.C. HAWES, J.S. BALE, P. CONVEY & R. WORLAND

### ARTICLES

- 725 Geographical versus food plant differentiation in populations of *Maculinea alcon* (Lepidoptera: Lycaenidae) in Northern Hungary — J. BEREZKI, K. PECSENYE & Z. VARGA
- 733 Diapause completion in the almond seed wasp, *Eurytoma amygdali* (Hymenoptera: Eurytomidae) following early low temperature treatment — J.T. MARGARITPOULOS & M.E. TZANAKAKIS
- 743 Seasonal wing dimorphism and life cycle of the mole cricket *Gryllotalpa orientalis* (Orthoptera: Gryllotalpidae) — C. ENDO
- 751 Mating competition and parentage assessment in *Ptomascopus morio* (Coleoptera: Silphidae): A case for resource defense polygyny — S. SUZUKI, M. NAGANO & N. KOBAYASHI
- 757 Oviposition-detering effects of conspecific and heterospecific larval tracks on *Cheilomenes sexmaculata* (Coleoptera: Coccinellidae) — Z. RŮŽIČKA
- 765 Oviposition at low temperatures – late season negatively affects the leaf beetle *Galeruca tanacetii* (Coleoptera: Galerucinae) but not its specialised egg parasitoid *Oomyzus galerucivorus* (Hymenoptera: Eulophidae) — T. MEINERS, B. RANDLKOFER & E. OBERMAIER
- 771 Pollen preference of the *Chrysoperla* species (Neuroptera: Chrysopidae) occurring in the crop environment in western France — J. VILLENAVE, B. DEUTSCH, T. LODÉ & E. RAT-MORRIS
- 779 Western flower thrips (Thysanoptera: Thripidae) preference for thrips-damaged leaves over fresh leaves enables uptake of symbiotic gut bacteria — E.J. DE VRIES, R.A. VOS, G. JACOBS & J.A.J. BREEUWER
- 787 Effect of temperature on the life history of *Encarsia bimaculata* (Hymenoptera: Aphelinidae), a parasitoid of *Bemisia tabaci* (Hemiptera: Aleyrodidae) — B.-L. QIU, P.J. DE BARRO, C.-X. XU & S.-X. REN
- 793 Spatial variation in the incidence of a sexually transmitted parasite of the ladybird beetle *Adalia bipunctata* (Coleoptera: Coccinellidae) — K.M. WEBBERLEY, M.C. TINSLEY, J.J. SLOGGETT, M.E.N. MAJERUS & G.D.D. HURST
- 799 Prevalence and association of the laboulbenialean fungus *Hesperomyces virescens* (Laboulbeniales: Laboulbeniaceae) on coccinellid hosts (Coleoptera: Coccinellidae) in Kentucky, USA — J.D. HARWOOD, C. RICCI, R. ROMANI, K.M. PITZ, A. WEIR & J.J. OBRYCKI
- 805 Unique phenotypes and variation in the sex comb patterns and their evolutionary implications in the *Drosophila bipectinata* species complex (Diptera: Drosophilidae) — P.K. MISHRA & B.N. SINGH
- 817 Cockroach tergal glands producing female sex attractant pheromones and male aphrodisiacs in particular in the subfamily Blaberinae (Blattaria: Blaberidae) — L. SRENG
- 831 Descriptions of larvae of *Megadytes* (Coleoptera: Dytiscidae: Dytiscinae): The hypothesis of monophyletic origin revisited — M.C. MICHAT
- 843 Calling songs of sympatric and allopatric populations of *Cicada barbara* and *C. orni* (Hemiptera: Cicadidae) on the Iberian Peninsula — S.G. SEABRA, G. PINTO-JUMA & J.A. QUARTAU
- 853 Bioacoustics and systematics of the *Poecilimon heroicus*-group (Orthoptera: Phaneropteridae: Barbitistinae) — K.-G. HELLER, O.S. KORSUNOVSKAYA, H. SEVGILI & R.D. ZHANTIEV

### NOTE

- 867 Expression of the melittin gene of *Apis cerana cerana* (Hymenoptera: Apidae) in insect cells — W.-J. SHI, J.-A. CHENG & C.-X. ZHANG

Book reviews. . . . . 756, 764, 778, 816, 830, 866  
Erratum. . . . . 876