

CONTENTS

REVIEW

- 549 *Harmonia axyridis* (Coleoptera: Coccinellidae) as a host of the parasitic fungus *Hesperomyces virescens* (Ascomycota: Laboulbeniales, Laboulbeniaceae): A case report and short review — P. CERYNGIER & K. TWAROWSKA

ARTICLES

- 559 Antibacterial activity of lysozyme in the desert locust, *Schistocerca gregaria* (Orthoptera: Acrididae) — A.A. MOHAMED, M. ELMOGY, M.A. DORRAH, H.A. YOUSEF & T.T.M. BASSAL
- 567 Molecular analysis of the gut contents of *Harmonia axyridis* (Coleoptera: Coccinellidae) as a method for detecting intra-guild predation by this species on aphidophagous predators other than coccinellids — B. INGELS, A. AEBI, L. HAUTIER, T. VAN LEEUWEN & P. DE CLERCQ
- 577 The occurrence in the migratory locust, *Locusta migratoria* (Orthoptera: Acrididae), of a short-winged morph with no obvious fitness advantages over the long-winged morph — Y. NISHIDE & S. TANAKA
- 585 Diapause and post-diapause quiescence demonstrated in overwintering *Harmonia axyridis* (Coleoptera: Coccinellidae) in northwestern Europe — C.L. RAAK-VAN DEN BERG, P.W. DE JONG, L. HEMERIK & J.C. VAN LENTEREN
- 593 Coccinellidae captured in blacklight traps: Seasonal and diel pattern of the dominant species *Harmonia axyridis* (Coleoptera: Coccinellidae) — C.A. NALEPA
- 599 Effect of host species on larval growth differs between instars: The case of a geometrid moth (Lepidoptera: Geometridae) — H. VELLAU, S.-L. SANDRE & T. TAMMARU
- 605 Effect of temperature and species of plant on the consumption of leaves by three species of Orthoptera under laboratory conditions — S.A. ANTONATOS, N.G. EMMANUEL & A.A. FANTINOU
- 611 Utilization of the nutrients in the soluble and insoluble fractions of fungal mycelium by larvae of the stag beetle, *Dorcus rectus* (Coleoptera: Lucanidae) — M. TANAHASHI & K. KUBOTA
- 617 Relation between plant water status and *Macrosiphum euphorbiae* (Hemiptera: Aphididae) population dynamics on three cultivars of tomato — A.R. RIVELLI, V. TROTTA, I. TOMA, P. FANTI & D. BATTAGLIA
- 627 Causes of polymorphic melanism and its thermoregulatory function in a parasitoid wasp *Meteorus pulchricornis* (Hymenoptera: Braconidae) — Y. ABE, T. NISHIMURA & K. MAETO
- 633 A question of adaptability: Climate and habitat change lower trait diversity in butterfly communities in southwestern Germany — K.J. FILZ, M. WIEMERS, A. HERRIG, M. WEITZEL & T. SCHMITT
- 643 Molehills as important larval habitats for the grizzled skipper, *Pyrgus malvae* (Lepidoptera: Hesperiidae), in calcareous grasslands — M. STREITBERGER & T. FARTMANN
- 649 Patterns in diurnal co-occurrence in an assemblage of hoverflies (Diptera: Syrphidae) — M. D'AMEN, D. BIRTELE, L. ZAPONI & S. HARDERSEN
- 657 Spatial distribution of *Cynips quercusfolii* (Hymenoptera: Cynipidae) galls on leaves and within the crowns of oak trees — M.J. GIERTYCH, A.M. JAGODZIŃSKI & P. KAROLEWSKI
- 663 Phylogeny of quill mites of the family Syringophilidae (Acari: Prostigmata) based on their external morphology — M. SKORACKI, E. GŁOWSKA & A.V. BOCHKOV
- 677 Eastern Arc Mountains in Tanzania: Hic sunt Aenictopecheidae. The first genus and species of Afrotropical Aenictopecheidae (Hemiptera: Heteroptera: Enicocephalomorpha) — P. ŠTYS & P. BAŇAŘ
- 689 Patterns of hind-wing degeneration in Japanese riffle beetles (Coleoptera: Elmidae) — M. HAYASHI, S.D. SONG & T. SOTA

NOTE

- 699 First record of the harlequin ladybird, *Harmonia axyridis* (Coleoptera: Coccinellidae) in the Caucasus — N.A. BELYAKOVA & S.YA. REZNIK

- Book review 703
Contents Vol. 110, 2013 705