

CONTENTS

REVIEW

- 149 Biochemistry and biosynthesis of insect pigments — G. SHAMIM, S.K. RANJAN, D.M. PANDEY & R. RAMANI

ARTICLES

- 165 Karyotype evolution in progress: A new diploid number in *Belostoma candidulum* (Heteroptera: Belostomatidae) from Argentina leading to new insights into its ecology and evolution — M.G. CHIRINO & M.J. BRESSA
- 175 A goodbye letter to alcohol: An alternative method for field preservation of arthropod specimens and DNA suitable for mass collecting methods — P. POKLUDA, L. ČÍŽEK, E. STŘÍBRNÁ, L. DRAG, J. LUKEŠ & V. NOVOTNÝ
- 181 Inhibitory effects of plant extracts on growth, development and α -amylase activity in the red flour beetle *Tribolium castaneum* (Coleoptera: Tenebrionidae) — N. TATUN, B. VAJARASATHIRA, J. TUNGJITWITAYAKUL & S. SAKURAI
- 189 Comparison of the mating behaviour of a bush cricket in the laboratory and the field: Calling activity and mating frequency of a long-winged species, *Phaneroptera falcata* (Ensifera: Tettigoniidae) — J. SAMIETZ, J. SCHUMACHER & K. REINHARDT
- 199 Effect of temperature on population growth and life table parameters of *Nephus arcuatus* (Coleoptera: Coccinellidae) — S. ZARGHAMI, F. KOCHEILI, M.S. MOSSADEGH, H. ALLAHYARI & A. RASEKH
- 207 Does the prediction of the time of egg hatch of *Thaumetopoea processionea* (Lepidoptera: Notodontidae) using a frost day/temperature sum model provide evidence of an increasing temporal mismatch between the time of egg hatch and that of budburst of *Quercus robur* due to recent global warming? — E. WAGENHOFF, A. WAGENHOFF, R. BLUM, H. VEIT, D. ZAPF & H. DELB
- 217 Longevity of starved bumblebee queens (Hymenoptera: Apidae) is shorter at high than low temperatures — S.-R. VESTERLUND & J. SORVARI
- 221 Comparative suitability of aphids, thrips and mites as prey for the flower bug *Orius sauteri* (Hemiptera: Anthocoridae) — S. WANG, J.P. MICHAUD, X.-L. TAN & F. ZHANG
- 227 Invasive *Prunus serotina* — a new host for *Yponomeuta evonymellus* (Lepidoptera: Yponomeutidae)? — P. KAROLEWSKI, A.M. JAGODZIŃSKI, M.J. GIERTYCH, A. ŁUKOWSKI, E. BARANIAK & J. OLEKSYN
- 237 Aphid honeydew: An arrestant and a contact kairomone for *Episyphus balteatus* (Diptera: Syrphidae) larvae and adults — P.D. LEROY, R. ALMOHAMAD, S. ATTIA, Q. CAPELLA, F.J. VERHEGGEN, E. HAUBRUGE & F. FRANCIS
- 243 Shifted migration of the rape stem weevil *Ceutorhynchus napi* (Coleoptera: Curculionidae) linked to climate change — M. EICKERMANN, M. BEYER, K. GOERGEN, L. HOFFMANN & J. JUNK
- 251 Life table parameters of the woolly whitefly *Aleurothrixus floccosus* (Hemiptera: Aleyrodidae) and its parasitoid *Cales noacki* (Hymenoptera: Aphelinidae) — V. TELLO MERCADO, E. SOLIMANO FERNÁNDEZ & J.H. GILIOMEÉ
- 257 Functional response and predatory interactions in conspecific and heterospecific combinations of two congeneric species (Coleoptera: Coccinellidae) — B. KUMAR, G. MISHRA & OMKAR
- 267 The family Nicoletiidae in the Canary Islands, with description of new taxa (Insecta: Zygentoma) — R. MOLERO BALTANÁS, M. GAU RICART, N. LÓPEZ DOS SANTOS, P. OROMÍ & C. BACH DE ROCA
- 275 A comparison of the external morphology and functions of labial tip sensilla in semiaquatic bugs (Hemiptera: Heteroptera: Gerromorpha) — J. BROŽEK & H. ZETTEL
- 299 First fossil tooth-necked fungus beetle (Coleoptera: Derodontidae): *Juropelastica sinica* gen. n. sp. n. from the Middle Jurassic of China — C. CAI, J.F. LAWRENCE, A. ŚLIPIŃSKI & D. HUANG

NOTES

- 303 First cytogenetic study of Coleorrhyncha: Meiotic complement of *Xenophyes cascus* (Hemiptera: Peloridiidae) — S. GROZEEVA, V. KUZNETSOVA & V. HARTUNG
- 307 Prevalence of male-killer in a sympatric population of two sibling ladybird species, *Harmonia yedoensis* and *Harmonia axyridis* (Coleoptera: Coccinellidae) — S. NORIYUKI, Y. KAMEDA & N. OSAWA