

Contents

Foreword	iii
Committees	iv
Programme	1
Monday, July 25	3
Plenary presentations	9
Baird <i>et al.</i> : Introgression across the European house mouse hybrid zone: mouse genes, mitochondria and parasites	11
Bjørnstad: Causes and consequences of spatial synchrony in population dynamics – data, statistics and theory	12
Heckel: Very many and still too few? Charting the limits of vole diversification	13
Solomon: Dispatches from the field: intraspecific variability in prairie vole sociality	14
Oral presentations	15
Aghova <i>et al.</i> : Integrative phylogeography of rodents from Sudanian savanna	17
Amirmardfar: The amount of organic phosphates (like DPG) existing in blood is determining factor of mammal's bulk	18
Begall <i>et al.</i> : Do breeders and non-breeders in eusocial Ansell's mole-rats (<i>Fukomys anelli</i>) represent different personalities?	19
Benedek and Sîrbu: Which factors shape rodent communities' structure and diversity in the typical rural landscape of central Romania?	20
Bogdziewicz <i>et al.</i> : Negative effects of density on space use of small mammals differ with the phase of the masting-induced population cycle . .	21
Borowski <i>et al.</i> : The role of kinship in the formation of dormice aggregations in post breeding season	22
Borowski <i>et al.</i> : Experimental test of a trade-off between breeding dispersal and fitness in males of the root vole (<i>Microtus oeconomus</i>)	23
Bryja <i>et al.</i> : African rodents: from biodiversity surveys to general evolutionary models	24
Burda <i>et al.</i> : Mole-rats like it hot	25
Cerveira <i>et al.</i> : Reproduction, postnatal growth and development of two fossorial pine voles, <i>Microtus duodecimcostatus</i> and <i>M. lusitanicus</i> . . .	26
Çolak <i>et al.</i> : Notes about reproduction biology of <i>Nannospalax xanthodon</i> .	27

Contents

Costa <i>et al.</i> : Ecology and patterns of pathogenic <i>Leptospira</i> shedding of <i>Rattus norvegicus</i> from a Brazilian urban slum community	28
Chevret <i>et al.</i> : Phylogeography, genetic structure and morphological evolution of the house mouse on the Orkney Archipelago	29
Dabrowski <i>et al.</i> : How cold-tolerant species coped after the last glaciation: the case study of the <i>Microtus oeconomus</i> subspecies in Europe	30
Damugi <i>et al.</i> : Matrix population modelling of the common hamster life history	31
Debenedetti <i>et al.</i> : Rodents and parasites: what can they tell us about wildfires?	32
Debenedetti <i>et al.</i> : Wood mouse populations as biological tags of environmental disturbances – A twenty two-year study in a burned Mediterranean ecosystem	33
D’Elía <i>et al.</i> : A phylogenomic appraisal of the sigmodontine radiation (Cricetidae)	34
Dell’Agnello <i>et al.</i> : The diet of Savi’s pine vole: a new quantitative approach	35
Ecke and Hörnfeldt: Spatio-temporal patterns in the population dynamics of the field vole (<i>Microtus agrestis</i>) in Sweden	36
Fauteux <i>et al.</i> : Lethal and non-lethal effects of predation on arctic lemmings	37
Fichet-Calvet <i>et al.</i> : Lassa virus infection in <i>Mastomys natalensis</i> populations: abundance, prevalence and force of infection	38
Frynta <i>et al.</i> : Exploratory axes in personality of black rats: repeatability and mutual correspondence in open-field and hole-board tests	39
Gasperini <i>et al.</i> : Effects of forest management on density and survival in terrestrial small mammals	40
Ghazaryan <i>et al.</i> : New data on Armenian birch mouse	41
Goüy de Bellocq: Parasitism in the European house mouse hybrid zone . . .	42
Gromov and Anisimova: Reproductive success and fitness of male common voles	43
Guenther and Trillmich: Seasonality and the wild cavy: effects on physiology, reproduction and behaviour of a highly precocial rodent	44
Hánová <i>et al.</i> : Genetic-based modelling of population history and spread of the European ground squirrel (<i>Spermophilus citellus</i>)	45
Hein and Jacob: Recovery of common vole populations (<i>Microtus arvalis</i>) after population collapse	46
Henttonen <i>et al.</i> : Ecology of Puumala hantavirus in Finland	47
Herman <i>et al.</i> : Serial colonisation and natural selection in a common rodent, the Eurasian field vole	48
Horáček <i>et al.</i> : Rodents in Central Europe along the Pleistocene/Holocene transition	49
Hrouzková <i>et al.</i> : Seismic signals in subterranean rodents: how is it in spalacids	50
Imholt <i>et al.</i> : Synchrony of forest rodent abundance and relation to tree damage	51
Imholt <i>et al.</i> : Comparative hantavirus dynamics in two rodent reservoir species	52

Jannett, Jr.: Long-term population pattern, habitat, and trappability of the southern bog lemming (<i>Synaptomys cooperi</i>) at high population levels in the apparent absence of the northern bog lemming (<i>S. borealis</i>) . . .	53
Jeon <i>et al.</i> : Changes of rodent community and habitat structure with time elapse after thinning in Japanese larch (<i>Larix kaempferi</i>) plantations .	54
Kazanis <i>et al.</i> : Where does size matter? Common and different aspects in the life of adult neural stem cells in the mouse and the rat brain	55
Khalil <i>et al.</i> : A diverse ecosystem promotes human health: the dilution effect and Hantavirus infection	56
Kiefer and Kiefer: Plague foci in Mongolia	57
Koprowski: Montane mammals at risk of loss: squirrels as indicators of global change	58
Kotlík <i>et al.</i> : SNP versus mtDNA: genomic phylogeography of the bank vole in Europe	59
Krasnov and Khokhlova: How do parasites select their host species? Trait-based and phylogenetic associations between fleas and their small mammalian hosts in the Palearctic	60
Krásová <i>et al.</i> : Multilocus phylogeny of grey-bellied pygmy mouse (<i>Mus triton</i>) complex	61
Kuznetsova <i>et al.</i> : Seasonality in the physiology and reproduction of the common hamster from urban population	62
Li <i>et al.</i> : <i>Ochotona curzoniae</i> physiological adaptation to <i>Oxytropis ochrocephala</i> toxin	63
Lövy <i>et al.</i> : Soil preference in the speciating blind mole rats <i>Spalax galili</i> : do they prefer the fertile or the familiar?	64
Malewski <i>et al.</i> : Magnetoreception in rodents – new species, new methods .	65
Maltsev <i>et al.</i> : Phylogeography and phylogenetics of the eastern house mice (<i>Mus musculus</i>) based on polymorphisms of mitochondrial DNA . . .	66
Matur: A new hypothesis for the origin of cytotype diversity of blind mole rats in Anatolia	67
McDonough: On the use of next-generation sequencing technology and museum specimens to resolve African rodent systematics	68
Mikula <i>et al.</i> : Imprints of climate fluctuations in distribution of rodent diversity in the northern part of Zambeziian savanna	69
Mironova and Gromov: Structure of the natural hybrid zone between two chromosomal forms of common vole	70
Moreno <i>et al.</i> : Can ecological niche models predict the effect of climate change on endemic rodents?	71
Moshkin: Nasal construction protects rodent brain from inhaled dust and virus	72

Contents

Mühlböck and Sedláček: Food preference of the bank vole (<i>Clethrionomys glareolus</i>) and yellow-necked mouse (<i>Apodemus flavicollis</i>) in a laboratory experiment	73
Naderi <i>et al.</i> : Cranial morphometric analysis of the Transcaucasia mole vole in Iran and Caucasian region	74
Occhibove: Does biodiversity affect pathogens transmission? Testing dilution effect in Welsh wild rodent communities	75
Okrouhlík <i>et al.</i> : Huddling and socio-physiological effect in a social African mole-rat, the Mashona mole-rat (<i>Fukomys darlingi</i>)	76
Orozco and Cornejo: Integrated rodent pest management in the campaign against vole in the Local Board of Plant Health in El Valle Del Fuerte, Sin. Mexico	77
Özkurt and Kandemir: Morphometric, karyologic and mtDNA characterization of <i>Sciurus vulgaris</i> and <i>S. anomalus</i> in Turkey	78
Paulauskas <i>et al.</i> : Ticks and mites parasitising small rodents collected from different habitats in Curonian Spit, Lithuania	79
Petrová <i>et al.</i> : Increased productivity by large-sized individuals leads to high population density in the common hamster	80
Poplavskaya <i>et al.</i> : Molecular-genetic analysis of urban populations of common hamster (<i>Cricetus cricetus</i>)	81
Potashnikova and Feoktistova: The hormonal response of chinese hamster males exposed to con- and heterospecific olfactory signals	82
Pyzyna <i>et al.</i> : The efficacy of ContraPest [®] , a contraceptive bait, in the management of wild rats (<i>Rattus norvegicus</i> and <i>Rattus rattus</i>)	83
Renaud <i>et al.</i> : Bank voles in southern Eurasia: vicariance and adaptation	84
Rivarola and Simberloff: Categorization and effectiveness of protected areas: comparative study of small mammal communities in Nahuel-Huapi National Park, Argentina	85
Rodríguez-Pastor <i>et al.</i> : <i>Francisella tularensis</i> in a wild population of common vole (<i>Microtus arvalis</i>) from agricultural landscapes of SW Europe	86
Romaniuk and Herman: Rodent osteology from a zooarchaeological perspective – rodent skeletal remains from a Neolithic site at Skara Brae, Orkney, United Kingdom	87
Ruiz-Herrera <i>et al.</i> : Comparative genomics in rodents: genomic signatures of evolutionary reshuffling	88
Russell <i>et al.</i> : Phylogeography of invasive rats in New Zealand	89
Safavian <i>et al.</i> : Habitat structure can affect nocturnal activity pattern of jerboas: a comparison of semi-desert and mountainous areas of Iran	90
Sándor <i>et al.</i> : Rodents, ticks and pathogens: importance of host species and habitat for tick parasitism and pathogens carried by ticks of small mammals in Romania	91

Schlötterburg and Jacob: Maze runners: common voles (<i>Microtus arvalis</i>) in T-maze trials for identifying repelling or attracting substances	92
Sedláček <i>et al.</i> : On the determination of personality traits in the common vole	93
Shenbrot <i>et al.</i> : Phylogeography and taxonomy of the northern three-toed jerboa (<i>Dipus sagitta</i> Pallas, 1773) species complex	94
Smorkatcheva and Kuprina: Effect of social environment on female reproduction in the Zaisan mole-vole, <i>Ellobius tancrei</i>	95
Sousa <i>et al.</i> : Did climatic changes trapped Ctenodactylidae species on Sahara–Sahel mountains and shaped intraspecific genetic variation?	96
Sözen and Şenol: Population size estimates for <i>Apodemus</i> spp., <i>Myodes glareolus</i> , <i>Glis glis</i> and <i>Muscardinus avellanarius</i> inhabiting a deciduous forests in Zonguldak Province	97
Strážnická <i>et al.</i> : Gene–environment interaction in the bank vole (<i>Clethrionomys glareolus</i>	98
Šumbera <i>et al.</i> : Light or temperature; that is the question. Circadian rhythms of the silvery mole-rat (<i>Heliophobius argenteocinereus</i>)	99
Tagliapietra <i>et al.</i> : A recent outbreak of Dobrava-Belgrade hantavirus in a population of wild rodents in northern Italy: causes and implications .	100
Tchabovsky <i>et al.</i> : Species-specific response of desert rodents to human-induced landscape change from desert to steppe	101
Tkadlec and Pavlůvčík: The effects of vole population variability on annual productivity of barn owls: testing Jensen’s inequality using a predator–prey system	102
Torre <i>et al.</i> : A monitoring program for the edible dormouse (<i>Glis glis</i>) in the Iberian Peninsula	103
Torre <i>et al.</i> : A monitoring protocol for the Spanish small mammal biodiversity (SEMICE) in the light of environmental change	104
Ulrich <i>et al.</i> : Viral pathogens in exotic and indigenous squirrels, Central Europe	105
Verde Arregoitia: Rethinking omnivory in rodents	106
Vlasatá <i>et al.</i> : Spatial patterns of activity in the giant root-rat (<i>Tachyoryctes macrocephalus</i>), a fossorial rodent endemic to the Bale Mountains, Ethiopia	107
Wang: Geographical physiological adaptation in energy and water metabolism in Mongolian gerbils (<i>Meriones unguiculatus</i>)	108
Posters	109
Aghova <i>et al.</i> : Comparative phylogeography of the Somali-Maasai savanna in eastern Africa using small rodents as a model	111
Andreopoulou <i>et al.</i> : Comparison of neural stem cell activity in the adult brain of “lab” and “wild” mice	112

Contents

Asimakopoulos and Mitsainas: Preliminary results on the cytogenetic study of wild populations of the blind mole rat (<i>Nannospalax</i> , Spalacinae, Rodentia) in Greece.	113
Balčiauskas <i>et al.</i> : Reduction of body size in field vole (<i>Microtus agrestis</i>)	114
Belhocine and Gernigon-Spychalowicz: Matrilysin (MMP-7) immunodetection in the seminal vesicle of the Libyan jird (<i>Meriones libycus</i>) during the seasonal reproductive cycle and after orchietomy	115
Benazzoug <i>et al.</i> : Hyperhomocysteinemia, oxydative stress and remodeling of epididymis of Wistar rat	116
Benazzoug <i>et al.</i> : Pancreatic response to a hyperhomocysteinemia to the sand Rat, <i>Psammomys obesus</i>	117
Beteş <i>et al.</i> : Microsatellite-based genetic diversity of Turkish yellow-necked fieldmouse (<i>Apodemus flavicollis</i>) populations	118
Čanády and Krišovský: European beaver (<i>Castor fiber</i>) on the south-eastern Slovakia: first evidence of new migration route from Hungary	119
Cerveira <i>et al.</i> : Social transmission of food preferences in wild <i>Mus spretus</i>	120
Čepelka <i>et al.</i> : Effect of acorn crops on populations of yellow-necked mouse (<i>Apodemus flavicollis</i>) and bank vole <i>Clethrionomys glareolus</i>) in the South of Moravia between 2002 and 2012	121
Çolak <i>et al.</i> : Genetic structure of <i>Allactaga</i> (Mammalia: Rodentia) species distributed in Turkey inferred from the partial cytb gene	122
Çolak <i>et al.</i> : Phylogenetic relationships among Gliridae (Mammalia: Rodentia) species in Turkey and the Balkan Peninsula inferred from mitochondrial CO1 gene	123
D'Elía: Renal gene expression of the long-haired mouse <i>Abrothrix hirta</i> (Sigmodontinae) in contrasting environments of southern South America	124
Deutsch and Jacob: Population dynamics of common voles in a semi-natural, constant environment at an airport in eastern Germany	125
Farida <i>et al.</i> : Seasonal effects on the gonadal steroids receptors expression in the seminal vesicles of the Libyan jird: <i>Meriones libycus</i>	126
Folkertsma <i>et al.</i> : Searching for signatures of genetic adaptation to climate in microtine mammals	127
Franková <i>et al.</i> : Non-invasive fluorescent technology for monitoring of rodents	128
González-Barrio <i>et al.</i> : Prevalence of zoonotic pathogens in common vole (<i>Microtus arvalis</i>) during a demographic explosion	129
Hánová <i>et al.</i> : Molecular phylogeny of African striped grass mice (genus <i>Lemniscomys</i>)	130
Heroldová <i>et al.</i> : Rodent food quality and its relation to crops and other environmental and population parameters in an agricultural landscape	131

Heroldová <i>et al.</i> : Tula virus in the common voles (<i>Microtus arvalis</i>) in the Czech Republic	132
Heroldová <i>et al.</i> : Structure of small mammal communities on clearings in managed Central European forests	133
Hiadlovská <i>et al.</i> : Genes involved in intragenomic conflict and their copy number variations in wild-derived house mice	134
Hulejová Sládkovičová <i>et al.</i> : Influence of the habitat fragmentation on <i>Microtus oeconomus</i> performance in the Pannonian area where it has a status of the protected species	135
Iacucci <i>et al.</i> : The reconstruction of the phylogeography of an invasive species: tracing invasions routes of Norway rat (<i>Rattus norvegicus</i>) using mtDNA control region	136
Jovanović <i>et al.</i> : Revisited phylogeography of the yellow-necked mouse, <i>Apodemus flavicollis</i> (Melchior, 1834)	137
Junsoo <i>et al.</i> : Preliminary surveys of the small mammal fauna of the Natma Taung National Park (Mount Victoria) in Myanmar	138
Kiefer <i>et al.</i> : Does maternal size affect size of eggs and offspring in fleas? .	139
Kuprina <i>et al.</i> : Population genetic structure of the Northern mole vole, <i>Ellobius talpinus</i> , in the Novosibirsk region	140
Levy <i>et al.</i> : One, two, or six? Rethinking fossil muskrat taxonomy using molar morphology	141
Maltsev <i>et al.</i> : Cross-fostering of <i>Mus musculus</i> and <i>M. spicilegus</i> : effect on response to species odors	142
Manta and Mitsainas: New data on the Robertsonian system of the house mouse, <i>Mus musculus domesticus</i> (Rodentia: Muridae) from Peloponnese	143
McDonough <i>et al.</i> : Mammalian keratin as a useful source of high-quality DNA from museum specimens	144
Mizerovská <i>et al.</i> : Molecular phylogeny of the genus <i>Praomys</i> (Rodentia: Murinae) with an emphasis on <i>P. jacksoni</i> species complex	145
Naima and Abdelkrim: Transgelin: a specific molecular marker of physiological reproduction mechanisms from Saharan rodents	146
Notz <i>et al.</i> : Testing automated sensor traps for mammal field studies	147
Paniccia <i>et al.</i> : Structural niche overlap of two forest dormouse species: effects of imperfect detection on accuracy of estimates	148
Petružela <i>et al.</i> : Cophylogeny between rodents and their pathogens from genus <i>Pneumocystis</i>	149
Reil <i>et al.</i> : A Puumala virus rapid field test for rodents validated for application in Germany	150
Rekouti <i>et al.</i> : Preliminary results on the architecture and use of burrow systems by Thomas' pine vole, <i>Microtus thomasi</i> (Rodentia: Arvicolinae)	151

Contents

Rousseti and Mitsainas: Chromosomal variation of the house mouse, <i>Mus musculus domesticus</i> (Rodentia: Muridae), in E. Sterea Ellada, Greece, due to Robertsonian (Rb) fusions	152
Santamaría <i>et al.</i> : Landscape factors related with common vole burrow systems abundance in agrosystems of NW Spain	153
Selyunina: <i>Stylodipus telum</i> in Ukraine	154
Stanko <i>et al.</i> : Natural foci of bartonellosis and rickettsioses with an emphasis on communities of rodents and their ectoparasites	155
Straková <i>et al.</i> : Hantaviruses in <i>Microtus</i> voles	156
Suchomel <i>et al.</i> : Factors influencing vole bark damage intensity in managed mountain-forest plantations of Central Europe	157
Těšíková <i>et al.</i> : Murine cytomegalovirus in the European house mouse hybrid zone – from field work to genome characterization	158
Tumasian <i>et al.</i> : Conduction of hibernation of jerboas as a way for successful reproduction	159
Vale-Gonçalves <i>et al.</i> : The European snow vole (<i>Chionomys nivalis</i>) in Portugal: contributions to the species' distribution range and phylogeographic structure	160
Volodin <i>et al.</i> : The postnatal growth and physical development of fat-tailed gerbils <i>Pachyuromys duprasi</i> in the laboratory colony	161
Volodina <i>et al.</i> : Classification of discomfort-related ultrasonic calls in pup and adult fat-tailed gerbils <i>Pachyuromys duprasi</i>	162
Yalkovskaya <i>et al.</i> : The sibling species <i>Microtus arvalis</i> Pallas, 1779 and <i>M. rossiaemeridionalis</i> Ognev, 1924 in the cities in the Middle Urals: presence, features of distribution, parasite infestation	163
Zduniak and Lane: Climate-driven changes in phenology: standardized methods for monitoring of Sciuridae	164
Zhumabekova <i>et al.</i> : Species composition and landscape distribution of micro-mammalia in North-East Kazakhstan	165
List of Participants	167
Author Index	174