

CONTENTS

| | |
|--|----|
| PREFACE (R. Brázdil) | 5 |
| PŘEDMLUVA (R. Brázdil) | 7 |
| 1. ORGANIZATION AND ACTIVITY OF THE GEOGRAPHICAL EXPEDITION ON "SPITSBERGEN '85" (R. Brázdil, J. Klementowski, M. Konečný, J. Piasecki, P. Prošek, A. Szczepankiewicz-Szmyrka) | 11 |
| 2. PHYSICAL-GEOGRAPHICAL CONDITIONS OF THE WERENSKIOLD GLACIER REGION | 25 |
| 2.1. Fundamental geographical facts (R. Brázdil) | 25 |
| 2.2. History of discoveries and exploitations of the Hornsund region (R. Brázdil) . | 28 |
| References | 32 |
| 2.3. Geology, geomorphology and glaciology | 32 |
| 2.3.1. Pre-Quaternary geology (H. Chmal) | 32 |
| 2.3.2. Geomorphology (M. Konečný) | 35 |
| 2.3.2.1. Denudational forms | 35 |
| 2.3.2.2. Glacial forms | 40 |
| 2.3.2.3. Fluvioglacial and fluvial forms | 41 |
| 2.3.2.4. Forms of marine origin | 43 |
| 2.3.2.5. Nival and cryogene forms | 45 |
| 2.3.2.6. Biogene forms | 47 |
| 2.3.3. Glaciology (H. Chmal, M. Sobik) | 49 |
| 2.3.3.1. Morphometry of glaciers and its changes | 49 |
| 2.3.3.2. Snow accumulation | 52 |
| 2.3.3.3. Ablation | 53 |
| 2.3.3.4. Thermal regime | 53 |
| 2.3.3.5. Movement | 54 |
| References | 54 |
| 2.4. Climatology (J. Pereyma) | 55 |
| 2.4.1. General circulation conditions in the region of the southern Spitsbergen ... | 55 |
| 2.4.2. Air pressure and wind | 56 |
| 2.4.3. Radiation conditions | 57 |
| 2.4.4. Temperature conditions | 60 |
| 2.4.5. Air humidity | 63 |
| 2.4.6. Precipitation | 65 |
| 2.4.7. Conclusion | 68 |
| References | 68 |
| 2.5. Hydrology (J. Kida, J. Piasecki) | 69 |
| 2.5.1. Introduction | 69 |
| 2.5.2. Morphological and hydrological characterization of the catchments | 72 |

| | |
|---|-----|
| 2.5.2.1. The Werenskiold Glacier catchment | 72 |
| 2.5.2.2. The Brattegg River catchment | 75 |
| 2.5.3. Characterization of the hydrological regime in the Werenskiold Glacier and Brattegg River catchments | 77 |
| 2.5.3.1. The Glacial River of the Werenskiold Glacier catchment | 77 |
| 2.5.3.2. The Brattegg River | 82 |
| References | 86 |
| 2.6. Flora and fauna (R. Brázdil, J. Klementowski, P. Prošek) | 87 |
| 2.6.1. Flora | 87 |
| 2.6.1.1. Flora of the periglacial tundra | 88 |
| 2.6.1.1.1. Mosses | 89 |
| 2.6.1.1.2. Lichens | 90 |
| 2.6.1.1.3. Higher fungi | 96 |
| 2.6.1.1.4. Vascular plants | 96 |
| 2.6.1.2. Floral migration on the forefield of glaciers and the age of fossil tundra .. | 102 |
| 2.6.2. Fauna | 105 |
| 2.6.2.1. Avifauna | 105 |
| 2.6.2.2. Mammals | 110 |
| References | 114 |
| 3. THE RESULTS OF THE EXPEDITION "SPITSBERGEN '85" | 115 |
| 3.1. Characterization of the weather conditions in the summer-autumn season of 1985 in the Werenskiold Glacier region (R. Brázdil, J. Piasecki, P. Prošek, A. Szczepankiewicz-Szmyrka) | 115 |
| 3.1.1. Introduction | 115 |
| 3.1.2. The methods of measurements and observation data | 116 |
| 3.1.3. Air and water mass circulation | 118 |
| 3.1.4. Characteristics of selected meteorological elements | 128 |
| 3.1.4.1. Atmospheric pressure and wind | 128 |
| 3.1.4.2. Radiation conditions | 133 |
| 3.1.4.3. Air temperature | 135 |
| 3.1.4.4. Air humidity | 136 |
| 3.1.4.5. Precipitation | 137 |
| 3.1.4.6. Potential and field evaporation | 139 |
| 3.1.5. Conclusion | 140 |
| References | 141 |
| 3.2. Biometeorological conditions in the summer-autumn period of 1985 in the Werenskiold Glacier region (A. Szczepankiewicz-Szmyrka) | 142 |
| 3.2.1. Introduction | 142 |
| 3.2.2. Biometeorological conditions in the light of some meteorological elements .. | 142 |
| 3.2.3. Biometeorological conditions in the light of chosen complex indices | 147 |
| 3.2.4. Conclusion | 152 |
| References | 152 |
| 3.3. Temperature conditions and energy balance of the active surface of a moraine and marine terrace in the Werenskiold Glacier area (R. Brázdil, J. Piasecki, P. Prošek, A. Szczepankiewicz-Szmyrka) | 152 |
| 3.3.1. Introduction | 152 |
| 3.3.2. Methods of field measurements | 153 |
| 3.3.3. Temperature conditions of the moraine and sorted circle | 160 |
| 3.3.4. Energy balance of active layers of the moraine and sorted circle | 167 |
| 3.3.5. Dependence of the temperature of the active layer of permafrost on the energy balance of its active surface | 174 |
| 3.3.6. The active layer of permafrost and its seasonal dynamics | 178 |
| 3.3.7. Conclusion | 185 |
| References | 186 |
| 3.4. The topoclimatic differentiation of the Werenskiold Glacier and Bratteggdalen regions (R. Brázdil, J. Piasecki, P. Prošek, A. Szczepankiewicz-Szmyrka) | 187 |
| 3.4.1. Introduction | 187 |
| 3.4.2. Methods of measurements and observation material | 188 |
| 3.4.3. The topoclimatic differentiation of the Werenskiold Glacier basin | 193 |
| 3.4.4. The topoclimatic differentiation of Bratteggdalen | 200 |
| 3.4.5. Conclusion | 209 |
| References | 210 |
| 3.5. The flows of the Glacial and Brattegg Rivers and the characterization of the | |

| | |
|--|-----|
| Brattegg River catchment in the summer-autumn season of 1985 (R. Brázdil, J. Pia-secki, P. Prošek) | 210 |
| 3.5.1. Introduction | 210 |
| 3.5.2. Methods of the investigations | 211 |
| 3.5.3. General characterization of discharges and water stages in the rivers in the Werenskiold Glacier region | 214 |
| 3.5.3.1. The Glacial River | 214 |
| 3.5.3.2. The Brattegg River | 216 |
| 3.5.4. The hydrological regime of streams in the Werenskiold Glacier and Brattegg River catchments in the ablation season of 1985 | 218 |
| 3.5.4.1. The Werenskiold Glacier catchment | 218 |
| 3.5.4.2. The Brattegg River catchment | 222 |
| 3.5.5. Conclusion | 225 |
| References | 227 |
| 3.6. Effect of the snow patch at Gulliksenfjellet on the surroundings (R. Brázdil, M. Konečný, P. Prošek) | 228 |
| 3.6.1. Introduction | 228 |
| 3.6.2. Description of the snow patch and its environment, methods of measure-ment | 229 |
| 3.6.3. Changes in the area, thickness and morphology of the snow patch | 234 |
| 3.6.4. Inner snow patch structure and snow density | 241 |
| 3.6.5. Morphological effects of the snow patch on its surroundings | 242 |
| 3.6.6. Effects of the snow patch on the regime of meteorological elements | 246 |
| 3.6.7. Conclusion | 253 |
| References | 253 |
| 3.7. Some aspects of nival morphology on the exterior border of the terminal mo-raise of Werenskiold Glacier (J. Kida, M. Konečný) | 254 |
| 3.7.1. Introduction | 254 |
| 3.7.2. Location and character of snow patches | 255 |
| 3.7.3. Degradation effect of snow patches on ice-moraine ridges | 257 |
| 3.7.4. Problem of the origin and degradation of nival moraines | 266 |
| References | 270 |
| 3.8. Genesis and development of hydrolaccoliths in the region between Werenski-old and Hans Glaciers during 1974–1985 (J. Klementowski, M. Konečný) | 272 |
| 3.8.1. Introduction | 272 |
| 3.8.2. Outline of existing opinions and conceptions of the genesis of hydrolacco-liths | 272 |
| 3.8.3. Description of the studied hydrolaccoliths | 275 |
| 3.8.4. Genesis and development of hydrolaccoliths | 278 |
| 3.8.5. Processes of hydrolaccolith degradation | 280 |
| 3.8.6. Rate of the genesis and degradation of hydrolaccoliths | 282 |
| 3.8.7. Conclusion | 283 |
| References | 284 |
| 4. VARIATION OF AIR TEMPERATURE AND ATMOSPHERIC PRECIPITATION IN THE REGION OF SVALBARD (R. Brázdil) | 285 |
| 4.1. Introduction | 285 |
| 4.2. Information about the meteorological regime of Svalbard up to the beginning of regular meteorological observations | 287 |
| 4.3. Regular meteorological observations in the region of Svalbard | 288 |
| 4.4. Variation of air temperature in the region of Svalbard with respect to tempe-rature changes in the Arctic region and on the Northern Hemisphere | 294 |
| 4.5. Variation of atmospheric precipitation in the region of Svalbard | 303 |
| 4.6. Cyclicity of air temperature and atmospheric precipitation in the region of Svalbard | 307 |
| 4.6.1. The cyclicity of series of mean annual temperatures and annual precipita-tion sums | 308 |
| 4.6.2. The cyclicity of series of mean monthly air temperatures and monthly preci-pitation sums | 310 |
| 4.7. Conclusion | 318 |
| References | 321 |
| 5. CONCLUSION (R. Brázdil, M. Konečný, P. Prošek) | 325 |