

Research Articles

- 4970** Ville Kasurinen, Knut Alfredsen, Anne Ojala, Jukka Pumpanen, Gesa A. Weyhenmeyer, Martyn N. Futter, Hjalmar Laudon, and Frank Berninger
Modeling nonlinear responses of DOC transport in boreal catchments in Sweden* (doi 10.1002/2015WR018343)
*This article is part of a Special Section—Emergent aquatic carbon-nutrient dynamics as products of hydrological, biogeochemical, and ecological interactions
- 4990** Patrick R. Kormos, Charles H. Luce, Seth J. Wenger, and Wouter R. Berghuijs
Trends and sensitivities of low streamflow extremes to discharge timing and magnitude in Pacific Northwest mountain streams (doi 10.1002/2015WR018125)
- 5008** D. Pedretti, A. Russian, X. Sanchez-Vila, and M. Dentz
Scale dependence of the hydraulic properties of a fractured aquifer estimated using transfer functions (doi 10.1002/2016WR018660)
- 5025** Behzad Ghanbarian, Muhammad Sahimi, and Hugh Daigle
Modeling relative permeability of water in soil: Application of effective-medium approximation and percolation theory* (doi 10.1002/2015WR017903)
*This article is part of a Special Section—Applications of percolation theory to porous media
- 5041** Christoph Langhans, Patrick N. J. Lane, Petter Nyman, Philip J. Noske, Jane G. Cawson, Akiko Oono, and Gary J. Sheridan
Scale-dependency of effective hydraulic conductivity on fire-affected hillslopes (doi 10.1002/2016WR018998)
- 5056** Yanlan Liu and Mukesh Kumar
Role of meteorological controls on interannual variations in wet-period characteristics of wetlands (doi 10.1002/2015WR018493)
- 5075** Jon J. Major, Daniel Bertin, Thomas C. Pierson, Álvaro Amigo, Andrés Iroumé, Héctor Ulloa, and Jonathan Castro
Extraordinary sediment delivery and rapid geomorphic response following the 2008–2009 eruption of Chaitén Volcano, Chile* (doi 10.1002/2015WR018250)
*This article is part of a Special Section—Disturbance Hydrology
- 5095** Shahrbano Madadgar, Amir Aghakouchak, Shraddhanand Shukla, Andrew W. Wood, Linyin Cheng, Kou-Lin Hsu, and Mark Svoboda
A hybrid statistical-dynamical framework for meteorological drought prediction: Application to the southwestern United States (doi 10.1002/2015WR018547)
- 5111** E. Sebek, J. C. Refsgaard, J. J. Warmink, S. Stisen, and K. H. Jensen
Using expert elicitation to quantify catchment water balances and their uncertainties (doi 10.1002/2015WR018461)
- 5132** Rafael J. Bergillos, Cristóbal Rodríguez-Delgado, Agustín Millares, Miguel Ortega-Sánchez, and Miguel A. Losada
Impact of river regulation on a Mediterranean delta: Assessment of managed versus unmanaged scenarios (doi 10.1002/2015WR018395)
- 5149** L. Chen, S. Sela, T. Svoray, and S. Assouline
Scale dependence of Hortonian rainfall-runoff processes in a semiarid environment (doi 10.1002/2015WR018315)
- 5167** N. Filipovitch, K. M. Hill, A. Longjas, and V. R. Voller
Infiltration experiments demonstrate an explicit connection between heterogeneity and anomalous diffusion behavior (doi 10.1002/2016WR018667)
- 5179** Martin A. Briggs, Sean F. Buckley, Amvrossios C. Bagtzoglou, Dale D. Werkema, and John W. Lane Jr
Actively heated high-resolution fiber-optic-distributed temperature sensing to quantify streambed flow dynamics in zones of strong groundwater upwelling (doi 10.1002/2015WR018219)
- 5195** Michelle Ho, Upmanu Lall, and Edward R. Cook
Can a paleodrought record be used to reconstruct streamflow?: A case study for the Missouri River Basin (doi 10.1002/2015WR018444)
- 5213** Jonghyun Lee, Hongkyu Yoon, Peter K. Kitanidis, Charles J. Werth, and Albert J. Valocchi
Scalable subsurface inverse modeling of huge data sets with an application to tracer concentration breakthrough data from magnetic resonance imaging (doi 10.1002/2015WR018483)
- 5232** C. Tunaley, D. Tetzlaff, J. Lessels, and C. Soulsby
Linking high-frequency DOC dynamics to the age of connected water sources (doi 10.1002/2015WR018419)
- 5248** Spencer Malott, Denis M. O'Carroll, and Clare E. Robinson
Dynamic groundwater flows and geochemistry in a sandy nearshore aquifer over a wave event (doi 10.1002/2015WR017537)
- 5265** L. A. Smith, S. L. Barbour, M. J. Hendry, K. Novakowski, and G. van der Kamp
A multiscale approach to determine hydraulic conductivity in thick claystone aquitards using field, laboratory, and numerical modeling methods (doi 10.1002/2015WR018448)

- 5285** *Paolo Porto, Des E. Walling, Vanessa Cogliandro, and Giovanni Callegari*
Validating a mass balance accounting approach to using ^{7}Be measurements to estimate event-based erosion rates over an extended period at the catchment scale (doi 10.1002/2015WR018136)
- 5301** *Jonathan M. Malzone, Christopher S. Lowry, and Adam S. Ward*
Response of the hyporheic zone to transient groundwater fluctuations on the annual and storm event time scales (doi 10.1002/2015WR018056)
- 5322** *Alberto Viglione, Bruno Merz, Nguyen Viet Dung, Juraj Parajka, Thomas Nester, and Günter Blöschl*
Attribution of regional flood changes based on scaling fingerprints (doi 10.1002/2016WR019036)
- 5341** *Ehsan Ranaee, Monica Riva, Giovanni M. Porta, and Alberto Guadagnini*
Comparative assessment of three-phase oil relative permeability models (doi 10.1002/2016WR018872)
- 5357** *Camila Alvarez-Garreton, Dongryeoal Ryu, Andrew W. Western, Wade T. Crow, Chun-Hsu Su, and David R. Robertson*
Dual assimilation of satellite soil moisture to improve streamflow prediction in data-scarce catchments (doi 10.1002/2015WR018429)
- 5376** *J. O. Helland and E. Jettestuen*
Mechanisms for trapping and mobilization of residual fluids during capillary-dominated three-phase flow in porous rock (doi 10.1002/2016WR018912)
- 5393** *Kieran McDonald, Kenneth C. Carroll, and Mark L. Brusseau*
Comparison of fluid-fluid interfacial areas measured with X-ray microtomography and interfacial partitioning tracer tests for the same samples (doi 10.1002/2016WR018775)
- 5400** *Harald Klammler, Kirk Hatfield, Mark A. Newman, Jaehyun Cho, Michael D. Annable, Beth L. Parker, John A. Cherry, and Irina Perminova*
A new device for characterizing fracture networks and measuring groundwater and contaminant fluxes in fractured rock aquifers* (doi 10.1002/2015WR018389)
- *This article is part of a Special Section—Modeling highly heterogeneous aquifers: Lessons learned in the last 30 years from the MADE experiments and others
- 5421** *Giuseppe A. Zampogna, Franck Pluvignage, Azeddine Kourta, and Alessandro Bottaro*
Instability of canopy flows (doi 10.1002/2016WR018915)
- 5433** *Tannaz Pak, Ian B. Butler, Sebastian Geiger, Marinus I.J. van Dijke, Zeyun Jiang, and Rodrigo Surmas*
Multiscale pore-network representation of heterogeneous carbonate rocks (doi 10.1002/2016WR018719)
- 5442** *Maria V. Klepikova, Tanguy Le Borgne, Olivier Bour, Marco Dentz, Rebecca Hochreutener, and Nicolas Lavenant*
Heat as a tracer for understanding transport processes in fractured media: Theory and field assessment from multiscale thermal push-pull tracer tests (doi 10.1002/2016WR018789)
- 5458** *Katie H. Costigan and Joseph E. Gerken*
Channel morphology and flow structure of an abandoned channel under varying stages (doi 10.1002/2015WR017601)
- 5473** *Aviv Naftaly, Ishai Dror, and Brian Berkowitz*
Measurement and modeling of engineered nanoparticle transport and aging dynamics in a reactive porous medium (doi 10.1002/2016WR018780)
- 5492** *Francesca Messina, Tiziana Tosco, and Rajandrea Sethi*
On the failure of upscaling the single-collector efficiency to the transport of colloids in an array of collectors (doi 10.1002/2016WR018592)
- 5506** *Hua Zhong, Asma El Ouni, Dan Lin, Bingguo Wang, and Mark L. Brusseau*
The two-phase flow IPTT method for measurement of nonwetting-wetting liquid interfacial areas at higher nonwetting saturations in natural porous media (doi 10.1002/2016WR018783)
- 5516** *Dong K. Woo and Praveen Kumar*
Mean age distribution of inorganic soil-nitrogen (doi 10.1002/2015WR017799)
- 5537** *Kuai Fang, Chaopeng Shen, Joshua B. Fisher, and Jie Niu*
Improving Budyko curve-based estimates of long-term water partitioning using hydrologic signatures from GRACE (doi 10.1002/2016WR018748)
- 5555** *A. de Lavenne, J. O. Skøien, C. Cudennec, F. Curie, and F. Moatar*
Transferring measured discharge time series: Large-scale comparison of Top-kriging to geomorphology-based inverse modeling (doi 10.1002/2016WR018716)
- 5577** *Katherine M. Ransom, Mark N. Grote, Amanda Deinhart, Gary Eppich, Carol Kendall, Matthew E. Sanborn, A. Kate Souders, Joshua Wimpenny, Qing-zhu Yin, Megan Young, and Thomas Harter*
Bayesian nitrate source apportionment to individual groundwater wells in the Central Valley by use of elemental and isotopic tracers (doi 10.1002/2015WR018523)
- 5598** *N. Roy, J. Molson, J.-M. Lemieux, D. Van Steenvoort, and A. Nowamooz*
Three-dimensional numerical simulations of methane gas migration from decommissioned hydrocarbon production wells into shallow aquifers (doi 10.1002/2016WR018686)
- 5619** *William H. Farmer and Richard M. Vogel*
On the deterministic and stochastic use of hydrologic models (doi 10.1002/2016WR019129)
- 5634** *Yaniv Edery, Sebastian Geiger, and Brian Berkowitz*
Structural controls on anomalous transport in fractured porous rock (doi 10.1002/2016WR018942)
- 5644** *D. Ganora and F. Laio*
A comparison of regional flood frequency analysis approaches in a simulation framework (doi 10.1002/2016WR018604)
- 5662** *Hyun-Han Kwon and Upmanu Lall*
A copula-based nonstationary frequency analysis for the 2012–2015 drought in California (doi 10.1002/2016WR018959)

Technical Reports: Methods

5676 *Linwei Hu, Peter Bayer, and Ralf Brauchler*

Detection of carbon dioxide leakage during injection in deep saline formations by pressure tomography
(doi 10.1002/2015WR018420)

Comments and Replies

5687 *X. X. Zhang, X. Y. Fan, and Z. Y. Li*

Water velocity at water-air interface is not zero: Comment on "Three-dimensional quantification of soil hydraulic properties using X-ray computed tomography and image-based modeling" by Saoirse R. Tracy et al.
(doi 10.1002/2015WR018432)

5691 *Saoirse R. Tracy, Keith R. Daly, Craig J. Sturrock, Neil M. J. Crout, Sacha J. Mooney, and Tiina Roose*

Reply to comment by X. X. Zhang et al. on "Three-dimensional quantification of soil hydraulic properties using X-ray computed tomography and image-based modeling" (doi 10.1002/2016WR018699)

5694 *Keith E. Schilling*

Comment on "Climate and agricultural land use change impacts on streamflow in the upper midwestern United States" by Satish C. Gupta et al. (doi 10.1002/2015WR018482)

5697 *Satish C. Gupta, Andrew C. Kessler, Melinda K. Brown, and William M. Schuh*

Reply to comment by Keith E. Schilling on "Climate and agricultural land use change impacts on streamflow in the upper Midwestern United States" (doi 10.1002/2016WR018656)

5701 *Shlomo P. Neuman*

Comment on "Advection transport in heterogeneous aquifers: Are proxy models predictive?" by A. Fiori, A. Zarlenga, H. Gotovac, I. Jankovic, E. Volpi, V. Cvetkovic, and G. Dagan (doi 10.1002/2016WR019093)

5703 *Aldo Fiori, Antonio Zarlenga, Hrvoje Gotovac, Igor Jankovic, Elena Volpi, Vladimir Cvetkovic, and Gedeon Dagan*

Reply to comment by S. P. Neuman on "Advection transport in heterogeneous aquifers: Are proxy models predictive?" (doi 10.1002/2016WR019209)