

Contents

1.1	Linear regression assumptions	1
1.2	Linear regression estimation	3
1.2.1	Residuals	7
1.2.2	Outliers	7
1.3	Linear regression R-square	8
1.4	Linear regression standardization	8
1.5	Example: Regression with one covariate	10
1.5.1	Individual residuals and outliers	13
1.5.2	Reporting results	15
1.6	Multiple covariates	17
1.6.1	Linear regression with two continuous covariates	17
	Interaction between two continuous covariates	18
1.6.2	Linear regression with one binary and one continuous covariate	20
	Interaction between a binary and a continuous covariate	22
1.7	Example: Regression with two covariates	23
1.7.1	Reporting results	25
1.8	Example: Regression with an interaction	27
1.8.1	Reporting results	29
	Presenting parameter estimates	30
	Presenting results graphically	30
1.9	Special topics	34
1.9.1	Standardized coefficients greater than one	34
1.9.2	Standardized coefficients differing in significance from unstandardized coefficients	35
1.9.3	Two-group regression analysis	36

	Example: Two-group regression analysis of an intervention study	37
1.9.4	Bringing covariates into the model	39
	Missing data on x	40
	Example: Bringing a covariate into the model for the intervention example using a two-group analysis	40
1.9.5	The Bayesian Information Criterion (BIC) and the Akaike Information Criterion (AIC)	44
1.9.6	Heteroscedasticity modeling	45
	Example: Heteroscedasticity modeling of LSAY math data	45
1.9.7	Random coefficient regression	48
	Example: Random coefficient regression for LSAY math data	50
2	Mediation analysis	57
2.1	A prototypical mediation model	57
2.2	Mediation modeling techniques	59
2.2.1	Estimation	61
	Indirect effect standard errors and confidence intervals	61
2.2.2	Standardization for mediation models	63
2.2.3	Model testing	65
2.3	Example: Sex discrimination	66
2.3.1	Inspecting the data and reporting results	68
2.4	Example: Head circumference	72
2.4.1	Reporting results	75
2.4.2	The saturated model	80
2.5	Multiple mediators	82
2.5.1	Example: Parallel mediators for media influence	83
2.5.2	Example: Sequential mediators of socioeconomic status	87
2.6	Moderated mediation	91
2.6.1	Case 1 (xz): Regression of y on x , m on x , both moderated by z	91
2.6.2	Case 2 (mz): Regression of y on m moderated by z .	93
2.6.3	Case 3 (mx): Regression of y on m moderated by x .	95
2.6.4	Combined moderation case	97
2.6.5	Example: Case 1 moderated mediation in an intervention of aggressive behavior in the classroom	98

Testing significance of effects at specific moderator values	99
Creating a plot with bootstrap confidence intervals for the effects at a range of moderator values	102
Combination of significance of effect at specific moderator values and plot of confidence intervals using MODEL INDIRECT	106
2.6.6 Example: Case 2 moderated mediation for work team behavior	108
2.6.7 Example: Case 3 moderated mediation of simulated data	111
2.6.8 Example: Combined moderated mediation for sex discrimination	117
3 Special topics in mediation analysis	121
3.1 Monte Carlo simulation study of mediation	121
3.1.1 Example: Monte Carlo study of indirect effects	123
3.2 Monte Carlo studies of moderation	130
3.2.1 Example: Moderation of the regression of m on x	130
3.2.2 Example: Moderation of the regression of y on m	136
3.3 Model misspecification	138
3.3.1 Example: Omitted moderator	138
3.3.2 Example: Omitted mediators	141
3.3.3 Example: Confounders	147
3.4 Instrumental variable estimation	153
3.4.1 Example: IV estimation with mediator-outcome confounding	155
Bias and coverage of IV estimation of the indirect effect	156
Comparing IV and ML standard errors and power	157
IV estimation dependence on the size of the x , m correlation	158
Comparison of IV and maximum-likelihood estimation when the assumptions behind both approaches are violated	159
3.5 Sensitivity analysis	159
3.5.1 Example: Sensitivity analysis for an experimental study of sex discrimination in the workplace	162
3.5.2 Example: Sensitivity analysis in a Monte Carlo study	165
3.6 Multiple-group mediation analysis	169

3.6.1	Relating multiple-group parameters to interaction pa- rameters	170
3.6.2	Modification indices	171
3.6.3	Example: Two-group analysis of moderated media- tion for sex discrimination	172
3.7	Measurement errors and latent variables	176
3.7.1	Measurement error in an independent variable	176
3.7.2	Measurement error in a mediator	178
3.7.3	Example: Monte Carlo simulation study of measure- ment error in the mediator	179
3.7.4	Known reliability	182
3.7.5	Multiple indicators	182
	Reliability of a sum of indicators	183
	Structural equation modeling with a factor analysis measurement model	185
4	Causal inference for mediation	187
4.1	Causal assumptions	188
4.2	Potential outcomes and counterfactuals	189
4.2.1	Example: Hypothetical potential outcome data	190
4.3	Basics of counterfactually-defined effects	191
4.3.1	Example: Hypothetical mediation potential outcomes	193
4.4	Direct and indirect effects	196
4.4.1	Direct effects	197
4.4.2	Indirect effects	198
4.4.3	Total effect decomposition	199
4.4.4	Example: Hypothetical mediation data analysis	199
4.5	Causal effect formulas	200
4.5.1	Example: Effects in the simple mediation case	203
4.5.2	Example: Effects with moderation of Y regressed on M (case 3)	204
4.5.3	Example: Effects in the combined moderation case	206
4.5.4	Example: Effects combining case 1 and case 2 moder- ation	207
4.5.5	Multiple mediators	208
4.6	Summary	209
5	Categorical dependent variable	211
5.1	Basic concepts for categorical variables	211
5.1.1	Binary variables	214

5.2	Binary dependent variable	216
5.2.1	Example: OLS, logistic, and probit regression of coal miner respiratory problems	217
5.2.2	Modeling with a logistic regression function	220
5.2.3	Modeling with a probit regression function	222
5.2.4	Estimation of the logistic and probit regressions	224
5.2.5	Probability curve formulation versus a latent response variable formulation	224
5.2.6	R^2 and standardization	226
	R^2 for a binary outcome	227
	Standardization	227
5.2.7	Example: Logistic and probit regression of British coal miner data	228
	Logistic regression	228
	Probit regression	232
	Computation of estimated probabilities	232
	Comparing logistic and probit regression coefficients .	234
	Comparing the logistic and probit regression models by BIC	234
5.2.8	Logistic and probit regression with one binary and one continuous x	234
5.2.9	Logistic regression and adjusted odds ratios	235
5.2.10	Example: Adjusted odds ratios for alcohol survey data	237
5.2.11	Example: Adjusted odds ratios for educational achievement data	239
5.3	Ordinal dependent variable	240
5.3.1	Probability curve formulation of ordinal dependent variable regression	240
5.3.2	Latent response variable formulation of ordinal dependent variable regression	243
5.3.3	Example: Sample probits for drinking related to age and income	245
5.3.4	Testing the parallel probability curve assumption behind the ordinal regression model	245
5.3.5	Example: Ordinal logistic regression of mental impairment	247
	Estimated odds ratio	248
	Estimated probabilities	249
	Odds ratio with an interaction	250
5.4	Nominal dependent variable	252

5.4.1 Example: Multinomial logistic regression of antisocial behavior	253
6 Count dependent variable	259
6.1 Poisson model	259
6.2 Poisson model with a random intercept	261
6.3 Zero-inflated Poisson model	261
6.4 Negative binomial model	262
6.5 Zero-inflated negative binomial model	262
6.6 Two-part (hurdle) model with zero-truncation	263
6.7 Varying-exposure model	263
6.8 Comparing models	264
6.9 Example: Count regression of marital affairs	264
6.9.1 Poisson, Poisson with a random intercept, and negative binomial models	266
Negative binomial model	268
6.9.2 Zero-inflated Poisson and zero-inflated negative binomial models	269
6.9.3 Two-part (hurdle) modeling	272
6.9.4 Conclusion for marital affairs analyses	276
6.10 Example: Poisson with varying exposure	276
7 Censored dependent variable	279
7.1 Basic concepts for a censored variable	279
7.2 Censored-normal (tobit) regression	280
7.3 Censored-inflated regression	282
7.4 Sample selection (Heckman) regression	283
7.4.1 Example: Simulated sample selection data	285
7.5 Two-part regression	288
7.6 Example: Methods comparison on alcohol data	290
7.6.1 Analysis results for the four models	293
Loglikelihood and BIC comparisons of the four models	294
Comparing the results for the censored-normal (tobit) and censored-inflated models	295
Comparing the results for the sample selection (Heckman) and two-part models	296
Comparing the results for the censored-inflated and two-part models	297

Comparing the fit for estimated probabilities and means for the censored-inflated and two-part models	300
7.7 Switching regressions	302
7.7.1 Example: Monte Carlo simulation of switching regressions	302
8 Mediation non-continuous variables	307
8.1 Binary outcome, continuous mediator	307
8.1.1 A simple hypothetical mediation model	309
8.1.2 Total, indirect, and direct effects in terms of differences in probabilities	310
8.1.3 Causal effect formulas for a continuous M and a binary Y	311
8.1.4 Causal effect formulas applied to a simple mediation model with a binary outcome and a continuous mediator	314
8.1.5 Causal effect formulas defined on the odds ratio scale	315
Odds ratio effects assuming a rare outcome	315
8.1.6 Causal effects with multiple mediators and a binary outcome	316
8.1.7 Example: Intention to use cigarettes	316
Probit regression	318
Logistic regression	321
8.1.8 Example: HPV vaccination trial	323
No intervention-mediator interaction	324
Intervention-mediator interaction	324
Analysis results	327
8.2 Count outcome, continuous mediator	330
8.2.1 Causal effect formulas for a count outcome	330
8.2.2 Example: Aggressive behavior and school removal	332
Estimated count probabilities	333
8.3 Two-part outcome, continuous mediator	337
8.3.1 Causal effect formulas for a two-part outcome	337
8.3.2 Example: Two-part mediation analysis of economic stress data	339
Causal effects for two-part modeling	340
Causal effects for regular modeling with $\log y$	343
Causal effects for regular modeling without $\log y$	344
8.4 Binary and ordinal mediator	346

8.4.1	Causal effect formulas for a binary mediator	346
8.4.2	Ordinal mediator	348
8.4.3	Latent response variable mediator	348
8.4.4	Estimation	349
8.4.5	Example: Hypothetical data from the potential outcome example with a binary mediator and a continuous outcome	350
8.4.6	Example: Ordinal mediator for intention to use cigarettes	352
8.4.7	Example: Pearl's artificial 2 x 2 x 2 example	357
8.5	Nominal mediator	361
8.5.1	Causal effect formulas for a nominal mediator	361
8.5.2	Estimation	362
8.5.3	Example: Hypothetical data with a nominal mediator and a binary outcome	362
8.6	Mediator with measurement error	368
8.6.1	Example: A Monte Carlo simulation study for a mediator measured with error	369
8.6.2	Example: An intervention study of aggressive behavior in the classroom and juvenile court record	374
9	Bayesian analysis	381
9.1	Prior, likelihood, and posterior	381
9.1.1	Posterior distribution for the mean of a normal distribution	383
9.1.2	Types of priors	385
9.1.3	Non-normality of parameter distributions	386
9.2	Markov Chain Monte Carlo (MCMC)	387
9.2.1	Example: Bayesian estimation of a mean with missing data for LSAY math	388
	Input for Bayesian analysis	391
9.2.2	Plots	393
	Trace plot	393
	Autocorrelation plot	395
	Posterior distribution plot	397
9.2.3	Convergence checking	399
9.3	Model fit	400
9.4	Bayes versus ML intervals	402
9.5	Example: Mediation model for media influence	404

The Potential Scale Reduction (PSR) convergence criterion	406
Trace plot	406
Autocorrelation plot	406
Inspecting model fit and parameter estimates	408
9.6 Example: Mediation model for firefighter data	413
9.6.1 Non-informative priors	413
9.6.2 Informative priors	413
9.7 Example: Model testing of direct effects	416
9.8 Example: High school dropout and missing data	418
9.8.1 Missing data on the mediator ($n = 2,213$)	418
Bayesian analysis	419
Maximum-likelihood analysis	422
9.8.2 Missing data on the control variables ($n = 2,898$)	423
Assuming normality for all covariates	424
Acknowledging that some control variables are binary	425
10 Missing data	427
10.1 Example: Missing data information	427
10.2 MCAR, MAR, and NMAR	429
10.2.1 MCAR: Missing completely at random	430
10.2.2 MAR: Missing at random	430
10.2.3 NMAR: Not missing at random	431
10.3 MAR for bivariate normal variables (H_1 case)	431
10.3.1 Listwise versus ML	432
10.3.2 Maximum-likelihood estimation in the bivariate case with missing on one variable	434
10.3.3 The EM algorithm	436
10.3.4 Multiple imputation	438
10.3.5 Example: Estimating sample statistics for intervention data	440
10.4 MAR for regression (H_0 case)	443
10.4.1 Missing data and selection on x or y	443
10.4.2 Regression analysis with missing data	445
10.4.3 Technical aspects of ML assuming MAR	448
10.4.4 Example: MAR simulated data analysis	449
10.4.5 Missing data correlates	456
Example: Simulation study with missing data correlate of missing on y	456
10.5 NMAR	464

10.5.1 Example: Simulated NMAR data with missing influenced by the latent outcome	465
10.5.2 Example: Selection modeling versus ML assuming MAR when MAR holds	470
10.6 Example: Comparing missing data methods	472
10.7 Missing data on covariates	476
10.7.1 Example: Simulation study of missing on binary covariates	476
Inputs for generating and analyzing data assuming MAR	476
Inputs for generating and analyzing data under NMAR	480
Simulation results	480
Appendices	489
A Covariance algebra	491
A.1 Definition of an expectation	491
A.1.1 Rules for an expectation	492
A.2 Definition of covariance and variance	492
A.2.1 Rules for variance	493
A.3 Functions of random variables	493
A.4 Example: Covariance algebra rules applied to linear regression	493
A.5 Example: Derivation of the slope attenuation	494
A.6 Example: Variable measured with error	495
References	497