

CONTENTS

RADTKE G.	
Effects of substrate composition and water temperature on the emergence success of lacustrine brown trout <i>Salmo trutta</i> m. <i>lacustris</i> L. fry from natural redds	247
BERREBI P., RETIF X., BOUHBOUH S.	
Genetic evidence of unisexual reproduction in the Moroccan hexaploid barbel <i>Labeobarbus fritschii</i>	257
CROVETTO F., SALVIDIO S.	
Feeding habits of the sand lizard, <i>Lacerta agilis</i> , from North-Western Italian Alps	264
RADOVIĆ A., NIKOLOV S.C., TEPIĆ N., MIKULIĆ K., JELASKA S.D., BUDINSKI I.	
The influence of land abandonment on farmland bird communities: a case study from a floodplain landscape in Continental Croatia	269
ORŁOWSKI G., KAMIŃSKI P., KASPRZYKOWSKI Z., ZAWADA Z.	
Relationships between stomach content and concentrations of essential and non-essential elements in tissues of omnivorous nestling rooks <i>Corvus frugilegus</i> : Is the size and composition of stomach content relevant?	282
ZOLLER H., DRYGALA F.	
Activity patterns of the invasive raccoon dog (<i>Nyctereutes procyonoides</i>) in North East Germany	290
MICHAELSEN T.C., OLSEN O., GRIMSTAD K.J.	
Roosts used by bats in late autumn and winter at northern latitudes in Norway	297
KRAWCZYK A.J., BOGDZIEWICZ M., CZYŻ M.J.	
Diet of the American mink <i>Neovison vison</i> in an agricultural landscape in western Poland	304
JUŠKAITIS R., BALTRŪNAITĖ L.	
Seasonal variability in the diet of the forest dormouse, <i>Dryomys nitedula</i> , on the north-western edge of its distributional range	311
Book Review	319