

## CONTENTS

- LEATHE S.A., SCARNECCHIA D.L., LIM Y.  
Emigration patterns of age 0 and age 1 potamodromous rainbow trout  
*Oncorhynchus mykiss* and brown trout *Salmo trutta* from two Missouri River  
tributaries, Montana, USA..... 137
- KOHESTAN-ESKANDARI S., ANVARIFAR H., MOUSAVI-SABET H., YOUSEFI M.,  
KHANZADE M.  
A morphology-based hypothesis for homeward migration success  
and population differentiation in the anadromous kutum *Rutilus kutum*  
(Pisces: Cyprinidae) along the southern Caspian Sea, Iran ..... 151
- BRZEZIŃSKI M., MEŤRAK M.  
Spring migration rates and community structure of amphibians breeding  
in an old and newly established midfield ponds ..... 161
- GRUYCHEV G.V., DYAKOV N.R., DIMITROV D.S.  
Habitat variables influencing chukar partridge decrease in Southeastern  
Bulgaria..... 171
- GUERRA C., GARCÍA D., ALCOVER J.A.  
Unusual foraging patterns of the barn owl, *Tyto alba* (Strigiformes: Tytonidae),  
on small islets from the Pityusic archipelago (Western Mediterranean Sea)..... 180
- KASPRZYKOWSKI Z., POLAK M.  
Environmental variables predict timing of breeding in the polygynous Eurasian  
bittern *Botaurus stellaris*..... 188
- BOSCH J., DE LA TORRE A., ALEXANDROV T., IGLESIAS I., MITEVA A.,  
MUÑOZ M.J.  
Can habitat suitability predict the presence of wild boar? Suitable land  
uses vs. georeferenced data in Bulgaria..... 194
- BREVIGLIERI C.P.B., UIEDA W.  
Tree cavities used as diurnal roosts by Neotropical bats..... 206
- ŠRÁMEK J., BENDA P.  
Sexual and age size variation in the western Palaearctic populations  
of *Miniopterus* bats (Chiroptera: Miniopteridae) ..... 216