

## CONTENTS

- CHEN Y., SUI X., HE D., CHEN Y.  
Three new species of cobitid fish genus *Cobitis* (Teleostei, Cobitidae)  
from the River Pearl basin of China ..... 1
- LI Y., YUY.-Q., SHI L.  
Key factors on foraging and bedding sites selection of the Asiatic ibex  
(*Capra sibirica*) in Central Tianshan Mountains in winter ..... 17
- TORRES-PORRAS J., FERNÁNDEZ-LLARIO P., CARRANZA J., MATEOS C.  
Conifer plantations negatively affect density of wild boars  
in a Mediterranean ecosystem..... 25
- ALAM M.S., KHAN J.A., PATHAK B.J.  
Striped hyena (*Hyaena hyaena*) status and factors affecting  
its distribution in Gir National Park and Sanctuary, India ..... 32
- SOULSBURY C.D., FAWCETT J.K.  
Ontogenic patterns of scent marking in red foxes, *Vulpes vulpes*  
(Carnivora: Canidae)..... 40
- KAUHALA K., TALVITIE K., VUORISALO T.  
Free-ranging house cats in urban and rural areas in the north: useful  
rodent killers or harmful bird predators? ..... 45
- QI D., XU Ch., HOU R., CHEN P., OWENS J.R., ZHANG Z., GU X., YANG Z.,  
CHEN L.  
Using habitat models to evaluate protected area designing for  
giant pandas ..... 56
- STEFEN C.  
Does the European wildcat (*Felis silvestris*) show a change in weight  
and body size with global warming?..... 65
- AKANI G.C., AMADI N., ENIANG E.A., LUISELLI L., PETROZZI F.  
Are mammal communities occurring at a regional scale reliably  
represented in “hub” bushmeat markets? A case study with Bayelsa  
State (Niger Delta, Nigeria) ..... 79