

Contents



PART ONE Overview and Use of Nursing Outcomes Classification (NOC), 1

1 The Current Classification, 2

The Nursing Outcomes Classification (NOC): What Is It?, 2

- Definition of an Outcome, 2*
- Measurement of an Outcome, 3*
- Use of a Reference Person for Comparison, 3*
- Level of Abstraction of NOC Outcomes, 3*
- Sensitivity of the Outcomes, 4*
- Use by Other Disciplines, 4*

The Nursing Outcomes Classification: What It Is Not, 4

- The Classification Is Not Complete, 4*
- NOC Outcomes Are Not Prescriptive, 5*
- NOC Outcomes Are Not Nursing Diagnoses, 5*
- Outcomes Are Not Assessments, 5*

Frequently Asked Questions, 6

- Who Is the Patient?, 6*
- What Do Patient Outcomes Describe?, 6*
- At What Levels of Abstraction Should Outcomes Be Developed?, 6*
- How Should Outcomes Be Stated?, 8*
- Why Are the Outcomes Not Stated as Goals?, 8*
- What Are Nursing-Sensitive Patient Outcomes?, 9*
- Are Nursing-Sensitive Patient Outcomes the Resolution of Nursing Diagnoses?, 9*
- How Are the Outcomes Different from Nursing Diagnoses?, 9*
- When Should Patient Outcomes Be Measured?, 10*
- At What Intervals Should the Outcomes Be Assessed and Documented?, 10*
- How Are the Outcomes Used in Standardized Care Plans/Critical Paths?, 10*
- Why Is It Necessary for Nurses to Have Their Own List of Outcomes?, 10*
- Why Is It Important to Assess Outcomes Across Care Settings?, 10*
- Why Is It Necessary to Use the Outcome Labels When the Indicators May Be More Useful?, 11*
- Why Is the Standardization of Outcomes Advocated When Each Patient, Caregiver, Family, or Community/Population is Unique?, 11*

- How Do I Identify Outcomes for Use in my Practice?, 11*
- When Is a New Outcome Developed and How Is It Done?, 11*
- Why Are There So Many Different Measurement Scales?, 11*
- Why Do Some Outcomes Have Two Scales?, 18*

Refinement of the Classification: Ongoing and Future Development, 22

Summary, 31

2 Using NOC in Clinical, Research, and Educational Settings, 32

Considerations When Using NOC in Practice, 32

- Selecting Outcomes, 32*
- After Outcome Selection, 34*

Implementing NOC in Clinical Settings, 36

- Implementation Planning, 36*

Implementing NOC in Electronic Systems, 37

Implementing NOC in Educational Programs, 38

- Implementation Strategies, 38*
- Aids for Curriculum Development and Teaching, 38*

Using NOC in Research, 39

- Evaluating Nursing Quality and Effectiveness, 39*

Licensing NOC Outcomes, 40

Summary, 40

PART TWO NOC Taxonomy, 43

Overview of the NOC Taxonomy, 44

Historical Development of the NOC Taxonomy, 44

Revisions Made in the Taxonomy Since Its Creation. 44

- Second Edition, 44*
- Third Edition, 45*
- Fourth Edition, 45*
- Fifth Edition, 45*

Coding of the Classification, 47

PART THREE Outcomes, 69

Abstract Thinking, 70

Abuse Cessation, 71

Abuse Protection, 71

- Abuse Recovery, 72
 Abuse Recovery: Emotional, 73
 Abuse Recovery: Financial, 74
 Abuse Recovery: Physical, 75
 Abuse Recovery: Sexual, 76
 Abusive Behavior Self-Restraint, 77
 Acceptance: Health Status, 78
 Activity Tolerance, 79
 Acute Respiratory Acidosis Severity, 80
 Acute Respiratory Alkalosis Severity, 81
 Adaptation to Physical Disability, 82
 Adherence Behavior, 83
 Adherence Behavior: Healthy Diet, 84
 Aggression Self-Restraint, 85
 Agitation Level, 86
 Alcohol Abuse Cessation Behavior, 87
 Allergic Response: Localized, 88
 Allergic Response: Systemic, 89
 Ambulation, 90
 Ambulation: Wheelchair, 91
 Anger Self-Restraint, 91
 Anxiety Level, 93
 Anxiety Self-Control, 94
 Appetite, 95
 Aspiration Prevention, 95
 Balance, 97
 Blood Coagulation, 98
 Blood Glucose Level, 99
 Blood Loss Severity, 99
 Blood Transfusion Reaction, 100
 Body Image, 101
 Body Mechanics Performance, 102
 Body Positioning: Self-Initiated, 103
 Bone Healing, 104
 Bottle Feeding Establishment: Infant, 106
 Bottle Feeding Performance, 106
 Bowel Continence, 107
 Bowel Elimination, 108
 Breastfeeding Establishment: Infant, 109
 Breastfeeding Establishment: Maternal, 110
 Breastfeeding Maintenance, 111
 Breastfeeding Weaning, 112
 Burn Healing, 113
 Burn Recovery, 114
 Cardiac Pump Effectiveness, 115
 Cardiopulmonary Status, 116
 Caregiver Adaptation to Patient Institutionalization, 117
 Caregiver Emotional Health, 118
 Caregiver Home Care Readiness, 119
 Caregiver Lifestyle Disruption, 120
 Caregiver-Patient Relationship, 121
 Caregiver Performance: Direct Care, 121
 Caregiver Performance: Indirect Care, 123
 Caregiver Physical Health, 124
 Caregiver Role Endurance, 125
 Caregiver Stressors, 126
 Caregiver Well-Being, 127
 Child Adaptation to Hospitalization, 128
 Child Development: 1 Month, 129
 Child Development: 2 Months, 130
 Child Development: 4 Months, 130
 Child Development: 6 Months, 131
 Child Development: 12 Months, 132
 Child Development: 2 Years, 133
 Child Development: 3 Years, 134
 Child Development: 4 Years, 134
 Child Development: 5 Years, 135
 Child Development: Middle Childhood, 136
 Child Development: Adolescence, 137
 Circulation Status, 138
 Client Satisfaction, 139
 Client Satisfaction: Access to Care Resources, 140
 Client Satisfaction: Caring, 141
 Client Satisfaction: Case Management, 142
 Client Satisfaction: Communication, 143
 Client Satisfaction: Continuity of Care, 144
 Client Satisfaction: Cultural Needs Fulfillment, 145
 Client Satisfaction: Functional Assistance, 146
 Client Satisfaction: Pain Management, 147
 Client Satisfaction: Physical Care, 148
 Client Satisfaction: Physical Environment, 149
 Client Satisfaction: Protection of Rights, 150
 Client Satisfaction: Psychological Care, 151
 Client Satisfaction: Safety, 152
 Client Satisfaction: Symptom Control, 153
 Client Satisfaction: Teaching, 154
 Client Satisfaction: Technical Aspects of Care, 155
 Cognition, 156
 Cognitive Orientation, 157
 Comfort Status, 158
 Comfort Status: Environment, 158
 Comfort Status: Physical, 159
 Comfort Status: Psychospiritual, 160
 Comfort Status: Sociocultural, 161
 Comfortable Death, 162
 Communication, 163
 Communication: Expressive, 164
 Communication: Receptive, 164
 Community Competence, 165
 Community Disaster Readiness, 166
 Community Disaster Response, 167
 Community Grief Response, 168
 Community Health Screening Effectiveness, 169
 Community Health Status, 170
 Community Immune Status, 172
 Community Program Effectiveness, 173

- Community Resiliency, 174
- Community Risk Control: Chronic Disease, 175
- Community Risk Control: Communicable Disease, 176
- Community Risk Control: Lead Exposure, 177
- Community Risk Control: Obesity, 178
- Community Risk Control: Unhealthy Cultural Traditions, 179
- Community Risk Control: Violence, 180
- Community Violence Level, 180
- Compliance Behavior, 181
- Compliance Behavior: Prescribed Activity, 182
- Compliance Behavior: Prescribed Diet, 183
- Compliance Behavior: Prescribed Medication, 185
- Concentration, 186
- Coordinated Movement, 187
- Coping, 188
- Cup Feeding Establishment: Infant, 189
- Cup Feeding Performance, 190
- Decision-Making, 191
- Delirium Level, 192
- Dementia Level, 193
- Depression Level, 194
- Depression Self-Control, 195
- Development: Late Adulthood, 196
- Development: Middle Adulthood, 198
- Development: Young Adulthood, 199
- Dignified Life Closure, 201
- Discharge Readiness: Independent Living, 202
- Discharge Readiness: Supported Living, 203
- Discomfort Level, 203
- Distorted Thought Self-Control, 204
- Drug Abuse Cessation Behavior, 205
- Dry Eye Severity, 207
- Eating Disorder Self-Control, 208
- Electrolyte & Acid/Base Balance, 209
- Electrolyte Balance, 211
- Elopement Occurrence, 211
- Elopement Propensity Risk, 212
- Endurance, 213
- Energy Conservation, 214
- Exercise Participation, 214
- Fall Prevention Behavior, 216
- Falls Occurrence, 217
- Family Coping, 217
- Family Functioning, 218
- Family Health Status, 219
- Family Integrity, 221
- Family Normalization, 222
- Family Participation in Professional Care, 223
- Family Resiliency, 224
- Family Risk Control: Obesity, 225
- Family Social Climate, 227
- Family Support During Treatment, 228
- Fatigue: Disruptive Effects, 229
- Fatigue Level, 230
- Fear Level, 231
- Fear Level: Child, 232
- Fear Self-Control, 233
- Fetal Status: Antepartum, 234
- Fetal Status: Intrapartum, 235
- Fluid Balance, 236
- Fluid Overload Severity, 237
- Gait, 238
- Gastrointestinal Function, 239
- Grief Resolution, 240
- Growth, 241
- Guilt Resolution, 241
- Health Beliefs, 243
- Health Beliefs: Perceived Ability to Perform, 243
- Health Beliefs: Perceived Control, 244
- Health Beliefs: Perceived Resources, 245
- Health Beliefs: Perceived Threat, 245
- Health Orientation, 246
- Health Promoting Behavior, 247
- Health Seeking Behavior, 248
- Hearing Compensation Behavior, 249
- Heedfulness of Affected Side, 250
- Hemodialysis Access, 251
- Hope, 252
- Hydration, 253
- Hyperactivity Level, 254
- Hypercalcemia Severity, 255
- Hyperchloremia Severity, 256
- Hyperglycemia Severity, 256
- Hyperkalemia Severity, 257
- Hypermagnesemia Severity, 258
- Hypernatremia Severity, 258
- Hyperphosphatemia Severity, 259
- Hypertension Severity, 260
- Hypocalcemia Severity, 261
- Hypochloremia Severity, 262
- Hypoglycemia Severity, 262
- Hypokalemia Severity, 263
- Hypomagnesemia Severity, 264
- Hyponatremia Severity, 265
- Hypophosphatemia Severity, 266
- Hypotension Severity, 266
- Identity, 268
- Immobility Consequences: Physiological, 269
- Immobility Consequences: Psycho-Cognitive, 270
- Immune Hypersensitivity Response, 270
- Immune Status, 271
- Immunization Behavior, 272
- Impulse Self-Control, 274
- Infant Nutritional Status, 275
- Infection Severity, 276

- Infection Severity: Newborn, 277
- Information Processing, 278
- Joint Movement, 279
- Joint Movement: Ankle, 279
- Joint Movement: Elbow, 280
- Joint Movement: Fingers, 281
- Joint Movement: Hip, 282
- Joint Movement: Knee, 283
- Joint Movement: Neck, 283
- Joint Movement: Passive, 284
- Joint Movement: Shoulder, 284
- Joint Movement: Spine, 285
- Joint Movement: Wrist, 286
- Kidney Function, 287
- Knowledge: Acute Illness Management, 288
- Knowledge: Anticoagulation Therapy Management, 289
- Knowledge: Arthritis Management, 290
- Knowledge: Asthma Management, 292
- Knowledge: Body Mechanics, 293
- Knowledge: Bottle Feeding, 294
- Knowledge: Breastfeeding, 295
- Knowledge: Cancer Management, 296
- Knowledge: Cancer Threat Reduction, 297
- Knowledge: Cardiac Disease Management, 298
- Knowledge: Child Physical Safety, 299
- Knowledge: Chronic Disease Management, 300
- Knowledge: Chronic Obstructive Pulmonary Disease Management, 301
- Knowledge: Conception Prevention, 302
- Knowledge: Coronary Artery Disease Management, 303
- Knowledge: Cup Feeding, 304
- Knowledge: Dementia Management, 305
- Knowledge: Depression Management, 306
- Knowledge: Diabetes Management, 307
- Knowledge: Disease Process, 308
- Knowledge: Dysrhythmia Management, 309
- Knowledge: Eating Disorder Management, 310
- Knowledge: Energy Conservation, 311
- Knowledge: Fall Prevention, 312
- Knowledge: Fertility Promotion, 313
- Knowledge: Health Behavior, 314
- Knowledge: Health Promotion, 315
- Knowledge: Health Resources, 316
- Knowledge: Healthy Diet, 316
- Knowledge: Healthy Lifestyle, 317
- Knowledge: Heart Failure Management, 319
- Knowledge: Hypertension Management, 320
- Knowledge: Infant Care, 322
- Knowledge: Infection Management, 323
- Knowledge: Inflammatory Bowel Disease Management, 324
- Knowledge: Kidney Disease Management, 325
- Knowledge: Labor & Delivery, 326
- Knowledge: Lipid Disorder Management, 327
- Knowledge: Medication, 328
- Knowledge: Multiple Sclerosis Management, 329
- Knowledge: Osteoporosis Management, 330
- Knowledge: Ostomy Care, 331
- Knowledge: Pain Management, 331
- Knowledge: Parenting, 333
- Knowledge: Peripheral Artery Disease Management, 334
- Knowledge: Personal Safety, 335
- Knowledge: Pneumonia Management, 336
- Knowledge: Postpartum Maternal Health, 337
- Knowledge: Preconception Maternal Health, 338
- Knowledge: Pregnancy, 338
- Knowledge: Pregnancy & Postpartum Sexual Functioning, 340
- Knowledge: Prescribed Activity, 341
- Knowledge: Prescribed Diet, 342
- Knowledge: Preterm Infant Care, 343
- Knowledge: Sexual Functioning, 344
- Knowledge: Stress Management, 344
- Knowledge: Stroke Management, 345
- Knowledge: Stroke Prevention, 347
- Knowledge: Substance Use Control, 348
- Knowledge: Thrombus Prevention, 349
- Knowledge: Time Management, 350
- Knowledge: Treatment Procedure, 350
- Knowledge: Treatment Regimen, 351
- Knowledge: Weight Management, 352
- Leisure Participation, 353
- Lifestyle Balance, 354
- Liver Function, 355
- Loneliness Severity, 356
- Maternal Status: Antepartum, 357
- Maternal Status: Intrapartum, 358
- Maternal Status: Postpartum, 359
- Mechanical Ventilation Response: Adult, 360
- Mechanical Ventilation Weaning Response: Adult, 361
- Medication Response, 363
- Memory, 364
- Metabolic Acidosis Severity, 364
- Metabolic Alkalosis Severity, 365
- Mobility, 366
- Mood Equilibrium, 367
- Motivation, 368
- Mutilation Self-Restraint, 369
- Nausea & Vomiting Control, 371
- Nausea & Vomiting: Disruptive Effects, 372
- Nausea & Vomiting Severity, 373
- Neglect Cessation, 374
- Neglect Recovery, 374
- Neurological Status, 376
- Neurological Status: Autonomic, 377
- Neurological Status: Central Motor Control, 378

- Neurological Status: Consciousness, 378
Neurological Status: Cranial Sensory/Motor Function, 379
Neurological Status: Peripheral, 380
Neurological Status: Spinal Sensory/Motor Function, 382
Newborn Adaptation, 383
Nutritional Status, 384
Nutritional Status: Biochemical Measures, 384
Nutritional Status: Energy, 385
Nutritional Status: Food & Fluid Intake, 386
Nutritional Status: Nutrient Intake, 386
Oral Health, 387
Ostomy Self-Care, 388
Pain: Adverse Psychological Response, 389
Pain Control, 390
Pain: Disruptive Effects, 391
Pain Level, 392
Parent-Infant Attachment, 393
Parenting Performance, 394
Parenting Performance: Adolescent, 395
Parenting Performance: Adolescent Physical Safety, 397
Parenting Performance: Early/Middle Childhood
Physical Safety, 398
Parenting Performance: Infant, 399
Parenting Performance: Infant/Toddler Physical Safety, 400
Parenting Performance: Middle Childhood, 402
Parenting Performance: Preschooler, 403
Parenting Performance: Psychosocial Safety, 405
Parenting Performance: Toddler, 406
Participation in Health Care Decisions, 407
Perimenopause Symptom Severity, 408
Peripheral Artery Disease Severity, 408
Personal Autonomy, 409
Personal Health Screening Behavior, 410
Personal Health Status, 411
Personal Resiliency, 413
Personal Safety Behavior, 414
Personal Time Management, 415
Personal Well-Being, 416
Physical Aging, 417
Physical Fitness, 418
Physical Injury Severity, 418
Physical Maturation: Female, 419
Physical Maturation: Male, 420
Play Participation, 420
Postpartum Maternal Health Behavior, 421
Post-Procedure Recovery, 422
Premenstrual Syndrome (PMS) Severity, 423
Prenatal Health Behavior, 424
Pre-Procedure Readiness, 425
Preterm Infant Organization, 426
Psychomotor Energy, 427
Psychosocial Adjustment: Life Change, 427
Quality of Life, 429
Relocation Adaptation, 430
Respiratory Status, 431
Respiratory Status: Airway Patency, 432
Respiratory Status: Gas Exchange, 433
Respiratory Status: Ventilation, 434
Rest, 435
Risk Control, 435
Risk Control: Alcohol Use, 436
Risk Control: Cancer, 438
Risk Control: Cardiovascular Disease, 439
Risk Control: Drug Use, 440
Risk Control: Dry Eye, 441
Risk Control: Hearing Impairment, 442
Risk Control: Hypertension, 443
Risk Control: Hyperthermia, 444
Risk Control: Hypotension, 445
Risk Control: Hypothermia, 446
Risk Control: Infectious Process, 447
Risk Control: Lipid Disorder, 448
Risk Control: Osteoporosis, 448
Risk Control: Sexually Transmitted
Diseases (STD), 450
Risk Control: Stroke, 451
Risk Control: Sun Exposure, 452
Risk Control: Thrombus, 453
Risk Control: Tobacco Use, 454
Risk Control: Unintended Pregnancy, 455
Risk Control: Visual Impairment, 456
Risk Detection, 457
Role Performance, 458
Safe Health Care Environment, 459
Safe Home Environment, 460
Safe Wandering, 461
Seizure Self-Control, 462
Self-Awareness, 463
Self-Care Status, 464
Self-Care: Activities of Daily Living (ADL), 465
Self-Care: Bathing, 465
Self-Care: Dressing, 466
Self-Care: Eating, 467
Self-Care: Hygiene, 468
Self-Care: Instrumental Activities of Daily Living
(IADL), 469
Self-Care: Non-Parenteral Medication, 470
Self-Care: Oral Hygiene, 471
Self-Care: Parenteral Medication, 471
Self-Care: Toileting, 472
Self-Direction of Care, 473
Self-Esteem, 474
Self-Management: Acute Illness, 475
Self-Management: Anticoagulation Therapy, 476
Self-Management: Asthma, 477
Self-Management: Cardiac Disease, 479

Self-Management: Chronic Disease, 481
 Self-Management: Chronic Obstructive Pulmonary Disease, 483
 Self-Management: Coronary Artery Disease, 484
 Self-Management: Diabetes, 486
 Self-Management: Dysrhythmia, 488
 Self-Management: Heart Failure, 489
 Self-Management: Hypertension, 491
 Self-Management: Kidney Disease, 493
 Self-Management: Lipid Disorder, 494
 Self-Management: Multiple Sclerosis, 496
 Self-Management: Osteoporosis, 497
 Self-Management: Peripheral Artery Disease, 498
 Sensory Function, 500
 Sensory Function: Hearing, 500
 Sensory Function: Proprioception, 501
 Sensory Function: Tactile, 502
 Sensory Function: Taste & Smell, 503
 Sensory Function: Vision, 503
 Sexual Functioning, 504
 Sexual Identity, 506
 Shock Severity: Anaphylactic, 507
 Shock Severity: Cardiogenic, 508
 Shock Severity: Hypovolemic, 509
 Shock Severity: Neurogenic, 510
 Shock Severity: Septic, 510
 Skeletal Function, 511
 Sleep, 512
 Smoking Cessation Behavior, 513
 Social Anxiety Level, 515
 Social Interaction Skills, 516
 Social Involvement, 517
 Social Support, 518
 Spiritual Health, 519
 Stress Level, 520
 Student Health Status, 521
 Substance Addiction Consequences, 522
 Substance Withdrawal Severity, 523
 Suffering Severity, 524
 Suicide Self-Restraint, 525
 Surgical Recovery: Convalescence, 526
 Surgical Recovery: Immediate Post-Operative, 528
 Swallowing Status, 529
 Swallowing Status: Esophageal Phase, 530
 Swallowing Status: Oral Phase, 531
 Swallowing Status: Pharyngeal Phase, 532
 Symptom Control, 533
 Symptom Severity, 534
 Systemic Toxin Clearance: Dialysis, 535
 Thermoregulation, 536
 Thermoregulation: Newborn, 537
 Tissue Integrity: Skin & Mucous Membranes, 538

Tissue Perfusion, 539
 Tissue Perfusion: Abdominal Organs, 540
 Tissue Perfusion: Cardiac, 541
 Tissue Perfusion: Cellular, 542
 Tissue Perfusion: Cerebral, 543
 Tissue Perfusion: Peripheral, 544
 Tissue Perfusion: Pulmonary, 545
 Transfer Performance, 546
 Urinary Continence, 547
 Urinary Elimination, 548
 Vision Compensation Behavior, 549
 Vital Signs, 550
 Weight: Body Mass, 551
 Weight Gain Behavior, 552
 Weight Loss Behavior, 553
 Weight Maintenance Behavior, 555
 Will to Live, 556
 Wound Healing: Primary Intention, 557
 Wound Healing: Secondary Intention, 558

PART FOUR NOC Linkages: Health Patterns and NANDA International, 561

NOC Linkages—Health Patterns, 562

Nursing Outcomes Classification (NOC) Organized by the Eleven Health Patterns, 563

NOC Linkages—NANDA International Diagnoses, 571

Actual Nursing Diagnoses, 572
 Activity Intolerance, 572
 Activity Planning, Ineffective, 572
 Airway Clearance, Ineffective, 573
 Anxiety, 573
 Autonomic Dysreflexia, 574
 Body Image, Disturbed, 575
 Bowel Incontinence, 575
 Breast Milk, Insufficient, 576
 Breastfeeding, Ineffective, 576
 Breastfeeding, Interrupted, 577
 Breathing Pattern, Ineffective, 577
 Cardiac Output, Decreased, 578
 Caregiver Role Strain, 578
 Childbearing Process, Ineffective, 579
 Comfort, Impaired, 580
 Communication, Impaired Verbal, 580
 Community Coping, Ineffective, 581
 Community Health, Deficient, 581
 Confusion, Acute, 582
 Confusion, Chronic, 582
 Constipation, 583
 Constipation, Perceived, 583
 Contamination, 584

- Coping, Defensive, 584
 Coping, Ineffective, 585
 Death Anxiety, 586
 Decisional Conflict, 586
 Denial, Ineffective, 587
 Dentition, Impaired, 587
 Diarrhea, 588
 Diversional Activity, Deficient, 588
 Energy Field, Disturbed, 589
 Environmental Interpretation Syndrome, Impaired, 589
 Failure to Thrive, Adult, 590
 Family Coping, Compromised, 590
 Family Coping, Disabled, 591
 Family Processes, Dysfunctional, 592
 Family Processes, Interrupted, 593
 Family Therapeutic Regimen Management, Ineffective, 593
 Fatigue, 594
 Fear, 594
 Fluid Volume, Deficient, 595
 Fluid Volume, Excess, 595
 Gas Exchange, Impaired, 596
 Gastrointestinal Motility, Dysfunctional, 596
 Grieving, 597
 Grieving, Complicated, 597
 Growth and Development, Delayed, 598
 Health Behavior, Risk-Prone, 599
 Health Maintenance, Ineffective, 600
 Home Maintenance, Impaired, 601
 Hopelessness, 601
 Hyperthermia, 602
 Hypothermia, 602
 Impulse Control, Ineffective, 603
 Infant Behavior, Disorganized, 603
 Infant Feeding Pattern, Ineffective, 604
 Insomnia, 604
 Intracranial Adaptive Capacity, Decreased, 605
 Knowledge, Deficient, 606
 Latex Allergy Response, 607
 Lifestyle, Sedentary, 607
 Memory, Impaired, 608
 Mobility: Bed, Impaired, 608
 Mobility: Physical, Impaired, 609
 Mobility: Wheelchair, Impaired, 609
 Moral Distress, 610
 Nausea, 611
 Neonatal Jaundice, 611
 Noncompliance, 611
 Nutrition: Imbalanced, Less than Body Requirements, 613
 Nutrition: Imbalanced, More than Body Requirements, 613
 Oral Mucous Membrane, Impaired, 614
 Pain, Acute, 615
 Pain, Chronic, 615
 Parental Role Conflict, 616
 Parenting, Impaired, 617
 Personal Identity, Disturbed, 618
 Post-Trauma Syndrome, 618
 Powerlessness, 619
 Protection, Ineffective, 620
 Rape-Trauma Syndrome, 621
 Relationship, Ineffective, 621
 Religiosity, Impaired, 622
 Relocation Stress Syndrome, 623
 Resilience, Impaired Individual, 623
 Role Performance, Ineffective, 624
 Self-Care Deficit: Bathing, 625
 Self-Care Deficit: Dressing, 625
 Self-Care Deficit: Feeding, 626
 Self-Care Deficit: Toileting, 626
 Self-Esteem: Chronic Low, 627
 Self-Esteem: Situational Low, 627
 Self-Health Management, Ineffective, 628
 Self-Mutilation, 629
 Self-Neglect, 629
 Sexual Dysfunction, 630
 Sexuality Pattern, Ineffective, 630
 Skin Integrity, Impaired, 631
 Sleep Deprivation, 631
 Sleep Pattern, Disturbed, 632
 Social Interaction, Impaired, 632
 Social Isolation, 633
 Sorrow: Chronic, 633
 Spiritual Distress, 634
 Stress Overload, 634
 Surgical Recovery, Delayed, 635
 Swallowing, Impaired, 635
 Thermoregulation, Ineffective, 636
 Tissue Integrity, Impaired, 636
 Tissue Perfusion: Peripheral, Ineffective, 637
 Transfer Ability, Impaired, 637
 Unilateral Neglect, 638
 Urinary Elimination, Impaired, 638
 Urinary Incontinence: Functional, 639
 Urinary Incontinence: Overflow, 639
 Urinary Incontinence: Reflex, 639
 Urinary Incontinence: Stress, 640
 Urinary Incontinence: Urge, 640
 Urinary Retention, 640
 Ventilation, Impaired Spontaneous, 641
 Ventilatory Weaning Response, Dysfunctional, 641
 Walking, Impaired, 642
 Wandering, 642
Risk Nursing Diagnoses, 643
 Activity Intolerance, Risk for, 643

Activity Planning, Risk for Ineffective, 643
 Adverse Reaction to Iodinated Contrast Media, Risk for, 644
 Allergy Response, Risk for, 644
 Aspiration, Risk for, 644
 Attachment, Risk for Impaired, 645
 Autonomic Dysreflexia, Risk for, 645
 Bleeding, Risk for, 646
 Blood Glucose Level, Risk for Unstable, 646
 Body Temperature, Risk for Imbalanced, 647
 Caregiver Role Strain, Risk for, 648
 Childbearing Process, Risk for Ineffective, 649
 Confusion, Risk for Acute, 649
 Constipation, Risk for, 650
 Contamination, Risk for, 650
 Development, Risk for Delayed, 651
 Disuse Syndrome, Risk for, 652
 Dry Eye, Risk for, 652
 Electrolyte, Risk for Imbalance, 653
 Falls, Risk for, 654
 Fluid Volume, Risk for Deficient, 655
 Fluid Volume, Risk for Imbalanced, 655
 Gastrointestinal Motility, Risk for Dysfunctional, 656
 Gastrointestinal Perfusion, Risk for Ineffective, 656
 Grieving, Complicated, Risk for, 657
 Growth, Risk for Disproportionate, 657
 Human Dignity, Risk for Compromised, 658
 Infant Behavior, Risk for Disorganized, 659
 Infection, Risk for, 659
 Injury, Risk for, 660
 Latex Allergy Response, Risk for, 661
 Liver Function, Risk for Impaired, 661
 Loneliness, Risk for, 661
 Maternal-Fetal Dyad, Risk for Disturbed, 662
 Neonatal Jaundice, Risk for, 663
 Nutrition: Imbalanced, Risk for More than Body Requirements, 663
 Parenting, Risk for Impaired, 664
 Perioperative Positioning Injury, Risk for, 665
 Peripheral Neurovascular Dysfunction, Risk for, 665
 Personal Identity, Risk for Disturbed, 666
 Poisoning, Risk for, 666
 Post-Trauma Syndrome, Risk for, 667
 Powerlessness, Risk for, 667
 Relationship, Risk for Ineffective, 668
 Religiosity, Risk for Impaired, 668
 Relocation Stress Syndrome, Risk for, 669
 Renal Perfusion, Risk for Ineffective, 669
 Resilience, Risk for Compromised, 670
 Self-Esteem: Chronic Low, Risk for, 671
 Self-Esteem: Situational Low, Risk for, 671
 Self-Mutilation, Risk for, 672
 Shock, Risk for, 672

Skin Integrity, Risk for Impaired, 673
 Spiritual Distress, Risk for, 673
 Sudden Infant Death Syndrome, Risk for, 674
 Suffocation, Risk for, 674
 Suicide, Risk for, 675
 Thermal Injury, Risk for, 676
 Tissue Perfusion: Cardiac, Risk for Decreased, 676
 Tissue Perfusion: Cerebral, Risk for Ineffective, 677
 Tissue Perfusion: Peripheral, Risk for Ineffective, 677
 Trauma, Risk for, 678
 Urinary Incontinence: Urge, Risk for, 679
 Vascular Trauma, Risk for, 680
 Violence: Other-Directed, Risk for, 680
 Violence: Self-Directed, Risk for, 681
Health-Promotion Nursing Diagnoses, 682
 Breastfeeding, Readiness for Enhanced, 682
 Childbearing Process, Readiness for Enhanced, 683
 Comfort, Readiness for Enhanced, 683
 Communication, Readiness for Enhanced, 684
 Community Coping, Readiness for Enhanced, 684
 Coping, Readiness for Enhanced, 684
 Decision-Making, Readiness for Enhanced, 685
 Family Coping, Readiness for Enhanced, 686
 Family Processes, Readiness for Enhanced, 686
 Fluid Balance, Readiness for Enhanced, 686
 Hope, Readiness for Enhanced, 687
 Immunization Status, Readiness for Enhanced, 688
 Infant Behavior, Organized, Readiness for Enhanced, 688
 Knowledge, Readiness for Enhanced, 689
 Nutrition, Readiness for Enhanced, 691
 Parenting, Readiness for Enhanced, 692
 Power, Readiness for Enhanced, 692
 Relationship, Readiness for Enhanced, 693
 Religiosity, Readiness for Enhanced, 693
 Resilience, Readiness for Enhanced, 694
 Self-Care, Readiness for Enhanced, 695
 Self-Concept, Readiness for Enhanced, 696
 Self-Health Management, Readiness for Enhanced, 696
 Sleep, Readiness for Enhanced, 697
 Spiritual Well-Being, Readiness for Enhanced, 697
 Urinary Elimination, Readiness for Enhanced, 698

PART FIVE Core Outcomes for Nursing Specialties, 699

Core Outcomes for Nursing Specialties, 700
Efforts to Identify Core Outcomes, 700
 Air & Surface Transport, 701
 Ambulatory Care, 701
 Anesthesia, 702
 Cardiac Rehabilitation, 702
 Chemical Dependency, 703

Community Health, 703
Critical Care, 704
Dermatology, 705
Diabetes, 705
Emergency Care, 705
Gastroenterology, 706
Genetics, 706
Gerontology, 707
HIV/AIDS, 707
Home Healthcare, 708
Hospice & Palliative Care, 709
Infection Control & Epidemiological, 710
Intravenous Therapy, 711
Medical-Surgical, 711
Neonatology, 712
Nephrology, 713
Neuroscience, 713
Nurse Practitioner, 714
Occupational Health, 715
Oncology, 716
Operating Room, 717
Ophthalmology, 717
Orthopedics, 718
Otorhinolaryngology & Head-Neck, 718
Pain Management, 719
Parish Nursing, 719
Pediatrics, 720
Pediatric Oncology, 721

Perianesthesia, 722
Perioperative Care, 722
Psychiatric–Mental Health, 723
Plastic Surgery, 724
Radiology, 724
Rehabilitation, 725
School Health, 725
Spinal Cord Injury, 726
Transplant, 726
Urology, 727
Vascular, 728
Women’s Health, Obstetrics, & Neonatology, 728

PART SIX Appendixes, 731

Appendix A Outcomes: New, Revised, and Retired Since the Fourth Edition, 732

Appendix B Guidelines for Submission of a New or Revised Outcome, 735

Appendix C Previous Editions and Translations, 736

Index, 737