

# CONTENTS

	PAGE
<b>FOREWORD</b>	<b>IV</b>
<b>CHAPTER INTRODUCTION</b>	
<b>Introduction I</b>	<b>Intro 1</b>
<b>Introduction II</b>	<b>Intro 5</b>
<b>FLOW CHARTS</b>	
I - <b>Questions To Ask To Your Glaucoma Patient</b>	
II - <b>Diagnostic Criteria</b>	
III - <b>Abnormal Threshold Visual Field</b>	
IV - <b>Assessment and Follow-up</b>	
V - <b>Gonioscopic Open-Angles</b>	
VI - <b>Target IOP</b>	
VII - <b>Treatment Stepladder</b>	
VIII - <b>Therapeutic Trial of Glaucoma Medications</b>	
IX - <b>Monotherapy</b>	
X - <b>Causal Approach to Angle-Closure</b>	
XI - <b>Management Acute Angle-Closure Glaucoma with Pupillary Block</b>	
XII - <b>Which Type of Surgery</b>	
XIII - <b>Antimetabolites</b>	
XIV - <b>Co-existing Open-Angle Glaucoma and Cataract</b>	
<b>CHAPTER 1 - PATIENT EXAMINATION</b>	
1.1 - <b>Intraocular Pressure</b>	<b>1-3</b>
1.2 - <b>Gonioscopy</b>	<b>1-9</b>
1.3 - <b>Optic Nerve Head and Retinal Nerve Fiber Layer</b>	<b>1-16</b>
1.4 - <b>Visual Field</b>	<b>1-24</b>
1.5 - <b>Blood Flow</b>	<b>1-33</b>
1.6 - <b>Axial Length Measurements</b>	<b>1-33</b>
<b>CHAPTER 2 - CLASSIFICATION AND TERMINOLOGY</b>	
2.1 - <b>Primary Congenital Forms</b>	<b>2-4</b>
2.1.1 - <b>Primary Congenital Glaucoma</b>	
2.1.2 - <b>Primary Infantile Glaucoma</b>	
2.1.3 - <b>Glaucoma associated with congenital anomalies</b>	
2.2 - <b>Primary Open-Angle Glaucomas</b>	<b>2-5</b>
2.2.1 - <b>Primary Juvenile Glaucoma</b>	
2.2.2 - <b>Primary Juvenile Glaucoma Suspect</b>	
2.2.3 - <b>Primary Open-Angle Glaucoma/High Pressure Glaucoma (POAG/HPG)</b>	
2.2.4 - <b>Primary Open-Angle Glaucoma Suspect (POAG/HPG Suspect)</b>	

2.2.5 -	Primary Open-Angle Glaucoma/Normal Pressure Glaucoma (POAG/NPG)	
2.2.6 -	POAG/Normal Pressure Glaucoma Suspect (POAG/NPG - Suspect)	
2.2.7 -	Ocular Hypertension (OH)	
<b>2.3 -</b>	<b>Secondary Open-Angle Glaucomas</b>	<b>2-9</b>
2.3.1 -	Secondary Open-Angle Glaucomas caused by ophthalmological conditions	
2.3.1.1 -	<i>Pseudoexfoliation Glaucoma</i>	
2.3.1.2 -	<i>Pigmentary Glaucoma</i>	
2.3.1.3 -	<i>Lens-induced Secondary Open-Angle Glaucoma</i>	
2.3.1.4 -	<i>Glaucoma associated with intraocular hemorrhage</i>	
2.3.1.5 -	<i>Uveitic Glaucoma</i>	
2.3.1.6 -	<i>Glaucoma due to intraocular tumours</i>	
2.3.1.7 -	<i>Glaucoma associated with retinal detachment</i>	
2.3.1.8 -	<i>Glaucoma due to ocular trauma</i>	
2.3.2 -	Iatrogenic Secondary Open-Angle Glaucomas	
2.3.2.1 -	<i>Glaucoma due to corticosteroid treatment</i>	
2.3.2.2 -	<i>Glaucoma due to ocular surgery and laser</i>	
2.3.3 -	Secondary Open-Angle Glaucoma caused by extraocular conditions	
2.3.3.1 -	<i>Glaucoma caused by increased episcleral venous pressure</i>	
<b>2.4 -</b>	<b>Primary Angle-Closure</b>	<b>2-13</b>
2.4.1 -	Primary Angle-Closure (PAC)	
2.4.1.1 -	<i>Acute Angle-Closure Glaucoma (AACG)</i>	
2.4.1.2 -	<i>Intermittent Angle-Closure Glaucoma (IACG)</i>	
2.4.1.3 -	<i>Chronic Angle-Closure Glaucoma (CACG)</i>	
2.4.2 -	Status Post Acute Closure Attack	
2.4.3 -	The "Occludable" Angle; ACR (Angle-Closure Risk)	
<b>2.5 -</b>	<b>Secondary Angle-Closure Glaucomas</b>	<b>2-18</b>
2.5.1 -	Secondary Angle-Closure Glaucomas with pupillary block	
2.5.2 -	Secondary Angle-Closure Glaucoma with anterior "pulling" mechanism without pupillary block	
2.5.3 -	Secondary Angle-Closure Glaucoma with posterior "pushing" mechanism without pupillary block	

## CHAPTER 3 - TREATMENT PRINCIPLES and OPTIONS

<b>3.1 -</b>	<b>General Principles of Glaucoma Treatment</b>	<b>3-3</b>
<b>3.2 -</b>	<b>Target IOP and Quality of Life</b>	<b>3-5</b>
3.2.1 -	The Target Intraocular Pressure (Target IOP)	
3.2.2 -	The Quality of Life (QoL)	
<b>3.3 -</b>	<b>Antiglaucoma Drugs</b>	<b>3-7</b>
3.3.1 -	Main Features of six families of antiglaucoma agents	
3.3.2 -	Combined Drugs Preparations	
<b>3.4 -</b>	<b>Compliance in Glaucoma</b>	<b>3-27</b>
<b>3.5 -</b>	<b>Laser Surgery</b>	<b>3-28</b>
3.5.1 -	Laser Iridotomy	
3.5.2 -	Laser Trabeculoplasty	
3.5.3 -	Laser Iridoplasty	
3.5.4 -	Cyclophotocoagulation	
<b>3.6 -</b>	<b>Incisional Surgery</b>	<b>3-33</b>
3.6.1 -	Penetrating Glaucoma Surgery	

3.6.2 -	Non Penetrating Glaucoma Surgery	
3.6.3 -	Methods of Preventing Filtering bleb scarring	
3.6.4 -	Complex cases	
3.6.5 -	Drainage devices	
3.7 -	<b>Antimetabolites in Glaucoma Filtering Surgery</b>	<b>3-37</b>

## CHAPTER 4 - TREATMENT GUIDELINES

<b>4.1 -</b>	<b>Primary Congenital Forms</b>	<b>4-3</b>
4.1.1 -	Primary Congenital Glaucoma	
4.1.2 -	Primary Infantile Glaucoma	
4.1.3 -	Glaucoma associated with congenital anomalies	
<b>4.2 -</b>	<b>Primary Open-Angle Glaucomas</b>	<b>4-4</b>
4.2.1 -	Primary Juvenile Glaucoma	
4.2.2 -	Primary Juvenile Glaucoma Suspect	
4.2.3 -	Primary Open-Angle Glaucoma (POAG/HPG)	
4.2.4 -	Primary Open-Angle Glaucoma Suspect (POAG/HPG Suspect)	
4.2.5 -	Normal-Pressure Glaucoma (POAG/NPG)	
4.2.6 -	Normal- Pressure Glaucoma Suspect (POAG/NPG Suspect)	
4.2.7 -	Ocular Hypertension (OH)	
<b>4.3 -</b>	<b>Secondary Open-Angle Glaucomas</b>	<b>4-7</b>
4.3.1 -	Secondary Open-Angle Glaucomas caused by Ophthalmological Diseases	
4.3.1.1 -	<i>Pseudoexfoliation glaucoma</i>	
4.3.1.2 -	<i>Pigmentary glaucoma</i>	
4.3.1.3 -	<i>Lens-induced open-angle glaucoma</i>	
4.3.1.4 -	<i>Glaucoma associated with intraocular haemorrhage</i>	
4.3.1.5 -	<i>Uveitic Glaucoma</i>	
4.3.1.6 -	<i>Glaucoma due to intraocular tumors</i>	
4.3.1.7 -	<i>Glaucoma associated with retinal detachment</i>	
4.3.1.8 -	<i>Open-Angle Glaucoma due to ocular trauma</i>	
4.3.2 -	Iatrogenic Secondary Open-Angle Glaucomas	
4.3.2.1 -	<i>Glaucoma due to corticosteroid treatment</i>	
4.3.2.2 -	<i>Secondary open-angle glaucoma due to ocular surgery and laser</i>	
4.3.3 -	Secondary Open-Angle Glaucoma caused by Extrabulbar Disease	
4.3.3.1 -	<i>Glaucoma caused by increased episcleral venous pressure</i>	
<b>4.4 -</b>	<b>Primary Angle-Closure</b>	<b>4-9</b>
4.4.3 -	The "Occludable" Angle; ACR (Angle-Closure Risk)	
<b>4.5 -</b>	<b>Secondary Angle-Closure Glaucomas</b>	<b>4-12</b>
4.5.1 -	Secondary Angle-Closure Glaucomas with pupillary block	
4.5.2 -	Secondary Angle-Closure Glaucomas with anterior "pulling" mechanism without pupillary block	
4.5.3 -	Secondary Angle-Closure Glaucomas with posterior "pushing" mechanism without pupillary block	