

# Content

1	Introduction . . . . .	5
2	Material and Methods . . . . .	6
3	Results . . . . .	8
3.1	Body Weight Variability . . . . .	8
3.2	Changes in Cranial Structure . . . . .	8
3.2.1	The Relationship Between the Condylbasal Length of Cranium and Body Weight . . . . .	9
3.2.2	Population Dynamics and Geographical Variability of the Condylbasal Length of Cranium . . . . .	11
3.3	Changes in the Shape of the Mandible in the Postnidal Period . . . . .	11
3.3.1	Relation Between the Mandibular Length and Body Weight . . . . .	16
3.3.2	Relation Between Mandibular Length and Condylbasal Length of the Cranium . . . . .	16
3.3.3	Population Dynamics and Geographical Variability of Mandibular Length . . . . .	17
3.4	Ossa membri thoracici . . . . .	17
3.4.1	Scapula . . . . .	17
3.4.1.1	Changes in the Shape of the Scapula in the Postnidal Period . . . . .	17
3.4.1.2	Relation Between Scapular Length and Body Weight . . . . .	19
3.4.1.3	Relation Between Scapular Length and Condylbasal Length of the Cranium . . . . .	19
3.4.1.4	Relation Between the Length Scapula and Mandible . . . . .	20
3.4.1.5	Population Dynamics and Geographical Variability of Scapular Length . . . . .	20
3.4.1.6	The Relation Between the Width of Scapula and Body Weight . . . . .	20
3.4.1.7	Relation Between the Width of Scapula and Condylbasal Length of the Cranium . . . . .	21
3.4.1.8	Relation Between the Width of Scapula and the Length of Mandible . . . . .	22
3.4.1.9	Population Dynamics and Geographical Variability of Scapular Width . . . . .	22
3.4.2	Clavicula . . . . .	22
3.4.2.1	Changes in the Shape of Clavicula in the postnidal Period . . . . .	22
3.4.2.2	Relation Between the Length of Clavicle and Body Weight . . . . .	23
3.4.2.3	Relation Between the Length of Clavicle and the Condylbasal Length of Cranium . . . . .	23
3.4.2.4	Relation Between the Length of Clavicle and Mandible . . . . .	24
3.4.2.5	Population Dynamics and Geographical Variability of the Length of Clavicle . . . . .	24
3.4.3	Humerus . . . . .	25
3.4.3.1	Changes in the Shape of Humerus in the Postnidal Period . . . . .	25
3.4.3.2	Relation Between the Length of Humerus and Body Weight . . . . .	26

3.4.3.3	Relation Between the Length of Humerus and the Condylbasal Length of Cranium . . . . .	27
3.4.3.4	Relation Between the Length of Humerus and Mandible . . . . .	27
3.4.3.5	Population Dynamics and Geographical Variability of the Length of Humerus . . . . .	27
3.4.4	Radius . . . . .	28
3.4.4.1	Changes in the Shape of Radius in the Postnidal Period . . . . .	28
3.4.4.2	Relation Between the Length of Radius and Body Weight . . . . .	29
3.4.4.3	Relation Between the Length of Radius and the Condylbasal Length of Cranium . . . . .	30
3.4.4.4	Relation Between the Length of Radius and Mandible . . . . .	30
3.4.4.5	Population Dynamics and Geographical Variability of the Length of Radius . . . . .	30
3.4.5	Ulna . . . . .	30
3.4.5.1	Changes in the Shape of Ulna in the Postnidal Period . . . . .	30
3.4.5.2	Relation Between the Length of Ulna and Body Weight . . . . .	31
3.4.5.3	Relation Between the Length of Ulna and the Condylbasal Length of Cranium . . . . .	32
3.4.5.4	Relation Between the Length of Ulna and Mandible . . . . .	33
3.4.5.5	Population Dynamics and Geographical Variability of the Length of Ulna . . . . .	33
3.5	Ossa Membri Pelvini . . . . .	33
3.5.1	Os coxae . . . . .	33
3.5.1.1	Changes in the Shape of Os Coxae in the Postnidal Period . . . . .	33
3.5.1.2	Relation Between the Length of Os Coxae and Body Weight . . . . .	35
3.5.1.3	Relation Between the Length of Os Coxae and the Condylbasal Length of Cranium . . . . .	35
3.5.1.4	Relation Between the Length of Os Coxae and the Length of Mandible . . . . .	36
3.5.1.5	Population Dynamics and Geographical Variability of the Length of Os Coxae . . . . .	36
3.5.1.6	Relation Between the Width of Os Coxae and Body Weight . . . . .	37
3.5.1.7	Relation Between the Width of Os Coxae and the Condylbasal Length of the Cranium . . . . .	37
3.5.1.8	Relation Between the Width of Os Coxae and the Length of Mandible . . . . .	38
3.5.1.9	Population Dynamics and Geographical Variability of the Width of Os Coxae . . . . .	38
3.5.2	Femur . . . . .	39
3.5.2.1	Changes on the Shape of Femur in the Postnidal Period . . . . .	39
3.5.2.2	Relation Between the Length of Femur and Total Weight . . . . .	39
3.5.2.3	Relation Between the Length of Femur and the Condylbasal Length of Cranium . . . . .	41
3.5.2.4	Relation Between the Length of Femur and Mandible . . . . .	42
3.5.2.5	Population Dynamics and Geographical Variability in the Length of Femur . . . . .	42
3.5.3	Os Cruris . . . . .	42
3.5.3.1	Changes in the Shape of Os Cruris in the Postnidal Period . . . . .	42
3.5.3.2	Relation Between the Length of Os Cruris and Body Weight . . . . .	44
3.5.3.3	Relation Between the Length of Os Cruris and the Condylbasal Length of Cranium . . . . .	45
3.5.3.4	Relation Between the Length of Os Cruris and the Length of Mandible . . . . .	45
3.5.3.5	Population Dynamics and Geographical Variability of Os Cruris . . . . .	45
3.6	Relation Between the Length of Humerus and the Long Bones of the Membri Thoracici et Pelvini . . . . .	46
3.6.1	Relation Between the Length of Humerus and Long Bones of the Membri Thoracici et Pelvini in Weight Classes . . . . .	46
3.6.2	Relation Between the Length of Humerus and Long Bones of the Membri Thoracici et Pelvini in Individual Classes of the Condylbasal Length of Cranium . . . . .	46
3.7	Relation Between the Length of Femur and Long Bones of the Membri Thoracici et Pelvini . . . . .	46
3.7.1	Relation Between the Length of Femur and Long Bones of the Membri Thoracici et Pelvini in Individual Weight Classes . . . . .	49

3.7.2	Relation Between the Length of Femure and Long Bones of the Membri Thoracici et Pelvini in Individual Size Classes of the Condylbasal Length of Cranium . . . . .	49
3.8	Relation Between the Length of Mandible and Long Bones of the Membri Thoracici et Pelvini . . . . .	49
3.8.1	Relation Between the Length of Mandible and Long Bones of the Membri Thoracici et Pelvini and Body Weight . . . . .	49
3.8.2	Relation Between the Length of Mandible and Long Bones of the Membri Thoracici et Pelvini and the Condylbasal Length of Cranium . . . . .	53
4	Discussion . . . . .	53
5	Conclusions . . . . .	59
6	Literature . . . . .	61