Contents

1.	Introduction	1
2.	The basis of the strategy for control of foodborne trematode infections 2.1 Pattern of distribution 2.2 Recognition of the problem 2.3 Links with the food-chain 2.4 Links to poverty, pollution, and population growth 2.5 Tools for control 2.6 Coordination between sectors	1 2 2 4 4 5 6
3.	Public health impact	6
St	rategy of control	
4.	Epidemiological determinants 4.1 Food-related determinants 4.1.1 Social and cultural determinants 4.1.2 Food cultivation 4.1.3 Food preparation and preservation	7 8 9 10 11
	 4.2 Ecological and environmental determinants 4.2.1 Water resources development 4.2.2 Aquaculture and fisheries 4.2.3 Urbanization 4.2.4 Refugees 	12 12 14 16 16
	4.3 Situation analysis4.3.1 Global distribution4.3.2 Global monitoring and databases4.3.3 Geographical information systems	17 18 26 27
5.	Justification for national control programmes 5.1 Public health importance of foodborne trematode infections 5.2 Economic impact of foodborne trematode infections 5.2.1 Costs due to loss of productivity and absenteeism 5.2.2 Direct costs to the health care system 5.2.3 Economic losses in the agricultural and aquacultural sectors 5.3 Feasibility and costs of control	28 28 29 29 29 31 31
	5.4 Models for control programmes	32
6.	National strategies for control 6.1 Health education 6.2 Public information and communication 6.3 Food control 6.4 Sanitation, wastewater, and excreta use 6.5 Diagnosis and treatment 6.5.1 Hospitals 6.5.2 Health centres and dispensaries 6.5.3 Peripheral laboratories	33 35 37 38 40 40 40 41 41
	6.6. Primary health care 6.7 Monitoring and surveillance	41 41

	 6.8 Policy and legislation issues 6.8.1 Health and development 6.8.2 Disposal and use of excreta, wastewater, and sewage sludge 6.8.3 Food control and inspection 6.8.4 International trade 	43 43 44 46 46
	 6.9 Health services infrastructure 6.9.1 Training 6.9.2 Planning the control strategy 6.9.3 Participation in control activities 6.9.4 Maintenance of control 6.9.5 Fish and shellfish control and inspection services 6.9.6 Coordination with control of other diseases 6.9.7 Data management 	47 48 48 49 49 50
7.	Integration with other sectors 7.1 Agriculture 7.2 Animal health 7.3 Fisheries and aquaculture 7.4 Food industry 7.5 Tourism 7.6 Education 7.7 Nongovernmental organizations	51 51 51 52 53 54 54 55
Te	echnical issues in control	
8.	Morbidity and mortality due to foodborne trematodes 8.1 Clinical assessment 8.1.1 Opisthorchiasis 8.1.2 Clonorchiasis 8.1.3 Paragonimiasis 8.1.4 Fascioliasis 8.1.5 Fasciolopsiasis 8.1.6 Other foodborne trematode infections 8.2 Nutrition and foodborne trematode infections 8.3 Carcinoma and foodborne trematode infections 8.4 Other infectious diseases and foodborne trematode infections 8.5 Human immune responses 8.6 Mortality	56 56 58 59 60 61 63 63 65 66
9.	The parasites 9.1 Genetics 9.2 Taxonomy 9.3 Snail-parasite relationships 9.4 Intermediate hosts of foodborne trematodes 9.4.1 Fish 9.4.2 Crustaceans 9.4.3 Plants 9.4.4 Other intermediate hosts 9.5 Mammalian reservoir hosts	67 67 67 68 69 71 71 72
10	o. Intermediate snail hosts 10.1 Taxonomy of intermediate snail hosts 10.2 Control of intermediate snail hosts 10.3 Spread of snails	74 74 75 76

11. Water quality, sanitation, and wastewater usage11.1 Water quality11.2 Sanitation11.3 Wastewater and excreta usage	76 76 77 77
12. Food processing technologies and foodborne trematode infections	78
 13. Diagnostic techniques 13.1 Diagnosis for public health programmes 13.2 Diagnosis for patients 13.3 Diagnostic techniques for food inspection 	83 83 84 84
14. Chemotherapy 14.1 Current drugs 14.1.1 Praziquantel 14.1.2 Other drugs 14.2 Re-treatment schedules 14.3 Effects of chemotherapy 14.4 Resistance to treatment 14.5 Treatment of acute foodborne trematode infections 14.6 Concurrent infections and drug combinations	84 85 85 86 87 88 88 88
Progress in epidemiology and control	90
 15. Country experience 15.1 Countries where Opisthorchis viverrini is endemic 15.1.1 Lao People's Democratic Republic 15.1.2 Thailand 15.2 Countries where Opisthorchis felineus is endemic – former USSR 15.3 Countries where Paragonimus species are endemic 15.3.1 Cameroon 15.3.2 China 15.3.3 Ecuador 15.3.4 Japan 15.3.5 Peru 15.3.6 Republic of Korea 15.4 Countries where Clonorchis sinensis is endemic 15.4.1 China 15.4.2 Japan 15.4.3 Republic of Korea 15.5 Countries in which human fascioliasis occurs 15.5.1 Bolivia 15.5.2 Ecuador 15.5.3 Egypt 15.5.4 Islamic Republic of Iran 15.5.5 Peru 	89 89 90 92 93 94 94 95 95 96 96 97 97 98 98 99 100 100 100
16. Conclusions	102
17. Recommendations	
Acknowledgements	
References	

Annex 1 Estimates of the distribution of foodborne trematode infections	112
Annex 2 Global distribution of human intestinal trematodes	115
Annex 3 The WHO Golden Rules for Safe Food Preparation	122
Annex 4 List of Codex Alimentarius Recommended International Codes of Practice for fish and shellfish	124
Annex 5 Intermediate hosts of foodborne trematodes	125
Annex 6 Techniques for parasitological examination of second intermediate hosts (fish and crustacea)	153
Annex 7 Priorities for research on foodborne trematode infections	156