

Contents

1. Introduction	1
2. The parasite	3
2.1 Habitat of adult worms	3
2.2 Mating, insemination and fertilization	4
2.3 Distribution of developmental stages in female worms	4
2.4 Microfilarial release from female worms	5
2.5 Duration of reproductive life span	5
2.6 Correlation between adult worm loads, microfilarial loads and exposure to infective larvae	5
2.7 Suggestions for further study	6
3. The vectors	6
3.1 The <i>Simulium damnosum</i> complex	8
3.2 The <i>Simulium neavei</i> group	11
3.3 Vector capacity and transmission in West Africa	11
3.4 Vector species in the Americas	12
3.5 Vector capacity and transmission in the Americas	13
3.6 Suggestions for further study	15
4. The disease	15
4.1 Clinical signs and symptoms	15
4.2 Ocular signs and symptoms	18
4.3 Immune responses and pathogenesis	20
4.4 Clinical and immunological changes following treatment with ivermectin	22
4.5 Suggestions for further study	24
5. Geographical distribution, epidemiology and public health importance	25
5.1 Introduction	25
5.2 Numbers of cases	25
5.3 Geographical distribution and trends	30
5.4 Epidemiology	37
5.5 Public health importance	38
5.6 Suggestions for further study	39
6. Social and economic impact	40
6.1 Socioeconomic consequences	40
6.2 Community knowledge, beliefs and attitudes	40
6.3 Socioeconomic benefits of control in the OCP area	41
6.4 Cost-benefit analysis of OCP operations	42
6.5 Socioeconomic consequences in the Americas	44
6.6 Suggestions for further study	45
7. Diagnosis and surveillance	45
7.1 Clinical diagnosis	45
7.2 The Mazzotti test	46
7.3 Parasitological diagnosis	46
7.4 Use of DNA probes for surveillance	47
7.5 Recent advances in immunodiagnosis for surveillance	48
7.6 Suggestions for further study	50

8. Treatment	50
8.1 Introduction	50
8.2 Ivermectin	50
8.3 Suramin	52
8.4 Amocarzine	54
8.5 Benzimidazoles	56
8.6 Diethylcarbamazine	56
8.7 Evaluation of the effectiveness of chemotherapeutic agents	56
8.8 Suggestions for further study	57
9. Control: objective, strategies and epidemiological modelling	57
9.1 Objective	57
9.2 Factors affecting control strategies	58
9.3 Strategies	60
9.4 Use of epidemiological models to predict trends in the prevalence of infection	62
9.5 Suggestions for further study	63
10. Control through vector control	63
10.1 Operational aspects and impact of insecticide treatments	64
10.2 Resistance and its management by the rotation of insecticides	67
10.3 Impact of larviciding on the aquatic environment	68
10.4 Environmental management	69
10.5 Integrated control	69
11. Control through chemotherapy	70
11.1 Introduction	70
11.2 Organizations and groups stimulating and supporting the distribution of ivermectin	70
11.3 Methods of distribution	72
11.4 Identification of priority areas for large-scale ivermectin treatment	75
11.5 Suggestion for further study	78
12. Monitoring and evaluation of control	78
12.1 Monitoring large-scale chemotherapy	78
12.2 Entomological evaluation of the impact of vector control	79
12.3 Evaluation of control	80
12.4 Suggestions for further study	83
13. Sustainability of ivermectin distribution programmes	84
13.1 Introduction	84
13.2 The parties concerned	84
13.3 Establishment of sustainable programmes	85
13.4 Cost-effectiveness	86
14. Training	87
14.1 Types of training	88
14.2 Training materials	89
14.3 Implications of devolution in the OCP area	89
15. Conclusions	90
16. Recommendations	91

Acknowledgements	92
References	93
Annex	
A clinical classification and grading system for recording the cutaneous changes of onchocerciasis	97