Contents

1.	Intro	oduction	1
2.	Bas	ic information on Chagas disease	2
	2.1	Clinical forms	2
		2.1.1 Acute phase	2
		2.1.2 Chronic phase	5
	2.2	Pathology	1/
		2.2.1 Acute phase	1/
		2.2.2 Chronic phase: heart pathology	18
		2.2.4 Charas disease and AIDS	21
		2.2.5 Pathogenesis of chronic lesions	22
	2.3	Laboratory diagnosis	24
	2.0	2.3.1 Parasitological diagnosis	24
		2.3.2 Immunodiagnosis	25
	2.4	Clinical management and treatment	29
		2.4.1 Trypanosomicidal treatment	29
		2.4.2 Drug development	29
		2.4.3 Acute phase	32
		2.4.4 Chronic phase	33
		2.4.5 Assessment of cure	35
3.	Para	asitology	35
	3.1	Taxonomy	35
	3.2	Isolation and maintenance of <i>L. cruzi</i> strains	35
	3.3	Biological characteristics	35
	3.4	The parasite denome and the <i>T</i> aruzi denome project	37
	0.0	The parasite genome and the <i>T. cruzi</i> genome project	39
4.	Vec	tors	40
	4.1	Taxonomy	40
	4.2	Geographical distribution	41
	4.3	Biology	43
	4.4	Ecology and behaviour of triatomines	46
		4.4.1 Species strictly domiciliated or exceptionally found in	47
		WIIG ecolopes	47
		4.4.2 Species found in both domestic and wild ecolopes,	17
		44.3 Species mainly wild but sometimes cantured in the	47
		domestic environment	49
		4.4.4 Wild species, with adults seldom found in dwellings	49
		4.4.5 Species found only in wild ecotopes	49
	4.5	Climatic factors and dispersion and adaptation of triatomines	49
		4.5.1 Sylvatic ecotopes and the domiciliation process	50
		4.5.2 The changes associated with domiciliation	51
	4.6	Population genetics	52
	4.7	Epidemiological application of the new tools	52
		4.7.1 Systematics	53

	4.7.2 Population structure4.7.3 Population movements and reinfestation4.7.4 Historical population movements	53 54 55
5.	 Natural reservoirs 5.1 Domestic and synanthropic reservoirs 5.2 Wild reservoirs 5.3 Importance of birds and other terrestrial vertebrates 	55 56 57 58
6.	Epidemiology and incidence trends 6.1 Modes of transmission and ecological factors 6.1.1 Transmission by vectors 6.1.2 Transmission by blood transfusion 6.1.3 Congenital transmission 6.1.4 Transmission by organ transplantation 6.1.5 Accidental transmission 6.1.6 Oral transmission 6.1.7 Ecological factors 6.1.8 Anthropogenic environmental changes 6.2 Prevalence and geographical distribution of the disease 6.3 Epidemiological trends and changes in the period 1983–2000	59 59 59 60 61 61 61 62 63 68
7.	 Prevention and control 7.1 Chemical control 7.1.1 Introduced and native species 7.1.2 Inputs and equipment 7.1.3 Programme organization 7.2 Physical control 7.3 Health education and community participation 7.4 Improvement of living conditions 7.5 Programme implementation in the context of primary health care 7.6 Evaluation of vector resistance to insecticides 7.6.1 Laboratory bioassays 7.6.2 Insecticidal effect of formulations 7.6.3 Resistance and tolerance 	69 70 71 73 74 76 76 76 77 78 78 78 78
8.	 Subregional initiatives for the interruption of transmission 8.1 Southern Cone Initiative 8.1.1 Situation analysis 8.1.2 The formal decision 8.1.3 Strategies and methods 8.1.4 Intercountry mechanisms 8.1.5 Resources 8.1.6 Results 8.1.7 Overall impact of the Initiative in the region 8.1.8 Cost-effectiveness studies in Brazil 8.2 Andean Initiative 8.2.1 Andean Pact agreement 8.2.2 Situation analysis 8.3 Central American Initiative 8.3.1 Central American agreement 8.3.2 Situation analysis 	80 80 81 81 82 84 84 85 86 86 86 86 88 88 88 88 88

9.	Development of human resources	89
10.	 Research priorities 10.1 Clinical pathology and diagnostic tests 10.1.1 Clinical pathology 10.1.2 Diagnostic tests 10.1.3 New tools for use in evaluating vector control 10.2 Biochemistry, functional genomics, and drug development 10.3 Social and economic research 	90 90 90 90 90 91 91
11.	Recommendations	91
Acknowledgements		92
References		93
Annex 1 Safety precautions for laboratory work with <i>Trypanosoma cruzi</i>		100
Annex 2 Labelling of <i>Trypanosoma cruzi</i> isolates		102
Annex 3		

List of sylvatic and domestic or peridomestic animal reservoir hosts of *Trypanosoma cruzi* and countries in which they have been found infected 106