Contents dis noise regression of the contents of the contents

1915.2 Interpreting the logistic regression coefficient

| 26 77 | | |
|---------|--|-----------------|
| List of | examples with health paragraph bin some being particular particula | ige xvii |
| D6 | Average predictive comparisons out book oblides scales dealers. | 5.7 |
| Prefac | | xix |
| 1 Wh | Bibliographs when the assignment mechanical supplies with the second supplies the seco | 0.9 |
| 1.1 | | 01.6211 |
| 1.1 | 100000000000000000000000000000000000000 | 1 |
| 1.3 | Some examples from our own research Motivations for multilevel modeling | |
| 1.3 | Distinctive features of this book | 6 |
| 1.5 | Computing Island | 8 6.2 |
| REL | Propis regression: normally distributed latent data | 8.82°9 4.828 |
| 2 Cor | acepts and methods from basic probability and statistics | |
| 2.1 | Probability distributions | 10 |
| 2.2 | Statistical inference at usual basilerance religions erom gaibling | 13 |
| 2.3 | Classical confidence intervals | 16 |
| 2.4 | Classical hypothesis testing | 18 |
| 2.5 | Problems with statistical significance | 20 |
| 2.6 | 55,000 residents desperately need your help! | |
| 2.7 | Bibliographic note | 23 26 |
| 2.8 | Exercises | 26 |
| TRAIN | ulation of probability grodels land statistical interescent | |
| Part 1 | A: Single-level regression Mohom yuliidadora lo noitalumi? | 29 |
| | Summarizing linear regressions using simulation: an internal | 2.7249 |
| 3 Line | ear regression: the basics description des | 31 |
| 3.1 | One predictor sook are predictionable and problems and problems are some some source of the source o | 8.7.31 |
| 3.2 | Multiple predictors association for generalized linear associations | 32 |
| 3.3 | Interactions state no predictors ston pidgargoildig | 34 |
| 3.4 | Statistical inference | 37 |
| 3.5 | Graphical displays of data and fitted model | 42 |
| 3.6 | Assumptions and diagnostics problems and problems and problems are problems. | 45 |
| 3.7 | Prediction and validation not slamb and book 1 | 47 |
| 3.8 | Bibliographic note has a statistical and a beautiful and a selection of the selection of th | 49 |
| 3.9 | Exercises and a pure adjusce three debont bettly editioned an incluming | 49 |
| | | |
| 4 Line | ear regression: before and after fitting the model | 53 |
| 4.1 | Linear transformations | 53 |
| 4.2 | Centering and standardizing, especially for models with interaction | |
| 4.3 | Correlation and "regression to the mean" a parlam economical least | 57 |
| 4.4 | Logarithmic transformations | 59 |
| 4.5 | Other transformations again Issues to moldong Istromeburd ed I | 65 |
| 4.6 | Building regression models for prediction | 68 |
| 4.7 | Fitting a series of regressions | 73 |

| | CONTENTS |
|---|----------|
| X | |

| 1 | | | 74 |
|---|--------|--|---------|
| | 4.8 | Bibliographic note | 74 |
| | 4.9 | Exercises | |
| _ | | It | 79 |
| 5 | | stic regression Logistic regression with a single predictor | 79 |
| | 5.1 | Interpreting the logistic regression coefficients | 81 |
| - | 5.2 | Latent-data formulation | 85 |
| | 5.3 | Building a logistic regression model: wells in Bangladesh | 86 |
| | 5.4 | Logistic regression with interactions | 92 |
| | 5.5 | Evaluating, checking, and comparing fitted logistic regressions | 97 |
| | 5.6 | Average predictive comparisons on the probability scale | 101 |
| | 5.7 | Average predictive comparisons on the productive | 104 |
| | 5.8 | Identifiability and separation | 105 |
| | 5.9 | Bibliographic note | 105 |
| I | 5.10 | Exercises Yamileborn noiszerger levelitlum at tadW | |
| 1 | ~ | neralized linear models dynasen awo mod solqmaxe emod | 109 |
| 6 | | | 109 |
| | | Introduction Poisson regression, exposure, and overdispersion | 110 |
| | | Poisson regression, exposure, and overdispersion | 116 |
| | | LOOISLIC-DIHOIIIIAI IIIOGOI | 118 |
| | 6.4 | Probit regression: normally distributed latent data Ordered and unordered categorical regression | 000119 |
| | 6.5 | Robust regression using the t model | 124 |
| | 6.6 | Robust regression using the t model Building more complex generalized linear models | 125 |
| | 6.7 | Constructive choice models | 8 127 |
| | 6.8 | Competition of the contract of | 131 |
| | 08 6.9 | Dibliographic | 132 |
| | 1.6 22 | 0 Exercises light your help! | |
| | | iging they been properly at a side of the | 135 |
| | | 1B: Working with regression inferences | |
| | 26 | 1 1:11th models and statistical inferences | 137 |
| | | mulation of probability models and statistical inferences | 137 |
| | 8g 7.1 | Simulation of probability models | |
| | 7.2 | | 140 |
| | | Dayesian approach | 144 |
| | 7.3 | Simulation for nonlinear predictions, congressional cross- | 148 |
| | 28 7.4 | | |
| | 18.7. | Bibliographic note | |
| | 78 7. | 6 Exercises Jebom bottif bas stab to evalge blackground | |
| | | the tistical procedures and model fits | 155 |
| | | mulation for checking statistical procedures and model fits | 155 |
| | 8. | 1 Fake-data simulation | |
| | 8. | a 11 C11 1 and comparing to actual unit | 158 |
| | 8 AS | the state of a shoot the fit of a time-series income | del 163 |
| | | The state of the second state of the state o | 165 |
| | 8 | | 168 |
| | 8 53 | entering and standardizing, especially for models with interactions | |
| | 55 | the treatment variable | 16' |
| | | Causal inference using regression on the treatment variable Only Causal inference and predictive comparisons | 16 |
| | | | 0 3.17 |
| | 99 6 | | 8 0 17 |
| | 80 9 | | 17 7 17 |
| | 87 | 7.4 Treatment interactions and poststratification | |

| CONTE | ENTS | X | i |
|-------|-----------------------|---|---|
| 9.5 | Observational studies | 18113.3 Modeling multiple varying coefficient | |

| 001 | | AI |
|--|--|-----------|
| 9. | 5 Observational studies an amoinfleon guivasv elgislisin guileboM E. | 181 |
| 9. | 6 Understanding causal inference in observational studies | 186 |
| 9. | 7 Do not control for post-treatment variables no pulbasic plant. | 188 |
| 9. | 8 Intermediate outcomes and causal paths | 190 |
| 9. | 9 Bibliographic note seems likelihood estimatelation belsen-novi d. | 194 |
| 9. | 10 Exercises parameters and administration of the second s | 194 |
| | 3 Bayesian inference for classical azidhonitikrelitimu essigmoo eroM 7. | |
| 10 C | ausal inference using more advanced models or old grapoildie 8 | 199 |
| 20010 | 1.1 Imbalance and lack of complete overlap | 199 |
| 10 | 0.2 Subclassification: effects and estimates for different subpopulations | 204 |
| | 0.3 Matching: subsetting the data to get overlapping and balanced | |
| | | 206 |
| 01810 | 0.4 Lack of overlap when the assignment mechanism is known: | |
| | regression discontinuity also an integral bases and assessment and a | 212 |
| 10 | 2.5 Estimating causal effects indirectly using instrumental variables | 215 |
| | 0.6 Instrumental variables in a regression framework | 220 |
| 10 | 2.7 Identification strategies that make use of variation within or between | |
| | groups and confidence building | 226 |
| 10 | 8.8 Bibliographic note | 229 |
| 10 | .9 Exercises the them sends to be a considered bear equipment of the constant | 231 |
| | 4 Redundant parameterlow subferent innellerment delivered to the mileto C: | |
| Part | 2A: Multilevel regression appendigment to the particular and the second | 235 |
| | 5 Using redundant parameters to create an information original 1. | |
| 11 M | fultilevel structures | 237 |
| 11 | .1 Varying-intercept and varying-slope models | 237 |
| | .2 Clustered data: child support enforcement in cities | 237 |
| 11 | .3 Repeated measurements, time-series cross sections, and other | O SECTION |
| | non-nested structures | 241 |
| 11 | .4 Indicator variables and fixed or random effects | 244 |
| 21211 | .5 Costs and benefits of multilevel modeling | 246 |
| 11 | .6 Bibliographic note | 247 |
| 11 | .7 Exercises the design of data collection sgnd bas A gaisu | 248 |
| | | |
| 12 M | ultilevel linear models: the basics you but - Isubivibut ambbA d.c. | 251 |
| 12 | .1 Notation | 251 |
| 12 | .2 Partial pooling with no predictors | 252 |
| 12 | .3 Partial pooling with predictors | 254 |
| 12 | .4 Quickly fitting multilevel models in R | 259 |
| 12 | .5 Five ways to write the same model and an amilebour below-negO 01.8 | 262 |
| 12 | .6 Group-level predictors ston bilder poiled II. 3 | |
| 12 | .7 Model building and statistical significance | 270 |
| 12 | .8 Predictions for new observations and new groups | 272 |
| | .9 How many groups and how many observations per group are | ALGE! |
| | needed to fit a multilevel model? | 275 |
| 12 | .10 Bibliographic note angels and a special sp | 276 |
| 12 | 7.2 Varying intercepts and slopes with group-level predict essists 11. | 277 |
| | 7.3 Non-nested models gnilooq laitraq to amount of partial pooling slebom betsen-nox | |
| and the second s | | |

| 13 Multilevel linear models: varying slopes, non-nested models, a | nd |
|---|-----|
| other complexities | 279 |
| 13.1 Varying intercepts and slopes | 279 |
| 13.2 Varying slopes without varying intercepts | 289 |

CONTENTS

| XII | m : the gooled inverse | | |
|-------------|--|-------|------|
| 18 13.3 | Modeling multiple varying coefficients using the scaled inverse- | 0.02 | 84 |
| | Wishart distribution | | |
| 88 13.4 | Understanding correlations between group-level intercepts and | 8.02 | 87 |
| | Slopes | 0.02 | 89 |
| 13.5 | | 01.02 | 93 |
| 13.6 | Selecting, transforming, and combining regression inputs | 2 | 97 |
| 13.7 | More complex multilevel models Bibliographic note | UBO 2 | 297 |
| 13.8 | Bibliographic note Exercises | 1.012 | 298 |
| 13.9 | Exercises | | |
| | tilevel logistic regression | 8.03 | 01 |
| 14 Mu | State-level opinions from national polls State-level opinions from national polls State-level opinions from national polls | | 301 |
| | | 10.4 | 310 |
| 14.2 | Red states and blue states: what's the matter with | | 314 |
| 14.3 | Item-response and ideal-point models | 10.5 | 320 |
| 14.4 | The state of the s | | 321 |
| 14.5 | Bibliographic note Exercises | | 322 |
| 14.6 | Exercises and exercises and exercises are approximately ap | | |
| | | 8.01 | 325 |
| 15 Mu | Itilevel generalized linear models Overdispersed Poisson regression: police stops and ethnicity | | 325 |
| 15.1 | Overdispersed Poisson regression, ponce stops and | | 331 |
| 15.2 | Ordered categorical regression: storable votes Non-nested negative-binomial model of structure in social netwo | rks | 332 |
| 15.3 | Non-nested negative-binomial model of structure in the second sec | | 342 |
| 15.4 | The state of the s | | 342 |
| | Exercises Services also also also also also also also als | | |
| 6.6237 | Unstered data: child support enfoldered the etting | | 343 |
| Part | 2B: Fitting multilevel models uedto bus anoisos soris entre-emit atnementasem betagens | | 135 |
| 16 M | D. the basics | | 345 |
| 16 | | | 345 |
| 16. | a Description informed and Drift (18111) Utilities | | 345 |
| 16. | - I I I I I I I I I I I I I I I I I I I | el | 0.40 |
| 2107 9 | using R and Bugs | | 348 |
| 16 | - Durg model as called from K | | 353 |
| 16 | Adding individual- and group-level predictors | | 359 |
| 16 | | | |
| | | | 363 |
| | Darmer I II | | 366 |
| 10 | | | 369 |
| 10 | | | 010 |
| 10 | Dilli poto | | 373 |
| | | | 373 |
| | | M Di | |
| 17 F | and generalized linear models in I | Bugs | 077 |
| 11 1 | | | |
| amag. | to the intercept verying-slope models | | |
| 7701 | 7.1 Varying-intercept, varying-slope medical varying intercepts and slopes with group-level predictors | | 379 |
| | | | 380 |
| 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 381 |
| 1270 | | | |
| TO STATE OF | - a M Wil and and categorical regression | | 383 |
| 6282 | 7.6 Multilevel ordered categorical regressions of generalized linear models 7.7 Latent-data parameterizations of generalized linear models | | 384 |
| 1 | 1.1 Lovotto T | | |

| CONTE | ENTS | xiii |
|--------------|--|------------|
| 17.8 | Bibliographic note | 385 |
| | Exercises constray to sizylana IssiszafO | 385 |
| | | 22.2 |
| 18 Like | lihood and Bayesian inference and computation | 387 |
| 18.1 | Least squares and maximum likelihood estimation | 387 |
| 18.2 | Uncertainty estimates using the likelihood surface | 390 |
| 18.3 | Bayesian inference for classical and multilevel regression | 392 |
| 18.4 | Gibbs sampler for multilevel linear models | 397 |
| 18.5 | Likelihood inference, Bayesian inference, and the Gibbs sampler | 8.52573 |
| | the case of censored data | 402 |
| 18.6 | Metropolis algorithm for more general Bayesian computation | 408 |
| 18.7 | Specifying a log posterior density, Gibbs sampler, and Metropoli | |
| 006 | algorithm in R and levelillum and alooke the magazinatismis. | 409 |
| 18.8 | Bibliographic note | 413 |
| 18.9 | Exercises anilobom lovolidhum bas soldairev Ismonintent | 413 |
| 10 D 1 | Bibliographic note Exercises convergence but a pripage | 9.00 |
| | agging and speeding convergence | 415 |
| 19.1 | Debugging and confidence building | 415 |
| 19.2 | General methods for reducing computational requirements Simple linear transformations | 418 |
| 19.3 | | 419 |
| 19.4 19.5 | Redundant parameters and intentionally nonidentifiable models | 419 |
| 19.5 | Parameter expansion: multiplicative redundant parameters Using redundant parameters to create an informative prior | 424 |
| 19.0 | distribution for multilevel variance parameters | 427 |
| 19.7 | Bibliographic note | 434 |
| 19.8 | Exercises another mote and a sub-gainst a su | |
| 088 | Missing-data mechanisms | 25.1 |
| Part 3 | From data collection to model understanding to mod | el |
| | Simple missing-data approaches that retain all the data gnish | 435 |
| | Random imputation of a single variable | 25.4 |
| 20 Sam | ple size and power calculations missim largers to noissuguil | 437 |
| 20.1 | Choices in the design of data collection dolladuquit beasd-lebold | 3.35437 |
| 20.2 | Classical power calculations: general principles, as illustrated by | |
| | estimates of proportions eston singargoiddil | 439 |
| 20.3 | Classical power calculations for continuous outcomes | 443 |
| 20.4 | Multilevel power calculation for cluster sampling | 447 |
| 20.5 | Multilevel power calculation using fake-data simulation | 449 |
| 20.6 | Bibliographic note | 454 |
| 20.7 | | |
| | | LA |
| | erstanding and summarizing the fitted models | 457 |
| 21.1 | Uncertainty and variability and bus | 457 |
| 21.2 | Superpopulation and finite-population variances | 459 |
| 21.3 | Contrasts and comparisons of multilevel coefficients | 462 |
| 21.4 | Average predictive comparisons | 466 |
| 21.5 | R ² and explained variance goldscarger agraf a to | 473 |
| 21.6 | Summarizing the amount of partial pooling | 477 |
| 21.7 | Adding a predictor can <i>increase</i> the residual variance! Multiple comparisons and statistical significance | |
| 21.8 21.9 | interrept comparisons and sourseless significance | 481 |
| | Bibliographic note Exercises Bibliographic note Equipment of the state of the st | 484 485 |
| 21.10 | LACICIBES | 400 |

| xiv | CONTEN | TS |
|-----|--------|----|
| | | |

| 22 Ana | lysis of variance | 487 |
|--------|--|-------|
| | Classical analysis of variance | 487 |
| | ANOVA and multilevel linear and generalized linear models | 490 |
| | Summarizing multilevel models using ANOVA | 492 |
| 1 1010 | Doing ANOVA using multilevel models | 494 |
| | Adding predictors: analysis of covariance and contrast analysis | 496 |
| 22.6 | Modeling the variance parameters: a split-plot latin square | 498 |
| | Bibliographic note Hobom month [svolithm not rolumns addit] 14 | 501 |
| | | 501 |
| 22.0 | Exercises (15) and the case of consored data | 2600- |
| 23 Cau | sal inference using multilevel models | 503 |
| | Multilevel aspects of data collection | 503 |
| 23.2 | Estimating treatment effects in a multilevel observational study | 506 |
| | Treatments applied at different levels | 507 |
| 23.4 | | 509 |
| CIRTI | Bibliographic note | 512 |
| | Exercises somegravinos gnibesquibas qui palgande | 512 |
| 20.0 | Light Coefficients and confidence being an included in | 01 |
| 24 May | | 513 |
| | | 513 |
| | | 515 |
| | Example: a behavioral learning experiment | 524 |
| | Model comparison and deviance | 526 |
| | Bibliographic note am as also to create an interest business and a substitution of the | 527 |
| 24.5 | Exercises greateness energy levelithm for notheritable | 021 |
| 434 | .7 Bibliographic note | 529 |
| | sing-data imputation 8. | |
| 25.1 | | 530 |
| 25.2 | | 531 |
| 25.3 | Simple missing-data approaches that retain all the data | 532 |
| 25.4 | The state of the s | 533 |
| 25.5 | A TOTAL COLLEGE COLLEG | |
| 25.6 | | 540 |
| 25.7 | Combining inferences from multiple imputations | 542 |
| 25.8 | Bibliographic note | 542 |
| 25.9 | Exercises among the supplied and the supplied and the supplied as the supplied | 543 |
| 7116.7 | 4 Multilevel power calculation for cluster sampling lumis arell suited | 0263 |
| Appen | dixes Multilevel power calculation uning laked liberal statement with the distance of the control of the contro | 545 |
| | | 0869 |
| A Six | quick tips to improve your regression modeling | 547 |
| A.1 | Fit many models | 547 |
| A.2 | Do a little work to make your computations faster and more reliable | 547 |
| A.3 | Graphing the relevant and not the irrelevant | 548 |
| A.4 | Transformations | 548 |
| A.5 | Consider all coefficients as potentially varying | 549 |
| A.6 | Estimate causal inferences in a targeted way, not as a byproduct | |
| | of a large regression | 549 |
| B Sta | tistical graphics for research and presentation | 551 |
| B.1 | Reformulating a graph by focusing on comparisons | 552 |
| B.2 | Scatterplots ston sings poildid 8 | 553 |
| B.3 | Miscellaneous tips | 559 |
| 2.0 | THE RESERVE OF THE PROPERTY OF | |

| CON | ITE | NTS | XV |
|------|------------|--|---------------------|
| E | 3.4 | Bibliographic note | 562 |
| E | 3.5 | Exercises | 563 |
| C S | Soft | ware | 565 |
| | 0.1 | Getting started with R, Bugs, and a text editor | 565 |
| | C.2 | Fitting classical and multilevel regressions in R | 565 |
| | C.3 | Fitting models in Bugs and R | 567 software 568 |
| | C.4 C.5 | Fitting multilevel models using R, Stata, SAS, and other s Bibliographic note | 573 |
| He | ne r | adon 3.3 | 6, 252, 279, 479 |
| Refe | erer | nces | 575 |
| Aut | hor | index ions from national polls | 601 |
| Sub | iect | t index | 607 |
| | | opinion on the death penalty | 19 |
| | | | |
| | | | |
| | | s' education and children's test scores | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | and voting | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 152 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |