

## SSC2010, Book of Abstracts, Content

### Fundamentals: Structure, Electronic and Magnetic Properties. Lectures

<b>Magnetic properties of new nitrides and oxides, <u>Battle, Peter D.</u></b>	14
<b>Powder diffraction for solid state chemistry: From high resolution data and complex structures to low quality data and local structures, <u>Černý, Radovan</u></b>	15
<b>Controlling the structures and properties of layered chalcogenides and pnictides, <u>Clarke, Simon J.</u></b>	16
<b>Studies of the double perovskites, <math>A_2FeMoO_6</math> and <math>A_{2-x}A'_{x}MnRuO_6</math>: a closer look at the contrasting role of chemical order, <u>Woodward, Patrick M.</u></b>	16
Rare earth-based layered oxyfluorosulphides and oxypnictides: From pigments properties to superconductivity phenomena. <u>Demourgues, Alain</u> and <u>Ogier, Tiphaine</u>	17
Structure-property relations in new layered $Ba_{3-x}Sr_xLaNb_{3-y}Ta_2O_{12}$ perovskites, <u>Gillie, Lisa J.</u> , <u>Adams, Ruth M.</u> ; <u>Mould, Andrew G.</u> ; <u>Reeves-McLaren, Nik</u> ; <u>Sinclair, Derek C.</u>	18
Anisotropic antiferromagnetism and superconductivity in quasi-two-dimensional materials without geometrical magnetic frustration, <u>Kitomi, Tsutsumi</u>	19
Electronic structure of rare earth ions in the $Sr_2MgSi_2O_7$ persistent luminescence host material, <u>Laamanen, Taneli</u> ; <u>Hölsä, Jorma</u> ; <u>Lastusaari, Mika</u> ; <u>Novák, Pavel</u>	20
Non-collinear spin structure of $BaCoTiFe_{10}O_{19}$ by resonant X-ray magnetic scattering, <u>Okube, Maki</u> and <u>Sasaki, Satoshi</u>	21
In situ low-temperature infrared spectroscopic study on Kohn anomaly of one-dimensional metallic exotic-nanocarbon, <u>Onoe, Jun</u> ; <u>Takashima, Akito</u> ; <u>Toda, Yasunori</u>	22
Homochiral, helical supramolecular coordination polymers organized by strong, noncovalent $\pi$ - $\pi$ stacking interactions: single crystal to single crystal transformations, <u>Reger, Daniel L.</u> ; <u>Horger, Jacob</u> and <u>Smith, Mark</u>	23
Comparison of O-N substitution processes in $TiO_2$ , $ZnO$ and $Nb_2O_5$ with organic crystalline solids under mechanical stressing, <u>Senna, Mamoru</u> ; <u>Bauer, Benjamin</u> ; <u>Shi, Jianmin</u> ; <u>Sepelak, Vladimir</u> ; <u>Becker, Klaus Dieter</u>	24
Flexibility of structure and variability of properties of nanostructured spinels, <u>Šepelák, Vladimír</u> ; <u>Myndyk, M.</u> ; <u>Šubrt, J.</u> ; <u>Feldhoff, A.</u> ; <u>Heitjans, P.</u> ; <u>Becker, K.D.</u>	25
Heterobimetallic barium-cobalt aminopolycarboxylate complexes, as single-source molecular precursors for $BaCoO_{3-\delta}$ oxide materials, <u>Tancré, Nathalie</u> ; <u>Bulimestru, Ion</u> ; <u>Rolle, Aurélie</u> ; <u>Cornei, Nicoleta</u> ; <u>Mentré, Olivier</u>	26

### Fundamentals: Structure, Electronic and Magnetic Properties. Posters

Structural and magnetic characterization of $A_3Cr_2ReO_9$ ( $A = Sr$ , $Ba$ ) double perovskites, <u>Pannunzio-Miner, E.V.</u> ; <u>De Paoli, J.M.</u> ; <u>Sánchez, R.D.</u> ; <u>Alonso, J.A.</u> ; <u>Fernández-Díaz, M.T.</u> ; and <u>Carbonio, R.E.</u>	27
$Fe^{3+}$ to $Fe^{2+}$ partial reduction in the monoclinic double perovskite $Ba_{2-x}La_xFeSbO_6$ , <u>Blanco, M. Cecilia</u> ; <u>Guimpel, J.J.</u> ; <u>Paesano, A. Jr.</u> and <u>Carbonio, R.E.</u>	28
Magnetic surface effects in ferromagnetic $La_3Ni_2SbO_9$ , <u>Franco, D.</u> ; <u>Carbonio, R.</u> ; <u>Nieva, G.</u>	29
Variations of electronic properties on composition and crystal structure for V-W-Mo-O system, <u>Chung, Jaehoon</u> ; <u>Kim, Hyun-Jun</u> and <u>Kim, Seung-Joo</u>	30
Synthesis, characterization and physical properties of two new quaternary selenides: $Ba_3SnBi_2Se_8$ and $Ba_3SnSb_2Se_8$ , <u>Chung, Ming-Yen</u> ; <u>Lee, Chi-Shen</u>	31
Magnetic properties of $Gd_{1-x}Sc_xNi_2$ ( $x=0.1, 0.2$ ) solid solutions, <u>J. Ćwik</u> ; <u>T. Palewski</u> ; <u>K. Nenkov</u> ; <u>J. Klamut</u>	32
Aggregated structures and spin crossover properties of <i>fac</i> - and <i>mer</i> -(Tris(2-methylimidazole-4-yl)methylideneaminobenzyl)iron(II) chloride hexafluorophosphate, <u>Furusho, Daisuke</u> , <u>Nishi Koshiro</u> , <u>Hashibe Tomotaka</u> , and <u>Matsumoto Naohide</u>	33
Effect of chirality on assembly structure and spin crossover property of iron(II) complexes $[Fe(HL^R \text{ or } RS^R)_3]Cl \cdot PF_6$ , <u>Hashibe, Tomotaka</u> ; <u>Nishi, Koshiro</u> ; <u>Fujinami, Takeshi</u> ; <u>Furusho, Daisuke</u> ; and <u>Matsumoto, Naohide</u>	34

Thermal study of the structures and phase transitions of new possibly functional materials: A'A'' <sub>2</sub> CuTi <sub>2</sub> O <sub>9</sub> (A'=Ca,Ba) and (A''=Pr,Nd) triple perovskites, <u>Iturbe-Zabalo, Edurne</u> ; Igartua, Josu M.; Cuello, Gabriel J.; Aatiq, Abderrahim	35
Microstructural and magnetic properties of Li <sub>0.5</sub> Fe <sub>2.5</sub> O <sub>4</sub> fine particles prepared by citrate gel decomposition, <u>Jović, N</u> ; Antić, B; Božin, E; Cvjetičanin, N; Spasojević, V	36
The removal of oxide impurities on ZrB <sub>2</sub> surface using diluted HF solution, <u>Jung, Jin-Young</u> ; Oh, Hyeon-Cheol; Jung, Se-Hyuk; Lee, Sea-Hoon; Kim, Hai-Doo; Choi, Sung-Churl	37
Correlation of Crystal Structure and Energy Band Gap of Complex Oxyfluorides, AA'Nb <sub>2</sub> O <sub>6</sub> F (A = Li, Na, K, Rb, Cs, A' = Ca, Sr, Pb), <u>Kim, Sung-Chul</u> ; Yoo, Chung-Yul; Lee, Mi-Sun and Kim, Seung-Joo	38
Complex temperature dependence of resistivity in LaCo <sub>1-x</sub> Cu <sub>x</sub> O <sub>3</sub> ( $\sim$ 0.33), <u>Knížek, K.</u> ; Jirák, Z.; Hejtmanek, J.; Veveřka, M.; Němec, H.; Buršík, J.; Kirakci, K.	39
Polynuclear lanthanide complexes with cavitan cucurbit[6]uril: From molecular compounds to coordination polymers, <u>Kovalenko, Ekaterina A.</u> ; Fedin, Vladimir P.	40
Electrical and dielectric properties of ytterbia stabilized zirconia crystals, <u>Kundracík, František</u> ; Hartmanová, Mária; Jergel, Matej; Holgado, Juan P.; Lomonova, Elena E.	41
Structural reinvestigation of alkali hexatitanate, <u>Kunimitsu, Kataoka</u> ; Norihito, Kijima; Hiroshi, Hayakawa; Junji, Akimoto	42
GaP and WO <sub>3</sub> nanoflowers produced through Close-Spaced Vapour Transport, <u>Lima, Enrique</u> ; Felipe, Carlos; Chávez, Fernando; Guzmán, Ariel	43
Effects of hydrogen doping on the electric properties of TiO <sub>2</sub> thin films, Wu, Hsuan-Chung; <u>Lin, Huey-Jian</u> ; Wang, Moo-Chin and lin, Yuan-Yu	44
Structure and thermal properties of WO <sub>3</sub> -doped calcium aluminosilicate glasses, <u>Lin, Huey-Jian</u> ; Wu, Hsuan-Chung; Wang, Moo-Chin and Huang, Jiun-Hau	45
Quantum critical magnetism of Fe <sub>3</sub> Mo <sub>3</sub> N and related compounds, <u>Nakamura, Hiroyuki</u> ; Waki, Takeshi; Terazawa, Shinsuke; Tabata, Yoshikazu	46
Influence of the dissimilar crystalline environments on the electronic features of two crystallographically independent molecules. The results of the charge density analysis, <u>Novaković, Sladjana B.</u> ; Francuski, Bojana M.; Bogdanović, Goran A.	47
Structure and superconductivity of cuprates containing Gd <sup>3+</sup> ion Y <sub>1-x</sub> Gd <sub>x</sub> Ba <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> , Ce <sub>0.15</sub> Nd <sub>1.85-x</sub> Gd <sub>x</sub> CuO <sub>4-y</sub> , and Bi <sub>2</sub> Sr <sub>1.5</sub> Nd <sub>0.5-x</sub> Gd <sub>x</sub> CuO <sub>6+y</sub> , <u>Oh-Ishi, Katsuyoshi</u> ; Takeda, Atsushi; Hirakawa, Daiju; Akiyama, Keiyyu; Kubota, Daichi and Tanaka, Tetsurou	48
Crystallization kinetics of a two-dimensional system: A molecular dynamics study, <u>Rino, José Pedro</u> ; Gonçalves, Luis Gustavo V.	49
Self-assembly of copper(II) complex of chiral imidazole containing ligand, <u>Tomohiro, Oishi</u> ; Tomotaka, Hashibe; Matsumoto, Naohide	50
Effect of synthesis conditions on the crystal structure and the magnetic properties of BiFeO <sub>3</sub> nanopowders, <u>Rashad, M. Mohamed</u>	51
"Negative chemical" pressure as useful method for phase transition investigations in solids, <u>Seyidov, MirHasan Yu.</u> and Suleymanov, Rauf A.	52
Evidence for an extra-channel ionic conductivity in apatite-type lanthanum silicate: A first-principle study, <u>Sibereciov, Bruno</u>	53
Structural building principles of complex cubic intermetallics, <u>Steurer, Walter</u> ; Dshemuchadse, Julia; Jung, Daniel Y.	54
Preparation, electrical and optical studies of Cu <sub>6</sub> PS <sub>5</sub> -Cu <sub>6</sub> AsS <sub>5</sub> superionic solid solutions, <u>Studenyak I.</u> ; Kayla M., Izai V., Mineits Yu., Orliukas A. Kezionis A, Kazakevicius E., Salkus T.	55
May external perturbation substantially affect negative thermal expansion coefficient of crystals?, <u>Seyidov, MirHasan Yu.</u> and <u>Suleymanov, Rauf A.</u>	56

## Inorganic Materials. Lectures

Tuning of the band-gap of LaSi <sub>3</sub> N <sub>5</sub> ternary nitrides via Eu-doping: Experimental and DFT study, <u>Lencéš, Z.</u> ; Bencó, L.; Šajgalík, P.; Zhou, Y.; Hirao, K.; Velič, D.	57
Challenges facing inorganic materials for energy storage, <u>Whittingham, M. Stanley</u>	58
Single-crystal synthesis, structure and property of Li-ion conducting oxides having garnet-related type structure, Awaka, J.; Takashima A.; Hayakawa, H.; Kijima, N.; Idemoto, Y.; <u>Akimoto, J.</u>	59
Solid state properties and anticancer activity of arsenic sulphide As <sub>4</sub> S <sub>4</sub> particles prepared by nanomilling, <u>Baláž, Peter</u> ; Fabián, Martin, Bujňáková, Zdenka; Sedlák, Ján; Pastorek, Michal; Cholujová, Danka; Kartachova, Olga; Stalder, Bernhardt	60
Oriented SrFe <sub>12</sub> O <sub>19</sub> thin films by chemical solution deposition, <u>Buršík, Josef</u> ; Bezdička, Petr; Drbohlav, Ivo; Knížek, Karel; Kužel, Radomír	61
Phase equilibria and crystal structure of the complex oxides in the Ln – Ba – Co – O (Ln = Nd, Sm) systems, <u>Cherepanov, Vladimir</u> ; Gavrilova, Ludmila; Aksanova, Tatyana	62

Plasma sprayed (APS) coatings of nanometric Al <sub>2</sub> O <sub>3</sub> -13%TiO <sub>2</sub> for photocatalytic application, <u>Cibor, P.</u> ; <u>Stengl, V.</u> ; <u>Ageorges, H.</u>	63
Towards the design of new bismuth oxo-phosphates, <u>Endara, Diana</u> ; <u>Huvé, Marielle</u> ; <u>Colmont, Marie</u> ; <u>Mentré, Olivier</u>	64
Surface functionalisation of ordered and non-ordered mesoporous silica with 1,4-diazoaniabicycle[2.2.2]octane derivative: A comparative study of CuCl <sub>2</sub> adsorption on the matrix surface from ethanol solution, <u>Gushikem, Yoshitaka</u> ; <u>Maroneze, Camila M.</u> ; <u>Magosso, Hérica A.</u>	65
Mesoporous silica composite catalysts doped with different metal oxides by sol-gel process, <u>Hojo, Junichi</u> ; <u>Yamashita, Shougo</u> ; <u>Inada, Miki</u> ; <u>Enomoto, Naoya</u>	66
Perovskites blocks assembly in the cobalt oxy-halides: effects of intra- or inter-blocks chemical substitutions, <u>Iorgulescu, Mihaela</u> ; <u>Roussel, Pascal</u> ; <u>Tancret, Nathalie</u> ; <u>Mentre, Olivier</u>	67
Preparation and properties of LDH-related mixed oxides deposited on Al <sub>2</sub> O <sub>3</sub> /Al support, <u>Kovanda, František</u> ; <u>Jirátová, Květa</u>	68
Synthesis of functional materials in molten salts, <u>Kuznetsov, S.A.</u>	69
Development of a new biopolymer based on a cellulose acetate/Al <sub>2</sub> O <sub>3</sub> hybrid support modified with DABCO: synthesis, characterization and application as metal adsorbent, <u>Magosso, Hérica A.</u> ; <u>Gushikem, Yoshitaka</u>	70
Up-conversion properties through site selective doping of hexagonal KLaF <sub>4</sub> , <u>Nagarajan, Rajaman</u> ; <u>Neetu Tyagi</u> ; <u>Shahzad Ahmad</u>	71
Search for new multicomponent sulphide phosphors exploiting solution based synthesis methods, <u>Petrykin, Valery</u> ; <u>Ohara, Keishiro</u> ; <u>Tezuka, Satoko</u> ; <u>Kakihana, Masato</u>	72
Magnetic and catalytic properties of copper ferrite nanopowders synthesized from secondary resources, <u>Rashad, M.M.</u> ; <u>Mohamed, R.M.</u> ; <u>Ibrahim, M.A.</u> ; <u>Kamal, F.H.</u> ; <u>Ismail, L.F.M.</u> ; <u>Abdel-Aal, E.A.</u>	73
Crystal-Chemistry: a basic research tool to define and prepare new classes of active materials for Li-batteries, <u>Rozier, Patrick</u> and <u>Dollé, Mickael</u>	74
Thermodynamic behaviour of misfit layer cobaltites, <u>Sedmidubský, David</u> ; <u>Jankovský, Ondřej</u> ; <u>Jakeš, Vít</u> ; <u>Leitner, Jindřich</u> ; <u>Sofer, Zdeněk</u>	75
Ordered mesoporous carbons: Novel solid state materials for electrocatalytic applications, <u>Selvam, Parasuraman</u> ; <u>Kuppan, Ballaiah</u> ; <u>Viswanathan, Balasubramanian</u>	76
Production and application of advanced W-based nanopowders, <u>Tolochko, Oleg</u> ; <u>Blinov, Lev N.</u> ; <u>Vasilyeva, Ekaterina</u> ; <u>Klimova, Olga</u> ; <u>Kim B.-K.</u>	77
Wet method synthesis of nanocomposites and mesoporous structures, <u>Trusova, E.A.</u>	78

## Inorganic Materials. Posters

Influence of doping on oxygen permeability in La <sub>x</sub> Ba <sub>1-x</sub> Co <sub>1-y</sub> M <sub>y</sub> O <sub>3±δ</sub> , (M=Fe,Mn) perovskites, <u>Pandis, P.</u> ; <u>Sakkas, P.</u> ; <u>Sourkouni, G.</u> ; <u>Argirasis, Ch.</u> ; <u>Ftikos, Ch.</u>	79
Structural and morphological study of mechanochemically synthesized tin diselenide, <u>Achimovičová, Marcela</u> ; <u>da Silva, Klebson Lucenildo</u> ; <u>Myndyk, Maksym</u>	80
Synthesis of Er <sup>3+</sup> doped Sb <sub>2</sub> Se <sub>3</sub> nanorods by hydrothermal method and their optical properties, <u>Alemi, Abdolali</u> and <u>Firouzsalarri, Younes Hanifehpour</u>	81
Synthesis and characterization of Indium–borate glass-ceramics containing Ho <sub>0.01</sub> Ce <sub>0.74</sub> Zr <sub>0.25</sub> O <sub>1.995</sub> nanorods via incorporation method, <u>Alemi, Abdolali</u> ; <u>Khandar, Ali Akbar</u> ; <u>Salem, Amin</u> ; <u>Kafi – Ahmadi, Leila</u>	82
Synthesis and characterization of Lu <sup>3+</sup> doped Sb <sub>2</sub> S <sub>3</sub> micro crystals via hydrothermal route and their optical properties, <u>Alemi, Abdolali</u> and <u>Firouzsalarri, Younes Hanifehpour</u>	83
Preparation and characterization of Sb <sub>6</sub> O <sub>13</sub> nanocrystals by hydrothermal method, <u>Alemi, Abdolali</u> and <u>Aghdam, Elham Ghavidel</u>	84
Influence of monovalent modifier in the composition of glass on ion exchange process and “burying” of planar optical waveguide layer, <u>Altšmid, J.</u> , <u>Nekvindova, P.</u> , <u>Mika, M.</u> and <u>Spirkova, J.</u>	85
Preparation of perovskite oxide based proton conducting materials and membranes, <u>Argirasis, Christos</u> ; <u>Stathopoulos, Vassilis</u> ; <u>Sourkouni, Georgia</u>	86

Synthesis of titano-silicate-type zeolite and Ni deposition into pore, <u>Muramatsu, Atsushi; Yoji, Sunagawa; Katsutoshi, Yamamoto; Kayo, Tokairin</u>	87
Nanoparticles as pinning centres for bismuth superconductors, <u>Bartuněk, Vilém; Smrková, Olga</u>	88
Synthesis and characterization of iron(III)phosphate, <u>Baykan, Demet; Öztaş Altuntaş, Nurşen</u>	89
$\text{In}_{5.5+x}\text{Sb}_{1.5-x}\text{W}_2\text{O}_{12}$ solid solution: structural characterization and physical properties, <u>Bizo, Liliana; Choisnet, Jacques</u>	90
New silica containing hydroxyapatite coatings by flame spraying deposition, <u>Barabás, Réka; Bogya, Erzsébet; Bizo, Liliana; Dejeu, Valentina;</u>	91
Phases forming in the solid state in the system $\text{FeVO}_4 - \text{Cu}_3\text{V}_2\text{O}_8$ , <u>Blonska-Tabero, Anna and Płaszkiewicz, Marta</u>	92
The temperature of precipitation of the MCM-41 silicas, <u>Borówka, Anna</u>	93
Obtaining of indium(III) phosphates(V) in the solid state and their thermal stability, <u>Bosacka, Monika</u>	94
Preparation of thin optical active layers by localised $\text{Er}^{3+}$ doping into lithium niobate single crystal, <u>Cajzl, J.; Nekvindová, P.; Svecová, B.; Macková, A.; Malinsky, P.; Oswald, J.; Kolitsch, A. and Spirkova, J.</u>	95
Effect of stacking fault on the thermoelectrical properties of $\text{Mo}_{1-x}\text{Ta}_x\text{Se}_2$ , <u>Choi, Sun-Eui; Chung, Jaehoon; Kim, Jong-Young; Park, Cheol-Hee; Kim, Tae-Hoon; Kim, Seung-Joo</u>	96
Structure and phase composition of V-Al-N alloy, <u>Chumarev, V.M.; Selmenskikh, N.I., Larionov, A.V.</u>	97
Phase diagram and electrical conductivity of $\text{DyCl}_3\text{-AgCl}$ binary system, <u>Chojnicka, Ida and Gaune-Escard, Marcelle</u>	98
Study of the mechanism of Cu-Zn mechanical alloying. A new "mechanochemical equilibrium" phase diagram, <u>Criado, J.M.; Díanez, M.J. and Donoso, E.</u>	99
Synthesis and basic properties of new solid solutions in the $\text{FeVSbO}_6 - \text{CrVSbO}_6$ system, <u>Dabrowska, Grazyna; Filipek, Elzbieta; Gorska, Anna</u>	100
Stabilization of a distorted tetragonal $\text{ANbO}_4$ and preparation of pyrochlore-type $\text{A}_3\text{NbO}_7$ compounds ( $\text{A} = \text{Y, Ln}$ ) from molecular precursors, <u>Delligne, Nicolas; Devillers, Michel</u>	101
Soft synthesis and crystallographic characterization of magnesium based double alkaline earth carbonates, <u>Díanez M.J., Criado, J.M., Pérez-Maqueda L.A and Perejón A.</u>	102
Synthesis and photoelectronic properties of layered titanate nanostructures, <u>Diwald, Oliver; Riss, Alexander; Elser, Michael and Bernardi, Johannes</u>	103
Hydrothermal synthesis of iron oxide particles with controllable shape and size, <u>Dong, Q.; Kumada, N.; Takei, T.; Yonesaki, Y. and Kinomura, N.</u>	104
Kinetics of mechanochemical synthesis of $\text{Sb}_2\text{S}_3$ and $\text{Bi}_2\text{S}_3$ nanoparticles, <u>Dutková, Erika; Takacs, Laszlo; Baláz, Peter; Kováč, Jaroslav; Šatka, Alexander</u>	105
Mechanochemical synthesis of $\text{BaTiO}_3$ , <u>Fabián, M.; K.L. da Silva, F.; Briančin, J.</u>	106
Growth and characterization of coiled carbon nanotubes, <u>Fejes, Dora; Hernadi, Klara</u>	107
Hydrogen production from steam reforming of bio-alcohols on the molybdenum-antimony oxides catalysts, <u>Filipek, Elzbieta; Rakoczy, Jan; Wieczorek-Ciurowa, Krystyna; Niziol, Joanna</u>	108
Phase relations in the solid state in the $\text{V}_2\text{O}_5\text{-Nb}_2\text{O}_5\text{-Sb}_2\text{O}_4$ ternary system, <u>Filipek, Elzbieta; Piz, Mateusz; Dziubek, Karolina</u>	109
Nanosized iron-containing oxide ceramics prepared by sol-gel method, <u>Gatelyte, Aurelijia; Jasaitis, Darius; Beganskiene, Aldona; Kaireva, Aivaras</u>	110
Metallic cements obtained by interaction of mechanocomposite Cu/Bi with liquid gallium, <u>Grigoreva T. E.; Kovaliova, S.A.; Becker, K.D.; Šepeták, V.; Barinova, A.P.; Lyakhov, N.Z.</u>	111
Solid-phase oxidation of sulphide-metal alloys of copper and nickel, <u>Gulyaeva, R.I.; Selivanov, E.N.; Udoeva, L.Y., Verchinin, A.D.</u>	112
Magnetic properties of quadruple perovskites $\text{Ba}_4\text{LnM}_3\text{O}_{12}$ ( $\text{Ln}=\text{rare earths}; \text{M}=\text{Ru, Ir}$ ), <u>Hinatsu, Yukio; Shimoda, Yuki; Doi, Yoshihiro; Wakeshima, Makoto</u>	113
Combustion synthesis of titanium carbide-nickel-molybdenum cermet: Role of mechanical activation, <u>Hobosyan M.A., Hovhannisan L.H., Manaseryan L.G., Khachatryan H.L., Kharatyan S.L.</u>	114
Role of increasing As/Sb molar ratio on thermal properties of As-Sb-S glasses, <u>Holubová, Jana; Černošek, Zdeněk and Černošková, Eva</u>	115
Trends observed in phase diagrams of binary systems lanthanide bromide – alkali metal bromide, <u>Ingiér-Stocka, Ewa; Rycerz, Leszek and Gaune-Escard, Marcelle</u>	116
The thermodynamic properties of solid compounds in $\text{ABr-LnBr}_3$ ( $\text{A} = \text{K, Rb, Cs, Ln} = \text{Ce, Pr}$ ) systems, <u>Kapala, Jan</u>	117
Crystal structure of lithium inserted $\alpha\text{-MnO}_2$ , <u>Kijima, Norihito; Kataoka, Kunimitsu; Sakao, Mitsumasa; Awaka, Junji; Akimoto, Junji</u>	118
Structure transformation of $\text{CuRh}_2\text{O}_4$ , <u>Kijima, Norihito; Kataoka, Kunimitsu; Awaka, Junji; Hayakawa, Hiroshi; Akimoto, Junji; Nagata, Shioichi</u>	119
Study of the thermoelectric properties of a titanium doped sodium cobaltite $\text{Na}_x(\text{Co}_{1-y}\text{Ti}_y)\text{O}_2$ ( $x \sim 1$ and $y < 0.15$ ), <u>Kirakci, Kaplan; Buršík, Josef; Knižek, Karel</u>	120
Phase formation upon reduction of vanadium, niobium, and tantalum pentoxides with aluminium nitride, <u>Larionov, A.V.; Chumarev, V.M., Marievich, V.P.</u>	121

Sonochemical synthesis of diluted magnetic semiconducting oxides, <u>Lisboa-Filho, Paulo; Morilla-Santos, Cassio; Catto, Ariadne; Arruda, Larisa</u>	122
Copper containing waveguiding layers in novel silicate glass, <u>Malichová, Hana; Mika, Martin; Tresnáková, Pavlina and Spirková, Jarmila</u>	123
Separation of strontium from liquid radioactive wastes: A comparison of three different inorganic sorbent, <u>Merceille, Aurélie; Barré, Yves; Grandjean, Agnès</u>	124
Synthesis and characterization of $\text{Ce}_{1-x}\text{Pr}_x\text{PO}_4$ phosphates obtained by different synthesis routes, <u>Matraszka, Aleksandra and Szczygiel Irena</u>	125
Epitaxy of elastically strained layers of Zn-Cd-Te solid solutions, <u>Moskvin P.P., Kuznetsov V.V., Rashkovetskyi L.V.</u>	126
Mechanochemical synthesis of stoichiometric nickel and nickel-zinc ferrite powders with Nicolson-Ross analysis of absorption coefficients, <u>Nikolić A.S., Jovalekić Č., Gruden-Pavlović M. and Pavlović M.B.</u>	127
New phases in the $\text{BaMn}_{0.85}\text{Ti}_{0.15}\text{O}_{3.8}$ system: Structure-properties relationships of 4H and 9R-polypotypes., <u>Parras, M.; Miranda L; Ramírez-Castellanos, J.; Hernando, M.; Boulahya, K.; Varela, A.; González-Calbet, J.M. and Sinclair, D.</u>	128
Preparation of nickel-containing porous zirconia, <u>Peters, Andreas; Lutecki, Michal; Gläser, Roger</u>	129
Influence of decomposition atmosphere in sol-gel process on precursor grain size and on microstructure of thermoelectric $\text{Ca}_3\text{Co}_{4-x}\text{O}_{9+x}$ ceramics, <u>Rubešová, Kateřina; Hlásek, Tomáš; Sedmidubský, David; Hejtmanek, Jiří</u>	130
Synthesis, structure and functional properties of microporous metal-organic frameworks, <u>Sapchenko Sergey; Samsonenko, Denis G. and Fedin, Vladimir P.</u>	131
Creation of a homogeneous micro relief on a surface of silicate glasses, <u>Semencha, A.V.; Blinov, L.N.</u>	132
Ferroelectric property of $(\text{Ba}_{1.2x}\text{Bi}_{2x})(\text{Ti}_{1-x}\text{Cu}_x)\text{O}_3$ ( $x \leq 0.05$ ) ceramics, <u>Shiroki, K.; Kumada, N.; Ogiso, H.; Yonesaki, Y.; Takei, T.; Kinomura, N.; Wada, S.</u>	133
Materials for medical applications based on alkali dihydroporphophates and calcium hydroxyapatite, <u>Shiryayev, Mikhail; Reshotka, Daria; Safronova, Tatiana; Putlyayev, Valery</u>	134
Transition metal doped zinc oxide, <u>Sofer, Zdeněk; Sedmidubský, David; Leitner, Jindřich; Huber, Štěpán; Soferová, Lýdie; Maryško, Miroslav; Hejtmanek, Jiří</u>	135
Rapid synthesis of Ga nitrides through ammonolysis, <u>Sofer, Zdeněk; Sedmidubský, David; Leitner, Jindřich; Huber, Štěpán; Maryško, Miroslav and Hejtmanek, Jiří</u>	136
Ion exchange in a new Zn-Er silicate glass - the way of diffusion coefficient calculation, <u>Staněk, S.; Nekvindová, P.; Oswald, J.; Svecová, B.; Mika, M. and Spirková, J.</u>	137
Novel silicate glasses for NIR applications, <u>Stará, Stanislava; Spirková, Jarmila; Mika, Martin; Oswald, Jiří and Potůček, Zdeněk</u>	138
Silicate glasses doped with $\text{Ag}^+$ ions: The comparison between the ion-exchange and ion implantation, <u>Svecová, Blanka; Nekvindová, Pavla; Kormunda, Martin; Macková, Anna; Malinsky, Petr; Pesicka, Josef; Spirková, Jarmila</u>	139
Studies on $\text{Ni}_2\text{FeVO}_6$ and $\text{FeNb}_{49}\text{O}_{124}$ by the help of IR and Mössbauer spectroscopy, <u>Tabero, Piotr; Blonska-Tabero, Anna; Szilagyi, Petra and Homonnay, Zoltan</u>	140
Synthesis of $\text{FeNb}_{11}\text{O}_{29}$ by the solution method, <u>Tabero, Piotr and Homonnay, Zoltan</u>	141
Preparation and characterization of new lead-free ceramics related to $\text{CaTiO}_3$ , <u>Taibi-Benzia, Laldja; Talantikite, Djahida; Khereddine, Yazid; Kerdja, Tahar</u>	142
Synthesis and characterization of new $\text{CuMo}_3\text{W}_{1-x}\text{O}_9$ solid solution, <u>Tomaszewicz, E.; Filipek, E.; Moszyński, D.; Kaczmarek, S.M.; Leniec, G.</u>	143
Physical and structural properties of $\text{TeO}_2\text{-PbCl}_2\text{-PbF}_2$ glasses, prepared in Au or Pt crucibles, doped with $\text{Pr}^{3+}$ or $\text{Er}^{3+}$ , in various chemical forms, <u>Trnovcová, Viera; Kubliha, Marian; Furár, Ivan; Kadleciková, Magda; Pedliková, Jitka</u>	144
Electrical properties of isostatically pressed alumina ceramics, <u>Trnovcová, Viera; Hanic, František; Štúřa, Igor; Furár, Ivan</u>	145
Nanostructured composites on basis of $\text{CeO}_2$ : Synthesis and catalytic activity in low-temperature oxidation of CO, <u>Zagainov, I.V.; Trusova, E. and Pisarev, S.A.</u>	146
Sorption of $\text{Cd}^{2+}$ and $\text{As}^{3+}$ ions by mechanochemical activated olivine $(\text{Mg},\text{Fe})_2\text{SiO}_4$ , <u>Turianicová, Erika; Bujňáková, Zdenka; Baláz, Peter</u>	147
Synthesis of high surface area mesoporous silica powder and shape control the morphology by sol-gel method, <u>Ui, Sang-Wook; Choi, Jae-Seok; Choi, Sung-Chul</u>	148
Sol-gel technique, texture and morphology of superdispersed $\text{ZnO}$ powders for use in electronics and optoelectronics, <u>Vokhmintsev, K.V.; Trusova, E.A.</u>	149
Phase transformation and crystallite growth of 2 mol% yttria-partial stabilized zirconia (2Y-PSZ) nanocrystallite powders by co-precipitation process for dental application, <u>Lee, Huey-Er; Sie, Yu-You; Wang, Chau-Hsiung; Huang, Hong-Hsin; Wang, Moo-Chin</u>	150
Formation of micronanocomposite powders in $\text{CuO-FeSi}$ system by soft mechanochemical processing, <u>Wieczorek-Ciurowa, Krystyna; Habdank-Wojewódzki, Tadeusz and Oleszak, Dariusz</u>	151
Mechanochemical synthesis of copper-doped calcium titanate, <u>Wieczorek-Ciurowa, Krystyna and Dulian, Piotr</u>	152

Synthesis of Mn-Zn ferrite using modified sol-gel auto-combustion method, Szczygiel, Irena; Winiarska, Katarzyna	153
Synthesis and characterization of TiO <sub>2</sub> nanotubes at low-middle temperatures by a hydrothermal route, Yang, Wein-Duo; Hsieh, Ching-Shieh; Chung, Zen-Ja; Chueng, Hui-Ju	154
Oxygen nonstoichiometry, defect structure and defect-induced expansion of advanced oxide materials, Zuev, Andrey; Sereda, Vladimir; Tsvetkov, Dmitry	155

## Hybrid Materials. Lectures

Fluorescence resonance energy transfer between rhodamine cations in colloids and thin films of layered silicates, Bujdák, Jura; Iyi, Nobuo	156
An overview of Metal-Organic Frameworks: from giant cell to the breathing effect, Millange, Franck; Guillou, Nathalie; Serre, Christian; Férey, Gérard; Walton, Richard I.	157
Supercritical route for super hybrid materials, Tadafumi, Adschari	158
Drug-carrying layered double hydroxides supported on magnetic core: Novel bioinorganic nanocomposites for magnetic drug delivery, Ay, Ahmet Nedim; Zümreoglu-Karan, Birgül; Rives, Vicente; Temel, Abidin; Konuk, Deniz	159
Oriented films of zinc hydroxides, Demel, Jan; Bezdička, Petr; Janda, Pavel; Klementová, Mariana; Pleštil, Josef; Lang, Kamil	160
Studies of particle dispersion in elastomeric polyurethane/organically modified montmorillonite nanocomposites, Dimitry, O.I.H.; Abdeen, Z.; Ismail, E.A.; Saad, A.L.G.	161
Design of homochiral porous metal-organic coordination polymers for enantioselective separation, Fedin, Vladimir P.	162
Synthesis of new layered and framework anion exchangeable hydroxides, Fogg, Andrew M.; McIntyre, Laura J.; Goulding, Helen V.; Hulse, Sarah E.; Prior, Timothy J.; Clegg, William	163
Porphyrin-LDH hybrids as novel photofunctional materials, Káfuňková, Eva; Lang, Kamil; Kubát, Pavel; Leroux, Fabrice; Taviot-Guého, Christine	164
Inclusion compounds based on mesoporous metall-organic framework MIL-101 and Mo and Re clusters and Keggin-type polyoxometallates, Kovalenko, K.A.; Berdonosova, E.A.; Klyamkin, S.N.; Maksimchuk, N.V.; Kholdeeva, O.A.; Fedin, V.P.	165
Thermally metastable transition metal nitrides for metamaterials, Ryoji, Saito; Yuji, Masubuchi; Teruki, Motohashi; Shinichi, Kikkawa	166
Metal-organic frameworks based on metal-organic supramolecules, Lah, Myoung Soo; Oh, Minhak	167
Designed synthesis of monodisperse metal/platinum core/shell nanoparticles and their catalytic properties for the PROX reaction, Sato, Ryota; Ito, Shin-ichi; Kanehara, Masayuki; Tomishige, Keiichi; Teranishi, Toshiharu	168
Drastic structural transformation of Cd chalcogenide nanoparticles using chloride ions and surfactants, Saruyama, Masaki; Kanehara, Masayuki; Teranishi, Toshiharu	169
Advanced characterizations for nanostructured LDH-hybrid materials, Taviot-Guého, Christine; Leroux, Fabrice	170
Hybrid materials containing gallium-sulphide supertetrahedral clusters, Vaqueiro, Paz; Romero, M. Lucia	171
Facile synthesis and film formation of magnetic FeCo nanoparticles with graphitic carbon shells, Yamada, Mami; Shinji, Okumura; Kohta, Takahashi	172
Design of homochiral porous metal-organic coordination polymers based on chiral malates and aspartates, Yutkin, M.P.; Dybtsev, D.N.; Fedin, V.P.	173
Intercalation chemistry of several new host materials based on metal organophosphonates, Zima, Vítězslav; Svoboda, Jan; Melánová, Klára; Beneš, Ludvík; Růžička, Aleš	174

## **Hybrid Materials. Posters**

Laponite-clay functionalized for Nafion nanocomposite membranes in the PEM fuel cells applications: water mobility and mechanical properties, Isabella, Nicotera; Enotiadis, Apostolos; <u>Angeli, Kristina</u> ; Rossi, Cesare Oliviero; Coppola, Luigi; Ranieri, Giuseppe A.; Goumis, Dimitrios	175
Synthesis and characterization of hybrid mesoporous silicas containing geminal methyl groups, <u>Borówka, Anna</u> ; Buda, Waldemar	176
Synthesis and structural characterization of hybrid materials containing pravastatin drug intercalated into layered double hydroxide, <u>Constantino, Vera R.L.</u> ; Cunha, Vanessa R. R.; Leroux, Fabrice; Taviot-Guého, Christine	177
A novel hybrid nanomaterial derived from a polyhedral oligomeric silsesquioxane cage for application in adsorption of metal ions and oxidation catalysis, <u>Dias Filho, Newton Luiz</u> ; Perujo, Sérgio D.; Pipi, Reginaldo R.; Bastos, Andréa C.; Silva, Niléia C.	178
Glassy state lanthanide complexes for highly effective luminescent composites, <u>Dzhabarov, Vagif</u> ; Molostova, Elena; Knyazev, Andrey	179
Novel polymer/titanium composite of core-shell morphology as photocatalyst, <u>Kierys, Agnieszka</u> ; Waldemar, Buda; Jacek, Goworek	180
Polymer templating for preparation of inorganic nanoparticles, <u>Kierys, Agnieszka</u> ; Buda, Waldemar; Zaleski, Radek; Goworek, Jacek; Marek, Dziadosz; Grochowicz, Marta	181
A new nanocomposite architecture: Prolate spheroidal hematite particles with equatorial layered double hydroxide disks, <u>Konuk, Deniz</u> ; Ay, Ahmet Nedim; Zümreoglu-Karan, Birgül	182
Intercalation of salicylate into layered double hydroxide hosts, <u>Kovanda, František</u> ; Maryšková, Zuzana; Ctiborová, Kamila	183
Preparation of homogeneous TiO <sub>2</sub> /MWNT composites with impregnation method, Németh, Zoltán; Dieker, Christel; Alexander, Duncan; Forró, László; Seo, Jin Won; Hernádi, Klára	184
New inorganic-organic hybrid materials with framework layers, <u>Nicholls, Jennifer L.</u> ; Hulse, Sarah E.; Callear, Samantha K.; Stephenson, Richard A.; Fogg, Andrew M.	185
Poly(dimethylsiloxane) elastomeric networks modified with 3-picoline, preparation, characterization and metal adsorption studies, <u>Santos dos, Mirian Paula</u> ; Gushikem, Yoshitaka; Yoshida, Inez V. P.	186
New low-dimensional anorganic-organic hybrids based on copper phosphonates: The synthesis and structure, <u>Svoboda, Jan</u> ; Zima, Vítězslav; Melánová, Klára; Beneš, Ludvík; Yang, Ya-Ching; Wang, Sue-Lein	187
A novel method to evenly dispersed carbon nanotubes and nanofibers in a metal matrix, Koltssova, Tatiana S., Ryabchinskaya, Lyudmila V.; Nasibulina, Larisa I.; Nasibulin, Albert G.; <u>Tolochko, Oleg</u> ; Blinov, Lev; Kauppinen, Esko I.	188
Panoscopic assembling of ceria nanoparticles with plate-like semiconductors by co-precipitation and sol-gel methods for UV-shielding application, <u>Sato, Tsugio</u> ; Liu, Xiangwen; Yin, Shu	189

## **Electrochemistry of Solids. Lectures**

Electrochemical and photochemical synthesis of transition metal complexes with controlled morphologies and other technologically important characteristics, <u>Bond, Alan</u>	190
Fundamentals of oxygen reduction in aqueous and non aqueous environments: Electrocatalytic pathways and challenges, <u>Mukerjee, S.</u> ; Abraham, K. M.; Olaoire, C.; Trahan, M. and Allen, C	191
Understanding local structure of doped RuO <sub>2</sub> –based electrocatalytic materials, Petrykin, Valery; Macounová, Kateřina; Franc, Jiří; Okube, Maki; <u>Krtík, Petr</u>	192
Self-organized TiO <sub>2</sub> nanotubes as materials for a new generation of Li-ion micro-batteries, <u>Lavela, Pedro</u> ; Ortiz, G.F.; Tirado, J.L.; Hanzu, I.; Djennizian, T.; Knauth, P.	193
Mechanistic aspects of electrocatalysis on doped RuO <sub>2</sub> , <u>Macounová, K.</u> ; Petrykin, V.; Franc, J.; Krtík, P.	194
Disorder and vacancies in Fe-hexagonal perovskite promoted by F/O <sup>2-</sup> substitution: a way to enhance low-temperature oxygen mobility, <u>Sturza, Mihai-Ionut</u> ; Daviero-Minaud, Sylvie; Kabbour, Houria; Mentré, Olivier	195

The effect of saccharin on the Ni-W alloy deposition, Wang, L. M.; Ke, S.T.; Lin, H.C.; and Chen, C.C.

196

## Electrochemistry of Solids. Posters

- Nb<sub>2</sub>O<sub>5</sub> film on SiO<sub>2</sub>/C carbon ceramic: simultaneous determination of ascorbic acid dopamine and uric acid, Arenas, Leliz T.; Arguello, Jacqueline; Landers, Richar; Gushikem, Yoshitaka 197
- Electrochemical behaviour of combined silicon carbide and boron carbide, solid state electrodes in ionic melts, Gab, Angelina; Shakhnin, Dmitrii; Malyshev, Victor 198
- TiO<sub>2</sub> thin film coating on metal electrode by sol-gel process for dye-sensitized solar cell, Han, Chi-Hwan and Cho, Tae-Yeon 199
- Preparation and photoelectrochemical characterization of antimony oxide nanocrystalline thin film for application to dye-sensitized solar cell, Kim, Ji-Hye; Kim, Sung-Chul; Jang, Ji-yeon; and Kim, Seung-Joo 200
- Thin film microbatteries - fabrication and electrochemical performance, Feng, J.K. Xia, H., Lai, M.O., and Lu, L. 201
- The model of electrochemical oxidation of dispersion sulphide copper-nickel alloys, Selivanov, E.N.; Nechvoglod, O.V.; Mamyachenkov, S. V 202
- BIMEVOX solid solutions as possible materials for membranes of electrochemical devices, Morozova, Maria V.; Buyanova, E.S.; Emelyanova, Ju.V.; Mihailovskaya, Z.A.; Shatohina, A.N.; Petrova S.A.; Zhukovskiy, V.M. 203
- Chemical synthesis of the nanostructured polyaniline using liquid-solid interface polymerization and its distinct properties, Mu, Shaolin 204
- Molybdenum carbide electrodeposition onto semiconducting materials surface in ionic melts, Shakhnin, Dmitrii; Gab, Angelina; Malyshev, Victor 205
- Study of the oxide film on surface of aluminium alloy, Ting, Yung Chiang; Hsu, Pe Ming; Chen, Hui Li; Peng, Hsin Shu; Shy, Shyi Long 206
- Oxygen nonstoichiometry and charge transfer in double perovskites GdBaCo<sub>2-x</sub>M<sub>x</sub>O<sub>6-d</sub> (M=Mn, Fe, x=0, 0.2), Tsvetkov, Dmitry; Sereda, Vladimir; Urusov, Igor; Ivanov, Ivan; Zuev, Andrey 207
- Concentration evolution of conductivity nature and magnitude of {Me<sup>II</sup><sub>2n</sub>WO<sub>4</sub> - WO<sub>3</sub>} (Me= Ca, Sr, Ba, Sc) eutectic composites, Karapetyan, Anastasia; Pestereva, Natalya; Neiman, Arkady 208

## Analysis and Characterisation of Solids. Lectures

- High resolution NMR of inorganic solids. From simple characterization to NMR crystallography, Dědeček, Jiří 209
- The characterization of iron zeolites, Pirngruber, Gerhard D. 210
- Zinc oxide scaffolds on MgO nanocubes, Diwald, Oliver; Stankic, Slavica; Sternig, Andreas; Finocchi, Fabio; Bernardi, Johannes 211
- Highlights on Fe<sup>3+</sup> complexes on CeO<sub>2</sub> structure coupling Electron Paramagnetic Resonance, Mössbauer spectroscopy and Transmission Electron Microscopy techniques. Correlation between CeO<sub>2</sub>:Fe<sup>3+</sup> microstructure and reactivity properties, Feral-Martin, Cédric; Duttine, M., Wattiaux, A.; Demourgues, A.; Jolly, J.; Pavageau, B. and Majimel, J. 212
- New chalcogenide glasses in the CdTe-AgI-As<sub>2</sub>Te<sub>3</sub> system: Conductivity and silver tracer diffusion measurements, Kassem, M.; Alekseev, I.; Le Coq, D.; Bychkov, E. 213
- The size controlled growth and the field emission properties of Sn-doped AlN nanostructures by HVPE method, Park, Young-Jong; Choi, Jae-Seok; Park, Min-Hye; Choi, Sung-Churl 214
- Pressure-induced multiphase state generation and phase transitions in semiconductors analyzed by Raman scattering, Pizani, Paulo Sergio and Jasinevicius, Renato Goulart 215
- First order phase transition and optical properties of Co<sub>1-x</sub>Mg<sub>x</sub>MoO<sub>4</sub> and Co<sub>1-x</sub>Zn<sub>x</sub>MoO<sub>4</sub>, Robertson, Lionel; Gaudon, M.; Penin, N.; Gorsse, S. and Demourgues, A. 216

## **Analysis and Characterisation of Solids. Posters**

Solubility and mobility of C <sub>3</sub> H <sub>8</sub> and C <sub>3</sub> H <sub>6</sub> in 13X zeolites by isothermal adsorption characterization in kinetic and equilibrium conditions, <u>Agostino, Raffaele Giuseppe</u> , Maccallini, Enrico, Policicchio, Alfonso, Golemme, Giovanni, Buonomenna, Maria Giovanna, Jansen, Johannes Carolus	217
Advantages of precession electron diffraction (PED) in ab initio structural fingerprinting of nanocrystalline TiO <sub>2</sub> mixtures: automated crystallite orientation and phase maps, <u>Bakardjieva, Snejana</u> ; Štengl, Václav; Šubrt, Jan; Portillo, Joaquim; Veron, Muriel; Rauch, Edgar; Nicolopoulos, Stavros; Sarakinou, Eleni	218
Synthesis and characterization of rare earth oxyapatite, Ca <sub>8</sub> Ln <sub>2</sub> (PO <sub>4</sub> ) <sub>6</sub> O <sub>2</sub> (Ln= Gd, Dy), <u>Demirozu-Senol, Sevim</u> ; Ozen-Kahveci, Gulden and Uzeturk-Morkan, Ayse	219
Microcalorimetric study of CO <sub>2</sub> adsorption on M <sup>+</sup> -FER, <u>Frýdová, Eva</u> ; Fröhlich, Karel; Čičmanec, Pavel; Bulánek, Roman	220
Raman scattering analysis of highly doped semiconductor superlattices, <u>Galzerani, José Cláudio</u> ; Rodrigues, Ariano de Giovanni; Pusep, Yuri Alexander	221
Successive ionic layer deposition of Ag nanoclusters, <u>Korotcenkov, Ghenadij</u> ; Cho, Beongki; Gulina, Larisa and Tolstoy, Valery	222
Modelling of vibrational spectra of non-crystalline solids by molecular simulations, <u>Macháček, Jan</u> ; Gedeon, Ondřej; Liška, Marek; Kostka, Petr	223
Solid-state synthesis and characterization of novel xenotime type rare-earth borophosphate, LnBP <sub>2</sub> O <sub>8</sub> , <u>Özen Kahveci, Gülden</u> ; Demirözü Şenol, Sevim; Morkan, İzzet; Uzeturk Morkan, Ayşe	224
The solvent vapour pressure effect on phase transition rates of α- and β- forms of tegafur, <u>Petkune, Sanita</u> ; Bobrovs, Raitis; Actiņš, Andris	225
Structural analysis of the Ni, Mo and NiMo alumina supported hydrotreating catalysts, <u>Priecel, Peter</u> ; Čapek, Libor; Kubíčka, David; Brychtová, Marie	226
Aspects of relative rate of reaction/process, Mianowski, Andrzej and <u>Siudyga, Tomasz</u>	227
Fe(III) and V(V) species in supported catalysts: Analysis and performance in oxidative dehydrogenation of ethane, <u>Smoláková Lucie</u> ; Adam Jiří; Grygar Tomáš; Čapek Libor	228
Phase transitions and optical absorption edge in sulphur implanted Cu <sub>6</sub> PS <sub>5</sub> Br superionic conductors, <u>Studenýak, I.</u> ; Izai, V.; Stephanovich, V.; Panko, V.; Kuš, P.; Plecenik, A.	229
Study of the reversible CaMnO <sub>3</sub> ↔ CaMnO <sub>2</sub> reduction-oxidation process, <u>Varela, A.</u> ; de Dios, S.; Hernando, M.; Parras, M.; Landa-Canovas, A.; González-Cálibet, J.M.	230
Thermal stability of 3-(2,2,2-trimethylhydrazine)propionate, <u>Veldre, Kaspars</u> , Actiņš, Andris, Kalniņa, Anete	231
<b>Author Index</b>	232