

Contents

Preface

v

1 Introduction

1

1.1	TEX and L ^A T _E X	2
1.2	Text and commands	3
1.3	Basic structure of a L ^A T _E X file	3
1.4	L ^A T _E X processing modes	4
1.5	How to use this book	5
1.6	Producing a L ^A T _E X document	6
1.7	L ^A T _E X on a PC	7
1.8	Advice to authors	7

2 Commands and Environments

9

2.1	Command names and arguments	9
2.2	Environments	10
2.3	Declarations	11
2.4	Lengths	12
2.4.1	Fixed lengths	12
2.4.2	Rubber lengths	13
2.5	Special characters	13
2.5.1	Spaces and carriage returns	13
2.5.2	Quotation marks	14
2.5.3	Hyphens and dashes	14
2.5.4	Printing command characters	14
2.5.5	The special characters §, †, ‡, ¶, © and £	14
2.5.6	Foreign letters	14
2.5.7	Accents	15
2.5.8	Ligatures	15
2.5.9	The date	15
2.6	Fragile commands	15
2.7	Exercises	16

3.1	Document style	19
3.2	Page style	20
3.2.1	Heading declarations	21
3.2.2	Page numbering	22
3.2.3	Paragraph spacing	22
3.2.4	Page format	23
3.2.5	Single and double column pages	25
3.3	Parts of the document	25
3.3.1	Title page	25
3.3.2	Abstract	27
3.3.3	Sections	27
3.3.4	Appendix	30
3.4	Table of contents	30
3.4.1	Automatic entries	30
3.4.2	Printing the table of contents	31
3.4.3	Additional entries	31
3.4.4	Other lists	31
3.5	Fine tuning text	32
3.5.1	Word and character spacing	32
3.5.1.1	Sentence termination and periods	32
3.5.1.2	French spacing	33
3.5.1.3	Character combinations “ ‘ and ’ ”	33
3.5.1.4	Italic correction	33
3.5.1.5	Breaking ligatures	33
3.5.1.6	Inserting arbitrary spacing	34
3.5.1.7	Inserting variable ... and ____ sequences	34
3.5.2	Line breaking	35
3.5.2.1	The command \ \	35
3.5.2.2	Further line breaking commands	35
3.5.3	Paragraph spacing	36
3.5.4	Paragraph indentation	37
3.5.5	Page breaking	37
3.5.5.1	Normal pages	37
3.5.5.2	Pages with figures and tables	38
3.5.5.3	Two column pages	38
3.5.5.4	Two-sided pages	38
3.5.5.5	Restricted page breaking	38
3.5.5.6	Further tips on page breaking	39
3.6	Word division	40
3.6.1	Manual hyphenation	40
3.6.2	Hyphenation list	41
3.6.3	Suppressing hyphenation	41
3.6.4	Line width and word division	42
3.6.5	More about word division	42
3.6.6	Word division with multilingual text	43

4	Displayed Text	45
4.1	Changing font	45
4.1.1	Emphatic font switch <code>\em</code>	45
4.1.2	Font styles available	46
4.1.3	Choice of font size	46
4.1.4	Additional fonts	47
4.1.5	Character sets and symbols	48
4.2	Centering and indenting	48
4.2.1	Centered text	48
4.2.2	One-sided justification	49
4.2.3	Two-sided indentation	49
4.2.4	Verse indentations	50
4.3	Listings	51
4.3.1	Sample <code>itemize</code>	51
4.3.2	Sample <code>enumerate</code>	51
4.3.3	Sample <code>description</code>	52
4.3.4	Nested listings	52
4.3.5	Changing label style	54
4.3.6	Bibliography	55
4.4	Generalized lists	57
4.4.1	Standard label	57
4.4.2	List style parameters	58
4.4.3	Example of a user's list	60
4.4.4	Lists as new environments	60
4.4.5	Trivial lists	61
4.4.6	Nested lists	62
4.5	Theorem-like declarations	62
4.6	Tabulator stops	63
4.6.1	Basics	63
4.6.2	Sample line	64
4.6.3	Tab stops and the left margin	64
4.6.4	Further tabbing commands	65
4.6.5	Remarks on tabbing	66
4.7	Boxes	67
4.7.1	LR boxes	67
4.7.2	Vertical shifting of LR boxes	68
4.7.3	Parboxes and minipages	69
4.7.4	Rule boxes	70
4.7.5	Nested boxes	71
4.7.6	Box style parameters	72

4.8	Tables	73
4.8.1	Constructing tables	73
4.8.2	Table style parameters	75
4.8.3	Table examples	76
4.8.4	Floating tables	83
4.9	Printing source text	84
4.10	Footnotes and marginal notes	85
4.10.1	Standard footnotes	85
4.10.2	Non-standard footnotes	86
4.10.3	Footnote style parameters	87
4.10.4	Footnotes in forbidden modes	87
4.10.5	Footnotes in minipages	88
4.10.6	Marginal notes	89
4.10.7	Style parameters for marginal notes	90
4.11	Comments within text	91
5	Mathematical Formulas	93
5.1	Mathematical environments	93
5.2	Main elements of math mode	94
5.2.1	Constants and variables	94
5.2.2	Exponents and indices	95
5.2.3	Fractions	95
5.2.4	Roots	96
5.2.5	Sums and integrals	96
5.2.6	Continuation dots—ellipsis	97
5.3	Mathematical symbols	98
5.3.1	Greek letters	98
5.3.2	Calligraphic letters	99
5.3.3	Binary operators	99
5.3.4	Relations and their negations	99
5.3.5	Arrows and pointers	100
5.3.6	Various other symbols	100
5.3.7	Symbols with two sizes	101
5.3.8	Function names	101
5.3.9	Mathematical accents	102
5.4	Additional elements	103
5.4.1	Automatic sizing of bracket symbols	104
5.4.2	Ordinary text within a formula	105
5.4.3	Matrices and fields	106
5.4.4	Lines above and below formulas	108
5.4.5	Stacked symbols	109
5.4.6	Additional T _E X commands for math	109

5.4.7	Multi-line equations	110
5.4.8	Framed or side-by-side formulas	113
5.4.9	Chemical formulas and bold face in math formulas	114
5.5	Fine tuning mathematics	115
5.5.1	Horizontal spacing	115
5.5.2	Selecting font size in formulas	116
5.5.3	Manual sizing of bracket symbols	118
5.5.4	Math style parameters	119
5.5.5	Some further advice	120
5.5.6	Framed displayed formulas	121
5.5.7	What else?	122
6	Pictures	123
6.1	Picture size and position	123
6.2	The picture environment	124
6.3	The positioning commands	125
6.4	Picture element commands	125
6.4.1	Text within pictures	125
6.4.2	Picture boxes—rectangles	126
6.4.3	Straight lines	128
6.4.4	Arrows	130
6.4.5	Circles	130
6.4.6	Ovals and rounded corners	131
6.4.7	Vertically stacked text	132
6.4.8	Framed text	133
6.5	Further picture commands and examples	134
6.5.1	Line thickness	134
6.5.2	Nested pictures	134
6.5.3	Saving parts of pictures	135
6.5.4	Extended syntax of the picture environment	138
6.5.5	More examples	139
6.5.6	General recommendations	141
6.6	Floating tables and figures	142
6.6.1	Float placement	142
6.6.2	Style parameters for floats	143
6.6.3	Float captions	144
6.6.4	Float examples	145
6.6.5	References to figures and tables in text	148

7	User-Defined Structures	149
7.1	Counters	149
7.1.1	\LaTeX counters	149
7.1.2	User-defined counters	150
7.1.3	Changing counter values	150
7.1.4	Printing counter values	151
7.2	Lengths	151
7.3	User-defined commands	153
7.3.1	Commands without arguments	153
7.3.2	Commands with arguments	154
7.3.3	Additional examples of user-defined commands	156
7.4	User-defined environments	159
7.4.1	Environments without arguments	159
7.4.2	Environments with arguments	161
7.5	Some comments on user-defined structures	163
7.5.1	Saving user-defined structures	163
7.5.2	Abbreviating structures	163
7.5.3	Identical command and counter names	163
7.5.4	Range of user definitions	164
7.5.5	Order of definitions	164
7.5.6	Transfer of arguments	165
7.5.7	Nested definitions	165
7.5.8	Unwanted spacing	166
7.5.9	Two final examples	166
7.6	Adapting \LaTeX styles	168
7.6.1	The \LaTeX program package	169
7.6.2	Some \TeX commands	170
7.6.3	Calling \LaTeX styles	171
7.6.4	Modifying the text size	171
7.6.5	Adapting \LaTeX to another language	173
7.6.5.1	Adaptation to Esperanto	174
7.6.5.2	The file <code>espo.sty</code>	174
7.6.5.3	The file <code>esperant.sty</code>	176
7.6.6	Natural sciences bibliographies	180
7.6.6.1	A sample natural sciences style	180
7.6.6.2	A sample bibliography style	182
7.6.7	Publisher styles	184

8	Advanced Features	185
8.1	Processing parts of a document	185
8.1.1	The <code>\input</code> command	185
8.1.2	The <code>\include</code> command	186
8.1.3	Terminal input and output	188
8.2	Including <code>TeX</code> commands in <code>L^AT_EX</code>	190
8.3	Importing graphics	190
8.3.1	The <code>\special</code> command	190
8.3.2	An example: PostScript	191
8.4	In-text references	192
8.4.1	Cross-references	192
8.4.2	References to the bibliography	193
8.4.3	Index register	195
8.4.4	Glossary	196
8.5	MakeIndex—a keyword processor	197
8.6	The various <code>L^AT_EX</code> files	199
8.7	Preloaded and load-on-demand fonts	202
9	Error Messages	203
9.1	Basic structure of error messages	203
9.1.1	<code>TeX</code> error messages	203
9.1.2	<code>L^AT_EX</code> error messages	206
9.1.3	Error messages from <code>TeX</code> macros	209
9.2	Error upon error	210
9.2.1	Typical serious errors	212
9.2.2	Mathematical errors	214
9.2.3	Errors from multi-file texts	216
9.3	List of all <code>L^AT_EX</code> error messages	216
9.4	<code>TeX</code> error messages	220
9.5	Warnings	225
9.5.1	<code>L^AT_EX</code> warnings	225
9.5.2	<code>TeX</code> warnings	226
9.6	Search for stubborn errors	228
A	Letters	231
A.1	The <code>L^AT_EX</code> letter style	231
A.2	A house letter style	235
A.3	Advice on letter customization	238
A.3.1	User-defined letter commands	239
A.3.2	User-defined letterheads	240

B Bibliographic Data Bases	245
B.1 The <code>BIBTEX</code> program	245
B.2 Creating a bibliographic data base	247
B.2.1 The entry types	248
B.2.2 The fields	250
B.2.3 Cross-referencing fields	251
B.2.4 Special field formats	252
B.2.5 Abbreviations	254
B.2.6 Using a template	255
C SL_ITEX	257
C.1 The basic idea of colors	258
C.2 The root file	259
C.3 The slide file	260
C.3.1 Slides	261
C.3.2 Black and white slides	264
C.3.3 Overlays	265
C.3.4 Slide notes	267
C.3.5 Multi-color math formulas	267
C.4 SL _I TEX fonts	268
C.4.1 SL _I TEX font styles	268
C.4.2 SL _I TEX font sizes	269
C.5 Further SL _I TEX features	269
C.5.1 SL _I TEX page styles	269
C.5.2 Selective slide processing	270
D L_AT_EX Extensions	271
D.1 International L _A T _E X	271
D.1.1 How to internationalize L _A T _E X	272
D.1.2 The file <code>german.sty</code>	274
D.1.3 The file <code>french.sty</code>	276
D.1.4 Multilingual L _A T _E X — the <code>babel</code> system	279
D.2 Latest and future versions of L _A T _E X	283
D.2.1 A new font selection scheme	283
D.2.2 Simplified font selection	286
D.2.3 Mathematical fonts	287
D.2.4 Installing the NFSS font selection	289
D.2.5 Further L _A T _E X accessories	293
D.3 Sources for L _A T _E X files	296
D.3.1 T _E X organizations	299

E	Character Fonts	301
E.1	Introduction	301
E.2	Classification of the basic T _E X fonts	302
E.3	Proportional fonts	303
E.3.1	Serif fonts	303
E.3.1.1	The Roman font family	304
E.3.1.2	The slanted font family	305
E.3.1.3	The italic font family	305
E.3.1.4	The bold font family	306
E.3.2	Sans serif fonts	307
E.3.2.1	The upright sans serif fonts	308
E.3.2.2	The slanted sans serif fonts	309
E.3.2.3	The bold sans serif fonts	310
E.3.2.4	The font <code>cminch</code>	310
E.3.3	Decorative and special fonts	311
E.4	Fixed and typewriter fonts	312
E.4.1	Upright typewriter fonts	313
E.4.2	Caps and small caps	313
E.4.3	Sloping typewriter fonts	314
E.4.4	Mathematical typewriter fonts	314
E.5	Mathematical and symbol fonts	314
E.5.1	Mathematical text fonts	315
E.5.2	Mathematical symbols	316
E.5.3	Variable sized symbols	317
E.5.4	Additional character fonts	317
E.5.4.1	The L ^A T _E X <code>lasy</code> fonts	317
E.5.4.2	Fonts for making pictures	318
E.5.4.3	Logo fonts	318
E.6	Character assignments within a font	319
E.7	Cyrillic fonts	324
E.8	The font files	326
E.8.1	The root names	326
E.8.2	Font magnifications	326
E.8.3	Pixel coding	328
E.8.4	Packed coding	329
E.9	Remarks on METAFONT	330
E.10	Extended character sets for T _E X 3.x	332
E.10.1	Limitations and deficiencies of the CM fonts	332
E.10.2	The proposed extension from Cork	333
E.10.3	The DC fonts	333
E.10.4	Character assignments in the extended fonts	336
E.10.5	Invoking the DC fonts	336
E.10.6	Installing DC fonts as standard	338

Command Summary		341
F.1	Brief description of the L ^A T _E X commands	341
F.2	Summary tables and figures	399
F.3	Invalid T _E X commands	406
F.3.1	T _E X tabulator commands	406
F.3.2	Page formatting, footnotes, floats	406
F.3.3	T _E X font commands	406
F.3.4	Math commands	407
F.3.5	Miscellaneous	407
Bibliography		409
Index		411

List of summary tables

F.1	Type faces	399
F.2	Font sizes	399
F.3	Dimensions	399
F.4	Environment names	399
F.5	Accents	399
F.6	Special letters from foreign languages	399
F.7	Special symbols	399
F.8	Command symbols	400
F.9	Greek letters	400
F.10	Binary operation symbols	400
F.11	Relational symbols	400
F.12	Negated relation symbols	401
F.13	Arrows	401
F.14	Miscellaneous symbols	401
F.15	Mathematical symbols in two sizes	401
F.16	Function names	402
F.17	Math accents	402
F.18	Brackets	402
F.19	The names of the standard T _E X fonts	402
F.20	Magnifications and scaling factors	402

List of summary figures

F.1	Single column page format	403
F.2	Double column page format	404
F.3	Format of the list environment	405