

Contents

PART I	INTRODUCTION TO THE CELL	1
Chapter 1	Cells and Genomes	1
Chapter 2	Cell Chemistry and Bioenergetics	43
Chapter 3	Proteins	109
PART II	BASIC GENETIC MECHANISMS	175
Chapter 4	DNA, Chromosomes, and Genomes	175
Chapter 5	DNA Replication, Repair, and Recombination	237
Chapter 6	How Cells Read the Genome: From DNA to Protein	299
Chapter 7	Control of Gene Expression	369
PART III	WAYS OF WORKING WITH CELLS	439
Chapter 8	Analyzing Cells, Molecules, and Systems	439
Chapter 9	Visualizing Cells	529
PART IV	INTERNAL ORGANIZATION OF THE CELL	565
Chapter 10	Membrane Structure	565
Chapter 11	Membrane Transport of Small Molecules and the Electrical Properties of Membranes	597
Chapter 12	Intracellular Compartments and Protein Sorting	641
Chapter 13	Intracellular Membrane Traffic	695
Chapter 14	Energy Conversion: Mitochondria and Chloroplasts	753
Chapter 15	Cell Signaling	813
Chapter 16	The Cytoskeleton	889
Chapter 17	The Cell Cycle	963
Chapter 18	Cell Death	1021
Chapter 19	Cell Junctions and the Extracellular Matrix	1035
PART V	CELLS IN THEIR SOCIAL CONTEXT	1035
Chapter 20	Cancer	1091
Chapter 21	Development of Multicellular Organisms	1145
Chapter 22	Stem Cells and Tissue Renewal	1217
Chapter 23	Pathogens and Infection	1263
Chapter 24	The Innate and Adaptive Immune Systems	1297
Glossary		G: 1
Index		I: 1
Tables	The Genetic Code, Amino Acids	T: 1

Detailed Contents

Chapter 1 Cells and Genomes	1	The Frog and the Zebrafish Provide Accessible Models for Vertebrate Development	35
THE UNIVERSAL FEATURES OF CELLS ON EARTH	2	The Mouse Is the Predominant Mammalian Model Organism	35
All Cells Store Their Hereditary Information in the Same Linear Chemical Code: DNA	2	Humans Report on Their Own Peculiarities	36
All Cells Replicate Their Hereditary Information by Templated Polymerization	3	We Are All Different in Detail	38
All Cells Transcribe Portions of Their Hereditary Information into the Same Intermediary Form: RNA	4	To Understand Cells and Organisms Will Require Mathematics, Computers, and Quantitative Information	38
All Cells Use Proteins as Catalysts	5	Summary	39
All Cells Translate RNA into Protein in the Same Way	6	Problems	39
Each Protein Is Encoded by a Specific Gene	7	References	41
Life Requires Free Energy	8		
All Cells Function as Biochemical Factories Dealing with the Same Basic Molecular Building Blocks	8	Chapter 2 Cell Chemistry and Bioenergetics	43
All Cells Are Enclosed in a Plasma Membrane Across Which Nutrients and Waste Materials Must Pass	8	THE CHEMICAL COMPONENTS OF A CELL	43
A Living Cell Can Exist with Fewer Than 500 Genes	9	Water Is Held Together by Hydrogen Bonds	44
Summary	10	Four Types of Noncovalent Attractions Help Bring Molecules Together in Cells	44
THE DIVERSITY OF GENOMES AND THE TREE OF LIFE	10	Some Polar Molecules Form Acids and Bases in Water	45
Cells Can Be Powered by a Variety of Free-Energy Sources	10	A Cell Is Formed from Carbon Compounds	47
Some Cells Fix Nitrogen and Carbon Dioxide for Others	12	Cells Contain Four Major Families of Small Organic Molecules	47
The Greatest Biochemical Diversity Exists Among Prokaryotic Cells	12	The Chemistry of Cells Is Dominated by Macromolecules with Remarkable Properties	47
The Tree of Life Has Three Primary Branches: Bacteria, Archaea, and Eukaryotes	14	Noncovalent Bonds Specify Both the Precise Shape of a Macromolecule and Its Binding to Other Molecules	49
Some Genes Evolve Rapidly; Others Are Highly Conserved	15	Summary	50
Most Bacteria and Archaea Have 1000–6000 Genes	16	CATALYSIS AND THE USE OF ENERGY BY CELLS	51
New Genes Are Generated from Preexisting Genes	16	Cell Metabolism Is Organized by Enzymes	51
Gene Duplications Give Rise to Families of Related Genes Within a Single Cell	17	Biological Order Is Made Possible by the Release of Heat Energy from Cells	52
Genes Can Be Transferred Between Organisms, Both in the Laboratory and in Nature	18	Cells Obtain Energy by the Oxidation of Organic Molecules	54
Sex Results in Horizontal Exchanges of Genetic Information Within a Species	19	Oxidation and Reduction Involve Electron Transfers	55
The Function of a Gene Can Often Be Deduced from Its Sequence	20	Enzymes Lower the Activation-Energy Barriers That Block Chemical Reactions	57
More Than 200 Gene Families Are Common to All Three Primary Branches of the Tree of Life	20	Enzymes Can Drive Substrate Molecules Along Specific Reaction Pathways	58
Mutations Reveal the Functions of Genes	21	How Enzymes Find Their Substrates: The Enormous Rapidity of Molecular Motions	59
Molecular Biology Began with a Spotlight on <i>E. coli</i>	22	The Free-Energy Change for a Reaction, ΔG , Determines Whether It Can Occur Spontaneously	60
Summary	22	The Concentration of Reactants Influences the Free-Energy Change and a Reaction's Direction	61
GENETIC INFORMATION IN EUKARYOTES	23	The Standard Free-Energy Change, ΔG° , Makes It Possible to Compare the Energetics of Different Reactions	61
Eukaryotic Cells May Have Originated as Predators	24	The Equilibrium Constant and ΔG° Are Readily Derived from Each Other	62
Modern Eukaryotic Cells Evolved from a Symbiosis	25	The Free-Energy Changes of Coupled Reactions Are Additive	63
Eukaryotes Have Hybrid Genomes	27	Activated Carrier Molecules Are Essential for Biosynthesis	63
Eukaryotic Genomes Are Big	28	The Formation of an Activated Carrier Is Coupled to an Energetically Favorable Reaction	64
Eukaryotic Genomes Are Rich in Regulatory DNA	29	ATP Is the Most Widely Used Activated Carrier Molecule	65
The Genome Defines the Program of Multicellular Development	29	Energy Stored in ATP Is Often Harnessed to Join Two Molecules Together	65
Many Eukaryotes Live as Solitary Cells	30	NADH and NADPH Are Important Electron Carriers	67
A Yeast Serves as a Minimal Model Eukaryote	30	There Are Many Other Activated Carrier Molecules in Cells	68
The Expression Levels of All the Genes of An Organism Can Be Monitored Simultaneously	32	The Synthesis of Biological Polymers Is Driven by ATP Hydrolysis	70
<i>Arabidopsis</i> Has Been Chosen Out of 300,000 Species As a Model Plant	32	Summary	73
The World of Animal Cells Is Represented By a Worm, a Fly, a Fish, a Mouse, and a Human	33	HOW CELLS OBTAIN ENERGY FROM FOOD	73
Studies in <i>Drosophila</i> Provide a Key to Vertebrate Development	33	Glycolysis Is a Central ATP-Producing Pathway	74
The Vertebrate Genome Is a Product of Repeated Duplications	34	Fermentations Produce ATP in the Absence of Oxygen	75

Glycolysis Illustrates How Enzymes Couple Oxidation to Energy Storage	76	The Regulation of the Src Protein Kinase Reveals How a Protein Can Function as a Microprocessor	155
Organisms Store Food Molecules in Special Reservoirs	78	Proteins That Bind and Hydrolyze GTP Are Ubiquitous Cell Regulators	156
Most Animal Cells Derive Their Energy from Fatty Acids Between Meals	81	Regulatory Proteins GAP and GEF Control the Activity of GTP-Binding Proteins by Determining Whether GTP or GDP Is Bound	157
Sugars and Fats Are Both Degraded to Acetyl CoA in Mitochondria	81	Proteins Can Be Regulated by the Covalent Addition of Other Proteins	157
The Citric Acid Cycle Generates NADH by Oxidizing Acetyl Groups to CO ₂	82	An Elaborate Ubiquitin-Conjugating System Is Used to Mark Proteins	158
Electron Transport Drives the Synthesis of the Majority of the ATP in Most Cells	84	Protein Complexes with Interchangeable Parts Make Efficient Use of Genetic Information	159
Amino Acids and Nucleotides Are Part of the Nitrogen Cycle	85	A GTP-Binding Protein Shows How Large Protein Movements Can Be Generated	160
Metabolism Is Highly Organized and Regulated	87	Motor Proteins Produce Large Movements in Cells	161
Summary	88	Membrane-Bound Transporters Harness Energy to Pump Molecules Through Membranes	163
Problems	88	Proteins Often Form Large Complexes That Function as Protein Machines	164
References	108	Scaffolds Concentrate Sets of Interacting Proteins	164
		Many Proteins Are Controlled by Covalent Modifications That Direct Them to Specific Sites Inside the Cell	165
Chapter 3 Proteins	109	A Complex Network of Protein Interactions Underlies Cell Function	166
THE SHAPE AND STRUCTURE OF PROTEINS	109	Summary	169
The Shape of a Protein Is Specified by Its Amino Acid Sequence	109	Problems	170
Proteins Fold into a Conformation of Lowest Energy	114	References	172
The α Helix and the β Sheet Are Common Folding Patterns	115		
Protein Domains Are Modular Units from Which Larger Proteins Are Built	117	Chapter 4 DNA, Chromosomes, and Genomes	173
Few of the Many Possible Polypeptide Chains Will Be Useful to Cells	118	THE STRUCTURE AND FUNCTION OF DNA	175
Proteins Can Be Classified into Many Families	119	A DNA Molecule Consists of Two Complementary Chains of Nucleotides	175
Some Protein Domains Are Found in Many Different Proteins	121	The Structure of DNA Provides a Mechanism for Heredity	177
Certain Pairs of Domains Are Found Together in Many Proteins	122	In Eukaryotes, DNA Is Enclosed in a Cell Nucleus	178
The Human Genome Encodes a Complex Set of Proteins, Revealing That Much Remains Unknown	122	Summary	179
Larger Protein Molecules Often Contain More Than One Polypeptide Chain	123	CHROMOSOMAL DNA AND ITS PACKAGING IN THE CHROMATIN FIBER	179
Some Globular Proteins Form Long Helical Filaments	123	Eukaryotic DNA Is Packaged into a Set of Chromosomes	180
Many Protein Molecules Have Elongated, Fibrous Shapes	124	Chromosomes Contain Long Strings of Genes	182
Proteins Contain a Surprisingly Large Amount of Intrinsically Disordered Polypeptide Chain	125	The Nucleotide Sequence of the Human Genome Shows How Our Genes Are Arranged	183
Covalent Cross-Linkages Stabilize Extracellular Proteins	127	Each DNA Molecule That Forms a Linear Chromosome Must Contain a Centromere, Two Telomeres, and Replication Origins	185
Protein Molecules Often Serve as Subunits for the Assembly of Large Structures	127	DNA Molecules Are Highly Condensed in Chromosomes	187
Many Structures in Cells Are Capable of Self-Assembly	128	Nucleosomes Are a Basic Unit of Eukaryotic Chromosome Structure	187
Assembly Factors Often Aid the Formation of Complex Biological Structures	130	The Structure of the Nucleosome Core Particle Reveals How DNA Is Packaged	188
Amyloid Fibrils Can Form from Many Proteins	130	Nucleosomes Have a Dynamic Structure, and Are Frequently Subjected to Changes Catalyzed by ATP-Dependent Chromatin Remodeling Complexes	190
Amyloid Structures Can Perform Useful Functions in Cells	132	Nucleosomes Are Usually Packed Together into a Compact Chromatin Fiber	191
Many Proteins Contain Low-complexity Domains that Can Form "Reversible Amyloids"	132	Summary	193
Summary	134	CHROMATIN STRUCTURE AND FUNCTION	194
PROTEIN FUNCTION	134	Heterochromatin Is Highly Organized and Restricts Gene Expression	194
All Proteins Bind to Other Molecules	134	The Heterochromatic State Is Self-Propagating	194
The Surface Conformation of a Protein Determines Its Chemistry	135	The Core Histones Are Covalently Modified at Many Different Sites	196
Sequence Comparisons Between Protein Family Members Highlight Crucial Ligand-Binding Sites	136	Chromatin Acquires Additional Variety Through the Site-Specific Insertion of a Small Set of Histone Variants	198
Proteins Bind to Other Proteins Through Several Types of Interfaces	137	Covalent Modifications and Histone Variants Act in Concert to Control Chromosome Functions	198
Antibody Binding Sites Are Especially Versatile	138	A Complex of Reader and Writer Proteins Can Spread Specific Chromatin Modifications Along a Chromosome	199
The Equilibrium Constant Measures Binding Strength	138	Barrier DNA Sequences Block the Spread of Reader-Writer Complexes and thereby Separate Neighboring Chromatin Domains	202
Enzymes Are Powerful and Highly Specific Catalysts	140	The Chromatin in Centromeres Reveals How Histone Variants Can Create Special Structures	203
Tightly Bound Small Molecules Add Extra Functions to Proteins	144	Some Chromatin Structures Can Be Directly Inherited	204
Multienzyme Complexes Help to Increase the Rate of Cell Metabolism	148		
The Cell Regulates the Catalytic Activities of Its Enzymes	149		
Allosteric Enzymes Have Two or More Binding Sites That Interact	151		
Two Ligands Whose Binding Sites Are Coupled Must Reciprocally Affect Each Other's Binding	151		
Symmetric Protein Assemblies Produce Cooperative Allosteric Transitions	152		
Many Changes in Proteins Are Driven by Protein Phosphorylation	153		
A Eukaryotic Cell Contains a Large Collection of Protein Kinases and Protein Phosphatases	154		

Experiments with Frog Embryos Suggest that both Activating and Repressive Chromatin Structures Can Be Inherited Epigenetically 205

Chromatin Structures Are Important for Eukaryotic Chromosome Function 206

Summary 207

THE GLOBAL STRUCTURE OF CHROMOSOMES 207

Chromosomes Are Folded into Large Loops of Chromatin 207

Polytene Chromosomes Are Uniquely Useful for Visualizing Chromatin Structures 208

There Are Multiple Forms of Chromatin 210

Chromatin Loops Decondense When the Genes Within Them Are Expressed 211

Chromatin Can Move to Specific Sites Within the Nucleus to Alter Gene Expression 212

Networks of Macromolecules Form a Set of Distinct Biochemical Environments inside the Nucleus 213

Mitotic Chromosomes Are Especially Highly Condensed 214

Summary 216

HOW GENOMES EVOLVE 216

Genome Comparisons Reveal Functional DNA Sequences by their Conservation Throughout Evolution 217

Genome Alterations Are Caused by Failures of the Normal Mechanisms for Copying and Maintaining DNA, as well as by Transposable DNA Elements 217

The Genome Sequences of Two Species Differ in Proportion to the Length of Time Since They Have Separately Evolved 218

Phylogenetic Trees Constructed from a Comparison of DNA Sequences Trace the Relationships of All Organisms 219

A Comparison of Human and Mouse Chromosomes Shows How the Structures of Genomes Diverge 221

The Size of a Vertebrate Genome Reflects the Relative Rates of DNA Addition and DNA Loss in a Lineage 222

We Can Infer the Sequence of Some Ancient Genomes 223

Multispecies Sequence Comparisons Identify Conserved DNA Sequences of Unknown Function 224

Changes in Previously Conserved Sequences Can Help Decipher Critical Steps in Evolution 226

Mutations in the DNA Sequences That Control Gene Expression Have Driven Many of the Evolutionary Changes in Vertebrates 227

Gene Duplication Also Provides an Important Source of Genetic Novelty During Evolution 227

Duplicated Genes Diverge 228

The Evolution of the Globin Gene Family Shows How DNA Duplications Contribute to the Evolution of Organisms 229

Genes Encoding New Proteins Can Be Created by the Recombination of Exons 230

Neutral Mutations Often Spread to Become Fixed in a Population, with a Probability That Depends on Population Size 230

A Great Deal Can Be Learned from Analyses of the Variation Among Humans 232

Summary 234

Problems 234

References 236

Chapter 5 DNA Replication, Repair, and Recombination 237

THE MAINTENANCE OF DNA SEQUENCES 237

Mutation Rates Are Extremely Low 237

Low Mutation Rates Are Necessary for Life as We Know It 238

Summary 239

DNA REPLICATION MECHANISMS 239

Base-Pairing Underlies DNA Replication and DNA Repair 239

The DNA Replication Fork Is Asymmetrical 240

The High Fidelity of DNA Replication Requires Several Proofreading Mechanisms 242

Only DNA Replication in the 5'-to-3' Direction Allows Efficient Error Correction 244

A Special Nucleotide-Polymerizing Enzyme Synthesizes Short RNA Primer Molecules on the Lagging Strand 245

Special Proteins Help to Open Up the DNA Double Helix in Front of the Replication Fork 246

A Sliding Ring Holds a Moving DNA Polymerase Onto the DNA 246

The Proteins at a Replication Fork Cooperate to Form a Replication Machine 249

A Strand-Directed Mismatch Repair System Removes Replication Errors That Escape from the Replication Machine 250

DNA Topoisomerases Prevent DNA Tangling During Replication 251

DNA Replication Is Fundamentally Similar in Eukaryotes and Bacteria 253

Summary 254

THE INITIATION AND COMPLETION OF DNA REPLICATION IN CHROMOSOMES 254

DNA Synthesis Begins at Replication Origins 254

Bacterial Chromosomes Typically Have a Single Origin of DNA Replication 255

Eukaryotic Chromosomes Contain Multiple Origins of Replication 256

In Eukaryotes, DNA Replication Takes Place During Only One Part of the Cell Cycle 258

Different Regions on the Same Chromosome Replicate at Distinct Times in S Phase 258

A Large Multisubunit Complex Binds to Eukaryotic Origins of Replication 259

Features of the Human Genome That Specify Origins of Replication Remain to Be Discovered 260

New Nucleosomes Are Assembled Behind the Replication Fork 261

Telomerase Replicates the Ends of Chromosomes 262

Telomeres Are Packaged Into Specialized Structures That Protect the Ends of Chromosomes 263

Telomere Length Is Regulated by Cells and Organisms 264

Summary 265

DNA REPAIR 266

Without DNA Repair, Spontaneous DNA Damage Would Rapidly Change DNA Sequences 267

The DNA Double Helix Is Readily Repaired 268

DNA Damage Can Be Removed by More Than One Pathway 269

Coupling Nucleotide Excision Repair to Transcription Ensures That the Cell's Most Important DNA Is Efficiently Repaired 271

The Chemistry of the DNA Bases Facilitates Damage Detection 271

Special Translesion DNA Polymerases Are Used in Emergencies 273

Double-Strand Breaks Are Efficiently Repaired 273

DNA Damage Delays Progression of the Cell Cycle 276

Summary 276

HOMOLOGOUS RECOMBINATION 276

Homologous Recombination Has Common Features in All Cells 277

DNA Base-Pairing Guides Homologous Recombination 277

Homologous Recombination Can Flawlessly Repair Double-Strand Breaks in DNA 278

Strand Exchange Is Carried Out by the RecA/Rad51 Protein 279

Homologous Recombination Can Rescue Broken DNA Replication Forks 280

Cells Carefully Regulate the Use of Homologous Recombination in DNA Repair 280

Homologous Recombination Is Crucial for Meiosis 282

Meiotic Recombination Begins with a Programmed Double-Strand Break 282

Holliday Junctions Are Formed During Meiosis 284

Homologous Recombination Produces Both Crossovers and Non-Crossovers During Meiosis 284

Homologous Recombination Often Results in Gene Conversion 286

Summary 286

TRANSPOSITION AND CONSERVATIVE SITE-SPECIFIC RECOMBINATION 287

Through Transposition, Mobile Genetic Elements Can Insert Into Any DNA Sequence 288

DNA-Only Transposons Can Move by a Cut-and-Paste Mechanism 288

Some Viruses Use a Transposition Mechanism to Move Themselves Into Host-Cell Chromosomes 290

Retroviral-like Retrotransposons Resemble Retroviruses, but Lack a Protein Coat 291

A Large Fraction of the Human Genome Is Composed of Nonretroviral Retrotransposons 291

Different Transposable Elements Predominate in Different Organisms 292

Genome Sequences Reveal the Approximate Times at Which Transposable Elements Have Moved 292

Conservative Site-Specific Recombination Can Reversibly Rearrange DNA	292	Proteins Are Made on Polyribosomes	349
Conservative Site-Specific Recombination Can Be Used to Turn Genes On or Off	294	There Are Minor Variations in the Standard Genetic Code	349
Bacterial Conservative Site-Specific Recombinases Have Become Powerful Tools for Cell and Developmental Biologists	294	Inhibitors of Prokaryotic Protein Synthesis Are Useful as Antibiotics	351
Summary	295	Quality Control Mechanisms Act to Prevent Translation of Damaged mRNAs	351
Problems	296	Some Proteins Begin to Fold While Still Being Synthesized	353
References	298	Molecular Chaperones Help Guide the Folding of Most Proteins	354
		Cells Utilize Several Types of Chaperones	355
Chapter 6 How Cells Read the Genome: From DNA to Protein	299	Exposed Hydrophobic Regions Provide Critical Signals for Protein Quality Control	357
FROM DNA TO RNA	301	The Proteasome Is a Compartmentalized Protease with Sequestered Active Sites	357
RNA Molecules Are Single-Stranded	302	Many Proteins Are Controlled by Regulated Destruction	359
Transcription Produces RNA Complementary to One Strand of DNA	302	There Are Many Steps From DNA to Protein	361
RNA Polymerases Carry Out Transcription	303	Summary	362
Cells Produce Different Categories of RNA Molecules	305	THE RNA WORLD AND THE ORIGINS OF LIFE	362
Signals Encoded in DNA Tell RNA Polymerase Where to Start and Stop	306	Single-Stranded RNA Molecules Can Fold into Highly Elaborate Structures	363
Transcription Start and Stop Signals Are Heterogeneous in Nucleotide Sequence	307	RNA Can Both Store Information and Catalyze Chemical Reactions	364
Transcription Initiation in Eukaryotes Requires Many Proteins	309	How Did Protein Synthesis Evolve?	365
RNA Polymerase II Requires a Set of General Transcription Factors	310	All Present-Day Cells Use DNA as Their Hereditary Material	365
Polymerase II Also Requires Activator, Mediator, and Chromatin-Modifying Proteins	312	Summary	366
Transcription Elongation in Eukaryotes Requires Accessory Proteins	313	Problems	366
Transcription Creates Superhelical Tension	314	References	368
Transcription Elongation in Eukaryotes Is Tightly Coupled to RNA Processing	315		
RNA Capping Is the First Modification of Eukaryotic Pre-mRNAs	316	Chapter 7 Control of Gene Expression	369
RNA Splicing Removes Intron Sequences from Newly Transcribed Pre-mRNAs	317	AN OVERVIEW OF GENE CONTROL	369
Nucleotide Sequences Signal Where Splicing Occurs	319	The Different Cell Types of a Multicellular Organism Contain the Same DNA	369
RNA Splicing Is Performed by the Spliceosome	319	Different Cell Types Synthesize Different Sets of RNAs and Proteins	370
The Spliceosome Uses ATP Hydrolysis to Produce a Complex Series of RNA-RNA Rearrangements	321	External Signals Can Cause a Cell to Change the Expression of Its Genes	372
Other Properties of Pre-mRNA and Its Synthesis Help to Explain the Choice of Proper Splice Sites	321	Gene Expression Can Be Regulated at Many of the Steps in the Pathway from DNA to RNA to Protein	372
Chromatin Structure Affects RNA Splicing	323	Summary	373
RNA Splicing Shows Remarkable Plasticity	323	CONTROL OF TRANSCRIPTION BY SEQUENCE-SPECIFIC DNA-BINDING PROTEINS	373
Spliceosome-Catalyzed RNA Splicing Probably Evolved from Self-splicing Mechanisms	324	The Sequence of Nucleotides in the DNA Double Helix Can Be Read by Proteins	373
RNA-Processing Enzymes Generate the 3' End of Eukaryotic mRNAs	324	Transcription Regulators Contain Structural Motifs That Can Read DNA Sequences	374
Mature Eukaryotic mRNAs Are Selectively Exported from the Nucleus	325	Dimerization of Transcription Regulators Increases Their Affinity and Specificity for DNA	375
Noncoding RNAs Are Also Synthesized and Processed in the Nucleus	327	Transcription Regulators Bind Cooperatively to DNA	378
The Nucleolus Is a Ribosome-Producing Factory	329	Nucleosome Structure Promotes Cooperative Binding of Transcription Regulators	379
The Nucleus Contains a Variety of Subnuclear Aggregates	331	Summary	380
Summary	333	TRANSCRIPTION REGULATORS SWITCH GENES ON AND OFF	380
FROM RNA TO PROTEIN	333	The Tryptophan Repressor Switches Genes Off	380
An mRNA Sequence Is Decoded in Sets of Three Nucleotides	334	Repressors Turn Genes Off and Activators Turn Them On	381
tRNA Molecules Match Amino Acids to Codons in mRNA	334	An Activator and a Repressor Control the <i>Lac</i> Operon	382
tRNAs Are Covalently Modified Before They Exit from the Nucleus	336	DNA Looping Can Occur During Bacterial Gene Regulation	383
Specific Enzymes Couple Each Amino Acid to Its Appropriate tRNA Molecule	336	Complex Switches Control Gene Transcription in Eukaryotes	384
Editing by tRNA Synthetases Ensures Accuracy	338	A Eukaryotic Gene Control Region Consists of a Promoter Plus Many <i>cis</i> -Regulatory Sequences	384
Amino Acids Are Added to the C-terminal End of a Growing Polypeptide Chain	339	Eukaryotic Transcription Regulators Work in Groups	385
The RNA Message Is Decoded in Ribosomes	340	Activator Proteins Promote the Assembly of RNA Polymerase at the Start Point of Transcription	386
Elongation Factors Drive Translation Forward and Improve Its Accuracy	343	Eukaryotic Transcription Activators Direct the Modification of Local Chromatin Structure	386
Many Biological Processes Overcome the Inherent Limitations of Complementary Base-Pairing	345	Transcription Activators Can Promote Transcription by Releasing RNA Polymerase from Promoters	388
Accuracy in Translation Requires an Expenditure of Free Energy	345	Transcription Activators Work Synergistically	388
The Ribosome Is a Ribozyme	346	Eukaryotic Transcription Repressors Can Inhibit Transcription in Several Ways	389
Nucleotide Sequences in mRNA Signal Where to Start Protein Synthesis	347	Insulator DNA Sequences Prevent Eukaryotic Transcription Regulators from Influencing Distant Genes	391
Stop Codons Mark the End of Translation	348	Summary	392

MOLECULAR GENETIC MECHANISMS THAT CREATE AND MAINTAIN SPECIALIZED CELL TYPES	392	Hybridoma Cell Lines Are Factories That Produce Monoclonal Antibodies	444
Complex Genetic Switches That Regulate <i>Drosophila</i> Development Are Built Up from Smaller Molecules	392	Summary	445
The <i>Drosophila Eve</i> Gene Is Regulated by Combinatorial Controls	394	PURIFYING PROTEINS	445
Transcription Regulators Are Brought Into Play by Extracellular Signals	395	Cells Can Be Separated into Their Component Fractions	445
Combinatorial Gene Control Creates Many Different Cell Types	396	Cell Extracts Provide Accessible Systems to Study Cell Functions	447
Specialized Cell Types Can Be Experimentally Reprogrammed to Become Pluripotent Stem Cells	398	Proteins Can Be Separated by Chromatography	448
Combinations of Master Transcription Regulators Specify Cell Types by Controlling the Expression of Many Genes	398	Immunoprecipitation Is a Rapid Affinity Purification Method	449
Specialized Cells Must Rapidly Turn Sets of Genes On and Off	399	Genetically Engineered Tags Provide an Easy Way to Purify Proteins	450
Differentiated Cells Maintain Their Identity	400	Purified Cell-free Systems Are Required for the Precise Dissection of Molecular Functions	451
Transcription Circuits Allow the Cell to Carry Out Logic Operations	402	Summary	451
Summary	404	ANALYZING PROTEINS	452
MECHANISMS THAT REINFORCE CELL MEMORY IN PLANTS AND ANIMALS	404	Proteins Can Be Separated by SDS Polyacrylamide-Gel Electrophoresis	452
Patterns of DNA Methylation Can Be Inherited When Vertebrate Cells Divide	404	Two-Dimensional Gel Electrophoresis Provides Greater Protein Separation	452
CG-Rich Islands Are Associated with Many Genes in Mammals	405	Specific Proteins Can Be Detected by Blotting with Antibodies	454
Genomic Imprinting Is Based on DNA Methylation	407	Hydrodynamic Measurements Reveal the Size and Shape of a Protein Complex	455
Chromosome-Wide Alterations in Chromatin Structure Can Be Inherited	409	Mass Spectrometry Provides a Highly Sensitive Method for Identifying Unknown Proteins	455
Epigenetic Mechanisms Ensure That Stable Patterns of Gene Expression Can Be Transmitted to Daughter Cells	411	Sets of Interacting Proteins Can Be Identified by Biochemical Methods	457
Summary	413	Optical Methods Can Monitor Protein Interactions	458
POST-TRANSCRIPTIONAL CONTROLS	413	Protein Function Can Be Selectively Disrupted With Small Molecules	459
Transcription Attenuation Causes the Premature Termination of Some RNA Molecules	414	Protein Structure Can Be Determined Using X-Ray Diffraction	460
Riboswitches Probably Represent Ancient Forms of Gene Control	414	NMR Can Be Used to Determine Protein Structure in Solution	461
Alternative RNA Splicing Can Produce Different Forms of a Protein from the Same Gene	415	Protein Sequence and Structure Provide Clues About Protein Function	462
The Definition of a Gene Has Been Modified Since the Discovery of Alternative RNA Splicing	416	Summary	463
A Change in the Site of RNA Transcript Cleavage and Poly-A Addition Can Change the C-terminus of a Protein	417	ANALYZING AND MANIPULATING DNA	463
RNA Editing Can Change the Meaning of the RNA Message	418	Restriction Nucleases Cut Large DNA Molecules into Specific Fragments	464
RNA Transport from the Nucleus Can Be Regulated	419	Gel Electrophoresis Separates DNA Molecules of Different Sizes	465
Some mRNAs Are Localized to Specific Regions of the Cytosol	421	Purified DNA Molecules Can Be Specifically Labeled with Radioisotopes or Chemical Markers <i>in vitro</i>	467
The 5' and 3' Untranslated Regions of mRNAs Control Their Translation	422	Genes Can Be Cloned Using Bacteria	467
The Phosphorylation of an Initiation Factor Regulates Protein Synthesis Globally	423	An Entire Genome Can Be Represented in a DNA Library	469
Initiation at AUG Codons Upstream of the Translation Start Can Regulate Eukaryotic Translation Initiation	424	Genomic and cDNA Libraries Have Different Advantages and Drawbacks	471
Internal Ribosome Entry Sites Provide Opportunities for Translational Control	425	Hybridization Provides a Powerful, But Simple Way to Detect Specific Nucleotide Sequences	472
Changes in mRNA Stability Can Regulate Gene Expression	426	Genes Can Be Cloned <i>in vitro</i> Using PCR	473
Regulation of mRNA Stability Involves P-bodies and Stress Granules	427	PCR Is Also Used for Diagnostic and Forensic Applications	474
Summary	428	Both DNA and RNA Can Be Rapidly Sequenced	477
REGULATION OF GENE EXPRESSION BY NONCODING RNAs	429	To Be Useful, Genome Sequences Must Be Annotated	477
Small Noncoding RNA Transcripts Regulate Many Animal and Plant Genes Through RNA Interference	429	DNA Cloning Allows Any Protein to be Produced in Large Amounts	483
miRNAs Regulate mRNA Translation and Stability	429	Summary	484
RNA Interference Is Also Used as a Cell Defense Mechanism	431	STUDYING GENE EXPRESSION AND FUNCTION	485
RNA Interference Can Direct Heterochromatin Formation	432	Classical Genetics Begins by Disrupting a Cell Process by Random Mutagenesis	485
piRNAs Protect the Germ Line from Transposable Elements	433	Genetic Screens Identify Mutants with Specific Abnormalities	488
RNA Interference Has Become a Powerful Experimental Tool	433	Mutations Can Cause Loss or Gain of Protein Function	489
Bacteria Use Small Noncoding RNAs to Protect Themselves from Viruses	433	Complementation Tests Reveal Whether Two Mutations Are in the Same Gene or Different Genes	490
Long Noncoding RNAs Have Diverse Functions in the Cell	435	Gene Products Can Be Ordered in Pathways by Epistasis Analysis	490
Summary	436	Mutations Responsible for a Phenotype Can Be Identified Through DNA Analysis	491
Problems	436	Rapid and Cheap DNA Sequencing Has Revolutionized Human Genetic Studies	491
References	438	Linked Blocks of Polymorphisms Have Been Passed Down from Our Ancestors	492
Chapter 8 Analyzing Cells, Molecules, and Systems	439	Polymorphisms Can Aid the Search for Mutations Associated with Disease	493
ISOLATING CELLS AND GROWING THEM IN CULTURE	440	Genomics Is Accelerating the Discovery of Rare Mutations That Predispose Us to Serious Disease	493
Cells Can Be Isolated from Tissues	440	Reverse Genetics Begins with a Known Gene and Determines Which Cell Processes Require Its Function	494
Cells Can Be Grown in Culture	440	Animals and Plants Can Be Genetically Altered	495
Eukaryotic Cell Lines Are a Widely Used Source of Homogeneous Cells	442		

The Bacterial CRISPR System Has Been Adapted to Edit Genomes in a Wide Variety of Species	497	Superresolution Fluorescence Techniques Can Overcome Diffraction-Limited Resolution	549
Large Collections of Engineered Mutations Provide a Tool for Examining the Function of Every Gene in an Organism	498	Superresolution Can Also be Achieved Using Single-Molecule Localization Methods	551
RNA Interference Is a Simple and Rapid Way to Test Gene Function	499	Summary	554
Reporter Genes Reveal When and Where a Gene Is Expressed	501	LOOKING AT CELLS AND MOLECULES IN THE ELECTRON MICROSCOPE	554
<i>In situ</i> Hybridization Can Reveal the Location of mRNAs and Noncoding RNAs	502	The Electron Microscope Resolves the Fine Structure of the Cell	554
Expression of Individual Genes Can Be Measured Using Quantitative RT-PCR	502	Biological Specimens Require Special Preparation for Electron Microscopy	555
Analysis of mRNAs by Microarray or RNA-seq Provides a Snapshot of Gene Expression	503	Specific Macromolecules Can Be Localized by Immunogold Electron Microscopy	556
Genome-wide Chromatin Immunoprecipitation Identifies Sites on the Genome Occupied by Transcription Regulators	505	Different Views of a Single Object Can Be Combined to Give a Three-Dimensional Reconstruction	557
Ribosome Profiling Reveals Which mRNAs Are Being Translated in the Cell	505	Images of Surfaces Can Be Obtained by Scanning Electron Microscopy	558
Recombinant DNA Methods Have Revolutionized Human Health	506	Negative Staining and Cryoelectron Microscopy Both Allow Macromolecules to Be Viewed at High Resolution	559
Transgenic Plants Are Important for Agriculture	507	Multiple Images Can Be Combined to Increase Resolution	561
Summary	508	Summary	562
MATHEMATICAL ANALYSIS OF CELL FUNCTIONS	509	Problems	563
Regulatory Networks Depend on Molecular Interactions	509	References	564
Differential Equations Help Us Predict Transient Behavior	512		
Both Promoter Activity and Protein Degradation Affect the Rate of Change of Protein Concentration	513	Chapter 10 Membrane Structure	565
The Time Required to Reach Steady State Depends on Protein Lifetime	514	THE LIPID BILAYER	566
Quantitative Methods Are Similar for Transcription Repressors and Activators	514	Phosphoglycerides, Sphingolipids, and Sterols Are the Major Lipids in Cell Membranes	566
Negative Feedback Is a Powerful Strategy in Cell Regulation	515	Phospholipids Spontaneously Form Bilayers	568
Delayed Negative Feedback Can Induce Oscillations	516	The Lipid Bilayer Is a Two-dimensional Fluid	569
DNA Binding by a Repressor or an Activator Can Be Cooperative	516	The Fluidity of a Lipid Bilayer Depends on Its Composition	571
Positive Feedback Is Important for Switchlike Responses and Bistability	518	Despite Their Fluidity, Lipid Bilayers Can Form Domains of Different Compositions	572
Robustness Is an Important Characteristic of Biological Networks	520	Lipid Droplets Are Surrounded by a Phospholipid Monolayer	573
Two Transcription Regulators That Bind to the Same Gene Promoter Can Exert Combinatorial Control	520	The Asymmetry of the Lipid Bilayer Is Functionally Important	573
An Incoherent Feed-forward Interaction Generates Pulses	522	Glycolipids Are Found on the Surface of All Eukaryotic Plasma Membranes	575
A Coherent Feed-forward Interaction Detects Persistent Inputs	522	Summary	576
The Same Network Can Behave Differently in Different Cells Due to Stochastic Effects	523	MEMBRANE PROTEINS	576
Several Computational Approaches Can Be Used to Model the Reactions in Cells	524	Membrane Proteins Can Be Associated with the Lipid Bilayer in Various Ways	576
Statistical Methods Are Critical For the Analysis of Biological Data	524	Lipid Anchors Control the Membrane Localization of Some Signaling Proteins	577
Summary	525	In Most Transmembrane Proteins, the Polypeptide Chain Crosses the Lipid Bilayer in an α -Helical Conformation	579
Problems	525	Transmembrane α Helices Often Interact with One Another	580
References	528	Some β Barrels Form Large Channels	580
		Many Membrane Proteins Are Glycosylated	582
Chapter 9 Visualizing Cells	529	Membrane Proteins Can Be Solubilized and Purified in Detergents	583
LOOKING AT CELLS IN THE LIGHT MICROSCOPE	529	Bacteriorhodopsin Is a Light-driven Proton (H^+) Pump That Traverses the Lipid Bilayer as Seven α Helices	586
The Light Microscope Can Resolve Details 0.2 μm Apart	530	Membrane Proteins Often Function as Large Complexes	588
Photon Noise Creates Additional Limits to Resolution When Light Levels Are Low	532	Many Membrane Proteins Diffuse in the Plane of the Membrane	588
Living Cells Are Seen Clearly in a Phase-Contrast or a Differential-Interference-Contrast Microscope	533	Cells Can Confine Proteins and Lipids to Specific Domains Within a Membrane	590
Images Can Be Enhanced and Analyzed by Digital Techniques	534	The Cortical Cytoskeleton Gives Membranes Mechanical Strength and Restricts Membrane Protein Diffusion	591
Intact Tissues Are Usually Fixed and Sectioned Before Microscopy	535	Membrane-bending Proteins Deform Bilayers	593
Specific Molecules Can Be Located in Cells by Fluorescence Microscopy	536	Summary	594
Antibodies Can Be Used to Detect Specific Molecules	539	Problems	595
Imaging of Complex Three-Dimensional Objects Is Possible with the Optical Microscope	540	References	596
The Confocal Microscope Produces Optical Sections by Excluding Out-of-Focus Light	540		
Individual Proteins Can Be Fluorescently Tagged in Living Cells and Organisms	542	Chapter 11 Membrane Transport of Small Molecules and the Electrical Properties of Membranes	597
Protein Dynamics Can Be Followed in Living Cells	543	PRINCIPLES OF MEMBRANE TRANSPORT	597
Light-Emitting Indicators Can Measure Rapidly Changing Intracellular Ion Concentrations	546	Protein-Free Lipid Bilayers Are Impermeable to Ions	598
Single Molecules Can Be Visualized by Total Internal Reflection Fluorescence Microscopy	547	There Are Two Main Classes of Membrane Transport Proteins: Transporters and Channels	598
Individual Molecules Can Be Touched, Imaged, and Moved Using Atomic Force Microscopy	548	Active Transport Is Mediated by Transporters Coupled to an Energy Source	599
		Summary	600
		TRANSPORTERS AND ACTIVE MEMBRANE TRANSPORT	600
		Active Transport Can Be Driven by Ion-Concentration Gradients	601

Transporters in the Plasma Membrane Regulate Cytosolic pH	604	Nuclear Import Receptors Bind to Both Nuclear Localization	
An Asymmetric Distribution of Transporters in Epithelial Cells		Signals and NPC Proteins	652
Underlies the Transcellular Transport of Solutes	605	Nuclear Export Works Like Nuclear Import, But in Reverse	652
There Are Three Classes of ATP-Driven Pumps	606	The Ran GTPase Imposes Directionality on Transport Through	
A P-type ATPase Pumps Ca ²⁺ into the Sarcoplasmic Reticulum		NPCs	653
in Muscle Cells	606	Transport Through NPCs Can Be Regulated by Controlling	
The Plasma Membrane Na ⁺ -K ⁺ Pump Establishes Na ⁺ and K ⁺		Access to the Transport Machinery	654
Gradients Across the Plasma Membrane	607	During Mitosis the Nuclear Envelope Disassembles	656
ABC Transporters Constitute the Largest Family of Membrane		Summary	657
Transport Proteins	609	THE TRANSPORT OF PROTEINS INTO MITOCHONDRIA AND	
Summary	611	CHLOROPLASTS	658
CHANNELS AND THE ELECTRICAL PROPERTIES OF		Translocation into Mitochondria Depends on Signal Sequences	
MEMBRANES	611	and Protein Translocators	659
Aquaporins Are Permeable to Water But Impermeable to Ions	612	Mitochondrial Precursor Proteins Are Imported as Unfolded	
Ion Channels Are Ion-Selective and Fluctuate Between Open		Polypeptide Chains	660
and Closed States	613	ATP Hydrolysis and a Membrane Potential Drive Protein Import	
The Membrane Potential in Animal Cells Depends Mainly on K ⁺		Into the Matrix Space	661
Leak Channels and the K ⁺ Gradient Across the Plasma		Bacteria and Mitochondria Use Similar Mechanisms to Insert	
Membrane	615	Porins into their Outer Membrane	662
The Resting Potential Decays Only Slowly When the Na ⁺ -K ⁺		Transport Into the Inner Mitochondrial Membrane and	
Pump Is Stopped	615	Intermembrane Space Occurs Via Several Routes	663
The Three-Dimensional Structure of a Bacterial K ⁺ Channel		Two Signal Sequences Direct Proteins to the Thylakoid Membrane	
Shows How an Ion Channel Can Work	617	in Chloroplasts	664
Mechanosensitive Channels Protect Bacterial Cells Against		Summary	666
Extreme Osmotic Pressures	619	PEROXISOMES	666
The Function of a Neuron Depends on Its Elongated Structure	620	Peroxisomes Use Molecular Oxygen and Hydrogen Peroxide	
Voltage-Gated Cation Channels Generate Action Potentials in		to Perform Oxidation Reactions	666
Electrically Excitable Cells	621	A Short Signal Sequence Directs the Import of Proteins into	
The Use of Channelrhodopsins Has Revolutionized the Study		Peroxisomes	667
of Neural Circuits	623	Summary	669
Myelination Increases the Speed and Efficiency of Action Potential		THE ENDOPLASMIC RETICULUM	669
Propagation in Nerve Cells	625	The ER Is Structurally and Functionally Diverse	670
Patch-Clamp Recording Indicates That Individual Ion Channels		Signal Sequences Were First Discovered in Proteins Imported	
Open in an All-or-Nothing Fashion	626	into the Rough ER	672
Voltage-Gated Cation Channels Are Evolutionarily and Structurally		A Signal-Recognition Particle (SRP) Directs the ER Signal	
Related	626	Sequence to a Specific Receptor in the Rough ER Membrane	673
Different Neuron Types Display Characteristic Stable Firing		The Polypeptide Chain Passes Through an Aqueous Channel	
Properties	627	in the Translocator	675
Transmitter-Gated Ion Channels Convert Chemical Signals into		Translocation Across the ER Membrane Does Not Always	
Electrical Ones at Chemical Synapses	627	Require Ongoing Polypeptide Chain Elongation	677
Chemical Synapses Can Be Excitatory or Inhibitory	629	In Single-Pass Transmembrane Proteins, a Single Internal ER	
The Acetylcholine Receptors at the Neuromuscular Junction Are		Signal Sequence Remains in the Lipid Bilayer as a Membrane-	
Excitatory Transmitter-Gated Cation Channels	630	spanning α Helix	677
Neurons Contain Many Types of Transmitter-Gated Channels	631	Combinations of Start-Transfer and Stop-Transfer Signals	
Many Psychoactive Drugs Act at Synapses	631	Determine the Topology of Multipass Transmembrane Proteins	679
Neuromuscular Transmission Involves the Sequential Activation		ER Tail-anchored Proteins Are Integrated into the ER Membrane	
of Five Different Sets of Ion Channels	632	by a Special Mechanism	682
Single Neurons Are Complex Computation Devices	633	Translocated Polypeptide Chains Fold and Assemble in the	
Neuronal Computation Requires a Combination of at Least Three		Lumen of the Rough ER	682
Kinds of K ⁺ Channels	634	Most Proteins Synthesized in the Rough ER Are Glycosylated by	
Long-Term Potentiation (LTP) in the Mammalian Hippocampus		the Addition of a Common N-Linked Oligosaccharide	683
Depends on Ca ²⁺ Entry Through NMDA-Receptor Channels	636	Oligosaccharides Are Used as Tags to Mark the State of Protein	
Summary	637	Folding	685
Problems	638	Improperly Folded Proteins Are Exported from the ER and	
References	640	Degraded in the Cytosol	685
		Misfolded Proteins in the ER Activate an Unfolded Protein	
		Response	686
		Some Membrane Proteins Acquire a Covalently Attached	
		Glycosylphosphatidylinositol (GPI) Anchor	688
		The ER Assembles Most Lipid Bilayers	689
		Summary	691
		Problems	692
		References	694
Chapter 12 Intracellular Compartments and		Chapter 13 Intracellular Membrane Traffic	695
Protein Sorting	641	THE MOLECULAR MECHANISMS OF MEMBRANE	
THE COMPARTMENTALIZATION OF CELLS	641	TRANSPORT AND THE MAINTENANCE OF	
All Eukaryotic Cells Have the Same Basic Set of Membrane-		COMPARTMENTAL DIVERSITY	697
enclosed Organelles	641	There Are Various Types of Coated Vesicles	697
Evolutionary Origins May Help Explain the Topological		The Assembly of a Clathrin Coat Drives Vesicle Formation	697
Relationships of Organelles	643	Adaptor Proteins Select Cargo into Clathrin-Coated Vesicles	698
Proteins Can Move Between Compartments in Different Ways	645	Phosphoinositides Mark Organelles and Membrane Domains	700
Signal Sequences and Sorting Receptors Direct Proteins to the			
Correct Cell Address	647		
Most Organelles Cannot Be Constructed De Novo: They Require			
Information in the Organelle Itself	648		
Summary	649		
THE TRANSPORT OF MOLECULES BETWEEN THE			
NUCLEUS AND THE CYTOSOL	649		
Nuclear Pore Complexes Perforate the Nuclear Envelope	649		
Nuclear Localization Signals Direct Nuclear Proteins to the Nucleus	650		

Membrane-Bending Proteins Help Deform the Membrane During Vesicle Formation	701	Secretory Vesicle Membrane Components Are Quickly Removed from the Plasma Membrane	746
Cytoplasmic Proteins Regulate the Pinching-Off and Uncoating of Coated Vesicles	701	Some Regulated Exocytosis Events Serve to Enlarge the Plasma Membrane	748
Monomeric GTPases Control Coat Assembly	703	Polarized Cells Direct Proteins from the <i>Trans</i> Golgi Network to the Appropriate Domain of the Plasma Membrane	748
Not All Transport Vesicles Are Spherical	704	Summary	750
Rab Proteins Guide Transport Vesicles to Their Target Membrane	705	Problems	750
Rab Cascades Can Change the Identity of an Organelle	707	References	752
SNAREs Mediate Membrane Fusion	708		
Interacting SNAREs Need to Be Pried Apart Before They Can Function Again	709	Chapter 14 Energy Conversion: Mitochondria and Chloroplasts	753
Summary	710		
TRANSPORT FROM THE ER THROUGH THE GOLGI APPARATUS	710	THE MITOCHONDRION	755
Proteins Leave the ER in COPII-Coated Transport Vesicles	711	The Mitochondrion Has an Outer Membrane and an Inner Membrane	757
Only Proteins That Are Properly Folded and Assembled Can Leave the ER	712	The Inner Membrane Cristae Contain the Machinery for Electron Transport and ATP Synthesis	758
Vesicular Tubular Clusters Mediate Transport from the ER to the Golgi Apparatus	712	The Citric Acid Cycle in the Matrix Produces NADH	758
The Retrieval Pathway to the ER Uses Sorting Signals	713	Mitochondria Have Many Essential Roles in Cellular Metabolism	759
Many Proteins Are Selectively Retained in the Compartments in Which They Function	714	A Chemiosmotic Process Couples Oxidation Energy to ATP Production	761
The Golgi Apparatus Consists of an Ordered Series of Compartments	715	The Energy Derived from Oxidation Is Stored as an Electrochemical Gradient	762
Oligosaccharide Chains Are Processed in the Golgi Apparatus	716	Summary	763
Proteoglycans Are Assembled in the Golgi Apparatus	718	THE PROTON PUMPS OF THE ELECTRON-TRANSPORT CHAIN	763
What Is the Purpose of Glycosylation?	719	The Redox Potential Is a Measure of Electron Affinities	763
Transport Through the Golgi Apparatus May Occur by Cisternal Maturation	720	Electron Transfers Release Large Amounts of Energy	764
Golgi Matrix Proteins Help Organize the Stack	721	Transition Metal Ions and Quinones Accept and Release Electrons Readily	764
Summary	722	NADH Transfers Its Electrons to Oxygen Through Three Large Enzyme Complexes Embedded in the Inner Membrane	766
TRANSPORT FROM THE TRANS GOLGI NETWORK TO LYOSOMES	722	The NADH Dehydrogenase Complex Contains Separate Modules for Electron Transport and Proton Pumping	768
Lysosomes Are the Principal Sites of Intracellular Digestion	722	Cytochrome <i>c</i> Reductase Takes Up and Releases Protons on the Opposite Side of the Crista Membrane, Thereby Pumping Protons	768
Lysosomes Are Heterogeneous	723	The Cytochrome <i>c</i> Oxidase Complex Pumps Protons and Reduces O ₂ Using a Catalytic Iron-Copper Center	770
Plant and Fungal Vacuoles Are Remarkably Versatile Lysosomes	724	The Respiratory Chain Forms a Supercomplex in the Crista Membrane	772
Multiple Pathways Deliver Materials to Lysosomes	725	Protons Can Move Rapidly Through Proteins Along Predefined Pathways	773
Autophagy Degrades Unwanted Proteins and Organelles	726	Summary	774
A Mannose 6-Phosphate Receptor Sorts Lysosomal Hydrolases in the <i>Trans</i> Golgi Network	727	ATP PRODUCTION IN MITOCHONDRIA	774
Defects in the GlcNAc Phosphotransferase Cause a Lysosomal Storage Disease in Humans	728	The Large Negative Value of ΔG for ATP Hydrolysis Makes ATP Useful to the Cell	774
Some Lysosomes and Multivesicular Bodies Undergo Exocytosis	729	The ATP Synthase Is a Nanomachine that Produces ATP by Rotary Catalysis	776
Summary	729	Proton-driven Turbines Are of Ancient Origin	777
TRANSPORT INTO THE CELL FROM THE PLASMA MEMBRANE: ENDOCYTOSIS	730	Mitochondrial Cristae Help to Make ATP Synthesis Efficient	778
Pinocytic Vesicles Form from Coated Pits in the Plasma Membrane	731	Special Transport Proteins Exchange ATP and ADP Through the Inner Membrane	779
Not All Pinocytic Vesicles Are Clathrin-Coated	731	Chemiosmotic Mechanisms First Arose in Bacteria	780
Cells Use Receptor-Mediated Endocytosis to Import Selected Extracellular Macromolecules	732	Summary	782
Specific Proteins Are Retrieved from Early Endosomes and Returned to the Plasma Membrane	734	CHLOROPLASTS AND PHOTOSYNTHESIS	782
Plasma Membrane Signaling Receptors are Down-Regulated by Degradation in Lysosomes	735	Chloroplasts Resemble Mitochondria But Have a Separate Thylakoid Compartment	782
Early Endosomes Mature into Late Endosomes	735	Chloroplasts Capture Energy from Sunlight and Use It to Fix Carbon	783
ESCRT Protein Complexes Mediate the Formation of Intraluminal Vesicles in Multivesicular Bodies	736	Carbon Fixation Uses ATP and NADPH to Convert CO ₂ into Sugars	784
Recycling Endosomes Regulate Plasma Membrane Composition	737	Sugars Generated by Carbon Fixation Can Be Stored as Starch or Consumed to Produce ATP	785
Specialized Phagocytic Cells Can Ingest Large Particles	738	The Thylakoid Membranes of Chloroplasts Contain the Protein Complexes Required for Photosynthesis and ATP Generation	786
Summary	740	Chlorophyll-Protein Complexes Can Transfer Either Excitation Energy or Electrons	787
TRANSPORT FROM THE TRANS GOLGI NETWORK TO THE CELL EXTERIOR: EXOCYTOSIS	741	A Photosystem Consists of an Antenna Complex and a Reaction Center	788
Many Proteins and Lipids Are Carried Automatically from the <i>Trans</i> Golgi Network (TGN) to the Cell Surface	741	The Thylakoid Membrane Contains Two Different Photosystems Working in Series	789
Secretory Vesicles Bud from the <i>Trans</i> Golgi Network	742		
Precursors of Secretory Proteins Are Proteolytically Processed During the Formation of Secretory Vesicles	743		
Secretory Vesicles Wait Near the Plasma Membrane Until Signaled to Release Their Contents	744		
For Rapid Exocytosis, Synaptic Vesicles Are Primed at the Presynaptic Plasma Membrane	744		
Synaptic Vesicles Can Form Directly from Endocytic Vesicles	746		

Photosystem II Uses a Manganese Cluster to Withdraw Electrons From Water	790	Some G Proteins Signal Via Phospholipids	836
The Cytochrome <i>b₆-f</i> Complex Connects Photosystem II to Photosystem I	791	Ca ²⁺ Functions as a Ubiquitous Intracellular Mediator	838
Photosystem I Carries Out the Second Charge-Separation Step in the Z Scheme	792	Feedback Generates Ca ²⁺ Waves and Oscillations	838
The Chloroplast ATP Synthase Uses the Proton Gradient Generated by the Photosynthetic Light Reactions to Produce ATP	793	Ca ²⁺ /Calmodulin-Dependent Protein Kinases Mediate Many Responses to Ca ²⁺ Signals	840
All Photosynthetic Reaction Centers Have Evolved From a Common Ancestor	793	Some G Proteins Directly Regulate Ion Channels	843
The Proton-Motive Force for ATP Production in Mitochondria and Chloroplasts Is Essentially the Same	794	Smell and Vision Depend on GPCRs That Regulate Ion Channels	843
Chemiosmotic Mechanisms Evolved in Stages	794	Nitric Oxide Is a Gaseous Signaling Mediator That Passes Between Cells	846
By Providing an Inexhaustible Source of Reducing Power, Photosynthetic Bacteria Overcame a Major Evolutionary Obstacle	796	Second Messengers and Enzymatic Cascades Amplify Signals	848
The Photosynthetic Electron-Transport Chains of Cyanobacteria Produced Atmospheric Oxygen and Permitted New Life-Forms	796	GPCR Desensitization Depends on Receptor Phosphorylation	848
Summary	798	Summary	849
THE GENETIC SYSTEMS OF MITOCHONDRIA AND CHLOROPLASTS	800	SIGNALING THROUGH ENZYME-COUPLED RECEPTORS	850
The Genetic Systems of Mitochondria and Chloroplasts Resemble Those of Prokaryotes	800	Activated Receptor Tyrosine Kinases (RTKs) Phosphorylate Themselves	850
Over Time, Mitochondria and Chloroplasts Have Exported Most of Their Genes to the Nucleus by Gene Transfer	801	Phosphorylated Tyrosines on RTKs Serve as Docking Sites for Intracellular Signaling Proteins	852
The Fission and Fusion of Mitochondria Are Topologically Complex Processes	802	Proteins with SH2 Domains Bind to Phosphorylated Tyrosines	852
Animal Mitochondria Contain the Simplest Genetic Systems Known	803	The GTPase Ras Mediates Signaling by Most RTKs	854
Mitochondria Have a Relaxed Codon Usage and Can Have a Variant Genetic Code	804	Ras Activates a MAP Kinase Signaling Module	855
Chloroplasts and Bacteria Share Many Striking Similarities	806	Scaffold Proteins Help Prevent Cross-talk Between Parallel MAP Kinase Modules	857
Organelle Genes Are Maternally Inherited in Animals and Plants	807	Rho Family GTPases Functionally Couple Cell-Surface Receptors to the Cytoskeleton	858
Mutations in Mitochondrial DNA Can Cause Severe Inherited Diseases	807	PI 3-Kinase Produces Lipid Docking Sites in the Plasma Membrane	859
The Accumulation of Mitochondrial DNA Mutations Is a Contributor to Aging	808	The PI-3-Kinase–Akt Signaling Pathway Stimulates Animal Cells to Survive and Grow	860
Why Do Mitochondria and Chloroplasts Maintain a Costly Separate System for DNA Transcription and Translation?	808	RTKs and GPCRs Activate Overlapping Signaling Pathways	861
Summary	809	Some Enzyme-Coupled Receptors Associate with Cytoplasmic Tyrosine Kinases	862
Problems	809	Cytokine Receptors Activate the JAK–STAT Signaling Pathway	863
References	811	Protein Tyrosine Phosphatases Reverse Tyrosine Phosphorylations	864
Chapter 15 Cell Signaling	813	Signal Proteins of the TGFβ Superfamily Act Through Receptor Serine/Threonine Kinases and Smads	865
PRINCIPLES OF CELL SIGNALING	813	Summary	866
Extracellular Signals Can Act Over Short or Long Distances	814	ALTERNATIVE SIGNALING ROUTES IN GENE REGULATION	867
Extracellular Signal Molecules Bind to Specific Receptors	815	The Receptor Notch Is a Latent Transcription Regulatory Protein	867
Each Cell Is Programmed to Respond to Specific Combinations of Extracellular Signals	816	Wnt Proteins Bind to Frizzled Receptors and Inhibit the Degradation of β-Catenin	868
There Are Three Major Classes of Cell-Surface Receptor Proteins	818	Hedgehog Proteins Bind to Patched, Relieving Its Inhibition of Smoothed	871
Cell-Surface Receptors Relay Signals Via Intracellular Signaling Molecules	819	Many Stressful and Inflammatory Stimuli Act Through an NFκB-Dependent Signaling Pathway	873
Intracellular Signals Must Be Specific and Precise in a Noisy Cytoplasm	820	Nuclear Receptors Are Ligand-Modulated Transcription Regulators	874
Intracellular Signaling Complexes Form at Activated Receptors	822	Circadian Clocks Contain Negative Feedback Loops That Control Gene Expression	876
Modular Interaction Domains Mediate Interactions Between Intracellular Signaling Proteins	822	Three Proteins in a Test Tube Can Reconstitute a Cyanobacterial Circadian Clock	878
The Relationship Between Signal and Response Varies in Different Signaling Pathways	824	Summary	879
The Speed of a Response Depends on the Turnover of Signaling Molecules	825	SIGNALING IN PLANTS	880
Cells Can Respond Abruptly to a Gradually Increasing Signal	827	Multicellularity and Cell Communication Evolved Independently in Plants and Animals	880
Positive Feedback Can Generate an All-or-None Response	828	Receptor Serine/Threonine Kinases Are the Largest Class of Cell-Surface Receptors in Plants	881
Negative Feedback is a Common Motif in Signaling Systems	829	Ethylene Blocks the Degradation of Specific Transcription Regulatory Proteins in the Nucleus	881
Cells Can Adjust Their Sensitivity to a Signal	830	Regulated Positioning of Auxin Transporters Patterns Plant Growth	882
Summary	831	Phytochromes Detect Red Light, and Cryptochromes Detect Blue Light	883
SIGNALING THROUGH G-PROTEIN-COUPLED RECEPTORS	832	Summary	885
Trimeric G Proteins Relay Signals From GPCRs	832	Problems	886
Some G Proteins Regulate the Production of Cyclic AMP	833	References	887
Cyclic-AMP-Dependent Protein Kinase (PKA) Mediates Most of the Effects of Cyclic AMP	834	Chapter 16 The Cytoskeleton	889
		FUNCTION AND ORIGIN OF THE CYTOSKELETON	889
		Cytoskeletal Filaments Adapt to Form Dynamic or Stable Structures	890
		The Cytoskeleton Determines Cellular Organization and Polarity	892
		Filaments Assemble from Protein Subunits That Impart Specific Physical and Dynamic Properties	893

Accessory Proteins and Motors Regulate Cytoskeletal Filaments	894	Cell Polarization Is Controlled by Members of the Rho Protein Family	955
Bacterial Cell Organization and Division Depend on Homologs of Eukaryotic Cytoskeletal Proteins	896	Extracellular Signals Can Activate the Three Rho Protein Family Members	958
Summary	898	External Signals Can Dictate the Direction of Cell Migration	958
ACTIN AND ACTIN-BINDING PROTEINS	898	Communication Among Cytoskeletal Elements Coordinates Whole-Cell Polarization and Locomotion	959
Actin Subunits Assemble Head-to-Tail to Create Flexible, Polar Filaments	898	Summary	960
Nucleation Is the Rate-Limiting Step in the Formation of Actin Filaments	899	Problems	960
Actin Filaments Have Two Distinct Ends That Grow at Different Rates	900	References	962
ATP Hydrolysis Within Actin Filaments Leads to Treadmilling at Steady State	901	Chapter 17 The Cell Cycle	963
The Functions of Actin Filaments Are Inhibited by Both Polymer-stabilizing and Polymer-destabilizing Chemicals	904	OVERVIEW OF THE CELL CYCLE	963
Actin-Binding Proteins Influence Filament Dynamics and Organization	904	The Eukaryotic Cell Cycle Usually Consists of Four Phases	964
Monomer Availability Controls Actin Filament Assembly	906	Cell-Cycle Control Is Similar in All Eukaryotes	965
Actin-Nucleating Factors Accelerate Polymerization and Generate Branched or Straight Filaments	906	Cell-Cycle Progression Can Be Studied in Various Ways	966
Actin-Filament-Binding Proteins Alter Filament Dynamics	907	Summary	967
Severing Proteins Regulate Actin Filament Depolymerization	909	THE CELL-CYCLE CONTROL SYSTEM	967
Higher-Order Actin Filament Arrays Influence Cellular Mechanical Properties and Signaling	911	The Cell-Cycle Control System Triggers the Major Events of the Cell Cycle	967
Bacteria Can Hijack the Host Actin Cytoskeleton	913	The Cell-Cycle Control System Depends on Cyclically Activated Cyclin-Dependent Protein Kinases (Cdks)	968
Summary	914	Cdk Activity Can Be Suppressed By Inhibitory Phosphorylation and Cdk Inhibitor Proteins (CKIs)	970
MYOSIN AND ACTIN	915	Regulated Proteolysis Triggers the Metaphase-to-Anaphase Transition	970
Actin-Based Motor Proteins Are Members of the Myosin Superfamily	915	Cell-Cycle Control Also Depends on Transcriptional Regulation	971
Myosin Generates Force by Coupling ATP Hydrolysis to Conformational Changes	916	The Cell-Cycle Control System Functions as a Network of Biochemical Switches	972
Sliding of Myosin II Along Actin Filaments Causes Muscles to Contract	916	Summary	974
A Sudden Rise in Cytosolic Ca ²⁺ Concentration Initiates Muscle Contraction	920	S PHASE	974
Heart Muscle Is a Precisely Engineered Machine	923	S-Cdk Initiates DNA Replication Once Per Cycle	974
Actin and Myosin Perform a Variety of Functions in Non-Muscle Cells	923	Chromosome Duplication Requires Duplication of Chromatin Structure	975
Summary	925	Cohesins Hold Sister Chromatids Together	977
MICROTUBULES	925	Summary	977
Microtubules Are Hollow Tubes Made of Protofilaments	926	MITOSIS	978
Microtubules Undergo Dynamic Instability	927	M-Cdk Drives Entry Into Mitosis	978
Microtubule Functions Are Inhibited by Both Polymer-stabilizing and Polymer-destabilizing Drugs	929	Dephosphorylation Activates M-Cdk at the Onset of Mitosis	978
A Protein Complex Containing γ -Tubulin Nucleates Microtubules	929	Condensin Helps Configure Duplicated Chromosomes for Separation	979
Microtubules Emanate from the Centrosome in Animal Cells	930	The Mitotic Spindle Is a Microtubule-Based Machine	982
Microtubule-Binding Proteins Modulate Filament Dynamics and Organization	932	Microtubule-Dependent Motor Proteins Govern Spindle Assembly and Function	983
Microtubule Plus-End-Binding Proteins Modulate Microtubule Dynamics and Attachments	932	Multiple Mechanisms Collaborate in the Assembly of a Bipolar Mitotic Spindle	984
Tubulin-Sequestering and Microtubule-Severing Proteins Destabilize Microtubules	935	Centrosome Duplication Occurs Early in the Cell Cycle	984
Two Types of Motor Proteins Move Along Microtubules	936	M-Cdk Initiates Spindle Assembly in Prophase	985
Microtubules and Motors Move Organelles and Vesicles	938	The Completion of Spindle Assembly in Animal Cells Requires Nuclear-Envelope Breakdown	985
Construction of Complex Microtubule Assemblies Requires Microtubule Dynamics and Motor Proteins	940	Microtubule Instability Increases Greatly in Mitosis	986
Motile Cilia and Flagella Are Built from Microtubules and Dyneins	941	Mitotic Chromosomes Promote Bipolar Spindle Assembly	986
Primary Cilia Perform Important Signaling Functions in Animal Cells	942	Kinetochores Attach Sister Chromatids to the Spindle	987
Summary	943	Bi-orientation Is Achieved by Trial and Error	988
INTERMEDIATE FILAMENTS AND SEPTINS	944	Multiple Forces Act on Chromosomes in the Spindle	990
Intermediate Filament Structure Depends on the Lateral Bundling and Twisting of Coiled-Coils	945	The APC/C Triggers Sister-Chromatid Separation and the Completion of Mitosis	992
Intermediate Filaments Impart Mechanical Stability to Animal Cells	946	Unattached Chromosomes Block Sister-Chromatid Separation: The Spindle Assembly Checkpoint	993
Linker Proteins Connect Cytoskeletal Filaments and Bridge the Nuclear Envelope	948	Chromosomes Segregate in Anaphase A and B	994
Septins Form Filaments That Regulate Cell Polarity	949	Segregated Chromosomes Are Packaged in Daughter Nuclei at Telophase	995
Summary	950	Summary	995
CELL POLARIZATION AND MIGRATION	951	CYTOKINESIS	996
Many Cells Can Crawl Across a Solid Substratum	951	Actin and Myosin II in the Contractile Ring Generate the Force for Cytokinesis	996
Actin Polymerization Drives Plasma Membrane Protrusion	951	Local Activation of RhoA Triggers Assembly and Contraction of the Contractile Ring	997
Lamellipodia Contain All of the Machinery Required for Cell Motility	953	The Microtubules of the Mitotic Spindle Determine the Plane of Animal Cell Division	997
Myosin Contraction and Cell Adhesion Allow Cells to Pull Themselves Forward	954	The Phragmoplast Guides Cytokinesis in Higher Plants	1000
		Membrane-Enclosed Organelles Must Be Distributed to Daughter Cells During Cytokinesis	1001

Some Cells Reposition Their Spindle to Divide Asymmetrically	1001
Mitosis Can Occur Without Cytokinesis	1002
The G ₁ Phase Is a Stable State of Cdk Inactivity	1002
Summary	1004
MEIOSIS	1004
Meiosis Includes Two Rounds of Chromosome Segregation	1004
Duplicated Homologs Pair During Meiotic Prophase	1006
Homolog Pairing Culminates in the Formation of a Synaptonemal Complex	1006
Homolog Segregation Depends on Several Unique Features of Meiosis I	1008
Crossing-Over Is Highly Regulated	1009
Meiosis Frequently Goes Wrong	1010
Summary	1010
CONTROL OF CELL DIVISION AND CELL GROWTH	1010
Mitogens Stimulate Cell Division	1011
Cells Can Enter a Specialized Nondividing State	1012
Mitogens Stimulate G ₁ -Cdk and G ₁ /S-Cdk Activities	1012
DNA Damage Blocks Cell Division: The Dna Damage Response	1014
Many Human Cells Have a Built-In Limitation on the Number of Times They Can Divide	1016
Abnormal Proliferation Signals Cause Cell-Cycle Arrest or Apoptosis, Except in Cancer Cells	1016
Cell Proliferation Is Accompanied by Cell Growth	1016
Proliferating Cells Usually Coordinate Their Growth and Division	1018
Summary	1018
Problems	1019
References	1020
Chapter 18 Cell Death	1021
Apoptosis Eliminates Unwanted Cells	1021
Apoptosis Depends on an Intracellular Proteolytic Cascade That Is Mediated by Caspases	1022
Cell-Surface Death Receptors Activate the Extrinsic Pathway of Apoptosis	1024
The Intrinsic Pathway of Apoptosis Depends on Mitochondria	1025
Bcl2 Proteins Regulate the Intrinsic Pathway of Apoptosis	1025
IAPs Help Control Caspases	1029
Extracellular Survival Factors Inhibit Apoptosis in Various Ways	1029
Phagocytes Remove the Apoptotic Cell	1030
Either Excessive or Insufficient Apoptosis Can Contribute to Disease	1031
Summary	1032
Problems	1033
References	1034
Chapter 19 Cell Junctions and the Extracellular Matrix	1035
CELL-CELL JUNCTIONS	1038
Cadherins Form a Diverse Family of Adhesion Molecules	1038
Cadherins Mediate Homophilic Adhesion	1038
Cadherin-Dependent Cell-Cell Adhesion Guides the Organization of Developing Tissues	1040
Epithelial-Mesenchymal Transitions Depend on Control of Cadherins	1042
Catenins Link Classical Cadherins to the Actin Cytoskeleton	1042
Adherens Junctions Respond to Forces Generated by the Actin Cytoskeleton	1042
Tissue Remodeling Depends on the Coordination of Actin-Mediated Contraction With Cell-Cell Adhesion	1043
Desmosomes Give Epithelia Mechanical Strength	1045
Tight Junctions Form a Seal Between Cells and a Fence Between Plasma Membrane Domains	1047
Tight Junctions Contain Strands of Transmembrane Adhesion Proteins	1047
Scaffold Proteins Organize Junctional Protein Complexes	1049
Gap Junctions Couple Cells Both Electrically and Metabolically	1050
A Gap-Junction Connexon Is Made of Six Transmembrane Connexin Subunits	1051
In Plants, Plasmodesmata Perform Many of the Same Functions as Gap Junctions	1053
Selectins Mediate Transient Cell-Cell Adhesions in the Bloodstream	1054

Members of the Immunoglobulin Superfamily Mediate Ca ²⁺ -Independent Cell-Cell Adhesion	1055
Summary	1056
THE EXTRACELLULAR MATRIX OF ANIMALS	1057
The Extracellular Matrix Is Made and Oriented by the Cells Within It	1057
Glycosaminoglycan (GAG) Chains Occupy Large Amounts of Space and Form Hydrated Gels	1058
Hyaluronan Acts as a Space Filler During Tissue Morphogenesis and Repair	1059
Proteoglycans Are Composed of GAG Chains Covalently Linked to a Core Protein	1059
Collagens Are the Major Proteins of the Extracellular Matrix	1061
Secreted Fibril-Associated Collagens Help Organize the Fibrils	1063
Cells Help Organize the Collagen Fibrils They Secrete by Exerting Tension on the Matrix	1064
Elastin Gives Tissues Their Elasticity	1065
Fibronectin and Other Multidomain Glycoproteins Help Organize the Matrix	1066
Fibronectin Binds to Integrins	1067
Tension Exerted by Cells Regulates the Assembly of Fibronectin Fibrils	1068
The Basal Lamina Is a Specialized Form of Extracellular Matrix	1068
Laminin and Type IV Collagen Are Major Components of the Basal Lamina	1069
Basal Laminae Have Diverse Functions	1070
Cells Have to Be Able to Degrade Matrix, as Well as Make It	1072
Matrix Proteoglycans and Glycoproteins Regulate the Activities of Secreted Proteins	1073
Summary	1074
CELL-MATRIX JUNCTIONS	1074
Integrins Are Transmembrane Heterodimers That Link the Extracellular Matrix to the Cytoskeleton	1075
Integrin Defects Are Responsible for Many Genetic Diseases	1076
Integrins Can Switch Between an Active and an Inactive Conformation	1077
Integrins Cluster to Form Strong Adhesions	1079
Extracellular Matrix Attachments Act Through Integrins to Control Cell Proliferation and Survival	1079
Integrins Recruit Intracellular Signaling Proteins at Sites of Cell-Matrix Adhesion	1079
Cell-Matrix Adhesions Respond to Mechanical Forces	1080
Summary	1081
THE PLANT CELL WALL	1081
The Composition of the Cell Wall Depends on the Cell Type	1082
The Tensile Strength of the Cell Wall Allows Plant Cells to Develop Turgor Pressure	1083
The Primary Cell Wall Is Built from Cellulose Microfibrils Interwoven with a Network of Pectic Polysaccharides	1083
Oriented Cell Wall Deposition Controls Plant Cell Growth	1085
Microtubules Orient Cell Wall Deposition	1086
Summary	1087
Problems	1087
References	1089
Chapter 20 Cancer	1091
CANCER AS A MICROEVOLUTIONARY PROCESS	1091
Cancer Cells Bypass Normal Proliferation Controls and Colonize Other Tissues	1092
Most Cancers Derive from a Single Abnormal Cell	1093
Cancer Cells Contain Somatic Mutations	1094
A Single Mutation Is Not Enough to Change a Normal Cell into a Cancer Cell	1094
Cancers Develop Gradually from Increasingly Aberrant Cells	1095
Tumor Progression Involves Successive Rounds of Random Inherited Change Followed by Natural Selection	1096
Human Cancer Cells Are Genetically Unstable	1097
Cancer Cells Display an Altered Control of Growth	1098
Cancer Cells Have an Altered Sugar Metabolism	1098
Cancer Cells Have an Abnormal Ability to Survive Stress and DNA Damage	1099
Human Cancer Cells Escape a Built-in Limit to Cell Proliferation	1099
The Tumor Microenvironment Influences Cancer Development	1100

Cancer Cells Must Survive and Proliferate in a Foreign Environment	1101	Many Cancers May Be Treatable by Enhancing the Immune Response Against the Specific Tumor	1137
Many Properties Typically Contribute to Cancerous Growth Summary	1103	Cancers Evolve Resistance to Therapies	1139
CANCER-CRITICAL GENES: HOW THEY ARE FOUND AND WHAT THEY DO	1104	Combination Therapies May Succeed Where Treatments with One Drug at a Time Fail	1139
The Identification of Gain-of-Function and Loss-of-Function Cancer Mutations Has Traditionally Required Different Methods	1104	We Now Have the Tools to Devise Combination Therapies Tailored to the Individual Patient	1140
Retroviruses Can Act as Vectors for Oncogenes That Alter Cell Behavior	1105	Summary	1141
Different Searches for Oncogenes Converged on the Same Gene— <i>Ras</i>	1106	Problems	1141
Genes Mutated in Cancer Can Be Made Overactive in Many Ways	1106	References	1143
Studies of Rare Hereditary Cancer Syndromes First Identified Tumor Suppressor Genes	1107	Chapter 21 Development of Multicellular Organisms	1145
Both Genetic and Epigenetic Mechanisms Can Inactivate Tumor Suppressor Genes	1108	OVERVIEW OF DEVELOPMENT	1147
Systematic Sequencing of Cancer Cell Genomes Has Transformed Our Understanding of the Disease	1109	Conserved Mechanisms Establish the Basic Animal Body Plan	1147
Many Cancers Have an Extraordinarily Disrupted Genome	1111	The Developmental Potential of Cells Becomes Progressively Restricted	1148
Many Mutations in Tumor Cells are Merely Passengers	1111	Cell Memory Underlies Cell Decision-Making	1148
About One Percent of the Genes in the Human Genome Are Cancer-Critical	1112	Several Model Organisms Have Been Crucial for Understanding Development	1148
Disruptions in a Handful of Key Pathways Are Common to Many Cancers	1113	Genes Involved in Cell–Cell Communication and Transcriptional Control Are Especially Important for Animal Development	1149
Mutations in the PI3K/Akt/mTOR Pathway Drive Cancer Cells to Grow	1114	Regulatory DNA Seems Largely Responsible for the Differences Between Animal Species	1149
Mutations in the p53 Pathway Enable Cancer Cells to Survive and Proliferate Despite Stress and DNA Damage	1115	Small Numbers of Conserved Cell–Cell Signaling Pathways Coordinate Spatial Patterning	1150
Genome Instability Takes Different Forms in Different Cancers	1116	Through Combinatorial Control and Cell Memory, Simple Signals Can Generate Complex Patterns	1150
Cancers of Specialized Tissues Use Many Different Routes to Target the Common Core Pathways of Cancer	1117	Morphogens Are Long-Range Inductive Signals That Exert Graded Effects	1151
Studies Using Mice Help to Define the Functions of Cancer-Critical Genes	1117	Lateral Inhibition Can Generate Patterns of Different Cell Types	1151
Cancers Become More and More Heterogeneous as They Progress	1118	Short-Range Activation and Long-Range Inhibition Can Generate Complex Cellular Patterns	1152
The Changes in Tumor Cells That Lead to Metastasis Are Still Largely a Mystery	1119	Asymmetric Cell Division Can Also Generate Diversity	1153
A Small Population of Cancer Stem Cells May Maintain Many Tumors	1120	Initial Patterns Are Established in Small Fields of Cells and Refined by Sequential Induction as the Embryo Grows	1153
The Cancer Stem-Cell Phenomenon Adds to the Difficulty of Curing Cancer	1121	Developmental Biology Provides Insights into Disease and Tissue Maintenance	1154
Colorectal Cancers Evolve Slowly Via a Succession of Visible Changes	1122	Summary	1154
A Few Key Genetic Lesions Are Common to a Large Fraction of Colorectal Cancers	1123	MECHANISMS OF PATTERN FORMATION	1155
Some Colorectal Cancers Have Defects in DNA Mismatch Repair	1124	Different Animals Use Different Mechanisms to Establish Their Primary Axes of Polarization	1155
The Steps of Tumor Progression Can Often Be Correlated with Specific Mutations	1125	Studies in <i>Drosophila</i> Have Revealed the Genetic Control Mechanisms Underlying Development	1157
Summary	1126	Egg-Polarity Genes Encode Macromolecules Deposited in the Egg to Organize the Axes of the Early <i>Drosophila</i> Embryo	1157
CANCER PREVENTION AND TREATMENT: PRESENT AND FUTURE	1127	Three Groups of Genes Control <i>Drosophila</i> Segmentation Along the A-P Axis	1159
Epidemiology Reveals That Many Cases of Cancer Are Preventable	1127	A Hierarchy of Gene Regulatory Interactions Subdivides the <i>Drosophila</i> Embryo	1159
Sensitive Assays Can Detect Those Cancer-Causing Agents that Damage DNA	1127	Egg-Polarity, Gap, and Pair-Rule Genes Create a Transient Pattern That Is Remembered by Segment-Polarity and <i>Hox</i> Genes	1160
Fifty Percent of Cancers Could Be Prevented by Changes in Lifestyle	1128	<i>Hox</i> Genes Permanently Pattern the A-P Axis	1162
Viruses and Other Infections Contribute to a Significant Proportion of Human Cancers	1129	<i>Hox</i> Proteins Give Each Segment Its Individuality	1163
Cancers of the Uterine Cervix Can Be Prevented by Vaccination Against Human Papillomavirus	1131	<i>Hox</i> Genes Are Expressed According to Their Order in the <i>Hox</i> Complex	1163
Infectious Agents Can Cause Cancer in a Variety of Ways	1132	Trithorax and Polycomb Group Proteins Enable the <i>Hox</i> Complexes to Maintain a Permanent Record of Positional Information	1164
The Search for Cancer Cures Is Difficult but Not Hopeless	1132	The D-V Signaling Genes Create a Gradient of the Transcription Regulator Dorsal	1164
Traditional Therapies Exploit the Genetic Instability and Loss of Cell-Cycle Checkpoint Responses in Cancer Cells	1132	A Hierarchy of Inductive Interactions Subdivides the Vertebrate Embryo	1166
New Drugs Can Kill Cancer Cells Selectively by Targeting Specific Mutations	1133	A Competition Between Secreted Signaling Proteins Patterns the Vertebrate Embryo	1168
PARP Inhibitors Kill Cancer Cells That Have Defects in <i>Brca1</i> or <i>Brca2</i> Genes	1133	The Insect Dorsoventral Axis Corresponds to the Vertebrate Ventral-Dorsal Axis	1169
Small Molecules Can Be Designed to Inhibit Specific Oncogenic Proteins	1135	<i>Hox</i> Genes Control the Vertebrate A-P Axis	1169
		Some Transcription Regulators Can Activate a Program That Defines a Cell Type or Creates an Entire Organ	1170
		Notch-Mediated Lateral Inhibition Refines Cellular Spacing Patterns	1171

Asymmetric Cell Divisions Make Sister Cells Different	1173	Ephrin–Eph Signaling Drives Segregation of the Different Gut Cell Types	1224
Differences in Regulatory DNA Explain Morphological Differences	1174	Notch Signaling Controls Gut Cell Diversification and Helps Maintain the Stem-Cell State	1224
Summary	1175	The Epidermal Stem-Cell System Maintains a Self-Renewing Waterproof Barrier	1225
DEVELOPMENTAL TIMING	1176	Tissue Renewal That Does Not Depend on Stem Cells: Insulin-Secreting Cells in the Pancreas and Hepatocytes in the Liver	1226
Molecular Lifetimes Play a Critical Part in Developmental Timing	1176	Some Tissues Lack Stem Cells and Are Not Renewable	1227
A Gene-Expression Oscillator Acts as a Clock to Control Vertebrate Segmentation	1177	Summary	1227
Intracellular Developmental Programs Can Help Determine the Time-Course of a Cell's Development	1179	FIBROBLASTS AND THEIR TRANSFORMATIONS: THE CONNECTIVE-TISSUE CELL FAMILY	1228
Cells Rarely Count Cell Divisions to Time Their Development	1180	Fibroblasts Change Their Character in Response to Chemical and Physical Signals	1228
MicroRNAs Often Regulate Developmental Transitions	1180	Osteoblasts Make Bone Matrix	1229
Hormonal Signals Coordinate the Timing of Developmental Transitions	1182	Bone Is Continually Remodeled by the Cells Within It	1230
Environmental Cues Determine the Time of Flowering	1182	Osteoclasts Are Controlled by Signals From Osteoblasts	1232
Summary	1184	Summary	1232
MORPHOGENESIS	1184	GENESIS AND REGENERATION OF SKELETAL MUSCLE	1232
Cell Migration Is Guided by Cues in the Cell's Environment	1185	Myoblasts Fuse to Form New Skeletal Muscle Fibers	1233
The Distribution of Migrant Cells Depends on Survival Factors	1186	Some Myoblasts Persist as Quiescent Stem Cells in the Adult	1234
Changing Patterns of Cell Adhesion Molecules Force Cells Into New Arrangements	1187	Summary	1235
Repulsive Interactions Help Maintain Tissue Boundaries	1188	BLOOD VESSELS, LYMPHATICS, AND ENDOTHELIAL CELLS	1235
Groups of Similar Cells Can Perform Dramatic Collective Rearrangements	1188	Endothelial Cells Line All Blood Vessels and Lymphatics	1235
Planar Cell Polarity Helps Orient Cell Structure and Movement in Developing Epithelia	1189	Endothelial Tip Cells Pioneer Angiogenesis	1236
Interactions Between an Epithelium and Mesenchyme Generate Branching Tubular Structures	1190	Tissues Requiring a Blood Supply Release VEGF	1237
An Epithelium Can Bend During Development to Form a Tube or Vesicle	1192	Signals from Endothelial Cells Control Recruitment of Pericytes and Smooth Muscle Cells to Form the Vessel Wall	1238
Summary	1193	Summary	1238
GROWTH	1193	A HIERARCHICAL STEM-CELL SYSTEM: BLOOD CELL FORMATION	1239
The Proliferation, Death, and Size of Cells Determine Organism Size	1194	Red Blood Cells Are All Alike; White Blood Cells Can Be Grouped in Three Main Classes	1239
Animals and Organs Can Assess and Regulate Total Cell Mass	1194	The Production of Each Type of Blood Cell in the Bone Marrow Is Individually Controlled	1240
Extracellular Signals Stimulate or Inhibit Growth	1196	Bone Marrow Contains Multipotent Hematopoietic Stem Cells, Able to Give Rise to All Classes of Blood Cells	1242
Summary	1197	Commitment Is a Stepwise Process	1243
NEURAL DEVELOPMENT	1198	Divisions of Committed Progenitor Cells Amplify the Number of Specialized Blood Cells	1243
Neurons Are Assigned Different Characters According to the Time and Place of Their Birth	1199	Stem Cells Depend on Contact Signals From Stromal Cells	1244
The Growth Cone Pilots Axons Along Specific Routes Toward Their Targets	1201	Factors That Regulate Hematopoiesis Can Be Analyzed in Culture	1244
A Variety of Extracellular Cues Guide Axons to their Targets	1202	Erythropoiesis Depends on the Hormone Erythropoietin	1244
The Formation of Orderly Neural Maps Depends on Neuronal Specificity	1204	Multiple CSFs Influence Neutrophil and Macrophage Production	1245
Both Dendrites and Axonal Branches From the Same Neuron Avoid One Another	1206	The Behavior of a Hematopoietic Cell Depends Partly on Chance	1245
Target Tissues Release Neurotrophic Factors That Control Nerve Cell Growth and Survival	1208	Regulation of Cell Survival Is as Important as Regulation of Cell Proliferation	1246
Formation of Synapses Depends on Two-Way Communication Between Neurons and Their Target Cells	1209	Summary	1247
Synaptic Pruning Depends on Electrical Activity and Synaptic Signaling	1211	REGENERATION AND REPAIR	1247
Neurons That Fire Together Wire Together	1211	Planarian Worms Contain Stem Cells That Can Regenerate a Whole New Body	1247
Summary	1213	Some Vertebrates Can Regenerate Entire Organs	1248
Problems	1213	Stem Cells Can Be Used Artificially to Replace Cells That Are Diseased or Lost: Therapy for Blood and Epidermis	1249
References	1215	Neural Stem Cells Can Be Manipulated in Culture and Used to Repopulate the Central Nervous System	1250
Chapter 22 Stem Cells and Tissue Renewal	1217	Summary	1251
STEM CELLS AND RENEWAL IN EPITHELIAL TISSUES	1217	CELL REPROGRAMMING AND PLURIPOTENT STEM CELLS	1251
The Lining of the Small Intestine Is Continually Renewed Through Cell Proliferation in the Crypts	1218	Nuclei Can Be Reprogrammed by Transplantation into Foreign Cytoplasm	1252
Stem Cells of the Small Intestine Lie at or Near the Base of Each Crypt	1219	Reprogramming of a Transplanted Nucleus Involves Drastic Epigenetic Changes	1252
The Two Daughters of a Stem Cell Face a Choice	1219	Embryonic Stem (ES) Cells Can Generate Any Part of the Body	1253
Wnt Signaling Maintains the Gut Stem-Cell Compartment	1220	A Core Set of Transcription Regulators Defines and Maintains the ES Cell State	1254
Stem Cells at the Crypt Base Are Multipotent, Giving Rise to the Full Range of Differentiated Intestinal Cell Types	1220	Fibroblasts Can Be Reprogrammed to Create Induced Pluripotent Stem Cells (iPS Cells)	1254
The Two Daughters of a Stem Cell Do Not Always Have to Become Different	1222	Reprogramming Involves a Massive Upheaval of the Gene Control System	1255
Paneth Cells Create the Stem-Cell Niche	1222	An Experimental Manipulation of Factors that Modify Chromatin Can Increase Reprogramming Efficiencies	1256
A Single <i>Lgr5</i> -expressing Cell in Culture Can Generate an Entire Organized Crypt-Villus System	1223	ES and iPS Cells Can Be Guided to Generate Specific Adult Cell Types and Even Whole Organs	1256

Cells of One Specialized Type Can Be Forced to Transdifferentiate Directly Into Another	1258	OVERVIEW OF THE ADAPTIVE IMMUNE SYSTEM	1307
ES and iPS Cells Are Useful for Drug Discovery and Analysis of Disease	1258	B Cells Develop in the Bone Marrow, T Cells in the Thymus	1308
Summary	1260	Immunological Memory Depends On Both Clonal Expansion and Lymphocyte Differentiation	1309
Problems	1260	Lymphocytes Continuously Recirculate Through Peripheral Lymphoid Organs	1311
References	1262	Immunological Self-Tolerance Ensures That B and T Cells Do Not Attack Normal Host Cells and Molecules	1313
Chapter 23 Pathogens and Infection	1263	Summary	1315
INTRODUCTION TO PATHOGENS AND THE HUMAN MICROBIOTA	1263	B CELLS AND IMMUNOGLOBULINS	1315
The Human Microbiota Is a Complex Ecological System That Is Important for Our Development and Health	1264	B Cells Make Immunoglobulins (Igs) as Both Cell-Surface Antigen Receptors and Secreted Antibodies	1315
Pathogens Interact with Their Hosts in Different Ways	1264	Mammals Make Five Classes of Igs	1316
Pathogens Can Contribute to Cancer, Cardiovascular Disease, and Other Chronic Illnesses	1265	Ig Light and Heavy Chains Consist of Constant and Variable Regions	1318
Pathogens Can Be Viruses, Bacteria, or Eukaryotes	1266	Ig Genes Are Assembled From Separate Gene Segments During B Cell Development	1319
Bacteria Are Diverse and Occupy a Remarkable Variety of Ecological Niches	1267	Antigen-Driven Somatic Hypermutation Fine-Tunes Antibody Responses	1321
Bacterial Pathogens Carry Specialized Virulence Genes	1268	B Cells Can Switch the Class of Ig They Make	1322
Bacterial Virulence Genes Encode Effector Proteins and Secretion Systems to Deliver Effector Proteins to Host Cells	1269	Summary	1323
Fungal and Protozoan Parasites Have Complex Life Cycles Involving Multiple Forms	1271	T CELLS AND MHC PROTEINS	1324
All Aspects of Viral Propagation Depend on Host Cell Machinery	1273	T Cell Receptors (TCRs) Are Ig-like Heterodimers	1325
Summary	1275	Activated Dendritic Cells Activate Naïve T Cells	1326
CELL BIOLOGY OF INFECTION	1276	T Cells Recognize Foreign Peptides Bound to MHC Proteins	1326
Pathogens Overcome Epithelial Barriers to Infect the Host	1276	MHC Proteins Are the Most Polymorphic Human Proteins Known	1330
Pathogens That Colonize an Epithelium Must Overcome Its Protective Mechanisms	1276	CD4 and CD8 Co-receptors on T Cells Bind to Invariant Parts of MHC Proteins	1331
Extracellular Pathogens Disturb Host Cells Without Entering Them	1277	Developing Thymocytes Undergo Negative and Positive Selection	1332
Intracellular Pathogens Have Mechanisms for Both Entering and Leaving Host Cells	1278	Cytotoxic T Cells Induce Infected Target Cells to Kill Themselves	1333
Viruses Bind to Virus Receptors at the Host Cell Surface	1279	Effector Helper T Cells Help Activate Other Cells of the Innate and Adaptive Immune Systems	1335
Viruses Enter Host Cells by Membrane Fusion, Pore Formation, or Membrane Disruption	1280	Naïve Helper T Cells Can Differentiate Into Different Types of Effector T Cells	1335
Bacteria Enter Host Cells by Phagocytosis	1281	Both T and B Cells Require Multiple Extracellular Signals For Activation	1336
Intracellular Eukaryotic Parasites Actively Invade Host Cells	1282	Many Cell-Surface Proteins Belong to the Ig Superfamily	1338
Some Intracellular Pathogens Escape from the Phagosome into the Cytosol	1284	Summary	1339
Many Pathogens Alter Membrane Traffic in the Host Cell to Survive and Replicate	1284	Problems	1340
Viruses and Bacteria Use the Host-Cell Cytoskeleton for Intracellular Movement	1286	References	1342
Viruses Can Take Over the Metabolism of the Host Cell	1288	Glossary	G:1
Pathogens Can Evolve Rapidly by Antigenic Variation	1289	Index	I:1
Error-Prone Replication Dominates Viral Evolution	1291	Tables	T:1
Drug-Resistant Pathogens Are a Growing Problem	1291		
Summary	1294		
Problems	1294		
References	1296		
Chapter 24 The Innate and Adaptive Immune Systems	1297		
THE INNATE IMMUNE SYSTEM	1298		
Epithelial Surfaces Serve as Barriers to Infection	1298		
Pattern Recognition Receptors (PRRs) Recognize Conserved Features of Pathogens	1298		
There Are Multiple Classes of PRRs	1299		
Activated PRRs Trigger an Inflammatory Response at Sites of Infection	1300		
Phagocytic Cells Seek, Engulf, and Destroy Pathogens	1301		
Complement Activation Targets Pathogens for Phagocytosis or Lysis	1302		
Virus-Infected Cells Take Drastic Measures to Prevent Viral Replication	1303		
Natural Killer Cells Induce Virus-Infected Cells to Kill Themselves	1304		
Dendritic Cells Provide the Link Between the Innate and Adaptive Immune Systems	1305		
Summary	1305		