

# CONTENTS

<b>Contributors</b>	xxiii–xxiv
<b>Preface</b>	xxv
<b>Acknowledgments</b>	xxvii
<b>Chapter 1: Pharynx</b>	1
<i>Malisa S. Lester, Achilles G. Karagianis</i>	
<b>Case 1. Coapted fossa of Rosenmueller</b>	3
i. <i>Companion case:</i> Nasopharyngeal squamous cell carcinoma	5
<b>Case 2. Retention cyst in the fossa of Rosenmueller</b>	7
i. <i>Companion case:</i> Free fluid in the fossa of Rosenmueller	10
ii. <i>Companion case:</i> Torus tubarius retention cysts	10
<b>Case 3. Eustachian tube cartilage mineralization</b>	12
<b>Case 4. Hypertrophy of the Ostmann fat pad</b>	13
i. <i>Companion case:</i> Torus tubarius enlargement due to inflammation	14
ii. <i>Companion case:</i> Denervation atrophy of the levator veli palatini muscle	15
<b>Case 5. Adenoid lymphoid hyperplasia</b>	16
i. <i>Companion case:</i> Nasopharyngeal squamous cell carcinoma	18
<b>Case 6. Tornwaldt cyst</b>	20
<b>Case 7. Adenoid retention cyst</b>	24
i. <i>Companion case:</i> Sjögren syndrome affecting the nasopharynx minor salivary glands	28
<b>Case 8. Incidental adenoid diffusion restriction</b>	29
i. <i>Companion case:</i> Nasopharyngeal lymphoma	31
<b>Case 9. Tonsilloliths</b>	33
i. <i>Companion case:</i> Retained fish bone	36
ii. <i>Companion case:</i> Displacement of a small tooth fracture fragment following intubation	36
iii. <i>Companion case:</i> Displacement of an entire tooth	37
<b>Case 10. Palatine tonsil lymphoid hyperplasia</b>	39
i. <i>Companion case:</i> Unilateral palatine tonsil lymphoid hyperplasia due to a contralateral palatine tonsillectomy	41
ii. <i>Companion case:</i> Vascular malformation involving a palatine tonsil	41
iii. <i>Companion case:</i> Palatine tonsil squamous cell carcinoma	42

<b>Case 11. Air-filled palatine tonsil crypts</b>	44
i. <i>Companion case:</i> Fluid-filled palatine tonsil crypts	45
<b>Case 12. Palatine tonsil retention cyst</b>	46
i. <i>Companion case:</i> Palatine tonsil edema	48
ii. <i>Companion case:</i> Palatine intratonsillar abscess	49
iii. <i>Companion case:</i> Peritonsillar abscess	50
iv. <i>Companion case:</i> Partially necrotic palatine tonsil squamous cell carcinoma	51
<b>Case 13. Lingual tonsil lymphoid hyperplasia</b>	53
i. <i>Companion case:</i> Base of tongue squamous cell carcinoma	55
<b>Case 14. Air-filled lingual tonsil crypts</b>	57
<b>Case 15. Lingual tonsil retention cyst</b>	58
i. <i>Companion case:</i> Lingual tonsil edema	61
ii. <i>Companion case:</i> Base of tongue squamous cell carcinoma	62
iii. <i>Companion case:</i> Oropharyngeal wall retention cyst varying in size over time	62
iv. <i>Companion case:</i> Vallecular retention cyst	63
<b>Case 16. Lingual thyroid</b>	67
<b>Case 17. Coapted pyriform sinus</b>	69
i. <i>Companion case:</i> Pyriform sinus squamous cell carcinoma	70
ii. <i>Companion case:</i> Retained oral contrast in the hypopharynx	71
<b>Case 18. Postcricoid region of the hypopharynx</b>	73
i. <i>Companion case:</i> Postcricoid region squamous cell carcinoma	75
ii. <i>Companion case:</i> Impacted date seed at the cricopharyngeus muscle	76
<b>Case 19. Appearance of the pharynx during breath-hold or swallowing</b>	78
i. <i>Companion case:</i> Incidental soft palate abutment against the posterior pharyngeal wall	80
ii. <i>Companion case:</i> Pharyngeal airway collapse related to an indwelling tracheostomy tube	81
iii. <i>Companion case:</i> Large tumor compromising the pharyngeal airway	82
<b>Case 20. Denervation atrophy of the pharyngeal wall</b>	83

<b>Chapter 2: Larynx, Hyoid, and Trachea</b>	85	
Christopher J. Therasse, Achilles G. Karagianis, Benjamin P. Liu		
<b>Case 1. Variations of hyoid fusion</b>	87	
i. Companion case: Hyoid body fracture	90	
ii. Companion case: Hyoid motion artifact due to swallowing	91	
<b>Case 2. Thyrohyoid fusion anomalies</b>	92	
i. Companion case: Mineralization of the triticeal cartilage	96	
<b>Case 3. Variations of thyroid cartilage mineralization</b>	98	
i. Companion case: Retained fish bone	101	
ii. Companion case: Multiple myeloma involving the thyroid cartilage	104	
iii. Companion case: Squamous cell carcinoma invading thyroid cartilage	105	
iv. Companion case: Radiation-induced chondronecrosis of the thyroid lamina	107	
<b>Case 4. Thyroid cartilage pseudofracture</b>	108	
i. Companion case: Acute thyroid cartilage fracture	109	
ii. Companion case: Thyroid cartilage fracture with healing	109	
iii. Companion case: Incidental focal angulation of thyroid lamina superior cornu	110	
<b>Case 5. Variations of cricoid cartilage mineralization</b>	111	
i. Companion case: Retained fish bone	115	
ii. Companion case: Cricoid cartilage chondrosarcoma	116	
iii. Companion case: Cricoid cartilage sclerosis due to squamous cell carcinoma invasion	118	
iv. Companion case: Radiation-induced chondronecrosis of the cricoid cartilage	118	
<b>Case 6. Variations of arytenoid cartilage mineralization</b>	120	
i. Companion case: Arytenoid cartilage sclerosis due to squamous cell carcinoma invasion	122	
<b>Case 7. Mineralized epiglottis</b>	124	
i. Companion case: Residual barium contrast layering along the epiglottis	127	
<b>Case 8. Radiation-induced epiglottic edema</b>	128	
i. Companion case: Acute epiglottitis	129	
ii. Companion case: Epiglottic squamous cell carcinoma	129	
<b>Case 9. Thickened thyrohyoid membrane and median thyrohyoid ligament</b>	131	
i. Companion case: Thyroglossal duct cyst	133	
ii. Companion case: Ectopic thyroid	133	
<b>Case 10. Variations of the laryngeal ventricle</b>	135	
i. Companion case: Abnormal enlargement of laryngeal ventricle due to true vocal cord paralysis	138	
ii. Companion case: Endotracheal tube cuff in supraglottic larynx	139	
iii. Companion case: Squamous cell carcinoma infiltrating the laryngeal ventricle	139	
<b>Case 11. Laryngeal appendix</b>	141	
i. Companion case: Air-filled internal laryngoceles	144	
ii. Companion case: Small fluid-filled laryngeal appendices/laryngoceles	145	
iii. Companion case: Large fluid-filled internal laryngocele	146	
iv. Companion case: Large fluid-filled internal and external laryngocele	147	
v. Companion case: Submucosal tumor invasion into paraglottic fat	149	
<b>Case 12. Laryngeal apparatus rotation or slice selection resulting in an apparent true vocal cord abnormality</b>	150	
i. Companion case: True vocal cord asymmetry due to denervation atrophy	154	
ii. Companion case: True vocal cord polyp	155	
iii. Companion case: True vocal cord squamous cell carcinoma	156	
<b>Case 13. Closed glottis due to breath-hold</b>	157	
i. Companion case: Closed glottis due to an indwelling tracheostomy tube	159	
ii. Companion case: Transglottic tumor	160	
<b>Case 14. Characteristic findings of true vocal cord paralysis</b>	161	
i. Companion case: Laryngeal tumor simulating true vocal cord paralysis	165	
<b>Case 15. Injection laryngoplasty</b>	167	
i. Companion case: Subglottic extrusion of Radiesse with calcium hydroxylapatite injectate	174	
<b>Case 16. Medialization thyroplasty</b>	176	
<b>Case 17. MRI chemical shift artifact in the subglottic larynx simulating abnormal soft tissue</b>	179	
i. Companion case: Subglottic granulation tissue	181	
ii. Companion case: Subglottic tumor extension	182	
<b>Case 18. Posttreatment appearance of the larynx following radiation therapy</b>	184	
i. Companion case: Posttreated larynx with recurrent tumor	186	
ii. Companion case: Posttreated larynx with superimposed tumor	187	

<b>Case 19. Laryngectomies</b>	189
i. Companion case: Radiation necrosis and fistulization of a supraglottic laryngectomy	195
ii. Companion case: Total laryngectomy with abscess formation 1 month following surgery	196
iii. Companion case: Total laryngectomy with abscess resulting in a tracheo-pharyngo-cutaneous fistula	197
iv. Companion case: Total laryngectomy with tumor recurrence	198
<b>Case 20. Tracheoesophageal puncture and prosthesis</b>	200
i. Companion case: Tracheal stoma closure with residual tracheal cartilage irregularity	202
ii. Companion case: Granulation tissue and hemorrhage within the tracheostomy and subglottic airway	202
iii. Companion case: Tracheal stoma recurrent tumor	203
<b>Case 21. Tracheal collapse during expiration</b>	206
i. Companion case: Thyroid carcinoma with tracheal wall invasion and luminal narrowing	209
<b>Case 22. Tracheal diverticulum</b>	210
i. Companion case: Apical lung herniation	211
<b>Chapter 3: Neck</b>	213
Nishant D. Parekh, Christopher Reilly, Achilles G. Karagianis	
<b>Case 1. Asymmetric strap muscles</b>	216
i. Companion case: Thyroglossal duct cyst with proteinaceous content	218
ii. Companion case: Strap muscle lipoma	220
<b>Case 2. Epidermal inclusion cyst</b>	221
i. Companion case: Typical thyroglossal duct cyst	223
ii. Companion case: Infected thyroglossal duct cyst	223
iii. Companion case: Thyroglossal duct cyst containing thyroid carcinoma	224
iv. Companion case: Metastatic lymph node (Delphian node)	225
<b>Case 3. Levator claviculae</b>	227
i. Companion case: Accessory muscle of the levator scapulae muscle	229
<b>Case 4. Unilateral third head of the sternocleidomastoid muscle</b>	231
<b>Case 5. Sternocleidomastoid muscle hypertrophy</b>	233
i. Companion case: Sternocleidomastoid muscle myositis	237
ii. Companion case: Sternocleidomastoid muscle <i>Staphylococcus aureus</i> abscess	237
iii. Companion case: Sternocleidomastoid muscle hematoma	238
iv. Companion case: Sternocleidomastoid muscle aggressive fibromatosis	238
v. Companion case: Sternocleidomastoid muscle lymphoma	239
vi. Companion case: Sternocleidomastoid muscle venolymphatic malformation	239
<b>Case 6. Disuse neck muscle atrophy from cervical scoliosis</b>	241
i. Companion case: Diffuse atrophy of the semispinalis capitis and splenius capitis muscles	243
<b>Case 7. Neck dissection types</b>	245
i. Companion case: Recurrent metastatic lymphadenopathy following a neck dissection	248
<b>Case 8. Neck reconstructions</b>	250
<b>Case 9. Levator scapulae muscle hypertrophy following a neck dissection</b>	254
i. Companion case: Asymmetric levator scapulae muscle without surgery	256
ii. Companion case: Levator scapulae muscle aggressive fibromatosis	257
iii. Companion case: Levator scapulae muscle fibrosarcoma	258
<b>Case 10. Irradiated neck</b>	260
i. Companion case: Carotidynia	263
ii. Companion case: Metastatic disease to the neck dermis and soft tissues	263
iii. Companion case: Paraffinoma following mineral oil injection	264
<b>Case 11. Brown fat</b>	267
i. Companion case: Madelung disease	269
ii. Companion case: Intramuscular neck lipoma	272
iii. Companion case: Liposarcoma	273
iv. Companion case: Epidermal inclusion cyst	273
<b>Case 12. Normal minimal fat in the neck</b>	275
i. Companion case: Cachexia	276
<b>Case 13. Incomplete fat suppression on MRI</b>	278
<b>Case 14. Brachial plexus</b>	280
i. Companion case: Parsonage-Turner syndrome	282
<b>Case 15. Thoracic duct</b>	284
i. Companion case: Contrast reflux into the thoracic duct on CT	286
ii. Companion case: Contrast reflux into the thoracic duct on MRI	286
iii. Companion case: Change in the thoracic duct size during inspiration and expiration	290

iv. Companion case: Cervical thoracic duct cyst	291	<b>Case 23. Focal atrophy of the longus capitis muscle</b>	334
v. Companion case: Metastatic lymphadenopathy from papillary thyroid carcinoma	292	i. Companion case: Fatty infiltration of the longus capitis muscle	337
vi. Companion case: Chylous leak with the formation of a lymphocele and a chylous pleural effusion	293	<b>Case 24. Longus colli tendon hydroxyapatite deposition</b>	339
<b>Case 16. Right lymphatic duct</b>	295	i. Companion case: Acute calcific tendonitis of the longus colli muscle	340
i. Companion case: Right lymphatic duct cyst	298	ii. Companion case: Enlarging longus colli tendon hydroxyapatite deposition	341
<b>Case 17. Venous valves and focal dilation of veins</b>	300	iii. Companion case: C1 anterior vertebral osteophyte formation	342
i. Companion case: Supraclavicular lymphadenopathy	305	iv. Companion case: Retropharyngeal course of an atherosclerotic internal carotid artery	343
ii. Companion case: Iatrogenically injected air located in a focally dilated vein	306	<b>Case 25. Asymptomatic marked ossification of the stylohyoid ligament</b>	344
iii. Companion case: Internal jugular vein phlebectasia	307	i. Companion case: Symptomatic ossification of the stylohyoid ligament (Eagle syndrome)	347
<b>Case 18. Mixing of opacified and unopacified blood simulating internal jugular vein thrombus</b>	308	ii. Companion case: Eagle syndrome resulting in a chronic nonocclusive internal jugular vein thrombus	348
i. Companion case: Nonocclusive thrombus in the internal jugular vein	309	iii. Companion case: Normal intermediate tendon of the digastric muscle	350
ii. Companion case: Occlusive thrombus in the internal jugular vein	310	<b>Case 26. Cervical rib</b>	352
iii. Companion case: Lemierre syndrome	311	<b>Case 27. Ligamentum nuchae ossification</b>	354
<b>Case 19. Retropharyngeal lipoma</b>	312	i. Companion case: Acute cervical-thoracic junction spinous process fractures	355
i. Companion case: Retropharyngeal edema	314	ii. Companion case: Chronic cervical spinous process avulsion fracture versus an ununited secondary ossification center	356
ii. Companion case: Retropharyngeal abscess	315	<b>Case 28. Vagal nerve stimulator</b>	357
iii. Companion case: Retropharyngeal lymphatic malformation	316	i. Companion case: Occipital nerve stimulator	358
<b>Case 20. Large fatty hilum within a normal lymph node</b>	318	<b>Chapter 4: Glands</b>	361
i. Companion case: Pathologic lymph node with a preserved fatty hilum	320	<i>Catherine Kim-Gavino, Achilles G. Karagianis</i>	
ii. Companion case: Necrotic metastatic lymph node from papillary thyroid cancer	321	<b>Case 1. Benign unilateral parotid lymph node</b>	363
iii. Companion case: Lymph node necrosis secondary to tuberculosis (scrofula)	322	i. Companion case: Pathologic parotid lymph node	366
<b>Case 21. Second branchial cleft cyst versus necrotic metastatic lymphadenopathy</b>	323	ii. Companion case: Low-grade mucoepidermoid carcinoma	367
<b>Case 22. Normal anterior rectus capitis muscles simulating nodes of Rouvière</b>	327	iii. Companion case: High-grade mucoepidermoid carcinoma	369
i. Companion case: Normal node of Rouvière	328	iv. Companion case: Oncocytoma	370
ii. Companion case: Non-necrotic pathologic node of Rouvière	329	v. Companion case: Pleomorphic adenoma	371
iii. Companion case: Necrotic node of Rouvière	330	vi. Companion case: Carcinoma ex pleomorphic adenoma	372
iv. Companion case: Poststyloid parapharyngeal space schwannoma	332	vii. Companion case: Adenoid cystic carcinoma	372
		viii. Companion case: Adenocarcinoma	374
		ix. Companion case: Parotid sialocyst	375
		x. Companion case: First branchial cleft cyst	376
		xi. Companion case: Periparotid varix	377

<b>Case 2. Benign bilateral parotid lymph nodes</b>	380	iv. Companion case: Submandibular space lipoma	427
i. Companion case: Sjögren syndrome	382		
ii. Companion case: Benign lymphoepithelial lesions of HIV	383		
iii. Companion case: Warthin tumors	384		
iv. Companion case: Bilateral parotid oncocytomas	386		
v. Companion case: Follicular lymphoma affecting both parotid glands	388		
<b>Case 3. Accessory parotid gland</b>	389		
i. Companion case: Enlarged accessory parotid glands with main parotid gland atrophy	391		
ii. Companion case: Tumor arising from an accessory parotid gland	392		
iii. Companion case: Facial process of the parotid gland	393		
<b>Case 4. Diffuse homogeneous fatty infiltration of the parotid gland</b>	394		
i. Companion case: Stensen duct sialodocholithiasis resulting in parotid gland atrophy	395		
ii. Companion case: Sicca complex	396		
iii. Companion case: Sjögren syndrome	397		
<b>Case 5. Focal fatty infiltration of the parotid gland</b>	399		
i. Companion case: Parotid lipoma	401		
ii. Companion case: Parotid sialocyst	403		
iii. Companion case: Epidermal inclusion cyst adjacent to the parotid gland	404		
<b>Case 6. Parotid gland fatty infiltration simulating a contralateral parotid sialadenitis</b>	406		
i. Companion case: Parotid sialadenitis	407		
<b>Case 7. Parotid gland enlargement due to weight gain</b>	408		
i. Companion case: Sialosis	409		
<b>Case 8. Volume averaging with the EAC simulating a parotid gland lesion</b>	410		
i. Companion case: EAC adenocarcinoma	411		
ii. Companion case: EAC mineralization simulating a parotid gland sialolith	412		
<b>Case 9. Parotidectomy</b>	413		
i. Companion case: Pleomorphic adenoma seeding	414		
<b>Case 10. Irradiated parotid and submandibular glands</b>	416		
<b>Case 11. Submandibular gland aplasia</b>	419		
i. Companion case: Submandibular gland size asymmetry	423		
ii. Companion case: Diffuse fatty infiltration of the submandibular glands	424		
iii. Companion case: Submandibular gland atrophy due to an obstructing sialolith	426		
<b>Case 12. Normal submandibular gland lobulation</b>	428		
i. Companion case: Submandibular gland benign epithelial cyst	430		
ii. Companion case: Submandibular gland pleomorphic adenoma	431		
iii. Companion case: Submandibular gland carcinoma ex pleomorphic adenoma	432		
iv. Companion case: Submandibular gland adenoid cystic carcinoma	433		
v. Companion case: Submandibular gland Küttner tumor	434		
vi. Companion case: Lymphadenopathy simulating duplicated submandibular glands	436		
<b>Case 13. The submandibular ductal system</b>	438		
i. Companion case: Wharton duct sialolith resulting in abnormal submandibular ductal dilation	440		
ii. Companion case: Anterior floor of mouth mass resulting in abnormal bilateral submandibular ductal dilation	441		
iii. Companion case: Blunt submandibular gland trauma	442		
<b>Case 14. Submandibular gland resection</b>	444		
<b>Case 15. Bartholin duct of the sublingual gland</b>	445		
i. Companion case: Accessory submandibular duct	446		
ii. Companion case: Normal submandibular sialogram	447		
<b>Case 16. Sublingual gland aplasia</b>	448		
<b>Case 17. Sublingual gland hypertrophy</b>	449		
i. Companion case: Ranula	452		
ii. Companion case: Sublingual gland adenoid cystic carcinoma	453		
<b>Case 18. Normal thyroid gland septa</b>	454		
i. Companion case: Air dissecting the thyroid gland septa	455		
<b>Case 19. Thyroid gland pyramidal lobe</b>	456		
<b>Case 20. Zuckerkandl tubercle (posteriorly directed pedunculated thyroid tissue)</b>	459		
i. Companion case: Zuckerkandl tubercle thyroid nodule with vocal cord paralysis	460		
ii. Companion case: Parathyroid adenoma	461		
iii. Companion case: Thyroid lobe extending posterior to the hypopharynx	462		
<b>Case 21. Strap muscles simulating a thyroid nodule</b>	464		
i. Companion case: Thyroid nodule	465		
ii. Companion case: Hypothyroidism	466		
<b>Case 22. Thyroidectomy bed</b>	467		

<b>Case 23. Repositioning of residual thyroid gland following a laryngectomy</b>	469	i. Companion case: Mandibular condyle hypoplasia	534
<b>Case 24. Normal thymic tissue</b>	472	ii. Companion case: Motion artifact	536
i. Companion case: Thymic cyst	474		
ii. Companion case: Change in pericardial recess volume during inspiration and expiration	475		
<b>Case 25. Rebound thymus</b>	477		
i. Companion case: Mediastinal lymphoma	479		
<b>Case 26. Cervical (ectopic) thymus</b>	480		
i. Companion case: Parathyroid cyst	482		
<b>Chapter 5: The Oral Cavity, TMJ, and Regional Musculature</b>	485		
Alexander W. Korutz, Achilles G. Karagianis			
<b>Case 1. Normal nasopalatine canal and foramen</b>	487		
i. Companion case: Nasopalatine duct cyst: Large, bilobulated, eccentrically located, and partially air-filled patterns	489		
ii. Companion case: Squamous cell carcinoma of the palate	493		
<b>Case 2. Radicular cyst</b>	494		
i. Companion case: Periapical abscess	498		
ii. Companion case: Dental abscess following a tooth extraction	499		
iii. Companion case: Odontogenic sinusitis	500		
iv. Companion case: Dentigerous cyst	501		
v. Companion case: Residual cyst	501		
vi. Companion case: Keratocystic odontogenic tumor	503		
vii. Companion case: Basal cell nevus syndrome	505		
viii. Companion case: Ameloblastoma	506		
ix. Companion case: Lymphoma of the mandible	507		
x. Companion case: Multiple myeloma	508		
xi. Companion case: Stafne cyst	509		
<b>Case 3. Torus palatinus, torus mandibularis, and torus maxillaris</b>	512		
i. Companion case: Mandibular osteoma	515		
ii. Companion case: Mandibular osteosarcoma	516		
iii. Companion case: Buccal alveolus venous malformation	517		
iv. Companion case: Chewing gum mimicking a torus palatinus	518		
<b>Case 4. Supernumerary teeth</b>	519		
i. Companion case: Unerupted teeth in a child	528		
<b>Case 5. Dilaceration</b>	530		
<b>Case 6. Bifid or cleft morphology of the mandibular condyle</b>	532		
<b>Case 7. Benign masticatory muscle hypertrophy</b>	537	i. Companion case: Benign masticatory muscle hypertrophy with hemimandibular hyperplasia	538
		ii. Companion case: Hemimandibular hyperplasia with dental malocclusion	539
		iii. Companion case: Leiomyosarcoma of the mandible	540
<b>Case 8. Pseudosubluxation of the temporomandibular joint</b>	542		
		i. Companion case: Anterior TMJ dislocation	544
		ii. Companion case: Malocclusion from tooth loss leading to ipsilateral TMJ subluxation	545
<b>Case 9. Enostosis</b>	547		
		i. Companion case: Fibrous dysplasia	550
		ii. Companion case: Cemento-osseous dysplasia	550
		iii. Companion case: Cementoblastoma	552
		iv. Companion case: Odontoma	553
<b>Case 10. Genial tubercle</b>	555		
		i. Companion case: Genial tubercle mimicking a Wharton duct sialolith	557
		ii. Companion case: Distal Wharton duct sialolith	557
<b>Case 11. Dental implants and restorations</b>	559		
		i. Companion case: Soft tissue abscess associated with an infected dental implant	562
		ii. Companion case: MRI artifact from dental restoration and dental braces	563
		iii. Companion case: CT streak artifact from normal dental enamel	565
<b>Case 12. Dentures</b>	566		
<b>Case 13. Macroglossia related to an edentulous state</b>	571		
		i. Companion case: Angioedema-induced macroglossia	572
		ii. Companion case: Vascular malformation of the tongue	573
		iii. Companion case: Squamous cell carcinoma of the tongue	574
<b>Case 14. Denervation atrophy of the tongue</b>	575		
		i. Companion case: Squamous cell carcinoma of the oral tongue	580
		ii. Companion case: Squamous cell carcinoma of the tongue base	581
<b>Case 15. Denervation atrophy of the floor of mouth musculature</b>	582		

<b>Case 16. Anomalies of the anterior bellies of the digastric muscles</b>	585	<b>Case 4. Interfrontal sinus septal cell</b>	662
<b>Case 17. Mylohyoid muscle defect (boutonnière deformity)</b>	588	i. <i>Companion case:</i> Interfrontal sinus septal cell mucocele	665
i. <i>Companion case:</i> Ranula extending through a boutonnière deformity	593	<b>Case 5. Frontal bulla</b>	667
<b>Case 18. Intraoral comestible foreign bodies</b>	595	i. <i>Companion case:</i> Suprabullar air cell	669
i. <i>Companion case:</i> Wharton duct sialolith	601	<b>Case 6. Frontal cells</b>	670
ii. <i>Companion case:</i> Retained oral contrast	602	<b>Case 7. Frontal sinusotomies</b>	673
<b>Case 19. Piercings</b>	604	i. <i>Companion case:</i> Trephination	675
<b>Case 20. Oropharyngeal airway device and bite blocks</b>	606	ii. <i>Companion case:</i> Osteoplastic flap procedure with frontal sinus obliteration	676
<b>Case 21. Palatal sutures mimicking a fracture</b>	609	<b>Case 8. Frontal sinusotomy stent</b>	678
i. <i>Companion case:</i> Palate fracture	611	<b>Case 9. Supraorbital ethmoid air cell</b>	680
ii. <i>Companion case:</i> Cleft palate	612	i. <i>Companion case:</i> Supraorbital ethmoid air cell mucocele	684
<b>Case 22. Orthognathic surgery: Le Fort I and bilateral sagittal split osteotomies</b>	614	ii. <i>Companion case:</i> Differentiating a supraorbital ethmoid air cell mucocele from a frontal sinus mucocele	686
<b>Case 23. Orthognathic surgery: Genioglossus advancement surgery</b>	617	<b>Case 10. Haller cell</b>	689
<b>Case 24. Midline mandibular osteotomy</b>	619	i. <i>Companion case:</i> Obstructed infundibulum due to a Haller cell	690
i. <i>Companion case:</i> Lingual foramen and canal	620	<b>Case 11. Onodi cell</b>	692
<b>Case 25. Chin augmentation</b>	622	i. <i>Companion case:</i> Pneumosinus dilatans of an Onodi cell	693
<b>Case 26. Normal presymphseal fat pad</b>	627	<b>Case 12. Ethmomaxillary sinus</b>	694
i. <i>Companion case:</i> Chin abscess	628	<b>Case 13. Agger nasi air cell</b>	695
<b>Case 27. Mandibular fixation following trauma</b>	630	i. <i>Companion case:</i> Obstructed frontal recess due to an agger nasi cell	697
<b>Case 28. Fibular strut graft</b>	633	<b>Case 14. Intraethmoidal lipoma</b>	699
<b>Case 29. Palatal obturator</b>	635	<b>Case 15. Paranasal sinus osteoma</b>	701
<b>Case 30. Myocutaneous flap floor of mouth and oral tongue reconstruction</b>	638	i. <i>Companion case:</i> Paranasal sinus fibrous dysplasia	704
i. <i>Companion case:</i> Tongue deviation simulating a partial glossectomy	644	<b>Case 16. Asymmetric fovea ethmoidalis</b>	706
ii. <i>Companion case:</i> Ludwig angina	645	i. <i>Companion case:</i> Surgical injury of the fovea ethmoidalis	707
iii. <i>Companion case:</i> Retromolar trigone squamous cell carcinoma	646	<b>Case 17. Anterior ethmoidal artery canal</b>	708
iv. <i>Companion case:</i> Schwannoma of the oral cavity	647	i. <i>Companion case:</i> Lamina papyracea fractures	710
<b>Chapter 6: Paranasal Sinuses and Nasal Cavity</b>	649	<b>Case 18. Internal ethmoidectomy</b>	711
Malisa S. Lester, Achilles G. Karagianis		<b>Case 19. Hypoplastic sphenoid sinus</b>	713
<b>Case 1. Aplastic frontal sinuses</b>	651	i. <i>Companion case:</i> Cystic fibrosis-related sphenoid sinus hypoplasia	714
<b>Case 2. Dominant frontal sinus extending across midline</b>	653	<b>Case 20. Midline sphenoid sinus</b>	715
<b>Case 3. Frontal sinus hypersinus</b>	655	<b>Case 21. Sphenoid sinus hypersinus</b>	717
i. <i>Companion case:</i> Frontal sinus pneumosinus dilatans	657	i. <i>Companion case:</i> Sphenoid sinus pneumosinus dilatans	718
ii. <i>Companion case:</i> Frontal sinus and ethmoid air cell pneumosinus dilatans with fibrous dysplasia	657	<b>Case 22. Carotid artery canal protruding into the sphenoid sinus</b>	719
iii. <i>Companion case:</i> Frontal sinus pneumocele	660	<b>Case 23. Sphenoidotomy</b>	721
		i. <i>Companion case:</i> Cystic fibrosis-related maxillary sinus hypoplasia	723
			726

ii. Companion case: Maxillary sinus and infundibular atelectasis	727	<b>Case 45. Nasal cavity stents</b>	777
iii. Companion case: Resolution of an atelectatic infundibulum following maxillary sinus surgery	728	i. Companion case: Nasal breathing tubes	778
iv. Companion case: Hypoplastic maxillary sinuses with superimposed infundibular atelectasis	729	ii. Companion case: Nasal balloon	779
<b>Case 25. Maxillary sinus pneumatization extending caudal to the nasal cavity (palatine recess)</b>	730	iii. Companion case: Nasal packing	780
<b>Case 26. Maxillary sinus lift</b>	731	iv. Companion case: Rhinolith	783
i. Companion case: Maxillary sinus osteoma	734	<b>Chapter 7: Skull Base and Infratemporal Fossa</b>	785
ii. Companion case: Antrolith	735	Achilles G. Karagianis	
<b>Case 27. Variant course of the infraorbital canal</b>	736	<b>Case 1. Spheno-occipital synchondrosis</b>	787
<b>Case 28. Secondary maxillary sinus ostium</b>	738	<b>Case 2. Canalis basilaris medianus</b>	788
<b>Case 29. Maxillary sinus antrostomy</b>	740	<b>Case 3. Ecchordosis physaliphora</b>	795
<b>Case 30. Caldwell-Luc surgery</b>	742	i. Companion case: Classic clival chordoma	797
<b>Case 31. Horizontal orientation of the uncinate process</b>	745	ii. Companion case: Poorly differentiated clival chordoma	798
<b>Case 32. Pneumatized uncinate process</b>	745	iii. Companion case: Petroclival synchondrosis chondrosarcoma	800
<b>Case 33. Recessus terminalis</b>	747		
i. Companion case: Uncinate process attachment to the anterior skull base	747	<b>Case 4. Clival lipoma</b>	802
ii. Companion case: Recessus terminalis and uncinate process attachment to a middle turbinate concha bullosa neck	748	<b>Case 5. Arrested pneumatization of the skull base</b>	804
<b>Case 34. Enlarged ethmoid bulla</b>	749	i. Companion case: Fibrous dysplasia	810
<b>Case 35. Superior concha bullosa</b>	750	ii. Companion case: Skull base metastatic disease	813
<b>Case 36. Middle concha bullosa</b>	751	<b>Case 6. Anterior clinoid process pneumatization simulating an aneurysm</b>	815
<b>Case 37. Paradoxical middle nasal turbinate</b>	754	<b>Case 7. Asymmetric sphenoid sinus pneumatization simulating a lesion on MRI</b>	818
<b>Case 38. Secondary middle nasal turbinate</b>	755	i. Companion case: Intraosseous meningioma	820
i. Companion case: Accessory middle nasal turbinate	756	<b>Case 8. Asymmetric sphenoid sinus pneumatization deforming the sella turcica</b>	822
ii. Companion case: Bifid middle nasal turbinates	757	i. Companion case: Pneumatization of the dorsum sella	824
<b>Case 39. Nasal cycle</b>	758	<b>Case 9. Interclinoid bar</b>	825
<b>Case 40. Nasal turbinate hypertrophy</b>	762	<b>Case 10. Occipital bone air cell</b>	830
i. Companion case: Fungal disease of the nasal turbinates ("Black turbinate" sign)	765	i. Companion case: Fluid-filled occipital bone air cell	832
<b>Case 41. Nasal turbinate head reduction</b>	767	<b>Case 11. Crista galli pneumatization</b>	834
i. Companion case: Nasal turbinectomy	768	i. Companion case: Ossified crista galli	836
ii. Companion case: Nasal turbinate cleft simulating a defect	768	ii. Companion case: Crista galli pneumosinus dilatans with an associated meningioma	837
iii. Companion case: Empty nose syndrome	769	<b>Case 12. Normal ethmoidal grooves</b>	839
<b>Case 42. Nasoseptal deviation and spur</b>	770	i. Companion case: Anterior skull base fracture	842
<b>Case 43. Nasoseptal retention cyst</b>	772	ii. Companion case: Anterior ethmoidal artery fistula	842
<b>Case 44. Septoplasty</b>	775	iii. Companion case: Posterior ethmoidal canals	844
i. Companion case: Septoplasty with a nasoseptal perforation	776	<b>Case 13. Orbital roof diploic veins</b>	846
		i. Companion case: Anterior skull base fracture	848

<b>Case 14. Arachnoid granulations</b>	849		
i. Companion case: Middle cranial fossa arachnoid cysts with adjacent osseous remodeling	854	i. Companion case: Perineural spread along the pterygopalatine fossae	897
ii. Companion case: Brain herniation into the transverse dural venous sinus	855	<b>Case 28. MRI susceptibility artifact in the retromaxillary fat pad and pterygopalatine fossa</b>	899
iii. Companion case: Middle cranial fossa meningocele	856	<b>Case 29. Normal CN III in the cavernous sinus</b>	901
iv. Companion case: Encephalocele and CSF leak associated with idiopathic intracranial hypertension	857	i. Companion case: Abnormal enhancement of CN III	902
<b>Case 15. Meckel cave cephalocele</b>	860	<b>Case 30. Normal enhancing venous plexuses of the CN V, V2 and V3 divisions as well as of the Meckel cave</b>	903
i. Companion case: Intrasellar cephalocele herniating into the clivus	862	i. Companion case: Asymmetrically enlarged but normal Meckel cave enhancing venous plexus	906
ii. Companion case: Hypoplastic Meckel cave	864	ii. Companion case: Presumed schwannoma of the CN V, V2 division and pterygopalatine fossa	907
<b>Case 16. Incidental asymmetric enlargement of the foramen ovale</b>	865	iii. Companion case: Presumed CN V, V3 division schwannoma	909
i. Companion case: Foramen ovale meningocele	867	iv. Perineural spread of tumor along the CN V, V2 and V3 divisions as well as the vidian nerve	910
ii. Companion case: Foramen rotundum meningocele	869	V. Companion case: Meckel cave schwannoma or meningioma	912
<b>Case 17. Foramen Vesalius</b>	871	VI. Companion case: Meckel cave "white" epidermoid	913
<b>Case 18. Foramen spinosum</b>	872	<b>Case 31. Meckel cave CN V rootlets</b>	914
i. Companion case: Absent and hypoplastic foramina spinosum	873	i. Companion case: Pathologically enhancing Meckel cave rootlets	915
ii. Companion case: Bifurcated foramen spinosum	873	<b>Case 32. Normal sensory and motor roots of the CN V cisternal segment</b>	916
<b>Case 19. Canaliculus innominatus</b>	874	<b>Case 33. The jugular foramen and pars nervosa</b>	918
<b>Case 20. Iatrogenic venous air at the skull base</b>	875	i. Companion case: Nonocclusive distal sigmoid venous sinus and jugular bulb thrombus	920
<b>Case 21. Iophendylate (Pantopaque) contrast at the skull base</b>	876	ii. Companion case: CN IX-XI complex schwannoma	922
<b>Case 22. Lateral pterygoid plate foramen simulating a fracture</b>	879	iii. Companion case: CT occult glomus jugulare tumor	923
<b>Case 23. Normal pterygoid venous plexus</b>	880	<b>Case 34. Normal spinal accessory nerve root</b>	926
i. Companion case: Internal maxillary veins draining the pterygoid venous plexuses	883	i. Companion case: Presumed spinal accessory nerve schwannoma	927
ii. Companion case: Venous plexuses surrounding the temporomandibular joints	884	<b>Case 35. Normal hypoglossal canal enhancement</b>	929
<b>Case 24. The parapharyngeal space and normal pharyngeal venous plexus</b>	885	i. Companion case: Asymmetrically enlarged anterior condylar vein	931
i. Companion case: Air in the pharyngeal venous plexus	888	ii. Companion case: CN XII meningioma	932
ii. Companion case: Prestyloid parapharyngeal space pleomorphic adenoma	888	iii. Companion case: CN XII schwannoma	933
iii. Companion case: Poststyloid parapharyngeal space glomus vagale	889	<b>Case 36. Mastoid emissary veins</b>	935
<b>Case 25. CN V, V3 denervation atrophy</b>	891	i. Companion case: Mildly enlarged mastoid emissary vein in Crouzon syndrome	937
<b>Case 26. Normal pterygopalatine fossa enhancement</b>	895	ii. Companion case: Acquired occipital bone vascular channels related to an arteriovenous fistula	938
<b>Case 27. Postoperative pterygopalatine fossa appearance</b>	896	<b>Case 37. Posterior condylar canal and vein</b>	941

<b>Case 38. Petrosquamosal sinus</b>	943	<b>Case 16. Storage of the incus in the mastoid bowl</b>	1019
<b>Case 39. Occipital sinus</b>	945	<b>Case 17. Deep sinus tympani</b>	1020
<b>Case 40. Air-tissue interface artifact on 3T MRI</b>	946	<b>Case 18. Persistent stapedial artery</b>	1021
<b>Chapter 8: Temporal Bone</b>	949	<b>Case 19. Aberrant internal carotid artery</b>	1024
<i>Erin N. McComb, Achilles G. Karagianis</i>		<b>Case 20. Lateralized petrous internal carotid artery</b>	1027
<b>Case 1. Cauliflower or boxer's ear</b>	951	<b>Case 21. High-riding jugular bulb</b>	1030
i. <i>Companion case: Auricular keloid</i>	952	i. <i>Companion case: Dehiscent high-riding jugular bulb</i>	1031
ii. <i>Companion case: Auricular squamous cell carcinoma</i>	954	ii. <i>Companion case: High-riding jugular bulb dehiscent with the posterior semicircular canal</i>	1032
<b>Case 2. Auricular mineralization</b>	956	<b>Case 22. Jugular bulb diverticulum</b>	1034
<b>Case 3. Auricular reconstruction</b>	958	i. <i>Companion case: Jugular bulb diverticulum dehiscent with the mastoid air cells</i>	1035
<b>Case 4. Partial ossification of the cartilaginous EAC</b>	960	ii. <i>Companion case: Jugular bulb diverticulum dehiscent with the hypotympanum</i>	1035
<b>Case 5. Normal anterior tympanic plate lucencies</b>	962	<b>Case 23. Aberrant sigmoid sinus with a sigmoid sinus diverticulum</b>	1036
i. <i>Companion case: Fractures of the anterior tympanic plates</i>	964	i. <i>Companion case: Aberrant sigmoid sinus with a dehiscent sigmoid sinus diverticulum</i>	1037
<b>Case 6. Osseous EAC size variation</b>	965	<b>Case 24. Cochlear cleft</b>	1039
i. <i>Companion case: EAC exostoses</i>	968	i. <i>Companion case: Fenestral otosclerosis</i>	1040
ii. <i>Companion case: EAC osteoma</i>	969	ii. <i>Companion case: Retrofenestral otosclerosis</i>	1041
<b>Case 7. EAC cerumen</b>	970	iii. <i>Companion case: Otosyphilis</i>	1041
i. <i>Companion case: EAC squamous cell carcinoma</i>	971	<b>Case 25. Apparent abnormal inner ear signal on 5-mm T2-weighted MR imaging</b>	1043
ii. <i>Companion case: EAC adenoid cystic carcinoma</i>	972	i. <i>Companion case: Labyrinthitis ossificans</i>	1045
iii. <i>Companion case: EAC cholesteatoma</i>	974	<b>Case 26. Intratympanic steroid injection</b>	1046
iv. <i>Companion case: Keratosis obturans</i>	974	i. <i>Companion case: Intralabyrinthine hemorrhage</i>	1048
<b>Case 8. Tympanoplasties</b>	976	ii. <i>Companion case: Acute labyrinthitis</i>	1049
<b>Case 9. Myringotomy tubes</b>	982	iii. <i>Companion case: Intralabyrinthine schwannoma</i>	1050
i. <i>Companion case: Displaced myringotomy tube into the EAC</i>	983	<b>Case 27. Cochlear implant</b>	1052
ii. <i>Companion case: Displaced myringotomy tube into the tympanic cavity</i>	984	<b>Case 28. Fully implantable hearing system</b>	1055
iii. <i>Companion case: Displaced earring into the EAC</i>	984	<b>Case 29. Conventional hearing aids</b>	1057
<b>Case 10. Atticoantrostomy</b>	986	<b>Case 30. Bone-anchored hearing device</b>	1059
<b>Case 11. Mastoidectomies</b>	987	<b>Case 31. False-positive superior semicircular canal dehiscence</b>	1061
i. <i>Companion case: Automastoidectomy</i>	990	i. <i>Companion case: Superior semicircular canal dehiscence</i>	1063
ii. <i>Companion case: Progressive mastoidectomy fat graft enhancement because of fat necrosis</i>	992	<b>Case 32. Repair of superior semicircular canal dehiscence</b>	1064
<b>Case 12. Varying degrees of normal ossicular mineralization</b>	994	<b>Case 33. Singular canal</b>	1066
i. <i>Companion case: Tympanosclerosis</i>	996	<b>Case 34. Subarcuate canal</b>	1067
ii. <i>Companion case: Ossicular erosion from a cholesteatoma</i>	997		
<b>Case 13. Suspensory ligaments of the ossicles</b>	998		
i. <i>Companion case: Bony bar</i>	1001		
<b>Case 14. Tensor tympani muscle and tendon</b>	1002		
<b>Case 15. Ossicular prostheses</b>	1004		

<b>Case 35. Variations of the IAC</b>	1070	ii. Companion case: Perineural spread along the greater superficial petrosal nerve	1133
i. Companion case: Congenital X-linked hearing loss	1073		
<b>Case 36. Petrous temporal bone marrow simulating an IAC lesion on MRI</b>	1075		
<b>Case 37. Asymmetry of the petrous apices</b>	1077		
i. Companion case: Intraosseous venous malformation (intraosseous hemangioma)	1080		
<b>Case 38. Petrous apex effusion</b>	1082		
i. Companion case: Cholesterol granuloma	1086		
ii. Companion case: Petrous apicitis	1088		
<b>Case 39. Petrous apex cephalocele</b>	1091		
<b>Case 40. Infracochlear drainage of the petrous apex</b>	1096		
<b>Case 41. Variations of temporal bone pneumatization</b>	1098		
i. Companion case: Hyperpneumatization of the temporal bone with spontaneous pneumatocele formation	1102		
ii. Companion case: Fibrous dysplasia	1103		
iii. Companion case: Osteopetrosis	1104		
<b>Case 42. Arachnoid granulations</b>	1106		
i. Companion case: Spontaneous CSF leaks with idiopathic intracranial hypertension	1108		
ii. Companion case: Endolymphatic sac tumor	1110		
<b>Case 43. Hyperostosis temporalis interna</b>	1112		
i. Companion case: Meningioma-associated calvarial hyperostosis	1114		
<b>Case 44. Normal facial nerve enhancement on MRI</b>	1116		
i. Companion case: Bell palsy	1118		
<b>Case 45. Normal IAC vasculature simulating pathologic CN VII/VIII enhancement on MRI</b>	1120		
i. Companion case: Leptomeningeal tumor spread along the CN VII/VIII complexes	1121		
<b>Case 46. Dehiscence of the facial nerve canal tympanic segment</b>	1122		
i. Companion case: Facial nerve prolapse	1123		
ii. Companion case: Aberrant, low-lying facial nerve canal tympanic segment	1124		
<b>Case 47. Stapedius and chorda nerves</b>	1125		
i. Companion case: Perineural spread along chorda tympani nerve	1129		
<b>Case 48. The facial hiatus and greater superficial petrosal nerve</b>	1131		
i. Companion case: Longitudinal fracture through the facial nerve canal genu and facial hiatus at duct	1132		
ii. Companion case: Fibrous dysplasia of the frontal process of the maxilla	1326		
		iii. Companion case: Perineural spread along the greater superficial petrosal nerve	1133
		iv. Companion case: Sclerochoroidal calcifications due to renal failure	1142
		v. Companion case: Choroidal osteoma	1143
		vi. Companion case: Calcification related to prior vitreous hemorrhage	1143
		<b>Case 2. Optic disc drusen</b>	1145
		i. Companion case: Calcified retinal drusen	1146
		<b>Case 3. Trochlear calcification</b>	1147
		i. Companion case: Small metallic foreign body simulating the trochlea	1149
		ii. Companion case: Ophthalmic artery atherosclerosis	1149
		iii. Companion case: Brown syndrome	1150
		<b>Case 4. Axial myopia</b>	1152
		i. Companion case: Buphthalmos	1153
		ii. Companion case: Coloboma	1153
		iii. Companion case: Staphyloma	1154
		<b>Case 5. Axial hyperopia</b>	1155
		i. Companion case: Microphthalmia	1155
		ii. Companion case: Ocular hypotony	1156
		<b>Case 6. Phthisis bulbi</b>	1157
		i. Companion case: Retinoblastoma	1159
		ii. Companion case: Persistent hypertrophic primary vitreous	1160
		<b>Case 7. Apparent globe proptosis</b>	1162
		i. Companion case: Thyroid ophthalmopathy	1164
		ii. Companion case: Traumatic proptosis	1165
		iii. Companion case: Spontaneous subperiosteal orbital hematoma	1165
		iv. Companion case: Encapsulated venous malformation (cavernous hemangioma)	1167
		v. Companion case: CN V, V1 division orbital schwannoma	1168
		vi. Companion case: Orbital extension of an intracranial meningioma	1170
		vii. Companion case: Silent sinus syndrome	1171

<b>Case 8. Inferior oblique muscle insertion simulating an epibulbar mass</b>	1173	h. Zygomaticotemporal foramen	1207
i. Companion case: Conjunctival epithelial inclusion cyst	1176	i. Anterior and posterior ethmoidal canals	1208
ii. Companion case: Conjunctival dermoid (epibulbar dermoid)	1177	i. Companion case: Inadvertent anterior ethmoidal artery surgical laceration	1209
<b>Case 9. Extraocular muscle contraction simulating thyroid ophthalmopathy</b>	1178	<b>Case 13. Incidental thinning of the orbital walls</b>	1210
i. Companion case: Thyroid ophthalmopathy	1180	i. Companion case: Cocaine abuse	1211
ii. Companion case: Treatment of metastatic melanoma with a CTLA-4 receptor monoclonal antibody (ipilimumab)	1181	ii. Companion case: Allergic fungal sinusitis	1213
iii. Companion case: Orbital pseudotumor	1182	iii. Companion case: Mucocele	1214
iv. Companion case: Extraocular muscle denervation atrophy from CN III avulsion	1184	<b>Case 14. Medialization of the lamina papyracea</b>	1216
<b>Case 10. Enlarged optic nerve sheath</b>	1186	i. Companion case: Lamina papyracea fracture	1217
i. Companion case: Idiopathic intracranial hypertension (pseudotumor cerebri)	1187	ii. Companion case: Orbital decompression for thyroid ophthalmopathy	1218
ii. Companion case: Optic nerve sheath meningocele	1188	<b>Case 15. Orbital roof sclerotic focus</b>	1219
iii. Companion case: Optic nerve sheath enlargement due to a mass	1189	i. Companion case: Fibrous dysplasia	1220
iv. Companion case: Optic nerve atrophy	1191	<b>Case 16. Normal and pathologic appearances of the lacrimal glands</b>	1222
v. Companion case: Optic nerve sheath meningioma	1191	i. Companion case: Lacrimal gland prolapse	1225
vi. Companion case: Optic nerve sheath hemorrhage	1193	ii. Companion case: Subconjunctival orbital fat prolapse	1227
<b>Case 11. Optic nerve sheath tortuosity</b>	1195	iii. Companion case: Symmetric lacrimal gland enlargement due to a chronic disease state	1228
i. Companion case: Marked optic nerve sheath complex tortuosity and distortion due to birth trauma	1196	iv. Companion case: Sjögren syndrome	1229
ii. Companion case: Optic pathway glioma	1197	v. Companion case: Lymphoma	1230
<b>Case 12. Pseudofractures of the orbit</b>	1199	vi. Companion case: Pleomorphic adenoma	1231
a. Supraorbital foramen	1200	vii. Companion case: Adenoid cystic carcinoma	1232
b. Infraorbital canal and foramen	1200	viii. Companion case: Adenocarcinoma	1233
i. Companion case: Infraorbital canal fracture	1202	ix. Companion case: Metastatic disease to the lacrimal gland	1234
c. Sphenofrontal (also called frontosphenoid) suture	1202	<b>Case 17. Normal variation in size of the superior ophthalmic vein</b>	1236
d. Sphenozygomatic (also called zygomaticosphenoid) suture	1203	i. Companion case: Orbital venous varix	1238
i. Companion case: Sphenozygomatic suture buckle fracture and sutural diastasis	1204	ii. Companion case: Superior ophthalmic vein thrombosis	1240
e. Zygomaticofrontal (also called frontozygomatic) suture	1204	iii. Companion case: Carotid-cavernous fistula	1242
i. Companion case: Zygomaticofrontal suture diastasis	1205	<b>Case 18. Globe motion artifact</b>	1244
f. Zygomaticofacial foramen	1206	<b>Case 19. Cosmetic MRI artifact</b>	1250
g. Duplicated zygomaticofacial foramen	1206	i. Companion case: Chemosis	1251

i. Companion case: Native lens and intraocular lens implant subluxation and dislocation	1266	ii. Companion case: Dacryocystocele	1328
ii. Companion case: Subluxation of a calcified cataract	1270	iii. Companion case: Nasolacrimal duct squamous cell carcinoma	1329
iii. Companion case: Aphakia	1270	<b>Case 32. Dacryocystorhinostomy</b>	1331
iv. Companion case: Displaced Soemmering ring and a dislocated intraocular lens implant	1271	<b>Chapter 10: Face</b>	1335
<b>Case 23. Vitrectomy and retinopexy</b>	1272	Vanessa A. Lewis, Achilles G. Karagianis, Benjamin P. Liu	1338
i. Companion case: Vitreous hemorrhage	1277	<b>Case 1. Nasolabial fold cyst</b>	1337
ii. Companion case: Terson syndrome	1278	<b>Case 2. Epidermal inclusion cyst</b>	1341
iii. Companion case: Retinal hemorrhage, papillitis with marked papilledema, and optic nerve sheath surgical fenestration	1279	<b>Case 3. Dermal calcifications</b>	1346
iv. Companion case: Retinal detachment	1281	i. Companion case: Glass fragments in the face following trauma	1348
v. Companion case: Choroidal detachment	1284	ii. Companion case: Shotgun injury to the face	1350
vi. Companion case: Circumscribed choroidal hemangioma	1285	<b>Case 4. Incomplete MRI fat suppression simulating a facial cellulitis</b>	1351
vii. Companion case: Uveitis	1286	i. Companion case: Facial cellulitis	1354
viii. Companion case: Endophthalmitis	1287	ii. Companion case: Port-wine stain	1355
<b>Case 24. Scleral buckling</b>	1289	<b>Case 5. Mimetic muscle atrophy</b>	1357
i. Companion case: Hydrogel segmental scleral buckle with fragmentation and expansion	1294	i. Companion case: Parry-Romberg syndrome	1360
<b>Case 25. Glaucoma drainage devices</b>	1296	ii. Companion case: CN V, V3 denervation atrophy	1361
i. Companion case: Large glaucoma device bleb	1301	<b>Case 6. Rhytidectomy (facelift) and forehead lift</b>	1363
ii. Companion case: Solitary fibrous tumor	1302	<b>Case 7. Cosmetic injectable filler</b>	1369
<b>Case 26. Eyelid weight implant</b>	1303	i. Companion case: Hypermetabolic cosmetic injectable filler on PET imaging	1377
<b>Case 27. Air beneath eyelid (Pneumoformix)</b>	1306	ii. Companion case: Inadvertent cosmetic injection into a Stensen duct	1378
i. Companion case: Orbital emphysema following trauma	1308	iii. Companion case: Rapidly hardening hydroxyapatite cement for fracture stabilization	1378
ii. Companion case: Wooden foreign body in the orbit	1309	<b>Case 8. Malar implant prostheses</b>	1380
<b>Case 28. Orbital wall reconstruction</b>	1310	<b>Case 9. Reduction rhinoplasty</b>	1382
i. Companion case: Malpositioned titanium mesh placed for orbital wall reconstruction	1312	i. Companion case: Valvular collapse	1384
<b>Case 29. Treatment-related effects involving the orbit</b>	1314	ii. Companion case: Saddle-nose deformity	1385
i. Companion case: Retrobulbar metastatic breast carcinoma	1315	<b>Case 10. Augmentation and reconstruction rhinoplasty</b>	1387
ii. Companion case: Orbital sarcoid	1317	i. Companion case: Nasal ala cartilage mineralization	1394
<b>Case 30. Orbital exenteration</b>	1319	<b>Case 11. Facial piercings and rings</b>	1395
<b>Case 31. Incidental tears and air in the nasolacrimal duct</b>	1324	<b>Case 12. Pseudofractures of the facial bones</b>	1398
i. Companion case: Fibrous dysplasia of the frontal process of the maxilla	1326	i. Companion case: Nasomaxillary suture diastasis	1399
		ii. Companion case: Nondisplaced zygomatic arch fracture	1401
		<b>Case 13. Reanimation for facial paralysis</b>	1402
		i. Companion case: Zygomaticus major muscle full-thickness tear	1405
		<b>Case 14. Facial reconstruction flap</b>	1406
		i. Companion case: Necrotizing fasciitis	1408

ii. Companion case: Venous malformation	1408
iii. Companion case: Natural killer/T-cell lymphoma, nasal type with facial involvement	1409
<b>Case 15. Diseases affecting the face that simulate malignancy</b>	1411
a. Fibrous dysplasia	1412
b. Venous malformation of bone (osseous hemangioma)	1415
c. Renal osteodystrophy	1416
d. Paget disease	1418
e. Osteopetrosis	1419
<b>Chapter 11: Calvarium, Scalp, and the Temporalis Musculature</b>	1421
Noah Schwind, Achilles G. Karagianis	
<b>Case 1. Calvarial arachnoid granulations</b>	1423
i. Companion case: Calvarial meningocele	1427
ii. Companion case: Arachnoid cyst	1429
iii. Companion case: Cerebellar herniation into the calvarium	1430
<b>Case 2. Calvarial diploic veins and venous lakes</b>	1431
i. Companion case: Venous malformation of bone (osseous hemangioma)	1434
ii. Companion case: Multiple myeloma	1435
iii. Companion case: Sinus pericranii	1436
<b>Case 3. Parietal foramina</b>	1439
i. Companion case: Incidental parietal calvarial thinning	1443
ii. Companion case: Burr hole	1444
<b>Case 4. Calvarial hyperostosis interna</b>	1445
a. Companion case: Dyke-Davidoff-Mason	1450
<b>Case 5. Various nonmalignant entities that may diffusely affect the calvarium</b>	1451
a. Red marrow	1453
b. Osteopetrosis	1454
c. β-Thalassemia	1455
d. Renal osteodystrophy	1455
e. Paget disease	1457
i. Companion case: Myelofibrosis	1459
ii. Companion case: Metastatic disease	1460
<b>Case 6. Various nonmalignant entities that may focally affect the calvarium</b>	1462
a. Osteoma	1464
b. Enostosis	1468
c. Venous malformation of the calvarium (osseous hemangioma)	1469
d. Calvarial epidermoid	1470
e. Benign fibro-osseous calvarial lesion	1472
f. Calvarial meningioma	1476
i. Companion case: Sclerotic metastatic disease	1477
ii. Companion case: Metastatic melanoma to the calvarium	1479
iii. Companion case: Radiation-induced calvarial osteosarcoma	1480
<b>Case 7. External occipital protuberance</b>	1482
i. Companion case: Calvarial osteoma of the outer table	1484
<b>Case 8. Cranial suture variants</b>	1485
<b>Case 9. Craniostoses</b>	1487
<b>Case 10. Wormian bones</b>	1492
<b>Case 11. Middle meningeal artery calvarial groove or canal</b>	1495
i. Companion case: Nondisplaced squamosal temporal bone fracture	1496
<b>Case 12. Temporalis muscle hypertrophy</b>	1497
i. Companion case: Temporalis muscle venous malformation	1499
ii. Companion case: Temporalis muscle/fascia insertion hyperostosis	1501
<b>Case 13. Folliculitis keloidalis nuchae</b>	1502
i. Companion case: Cutaneous acute myeloid leukemia	1504
ii. Companion case: Chronic scalp trauma	1505
<b>Case 14. Scalp inclusion cysts</b>	1506
i. Companion case: Hidradenitis suppurativa	1513
ii. Companion case: Keloids	1514
iii. Companion case: Neurofibromas of the scalp	1515
iv. Companion case: Metastatic disease to the scalp	1516
v. Companion case: Skin clip artifact simulating a scalp lesion on MRI	1517
<b>Case 15. Scalp lipoma</b>	1519
i. Companion case: Pectoralis muscle flap to repair a scalp defect	1521
<b>Case 16. Scalp dermal calcifications</b>	1522
i. Companion case: Foreign bodies in the scalp following trauma	1523
<b>Case 17. Hair transplantation</b>	1524
<b>Case 18. Scalp soft tissue expander</b>	1528
i. Companion case: Ommaya reservoir	1529
<b>Case 19. Cranioplasties</b>	1531
<b>Chapter 12: Vascular</b>	1539
Rishi Seth, Achilles G. Karagianis, Matthew T. Walker	
<b>Case 1. Common origin of the innominate and left common carotid arteries</b>	1541

i. Companion case: Left common carotid artery originating from the innominate artery	1541	<b>Case 10. Variation in the location of a carotid artery bifurcation</b>	1576
ii. Companion case: Left ECA and left ICA originating from the aortic arch	1542	<b>Case 11. Carotid web</b>	1578
iii. Companion case: Left ECA originating from the aortic arch and the left ICA originating from the left subclavian artery	1542	<b>Case 12. Cervical carotid artery tortuosity, kinks, and loops</b>	1580
<b>Case 2. Right aortic arch and its various branching patterns</b>	1544	Vane's i. Companion case: Fibromuscular dysplasia	1582
<b>Case 3. Left aortic arch with an aberrant right subclavian artery</b>	1552	<b>Case 13. Absence of the ICA</b>	1584
<b>Case 4. Variations of vertebral artery origin</b>	1555	<b>Case 14. Persistent pharyngohyoid artery with a normal ipsilateral cervical ICA ("duplicated internal carotid artery")</b>	1589
<b>Case 5. Extraforaminal course of the cervical vertebral artery</b>	1559	Chiriac i. Companion case: Aberrant ICA	1591
<b>Case 6. Hypoplastic vertebral artery</b>	1561	<b>Case 15. Carotid endarterectomy</b>	1593
<b>Case 7. Vertebral artery fenestration</b>	1563	i. Companion case: Chronic cervical ICA dissection with pseudoaneurysm formation and a contralateral acute cervical ICA dissection	1595
<b>Case 8. Cervical vertebral artery tortuosity, kinks, and loops</b>	1565	ii. Companion case: Carotid endarterectomy with residual thrombosis and a superimposed cervical carotid dissection	1596
i. Companion case: Acute cervical vertebral artery dissection	1567	iii. Companion case: Carotid endarterectomy with a patch angioplasty and contralateral cervical carotid stent placement	1597
ii. Companion case: Cervical vertebral artery dissection with pseudoaneurysm formation	1568	<b>Case 16. Surgical arterial bypass grafts, transpositions, and interposition grafts</b>	1599
iii. Companion case: Fibromuscular dysplasia with cervical vertebral artery pseudoaneurysm formation	1569	<b>Case 17. Persistent embryonic carotid-basilar anastomoses (persistent fetal circulation variants)</b>	1607
iv. Companion case: Cervical vertebral artery venous plexus on MRI	1570	<b>Case 18. MRI and CT artifacts of neck vessels</b>	1613
<b>Case 9. Retropharyngeal course of the cervical carotid arteries</b>	1572		

## Index

Alexander W. Kondo, MD  
Assistant Professor  
Section of Neuroradiology  
Department of Radiology  
Northwestern Memorial Hospital  
Northwestern University Feinberg School of Medicine  
Chicago, Illinois  
*Chapter 5*

Malisa S. Lester, MD  
Assistant Professor  
Section of Neuroradiology  
Department of Radiology  
Northwestern Memorial Hospital  
Northwestern University Feinberg School of Medicine  
Chicago, Illinois  
*Chapters 1 and 6*

Christopher Reilly, MD  
Neuroradiologist  
Radiologic Associates of Duluth  
Grand Rapids, Minnesota  
*Chapter 3*

Noah Schwind, MD  
Interventional Radiologist  
Department of Radiology  
Saint Joseph's Medical Center  
Joliet, Illinois  
*Chapter 11*