

Detailed Contents

Chapter 1			
Cells: The Fundamental Units of Life	1	Comparing Genome Sequences Reveals Life's Common Heritage	33
UNITY AND DIVERSITY OF CELLS	2	Genomes Contain More Than Just Genes	35
Cells Vary Enormously in Appearance and Function	2	<i>Essential Concepts</i>	35
Living Cells All Have a Similar Basic Chemistry	3	<i>Questions</i>	37
All Present-Day Cells Have Apparently Evolved from the Same Ancestral Cell	4	Chapter 2	
Genes Provide the Instructions for Cell Form, Function, and Complex Behavior	5	Chemical Components of Cells	39
CELLS UNDER THE MICROSCOPE	5	CHEMICAL BONDS	40
The Invention of the Light Microscope Led to the Discovery of Cells	6	Cells Are Made of Relatively Few Types of Atoms	40
Light Microscopes Allow Examination of Cells and Some of Their Components	7	The Outermost Electrons Determine How Atoms Interact	41
The Fine Structure of a Cell Is Revealed by Electron Microscopy	8	Covalent Bonds Form by the Sharing of Electrons	44
THE PROKARYOTIC CELL	12	There Are Different Types of Covalent Bonds	45
Prokaryotes Are the Most Diverse and Numerous Cells on Earth	13	Covalent Bonds Vary in Strength	46
The World of Prokaryotes Is Divided into Two Domains: Bacteria and Archaea	15	Ionic Bonds Form by the Gain and Loss of Electrons	46
THE EUKARYOTIC CELL	15	Noncovalent Bonds Help Bring Molecules Together in Cells	47
The Nucleus Is the Information Store of the Cell	15	Hydrogen Bonds Are Important Noncovalent Bonds For Many Biological Molecules	48
Mitochondria Generate Usable Energy from Food to Power the Cell	16	Some Polar Molecules Form Acids and Bases in Water	49
Chloroplasts Capture Energy from Sunlight	18	SMALL MOLECULES IN CELLS	50
Internal Membranes Create Intracellular Compartments with Different Functions	19	A Cell Is Formed from Carbon Compounds	50
The Cytosol Is a Concentrated Aqueous Gel of Large and Small Molecules	21	Cells Contain Four Major Families of Small Organic Molecules	51
The Cytoskeleton Is Responsible for Directed Cell Movements	21	Sugars Are Both Energy Sources and Subunits of Polysaccharides	52
The Cytoplasm Is Far from Static	22	Fatty Acid Chains Are Components of Cell Membranes	53
Eukaryotic Cells May Have Originated as Predators	23	Amino Acids Are the Subunits of Proteins	55
MODEL ORGANISMS	26	Nucleotides Are the Subunits of DNA and RNA	56
Molecular Biologists Have Focused on <i>E. coli</i>	27	MACROMOLECULES IN CELLS	58
Brewer's Yeast Is a Simple Eukaryotic Cell	27	Each Macromolecule Contains a Specific Sequence of Subunits	59
<i>Arabidopsis</i> Has Been Chosen as a Model Plant	28	Noncovalent Bonds Specify the Precise Shape of a Macromolecule	62
Model Animals Include Flies, Fish, Worms, and Mice	28	Noncovalent Bonds Allow a Macromolecule to Bind Other Selected Molecules	63
Biologists Also Directly Study Human Beings and Their Cells	32	<i>Essential Concepts</i>	64
		<i>Questions</i>	80

Chapter 3		Chapter 4	
Energy, Catalysis, and Biosynthesis	83	Protein Structure and Function	121
THE USE OF ENERGY BY CELLS	84	THE SHAPE AND STRUCTURE OF PROTEINS	123
Biological Order Is Made Possible by the Release of Heat Energy from Cells	84	The Shape of a Protein Is Specified by Its Amino Acid Sequence	123
Cells Can Convert Energy from One Form to Another	86	Proteins Fold into a Conformation of Lowest Energy	126
Photosynthetic Organisms Use Sunlight to Synthesize Organic Molecules	87	Proteins Come in a Wide Variety of Complicated Shapes	127
Cells Obtain Energy by the Oxidation of Organic Molecules	88	The α Helix and the β Sheet Are Common Folding Patterns	130
Oxidation and Reduction Involve Electron Transfers	89	Helices Form Readily in Biological Structures	130
FREE ENERGY AND CATALYSIS	90	β Sheets Form Rigid Structures at the Core of Many Proteins	132
Chemical Reactions Proceed in the Direction that Causes a Loss of Free Energy	91	Proteins Have Several Levels of Organization	132
Enzymes Reduce the Energy Needed to Initiate Spontaneous Reactions	91	Many Proteins Also Contain Unstructured Regions	134
The Free-Energy Change for a Reaction Determines Whether It Can Occur	93	Few of the Many Possible Polypeptide Chains Will Be Useful	135
ΔG Changes As a Reaction Proceeds Toward Equilibrium	94	Proteins Can Be Classified into Families	136
The Standard Free-Energy Change, ΔG° , Makes it Possible to Compare the Energetics of Different Reactions	94	Large Protein Molecules Often Contain More Than One Polypeptide Chain	137
The Equilibrium Constant Is Directly Proportional to ΔG°	95	Proteins Can Assemble into Filaments, Sheets, or Spheres	138
In Complex Reactions, the Equilibrium Constant Includes the Concentrations of All Reactants and Products	98	Some Types of Proteins Have Elongated Fibrous Shapes	139
The Equilibrium Constant Indicates the Strength of Molecular Interactions	98	Extracellular Proteins Are Often Stabilized by Covalent Cross-Linkages	140
For Sequential Reactions, the Changes in Free Energy Are Additive	99	HOW PROTEINS WORK	141
Thermal Motion Allows Enzymes to Find Their Substrates	100	All Proteins Bind to Other Molecules	141
V_{\max} and K_M Measure Enzyme Performance	102	There Are Billions of Different Antibodies, Each with a Different Binding Site	143
ACTIVATED CARRIERS AND BIOSYNTHESIS	103	Enzymes Are Powerful and Highly Specific Catalysts	144
The Formation of an Activated Carrier Is Coupled to an Energetically Favorable Reaction	103	Lysozyme Illustrates How an Enzyme Works	145
ATP Is the Most Widely Used Activated Carrier	107	Many Drugs Inhibit Enzymes	149
Energy Stored in ATP Is Often Harnessed to Join Two Molecules Together	109	Tightly Bound Small Molecules Add Extra Functions to Proteins	149
NADH and NADPH Are Both Activated Carriers of Electrons	109	HOW PROTEINS ARE CONTROLLED	150
NADPH and NADH Have Different Roles in Cells	110	The Catalytic Activities of Enzymes Are Often Regulated by Other Molecules	151
Cells Make Use of Many Other Activated Carriers	111	Allosteric Enzymes Have Two or More Binding Sites That Influence One Another	151
The Synthesis of Biological Polymers Requires an Energy Input	113	Phosphorylation Can Control Protein Activity by Causing a Conformational Change	152
<i>Essential Concepts</i>	116	Covalent Modifications Also Control the Location and Interaction of Proteins	154
<i>Questions</i>	117	GTP-Binding Proteins Are Also Regulated by the Cyclic Gain and Loss of a Phosphate Group	155
		ATP Hydrolysis Allows Motor Proteins to Produce Directed Movements in Cells	155
		Proteins Often Form Large Complexes That Function as Protein Machines	156

HOW PROTEINS ARE STUDIED	157		
Proteins Can be Purified from Cells or Tissues	157	Short Lengths of RNA Act as Primers for DNA Synthesis	206
Determining a Protein's Structure Begins with Determining Its Amino Acid Sequence	158	Proteins at a Replication Fork Cooperate to Form a Replication Machine	207
Genetic Engineering Techniques Permit the Large-Scale Production, Design, and Analysis of Almost Any Protein	160	Telomerase Replicates the Ends of Eukaryotic Chromosomes	209
The Relatedness of Proteins Aids the Prediction of Protein Structure and Function	161	DNA REPAIR	211
<i>Essential Concepts</i>	168	DNA Damage Occurs Continually in Cells	212
<i>Questions</i>	169	Cells Possess a Variety of Mechanisms for Repairing DNA	213
Chapter 5 DNA and Chromosomes	171	A DNA Mismatch Repair System Removes Replication Errors That Escape Proofreading	214
THE STRUCTURE OF DNA	172	Double-Strand DNA Breaks Require a Different Strategy for Repair	215
A DNA Molecule Consists of Two Complementary Chains of Nucleotides	173	Homologous Recombination Can Flawlessly Repair DNA Double-Strand Breaks	216
The Structure of DNA Provides a Mechanism for Heredity	178	Failure to Repair DNA Damage Can Have Severe Consequences for a Cell or Organism	218
THE STRUCTURE OF EUKARYOTIC CHROMOSOMES	179	A Record of the Fidelity of DNA Replication and Repair Is Preserved in Genome Sequences	219
Eukaryotic DNA Is Packaged into Multiple Chromosomes	179	<i>Essential Concepts</i>	220
Chromosomes Contain Long Strings of Genes	180	<i>Questions</i>	221
Specialized DNA Sequences Are Required for DNA Replication and Chromosome Segregation	182	Chapter 7 From DNA to Protein: How Cells Read the Genome	223
Interphase Chromosomes Are Not Randomly Distributed Within the Nucleus	183	FROM DNA TO RNA	224
The DNA in Chromosomes Is Always Highly Condensed	184	Portions of DNA Sequence Are Transcribed into RNA	225
Nucleosomes Are the Basic Units of Eukaryotic Chromosome Structure	185	Transcription Produces RNA That Is Complementary to One Strand of DNA	226
Chromosome Packing Occurs on Multiple Levels	187	Cells Produce Various Types of RNA	227
THE REGULATION OF CHROMOSOME STRUCTURE	188	Signals in DNA Tell RNA Polymerase Where to Start and Finish Transcription	228
Changes in Nucleosome Structure Allow Access to DNA	188	Initiation of Eukaryotic Gene Transcription Is a Complex Process	230
Interphase Chromosomes Contain Both Condensed and More Extended Forms of Chromatin	190	Eukaryotic RNA Polymerase Requires General Transcription Factors	231
<i>Essential Concepts</i>	192	Eukaryotic mRNAs Are Processed in the Nucleus	232
<i>Questions</i>	193	In Eukaryotes, Protein-Coding Genes Are Interrupted by Noncoding Sequences Called Introns	233
Chapter 6 DNA Replication, Repair, and Recombination	197	Introns Are Removed From Pre-mRNAs by RNA Splicing	234
DNA REPLICATION	198	Mature Eukaryotic mRNAs Are Exported from the Nucleus	236
Base-Pairing Enables DNA Replication	198	mRNA Molecules Are Eventually Degraded in the Cytosol	237
DNA Synthesis Begins at Replication Origins	199	The Earliest Cells May Have Had Introns in Their Genes	237
Two Replication Forks Form at Each Replication Origin	199	FROM RNA TO PROTEIN	238
DNA Polymerase Synthesizes DNA Using a Parental Strand as Template	203	An mRNA Sequence Is Decoded in Sets of Three Nucleotides	239
The Replication Fork Is Asymmetrical	204	tRNA Molecules Match Amino Acids to Codons in mRNA	242
DNA Polymerase Is Self-correcting	205		

Specific Enzymes Couple tRNAs to the Correct Amino Acid	243	Specialized Cell Types Can Be Experimentally Reprogrammed to Become Pluripotent Stem Cells	278
The mRNA Message Is Decoded by Ribosomes	244	The Formation of an Entire Organ Can Be Triggered by a Single Transcription Regulator	278
The Ribosome Is a Ribozyme	246	Epigenetic Mechanisms Allow Differentiated Cells to Maintain Their Identity	279
Specific Codons in mRNA Signal the Ribosome Where to Start and to Stop Protein Synthesis	247	POST-TRANSCRIPTIONAL CONTROLS	280
Proteins Are Made on Polyribosomes	249	Each mRNA Controls Its Own Degradation and Translation	281
Inhibitors of Prokaryotic Protein Synthesis Are Used as Antibiotics	249	Regulatory RNAs Control the Expression of Thousands of Genes	282
Controlled Protein Breakdown Helps Regulate the Amount of Each Protein in a Cell	250	MicroRNAs Direct the Destruction of Target mRNAs	282
There Are Many Steps Between DNA and Protein	252	Small Interfering RNAs Are Produced From Double-Stranded, Foreign RNAs to Protect Cells From Infections	283
RNA AND THE ORIGINS OF LIFE	253	Thousands of Long Noncoding RNAs May Also Regulate Mammalian Gene Activity	284
Life Requires Autocatalysis	253	<i>Essential Concepts</i>	284
RNA Can Both Store Information and Catalyze Chemical Reactions	254	<i>Questions</i>	286
RNA Is Thought to Predate DNA in Evolution	255	Chapter 9 How Genes and Genomes Evolve	289
<i>Essential Concepts</i>	256	GENERATING GENETIC VARIATION	290
<i>Questions</i>	258	In Sexually Reproducing Organisms, Only Changes to the Germ Line Are Passed On To Progeny	291
Chapter 8 Control of Gene Expression	261	Point Mutations Are Caused by Failures of the Normal Mechanisms for Copying and Repairing DNA	293
AN OVERVIEW OF GENE EXPRESSION	262	Point Mutations Can Change the Regulation of a Gene	294
The Different Cell Types of a Multicellular Organism Contain the Same DNA	262	DNA Duplications Give Rise to Families of Related Genes	294
Different Cell Types Produce Different Sets of Proteins	263	The Evolution of the Globin Gene Family Shows How Gene Duplication and Divergence Can Produce New Proteins	296
A Cell Can Change the Expression of Its Genes in Response to External Signals	264	Whole-Genome Duplications Have Shaped the Evolutionary History of Many Species	298
Gene Expression Can Be Regulated at Various Steps from DNA to RNA to Protein	264	Novel Genes Can Be Created by Exon Shuffling	298
HOW TRANSCRIPTIONAL SWITCHES WORK	265	The Evolution of Genomes Has Been Profoundly Influenced by the Movement of Mobile Genetic Elements	299
Transcription Regulators Bind to Regulatory DNA Sequences	265	Genes Can Be Exchanged Between Organisms by Horizontal Gene Transfer	300
Transcriptional Switches Allow Cells to Respond to Changes in Their Environment	267	RECONSTRUCTING LIFE'S FAMILY TREE	300
Repressors Turn Genes Off and Activators Turn Them On	268	Genetic Changes That Provide a Selective Advantage Are Likely to Be Preserved	301
An Activator and a Repressor Control the <i>Lac</i> Operon	268	Closely Related Organisms Have Genomes That Are Similar in Organization As Well As Sequence	301
Eukaryotic Transcription Regulators Control Gene Expression from a Distance	270	Functionally Important Genome Regions Show Up As Islands of Conserved DNA Sequence	302
Eukaryotic Transcription Regulators Help Initiate Transcription by Recruiting Chromatin-Modifying Proteins	271		
THE MOLECULAR MECHANISMS THAT CREATE SPECIALIZED CELL TYPES	272		
Eukaryotic Genes Are Controlled by Combinations of Transcription Regulators	272		
The Expression of Different Genes Can Be Coordinated by a Single Protein	273		
Combinatorial Control Can Also Generate Different Cell Types	276		

Genome Comparisons Show That Vertebrate Genomes Gain and Lose DNA Rapidly	304	Multiple Cycles of Amplification <i>In Vitro</i> Generate Billions of Copies of the Desired Nucleotide Sequence	337
Sequence Conservation Allows Us to Trace Even the Most Distant Evolutionary Relationships	305	PCR is Also Used for Diagnostic and Forensic Applications	338
TRANSPOSONS AND VIRUSES	307	EXPLORING AND EXPLOITING GENE FUNCTION	339
Mobile Genetic Elements Encode the Components They Need for Movement	307	Whole Genomes Can Be Sequenced Rapidly	341
The Human Genome Contains Two Major Families of Transposable Sequences	308	Next-Generation Sequencing Techniques Make Genome Sequencing Faster and Cheaper	343
Viruses Can Move Between Cells and Organisms	309	Comparative Genome Analyses Can Identify Genes and Predict Their Function	346
Retroviruses Reverse the Normal Flow of Genetic Information	310	Analysis of mRNAs By Microarray or RNA-Seq Provides a Snapshot of Gene Expression	346
EXAMINING THE HUMAN GENOME	311	<i>In Situ</i> Hybridization Can Reveal When and Where a Gene Is Expressed	347
The Nucleotide Sequences of Human Genomes Show How Our Genes Are Arranged	313	Reporter Genes Allow Specific Proteins to be Tracked in Living Cells	347
Accelerated Changes in Conserved Genome Sequences Help Reveal What Makes Us Human	315	The Study of Mutants Can Help Reveal the Function of a Gene	348
Genome Variation Contributes to Our Individuality—But How?	318	RNA Interference (RNAi) Inhibits the Activity of Specific Genes	349
Differences in Gene Regulation May Help Explain How Animals With Similar Genomes Can Be So Different	319	A Known Gene Can Be Deleted or Replaced With an Altered Version	350
<i>Essential Concepts</i>	321	Mutant Organisms Provide Useful Models of Human Disease	352
<i>Questions</i>	322	Transgenic Plants Are Important for Both Cell Biology and Agriculture	352
Chapter 10		Even Rare Proteins Can Be Made in Large Amounts Using Cloned DNA	354
Modern Recombinant DNA Technology	325	<i>Essential Concepts</i>	355
MANIPULATING AND ANALYZING DNA MOLECULES	326	<i>Questions</i>	356
Restriction Nucleases Cut DNA Molecules at Specific Sites	327	Chapter 11	
Gel Electrophoresis Separates DNA Fragments of Different Sizes	327	Membrane Structure	359
Bands of DNA in a Gel Can Be Visualized Using Fluorescent Dyes or Radioisotopes	329	THE LIPID BILAYER	360
Hybridization Provides a Sensitive Way to Detect Specific Nucleotide Sequences	329	Membrane Lipids Form Bilayers in Water	361
DNA CLONING IN BACTERIA	330	The Lipid Bilayer Is a Flexible Two-dimensional Fluid	364
DNA Cloning Begins with Genome Fragmentation and Production of Recombinant DNAs	331	The Fluidity of a Lipid Bilayer Depends on Its Composition	365
Recombinant DNA Can Be Inserted Into Plasmid Vectors	331	Membrane Assembly Begins in the ER	366
Recombinant DNA Can Be Copied Inside Bacterial Cells	332	Certain Phospholipids Are Confined to One Side of the Membrane	367
Genes Can Be Isolated from a DNA Library	333	MEMBRANE PROTEINS	369
cDNA Libraries Represent the mRNAs Produced by Particular Cells	334	Membrane Proteins Associate with the Lipid Bilayer in Different Ways	370
DNA CLONING BY PCR	335	A Polypeptide Chain Usually Crosses the Lipid Bilayer as an α Helix	371
PCR Uses a DNA Polymerase to Amplify Selected DNA Sequences in a Test Tube	336	Membrane Proteins Can Be Solubilized in Detergents	372
		We Know the Complete Structure of Relatively Few Membrane Proteins	373
		The Plasma Membrane Is Reinforced by the Underlying Cell Cortex	374

A Cell Can Restrict the Movement of Its Membrane Proteins	376	Voltage-gated Ion Channels Respond to the Membrane Potential	403
The Cell Surface Is Coated with Carbohydrate	377	ION CHANNELS AND NERVE CELL SIGNALING	403
<i>Essential Concepts</i>	380	Action Potentials Allow Rapid Long-Distance Communication Along Axons	404
<i>Questions</i>	381	Action Potentials Are Mediated by Voltage-gated Cation Channels	405
Chapter 12		Voltage-gated Ca ²⁺ Channels in Nerve Terminals Convert an Electrical Signal into a Chemical Signal	409
Transport Across Cell Membranes	383	Transmitter-gated Ion Channels in the Postsynaptic Membrane Convert the Chemical Signal Back into an Electrical Signal	410
PRINCIPLES OF TRANSMEMBRANE TRANSPORT	384	Neurotransmitters Can Be Excitatory or Inhibitory	411
Lipid Bilayers Are Impermeable to Ions and Most Uncharged Polar Molecules	384	Most Psychoactive Drugs Affect Synaptic Signaling by Binding to Neurotransmitter Receptors	413
The Ion Concentrations Inside a Cell Are Very Different from Those Outside	385	The Complexity of Synaptic Signaling Enables Us to Think, Act, Learn, and Remember	413
Differences in the Concentration of Inorganic Ions Across a Cell Membrane Create a Membrane Potential	385	Optogenetics Uses Light-gated Ion Channels to Transiently Activate or Inactivate Neurons in Living Animals	414
Cells Contain Two Classes of Membrane Transport Proteins: Transporters and Channels	386	<i>Essential Concepts</i>	415
Solutes Cross Membranes by Either Passive or Active Transport	386	<i>Questions</i>	417
Both the Concentration Gradient and Membrane Potential Influence the Passive Transport of Charged Solutes	387	Chapter 13	
Water Moves Passively Across Cell Membranes Down Its Concentration Gradient—a Process Called Osmosis	388	How Cells Obtain Energy From Food	419
TRANSPORTERS AND THEIR FUNCTIONS	389	THE BREAKDOWN AND UTILIZATION OF SUGARS AND FATS	420
Passive Transporters Move a Solute Along Its Electrochemical Gradient	390	Food Molecules Are Broken Down in Three Stages	421
Pumps Actively Transport a Solute Against Its Electrochemical Gradient	390	Glycolysis Extracts Energy from the Splitting of Sugar	422
The Na ⁺ Pump in Animal Cells Uses Energy Supplied by ATP to Expel Na ⁺ and Bring in K ⁺	391	Glycolysis Produces Both ATP and NADH	423
The Na ⁺ Pump Generates a Steep Concentration Gradient of Na ⁺ Across the Plasma Membrane	392	Fermentations Can Produce ATP in the Absence of Oxygen	425
Ca ²⁺ Pumps Keep the Cytosolic Ca ²⁺ Concentration Low	392	Glycolytic Enzymes Couple Oxidation to Energy Storage in Activated Carriers	426
Coupled Pumps Exploit Solute Gradients to Mediate Active Transport	393	Several Organic Molecules Are Converted to Acetyl CoA in the Mitochondrial Matrix	430
The Electrochemical Na ⁺ Gradient Drives Coupled Pumps in the Plasma Membrane of Animal Cells	393	The Citric Acid Cycle Generates NADH by Oxidizing Acetyl Groups to CO ₂	430
Electrochemical H ⁺ Gradients Drive Coupled Pumps in Plants, Fungi, and Bacteria	395	Many Biosynthetic Pathways Begin with Glycolysis or the Citric Acid Cycle	433
ION CHANNELS AND THE MEMBRANE POTENTIAL	396	Electron Transport Drives the Synthesis of the Majority of the ATP in Most Cells	438
Ion Channels Are Ion-selective and Gated	397	REGULATION OF METABOLISM	439
Membrane Potential Is Governed by the Permeability of a Membrane to Specific Ions	398	Catabolic and Anabolic Reactions Are Organized and Regulated	440
Ion Channels Randomly Snap Between Open and Closed States	400	Feedback Regulation Allows Cells to Switch from Glucose Breakdown to Glucose Synthesis	440
Different Types of Stimuli Influence the Opening and Closing of Ion Channels	401	Cells Store Food Molecules in Special Reservoirs to Prepare for Periods of Need	441

<i>Essential Concepts</i>	445	Excited Chlorophyll Molecules Funnel Energy into a Reaction Center	472
<i>Questions</i>	446	A Pair of Photosystems Cooperate to Generate Both ATP and NADPH	473
Chapter 14		Oxygen Is Generated by a Water-Splitting Complex Associated with Photosystem II	474
Energy Generation in Mitochondria and Chloroplasts	447	The Special Pair in Photosystem I Receives its Electrons from Photosystem II	475
Cells Obtain Most of Their Energy by a Membrane-based Mechanism	448	Carbon Fixation Uses ATP and NADPH to Convert CO ₂ into Sugars	476
Chemiosmotic Coupling is an Ancient Process, Preserved in Present-Day Cells	449	Sugars Generated by Carbon Fixation Can Be Stored As Starch or Consumed to Produce ATP	478
MITOCHONDRIA AND OXIDATIVE PHOSPHORYLATION	451	THE EVOLUTION OF ENERGY-GENERATING SYSTEMS	479
Mitochondria Can Change Their Shape, Location, and Number to Suit a Cell's Needs	451	Oxidative Phosphorylation Evolved in Stages	479
A Mitochondrion Contains an Outer Membrane, an Inner Membrane, and Two Internal Compartments	452	Photosynthetic Bacteria Made Even Fewer Demands on Their Environment	480
The Citric Acid Cycle Generates the High-Energy Electrons Required for ATP Production	453	The Lifestyle of <i>Methanococcus</i> Suggests That Chemiosmotic Coupling Is an Ancient Process	481
The Movement of Electrons is Coupled to the Pumping of Protons	454	<i>Essential Concepts</i>	482
Protons Are Pumped Across the Inner Mitochondrial Membrane by Proteins in the Electron-Transport Chain	455	<i>Questions</i>	483
Proton Pumping Produces a Steep Electrochemical Proton Gradient Across the Inner Mitochondrial Membrane	456	Chapter 15	
ATP Synthase Uses the Energy Stored in the Electrochemical Proton Gradient to Produce ATP	457	Intracellular Compartments and Protein Transport	487
Coupled Transport Across the Inner Mitochondrial Membrane Is Also Driven by the Electrochemical Proton Gradient	459	MEMBRANE-ENCLOSED ORGANELLES	488
The Rapid Conversion of ADP to ATP in Mitochondria Maintains a High ATP/ADP Ratio in Cells	459	Eukaryotic Cells Contain a Basic Set of Membrane-enclosed Organelles	488
Cell Respiration Is Amazingly Efficient	460	Membrane-enclosed Organelles Evolved in Different Ways	491
MOLECULAR MECHANISMS OF ELECTRON TRANSPORT AND PROTON PUMPING	461	PROTEIN SORTING	492
Protons Are Readily Moved by the Transfer of Electrons	461	Proteins Are Transported into Organelles by Three Mechanisms	492
The Redox Potential Is a Measure of Electron Affinities	464	Signal Sequences Direct Proteins to the Correct Compartment	494
Electron Transfers Release Large Amounts of Energy	465	Proteins Enter the Nucleus Through Nuclear Pores	495
Metals Tightly Bound to Proteins Form Versatile Electron Carriers	465	Proteins Unfold to Enter Mitochondria and Chloroplasts	497
Cytochrome c Oxidase Catalyzes the Reduction of Molecular Oxygen	468	Proteins Enter Peroxisomes from Both the Cytosol and the Endoplasmic Reticulum	498
CHLOROPLASTS AND PHOTOSYNTHESIS	469	Proteins Enter the Endoplasmic Reticulum While Being Synthesized	498
Chloroplasts Resemble Mitochondria but Have an Extra Compartment—the Thylakoid	470	Soluble Proteins Made on the ER Are Released into the ER Lumen	499
Photosynthesis Generates—Then Consumes—ATP and NADPH	471	Start and Stop Signals Determine the Arrangement of a Transmembrane Protein in the Lipid Bilayer	501
Chlorophyll Molecules Absorb the Energy of Sunlight	472	VESICULAR TRANSPORT	503
		Transport Vesicles Carry Soluble Proteins and Membrane Between Compartments	503
		Vesicle Budding Is Driven by the Assembly of a Protein Coat	504

Vesicle Docking Depends on Tethers and SNAREs	505	Many G Proteins Activate Membrane-bound Enzymes that Produce Small Messenger Molecules	543
SECRETORY PATHWAYS	507	The Cyclic AMP Signaling Pathway Can Activate Enzymes and Turn On Genes	544
Most Proteins Are Covalently Modified in the ER	507	The Inositol Phospholipid Pathway Triggers a Rise in Intracellular Ca ²⁺	546
Exit from the ER Is Controlled to Ensure Protein Quality	509	A Ca ²⁺ Signal Triggers Many Biological Processes	548
The Size of the ER Is Controlled by the Demand for Protein	509	GPCR-Triggered Intracellular Signaling Cascades Can Achieve Astonishing Speed, Sensitivity, and Adaptability	549
Proteins Are Further Modified and Sorted in the Golgi Apparatus	510	ENZYME-COUPLED RECEPTORS	551
Secretory Proteins Are Released from the Cell by Exocytosis	511	Activated RTKs Recruit a Complex of Intracellular Signaling Proteins	552
ENDOCYTIC PATHWAYS	515	Most RTKs Activate the Monomeric GTPase Ras	553
Specialized Phagocytic Cells Ingest Large Particles	515	RTKs Activate PI 3-Kinase to Produce Lipid Docking Sites in the Plasma Membrane	555
Fluid and Macromolecules Are Taken Up by Pinocytosis	516	Some Receptors Activate a Fast Track to the Nucleus	558
Receptor-mediated Endocytosis Provides a Specific Route into Animal Cells	517	Cell–Cell Communication Evolved Independently in Plants and Animals	559
Endocytosed Macromolecules Are Sorted in Endosomes	518	Protein Kinase Networks Integrate Information to Control Complex Cell Behaviors	560
Lysosomes Are the Principal Sites of Intracellular Digestion	519	<i>Essential Concepts</i>	561
<i>Essential Concepts</i>	520	<i>Questions</i>	563
<i>Questions</i>	522	Chapter 17	
Chapter 16		Cytoskeleton	565
Cell Signaling	525	INTERMEDIATE FILAMENTS	567
GENERAL PRINCIPLES OF CELL SIGNALING	526	Intermediate Filaments Are Strong and Ropelike	567
Signals Can Act over a Long or Short Range	526	Intermediate Filaments Strengthen Cells Against Mechanical Stress	569
Each Cell Responds to a Limited Set of Extracellular Signals, Depending on Its History and Its Current State	528	The Nuclear Envelope Is Supported by a Meshwork of Intermediate Filaments	570
A Cell's Response to a Signal Can Be Fast or Slow	531	MICROTUBULES	571
A Cell's Response to a Signal Can Be Fast or Slow	531	Microtubules Are Hollow Tubes with Structurally Distinct Ends	572
Some Hormones Cross the Plasma Membrane and Bind to Intracellular Receptors	531	The Centrosome Is the Major Microtubule-organizing Center in Animal Cells	573
Some Dissolved Gases Cross the Plasma Membrane and Activate Intracellular Enzymes Directly	533	Growing Microtubules Display Dynamic Instability	574
Cell-Surface Receptors Relay Extracellular Signals via Intracellular Signaling Pathways	534	Dynamic Instability is Driven by GTP Hydrolysis	574
Some Intracellular Signaling Proteins Act as Molecular Switches	535	Microtubule Dynamics Can be Modified by Drugs	575
Cell-Surface Receptors Fall into Three Main Classes	537	Microtubules Organize the Cell Interior	576
Ion-channel-coupled Receptors Convert Chemical Signals into Electrical Ones	538	Motor Proteins Drive Intracellular Transport	577
G-PROTEIN-COUPLED RECEPTORS	539	Microtubules and Motor Proteins Position Organelles in the Cytoplasm	578
Stimulation of GPCRs Activates G-Protein Subunits	540	Cilia and Flagella Contain Stable Microtubules Moved by Dynein	579
Some Bacterial Toxins Cause Disease by Altering the Activity of G Proteins	541	ACTIN FILAMENTS	583
Some G Proteins Directly Regulate Ion Channels	542	Actin Filaments Are Thin and Flexible	584

Actin and Tubulin Polymerize by Similar Mechanisms	585	S-Cdk Initiates DNA Replication and Blocks Re-Replication	617
Many Proteins Bind to Actin and Modify Its Properties	586	Incomplete Replication Can Arrest the Cell Cycle in G ₂	618
A Cortex Rich in Actin Filaments Underlies the Plasma Membrane of Most Eukaryotic Cells	588	M PHASE	618
Cell Crawling Depends on Cortical Actin	588	M-Cdk Drives Entry Into M Phase and Mitosis	618
Actin Associates with Myosin to Form Contractile Structures	591	Cohesins and Condensins Help Configure Duplicated Chromosomes for Separation	619
Extracellular Signals Can Alter the Arrangement of Actin Filaments	591	Different Cytoskeletal Assemblies Carry Out Mitosis and Cytokinesis	619
MUSCLE CONTRACTION	592	M Phase Occurs in Stages	620
Muscle Contraction Depends on Interacting Filaments of Actin and Myosin	593	MITOSIS	621
Actin Filaments Slide Against Myosin Filaments During Muscle Contraction	594	Centrosomes Duplicate To Help Form the Two Poles of the Mitotic Spindle	621
Muscle Contraction Is Triggered by a Sudden Rise in Cytosolic Ca ²⁺	595	The Mitotic Spindle Starts to Assemble in Prophase	624
Different Types of Muscle Cells Perform Different Functions	598	Chromosomes Attach to the Mitotic Spindle at Prometaphase	624
<i>Essential Concepts</i>	599	Chromosomes Assist in the Assembly of the Mitotic Spindle	626
<i>Questions</i>	600	Chromosomes Line Up at the Spindle Equator at Metaphase	626
Chapter 18		Proteolysis Triggers Sister-Chromatid Separation at Anaphase	627
The Cell-Division Cycle	603	Chromosomes Segregate During Anaphase	627
OVERVIEW OF THE CELL CYCLE	604	An Unattached Chromosome Will Prevent Sister-Chromatid Separation	629
The Eukaryotic Cell Cycle Usually Includes Four Phases	605	The Nuclear Envelope Re-forms at Telophase	629
A Cell-Cycle Control System Triggers the Major Processes of the Cell Cycle	606	CYTOKINESIS	630
Cell-Cycle Control is Similar in All Eukaryotes	607	The Mitotic Spindle Determines the Plane of Cytoplasmic Cleavage	630
THE CELL-CYCLE CONTROL SYSTEM	607	The Contractile Ring of Animal Cells Is Made of Actin and Myosin Filaments	631
The Cell-Cycle Control System Depends on Cyclically Activated Protein Kinases called Cdks	607	Cytokinesis in Plant Cells Involves the Formation of a New Cell Wall	632
Different Cyclin–Cdk Complexes Trigger Different Steps in the Cell Cycle	608	Membrane-Enclosed Organelles Must Be Distributed to Daughter Cells When a Cell Divides	632
Cyclin Concentrations are Regulated by Transcription and by Proteolysis	611	CONTROL OF CELL NUMBERS AND CELL SIZE	633
The Activity of Cyclin–Cdk Complexes Depends on Phosphorylation and Dephosphorylation	612	Apoptosis Helps Regulate Animal Cell Numbers	634
Cdk Activity Can be Blocked by Cdk Inhibitor Proteins	612	Apoptosis Is Mediated by an Intracellular Proteolytic Cascade	634
The Cell-Cycle Control System Can Pause the Cycle in Various Ways	612	The Intrinsic Apoptotic Death Program Is Regulated by the Bcl2 Family of Intracellular Proteins	636
G₁ PHASE	613	Extracellular Signals Can Also Induce Apoptosis	637
Cdks are Stably Inactivated in G ₁	614	Animal Cells Require Extracellular Signals to Survive, Grow, and Divide	637
Mitogens Promote the Production of the Cyclins that Stimulate Cell Division	614	Survival Factors Suppress Apoptosis	638
DNA Damage Can Temporarily Halt Progression Through G ₁	615	Mitogens Stimulate Cell Division by Promoting Entry into S Phase	639
Cells Can Delay Division for Prolonged Periods by Entering Specialized Nondividing States	615	Growth Factors Stimulate Cells to Grow	639
S PHASE	616	Some Extracellular Signal Proteins Inhibit Cell Survival, Division, or Growth	640

<i>Essential Concepts</i>	641	Genetic Screens Identify Mutants Deficient in Specific Cell Processes	668
<i>Questions</i>	643	Conditional Mutants Permit the Study of Lethal Mutations	670
Chapter 19		A Complementation Test Reveals Whether Two Mutations Are in the Same Gene	671
Sexual Reproduction and the Power of Genetics	645	Rapid and Cheap DNA Sequencing Has Revolutionized Human Genetic Studies	672
THE BENEFITS OF SEX	646	Linked Blocks of Polymorphisms Have Been Passed Down from Our Ancestors	672
Sexual Reproduction Involves Both Diploid and Haploid Cells	646	Our Genome Sequences Provide Clues to our Evolutionary History	673
Sexual Reproduction Generates Genetic Diversity	647	Polymorphisms Can Aid the Search for Mutations Associated with Disease	674
Sexual Reproduction Gives Organisms a Competitive Advantage in a Changing Environment	648	Genomics Is Accelerating the Discovery of Rare Mutations that Predispose Us to Serious Disease	675
MEIOSIS AND FERTILIZATION	648	<i>Essential Concepts</i>	678
Meiosis Involves One Round of DNA Replication Followed by Two Rounds of Cell Division	649	<i>Questions</i>	679
Meiosis Requires the Pairing of Duplicated Homologous Chromosomes	651	Chapter 20	
Crossing-Over Occurs Between the Duplicated Maternal and Paternal Chromosomes in Each Bivalent	652	Cell Communities: Tissues, Stem Cells, and Cancer	683
Chromosome Pairing and Crossing-Over Ensure the Proper Segregation of Homologs	653	EXTRACELLULAR MATRIX AND CONNECTIVE TISSUES	684
The Second Meiotic Division Produces Haploid Daughter Cells	654	Plant Cells Have Tough External Walls	685
Haploid Gametes Contain Reassorted Genetic Information	654	Cellulose Microfibrils Give the Plant Cell Wall Its Tensile Strength	686
Meiosis Is Not Flawless	656	Animal Connective Tissues Consist Largely of Extracellular Matrix	688
Fertilization Reconstitutes a Complete Diploid Genome	657	Collagen Provides Tensile Strength in Animal Connective Tissues	688
MENDEL AND THE LAWS OF INHERITANCE	657	Cells Organize the Collagen That They Secrete	690
Mendel Studied Traits That Are Inherited in a Discrete Fashion	658	Integrins Couple the Matrix Outside a Cell to the Cytoskeleton Inside It	691
Mendel Disproved the Alternative Theories of Inheritance	658	Gels of Polysaccharides and Proteins Fill Spaces and Resist Compression	692
Mendel's Experiments Revealed the Existence of Dominant and Recessive Alleles	659	EPITHELIAL SHEETS AND CELL JUNCTIONS	694
Each Gamete Carries a Single Allele for Each Character	660	Epithelial Sheets Are Polarized and Rest on a Basal Lamina	695
Mendel's Law of Segregation Applies to All Sexually Reproducing Organisms	661	Tight Junctions Make an Epithelium Leak-proof and Separate Its Apical and Basal Surfaces	696
Alleles for Different Traits Segregate Independently	662	Cytoskeleton-linked Junctions Bind Epithelial Cells Robustly to One Another and to the Basal Lamina	697
The Behavior of Chromosomes During Meiosis Underlies Mendel's Laws of Inheritance	664	Gap Junctions Allow Cytosolic Inorganic Ions and Small Molecules to Pass from Cell to Cell	700
Even Genes on the Same Chromosome Can Segregate Independently by Crossing-Over	664	TISSUE MAINTENANCE AND RENEWAL	702
Mutations in Genes Can Cause a Loss of Function or a Gain of Function	665	Tissues Are Organized Mixtures of Many Cell Types	703
Each of Us Carries Many Potentially Harmful Recessive Mutations	666	Different Tissues Are Renewed at Different Rates	705
GENETICS AS AN EXPERIMENTAL TOOL	667	Stem Cells Generate a Continuous Supply of Terminally Differentiated Cells	705
The Classical Genetic Approach Begins with Random Mutagenesis	667		

Specific Signals Maintain Stem-Cell Populations	707
Stem Cells Can Be Used to Repair Lost or Damaged Tissues	708
Therapeutic Cloning and Reproductive Cloning Are Very Different Enterprises	710
Induced Pluripotent Stem Cells Provide a Convenient Source of Human ES-like Cells	711
CANCER	712
Cancer Cells Proliferate, Invade, and Metastasize	712
Epidemiological Studies Identify Preventable Causes of Cancer	713
Cancers Develop by an Accumulation of Mutations	714
Cancer Cells Evolve, Giving Them an Increasingly Competitive Advantage	715
Two Main Classes of Genes Are Critical for Cancer: Oncogenes and Tumor Suppressor Genes	717
Cancer-causing Mutations Cluster in a Few Fundamental Pathways	719
Colorectal Cancer Illustrates How Loss of a Tumor Suppressor Gene Can Lead to Cancer	719
An Understanding of Cancer Cell Biology Opens the Way to New Treatments	720
<i>Essential Concepts</i>	724
<i>Questions</i>	726