Contents

CONTRIBUTORS, xiii

FOREWORD, xv

Dennis Tarnow

FOREWORD, xvi

Zhimon Jacobson

INTRODUCTION, 1

Hamid Shafie

Patient Preferences and Expectations, 3 Hamid Shafie

Implant Overdenture vs. Conventional Denture, 3

Implant Overdenture vs. Fixed
Implant-Supported Prosthesis, 4
Indications for Implant Overdenture, 4
Comparison of Treatment Strategies for
Implant Overdentures, 4

The Breda Implant Overdenture Study, 5 Overdenture Treatment Strategies, 6

Common Mistakes in Constructing

Implant-Supported Overdentures, 6 Successful Implant-Supported

Overdenture, 6

References and Additional Reading, 6

2 Diagnosis and Treatment Planning, 11

Hamid Shafie

Diagnostic Workup for Implant Overdenture, 11

Benefits of Diagnostic Mounting, 11

Radiographic Evaluation, 12

Panoramic Radiograph, 12

Occlusal Radiograph, 13

Computed Tomography (CT Scan), 14

Joint Treatment Planning, 15

Anatomical Considerations During

Diagnosis and Treatment Planning

Process, 15

Available Bone Quantity, 15

Classification of Fully Edentulous

Ridges Based on Bone Quantity, 15

Classification of Edentulous Ridges

Based on Bone Quality, 17 References and Additional Reading, 19

3 Surgical Guide and Diagnostic Stent, 24

Hamid Shafie, Wolfram Stein, and Amir Juzbasic Classification of Surgical Guides, 26
Gingiva Supported, 26
Bone Supported, 26
Components and the Advantages of the med3D Technology, 27
Implant 3D Planning Software, 27
Stationary Robot or Positioning
Device X1, 29
Procedural Steps, 29
References and Additional Reading, 29

4 Principles of Attachment Selection, 31

Hamid Shafie

Types of Attachments Based on Resiliency, 32 Rigid Non-Resilient Attachments, 32 Restricted Vertical Resilient Attachments, 32 Hinge Resilient Attachments, 32 Combination Resilient Attachments, 32 Rotary Resilient Attachments, 32 Universal Resilient Attachments, 32 Attachment Selection Criteria, 32 Different Attachment Assemblies, 33 Factors Influencing the Design and Resiliency Level of the Attachment Assembly, 33 Biomechanical Considerations, 33 Distal Extension to the Bar, 33 Load Distribation of Stud vs. Bar Attachments, 33 Biomechanics of Maxillary Overdenture, 33 References and Additional Reading,

5 Stud Attachments, 37

34

Hamid Shafie and James Ellison
Important Considerations Regarding the
Alignment of Stud Attachments, 37
ERA Attachment, 37
Chair-Side Utilization Procedure, 39
Changing ERA Male Component, 43
VKS-OC rs Stud Attachment, 44
Different Types of Matrices/Clips, 45

Clinical and Laboratory Procedures for VKS-OC rs Attachment Embedded in the Acrylic Denture Base, 45 Clinical and Laboratory Procedures for VKS-OC rs Attachment Cast within the Chrome Cobalt Framework, 49 Home Care, 52 Straumann Retentive Anchor Abutment, 52 Contraindications for Using Retentive Anchors, 53 Design Specifications of the Retentive Anchor and Its Corresponding Elliptical Matrix, 53 Adjusting the Retention of the Female Component, 54 Chair-Side Utilization of the Retentive Anchor Abutment and Elliptical Matrix, 55 Clix® Attachment and the Astra Implant, Design Specification of the Clix® Female Component, 57 Design Specification of the Astra Ball Abutment, 57 Chair-Side Utilization Procedure, 58 Replacing Clix® Inserts, 59 References and Additional Reading, 60

6 Bar Attachments, 63

Hamid Shafie and James Ellison

Bar Materials, 63
Classification of Bar Attachments
Based on Cross-Sectional

Shapes, 63 Classification of Bars Based on the Nature of Their Resiliency, 64

Factors that Influence the Flexibility of the Bar, 64

Fundamentals of Bar Arrangement, 64

Vertical Relationship of the Bar to the Alveolar Ridge, 66 Sagittal Relationship of the Bar to the Alveolar Ridge, 66

Sagittal Relationship of the Bar to the Verification of Passive Seat of the Hinge Axis, 67 Bar, 82 Anterior-Posterior Distance Incorporation of the Bar Assembly Rule, 68 into the Denture, 82 Guidelines for Denture Base References and Additional Extension, 68 Reading, 82 Hader Bar, 69 7 Fabrication Procedures for a Spark Erosion, 85 Castable Hader Bar Attachment Hamid Shafie, Eduard Eisenmann, with Plastic Clips/Riders, 70 and Günter Rübeling Fabrication Procedures for a Sheffield Test, 85 Castable Hader Bar Attachment Most Common Reasons for Ill Fit, 88 with Gold Alloy Clips/Riders, 71 Spark Erosion Process, 88 Hader Clip Placement, 71 Clinical Steps, 89 Plastic Hader vs. Metal Clips, 72 Laboratory Steps, 90 Mandibular Implant-Supported Second Case, 96 Overdenture Utilizing Hader References and Additional Reading, 102 Bar and Castable ERA Attachment, 72 8 Treatment Success with Implant Troubleshooting for Hader Bar Overdenture, 104 Attachment Assembly, 72 Hamid Shafie Dolder Bar, 72 Implant Survival, 104 Indications, 72 Prosthetic Success, 104 Contraindications, 73 Patient Related Factors, 105 Dimensional Specifications, 73 Biomechanical Risk Factors for Upper Fabrication Procedure for a Dolder Bar Implant Overdenture, 105 Unit, 75 Biomechanical Risk Factors for Lower Relining an Overdenture with a Implant Overdenture, 106 Dolder Bar Unit Attachment Shape of the Mandible and Its Effect on Assembly, 75 the Loading of the Supporting Fabrication Procedure for a Dolder Bar Implants, 107 Joint, 75 References and Additional Reading, 108 Relining an Overdenture with a Dolder Bar Joint Attachment 9 Occlusion and Implant-Supported Assembly, 76 Overdenture, 112 Vario Soft Bar Pattern VSP, 76 Hamid Shafie and Frank Luaciello Advantages of Prefabricated Titanium Bar, 77 Different Occlusal Schemes Formed by Advantages of Plastic Castable Denture Teeth, 112 Set-Up Procedure for the Balanced Bar, 77 Shapes of VSP Bar, 77 Occlusion Utilizing Vita Physiodens Shapes of VSP Bar's Clips, 77 Teeth, 113 Fabrication Procedures of a Rigid Setting Up the Premolars, 113 Fully Implant-Borne Setting Up the Molars, 116 Overdenture Using a Parallel Important Points to Remember During Bar, 78 the Occlusal Adjustment, 120 Fabrication Procedures of a Hinge Semi-Anatomic, 120 Resilient Overdenture Using a Non-Anatomic, 120 Bredent VSP Bar, 81 Lingualized, 122

History of Lingualized (Lingual Contact) Occlusion, 123

Set-Up Procedure for Lingualized Occlusion Utilizing Ivoclar Ortholingual Teeth, 123

1: Position Mandibular Teeth, 124

2: Position Maxillary Teeth, 125

3: Eliminate Maxillary Buccal Cusp Interferences, 126

4: Eliminate Anterior Interferences,

5: Eccentric Balance, 127

Equilibration after Processing, 128

1: Re-Establish Centric Occlusion Contacts, 128

2: Eliminate Maxillary Buccal Cusp and/or Anterior Interferences, 129

3: Complete Equilibration by Adjusting Only the Incline Planes of the Mandibular Posterior Teeth, 129

Eccentric Jaw Movements, 129 References and Additional Reading, 130

10 Surgical Considerations for Implant Overdenture, 132

Richard Green, George Obeid, Roy Eskow, and Hamid Shafie

Presurgical Instructions, 132

Treatment Room Preparation and Utilization Protocol, 133

Patient, 133

Instruments, 133

Incisions and Flap Design, 133

Incision and Flap Design Objectives, 133

Basic Flap Designs, 133

Mandibular Surgery, 134

1: Crestal Incision, 134

2: Extended Crestal Incision, 134

3: Vestibular Incision, 135

Maxillary Surgery, 136

1: Crestal Incision, 136

2: Palatal Incision, 136

3: Buccal Incision, 136 Tissue Punch Technique, 136

Osteotomy and Implant Placement, 137 Procedural Considerations during the

Surgery, 137

Suturing Techniques Used for Implant Overdenture Surgeries, 138

1: Simple Interrupted, 138

2: Continuous (Locking or Non-Locking), 138

3: Horizontal Mattress, 139

Most Common Suturing Techniques for Implant-Supported Overdenture Cases, 139

Suture Material, 139

Post-Surgical Care, 139

Post-Healing Criteria for Successful Integration of the Implant with Surrounding Tissues, 140

Procedural Considerations after Surgery, 140

Site Preparation for Overdentures, 140
Techniques for Site Development,
140

Bone Grafting Materials, 140 Available Resorbable Membranes,

Split-Control System, 144
Bone-Spreading Sequence, 144
Surgery-Related Problems, 146
References and Additional Reading,
148

11 Straumann Implant System, 153

Hamid Shafie

Two Sections of Straumann Implants, 153

Rough Surface on the Implant Body, 153

Polished Collar, 153

Endosseous Diameters, 154

Recommended Attachment Assemblies for Straumann Implants, 155

Surgical Steps for Standard Implants Ø 4.1mm RN (Regular Neck), 155

1: Preparation of the Implant Bed, 15

2: Drilling Sequence for Standard
Implants Ø 4.1mm RN (Regular

3: Tapping the Implant Site, 156

4: Implant Insertion, 156

Neck), 156

Wound Closure, 159

Healing Period for Straumann Implant with SLA Surface, 160

12 Endopore® Dental Implant System, 161

Hamid Shafie

Basic Facts, 161

External Connection, 162

Internal Connection, 162

Mechanical Rational for Short

Endopore® Dental Implants, 162

Advantages of the Endopore® Dental

Implant System, 162

Surgical Steps, 163

Postsurgical Instructions, 166

Implant Uncovering Steps, 167

Prosthetic Steps, 167

13 Overdenture Implants, 168

Hamid Shafie

Classification of Overdenture Implants

Based on Attachment Design

Features, 168

Two Basic Purposes for Overdenture

Implants, 169

Providing Immediate Stabilization

for an Overdenture, 169

Acting as Transitional Implants

During Initial Healing Phase, 169

Maximus OS Overdenture Implant,

169

Unique Features, 170

Clinical Considerations, 170

Surgical Steps, 171

Prosthetic Steps, 178

ERA® Overdenture Implant, 179

Design Specifications, 180

Surgical Steps, 180

Prosthetic Steps, 187

Changing ERA Male

Component, 189

References and Additional Reading,

191

14 Loading Approaches for Mandibular Implant Overdentures, 192

Dittmar May, George Romanos, and

Hamid Shafie

Healing Period before Loading, 192

Three Concepts in Premature Loading,

192

Early Loading, 192

Progressive Loading, 192

Immediate Loading, 192

Critical Factors in Determining Loading

Strategies, 192

Important Indicating Factors for

Success of Prematurely Loaded

Implants, 193

Advantages of Immediate Loading in

Implant-Supported Overdenture

Cases, 193

Important Requirements for Treatment

Protocol, 193

SynCone® Concept, 194

Advantages of Telescopic Crown

Techniques, 194

Patient Selection, 194

Pre-Surgical Steps, 194

Surgical Steps, 194

Prosthetic Steps, 198

Postoperative Instructions for

Patient, 201

Delayed Loading Protocol with

SynCone® Concept, 202

Troubleshooting, 202

SynCone® Abutments and Framework-

Reinforced Overdenture, 203

Procedural Sequences, 203

References and Additional Reading, 204

15 Clinical Applications for the Measurement of Implant Stability Using Osstell[™] Mentor, 206

Hamid Shafie and Neil Meredith

Clinical Stages When ISQ Measurement

Can Be Recorded, 208

Clinical Conditions Affecting the

Outcome of Immediately

Loaded Implants, 208

16 Follow Up and Maintenance of the Implant Overdenture, 210

Robert Eskow, Valerie Sternberg

Smith and Roy Eskow Characteristics of Ideal Peri-Implant

Tissues, 210

Consequences for Failure to Achieve

Cleansable Attachment Design, 210

Home Care Implements, 211
Toothbrushes, 211
Flossing Cords, 212
Denture Brushes, 212
Antimicrobials, 212
Recommended Routines at Recall
Visits, 213
Radiographic Examination, 213
Removal of Accretions, 213
Cleaning the Prosthesis, 213
Evaluation of the Attachment
Assembly Components, 213
References and Additional Reading, 214

17 Core Principles of the Successful Implant Practice, 216

Sean Crabtree, Paul Homoly, Andress Charalabous, Peter Warkentin, and Kornelius Warkentin

Vision, Team, Systems, Sales,
Marketing, 216
Center Point VISION, 216
Organizational Model/Systems, 217
People, 218
Sales, 220
Marketing, 223

Why Making Implant Overdentures Can Make Your Restorative Practice Click, 224 Attracting Older Patients, 224 Case Acceptance for Complete Dentistry, 225 Branding of an Implant Practice, 226 Identity Ambassadors, 226 External Marketing Objectives, 227 Marketing Research, 227 Create a Brand Name for Your Practice, 227 Website, 227 Design Criteria for an Implant Practice, 228 Reception Area, 229 Waiting Room, 229 Consultation Room, 230 Surgical Operatory, 230 Prosthetic Operatory, 230 Hygiene and Recall Operatory, 231 Sterilization Area, 231 Staff Lounge, 231

INDEX, 233