

Sexually Transmitted Diseases

Volume 37

January 2010

Number 1

CONTENTS



Supplemental digital content is available in the article.

Note

Effect of Menses on Clearance of Y-Chromosome in Vaginal Fluid: Implications for a Biomarker of Recent Sexual Activity

Rebecca M. Brotman, Johan H. Melendez, Tukisa D. Smith, Noya Galai, and Jonathan M. Zenilman 1

Articles



Sexually Transmitted Disease (STD) Diagnoses and Mental Health Disparities Among Women Who Have Sex With Women Screened at an Urban Community Health Center, Boston, MA, 2007

Sari L. Reisner, Matthew J. Mimiaga, Patricia Case, Chris Grasso, Casey T. O'Brien, Padmini Harigopal, Margie Skeer, and Kenneth H. Mayer 5

A study of female patients screened for STDs at an urban community health center in Boston, MA found multiple health disparities when compared by sexual behavior.

Serosorting May Increase the Risk of HIV Acquisition Among Men Who Have Sex With Men

David P. Wilson, David G. Regan, Kelly-Jean Heymer, Fengyi Jin, Garrett P. Prestage, and Andrew E. Grulich 13 **SDC**

In this article we describe the relative risk of acquiring HIV associated with serosorting and determine that serosorting is only beneficial in settings with very high testing rates.

(continued)

Sexually Transmitted Diseases (ISSN: 0148-5717) is published monthly for the American Sexually Transmitted Diseases Association, by Lippincott Williams & Wilkins, at 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116. Business offices are located at 530 Walnut Street, Philadelphia, PA 19106-3621. Periodicals postage paid at Hagerstown, MD and at additional mailing offices. Copyright © 2009 by the American Sexually Transmitted Diseases Association.

Indexed/abstracted in MEDLINE/PUBMED, EMBASE, SCOPUS, International Pharmaceutical Abstracts (IAP), BIOSIS Previews, Science Citation Index Expanded, Current Contents/Clinical Medicine and Life Sciences, Chemical Abstracts.

Annual subscription rates: *United States* - \$391 Individual, \$783 Institution, \$150 In-training, *Rest of World* - \$405 Individual, \$823 Institution, \$150 In-training. Single copy rate \$69. All prices include a handling charge. United States residents of AL, CO, DC, FL, GA, HI, IA, ID, IN, KS, KY, LA, MD, MO, ND, NM, NV, PR, RI, SC, SD, UT, VT, WA, WV add state sales tax. The GST tax of 7% must be added to all orders shipped to Canada (Lippincott Williams & Wilkins' GST Identification #895524239, Publications Mail Agreement #40052291). Subscription prices outside the United States must be prepaid. Prices subject to change without notice. Visit us online at www.lww.com.

Individual and in-training subscription rates include print and access to the online version. Institutional rates are for print only; online subscriptions are available via Ovid. Institutions can choose to purchase a print and online subscription together for a discounted rate. Institutions that wish to purchase a print subscription, please contact Lippincott Williams & Wilkins, 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116; phone 800-638-3030 (outside the United States 301-223-2300); fax 301-223-2400. Institutions that wish to purchase an online subscription or online with print, please contact the Ovid Regional Sales Office near you or visit www.ovid.com/site/index.jsp and select Contact and Locations.

Address for nonmember subscription information, orders, or change of address: Lippincott Williams & Wilkins, P.O. Box 1580, Hagerstown, MD 21741-1580; phone 800-638-3030 (outside the United States 301-223-2300); fax 301-223-2400. In Japan, contact LWW Igaku-Shoin Ltd., 3-23-14 Hongo, Bunkyo-ku, Tokyo 113-0033; phone 81-3-5689-5400; fax 81-3-5689-5402. In Bangladesh, India, Nepal, Sri Lanka, and Pakistan, contact Globe Publications Pvt. B-13 3rd Floor, A Block, Shopping Complex, Naraina Vihar, Ring Road, New Delhi, 110028; phone 91-11-579-3211; fax 91-11-579-8876.

Advertising Sales Representative: Please contact Bethann Sands via phone: 215-521-8399 or e-mail Bethann.Sands@wolterskluwer.com

Postmaster: Send address changes to *Sexually Transmitted Diseases*, P.O. Box 1550, Hagerstown, MD 21740.

Trends in Age Disparities Between Younger and Middle-Age Adults Among Reported Rates of Chlamydia, Gonorrhea, and Infectious Syphilis Infections in Canada: Findings From 1997 to 2007

Lily Fang, Allison Oliver, Gayatri C. Jayaraman, and Tom Wong 18

Although younger adults represent a greater number of chlamydia, gonorrhea, and infectious syphilis cases, reported rates of all 3 sexually transmitted infections among middle-age adults have increased more dramatically over time.

Congenital Syphilis: An Economic Evaluation of a Prevention Program in China

Fu-Chang Hong, Jiang-Bo Liu, Tie-Jian Feng, Xiao-Li Liu, Peng Pan, Hua Zhou, Yu-Mao Cai, Li Ling, Xi-Ming Huang, Dan Zhang, Ying-Ji Zhang, and Maurice P. Zeegers 26

Economic evaluation of preventing congenital syphilis by screening for maternal syphilis in China showed a high effectiveness and reducing induced/spontaneous miscarriage is an effective method to further benefits from the program.

Note

Concordance of Rectal and Cervical *Chlamydia trachomatis* OmpA Genotypes Infecting Women in Birmingham, Alabama

William M. Geisler, Sandra G. Morrison, and Laura H. Bachmann 32

Article

Influence of Partner's Infection Status on Prevalent Human Papillomavirus Among Persons With a New Sex Partner

Ann N. Burchell, Pierre-Paul Tellier, James Hanley, François Coulée, and Eduardo L. Franco 34

In a study of newly-forming couples, the partner's status was the most important risk factor for prevalent infection, and condoms exerted stronger protection among men than among women.

Case Report

Ocular Syphilis and HIV Infection

Damien Biotti, Samuel Bidot, Sophie Mahy, Marielle Buisson, Michel Duong, Michèle Grappin, Catherine Creuzot-Garcher, Pascal Chavanet, and Lionel Piroth 41

Articles

Survey of Sexually Transmitted Disease Laboratory Methods in US Army Laboratories

Seung-eun Lee, William Nauschuetz, Nikki Jordan, Luther Lindler, Richard Steece, Esther Pfau, and Joel Gaydos 44

A survey of US Army laboratories identified the types of sexually transmitted tests used in 2007 and compared results to data for US civilian public health laboratories.

The Danish PEP Registry: Experience With the Use of Postexposure Prophylaxis (PEP) Following Sexual Exposure to HIV From 1998 to 2006

Suzanne Lunding, Terese L. Katzenstein, Gitte Kronborg, Jens Å. Lindberg, Janne Jensen, Henrik I. Nielsen, Court Pedersen, and Louise B. Jørgensen 49

A nationwide study of postexposure prophylaxis use in Denmark showed a steady but moderate increase from 1998 to 2006. The use was rational and targeted toward high risk exposures.

Syphilis Epidemiology and Clinical Outcomes in HIV-Infected and HIV-Uninfected Patients in Kaiser Permanente Northern California

Michael A. Horberg, Dilrini K. Ranatunga, Charles P. Quesenberry, Daniel B. Klein, and Michael J. Silverberg 53

Cohort study in Northern California found significantly higher rates of syphilis among HIV-infected compared with HIV-uninfected patients. HIV-infected patients had greater odds of reduction in RPR posttreatment and serologic failure.

Note

Sentinel Surveillance of Rectal Chlamydia and Gonorrhea Among Males—San Francisco, 2005–2008

Julia L. Marcus, Kyle T. Bernstein, Sally C. Stephens, Ameera Snell, Robert P. Kohn, Sally Liska, and Jeffrey D. Klausner 59.