

CLINICAL ORAL IMPLANTS RESEARCH

Volume 16 · Number 6 · December 2005

Contents

Original articles

Early loading of non-submerged titanium implants with a sandblasted and acid-etched surface. 5-year results of a prospective study in partially edentulous patients	631	M. M. Bornstein, B. Schmid, U. C. Belser, A. Lussi & D. Buser
Evaluation of soft tissue around single-tooth implant crowns: the pink esthetic score	639	R. Fürhauser, D. Florescu, T. Benesch, R. Haas, G. Mailath & G. Watzek
A new index for rating aesthetics of implant-supported single crowns and adjacent soft tissues – the Implant Crown Aesthetic Index. A pilot study on validation of a new index	645	H. J. A. Meijer, K. Stellingsma, L. Meijndert & G. M. Raghoobar
Effects of implant surface microtopography on osteoblast gene expression	650	C. Masaki, G. B. Schneider, R. Zaharias, D. Seabold & C. Stanford
Comparison of osteoblast spreading on microstructured dental implant surfaces and cell behaviour in an explant model of osseointegration. A scanning electron microscopic study	657	R. L. Sammons, N. Lumbikanonda, M. Gross & P. Cantzler
Effect of three distinct treatments of titanium surface on osteoblast attachment, proliferation, and differentiation	667	M. S. Sader, A. Balduino, G. de Almeida Soares & R. Borojevic
Platelet-rich plasma and fibrin as delivery systems for recombinant human bone morphogenetic protein-2	676	R. E. Jung, H. G. Schmoekel, R. Zwahlen, V. Kokovic, C. H. F. Hammerle & F. E. Weber
Bone healing in surgically created defects treated with either bioactive glass particles, a calcium sulfate barrier, or a combination of both materials. A histological and histometric study in rat tibias	683	L. G. N. Melo, M. J. H. Nagata, A. F. Bosco, L. L. G. Ribeiro & C. M. Leite
Osteotome sinus elevation and simultaneous placement of porous-surfaced dental implants: a morphometric study in rabbits	692	M. Rahmani, E. Shimada, S. Rokni, D. A. Deporter, A. O. Adegbembo, N. Valiquette & R. M. Pilliar
Bi-directional distraction osteogenesis of the alveolar bone using an extraosseous device	700	K. Asscherickx, B. V. Vannet, H. Wehrbein & T. Iizuka, W. Hallermann, I. Seto, W. Smolka, K. Smolka & D. D. Bosshardt
Histomorphometry and micro-computed tomography of bone augmentation under a titanium membrane	708	M. Maréchal, F. Luyten, J. Nijs, A. Postnov, E. Schepers & D. van Steenberghe
Human <i>ex vivo</i> bone tissue strains around immediately loaded implants supporting maxillary overdentures	715	K. Akça, M. Akkocaoglu, A. Cömert, I. Tekdemir & M. C. Çehreli
Rehabilitation with dental prosthesis can increase cerebral regional blood volume	723	I. Miyamoto, K. Yoshida, Y. Tsuboi & T. Iizuka
A novel method of removing artifacts because of metallic dental restorations in 3-D CT images of jaw bone	728	T. Sohmura, H. Hojoh, N. Kusumoto, M. Nishida, K. Wakabayashi & J. Takahashi



This journal is available online at *Blackwell Synergy*. Visit www.blackwell-synergy.com to search the articles and register for table of contents e-mail alerts.



Clinical Oral Implants Research is covered by Current Contents®/Clinical Medicine, the Science Citation Index®, and SciSearch®.