Breast Cancer

Research and Treatment

Reports

Direct-to-patient BRCA1 testing: the <i>Twoj Styl</i> experience J Gronwald, T Huzarski, T Byrski, T Dębniak, K Metcalfe,	
SA Narod, J Lubiński	239-24

Computed tomography in suspected local breast cancer recurrence F Ternier, G Houvenaeghel, F Lecrivain, B Le Brigand, D Margain, S Brunelle, D Di Stefano 247-254

Predictors of reduced dose intensity in patients with early-stage breast cancer receiving adjuvant chemotherapy M Shayne, J Crawford, DC Dale, E Culakova, GH Lyman for the ANC Study Group 255-262

Quality of life analyses in a clinical trial of DPPE (tesmilifene) plus doxorubicin versus doxorubicin in patients with advanced or metastatic breast cancer: NCIC CTG Trial MA.19 J Liu, D Tu, J Dancey, L Reyno, KI Pritchard, J Pater, LK Seymour 263-271

Quality of life of postmenopausal women in the ATAC ("Arimidex", tamoxifen, alone or in combination) trial after completion of 5 years' adjuvant treatment for early breast cancer D Cella, L Fallowfield, P Barker, J Cuzick, G Locker, A Howell On behalf of the ATAC Trialists' Group

Early self-reported impairments in arm functioning of primary breast cancer patients predict late side effects of axillary lymph node dissection: results from a population-based cohort study US Albert, M Koller, I Kopp, W Lorenz, KD Schulz, U Wagner

Cigarette smoking and breast cancer risk: update of a prospective cohort study Y Cui, AB Miller, TE Rohan

Interleukin-6, multidrug resistance protein-1 expression and response to paclitaxel in women with metastatic breast cancer: results of cancer and leukemia group B trial 159806 M Rincon, G Broadwater, L Harris, A Crocker, D Weaver, L Dressler, D Berry, L Sutton, R Michaelson, M Messino, J Kirshner, G Fleming, E Winer, C Hudis, S Appel, L Norton, H Muss for the Cancer and Leukemia Group B

Variation in false-positive rates of mammography reading among 1067 radiologists: a population-based assessment A Tan, DH Freeman Jr, JS Goodwin, JL Freeman

Is risk of axillary lymph node metastasis associated with proximity of breast cancer to the skin? JE Cunningham, AL Jurj, L Oman, AE Stonerock, DK Nitcheva, TE Cupples

Letters to the Editor

Albumin-bound paclitaxel, ABI-007 may show better efficacy than paclitaxel in basal-like breast cancers: association between caveolin-1 expression and ABI-007 K Altundag, N Bulut, O Dizdar, H Harputluoglu

Lack of association between NOS3 Glu298Asp and breast cancer risk: a case-control study JL Royo, JA Moreno-Nogueira, JJ Galán, A González-Martín, A Ruiz, R González-Mancha, LM Real

A high risk of occurrence of sporadic breast cancer in individuals with the 104NN polymorphism of the COLIBA1 gene GJ Lourenço, C Cardoso-Filho, NSL Gonçales, JY Shinzato, LC Zeferino, H Nascimento, FF Costa MSC Gurgel, CSP Lima

Abstracts

Late-breaking abstracts

Available 📑 www.springerlink.com



273-284

285-292

293-299

301-308

309-318

319-328

329-330

331-333

335-338

339-349