

CONTENTS

Declaration	ii
Acknowledgments	vi
SUMMARY (in English, Czech, and German language)	viii
INTRODUCTION - (State-of-the-art)	5
CHAPTER 1.	9
1. FUNDAMENTALS ASPECTS OF COLLOIDAL PROCESSING	9
1.1. Interparticle forces	10
1.1.1. Van der Waals forces	10
1.1.2. Electric double layer forces	11
1.1.3. The DLVO theory	12
1.2. Colloidal dispersion of ceramic powders	13
1.2.1. Electrostatic stabilization	15
1.2.2. Polymeric stabilization	15
1.2.2.1. Steric stabilization	15
1.2.2.2. Depletion stabilization	16
1.2.2.3. Electrosteric stabilization	17
1.3. Surface Chemistry and Application of Electrosteric Dispersants	17
1.3.1. Select of suitable dispersant- Anionic polyelectrolytes	18
1.4. Suspension rheology	21
1.4.1. Background	21
1.4.2. Flow models	21
1.4.3. Flow models and viscosity measurements	22
1.4.4. Thixotropy measurements	25
1.5. Electrokinetic characterisation of colloidal suspensions – (Application of Electroacoustic “ESA” technique)	27
1.5.1. Electroacoustic “ESA” - Theoretical background	27
1.5.2. Advantages and limitations of the “ESA” technique	29
1.6. Colloidal consolidation and forming of Ceramics	29
1.6.1. Slip Casting- Forming of complex shapes	30
1.7. Effect of stabilization on Drying and Sintering of ceramics	32
1.7.1. Drying of ceramics	32
1.7.2. Sintering of ceramics	33
1.7.3. Powder characteristics required for sintering	33
1.7.4. Particle shape and distribution	34
1.7.5. Analytical models	34
1.7.6. Particle packing and microstructure control - The effect of agglomeration	36

1.7.7. Grain growth and microstructure control	37
1.7.8. Pressureless sintering of green compacts	37
CHAPTER 2.	38
2. OBJECTIVE AND HYPOTHESIS OF THESIS	38
2.1. Objective of thesis	38
2.2. Hypothesis of thesis	42
CHAPTER 3.	45
3. EXPERIMENTAL PROCEDURES	45
3.1. Materials	46
3.1.1. Powders used	46
3.1.2. Dispersant	47
3.2. Methods	47
3.2.1. Standard procedure for suspension formulation	47
3.2.2. Slurry preparation	48
3.2.3. Viscosimetry and rheological measurements	50
3.2.4. Electrokinetic characterization and stability measurements of concentrated suspensions using an advanced electrokinetic sonic amplitude “ESA” technique	50
3.2.5. Experimental Procedure of “ESA” technique	52
3.2.6. Particle size characterisation of low and high concentrated suspensions – Using of laser beam diffraction technique (Mastersizer-2000, UK)	52
3.2.7. Slip casting experiments	53
3.2.7.1. Preparation of plaster mold	53
3.2.7.2. Design a suitable laboratory model of casting unit	53
3.2.7.3. Green body preparation	54
3.2.7.4. Casting rate of slip casting	54
3.2.8. Green density measurements- Using Archimedes’ method	55
3.2.8.1. Mercury (Hg)- porosimetry	55
3.2.9. Sintering	56
3.2.9.1. Optimization of sintering conditions and microstructure evaluation	56
3.2.9.2. XRD Analysis	57
3.2.10. Mechanical properties - Flexural (3-point-bending) strength testing	57
CHAPTER 4.	58
4. RESULTS AND DISCUSSIONS	58
4.1. Rheological measurements of highly concentrated (α -Al ₂ O ₃ , ZrO ₂ , Al ₂ O ₃ -ZrO ₂) powders suspensions	58
4.1.1. Rheological measurements of high concentrated α -Al ₂ O ₃ suspensions	58
4.1.1.1. Optimization of the rheological properties of high concentrated α -Al ₂ O ₃ suspensions	58

4.1.1.2. Prediction of stability and shear-thinning behavior of α -Al ₂ O ₃ suspensions	60
4.1.1.3. Conclusions	63
4.1.2. Rheological measurements and stabilization of high concentrated nanoparticle size ZrO ₂ suspensions	64
4.1.2.1. Optimization of the rheological properties of high concentrated ZrO ₂ suspensions	64
4.1.2.1.1. Effect of solid loading on the rheological properties of ZrO ₂ suspensions	64
4.1.2.1.1.1. Conclusions:	68
4.1.2.1.2. Effect of dispersant concentration on the rheological properties of high concentrated (77 wt.%) ZrO ₂ suspensions	69
4.1.2.1.3. Effect of pH as a function of dispersant concentration on concentrated (77 wt.%) ZrO ₂ suspensions	71
4.1.2.1.3.1. Conclusions:	73
4.1.2.1.4. Prediction of the stability and shear-thinning behavior of high concentrated (77 wt.%) ZrO ₂ suspensions as a function of dispersant concentration	74
4.1.2.1.4.1. Conclusions	76
4.1.3. Rheological measurements and stabilization of high concentrated Al ₂ O ₃ -ZrO ₂ dsuspensions	77
4.1.3.1. Optimization of the rheological properties of high concentrated Al ₂ O ₃ -ZrO ₂ suspensions	77
4.1.3.1.1. Conclusions	81
4.2. Electroacoustic "ESA" Measurements	82
4.2.1. Measurements of the electrokinetic properties of low (2 vol%) concentrated (α -Al ₂ O ₃ , ZrO ₂ , Al ₂ O ₃ -ZrO ₂) powders suspensions	82
4.2.1.1. Conclusions	84
4.2.2. Measurements of the electrokinetic properties of highly (77 wt.%) concentrated (α -Al ₂ O ₃ , ZrO ₂ , Al ₂ O ₃ -ZrO ₂) powders suspensions	85
4.2.2.1. Electrokinetic properties of high concentrated α -Al ₂ O ₃ suspensions	85
4.2.2.1.1. Conclusions	87
4.2.2.2. Electrokinetic properties of highly concentrated ZrO ₂ suspensions	88
4.2.2.2.1. Conclusions	90
4.2.2.3. Electrokinetic properties of high concentrated ATZ (Al ₂ O ₃ -ZrO ₂) suspensions	91
4.2.2.3.1. Conclusions	92
4.3. Particle size measurements of different concentrated (α -Al ₂ O ₃ , ZrO ₂ , Al ₂ O ₃ -ZrO ₂) powders suspensions	93
4.3.1. Particle size distribution of α -Al ₂ O ₃ suspensions	93
4.3.1.1. Morphology, particle Size and particle Size Distribution of α -Al ₂ O ₃ powder	93
4.3.2. Particle size distribution of ZrO ₂ suspensions	95
4.3.2.1. Morphology, Particle Size Distribution of ZrO ₂ powder	95
4.3.3. Measurement of particle size distribution of Al ₂ O ₃ -ZrO ₂ (ATZ) suspensions	99

4.3.3.1. Morphology, Particle Size and Particle Size Distribution of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ (ATZ) powder	99
4.3.4. Conclusions	100
4.4. Fabrication of High performance ($\alpha\text{-Al}_2\text{O}_3$, ZrO_2 , $\text{Al}_2\text{O}_3\text{-ZrO}_2$) Ceramics by aqueous Slip casting	101
4.4.1. Casting rate of different ($\alpha\text{-Al}_2\text{O}_3$, ZrO_2 and $\text{Al}_2\text{O}_3\text{-ZrO}_2$) materials slurries	101
4.4.2. Fabrication of $\alpha\text{-Al}_2\text{O}_3$ Ceramics by Slip-casting	102
4.4.2.1. Characterization of the $\alpha\text{-Al}_2\text{O}_3$ slip-casts after drying	102
4.4.2.2. Sintering Process of $\alpha\text{-Al}_2\text{O}_3$ Ceramics	103
4.4.2.3. Mechanical properties of sub-micron $\alpha\text{-Al}_2\text{O}_3$ Ceramics	105
4.4.2.4. Conclusions	107
4.4.3. Fabrication of ultra-fine ZrO_2 ceramics by slip casting	108
4.4.3.1. Characterization of the ultra-fine ZrO_2 slip-casts after drying	108
4.4.3.2. Effect of dispersant concentration on green microstructure and pore size distribution of ultra-fine ZrO_2 slip-casts	110
4.4.3.3. Scanning Electron Microscopy of green compacts– Using Image Analysis	110
4.4.3.4. Hg-porosimetry method - pore size distributions	112
4.4.3.5. Sintering of nano-sized ZrO_2 slip-casts green compacts – Optimization of sintering temperature by using XRD Analysis	114
4.4.3.6. Effect of dispersant concentration on the sintered density of ZrO_2 Slip-casts	115
4.4.3.7. Dilatometry (linear shrinkage) Analysis of ZrO_2 Ceramics	117
4.4.3.8. Comparison between polished-surfaces of different sintered ZrO_2 compacts	118
4.4.3.9. Microstructure evaluation of fine sintered ZrO_2 ceramics	118
4.4.3.10. Mechanical properties (3- point bending strength) of fine sintered ZrO_2 ceramics	121
4.4.3.11. Conclusions	124
4.4.4. Fabrication of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ ceramic composite by slip casting	126
4.4.4.1. Characterization of the $\text{Al}_2\text{O}_3\text{-ZrO}_2$ slip-casts after drying	126
4.4.4.2. Sintering of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ green compacts and microstructural evaluation	127
4.4.4.3. Homogeneity of microstructure of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ Composite	129
4.4.4.4. Phase analysis and Dilatometric linear shrinkage of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ Composite	130
4.4.4.5. Bulk density and Mechanical properties of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ Composite	131
4.4.4.6. Conclusions	133
CHAPTER 5.	134
5. FINAL CONCLUDING AND SUGGESTIONS FOR FURTHER WORK	134
References	140
List of Publications	150
List of Figures	153
List of Tables	157
Symbols and Abbreviations	159