

## CONTENTS

<b>INTRODUCTION</b>	<b>1</b>
<b>PART I: CRITERIA FOR DIAGNOSES OF FLAGELLATE FUNGI</b>	<b>11</b>
<b>THE ZOOSPORE</b>	<b>13</b>
Asexual reproduction: definitions of sporangia, sporangiospores and zoospores	13
Zoospore morphology and motile phases	15
Polymorphism, dimorphism and polyplanetism	20
Body shape: reniform, bean-shaped, pip-shaped and grape-seed-shaped zoospores	21
Inclusions	22
Flagella, flagellar length and ornamentation, the straminopilous flagellum	25
Flagellar base: kinetosome, its root organization and transitional zone	32
<b>ZOOSPOROGENESIS AND ZOOSPORE CYST GERMINATION</b>	<b>39</b>
Asexual reproductive morphology	39
Cleavage	40
Evidence for a vesicle	42
Zoospore taxis	43
Flagellar retraction	44
Encystment	46
Cyst morphology	46
Germination	48
Extrusomes	50
Dense-body vesicles	51
<b>SEXUAL REPRODUCTION</b>	<b>53</b>
Oogamy	53
Sexuality and life-histories	54
Homothallism and heterothallism: sex hormones and sterols	54
The oogonium	56
The antheridium and the fertilization process	58
Oosporogenesis: protoplasmic reorganization and oospore wall structure	61
Oospore germination	64
Morphometry of the oogonium and oospore	65
The functional significance of oospore morphology	69
<b>NUCLEAR CYTOLOGY: MITOSIS AND MEIOSIS</b>	<b>71</b>
Mitosis	71
Meiosis	71
Genome synteny	77
<b>THE ASSIMILATIVE THALLUS</b>	<b>78</b>
The assimilative thallus: morphology	78
Intercellular hyphae of parasites	81
Haustoria	82
Parasitism by the obligate, host-range specific, downy mildews	82
Conidiosporangia, chlamydozoospores, hyphal bodies and gemmae	84
Development from the thallus: conidiosporangiophores and sporangial regeneration	84
Mitochondrial morphology	84

BIOCHEMISTRY	87
Cell walls	87
Lysine synthesis	89
Sterol metabolism	89
MOLECULAR BIOLOGY	91
Molecular systematics, evolutionary origins and systematics	91
Nucleotide ratios	93
The rDNA gene	93
Infra-generic molecular taxonomy	95
Genes other than rDNA	96
Mitochondrial DNA	96
Summary	97
COEVOLUTION	99
<b>PART II: CLASSIFICATIONS</b>	<b>101</b>
THE CLASSIFICATION OF THE STRAMINIPILOUS FUNGI WITHIN THE EUKARYOTE KINGDOMS	103
Relationships between photosynthetic and walled or naked heterotrophic straminipiles	103
Cladistic, phylogenetic and phenetic analyses and classifications	110
Hierarchical and non-hierarchical classifications	112
Historical review of the previous classifications for the <i>Peronosporomycetes</i>	112
Evolutionary origins of the <i>Straminipila</i> , including the <i>Peronosporomycetes</i>	115
THE CLASSES <i>PERONOSPOROMYCETES</i> AND <i>PLASMODIOPHOROMYCETES</i>	121
<b>PART III: MYCELIAR <i>PERONOSPOROMYCETES</i>: DOWNY MILDEWS AND WATER MOULDS</b>	<b>123</b>
INTRODUCTION	125
THE <i>PERONOSPORALES</i> : THE DOWNY MILDEWS	125
What are the downy mildews?	125
Taxonomic history of the downy mildews	126
Evolution of the biotrophic habit: nutrition and biochemistry	130
Synergism	133
Mycorrhizal associations	134
Coevolution of the downy mildews with angiosperms in the Tertiary	135
The white blister rusts: <i>Albugo</i>	150
<i>Peronospora</i> , <i>Plasmopara</i> and <i>Phytophthora</i>	150
Dicotyledonicolous and graminicolous downy mildews: economic importance	150
THE <i>PYTHIALES</i>	151
The <i>Pythiaceae</i> : <i>Phytophthora</i>	151
The <i>Pythiaceae</i> : <i>Halophytophthora</i>	154
The <i>Pythiaceae</i> : <i>Pythium</i>	154
The <i>Pythiogetonaceae</i>	158
THE <i>SAPROLEGNIALES</i>	159
The <i>Saprolegniaceae</i>	159
The <i>Leptolegniaceae</i>	162
THE <i>SCLEROSPORALES</i>	167
The origin of the graminicolous downy mildews	167

<b>PART IV: THE LAGENIDIACEOUS FUNGI AND SIMILAR ORGANISMS</b>	<b>171</b>
INTRODUCTION	173
<i>MYZOCYTIUM SENSU LATO</i> AND <i>LAGENIDIUM SENSU LATO</i>	174
<i>Lagenidium</i> species in insect hosts	179
<i>Lagenidium</i> and <i>Myzocytiium</i> species parasitic in <i>Zygnematales</i>	179
<i>Lagenidium</i> species parasitic in freshwater <i>Chlorophyceae</i> , <i>Charales</i> and higher plants: the status of the genera <i>Aphanistis</i> , <i>Lagenidiopsis</i> and <i>Cystosiphon</i>	182
<i>Lagenidium</i> species parasitic in freshwater cyanobacteria: the status of the genus <i>Resticularia</i>	186
<i>Lagenidium</i> species parasitic in freshwater diatoms	186
Saprotrophic <i>Lagenidium</i> species	187
<i>Lagenidium</i> species parasitic in <i>Peronosporomycetes</i>	188
<i>Lagenidium</i> species parasitic in marine <i>Crustacea</i>	190
Other fungal genera to be compared with <i>Salilagenidium</i> : <i>Haliphthoros</i> , <i>Atkinsiella</i> , <i>Halocrusticida</i> and <i>Halodaphnea</i>	191
<i>Myzocytiium</i> and <i>Lagenidium</i> species in marine green algae	193
Marine <i>Lagenidium</i> taxa transferred to <i>Pythium</i>	193
<i>Lagenidium</i> and <i>Myzocytiium</i> species parasitic in <i>Aschelminthes</i>	193
Resumé	195
THE NEMATOPHAGOUS 'LAGENIDIACEOUS' FUNGI	196
<i>Myzocytiopsis</i> , <i>Chlamydomyzium</i> , <i>Gonimochaete</i> and <i>Haptoglossa</i> , with reference to <i>Syzyngia</i>	196
Other biflagellate parasites of the <i>Aschelminthes</i> : <i>Sommerstorffia</i> , <i>Synchaetophagus</i> , <i>Endosphaerium</i> and <i>Hydatinophagus</i>	197
Uniflagellate parasites of the <i>Aschelminthes</i> : <i>Catenaria anguillulae</i> and chytrids	198
<i>Achlyogeton</i> , <i>Septolpidium</i> and <i>Bicricium</i>	198
<i>Crypticola</i>	200
<i>Haptoglossa</i> , its morphology, infection apparatus and relationship to the plasmodiophorids	202
Structures and functions of the evertible infection apparatus in <i>Haptoglossa</i> , <i>Polymyxa</i> and <i>Plasmodiophora</i> compared with the nematogene/taeniogene pairs of <i>Polykrikos</i>	203
The ultrastructure of the developing and mature 'extrusome' of <i>Polykrikos</i>	207
The ultrastructure of the mature 'extrusome' of <i>Haptoglossa</i>	207
Comparative discussion	209
Relationships of <i>Haptoglossa</i>	212
<i>Ectrogella</i>	213
<i>OLPIDIOPSIS</i> AND <i>PLEOCYSTIDIUM</i>	215
<i>Olpidiopsis</i> species parasitic in <i>Peronosporomycetes</i>	219
<i>Olpidiopsis</i> species parasitic in other endobiotic biflagellate fungi	221
<i>Olpidiopsis</i> species parasitic in <i>Zygnematales</i>	221
<i>Olpidiopsis</i> species parasitic in other freshwater algae	222
<i>Olpidiopsis</i> species parasitic in terrestrial angiosperm roots	223
<i>Olpidiopsis</i> species parasitic in terrestrial fungi	223
<i>Olpidiopsis</i> species parasitic in dinoflagellates	224
<i>Olpidiopsis</i> species parasitic in other <i>Chytridiomycetes</i> and other aquatic heterotrophic flagellates	224
<i>Olpidiopsis</i> species parasitic in marine algae	224
Resumé	225
<i>SIROLPIDIUM</i> , <i>PONTISMA</i> , <i>PETERSENIA</i> , <i>EURYCHASMA</i> AND <i>EURYCHASMIIDIUM</i>	228
THE <i>LEPTOLEGNIELLACEAE</i>	232
<i>Leptolegniellaceae</i> , except for <i>Aphanomycopsis</i>	232
<i>Aphanomycopsis</i>	233
<i>Blastulidium</i> and <i>Blastulidiopsis</i>	234
<i>Ducellieria</i>	235
THE <i>HYPHOCHYTRIALES</i> AND <i>ANISOLPIDIALES</i>	237
<i>LAGENISMA</i>	241

<i>LAGENA AND THE LAGENACEAE</i>	242
<i>Lagena</i>	242
<i>Ciliatomyces</i>	244
<i>Pythiella</i>	244
<b>THE ROZELLOPSIDALES</b>	246
<i>Rozellopsis</i> (with reference to <i>Skirgiellopsis</i> , <i>Rozella</i> , <i>Skirgiellia</i> and <i>Pleolpidium</i> )	246
<i>Pseudosphaerita</i> and <i>Sphaerita</i>	250
<i>Plasmophagus</i>	251
<i>Olpidiomorpha</i>	252
<i>Dictyomorpha</i>	252
<b>PLEOTRACHELUS</b>	253
<b>THE LABYRINTHISTA (LABYRINTHULOMYCETES)</b>	255
<b>THE PLASMODIOPHOROMYCETES</b>	259
<i>Pyrrhosorus</i> and <i>Phagomyxa</i>	261
<i>Endemosarcaceae</i> and <i>Heimerliaceae</i>	262
<b>MISCELLANEOUS GENERA</b>	263
<i>Lagenidicopsis</i>	263
Other 'oomycete' genera in the 7th and 8th edns of <i>Ainsworth &amp; Bisby's Dictionary of Fungi</i>	263
<i>Nephromyces</i>	264
<i>Dermocystidium</i> : <i>Hyalochlorella</i> and <i>Perkinsus</i>	264
<i>Ostracoblabe</i>	264
<i>Thalassomyces</i>	265
<i>Diplophrys</i> and <i>Sorodiplophrys</i>	265
<b>PART V: SYSTEMATICS</b>	267
<b>SYSTEMATICS: INTRODUCTION</b>	269
Cyrillic script	270
<b>THE STRAMINIPILA</b>	275
N.B., Page numbers to orders, families and genera are provided in Table V: 1, pp. 271-274	
<b>ORGANISMS NOW EXCLUDED FROM THE KINGDOM STRAMINIPILA:</b>	
<b>KINGDOMS ANIMALIA AND PROTOCTISTA</b>	402
Taxonomy of <i>Perkinsus</i> and <i>Dermocystidium</i>	402
Genus of the <i>Chlorophyceae</i> sometimes placed with <i>Dermocystidium</i> : <i>Hyalochlorella</i>	403
Non-flagellate organisms sometimes confused with <i>Dermocystidium</i>	404
Biflagellate parasites possibly related to the dinoflagellates and originally placed in the fungi: <i>Thalassomyces</i>	404
Miscellaneous genera which have at some time been associated with higher taxa now placed in the <i>Straminipila</i>	406
Taxa here excluded from the <i>Straminipila</i> , but mentioned in <i>Ainsworth &amp; Bisby's Dictionary of the Fungi</i> , 7th edn as having affinity to taxa now placed in the <i>Straminipila</i>	408
<b>TAXONOMY OF UNIFLAGELLATE FUNGI OF RELEVANCE TO THIS WORK</b>	412
<i>Catenaria</i> ( <i>Blastocladiales</i> )	412
<i>Olpidium</i> ( <i>Chytridiales</i> )	414
Other chytrids on rotifer eggs	425
Aquatic <i>Synchytriaceae</i> parasitic in algae	426

<b>PART V: KEYS</b>	433
SYNOPTIC (NON-DICHOTOMOUS) KEY TO THE CLASSES, ORDERS AND FAMILIES OF STRAMINIPILOUS AND OTHER HETEROTROPHS	435
KEYS TO GENERA AND SPECIES	442
KEY I: GENERAL KEY TO FAMILIES, GENERA, AND SPECIES IN GENERA WITH VERY FEW SPECIES	443
KEY II: <i>MYZOCYTIUM</i> AND <i>LAGENIDIUM</i>	454
KEY III: <i>CYSTOSIPHON</i>	455
KEY IV: <i>MYZOCYTIOPSIS</i>	455
KEY V: <i>GONIMOCHAETE</i>	457
KEY VI: <i>CHLAMYDOMYZIUM</i>	457
KEY VII: <i>SYZYGANGIA</i>	458
KEY VIII: <i>ECTROGELLA</i>	458
KEY IX: KERATINOPHILIC <i>LEPTOLEGNIACEAE</i>	459
KEY X: <i>SALLAGENIDIACEAE</i> AND <i>HALIPHTHORACEAE</i>	460
KEY XI: <i>PONTISMATACEAE</i> , <i>SIROLPIDACEAE</i> , <i>EURYCHASMATACEAE</i> AND <i>ANISOLPIDACEAE</i>	462
KEY XII: <i>LEPTOMITACEAE</i> AND <i>APODACHLYELLACEAE</i>	464
KEY XIII: <i>RHIPIDIACEAE</i>	465
KEY XIV: <i>HYPHOCHYTRIUM</i> , <i>CANTEROMYCES</i> AND <i>CYSTOCHYTRIUM</i>	466
KEY XV: <i>RHIZIDIOMYCES</i> , INCLUDING THE DOUBTFUL TAXA <i>LATROSTIUM</i> AND ' <i>EUCHYTRIDIUM</i> ', BUT NOT <i>REESIA</i>	467
KEY XVI: <i>LABYRINTHISTA</i>	468
KEY XVII: <i>HAPTOGLOSSA</i>	471
KEY XVIII: <i>PLASMIDIOPHOROMYCETES</i>	472
<b>APPENDICES AND GLOSSARY</b>	475
APPENDIX 1: LISTS OF BINOMIALS IN CURRENT USE	477
APPENDIX 2: RECOMMENDED FORM FOR TAXONOMIC AUTHORITIES	527
GLOSSARY	543
<b>REFERENCES AND BIBLIOGRAPHY</b>	549
<b>INDEXES</b>	627
INDEX TO TOPICS AND MAJOR GROUPS OF ORGANISMS	629
INDEX TO GENERA	630
INDEX TO BINOMIALS	639

TABLES

		page
Table 1.	Alphabetic list of genera of <i>Peronosporomycetes</i> , with type species and approximate numbers of species	8-9
Table 2.	Alphabetic list of genera of <i>Hyphochytriomycetes</i> , with type species and approximate numbers of species	9
Table 3.	Alphabetic list of genera of <i>Labyrinthista</i> , with type species and approximate numbers of species	9
Table 4.	Alphabetic list of genera of <i>Plasmodiophoromycetes</i> , with type species and approximate numbers of species	10
Table I: 1	Calculations of mean zoospore/zoospore cyst volumes	22-23
Table I: 2	Variations in dimensions of tubular tripartite hairs	24
Table I: 3	Ascending order of slopes of parallel lines regressions for oospore size against oogonial size	68
Table I: 4	Cytology references from Dick & Win-Tin (1973)	72-73
Table II: 1	The major taxa of the <i>Straminipila</i> : original habitats; species numbers	107
Table II: 2	Selected characters of the <i>Peronosporomycetes</i> and <i>Plasmodiophoromycetes</i> with anomalous 'lagenidiaceous' and other biflagellate genera	118-119
Table III: 1	The early chronology of taxonomic and plant-pathogenic studies of the dicotyledonicolous downy mildews and related taxa up to Fitzpatrick (1930)	127
Table III: 2	Molecular phylogeny of the angiosperms (after Angiosperm Phylogeny Group, 1998) and the occurrence of the dicotyledonicolous downy mildews and <i>Albugo</i>	128-129
Table III: 3	Dicotyledonicolous downy mildews and white blister rusts arranged according to host taxonomy	137-146
Table III: 4	<i>Peronosporaceae</i> , <i>Phytophthora</i> and <i>Sclerosporales</i> on monocotyledonous hosts	146-147
Table III: 5	The early chronology of taxonomic and plant-pathogenic studies of the <i>Pythiales</i>	152
Table III: 6	Characters of the Roman numeral categories of <i>Phytophthora</i>	153
Table III: 7	Chronological list of binomials and basionyms in <i>Pythium</i> : 1907-1948	156-157
Table III: 8	Endobiotic flagellate parasites of <i>Phytophthora</i> and <i>Pythium</i>	159
Table III: 9	Ultrastructural, developmental and morphological differences between the downy mildews of grasses and the downy mildews of dicotyledons	167
Table III: 10	The chronology of taxonomic and plant-pathogenic studies of the <i>Sclerosporales</i>	169
Table IV: 1	<i>Lagenidium</i> and <i>Myzocyttium</i> species: alphabetic list with synonymy in this text	176-178
Table IV: 2	Parasites of <i>Oedogonium</i>	184
Table IV: 3	Lagenidiaceous saprotrophs of pollen grains from freshwater or soil habitats	189
Table IV: 4	Chytrids associated with <i>Aschelminthes</i>	199
Table IV: 5	Suggested homology between terms used in the descriptions of the extrusomes of <i>Haptoglossa</i> , <i>Plasmodiophora</i> , <i>Polymyxa</i> and <i>Polykrikos</i>	204
Table IV: 6	Tabulations of <i>Olpidiopsis</i> species according to hosts	216-217
Table IV: 7	<i>Olpidiopsis</i> species: alphabetic list with synonymy in this text	218-219
Table IV: 8	<i>Olpidium</i> and <i>Micromyces</i> species known to parasitize <i>Zygnematales</i>	222
Table IV: 9	Alphabetic list of binomials of biflagellate or straminipilous fungi parasitic in marine algae and fungi	226-227
Table IV: 10	The habitats of the taxa which have been attached to the <i>Hyphochytriomycetes</i> in Sparrow (1960), Karling (1977) and subsequently	239
Table IV: 11	Alphabetic list of parasites of protoctists (excluding protoctistan algae and fungi), with page references to Sparrow (1960) and some other references	244
Table IV: 12	<i>Pleotrachelus</i> species: alphabetic list with synonymy in this text	156
Table V: 1	Hierarchy of the organisms considered in this monograph, complete to family and genera with page references to PART V entries	271-274

**FIGURES**

		Page
Figure I: 1	Zoospore orientation, terminology, shapes and flagellar insertion	14
Figure I: 2	Zoospore outlines	17-19
Figure I: 3	Inter- and intra-taxon variation in zoospore/zoospore cyst size	25
Figure I: 4	Flagellar structure and symmetry	27
Figure I: 5	Hypothesis for the structural conservation and mode of function of the tubular tripartite hair (TTH)	28
Figure I: 6	Diversity in flagellar tip morphology	30
Figure I: 7	Simplified diagrams of kinetosome flagellar roots of zoospores	33
Figure I: 8	Simplified diagram of flagellar bases and transitional zones	35
Figure I: 9	Zoospore cyst morphology	47
Figure I: 10	Diagrams of thallus forms from zoospore cyst germination	48-49
Figure I: 11	Diagrams of constitutionally foreshortened life-histories within the genus <i>Pythium</i>	55
Figure I: 12	The biodiversity of oogonial and oosporic wall structure and oosporic cytoplasmic organization	56-57
Figure I: 13	Oospore wall diversity: homologous and non-homologous layers	62
Figure I: 14	Parameters for morphometry of <i>Pythium</i> oogonia and oospores	66
Figure I: 15	The use of ooplast index and oospore wall index to demonstrate species discontinuities in <i>Pythium</i>	66
Figure I: 16	Relationships between oospore size and oogonial size in pluriovulate oogonia of <i>Saprolegniaceae</i>	67
Figure I: 17	Proportionality of the different oospore reserves in <i>Pythium</i>	69
Figure I: 18	Life-history of the <i>Peronosporomycetes</i> with emphasis on the nuclear developments	70
Figure I: 19	Divergence and convergence in thallus form	80
Figure I: 20	Mitochondria	85
Figure III: 1	Diagram of angiosperm evolution in relation to requirements of the downy mildews	131
Figure III: 2	Interacting factors for the coevolution of the downy mildews with their hosts	134
Figure III: 3	Cretaceous drift map and putative centres of origin for genera of downy mildews	149
Figure IV: 1	Comparative diagrams of the injection apparatus of <i>Haptoglossa</i> and <i>Plasmodiophora</i>	205