

# Contents

<i>Preface</i>	v
<b>Chapter 1 The NMR Spectrometer</b>	<b>1</b>
1.1 Components of an NMR Spectrometer	1
1.1.1 The Magnet	1
1.1.2 The Spectrometer Cabinet	2
1.1.3 The Computer	3
1.1.4 Maintenance	3
1.2 Tuning a Probe-Head	3
1.3 The Lock Channel	4
1.4 The Art of Shimming	6
1.4.1 The Shim Gradients	6
1.4.2 The Shimming Procedure	8
1.4.3 Gradient Shimming	11
<b>Chapter 2 Determination of Pulse-Duration</b>	<b>14</b>
Exp. 2.1: Determination of the 90° <sup>1</sup> H Transmitter Pulse-Duration	15
Exp. 2.2: Determination of the 90° <sup>13</sup> C Transmitter Pulse-Duration	18
Exp. 2.3: Determination of the 90° <sup>1</sup> H Decoupler Pulse-Duration	21
Exp. 2.4: The 90° <sup>1</sup> H Pulse with Inverse Spectrometer Configuration	24
Exp. 2.5: The 90° <sup>13</sup> C Decoupler Pulse with Inverse Configuration	27
Exp. 2.6: Composite Pulses	30
Exp. 2.7: Radiation Damping	33
Exp. 2.8: Pulse and Receiver Phases	36
Exp. 2.9: Determination of Radiofrequency Power	39
<b>Chapter 3 Routine NMR Spectroscopy and Standard Tests</b>	<b>43</b>
Exp. 3.1: The Standard <sup>1</sup> H NMR Experiment	44
Exp. 3.2: The Standard <sup>13</sup> C NMR Experiment	49
Exp. 3.3: The Application of Window Functions	54
Exp. 3.4: Computer-Aided Spectral Analysis	58
Exp. 3.5: Line Shape Test for <sup>1</sup> H NMR Spectroscopy	61
Exp. 3.6: Resolution Test for <sup>1</sup> H NMR Spectroscopy	64
Exp. 3.7: Sensitivity Test for <sup>1</sup> H NMR Spectroscopy	67
Exp. 3.8: Line Shape Test for <sup>13</sup> C NMR Spectroscopy	70
Exp. 3.9: ASTM Sensitivity Test for <sup>13</sup> C NMR Spectroscopy	73
Exp. 3.10: Sensitivity Test for <sup>13</sup> C NMR Spectroscopy	76
Exp. 3.11: Quadrature Image Test	79
Exp. 3.12: Dynamic Range Test for Signal Amplitudes	82
Exp. 3.13: 13° Phase Stability Test	85
Exp. 3.14: Radiofrequency Field Homogeneity	88

<b>Chapter 4 Decoupling Techniques</b>	<b>91</b>
Exp. 4.1: Decoupler Calibration for Homonuclear Decoupling	92
Exp. 4.2: Decoupler Calibration for Heteronuclear Decoupling	95
Exp. 4.3: Low-Power Calibration for Heteronuclear Decoupling	98
Exp. 4.4: Homonuclear Decoupling	101
Exp. 4.5: Homonuclear Decoupling at Two Frequencies	104
Exp. 4.6: The Homonuclear SPT Experiment	107
Exp. 4.7: The Heteronuclear SPT Experiment	110
Exp. 4.8: The Basic Homonuclear NOE Difference Experiment	113
Exp. 4.9: 1D Nuclear Overhauser Difference Spectroscopy	116
Exp. 4.10: 1D NOE Spectroscopy with Multiple Selective Irradiation	119
Exp. 4.11: $^1\text{H}$ Off-Resonance Decoupled $^{13}\text{C}$ NMR Spectra	122
Exp. 4.12: The Gated $^1\text{H}$ -Decoupling Technique	125
Exp. 4.13: The Inverse Gated $^1\text{H}$ -Decoupling Technique	128
Exp. 4.14: $^1\text{H}$ Single-Frequency Decoupling of $^{13}\text{C}$ NMR Spectra	131
Exp. 4.15: $^1\text{H}$ Low-Power Decoupling of $^{13}\text{C}$ NMR Spectra	134
Exp. 4.16: Measurement of the Heteronuclear Overhauser Effect	137
<b>Chapter 5 Dynamic NMR Spectroscopy</b>	<b>140</b>
Exp. 5.1: Low-Temperature Calibration Using Methanol	141
Exp. 5.2: High-Temperature Calibration Using 1,2-Ethandiol	145
Exp. 5.3: Dynamic $^1\text{H}$ NMR Spectroscopy on Dimethylformamide	149
Exp. 5.4: The Saturation Transfer Experiment	152
Exp. 5.5: Measurement of the Rotating-Frame Relaxation Time $T_{1\rho}$	155
<b>Chapter 6 1D Multipulse Sequences</b>	<b>159</b>
Exp. 6.1: Measurement of the Spin–Lattice Relaxation Time $T_1$	160
Exp. 6.2: Measurement of the Spin–Spin Relaxation Time $T_2$	164
Exp. 6.3: $^{13}\text{C}$ NMR Spectra with SEFT	167
Exp. 6.4: $^{13}\text{C}$ NMR Spectra with APT	170
Exp. 6.5: The Basic INEPT Technique	173
Exp. 6.6: INEPT+	176
Exp. 6.7: Refocused INEPT	179
Exp. 6.8: Reverse INEPT	182
Exp. 6.9: DEPT-135	185
Exp. 6.10: Editing $^{13}\text{C}$ NMR Spectra Using DEPT	188
Exp. 6.11: DEPTQ	191
Exp. 6.12: Multiplicity Determination Using PENDANT	194
Exp. 6.13: 1D-INADEQUATE	197
Exp. 6.14: The BIRD Filter	201
Exp. 6.15: TANGO	204
Exp. 6.16: The Heteronuclear Double-Quantum Filter	207
Exp. 6.17: Purging with a Spin-Lock Pulse	210
Exp. 6.18: Water Suppression by Presaturation	213
Exp. 6.19: Water Suppression by the Jump-and-Return Method	216



<b>Chapter 7 NMR Spectroscopy with Selective Pulses</b>	<b>219</b>
Exp. 7.1: Determination of a Shaped $90^\circ$ $^1\text{H}$ Transmitter Pulse	220
Exp. 7.2: Determination of a Shaped $90^\circ$ $^1\text{H}$ Decoupler Pulse	223
Exp. 7.3: Determination of a Shaped $90^\circ$ $^{13}\text{C}$ Decoupler Pulse	226
Exp. 7.4: Selective Excitation Using DANTE	229
Exp. 7.5: SELCOSY	232
Exp. 7.6: SELINCOR: Selective Inverse H,C Correlation via $^1J(\text{C,H})$	235
Exp. 7.7: SELINQUATE	238
Exp. 7.8: Selective TOCSY	242
Exp. 7.9: INAPT	246
Exp. 7.10: Determination of Long-Range C,H Coupling Constants	249
Exp. 7.11: SELRESOLV	252
Exp. 7.12: SERF	255
<b>Chapter 8 Auxiliary Reagents, Quantitative Determinations, and Reaction Mechanisms</b>	<b>258</b>
Exp. 8.1: Signal Separation Using a Lanthanide Shift Reagent	259
Exp. 8.2: Signal Separation of Enantiomers Using a Chiral Shift Reagent	262
Exp. 8.3: Signal Separation of Enantiomers Using a Chiral Solvating Agent	265
Exp. 8.4: Determination of Enantiomeric Purity with Pirkle's Reagent	268
Exp. 8.5: Determination of Enantiomeric Purity by $^{31}\text{P}$ NMR	271
Exp. 8.6: Determination of Absolute Configuration by the Advanced Mosher Method	274
Exp. 8.7: Aromatic Solvent-Induced Shift (ASIS)	277
Exp. 8.8: NMR Spectroscopy of OH Protons and H/D Exchange	280
Exp. 8.9: Water Suppression Using an Exchange Reagent	283
Exp. 8.10: Isotope Effects on Chemical Shielding	286
Exp. 8.11: $pK_a$ Determination by $^{13}\text{C}$ NMR	290
Exp. 8.12: Determination of Association Constants $K_a$	293
Exp. 8.13: Saturation Transfer Difference NMR	298
Exp. 8.14: The Relaxation Reagent $\text{Cr}(\text{acac})_3$	302
Exp. 8.15: Determination of Paramagnetic Susceptibility by NMR	305
Exp. 8.16: $^1\text{H}$ and $^{13}\text{C}$ NMR of Paramagnetic Compounds	308
Exp. 8.17: The CIDNP Effect	312
Exp. 8.18: Quantitative $^1\text{H}$ NMR Spectroscopy: Determination of the Alcohol Content of Polish Vodka	315
Exp. 8.19: Quantitative $^{13}\text{C}$ NMR Spectroscopy with Inverse Gated $^1\text{H}$ -Decoupling	318
Exp. 8.20: NMR Using Liquid-Crystal Solvents	321
<b>Chapter 9 Heteronuclear NMR Spectroscopy</b>	<b>324</b>
Exp. 9.1: $^1\text{H}$ -Decoupled $^{15}\text{N}$ NMR Spectra Using DEPT	330
Exp. 9.2: $^1\text{H}$ -Coupled $^{15}\text{N}$ NMR Spectra Using DEPT	333
Exp. 9.3: $^{19}\text{F}$ NMR Spectroscopy	336
Exp. 9.4: $^{29}\text{Si}$ NMR Spectroscopy Using DEPT	339



Exp. 9.5:	$^{29}\text{Si}$ NMR Spectroscopy Using Spin-Lock Polarization	342
Exp. 9.6:	$^{119}\text{Sn}$ NMR Spectroscopy	346
Exp. 9.7:	$^2\text{H}$ NMR Spectroscopy	349
Exp. 9.8:	$^{11}\text{B}$ NMR Spectroscopy	352
Exp. 9.9:	$^{17}\text{O}$ NMR Spectroscopy Using RIDE	355
Exp. 9.10:	$^{47/49}\text{Ti}$ NMR Spectroscopy Using ARING	358

## **Chapter 10 The Second Dimension** 362

Exp. 10.1:	2D $J$ -Resolved $^1\text{H}$ NMR Spectroscopy	367
Exp. 10.2:	2D $J$ -Resolved $^{13}\text{C}$ NMR Spectroscopy	370
Exp. 10.3:	The Basic H,H-COSY Experiment	373
Exp. 10.4:	Long-Range COSY	377
Exp. 10.5:	Phase-Sensitive COSY	380
Exp. 10.6:	Phase-Sensitive COSY-45	383
Exp. 10.7:	E.COSY	386
Exp. 10.8:	Double-Quantum-Filtered COSY with Presaturation	389
Exp. 10.9:	Fully Coupled C,H Correlation (FUCOUP)	393
Exp. 10.10:	C,H-Correlation by Polarization Transfer (HETCOR)	396
Exp. 10.11:	Long-Range C,H-Correlation by Polarization Transfer	399
Exp. 10.12:	C,H Correlation via Long-Range Couplings (COLOC)	402
Exp. 10.13:	The Basic HMQC Experiment	405
Exp. 10.14:	Phase-Sensitive HMQC with BIRD Filter and GARP Decoupling	409
Exp. 10.15:	Poor Man's Gradient HMQC	412
Exp. 10.16:	Phase-Sensitive HMBC with BIRD Filter	415
Exp. 10.17:	The Basic HSQC Experiment	418
Exp. 10.18:	The HOHAHA or TOCSY Experiment	422
Exp. 10.19:	HETLOC	426
Exp. 10.20:	The NOESY Experiment	430
Exp. 10.21:	The CAMELSPIN or ROESY Experiment	434
Exp. 10.22:	The HOESY Experiment	438
Exp. 10.23:	2D-INADEQUATE	441
Exp. 10.24:	The EXSY Experiment	445
Exp. 10.25:	X,Y-Correlation	448

## **Chapter 11 1D NMR Spectroscopy with Pulsed Field Gradients** 453

Exp. 11.1:	Calibration of Pulsed Field Gradients	455
Exp. 11.2:	Gradient Pre-emphasis	458
Exp. 11.3:	Gradient Amplifier Test	461
Exp. 11.4:	Determination of Pulsed Field Gradient Ring-Down Delays	464
Exp. 11.5:	The Pulsed Field Gradient Spin-Echo Experiment	467
Exp. 11.6:	Excitation Pattern of Selective Pulses	470
Exp. 11.7:	The Gradient Heteronuclear Double-Quantum Filter	474
Exp. 11.8:	The Gradient $zz$ -Filter	477
Exp. 11.9:	The Gradient-Selected Dual Step Low-Pass Filter	480
Exp. 11.10:	gs-SELCOSY	484
Exp. 11.11:	gs-SELTOCSY	488

Exp. 11.12:	DPFGSE-NOE	492
Exp. 11.13:	gs-SELINCOR	496
Exp. 11.14:	$\alpha/\beta$ -SELINCOR-TOCSY	499
Exp. 11.15:	GRECCO	503
Exp. 11.16:	WATERGATE	506
Exp. 11.17:	Water Suppression by Excitation Sculpting	509
Exp. 11.18:	Solvent Suppression Using WET	512
Exp. 11.19:	DOSY	515
Exp. 11.20:	INEPT-DOSY	518
Exp. 11.21:	DOSY-HMQC	521

## **Chapter 12 2D NMR Spectroscopy With Field Gradients** 525

Exp. 12.1:	gs-COSY	526
Exp. 12.2:	Constant-Time COSY	530
Exp. 12.3:	Phase-Sensitive gs-DQF-COSY	534
Exp. 12.4:	gs-HMQC	538
Exp. 12.5:	gs-HMBC	542
Exp. 12.6:	ACCORD-HMBC	546
Exp. 12.7:	HMSC	550
Exp. 12.8:	Phase-Sensitive gs-HSQC with Sensitivity Enhancement	554
Exp. 12.9:	Edited HSQC with Sensitivity Enhancement	558
Exp. 12.10:	HSQC with Adiabatic Pulses for High-Field Instruments	563
Exp. 12.11:	gs-TOCSY	567
Exp. 12.12:	gs-HMQC-TOCSY	571
Exp. 12.13:	gs-HETLOC	575
Exp. 12.14:	gs- <i>J</i> -Resolved HMBC	581
Exp. 12.15:	2Q-HMBC	585
Exp. 12.16:	<sup>1</sup> H-Detected 2D INEPT-INADEQUATE	589
Exp. 12.17:	1,1-ADEQUATE	593
Exp. 12.18:	1,n-ADEQUATE	597
Exp. 12.19:	gs-NOESY	601
Exp. 12.20:	gs-HSQC-NOESY	604
Exp. 12.21:	gs-HOESY	608
Exp. 12.22:	<sup>1</sup> H, <sup>15</sup> N Correlation with gs-HMQC	612

## **Chapter 13 The Third Dimension** 616

Exp. 13.1:	3D HMQC-COSY	618
Exp. 13.2:	3D gs-HSQC-TOCSY	622
Exp. 13.3:	3D H,C,P-Correlation	626
Exp. 13.4:	3D HMBC	630

## **Chapter 14 Solid-State NMR Spectroscopy** 634

Exp. 14.1:	Shimming Solid-State Probe-Heads	635
Exp. 14.2:	Adjusting the Magic Angle	639
Exp. 14.3:	Hartmann-Hahn Matching	642



Exp. 14.4:	The Basic CP/MAS Experiment	645
Exp. 14.5:	TOSS	649
Exp. 14.6:	SELTICS	653
Exp. 14.7:	Connectivity Determination in the Solid State	656
Exp. 14.8:	REDOR	659
Exp. 14.9:	High-Resolution Magic-Angle Spinning	663
<b>Chapter 15</b>	<b>Protein NMR</b>	<b>666</b>
Exp. 15.1:	Pulse Determination for Protein NMR	670
Exp. 15.2:	HN-HSQC	673
Exp. 15.3:	HC-HSQC	678
Exp. 15.4:	MUSIC	682
Exp. 15.5:	HN-Correlation using TROSY	688
Exp. 15.6:	HN-TOCSY-HSQC	692
Exp. 15.7:	HNCA	698
Exp. 15.8:	HN(CO)CA	705
Exp. 15.9:	HNCO	711
Exp. 15.10:	HN(CA)CO	718
Exp. 15.11:	HCACO	725
Exp. 15.12:	HCCH-TOCSY	732
Exp. 15.13:	CBCANH	739
Exp. 15.14:	CBCA(CO)NH	746
Exp. 15.15:	HBHA(CBCACO)NH	753
Exp. 15.16:	HN(CA)NNH	760
Exp. 15.17:	HN-NOESY-HSQC	766
Exp. 15.18:	HC-NOESY-HSQC	773
Exp. 15.19:	3D HCN-NOESY	779
Exp. 15.20:	HNCA- <i>J</i>	785
<b>Appendix 1</b>		<b>791</b>
Pulse Programs		
<b>Appendix 2</b>		<b>794</b>
Instrument Dialects		
<b>Appendix 3</b>		<b>797</b>
Classification of Experiments		
<b>Appendix 4</b>		<b>799</b>
Elementary Product Operator Formalism Rules		
<b>Appendix 5</b>		<b>802</b>
Chemical Shift and Spin-Coupling Data for Ethyl Crotonate and Strychnine		
<b>Glossary and Index</b>		<b>804</b>